


General Health Fair or Poor




General Health Fair or Poor

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	17.3	25.0	22.0	19.9	16.3	24.5	25.1	21.0	20.2	20.6
Nonwhite	31.1	30.8	27.4	32.2	30.3	29.9	37.7	27.7	16.8	29.7
Total	22.7	25.6	25.8	24.7	22.5	26.4	30.7	22.6	19.5	23.7

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2010

No Health Care Coverage




No Health Care Coverage

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	14.8	21.5	13.0	23.7	10.2	15.5	13.6	16.7	19.9	16.8
Nonwhite	32.6	28.2	32.4	30.0	25.2	28.4	28.0	33.1	29.8	29.1
Total	21.2	23.5	25.3	26.0	18.2	21.0	19.8	21.1	22.0	21.6

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2010

Physical Health Not Good For More Than 7 Days In Past Month




Physical Health Not Good For More than 7 Days in Past Month

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	16.1	19.0	18.7	16.1	11.7	16.4	19.9	18.1	16.4	15.9
Nonwhite	16.7	19.0	14.5	18.1	17.3	17.7	22.0	20.2	8.2	16.9
Total	16.4	18.6	16.1	16.8	13.8	17.3	21.0	18.6	14.8	16.1

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2010

Mental Health Not Good For More than 7 Days In Past Month




Mental Health Not Good For More than 7 Days in Past Month

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	15.2	19.5	8.1	12.5	14.0	11.9	15.4	13.4	15.5	14.7
Nonwhite	20.1	17.5	17.0	19.5	17.7	14.5	21.8	14.9	8.1	17.4
Total	16.9	18.6	13.9	15.2	15.8	12.9	18.3	13.5	14.7	15.6

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2010

Unable to See a Doctor in Past 12 Months Because of Cost




Unable to See a Doctor in Past 12 Months Because of Cost

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	19.1	22.7	14.8	14.7	9.2	14.7	14.4	16.9	18.5	16.3
Nonwhite	27.0	29.7	28.2	35.4	25.9	36.3	31.9	30.6	19.9	28.9
Total	22.0	24.4	23.4	22.8	17.1	23.3	22.0	20.3	19.1	20.9

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2010

No Exercise in Past 30 Days




No Exercise in Past 30 Days

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	25.1	34.4	35.9	27.9	29.6	30.9	34.6	30.6	27.7	30.0
Nonwhite	44.6	37.6	31.5	48.7	38.0	38.1	46.2	31.9	35.9	38.7
Total	32.1	35.5	33.3	36.0	32.9	33.8	39.4	31.0	28.9	33.0

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2010

Overweight or Obese




At Risk Because of Being Overweight or Obese

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	64.5	68.1	62.0	58.9	64.8	64.1	72.1	65.0	67.6	65.5
Nonwhite	78.4	85.3	69.6	72.2	72.0	77.5	80.6	78.4	72.2	75.1
Total	69.6	71.0	67.0	64.4	67.9	68.6	76.1	69.5	67.8	68.8

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2010

Obese




At Risk Because of Being Obese

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	31.8	31.6	35.9	31.2	28.6	27.9	31.9	29.4	33.6	30.9
Nonwhite	45.3	46.7	44.5	39.8	42.5	38.6	44.9	41.9	28.8	41.9
Total	36.7	34.6	41.5	34.4	34.3	31.6	37.4	33.4	31.8	34.5

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2010

Current Smoker




Current Smoker

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	22.5	24.8	20.5	23.8	17.5	22.3	24.5	20.4	26.0	22.6
Nonwhite	23.0	25.6	20.5	29.8	22.6	25.9	22.0	22.2	24.9	23.6
Total	22.6	24.8	20.4	26.1	20.2	23.2	23.3	20.7	26.3	22.9

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2010

Ever Had Asthma




Ever Had Asthma

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	13.6	12.0	12.2	7.7	10.5	8.9	11.4	11.2	10.8	10.9
Nonwhite	13.5	17.9	14.8	15.4	10.7	9.7	10.1	17.6	8.2	12.8
Total	13.4	13.0	13.7	10.7	10.6	9.4	10.8	13.0	10.6	11.6

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2010

Presently Have Asthma




Presently Have Asthma

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	9.4	7.9	7.9	4.3	5.5	5.8	8.6	5.2	6.3	6.6
Nonwhite	6.3	12.9	9.8	12.7	6.5	6.2	6.0	13.8	6.1	8.5
Total	8.2	8.7	9.0	7.6	6.1	6.2	7.4	7.6	6.3	7.2

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2010

Ever Diagnosed With Diabetes




Ever Diagnosed With Diabetes

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	10.5	13.0	10.9	10.6	10.3	12.9	11.2	9.4	11.3	11.1
Nonwhite	13.1	17.4	12.7	17.9	15.1	15.9	18.6	10.2	15.1	14.9
Total	11.8	13.8	12.1	13.6	12.1	14.0	14.4	9.6	11.8	12.4

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2010

Ever Diagnosed With A Heart Attack




Ever Diagnosed With A Heart Attack

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	5.3	7.0	5.4	8.4	4.9	4.3	6.4	5.4	6.9	6.1
Nonwhite	5.6	3.9	4.1	4.2	3.9	6.5	4.1	2.6	1.3	4.1
Total	5.3	6.4	4.9	6.7	4.6	5.2	5.3	4.8	5.9	5.4

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2010

Ever Diagnosed With Coronary Heart Disease




Ever Diagnosed With Coronary Heart Disease

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	5.9	6.1	4.9	6.7	3.9	4.8	6.5	6.4	6.1	5.6
Nonwhite	0.7	1.3	2.3	2.1	2.2	2.1	4.1	2.3	2.0	2.1
Total	3.9	5.3	3.5	4.8	3.0	3.7	5.6	5.6	5.4	4.4

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2010

Ever Diagnosed With a Stroke




Ever Diagnosed With A Stroke

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	4.9	4.9	4.0	4.2	3.2	4.0	5.3	2.4	3.6	3.9
Nonwhite	4.5	3.8	4.7	4.2	3.0	4.9	7.0	3.3	2.7	4.1
Total	4.8	4.7	4.7	4.2	3.0	4.4	6.0	3.4	3.5	4.0

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2010

Insufficient Sleep in Past 14 Days




Insufficient Sleep in Past 14 Days

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	28.1	33.9	28.0	26.3	26.7	26.9	28.7	28.2	31.4	29.1
Nonwhite	26.6	31.8	23.8	24.8	30.9	30.5	31.3	31.1	27.9	28.9
Total	27.4	32.9	25.4	25.6	28.5	28.2	29.9	28.9	31.1	28.9

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2010

Report Fall in Past 3 Months (Age 45+)




Report Fall in Past 3 Months (Age 45+)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	15.1	19.8	17.4	16.2	17.5	16.9	19.0	18.5	18.5	17.8
Nonwhite	20.1	14.0	12.4	22.6	18.0	13.0	17.5	25.7	10.7	17.0
Total	16.4	19.0	14.6	18.3	17.2	15.5	18.7	20.4	17.2	17.5

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2010

Ever Had Pap Test (Females 18+)




Ever Had Pap Test (Females 18+)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	98.6	93.1	97.3	93.6	98.6	89.4	93.2	89.6	93.1	94.2
Nonwhite	91.2	93.2	95.5	95.7	93.3	86.0	92.9	92.4	96.6	93.0
Total	95.8	93.1	96.1	94.6	95.1	86.3	93.2	90.6	92.2	93.2

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2010

Pap Test in Past 3 Years (Females 18+)




Pap Test in Past 3 Years (Females 18+)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	78.3	70.8	73.4	79.1	85.7	70.7	71.5	77.6	78.7	77.5
Nonwhite	74.0	86.7	76.5	87.7	84.6	72.5	76.1	88.2	84.7	81.5
Total	76.6	74.9	75.0	83.0	84.3	69.1	74.1	81.1	78.5	78.5

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2010

Ever Had Mammogram and CBE (Women 40+)




Ever Had Mammogram and CBE (Women 40+)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	80.2	82.9	83.3	84.6	87.4	85.3	81.6	82.0	85.0	84.0
Nonwhite	72.8	71.9	77.8	64.8	76.8	65.2	71.5	83.8	82.6	74.4
Total	78.3	80.9	80.1	76.5	82.8	77.9	77.9	82.0	85.1	80.8

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2010

Mammogram and CBE in Past Two Years (Women 50+)




Mammogram and CBE in Past Two Years (Women 50+)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	57.7	55.4	65.8	58.7	68.0	54.9	59.6	56.3	63.1	60.5
Nonwhite	52.4	56.9	54.7	45.9	58.9	42.5	55.0	65.7	75.1	56.2
Total	56.7	55.6	59.3	54.3	64.4	50.4	57.7	58.1	64.6	59.1

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2010

Flu Shot in Past 12 Months




Flu Shot in Past 12 Months

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	42.7	41.2	47.3	42.5	51.3	45.7	44.0	36.3	38.4	42.8
Nonwhite	18.6	26.7	18.5	25.1	31.5	25.7	27.3	22.3	34.1	25.9
Total	34.0	39.2	29.2	35.4	41.2	37.8	37.1	32.0	37.3	36.7

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2010

Ever Had Pneumonia Vaccination




Ever Had Pneumonia Vaccine

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	23.6	29.1	35.4	29.8	36.1	35.2	33.6	24.6	29.2	30.5
Nonwhite	14.4	20.2	19.4	19.1	25.2	26.0	25.3	21.1	30.9	22.5
Total	20.4	27.2	25.7	25.4	30.5	31.5	29.9	23.6	29.6	27.6

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2010

Ever Had PSA Test (Males 40+)




Ever Had PSA Test (Males 40+)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	49.4	75.4	56.4	71.6	68.7	71.7	74.3	64.9	63.8	66.0
Nonwhite	51.0	47.3	48.0	66.2	58.0	63.6	58.2	61.5	60.5	57.2
Total	49.5	69.8	53.2	69.1	61.6	68.0	67.0	65.3	62.3	62.6

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2010

Activities Limited by Health Problems




Activities Limited by Health Problems

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	24.7	28.9	26.9	24.9	23.6	26.9	31.0	24.6	28.0	26.3
Nonwhite	24.6	28.9	21.3	26.7	20.9	25.8	30.4	21.2	19.5	23.7
Total	24.5	28.4	24.0	25.6	21.9	26.5	30.9	23.6	27.1	25.3

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2010

Special Equipment Needed For Health Problems




Special Equipment Needed for Health Problems

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	7.4	11.3	11.4	8.7	8.1	10.4	9.6	10.5	9.2	9.4
Nonwhite	9.9	13.5	10.9	15.4	14.8	11.5	18.0	10.2	11.3	13.0
Total	8.3	11.5	11.5	11.3	10.8	11.0	13.4	10.6	9.5	10.6

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2010

Never Had Sigmoidoscopy or Colonoscopy (Age 50+)




Never Had Sigmoidoscopy or Colonoscopy (Age 50+)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	39.4	37.8	42.0	34.3	33.6	40.7	37.0	30.4	35.6	36.1
Nonwhite	51.7	52.6	59.7	55.3	40.7	47.5	51.5	46.4	44.2	48.7
Total	42.4	40.5	51.8	41.7	36.7	43.5	42.7	33.7	37.5	40.0

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2010

More Than One Year Since Last Visit to a Dentist




More Than One Year Since Last Visit to a Dentist

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	34.4	45.0	31.8	42.4	30.4	36.5	39.6	38.0	39.5	37.6
Nonwhite	46.8	58.9	51.2	54.6	45.3	47.4	54.7	53.3	42.6	49.5
Total	38.9	48.2	44.1	47.1	37.3	41.1	45.9	42.3	40.2	41.9

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2010

More Than One Year Since Teeth Cleaned by a Dentist




More Than One Year Since Teeth Cleaned by a Dentist

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	38.5	44.0	31.2	44.6	29.5	40.1	37.0	40.5	40.8	38.5
Nonwhite	49.5	65.9	58.3	60.4	43.4	50.5	63.2	60.8	44.8	53.0
Total	42.3	48.8	48.7	50.6	36.0	44.3	48.0	46.1	41.5	43.6

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2010

Have Had One or More Permanent Teeth Removed




Have Had One or More Permanent Teeth Removed

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	49.9	55.4	50.9	50.5	43.4	68.7	59.5	57.5	49.5	51.8
Nonwhite	67.2	62.3	66.6	59.3	60.1	60.7	77.2	67.6	57.7	64.3
Total	56.5	57.2	61.0	54.3	50.8	64.6	66.9	60.0	50.3	56.1

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2010

Always or Nearly Always Wear Seat Belts




Always or Nearly Always Wear Seat Belts

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	89.9	92.1	93.0	87.7	95.1	91.7	90.7	92.4	94.1	92.4
Nonwhite	85.0	91.3	84.6	87.3	86.6	89.6	92.1	86.9	95.3	87.9
Total	88.0	92.0	87.8	87.3	91.5	90.8	91.5	91.2	94.5	91.0

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2010

At Risk Because of Binge Drinking




At Risk Because of Binge Drinking

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	8.5	6.5	14.5	14.6	9.9	6.3	10.2	7.6	13.2	10.0
Nonwhite	9.5	5.5	6.6	8.2	13.7	7.8	5.8	5.4	23.4	10.0
Total	8.7	6.1	9.7	12.0	11.5	6.7	8.1	6.9	14.6	9.9

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2010

At Risk Because of Heavy Drinking




At Risk Because of Heavy Drinking

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	2.4	2.9	6.6	1.9	2.6	3.2	4.2	2.8	4.9	3.4
Nonwhite	3.1	4.5	2.1	3.2	3.2	2.3	0.8	1.4	9.2	3.1
Total	2.6	3.1	3.7	2.4	2.8	2.8	2.7	2.3	5.5	3.2

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2010

Rarely or Never Get Emotional Support Needed




Rarely or Never Get Emotional Support Needed

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	7.6	6.7	7.1	6.5	4.0	7.4	7.5	7.0	7.8	6.7
Nonwhite	17.9	15.6	14.6	13.7	16.2	18.5	13.4	17.9	8.9	15.6
Total	11.2	8.3	12.4	9.3	9.2	11.7	10.1	10.6	9.3	10.0

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2010

Dissatisfied or Very Dissatisfied With Life




Dissatisfied or Very Dissatisfied With Life

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	7.0	7.6	2.8	3.7	2.8	4.0	4.8	2.2	5.6	4.7
Nonwhite	11.3	6.6	6.7	7.2	5.5	8.9	8.4	6.8	2.2	7.0
Total	8.4	7.3	5.5	5.1	4.4	6.1	6.3	4.1	5.2	5.7

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2010

Never Tested For HIV (Age 18-64)




Never Tested for HIV (Age 18-64)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	66.6	67.9	65.1	63.4	59.6	64.2	63.8	63.4	58.8	63.1
Nonwhite	49.0	41.0	50.4	49.4	41.6	46.2	55.1	38.6	32.0	44.7
Total	59.7	61.1	54.9	57.4	50.1	57.0	59.8	54.3	53.6	55.6

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2010

Participated in High Risk Behavior (Age 18-64)



Participated in High Risk Behavior (Age 18-64)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	1.7	4.0	1.1	5.1	3.5	3.8	0.6	2.4	2.0	2.8
Nonwhite	6.8	13.5	10.1	6.7	10.5	10.7	2.9	2.3	6.3	8.4
Total	3.6	5.9	6.9	5.7	6.6	6.5	1.6	2.3	3.0	4.8

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2010