





BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2007 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

List PWS ID #s for all Water Systems Covered by this CCR

| confid | ederal Safe Drinking Water Act requires each <i>community</i> public water system to develop and distribute a consumer ence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR are mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request. |
|----------------------|---|
| Please | Answer the Following Questions Regarding the Consumer Confidence Report |
| | Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other) |
| | □ Advertisement in local paper □ On water bills □ Other |
| | Date customers were informed:// |
| | CCR was distributed by mail or other direct delivery. Specify other direct delivery methods: |
| | Date Mailed/Distributed:/ / |
| 文 | CCR was published in local newspaper. (Attach copy of published CCR or proof of publication) |
| | Name of Newspaper: The Flors New's |
| | Date Published: 6 16/09 |
| | CCR was posted in public places. (Attach list of locations) |
| | Date Posted:/_/ |
|] | CCR was posted on a publicly accessible internet site at the address: www |
| CERTI | FICATION |
| onsister Operator | certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in and manner identified above. I further certify that the information included in this CCR is true and correct and is not with the water quality monitoring data provided to the public water system officials by the Mississippi State ment of Health, Bureau of Public Water Supply. |
| Vame/1 | ille (President, Mayor, Owner, etc.) 6/30/09 Date |
| | Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518 |

570 East Woodrow Wilson • Post Office Box 1700 • Jackson, Mississippi 39215-1700

RECEIVED-WATER SUPPLY 2009 JUN 30 PM 12: 20

The Flora News

1093 Stonegate Drive Mccomb, MS 39648 601-594-7576

Proof of Publication

The attached was published in the June 16, 2009 edition of The Flora News beginning on page 8 and continuing to page 9. The Flora News has a general circulation in the Flora, Mississippi 39071 area.

Subject: 2008 Town of Flora CCR 04580008, 6/3/09

Shonda Milton, Editor

6018793684

2008 Town Of Flora CCR 0450008, 06/3/09

Is my water safe?

2009 JUN 30 PM 12: 20

In 2009, as in years past. The Town Of Flora water met all U.S. Environmental Protection Agency (EPA) and state drinking water health standards. Local Water vigilantly safeguards its water supplies and once again we are proud to report that our system has not violated a maximum contaminant level or any other water quality standard.

Do I need to take special precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Water Drinking Hotline (800-426-4791).

Where does my water come from?

Our wells draw from the Sparta Aquifer. Source Water Assessment Ranking. Moderate.

Why are there contaminants in my drinking water?

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's (EPA) Safe Drinking Water Hotline (800-426-4791). The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity:

microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses; organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems; and radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

How can I get involved?

Please contact us with any questions or comments you may have.

Conservation Tips

Did you know that the average U.S. household uses approximately 350 gallons of water per day?

Luckily, there are many low-cost or no-cost ways to conserve water.

Water your lawn at the least sunny times of the day. Fix toilet and faucet leaks. Take short showers - a 5 minute shower uses 4 to 5 gallons of water compared to up to 50 gallons for a bath. Turn the faucet off while brushing your teeth and shaving; 3-5 gallons go down the drain per minute. Teach your kids about water conservation to ensure a future generation that uses water wisely. Make it a family effort to reduce next month's water bill!

****A MESSAGE FROM MSDH CONSERNING RADIOLOGICAL SAMPLING****

n accordance with the Radionuclides Rule, all community public water supplies were required to sample quarterly for radionuclides beginning January 2007 - December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Department of Health Radiological Health ...aboratory. the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice.

Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. The Bureau of Public Water Supply is taking action to esolve this issue as quickly as possible. If you have any questions, please contact Melissa Parker, Deputy Director, Bureau of Public Water Supply, at 601-576-7518.

Additional Information for Lend

f present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Town Of Flora is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 10 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on ead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/ead. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10.00 per sample. Please contact 601-576-7582 if you wish to have your vater tested.

2008 Town Of Flora CCR 0450008, 06/3/09 (continued from page 8)

Water Quality Data Table

The table below lists all of the drinking water contaminants that we detected during the calendar year of this report. The presence of contaminants in the water does not necessarily indicate that the water poses a health risk. Unless otherwise noted, the date presented in this table is from testing done in the calendar year of the report. The EPA or the State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently.

| Contaminants | | ji P | e les | | | | | |
|---|-------|------|---------|------|--|-------------|--------------|---|
| Inorganic Contentinanta (44) Nitrato [measured as Nitrogen] (ppm) | 10 | 10 | 0.2 | 0.2 | 0.2 | 2008 | No | Runoff from fortilizer use; Leaching from septic tanks, |
| Nitrite (measured as Nitrogen) (ppm) | ì | | 0.05 | 0.05 | 0.05 | 2008 | No | sewage: Erogion of natural deposits Runoff from fortilizer use; Leaching from septic tanks, |
| Vollatte Organic Combined and | THEFT | | THEMOTE | | i ezente | en regional | HERITER VIEW | sewage; Erosion of natural deposits |
| 1,1,1-Trichloroethane (ppb) | 200 | 200 | 0.5 | NA | 144-146-15 | 2008 | No | Discharge from metal degreasing sites and other factories |
| 1,1,2-Trichloroethane (ppb) | 3 | 5 | 0.5 | NA | | 2008 | No | Discharge from industrial chemical |
| 1.1-Dichloroethylene (ppb) | 7 | 7 | 0.5 | NA. | | 2008 | No | Discharge from industrial chemics |
| 1,2,4-Trichlorobenzene (ppb) | 70 | 70 | 0.5 | NA | - (022, | 2008 | No | Discharge from textile-finishing factories |
| 1,2-Dichlotopropane (pph) | (1 | 5 | 0.5 | NA | ······································ | 2008 | No | Discharge from industrial chemical |
| Benzene (ppb) | 0 | 5 | 0.5 | NA | | 5008 | No | Discharge from factories; Leaching from gas storage tanks and landfill |
| Carbon Tetrachloride (ppb) | O | 5 | 0.5 | NA | | 2008 | No | Discharge from chemical plants and other industrial activities |
| Chlorobenzene (monochlorobenzene) (pph) | 100 | 100 | 0,5 | NA | 1000 | 2008 | No | Discharge from chemical and agricultural chemical factories |
| cis-1,2-Dichloroethylene (ppb) | 70 | 70 | 0.5 | NĄ | | 2008 | No | Discharge from industrial chamical |
| Ethylbenzene (ppb) | 700 | 700 | 0.5 | NA | | 2008 | No | Discharge from petroloum refineries |
| o-Dichlorobenzens (ppb) | 600 | 600 | 0.5 | ÑÄ | | 2008 | No | Discharge from industrial chemical |
| Styrene (ppb) | 100 | 100 | 0.5 | NA | · | 2008 | No | Discharge from Abber and plastic factories; Leaching from landfills |
| l'etrachieroethylens (ppb) | () | 5 | 0.5 | NA | | 2008 | No | Discharge from Actories and dry cleaners |
| Toluene (ppm) | 1 | l | 0.0005 | NA | | 2008 | Nο | Discharge from petroleum factories |
| rans-1.2-Dicholoroethylene ppb) | 100 | 100 | 0.5 | NA | | 2008 | No | Discharge from industrial chemical factories |
| Trichloroethylene (ppb) | 0 | \$ | 0,5 | NA | ······································ | 2008 | No | Discharge from metal degreasing sites and other factories |
| Vinyl Chloride (pph) | 0 | 2 | 0.5 | 0,5 | 0.5 | 2008 | No | Leaching from PVC piping; Discharge from plastics factories |
| (ylenes (ppm) | 10 | 10 | 0.0005 | NA | ··· | 2008 | No | Discharge from petroleum factories; Discharge from chemical factories |

| Continuinants | | | | | | | |
|---------------------------------|-----|-----|------------|------|-----------|----|---------------------------------|
| Inorganic Contambants 1 707 | | 1 | 新华斯 | | 医移作 假罗 計算 | 1 | |
| Copper - action level as | 1.3 | 1.3 | 0.2323 | 2007 | 0 | No | Corrosion of household plumbing |
| consumer taps (ppm) | | | | | | | systems; Brosion of natural |
| | | | | | | | deposits |
| Lead - action level at consumer | 0 | 1.5 | 0.5 | 2007 | 0 | No | Corrosion of household plumbing |
| rapa (ppb) | | | | | | | systems; Erosion of natural |
| | | | | | | | deposits |

| Unit Descriptions 1278 : 1983 30 531 409 541(1) | |
|---|---|
| Term | Definition |
| pym | ppm: parts per million, or milligrams per liter (mg/L) |
| qqq | ppb: parts per billion, or micrograms per liter (µg/l,) |
| NA | NA: not applicable |
| ND | ND: Not detected |
| NR | NR: Monitoring not required, but recommended. |

| <u>Term</u> | Definition |
|--------------------------|---|
| MCLG | MCLG: Maximum Contaminant Level Goal: The level of a contaminem in drinking water below which there is no known or expected risk to health, MCLGs allow for a margin of rafety. |
| MCL | MCL: Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLOs as families using the best available, of a contaminant in drinking water. |
| AL | TT: Treamen Technique A required process intended to reduce the level of a contembent in drinking water. Al: Action Level: The concentration of a contuminant which, if encocded, triggers treatment or other requirements which a water system must follow. |
| Variances and Exemptions | Variances and Exemptions: State or EPA permission not to meet an MCL or a resument technique under certain conditions. |
| MRDLÖ | MRDLG: Maximum residual disinfection level goal. The level of a drinking water disinfectant below which there is no known or expected risk to health, MRDLOs do not reflect the benefits of the use of disinfectants to |
| MKDL | There is convincing evidence that addition of a disinfectain is necessary for control of microbial conteminants |
| LIVE | LIDIC Stata Albietaen Marimonn Permissione Level |

ORDINANCE NO. 1001

AN ORDINANCE AMENDING THE TOWN OF FLORA'S OCTOBER 3, 1989, AND OCTOBER 11, 2005. ORDINANCES REGARDING THE PLACEMENT OF MOBILE OR MANUFACTURED HOMES IN FLORA

An ordinance amending the Town of Flora's October 3, 1989 and October 11, 2005, ordinances regarding the placement of mobile or manufactured homes in Flora.

WHEREAS, the Mayor and Board of Aldermen of the Town of Flora, Mississippi have found and determined that the following section is necessary in order to promote the health, safety and general weifare, to conserve and protect values, to ensure that the manufactured housing units located in the Town be of reasonable quality and appearance and to otherwise provide reasonable rules, regulation and requirements regarding the location and relocation of manufactured housing units in the Town of Flora, Mississippi;

NOW, THEREFORE. BE IT ORDAINED BY THE MAYOR AND BOARD OF ALDERMEN OF THE TOWN OF FLORA, MADISON COUNTY, MISSISSIPPI THAT THE ZONING ORDINANCES OF THE TOWN OF FLORA ARE AMENDED BY ADDITION OF THE FOLLOWING SECTION:

Section 1017. NONCONFORMING MANUFACTURED HOME PARKS

Nonconforming manufactured home parks, defined as mobile or manufactured home parks which are not in compliance with all applicable ordinances of the Town of Flora, may not be expanded or increased in size nor shall any additional spaces be added to the park:

When a site at a nonconforming manufactured home park is vacated, another mobile or manufactured home may not be placed on that site until the park is in compliance with all applicable ordinances, except Section 1005.01 of the Zowing Ordinance for the Town of Flors, Mississippi, which requires that parks be 10 acres in size.

A nonconforming manufactured home park that ceases to be used as or operate as such for one hundred eighty (180) days shall not be reestablished, regardless of the intent of the owner, unless and until the park is in compliance with all applicable ordinances.

If any existing nonconforming manufactured home, defined as a mobile or manufactured home which does not meet all the requirements imposed by applicable Flora ordinances, on a conforming lot is removed, it shall only be replaced with a conforming structure or building:

If a nonconforming manufactured home is abandoned for a period of more than one hundred eighty (180) days, the rehabitation of the mobile or manufactured home shall be prohibited. The date of abandonment shall be that date at which the abandonment of the manufactured home becomes evident.

If any portion of this ordinance is deemed unenforceable, the remainder shall remain in full force and effect.

This foregoing having been considered upon recommendation of the planning and zoning committee and having been the subject of a public hearing, and having been presented in writing and read aloud, on motion by Alderman Bates and second by Alderman Childress, the Board of Alderman of the Town of Flora adopted same on the following vote at the May 12, 2009 Board Meeting:

AŶĔ NA¥ Alderman Childress Alderman Grewe

Adopted this the 12th day of May, 2009.

2008 Town Of Flora CCR 0450008

Is my water safe!

In 2008 as in years past, The Town Of Flora water met all U.S. Environmental Protection Agency (EPA) and state drinking water health standards. Local Water vigilantly safeguards its water supplies and once again we are proud to report that our system has not violated a maximum contaminant level or any other water quality standard.

Do I need to take special precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population, Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Water Drinking Hotline (800-426-4791).

Where does my water come from? Our wells draw from the Sparta Aquifer.

Source Water Assesment.Ranking. Moderate.

Why are there contaminants in my drinking water?

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's (EPA) Safe Drinking Water Hotline (800-426-4791). The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity: microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses; organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems; and radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink. EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. Food and Drug Administration (FDA) regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

How can I get involved?

Please contact us with any questions or comments you may have.

Conservation Tips

Did you know that the average U.S. household uses approximately 350 gallons of water per day? Luckily, there are many low-cost or no-cost ways to conserve water. Water your lawn at the least sunny times of the day. Fix toilet and faucet leaks. Take short showers - a 5 minute shower uses 4 to 5 gallons of water compared to up to 50 gallons for a bath. Turn the faucet off while brushing your teeth and shaving; 3-5 gallons go down the drain per minute. Teach your kids about water conservation to ensure a future generation that uses water wisely. Make it a family effort to reduce next month's water bill!

****A MESSAGE FROM MSDH CONSERNING RADIOLOGICAL SAMPLING****

In accordance with the Radionuclides Rule, all community public water supplies were required to sample quarterly for radionuclides begining January 2007 - December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Department of Health Radiological Health Labratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice.

Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. The Bureau of Public Water Supply is taking action to resolve this issue as quickly as possible. If you have any questions, please contact Melissa Parker, Deputy Director, Bureau of Public Water Supply, at 601-576-7518.

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Town Of Flora is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi Starte Department of Health Public Health Laboratory offers lead testing for \$10.00 per sample, please contact 601-576-7582 if you wish to have your water tested.

Water Quality Data Table

The table below lists all of the drinking water contaminants that we detected during the calendar year of this report. The presence of contaminants in the water does not necessarily indicate that the water poses a health risk. Unless otherwise noted, the data presented in this table is from testing done in the calendar year of the report. The EPA or the State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently.

| Contaminants | MRDLG | MRDL | Water | Rai Low | High | Date | Violation | Typical Source |
|--|------------|---|--------|---------------|------------------------------------|---------------|---|---|
| Disinfectants & Disinfection By | | <u>E-E-E-E-E-</u> Schöndight colonies: | | <u>—1/11</u> | LAIDII Markarana | 1.411 | L. DELIANDEN | LA LA RANDELLA MANAMA SE CONTRACTOR DE CONTR |
| There is convincing evidence the | | | | y for control | of micro | bial contamin | ants.) | |
| Chlorine (as Cl2) (ppm) | 4 | 4 | 0.83 | NΛ | | 2008 | No | Water additive used to control microbes |
| norganic Contaminants | | | | | | daring be be | | |
| Vitrate [measured as Vitrogen] (ppm) | 10 | 10 | 0.2 | 0.2 | 0.2 | 2008 | No | Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposit |
| Vitrite [measured as Vitrogen] (ppm) | 1 | 1 | 0.05 | 0.05 | 0.05 | 2008 | No | Runoff from fertilizer use: Leaching from septic tanks, sewage; Erosion of natural deposit |
| /olatile Organic Contaminants | | | | | | | | |
| .1.1-Trichloroethane (ppb) | 200 | 200 | 0.5 | NA | | 2008 | No | Discharge from metal degreasing sites and other factories |
| .1.2-Trichloroethane (ppb) | 3 | 5 | 0.5 | NA | | 2008 | No | Discharge from industrial chemica factories |
| .1-Dichloroethylene (ppb) | 7 | 7 | 0.5 | NΛ | | 2008 | No | Discharge from industrial chemica factories |
| ,2,4-Trichlorobenzene ppb) | 70 | 70 | 0.5 | NA | | 2008 | No | Discharge from textile-finishing factories |
| ,2-Dichloropropane (ppb) | 0 | 5 | 0.5 | NΛ | | 2008 | No | Discharge from industrial chemica factories |
| Benzene (ppb) | 0 | 5 | 0.5 | NA | | 2008 | No | Discharge from factories; Leaching from gas storage tanks and landfill |
| arbon Tetrachloride (ppb) | 0 | 5 | 0.5 | NΛ | | 2008 | No | Discharge from chemical plants and other industrial activities |
| Thlorobenzene monochlorobenzene) (ppb) | 100 | 100 | 0.5 | NA | | 2008 | No | Discharge from chemical and agricultural chemical factories |
| is-1,2-Dichloroethylene ppb) | 70 | 70 | 0.5 | NΛ | | 2008 | No | Discharge from industrial chemica factories |
| Ethylbenzene (ppb) | 700 600 | 700 600 | 0.5 | NΛ | | 2008 | No | Discharge from petroleum refineries |
| | | | | NA | | 2008 | No | Discharge from industrial chemica factories |
| tyrene (ppb) ctrachloroethylene (ppb) | 0 | 100 | 0.5 | NΛ | | 2008 | No | Discharge from rubber and plastic factories; Leaching from landfills |
| | | 3 | V.5 | NΛ | | 2008 | No | Discharge from factories and dry cleaners |
| oluene (ppm) | 1 | I | 0.0005 | NA | | 2008 | No | Discharge from petroleum factorie |
| rans-1,2-Dicholoroethylene | 100 | 100 | 0.5 | NA | | 2008 | No | Discharge from industrial chemica factories |
| richloroethylene (ppb) | 0 | 5 | 0.5 | NΛ | | 2008 | No | Discharge from metal degreasing sites and other factories |
| 'inyl Chloride (ppb) | 0 | 2 | 0.5 | 0.5 | 0.5 | 2008 | No | Leaching from PVC piping; Discharge from plastics factories |
| (ylenes (ppm) | 10 | 10 | 0.0005 | NΛ | | 2008 | No | Discharge from petroleum factories; Discharge from chemica factories |
| ontaminants | MOLO | A Y | Your | Sample | | Samples | Exceeds | |
| organic Contaminants | MCLG | omensus Alleganis | Water | <u>Date</u> | <u>EX</u> nontransperimentation | ceeding AL | | Typical Source |
| The second secon | (8 | | 0.0000 | | | | *************************************** | |
| opper - action level at onsumer taps (ppm) | 1.3 | 1.3 | 0.2323 | 2007 | | 0 | No | Corrosion of household plumbing systems; Erosion of natural deposits |
| ead - action level at consumer aps (ppb) | 0 | 15 | 0.5 | 2007 | | 0 | No | Corrosion of household plumbing systems; Erosion of natural deposits |

| <u>Term</u> | Definition |
|--------------------------------------|---|
| ppm | ppm: parts per million, or milligrams per liter (mg/l.) |
| ppb | ppb: parts per billion, or micrograms per liter (µg/L) |
| NA | NA: not applicable |
| ND | ND: Not detected |
| NR | NR: Monitoring not required, but recommended. |
| Important Drinking Water Definition | S |
| Term | Definition |
| MCLG | MCLG: Maximum Contaminant Level Goal: The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety. |
| MCL | MCL: Maximum Contaminant Level: The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology. |
| TT | TT: Treatment Technique: A required process intended to reduce the level of a contaminant in drinking water. |
| ΛL | AL: Action Level: The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow. |
| Variances and Exemptions | Variances and Exemptions: State or EPA permission not to meet an MCL or a treatment technique under certain conditions. |
| MRDLG | MRDLG: Maximum residual disinfection level goal. The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants. |
| MRDL | MRDL: Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants. |
| MNR | MNR: Monitored Not Regulated |
| MPL | MPL: State Assigned Maximum Permissible Level |
| For more information please contact: | |

For more information please contact:

Terry Melnnis Address: P.O. Box 218 Flora, MS 39071 601-879-8686