

RECEIVED  
2009 JUN 2

**BUREAU OF PUBLIC WATER SUPPLY**  
**CALENDAR YEAR 2008 CONSUMER CONFIDENCE REPORT**  
**CERTIFICATION FORM**

Hamilton Water District, Inc.  
Public Water Supply Name

0480007  
List PWS ID #s for all Water Systems Covered by this CCR

The Federal Safe Drinking Water Act requires each *community* public water system to develop and distribute a consumer confidence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.

**Please Answer the Following Questions Regarding the Consumer Confidence Report**

- Customers were informed of availability of CCR by: *(Attach copy of publication, water bill or other)*
  - Advertisement in local paper
  - On water bills
  - Other \_\_\_\_\_

Date customers were informed: 6/19/09

- CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:

Date Mailed/Distributed:  / /

- CCR was published in local newspaper. *(Attach copy of published CCR or proof of publication)*

Name of Newspaper: \_\_\_\_\_

Date Published:  / /

- CCR was posted in public places. *(Attach list of locations)*

Date Posted:  / /

- CCR was posted on a publicly accessible internet site at the address: www. \_\_\_\_\_

**CERTIFICATION**

I hereby certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in the form and manner identified above. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply.

[Signature] water operator  
Name/Title (President, Mayor, Owner, etc.)

6-19-09  
Date

Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215  
Phone: 601-576-7518

2009 JUN 22 AM 9:25

Deliver payment to:

HAMILTON WATER DISTRICT  
P.O. BOX 66  
HAMILTON, MS 39746-  
662-343-8387

PRSR STD  
US POSTAGE PAID  
MAILED FROM  
ZIP CODE 39746  
PERMIT # 6

Previous Balance: 0.00  
COMME 666370-659240=7130 42.52

Return this portion with payment

Billed: 07/01/09

After 07/10/09 pay 46.77

**42.52 is due by 07/10/09**

Total New Chgs 07/01/09 42.52

**42.52 is due by 07/10/09**

Acct# 00005 After 07/10/09 pay 46.77

PO Box 9

SVC:05/01/09-06/01/09 (31 days)

PRESTON (island tans) DOBBS

Last Pmt \$58.84 on 06/01/09

PO Box 9

Consumer Confidence Report is available for  
customers by contacting the H.W.D. office

Acct# 00005

PRESTON (island tans) DOBBS

ISLAND TANS

PO Box 9

Hamilton MS 39746-0009

Deliver payment to:

HAMILTON WATER DISTRICT  
P.O. BOX 66  
HAMILTON, MS 39746-  
662-343-8387

PRSR STD  
US POSTAGE PAID  
MAILED FROM  
ZIP CODE 39746  
PERMIT # 6

Previous Balance: 0.00  
HOUSE 957860-954310=3550 40.00

Return this portion with payment

Billed: 07/01/09

After 07/10/09 pay 44.00

**40.00 is due by 07/10/09**

Total New Chgs 07/01/09 40.00

**40.00 is due by 07/10/09**

Acct# 00020 After 07/10/09 pay 44.00

Acct# 00020

ELAINE'S BEAUTY SHOP

SVC:05/01/09-06/01/09 (31 days)

ELAINE'S

Last Pmt \$40.00 on 05/26/09

ELAINE'S BEAUTY SHOP

Consumer Confidence Report is available for  
customers by contacting the H.W.D. office

ELAINE'S

PO Box 9

Hamilton MS 39746-0009

Deliver payment to:

HAMILTON WATER DISTRICT  
P.O. BOX 66  
HAMILTON, MS 39746-  
662-343-8387

PRSR STD  
US POSTAGE PAID  
MAILED FROM  
ZIP CODE 39746  
PERMIT # 6

Previous Balance: 0.00  
Water 750010-746930=3080 24.32  
Hamilton Fire Dept. Donation 1.00

Return this portion with payment

Billed: 07/01/09

**25.32 PAID BY DIRECT DEBIT**

Total New Chgs 07/01/09 25.32

**25.32 PAID BY DIRECT DEBIT**

Acct# 00010

Acct# 00010

40002 Hamilton Rd

SVC:05/01/09-06/01/09 (31 days)  
BOBBY HOUSE

Last Pmt \$21.00 on 06/10/09

40002 Hamilton Rd

Consumer Confidence Report is available for  
customers by contacting the H.W.D. office

**BOBBY HOUSE**  
**40002 Hamilton Rd**  
**Hamilton MS 39746**

Deliver payment to:

HAMILTON WATER DISTRICT  
P.O. BOX 66  
HAMILTON, MS 39746-  
662-343-8387

PRSR STD  
US POSTAGE PAID  
MAILED FROM  
ZIP CODE 39746  
PERMIT # 6

Previous Balance: 0.00  
Water 170920-164600=6320 37.28

Return this portion with payment

Billed: 07/01/09

**37.28 PAID BY DIRECT DEBIT**

Total New Chgs 07/01/09 37.28

**37.28 PAID BY DIRECT DEBIT**

Acct# 00030-1

Acct# 00030-1

40010 HAMILTON ROAD

SVC:05/01/09-06/01/09 (31 days)  
TRACY THOMPSON

Last Pmt \$29.08 on 06/10/09

40010 HAMILTON ROAD

Consumer Confidence Report is available for  
customers by contacting the H.W.D. office

**TRACY THOMPSON**  
**C/O BRANDON HANNAH (TRAIL**  
**40302 Seely Rd**  
**Hamilton MS 39746-9731**

4

**BUREAU OF PUBLIC WATER SUPPLY**

**CALENDAR YEAR 2008 CONSUMER CONFIDENCE REPORT  
CERTIFICATION FORM**

Hampton Water District  
Public Water Supply Name

0480007  
List PWS ID #s for all Water Systems Covered by this CCR

The Federal Safe Drinking Water Act requires each *community* public water system to develop and distribute a consumer confidence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.

**Please Answer the Following Questions Regarding the Consumer Confidence Report**

Customers were informed of availability of CCR by: *(Attach copy of publication, water bill or other)*

- Advertisement in local paper
- On water bills
- Other \_\_\_\_\_

Date customers were informed: 10/20/09

CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:

Date Mailed/Distributed:    /   /   

CCR was published in local newspaper. *(Attach copy of published CCR or proof of publication)*

Name of Newspaper: \_\_\_\_\_

Date Published:    /   /   

CCR was posted in public places. *(Attach list of locations)*

Date Posted:    /   /   

CCR was posted on a publicly accessible internet site at the address: www. \_\_\_\_\_

**CERTIFICATION**

I hereby certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in the form and manner identified above. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply.

X *[Signature]*  
Name/Title (President, Mayor, Owner, etc.)

10-26-09  
Date

Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215  
Phone: 601-576-7518

copy  
mailed form + water bills 10/19/09

2008 Annual Drinking Water Quality Report  
Hamilton Water District  
PWS#: 0480007  
May 2009

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Gordo Formation Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. The general susceptibility rankings assigned to each well of this system are provided immediately below. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Hamilton Water District have received moderate susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact Sean Johnston at 662-436-0094. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the second Tuesday of each month at 7:00 PM at the Hamilton Water Office located at 40046 Hamilton Rd., Hamilton, MS or the annual meeting to be held on the second Tuesday of December 2009 at 7:00 PM at the same location.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that we detected during for the period of January 1<sup>st</sup> to December 31<sup>st</sup>, 2008. In cases where monitoring wasn't required in 2008, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

**Action Level** - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

**Maximum Contaminant Level (MCL)** - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

**Maximum Contaminant Level Goal (MCLG)** - The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

**Parts per million (ppm) or Milligrams per liter (mg/l)** - one part per million corresponds to one minute in two years or a single penny in \$10,000.

**Parts per billion (ppb) or Micrograms per liter** - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

<b>TEST RESULTS</b>								
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/AQL	Unit Measurement	MCLG	MCL	Likely Source of Contamination
<b>Inorganic Contaminants</b>								
10. Barium	N	2005*	.026	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits

11. Beryllium	N	2005*	.5	No Range	ppb	4	4	Discharge from metal refineries and coal-burning factories; discharge from electrical, aerospace, and defense industries
14. Copper	N	2008	.8	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
17. Lead	N	2008	2	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
<b>Disinfection By-Products</b>								
Chlorine	N	2008	1.63	.79 - 1.63	ppm	0	MDRL = 4	Water additive used to control microbes

\* Most recent sample. No sample required for 2008.

As you can see by the table, our system had no contaminate violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. Beginning January 1, 2004, the Mississippi State Department of Health (MSDH) required public water systems that use chlorine as a primary disinfectant to monitor/test for chlorine residuals as required by the Stage 1 Disinfection By-Products Rule. Our water system failed to complete these monitoring requirements in January of 2004; November of 2005; November of 2006 and March & July of 2007. We did complete the monitoring requirements for bacteriological sampling that showed no coliform present. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

**\*\*\*\*\*A MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING\*\*\*\*\***

In accordance with the Radionuclides Rule, all community public water supplies were required to sample quarterly for radionuclides beginning January 2007 - December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Department of Health Radiological Health Laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice.

Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. The Bureau of Public Water Supply is taking action to resolve this issue as quickly as possible. If you have any questions, please contact Mellisa Parker, Deputy Director, Bureau of Public Water Supply, at 601.576.7518.

The Hamilton Water District works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

Deliver payment to:

HAMILTON WATER DISTRICT  
P.O. BOX 66  
HAMILTON, MS 39746-  
662-343-8387

PRSR STD  
US POSTAGE PAID  
MAILED FROM  
ZIP CODE 39746  
PERMIT # 6

Balance Past Due: 28.02  
Water 741150-739950=1200 20.00  
Hamilton Fire Dept. Donation 1.00

Return this portion with payment  
Billed: 07/01/09  
After 07/10/09 pay 53.48

**49.02 is due by 07/10/09**

Total New Chgs 07/01/09 21.00

Pay Prev. Balance by JUNE 25th to avoid  
cut off. \*No PMT arrangements\*

**49.02 is due by 07/10/09**

Acct# 09710 After 07/10/09 pay 53.48

Acct# 09710

40272 Center Hill Rd

SVC:05/01/09-06/01/09 (31 days)

KENNETH POUNDERS

KENNETH POUNDERS

Last Pmt \$25.32 on 05/01/09

40272 Center Hill Rd

DELLA POUNDER DEPOSIT

Consumer Confidence Report is available for  
customers by contacting the H.W.D. office

P.O. BOX 1008

ABERDEEN MS 39730



Deliver payment to:

HAMILTON WATER DISTRICT  
P.O. BOX 66  
HAMILTON, MS 39746-  
662-343-8387

PRSR STD  
US POSTAGE PAID  
MAILED FROM  
ZIP CODE 39746  
PERMIT # 6

Balance Past Due: 5.50  
Water 48910-44450=4460 29.84

Return this portion with payment  
Billed: 07/01/09  
After 07/10/09 pay 38.82

**35.34 is due by 07/10/09**

Total New Chgs 07/01/09 29.84

Pay Prev. Balance by JUNE 25th to avoid  
cut off. \*No PMT arrangements\*

**35.34 is due by 07/10/09**

Acct# 09211-3 After 07/10/09 pay 38.82

Acct# 09211-3

40372 Stovall Crossing Rd

SVC:05/01/09-06/01/09 (31 days)

DALE BERRY

DALE BERRY

Last Pmt \$150.00 on 04/30/09

40372 Stovall Crossing Rd

40372 STOVALL CROSSING RD.

Consumer Confidence Report is available for  
customers by contacting the H.W.D. office

Aberdeen MS 39730



# 2008 CCR Contact Information

Date: 6/26/09 Time: 12:59

PWSID: 480007

System Name: Hamilton

Lead/Copper Language

MSDH Message re: Radiological Lab

MRDL Violation

Chlorine Residual (MRDL) RAA

Other Violation(s) \_\_\_\_\_

Will correct report & mail copy marked "**corrected copy**" to MSDH.

Will notify customers of availability of corrected report on next monthly bill.

Will Fax CCR on 6/26/09

No CCR - Rec'd certification only

Spoke with Shawn 662 437-0094  
(Operator, Owner, Secretary)

RECEIVED-WATER SUPPLY  
2009 JUN 29 AM 10: 21

2nd (4)

2009/06/29

APPROVED

**BUREAU OF PUBLIC WATER SUPPLY**

**CALENDAR YEAR 2008 CONSUMER CONFIDENCE REPORT  
CERTIFICATION FORM**

Hamilton Water District  
Public Water Supply Name

0480007  
List PWS ID #s for all Water Systems Covered by this CCR

The Federal Safe Drinking Water Act requires each *community* public water system to develop and distribute a consumer confidence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.

**Please Answer the Following Questions Regarding the Consumer Confidence Report**

- Customers were informed of availability of CCR by: (*Attach copy of publication, water bill or other*)
  - Advertisement in local paper
  - On water bills
  - Other

Date customers were informed: 6/20/09

- CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:

Date Mailed/Distributed:   /  /  

- CCR was published in local newspaper. (*Attach copy of published CCR or proof of publication*)

Name of Newspaper: \_\_\_\_\_

Date Published:   /  /  

- CCR was posted in public places. (*Attach list of locations*)

Date Posted:   /  /  

- CCR was posted on a publicly accessible internet site at the address: www. \_\_\_\_\_

**CERTIFICATION**

I hereby certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in the form and manner identified above. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply.

X [Signature]  
Name/Title (President, Mayor, Owner, etc.)

6-26-09  
Date

Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215  
Phone: 601-576-7518

copy  
mailed form + water bills 6/18/09

2008 Annual Drinking Water Quality Report  
 Hamilton Water District  
 PWS#: 0480007  
 May 2009

2009 JUN 29 AM 10: 21

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Gordo Formation Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. The general susceptibility rankings assigned to each well of this system are provided immediately below. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Hamilton Water District have received moderate susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact Sean Johnston at 662-436-0094. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the second Tuesday of each month at 7:00 PM at the Hamilton Water Office located at 40046 Hamilton Rd., Hamilton, MS or the annual meeting to be held on the second Tuesday of December 2009 at 7:00 PM at the same location.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that we detected during for the period of January 1<sup>st</sup> to December 31<sup>st</sup>, 2008. In cases where monitoring wasn't required in 2008, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

**Action Level** - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

**Maximum Contaminant Level (MCL)** - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

**Maximum Contaminant Level Goal (MCLG)** - The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

**Parts per million (ppm) or Milligrams per liter (mg/l)** - one part per million corresponds to one minute in two years or a single penny in \$10,000.

**Parts per billion (ppb) or Micrograms per liter** - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

TEST RESULTS								
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source of Contamination
<b>Inorganic Contaminants</b>								
10. Barium	N	2005*	.026	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits

11. Beryllium	N	2005*	.6	No Range	ppb	4	4	Discharge from metal refineries and coal-burning factories; discharge from electrical, aerospace, and defense industries
14. Copper	N	2008	.8	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
17. Lead	N	2008	2	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
<b>Disinfection By-Products</b>								
Chlorine	N	2008	1.63	.79 – 1.63	ppm	0	MDRL = 4	Water additive used to control microbes

\* Most recent sample. No sample required for 2008.

As you can see by the table, our system had no contaminate violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. Beginning January 1, 2004, the Mississippi State Department of Health (MSDH) required public water systems that use chlorine as a primary disinfectant to monitor/test for chlorine residuals as required by the Stage 1 Disinfection By-Products Rule. Our water system failed to complete these monitoring requirements in January of 2004; November of 2005; November of 2006 and March & July of 2007. We did complete the monitoring requirements for bacteriological sampling that showed no coliform present. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

**\*\*\*\*\*A MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING\*\*\*\*\***

In accordance with the Radionuclides Rule, all community public water supplies were required to sample quarterly for radionuclides beginning January 2007 - December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Department of Health Radiological Health Laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice.

Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. The Bureau of Public Water Supply is taking action to resolve this issue as quickly as possible. If you have any questions, please contact Melissa Parker, Deputy Director, Bureau of Public Water Supply, at 601.576.7518.

The Hamilton Water District works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

Deliver payment to:

HAMILTON WATER DISTRICT  
P.O. BOX 66  
HAMILTON, MS 39746-  
662-343-8387

PRSR STD  
US POSTAGE PAID  
MAILED FROM  
ZIP CODE 39746  
PERMIT # 6

RECEIVED-WATER SUPPLY  
2009 JUN 29 AM 10: 22

Balance Past Due: 28.02  
Water 741150-739950=1200 20.00  
Hamilton Fire Dept. Donation 1.00

Return this portion with payment  
Billed: 07/01/09  
After 07/10/09 pay 53.48

**49.02 is due by 07/10/09**

Total New Chgs 07/01/09 21.00

Pay Prev. Balance by JUNE 25th to avoid cut off. \*No PMT arrangements\*

**49.02 is due by 07/10/09**

Acct# 09710  
40272 Center Hill Rd

Acct# 09710 After 07/10/09 pay 53.48  
SVC:05/01/09-06/01/09 (31 days)  
KENNETH POUNDERS

KENNETH POUNDERS  
DELLA POUNDER DEPOSIT  
P.O. BOX 1008  
ABERDEEN MS 39730

Last Pmt \$25.32 on 05/01/09  
40272 Center Hill Rd  
Consumer Confidence Report is available for customers by contacting the H.W.D. office



Deliver payment to:

HAMILTON WATER DISTRICT  
P.O. BOX 66  
HAMILTON, MS 39746-  
662-343-8387

PRSR STD  
US POSTAGE PAID  
MAILED FROM  
ZIP CODE 39746  
PERMIT # 6

Balance Past Due: 5.50  
Water 48910-44450=4460 29.84

Return this portion with payment  
Billed: 07/01/09  
After 07/10/09 pay 38.82

**35.34 is due by 07/10/09**

Total New Chgs 07/01/09 29.84

Pay Prev. Balance by JUNE 25th to avoid cut off. \*No PMT arrangements\*

**35.34 is due by 07/10/09**

Acct# 09211-3  
40372 Stovall Crossing Rd

Acct# 09211-3 After 07/10/09 pay 38.82  
SVC:05/01/09-06/01/09 (31 days)  
DALE BERRY

DALE BERRY  
40372 STOVALL CROSSING RD.  
Aberdeen MS 39730

Last Pmt \$150.00 on 04/30/09  
40372 Stovall Crossing Rd  
Consumer Confidence Report is available for customers by contacting the H.W.D. office

