

# MISSISSIPPI STATE DEPARTMENT OF HEALTH

# **BUREAU OF PUBLIC WATER SUPPLY**

# CALENDAR YEAR 2009 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

Silvan	Water	. Asso.	CIATION
	Public Water Su	ipply Name	
130016 - 130	0017 - 13	0023-	13cmout
130015 13 List PWS ID #s 1	0021-13	00 24	30035
List PWS ID #s 1	for all Water Sy	stems Covere	d by this CCR
/ater Act requires e	ach <i>communit</i> y	public wate	r system to devel

The Federal Safe Drinking Water Act requires each *community* public water system to develop and distribute a consumer confidence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.

Please	Answer the Fol	llowing Questions Regardin	g the Consumer Confidence	Report
X	Customers we	re informed of availability of	f CCR by: (Attach copy of p	ublication, water bill or other)
	×	Advertisement in local pa On water bills Other	aper	
	Date custom	ers were informed:/		
	CCR was dis	stributed by mail or other	direct delivery. Specify	other direct delivery methods:
	Date Mailed/D	Distributed: / /		
X.		lished in local newspaper. (A		
-	Name of News	spaper: Daily Tin	nes Leader	
	Date Published	d: <u>6/16/10</u>		
C;	CCR was poste	ed in public places. (Attach l	list of locations)	
	Date Posted:			
Ü	CCR was poste	ed on a publicly accessible in	nternet site at the address: wv	vw
CERT	IFICATION			
consiste	n and manner is	dentified above. I further c	certify that the information is a provided to the public w	to the customers of this public water system is included in this CCR is true and correct and is atter system officials by the Mississippi States
Me	in Dates	V.P.		
Name/		, Mayor, Owner, etc.)		
	Mail C	ompleted Form to: Bureau	of Public Water Supply/P.O.	. Box 1700/Jackson, MS 39215

### 2009 Drinking Water Quality Report

#### is my water safe?

Last year, as in years past, your tap water met all U.S. Environment Protection Agency (EPA) and Mississippi State Department of Health drinking water standards. This report is a snapshot of last years water quality. Included are details about where your water comes from, what it contains and how it compares to standards set by regulatory agencies. We are committed to providing the best information about the quality of your drinking water.

# Do I need to take special precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly and infants can be particularly at risk for infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by microbial contaminants are available from the Safe Drinking Water Hotline at 1-800-426-4791.

### Where does my water come from?

Our water comes from 8 different wells that draw from the Eutaw, Gordo and McShan Aquifers.

### Source water assessment and its availability:

Our source water assessment is available on request.

# Why are there contaminants in my drinking water?

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791

### How can I get involved?

Our board members meet the 2<sup>nd</sup> Monday of every month at 5:00 pm at the Siloam Water Office. Our annual meeting is the 1<sup>st</sup> Monday in April. The exact time and place will be printed on your water bill. This is a very important meeting and we encourage all of our members to attend.

Siloam Water Contact Information Willie Davenport – Certified Operator P.O. Box 224 West Point, Ms 39773 662-494-1852

**CORRECTED COPY** 

Term ppm	Definition					
opb	parts per million, or milligrams per liter (mg/l)					
MCL-Maximum Contaminant Level	parts per billion, or micrograms per liter (up/l)					
or-maximum contaminant Level	The highest level of a contaminant that is allowed in					
	Jurinking water. MCLs are set as close to the MCLGs					
MCI G-Mevimum Cont.	as reasible using the best available treatment technology.					
MCLG-Maximum Contaminant Level Goal	The level of a contaminant in drinking water holow which					
	there is no known or expected risk to health. MCLGs					
T-Treatment Technique	Jallow for a margin of safety.					
	A required process intended to reduce the level of a					
AL-Action Level	contaminant in drinking water.					
T-Verioti FeA61	The concentration of a contaminant which, if exceeded,					
	triggers treatment or other requirements which a water					
IRDLG-Maximum Residual	isystem must follow.					
Pisinfection Level Goal	The level of a drinking water disinfectant below which					
John Rection Leading (209)	there is no known or expected risk to health. MCI Gs do					
•	not reflect the benefits of the use of disinfectants to					
RDL-Maximum Residual	control microbial contaminants.					
isinfection Lauret	The highest level of a disinfectant allowed in drinking					
	water. There is convincing evidence that addition of a					
·	disinfectant is necessary for control of microbial					
	contaminants.					

Chlorine-

Well- PWS ID#	MCLG	MCL	Your Water	Low	High	Sample Date	Violation	Typical Source
Beasley I- 130016 Beasley II- 130025	4		0.11	0.10				Water additive used
Beasley II- 130025 Briffith- 130015	4		0.20					to control microbes.
Gates- 130015	4	4	0.15		0.15	2009	N	There is convincing
vy Village- 130004	4	4	0.15	TO DESCRIPTION OF THE PARTY OF	0.15	70770	N	evidence that addition
Muldon- 130024	4	4	0.10		0.10		<u>N</u>	of a disenfectant is
ine Bluff- 130017	4	4	0.20	TAY MAIN	0.20	2009	N	necessary for control
Jna- 130023	4	<del></del> 4	0.11 0.12	0.10	0.12	2009		of microbial
			0.12	0.10	0.15	2009	N	contaminants.

.

# Inorganic and Radioactive Contaminants

# BARIUM

Well-PWS i	D#	MCLG	MCL	Your Water	Violation	Sample Date	Trusted Comme
Beasley I-	130016	2	2	0.06			Typical Source Discharge of drilling waste and
Beasiey II-	130025	2	2	0.02	No		metal refineries. Erosion of
Griffith-	130015	2	2	0.03	No		natural deposits.
Gates-	130021	2	2	0.02	No	Mar-08	•
lvy Village-	130004	2	2	0.03	No	Mar-08	
Muldon-	130024	2	2	0.07	No	Mar-08	
Pine Bluff-	130017	2	2	0.07	No	Маг-08	
Jna-	130023	2	2	0.04	No	Маг-08	

### FLOURIDE

Well-PWS ID	)#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	4	4	0,73		The state of the s	Erosion of natural deposits.
Beasley II-	130025	4	4	1.10			
Griffith-	130015	4	4	0.70			Additive which promotes strong teeth. Discharge from fertilizer.
The state of the s	130021	4	4	0.82		Mar-08	
lvy Village-	130004	4	4	0.77		Mar-08	
	130024	4	4	0.48		Mar-08	
⊃ine Bluff-	130017	4	4	0.38		Mar-08	
Jna-	130023	4	4	0.30		Mar-08	

### LEAD

Well-PWS ID#		MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I- 13	30016	0	15	100			
	30025	0	15	Anisi Parisi			Corrosion of household plumbing systems. Erosion of natural
	30015	0	15	0.002	No		deposits.
	30021	0	15	0.003	No	Jul-07	черовіть.
	30004	Ö	15	0.002	No	80-luL	
the state of the s	30024	0	15	0.001	No	Aug-04	
	30017	0	15	0.002	No	Jul-07	
Jna- 13	0023	O	15	0.003	No	Jul-08	

# COPPER

Well-PWS I	D#	MCLG	MCL	Your Water	Violation	Canada Dat	
Beasley I-	130016	1.3			1	Sample Date	Typical Source
Beasiey II-	130025	1.3		4.00		Jul-08	Corrosion of household plumbing
Griffith-	130015	1.3		217 Q	100	Jul-08	systems. Erosion of natural
Sates-	130021	1.3	1.3				deposits.
vy Village-	130004	1.3	1.3	0.00		Jul-07	
Muldon-	130024	1.3	1.3	0.10		Jul-08	l e e e e e e e e e e e e e e e e e e e
ine Bluff-	130017	1.3	1.3	0.30		Aug-04	
Jna-	130023	1.3	1.3			Jul-07	
				0.30	NO	Jul-08	

# 2009 CCR Contact Information

Date: 7/15/10 Time: 8:45a
PWSID: 130004, 130015, 130016, 130017, 136021, 130023, 130024, 130023
System Name: Slow W/A
Lead/Copper Language Chlorine Residual (MRDL) RAA
Other Violation(S)
Will correct report & mail copy marked "corrected copy" to MSDH.
Will notify customers of availability of corrected report on next monthly bill.
Correcting CCR and Javing connected coxy today Sending acopy of weather ball endoformather.
Spoke with Kolli 662-494-1853 (Operator, Owner, Secretary)

# 2009 Drinking Water Quality Report

### Is my water safe?

Last year, as in years past, your tap water met all U.S. Environment Protection Agency (EPA) and Mississippi State Department of Health drinking water standards. This report is a snapshot of last years water quality. Included are details about where your water comes from, what it contains and how it compares to standards set by regulatory agencies. We are committed to providing the best information about the quality of your drinking water.

# Do I need to take special precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly and infants can be particularly at risk for infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by microbial contaminants are available from the Safe Drinking Water Hotline at 1-800-426-4791.

# Where does my water come from?

Our water comes from 8 different wells that draw from the Eutaw, Gordo and McShan Aquifers.

# Source water assessment and its availability:

Our source water assessment is available on request.

# Why are there contaminants in my drinking water?

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791

### How can I get involved?

Our board members meet the 2<sup>nd</sup> Monday of every month at 5:00 pm at the Siloam Water Office. Our annual meeting is the 1<sup>st</sup> Monday in April. The exact time and place will be printed on your water bill. This is a very important meeting and we encourage all of our members to attend.

Siloam Water Contact Information Willie Davenport – Certified Operator P.O. Box 224 West Point, Ms 39773 662-494-1852

3	
	٠.

Term	Definition
ppm	parts per million, or milligrams per liter (mg/l)
ppb	parts per billion, or micrograms per liter (ug/l)
MCL-Maximum Contaminant Level	The highest level of a contaminant that is allowed in
	drinking water. MCLs are set as close to the MCI Gs
MCI G Maximum Cont.	as feasible using the best available treatment technology
MCLG-Maximum Contaminant Level Goal	The level of a contaminant in drinking water below which
	there is no known or expected risk to health, MCI Gs
TT-Treatment Technique	<u>lallow</u> for a margin of safety.
Treatment recinique	A required process intended to reduce the level of a
AL-Action Level	contaminant in drinking water.
/ JOHO!! LOVE!	The concentration of a contaminant which, if exceeded,
	triggers treatment or other requirements which a water
MRDLG-Maximum Residual	system must follow.
Disinfection Level Goal	The level of a drinking water disinfectant below which
2010/1 2010/1 304/	there is no known or expected risk to health. MCLGs do
	not reflect the benefits of the use of disinfectants to
MRDL-Maximum Residual	control microbial contaminants.
Disinfection Level	The highest level of a disinfectant allowed in drinking
	water. There is convincing evidence that addition of a
·	disinfectant is necessary for control of microbial
	contaminants.

# Chlorine-

Well- PWS	ID#	MCLG	MCL	Your Water	Low	High	Sample Date	Violation	Typical Source
Beasley I-	130016	4	4	0.11	0.10		<del></del>		Water additive used
Beasley II-	130025	4	4	0.20	0.18				to control microbes.
Griffith-	130015	4	4	0.15	0.15	0.15			There is convincing
Gates-	130021	4	4	0.15	0.14	0.15			evidence that addition
Ivy Village-	130004	4	4	0.10	0.10	0.10			of a disenfectant is
Muldon-	130024	4	4	0.20	0.19	0.20			necessary for control
Pine Bluff-	130017	4	4	0.11	0.10	0.12			of microbial
Una-	130023	4	4	0.12	0.10	0.15			contaminants.

N
L
T
L
A
L
M
D
10.0

Term	Definition
ppm	
ppb	parts per million, or milligrams per liter (mg/l)
MCL-Maximum Contaminant Level	parts per billion, or micrograms per liter (ug/l)
Contaminant Level	The highest level of a contaminant that is allowed in
	drinking water. MCLs are set as close to the MCLGs
MCI G Maximum O	las reasible using the best available treatment technology
MCLG-Maximum Contaminant Level Goal	The level of a contaminant in drinking water below which
	there is no known or expected risk to health. MCLGs
	allow for a margin of safety.
TT-Treatment Technique	A required process intended to reduce the level of a
	contaminant in drinking water.
AL-Action Level	The concentration of a contaminant which, if exceeded,
	triggers treatment or other requirement.
	triggers treatment or other requirements which a water system must follow.
MRDLG-Maximum Residual	The level of a drinking web at it is
Disinfection Level Goal	The level of a drinking water disinfectant below which
<del></del>	there is no known or expected risk to health. MCLGs do
•	not reflect the benefits of the use of disinfectants to
MRDL-Maximum Residual	control microbial contaminants.
Disinfection Level	The highest level of a disinfectant allowed in drinking
- CARIOTOTI FOAR	water. There is convincing evidence that addition of a
•	disinfectant is necessary for control of microbial
	contaminants.

# Chlorine-

9.11011110									
Well- PWS		MCLG	MCL	Your Water	Low	High	Sample Date	Violation	Typical Source
Beasley I-	130016		4	0.11	0.10	X			Water additive used
Beasley II-	130025		4	0.20	0.18	0.20			to control microbes.
Griffith-	130015	4	4	0.15	0.15	0.15	2009		There is convincing
Gates-	130021	4	4	0.15	0.14	0.15	2009	N	evidence that addition
lvy Village-		4	4	0.10	0.10	0.10	2009		of a disenfectant is
Muldon-	130024	4	4	0.20	0.19	0.20	2009		necessary for control
Pine Bluff-	130017	4	4	0.11	0.10	0.12	2009	N	of microbial
Una-	130023	4	4	0.12	0.10	0.15	2009	N	contaminants.

# Inorganic and Radioactive Contaminants

# BARIUM

Well-PWS I	D#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	2	2	0.06	No		Discharge of drilling waste and
Beasley II-	130025	2	2	0.02	No		metal refineries. Erosion of
Griffith-	130015	2	2	0.03	No	<del></del>	natural deposits.
Gates-	130021	2	2	0.02	No	Mar-08	•
lvy Village-	130004	2	2	0.03	No	Mar-08	
Muldon-	130024	2	2	0.07	No	Mar-08	
Pine Bluff-	130017	2	2	0.07	No	Mar-08	
Una-	130023	2	2	0.04	No	Mar-08	

# FLOURIDE

Well-PWS I	D#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	4	4	0.73	No	<del></del>	Erosion of natural deposits.
Beasley II-	130025	4	4	1.10	No		Additive which promotes strong
Griffith-	130015	4	4	0.70	No		teeth. Discharge from fertilizer.
Gates-	130021	4	4	0.82	No	Mar-08	
lvy Village-	130004	4	4	0.77	No	Mar-08	
Muldon-	130024	4	4	0.48	No	Mar-08	
Pine Bluff-	130017	4	4	0.38	No ·	Mar-08	
Una-	130023	4	4	0.30	No	Mar-08	

# LEAD

Well-PWS I	D#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	0	15	0.002	No	<del></del>	Corrosion of household plumbing
Beasley II-	130025	0	15	0.001	No		systems. Erosion of natural
Griffith-	130015	0	15	0.002	No		deposits.
Gates-	130021	0	15	0.003	No	Jul-07	1 ·
lvy Village-	130004	0	15	0.002	No	Jul-08	
Muldon-	130024	0	15	0.001	No	Aug-04	
Pine Bluff-	130017	0	15	0.002	No	Jul-07	
Una-	130023	0	15	0.003	No	Jul-08	

# COPPER

Well-PWS I	D#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	1.3	1.3	0.60	No		Corrosion of household plumbing
Beasley II-	130025	1.3	1.3	0.70	No		systems. Erosion of natural
Griffith-	130015	1.3	1.3	0.10	No		deposits.
Gates-	130021	1.3	1.3	0.10	No	Jul-07	<del>1</del> '
lvy Village-	130004	1.3	1.3	0.00	No	Jul-08	4
Muldon-	130024	1.3	1.3	0.10	No	Aug-04	1
Pine Bluff-	130017	1.3	1.3	0.30	No	Jul-07	
Una-	130023	1.3	1.3	0.30	No	Jul-08	

NITRATE/NITRATE

Well-PWS I	D#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	10	10	0.25	No	· · · · · · · · · · · · · · · · · · ·	Runoff from fertilizer use; leaching
Beasley II-	130025	10	10	0.25	No		from septic tanks and sewage.
Griffith-	130015	10	10	0.25	No		Erosion of natural deposits.
Gates-	130021	10	10	0.25	No	Mar-09	· ·
lvy Village-	130004	10	10	0.25	No	Mar-09	
Muldon-	130024	10	10	0.25	No	Mar-09	
Pine Bluff-	130017	10	10	0.25	No	Mar-09	
Una-	130023	10	10	0.25	No	Mar-09	

HALOACETIC ACID HAA5

Well-PWS I	D#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	0.06	0.06	0.02	No		Disinfection Bi-product
Beasley II-	130025	0.06	0.06	0.02	No	Jun-08	•
Griffith-	130015	0.06	0.06	0.06	No	Aug-08	
Gates-	130021	0.06	0.06	0.02	No	Aug-08	
lvy Village-	130004	0.06	0.06	0.00	No	Aug-08	
Muldon-	130024	0.06	0.06	0.02	No	Aug-08	
Pine Bluff-	130017	0.06	0.06	0.03	No	Aug-08	
Una-	130023	0.06	0.06	0.02	No	Aug-08	

TRIHALOMETHANE TTHM

THUTALOW	LIIMIL	1 1 1 1 1 1 1 1 1 1						
Well-PWS I	D#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source	
Beasley I-	130016	0.08	0.08	0.04	No	·	Disinfection Bi-product	$\dashv$
Beasley II-	130025	0.08	0.08	0.04	No	Aug-08	•	
Griffith-	130015	0.08	0.08	0.00	No	Aug-08		ĺ
Gates-	130021	0.08	0.08	0.04	No	Aug-08		
lvy Village-	130004	0.08	0.08	0.04	No	Aug-08		ĺ
Muldon-	130024	0.08	0.08	0.04	No	Aug-08		
Pine Bluff-	130017	0.08	0.08	0.04	No	Aug-08		
Una-	130023	0.08	0.08	0.04	No	Aug-08		

#### NITRATE/NITRATE

Well-PWS i	D#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I-	130016	10			***************************************	· Principle of the second	
Beasley II-	130025	10		<u> </u>	1 min		Runoff from fertilizer use; leaching from septic tanks and sewage.
Griffith-	130015	10	10				Erosion of natural deposits.
Gates-	130021	10	10			Mar-09	Livelon of flatural deposits.
vy Village-	130004	10	10	0.25	No	Mar-09	
Muldon-	130024	10	10	0.25	No	Mar-09	
Pine Bluff-	130017	. 10	10	0.25	No	Mar-09	
Jna-	130023	10	10	0.25	No	Mar-09	

HALOACETIC ACID HAAS

70 7010	IIMMO					
D#	MCLG	MCL	Your Water	Violation	ISample Date	Typical Source
130016	0.06		W02-00-			Disinfection Bi-product
130025	0.06	0.06				-
130015	0.06					
130021	0.06	0.06			· · · · · · · · · · · · · · · · · · ·	
130004	0.06	0.06		· · · · · · · · · · · · · · · · · · ·		
130024	0.06	0.06	MA			
130017	0.06	0.06			·	
130023	0.08	0.06		**************************************		
	D# 130016 130025 130015 130021 130004 130024 130017	D# MCLG 130016 0.06 130025 0.06 130015 0.06 130021 0.06 130004 0.06 130024 0.06 130017 0.06	D#         MCLG         MCL           130016         0.06         0.06           130025         0.06         0.06           130015         0.06         0.06           130021         0.06         0.06           130004         0.06         0.06           130017         0.06         0.06	D#         MCLG         MCL         Your Water           130016         0.06         0.06         0.02           130025         0.06         0.06         0.02           130015         0.06         0.06         0.06           130021         0.06         0.06         0.02           130004         0.06         0.06         0.00           130024         0.06         0.06         0.02           130017         0.06         0.06         0.03	D#         MCLG         MCL         Your Water         Violation           130016         0.06         0.06         0.02         No           130025         0.06         0.06         0.02         No           130015         0.06         0.06         0.06         No           130021         0.06         0.06         0.02         No           130004         0.06         0.06         0.00         No           130024         0.06         0.08         0.02         No           130017         0.06         0.06         0.03         No	D#         MCLG         MCL         Your Water         Violation         Sample Date           130016         0.06         0.06         0.02         No         Aug-08           130025         0.06         0.06         0.02         No         Jun-08           130015         0.06         0.06         0.06         No         Aug-08           130021         0.06         0.06         0.02         No         Aug-08           13004         0.06         0.06         0.00         No         Aug-08           130017         0.06         0.06         0.03         No         Aug-08           130017         0.06         0.06         0.03         No         Aug-08

#### TRIHALOMETHANE TTHM

Well-PWS	ID#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Course
Beasley I-	130016	0.08		7-1-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-2-			Typical Source
Beasley II-	130025	0.08		0.01		ATT 100	Disinfection Bi-product
Griffith-	130015	0.08				Aug-08	1
Gates-	130021	0.08	0.08	0.00		Aug-08	
Ivy Village-	130004	0.08	0.08			Aug-08	
Muldon-	130024	0.08	0.08	070-T		Aug-08	
Pine Bluff-	130017	0.08	0.08	0.04	***************************************	Aug-08	
Una-	130023	0.08	0.08	0.04		Aug-08	
	· · · · · · · · · · · · · · · · · · ·		2.04	0.041	ITU	Aug-08	

# Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Siloam Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have you water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available form the Safe Drinking Water Hotline or at

http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10.00 per sample. Please contact 601-576-7582 if you wish to have your water tested.

### 2009 Drinking Water Quality Report

#### Is my water safe?

Last yea, as in years past, your tap water met all U.S. Environment Protection Agency (EPA) and Mississippi State Department of Health drinking water standards. This report is a snapshot of last years water quality. Included are details about where your water comes from, what it contains and how it compares to standards set by regulatory agencies. We are committed to providing the best information about the quality of your drinking water.

Do I need to take special precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persona who have undergoine organ transplants, people with HIV/AIDS or other immune system disorders, some elderly and infants can be particularly at risk for infections. These people should seek advice about drinking water from their health care providers, EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lesson the risk of infection by microbial contaminants are available from the Safe Drinking Water Hodline at 1-800-426-4791.

#### Where does my water come from?

Our water comes from 8 different wells that draw from the Eutaw, Gordo and McShan Aquifers.

Source water assessment and its availability.

Our source water assessment is available on request.

#### Why are there contaminants in my drinking water?

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Horline at 1/800/426/4791.

#### How can I get involved?

Our board members meet the 2nd Monday of every month at 5:00 pm at the Siloam Water Office. Our annual meeting is the 1st Monday in April. The exact time and place will be printed on your water bill. This is a very important meeting and we encourage all of our members to attend.

Siloam Water Contact Information . Willie Davenport - Certified Operator P.O. Box 224 West Point, MS 39773 662-494-1852

Term	Definition
ppm	parts per million, or milligrams per liter (mg/l)
ppb	parts per billion, or micrograms per liter (ug/l)
MCL-Maximum Contaminant Level	The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
MCLG-Maximum Contaminant Level Goal	The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
TT-Treatment Technique	A required process intended to reduce the level of a contaminant in drinking water.
AL-Action Level	The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
MRDLG-Maximum Residual Disintection Level Goal	The level of a drinking water disinfectant below which there is no known or expected risk to health, MCLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
MRDL-Maximum Residual Disinfection Level	The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Chlorine-	아시아 뭐네?	9.75			140	A STATE OF THE STA	
Well-PW5 ID#	MCLG	MCL	Your Water	Low	High	Sample Date Violation	Typical Source
Beasley I- 13001	6 4	4	0.11	0.10	0.12	2009 N	Water additive used
Beasley II- 13002	5 4	- 4	0.20	0.18	0.20	2009 N	to control microbes.
Griffith- 13001	5 4	4	0.15	0.15	0.15	2009 N	There is convincing
Gates 13002	1 4	4	0.15	0.14	0.15	2009 N	evidence that additi
Ivy Village- 13000	)4 4	4	0.10	0.10	0.10	2009 N	of a disenfectant is
Muldon- 13002	4 4	4	0.20	0.19	0.20	2009 N	necessary for contri
Pine Bluff- 1300	17 4	4	0.11	0.10	0.12	2009 N	of microbial
Hose 13002	3 4	4	0.12	0.10	0.15	2009IN	contaminants.

Inorgania and Redisastive Contaminants

Nek-PWS IDE	NOUS MOL	Your Weter   Violetion	Sample Date:   Typical Bource
lessley - 150015	2 7	0.08 Ne	Mer QB Discharge of drilling seese and
Seasiey i- 180025	21 7	0.02 No	Mor-08 metal refraction, Broaken of
Onthin 180015	2	0.03 No	Mar-06 netural deposite.
Oeteo 130021	2 1	0.02 No	Mar-Off
lvy Villaga 130004	1 21 1	0.03 No	Mar-08
Museum 130024	21 7	0.07 No	Mar (6)
Pare 98.4 130017	21 7	0.07 No	Mar-C8
Jan. 180021	2 7	0.04 No	Mar.28

Deserv	1300025	4-4	4	0.73	<u> </u>		Broelen of natural deposits.
Q456	180018	+		0.70	No.		Adelika which promotes etc Black Discharge from Artilic
Quion-	12533	1		0.82	No	Mar-	
by Witigo-	30004	4		0.77	No	Mar-	蒯
Mildon	130024	- 4		0.48	No	Mar-	•
Pitter Bladfe	130017	1 4	. 4		No	Mer-	
Line.	130093	4	4	0.30	No.	Mar-	8

Net-PWS	O#	MOLIS	MO.	Your Water	Violeton	Sample Date	Typical Source
leastey i-	130018	0	15	0.002	No	3,5-00	Corrosion of household purpose
essepy A.	190025	0	8	0.001	No	3,6-08	systems. Ercelon of natural
eller.	130018	0		0.000	No	Jun-07	dapardia
3otow	120021	0	18	0.003	No	44-07	
vy Villege-	100004		18	0.002	No	.044.08	
eucon-	130024	0	16	0.001	No	Aug-04	
ine Surf	130017	0	18	0.002	No	366-07	
ins-	130023	0	15	0.008	74a	24-08	

Benefity I Dennity I Defini Deton- by Wileys Madain	1000	1	4	0.73 No 1.10 No	Meri-C	Broelen of natural deposits.
0456) Datos Vy Vičego Madazo	1000	1 2	4			
Dates Ny Villege Muldon	180010					Addition which promotes et a
lvy Wego- Mudon-	120021		4	0.70160		Heath Discharge from Notice
Muidon			4	0.82 No	Mar-S	
	120004	4	4	0.77 No	Mar-0	N .
	130024	- 4	4	0.77 No 0.46 No 0.38 No	Mer-0	
Pen Bull-	130017		7	0.38 Mo	Mer-0	
Little-	130093	- 4	- 2	0.301%	Mar-O	П
LEAD						
Net PWS	<b>)#</b>	MCLG	MXX.	Your Weler Vicious	Sample Date	Typical Source
<del>Decertey i</del> -	130018	0	15	0.002 No	3,5-0	Corrosion of hopeets in paint
Венжу А.	130023	1 0	16	0.001 No	26-00	evelence. Broslon of natural
Griffigh.	130018	0	18	0,008 No	240	deposite.
Gofos	120021	8	18		440	
VY VARIOU-	190004	1 0	18	0.002 No	30446.	1
					•	
feukton-	130024	0	15	0.001/No	7,000	
	130024 130017		15 18		Aug-04	
Fine Bud Line COPPER	180017 180023		15 18 13		A461 A461 A461	3
COPPER	180017 180023	MOLE	18 15	G 002 No G 008 No Your Water   Wintedon	AS-OI AS-OI Barrepte Dese	Tryphosi Source
Autom Pine Bluff And Connects And Parks Jessity I	180017 180023 28 180016	MGLO.	18 13	C 002 No C 005 No Your Wester Victorion D 90 Mg	Service Date Au-08	Typical Source Correston of household plant
COPPER Veril PAR Benning I	180017 180023 2 190016 180028	-	18 13 421 13	0.002 Re 0.008 Re Your Water Wateron 0.80 Re 0.70 Re	Sample Date	Typical Source Compating of household plants replaced of patients
AUROIN Fire Burl Line COPPER MARCH II Bessery I Bessery II Coffie	130017 130023 2 2 130016 130016 130016	MGLO 13 13 13	18 18 18 18 18	0.002 No 0.008 No - Your Water   Wateron 0.80 No 0.70 No	Service Date Service Date Service Date Service Date Service Date	Typical Source Corrosion of household plumb externs. Erador of natural deposits.
Fine Burt Line COPPER Vinit PAYED Boxestry Is Excelled Entitles	185017 185023 2 180016 180022 180072 180072	#G.Q.]	18 18 401 13 13 13	0.002 No 0.008 No Your Water   Violation 0.607 Ho 0.70 No 0.10 No	34-07 58-78 58-79 Date 34-79 34-77 34-77	Typical Source Compation of household pitent systems. Enador of natural deposits.
eelicin Fine Durf Jine COPPega And FAVE II Beretry II Beretry II Beretry II Beretry III Beretry III Beretry III Beretry III Beretry III	185017 185023 2 180016 180021 180072 180004	#GQ	13 13 13 13 13	0.002 No 0.005 No Your Vester Vestston 0.80 No 0.70 No 0.10 No 0.10 No	36-01 98-05 Sarroste Date 36-05 36-07 46-07 46-07	Typical Source Compation of household pitent systems. Enador of natural deposits.
COPPER COPPER AND PAYER AND PAYER Investoy II DESTRUCTION SINGE VY VENDE VY VENDE VY VENDE VY VENDE	180017 180023 2 180016 180021 180021 180005	MC40 3 4 23 4 23 4 23 4 23 4 23 4 33	13	0.002 No 0.003 No Your Water Violation 0.80 No 0.70 No 0.70 No 0.10 No 0.00 No 0.10 No	Sarrors Date Sarrors Date Aut 00 Aut 07 Aut	Typical Source Compation of household pitent systems. Enador of natural deposits.
Fore Burt Line COPPER Viol. P.V. Boretry I Bor	185017 185023 2 180016 180021 180072 180004	#GQ	13 13 13 13 13	0.002 No 0.005 No Your Vester Vestston 0.80 No 0.70 No 0.10 No 0.10 No	36-01 98-05 Sarroste Date 36-05 36-07 46-07 46-07	Typical Source Correction of Insurehold plumb replants. Erasion of natural deposits.

Wes-PWS	104	MOLG	<b>48</b> 04.	Your Water   Vio	lotton Sample Date	Typical Cource
Beasey I-	130015	10	10	0.25 No	Mar-O	Functific to testilize uses leaching
Bessey II-	130025	10	10	0.25(10)	Mar-S	from scotto terks and reseape.
CONTRACT-	130015	10	10	0,25 No	MonO	Ercelon of natural deposits.
Gates-	130021	10	10	0,25 No	Mer-Ci	
lyy Villabe-	120004	10	10	0.25 No	Mar-00	1
Muldon	130024	10	10	0.25 No	May 45	
Pre Sur-	120017	10	10	0.25 No	May-0	
i Rha	150033	10		11.50	ManO	

	(Det	MOTO	MOL	Your Water	Violetton	Sample Date	Typical Source
Beasley i-	130014	0.08	0.00	0.02	100	Aug-Ol	Distribution Signatu
Beneley I-	130020	9.00	100	0.02	160	Jkg9+08	
CHIEF.	130015	0.00	0.00	0.08	No	Aug-ce	
Ciation.	130021	0,06	0.06	0.02	Ne	A177-00	
My Villages	120004	0.06		0.00		Aug-08	
Muldon-	130024	0.00		0.02	No	Aug.00	
Pine Blott-	190017	0.08		0,03		Aug-00	
Une	120023	0.00	0.06	0.02	700	1 Aug-08	

West-PWS ID#	MC.G	A	Your Water Violation	Sample Cale	Typical Source
Sesaley - 130016	0.08	0.08	0.04 No	Aug-08	Distribution Bi-product
Seceley II- 150025	0.08	0.08	9,94 No	Aug-Q8	
entitin- 130015	0.08	9.08	0.00 No	Aug-08	
Onles 130021	0.00	0.08	0.04(%)	Aug-08	
sy Village 130004	0.08	0.08	0.04 No	Aug-08	
Muston- 190021	0.04	0.08	0,04 No	Aug-08	
Man Blid 130017	0.08	0,08	0.04 No	Aug-08	
Uns 130023	0.08	0,08	0.04/140	Aug-08	

SERVICE ADDRESS  SERVICE ADDRESS  CURRENT  METER READINGS PREVIOUS  USED  DUE DATE  PAY GROSS AMOUNT  A. 6.1  E. 7. 6.6  CORRECTED CCR AVL. IN OFFICE  NEW RATE INCREASE EFF 9/1/2010  SAVE THIS  SAVE THIS  SAVE THIS  GROSS AMOUNT  A. 6.1  RETURN SERVICE REQUESTED  OR OBERT GABLE  C/O SCOTT GABLE  C
--