

RECEIVED-WATER SUPPLY

BUREAU OF PUBLIC WATER SUPPLY

2010 JUL -6 AM 9:18

faxed copy 7/1/10

CALENDAR YEAR 2009 CONSUMER CONFIDENCE REPORT
CERTIFICATION REPORT

WHITE OAK WATER ASSOCIATION
PWS ID # ('s):0650013

The Federal Safe Drinking Water Act requires each *community* public water system to develop and distribute a consumer confidence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.

Please Answer the Following Questions Regarding the Consumer Confidence Report

- Customers were informed of availability of CCR by: (*Attach copy of publication, water bill, or other*)
-
- Advertisement in local paper
- On water bills
- Other

Date customers were informed:

- CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:

Date mailed/distributed:

- CCR was published in local newspaper. (*Attach copy of published CCR and proof of publication*)
Name of Newspaper: *Smith County Reformer*
Date Published: *06/30/2010*

- CCR was posted in public places. (*Attach list of locations*)

Date posted:

- CCR was posted on a publicly accessible internet site at the address: *www:*

CERTIFICATION:

I hereby certify that a Consumer Confidence Report (CCR) has been distributed to the customers of this public water system in the form and manner identified above. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply.

Prudis Adcock
Name/Title (*President, Mayer, Owner, etc.*)

Date *6/30/10*

This Consumer Confidence Report (CCR) was completed by MS Cross Connection, LLC with information provided by the above Public Water System and is certified only to be as true & correct as the information provided.

Susan Bayetta
Signature

Date *6/25/2010*

**Mail completed form to: Bureau of Public Water Supply ~ P O Box 1700 ~ Jackson, MS 39215
Phone: 601-576-7518**

We're pleased to present to you this year's Annual Water Quality Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source consists of two wells that draw from the Cockfield Formation and the Sparta Aquifer.

A source water assessment has been completed for the water supply to determine the overall susceptibility of its drinking water to identify potential sources of contamination. A report containing detailed information has been received by our office and will be made available for review upon request.

We're pleased to report that our drinking water meets all federal and state requirements.

If you have any questions about this report or concerning your water utility, please contact Norman Adcock at 601-269-3232. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the third Thursday of each month at 7:00 p.m. Our Annual Meeting will be held on Thursday, August 19, 2010.

White Oak Water Association routinely monitors for constituents in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2009. As water travels over the land or underground, it can pick up substances or contaminants such as microbes, inorganic and organic chemicals, and radioactive substances. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily pose a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT) - A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

Maximum Contaminant Level - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal - The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

TEST RESULTS

Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source of Contamination
Inorganic Contaminants								
14. Copper	N	2008*	0.3397	None	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
17. Lead	N	2008*	4.8	None	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposit
Disinfectants & Disinfection By-Products								
Chlorine (as Cl ₂)	N		1.26 to 1.65	None	ppm	4	4	Water additive used to control microbes

* Most recent sample results available

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. White Oak Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

Please call our office if you have questions.

RECEIVED - WATER SUPPLY
ANNUAL DRINKING WATER QUALITY
2010 JUL 16 AM 8:00
WHITE OAK WATER ASSOCIATION
PWS ID# 0650013
JUNE 2010

We're pleased to present to you this year's Annual Water Quality Report to inform you about the quality water and services we deliver. Our goal is to provide you with a safe and dependable supply of water. We understand the efforts we make to continually improve the quality of our water resources. We are committed to ensuring the quality of our water consists of two wells that draw from the Cockfield Formation.

A source water assessment has been completed for the water supply system to determine the susceptibility of its drinking water to identify potential sources of contamination. Detailed information has been received by our office and a review upon request.

We're pleased to report that our drinking water meets all federal and state requirements.

If you have any questions about this report or concerning your water utility, please contact Normen Adcock at 601-269-3232. We want our valued customers to understand the efforts we make to continually improve the quality of our water resources. They are held on the third Thursday of each month at 7:00 p.m. held on Thursday, August 19, 2010.

White Oak Water Association routinely monitors for constituents in its drinking water to ensure compliance with Federal and State laws. This table shows the results of monitoring from January 1st to December 31st, 2009. As water travels over the ground, it picks up substances or contaminants such as microbes, inorganic substances, and organic substances. All drinking water, including bottled water, is expected to contain at least small amounts of some constituents. The presence of these constituents does not necessarily pose a health risk.

In this table you will find many terms and abbreviations you may not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment requirements which a water system must follow.

Some people may be more vulnerable to contaminants in drinking water than others. Infants and young children, pregnant women, the elderly, and people with certain medical conditions are more vulnerable. All drinking water, including bottled water, is expected to contain at least small amounts of some contaminants. The presence of these contaminants does not necessarily indicate that the water poses a health risk. For more information on drinking water health effects, contact the Agency's Safe Drinking Water Hotline at 1-800-426-4761.

Some people may be more vulnerable to contaminants in drinking water than others. Immuno-compromised persons such as persons with cancer, organ transplant recipients, people with HIV/AIDS, and infants can be particularly vulnerable. These people should seek advice about drinking water from their health care provider. For more information on drinking water health effects, contact the Agency's Safe Drinking Water Hotline at 1-800-426-4761. Please call our office if you have questions.

be the guest evangelist at the VBS at Christ Fellowship Church. Christian Life Fellowship invites children, youth, and families to experience the joy of Jesus Christ at our Bible School, Monday, July 12-16 from 9:00 a.m. to 4:00 p.m. They will be at the church for some transportation. Life Fellowship is located at SCR 504 in the White Oak Community. For more information, call 601-536-3625.

Gospel sing
There will be a Gospel sing at the Sanford Center, 663 Old Highway 10, Saturday, July 10, 2010, featuring Rail Bluegrass Gospel and the Faithful. Admission is free.

Independence Day Baptist Church
Everyone is invited to celebrate Independence Day on July 4th at the Church beginning at 7:00 p.m. The evening will feature an inflatable water gun, a firetruck, music, popcorn, candy, and more. Entertainment will conclude with an exciting fireworks display. This event is free.

Custom sprayed surface/limited lifetime warranty
Toolboxes, Hubs, and more
3066 C
Hours: Mon-Fri 9-5, Sat 9-4, Sun 10-4

WEL
Construction
For a free estimate call
"WEL"

TO BE

The State of Mississippi, County of Smith PERSONALLY CAME before me, the undersigned a Notary Public in and for SMITH COUNTY, MISSISSIPPI the OFFICE CLERK of the SMITH COUNTY REFORMER, a newspaper published in the Town of Raleigh, Smith County, in said State, who being duly sworn, deposes and says that the SMITH COUNTY REFORMER is a newspaper as defined and prescribed in §13-3-31 of the Mississippi Code 1972 Annotated and that the publication of a notice, of which the annexed is a copy, in the matter of

Annual Drinking Water Quality Report
3x16

has been made in said paper 1 times consecutively, to-wit:

On the 30 day of JUNE 2010

On the ___ day of _____ 20__

On the ___ day of _____ 20__

On the ___ day of _____ 20__

Paul Turner
OFFICE CLERK

SWORN to and subscribed before me, this the 1st day of July 2010

Mary Carole Bawse
NOTARY PUBLIC
21024
NOTARY PUBLIC
Comm. Expires
September 10, 2012
SMITH COUNTY



899 WIGGINS
Shopping Center • Hwy. 15 • Bay Springs
Minn Smith, Mgr. 601-764-2164

Words
Cost

...and for the point of beginning, thence continue to run South 89 degrees 06 minutes 21 seconds East along the South right of way of Smith County Road Number 803 for a distance of 210 feet, thence run North 210 feet back to the point of beginning, containing one (1) acre, more or less, and being in the Northwest Quarter of Northwest Quarter of Section 24, Township 2 North, Range 6 East, Smith County, Mississippi.

...and for the point of beginning, thence continue to run in a southeasterly direction parallel with the South right of way of Smith County Road Number 803 for a distance of 210 feet, thence run North 210 feet back to the point of beginning, containing one (1) acre, more or less, and being in the Northwest Quarter of Northwest Quarter of Section 24, Township 2 North, Range 6 East, Smith County, Mississippi.

I will convey only such title as is vested in me as Trustee.

WITNESS MY SIGNATURE, this, the 9th day of June, 2010.

W. Stewart Robinson, Trustee

Smith County Reformer
ROBINSON & HOLMES, 501 S. (152)
Public June 16, 23, 30, July 7

NOTICE OF SALE

WHEREAS, the United States of America, acting by and through the United States Department of Agriculture, is the owner and holder of the following real estate deeds of trust, securing an indebtedness therein mentioned and covering certain real estate heretofore described located in Smith County, Mississippi, said deeds of trust being duly recorded in the Office of the Chancery Clerk in and for said County and State:

GRANTORS - William H. Middleton and wife, Georgia C. Middleton, and Wydell Craft
DATE EXECUTED - September 28, 1976
TRUST DEED BOOK 296, PAGE - 395
GRANTORS - Georgia C. Middleton and Wydell Craft
DATE EXECUTED - October 10, 1991
TRUST DEED BOOK 372, PAGE - 287

The indebtedness secured by the Deed of Trust dated September 28, 1976 and executed by William H. Middleton and wife, Georgia C. Middleton and Wydell Craft and the indebtedness secured by the Deed of Trust dated October 10, 1991 and executed by Georgia C. Middleton and Wydell Craft was assumed by William D. Middleton and Natasha T. Middleton with Assumption Agreement dated July 13, 2006.

CRALF executed a Deed of Trust to DAVID L. PHIPPS, Trustee for the use and benefit of AMERICAN GENERAL FINANCIAL SERVICES, INC. This Service Agreement, Book 300, Page 300, which is of record in the Office of the Chancery Clerk of Smith County, Mississippi, in Book 300, Page 300, and is a part of the same.

WHEREAS, on the 14th day of May, 2010, the Beneficiary appointed David D. Wilkinson as Sub-Trustee in and for said Deed of Trust, and on the 14th day of May, 2010, in the Records of the Office of the Chancery Clerk of the County of SMITH, State of Mississippi a PUBLIC SALE was made in the terms and conditions of said Deed of Trust and the entire debt assumed thereby having been declared to be due and payable in accordance with the terms of said Deed of Trust, AMERICAN GENERAL FINAN-

cial Services, Inc. has elected to foreclose on the said Deed of Trust, and the entire debt assumed thereby having been declared to be due and payable in accordance with the terms of said Deed of Trust, AMERICAN GENERAL FINAN-

HOME PHONE SERVICE
FREE FIRST MONTH*
Get pay 100% off if you qualify for government assistance. Additional months only \$20.95 plus taxes and fees.

Unlimited Local Calling • 100 Minutes Free Long Distance Every Month
FREE call waiting • FREE caller ID • No Credit Check
5-011 Service • Free Installation, No Cost to Switch.

CALL TOLL FREE
1-800-308-8585

TIRED OF BEING PRICED GOUGED BY YOUR PROPANE SUPPLIER?

Are you tired of your propane supplier gouging you with \$2 a gallon propane gas every time it gets cold? You don't have to take it or pay it. Give us a call. We can furnish you a new tank, free swapout and a much lower gas price.



DELTA PROPANE GAS
4972 Highway 49
Mount Olive, MS
601-797-9940 or toll free 1-866-794-9940

New Orleans Getaways

The New Orleans Hotel Collection

"Splendid Hotels in America's Favorite City!"
Rates as low as \$69 on selected dates

St. Louis Hotel 1-800-535-9111
St. Ann Marie Antoinette 1-800-535-9111
Bourbon Orleans Hotel 1-866-513-9744
Dauphine Orleans Hotel 1-800-521-7111
Wyndham Riverfront New Orleans 1-801-574-8300
Crowne Plaza New Orleans Airport 1-800-227-6963

Reserve your summer getaway at neworleanshotelcollection.com/getaway
Use promo code: GETAWAY

Sponsor of iReadLouisiana.com

ANNUAL DRINKING WATER QUALITY REPORT
WHITE OAK WATER ASSOCIATION
PWS ID# 0650013
JUNE 2010

We're pleased to present to you this year's Annual Water Quality Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source consists of two wells that draw from the Cockfield Formation and the Sparta Aquifer.

A source water assessment has been completed for the water supply to determine the overall susceptibility of its drinking water to identify potential sources of contamination. A report containing detailed information has been received by our office and will be made available for review upon request.

We're pleased to report that our drinking water meets all federal and state requirements.

If you have any questions about this report or concerning your water utility, please contact Norman Adcock at 601-269-3232. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the third Thursday of each month at 7:00 p.m. Our Annual Meeting will be held on Thursday, August 19, 2010.

White Oak Water Association routinely monitors for constituents in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2009. As water travels over the land or underground, it can pick up substances or contaminants such as microbes, inorganic and organic chemicals, and radioactive substances. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily pose a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT) - A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

Maximum Contaminant Level - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

TEST RESULTS								
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source of Contamination
Inorganic Contaminants								
14. Copper	N	2009*	0.3397	None	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of nat. dep.; leaching from wood preservatives.
17. Lead	N	2009*	4.8	None	ppb	0	AL=15	Corrosion of household plumbing systems; erosion of nat. dep.
Disinfectants & Disinfection By-Products								
Chlorine (as Cl2)	N		1.26 to 1.65	None	ppm	4	4	Water additives used to control microbes

* Most recent sample results available.

Additional Information for Lead
If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. White Oak Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791). Please call our office if you have questions.