

RECEIVED WATER SUPPLY
2010 JUN 18 PM 7:14



MISSISSIPPI STATE DEPARTMENT OF HEALTH

BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2009 CONSUMER CONFIDENCE REPORT
CERTIFICATION FORM

TOWN OF TISHOMINGO
Public Water Supply Name

0710010
List PWS ID #s for all Water Systems Covered by this CCR

The Federal Safe Drinking Water Act requires each **community** public water system to develop and distribute a consumer confidence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.

Please Answer the Following Questions Regarding the Consumer Confidence Report

Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)

- Advertisement in local paper
- On water bills
- Other Back of Bills

Date customers were informed: 6/1/2010

CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:

Date Mailed/Distributed: 1/1

CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)

Name of Newspaper: TISHOMINGO COUNTY NEWS

Date Published: 6/10/10

CCR was posted in public places. (Attach list of locations)

Date Posted: 1/1

CCR was posted on a publicly accessible internet site at the address: www. _____

CERTIFICATION

I hereby certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in the form and manner identified above. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply.

James Tennyson Mayor
Name/Title (President, Mayor, Owner, etc.)

6-17-10
Date

JAMES TENNYSON, Mayor
Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215
Phone: 601-576-7518

RECEIVED-WATER SUPPLY
2010 JUN 21 PM 4:37

Annual Drinking Water Quality Report

Town of Tishomingo

PWS. Id # 0710010

June 2, 2010

We're pleased to present to you this year's Annual Water Quality Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is a spring at Jackson springs, in Tishomingo.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. The general susceptibility rankings assigned to each well of this system are provided immediately below. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The spring has received a high rankings to contaminations.

I'm pleased to report that our drinking water meets all federal and state requirements.

If you have any questions about this report or concerning your water utility, please contact Paula Rushing at (662)-438.6402. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Tuesday of each month at 7:00 P.M. at City Hall at 1281 main st.

The Town of Tishomingo routinely monitors for constituents in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2009. As water travels over the land or underground, it can pick up substances or contaminants such as microbes, inorganic and organic chemicals, and radioactive substances. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily pose a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT) - A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

Maximum Contaminant Level - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal - The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

TEST RESULTS

Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source of Contamination
Disinfectants & Disinfection By-Products								
(There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.)								
Chlorine (as Cl ₂) (ppm)	N	2009	.62	.43-.94	Ppm	4	4	Water additive used to control microbes
Inorganic Contaminants								
Lead	N	2008*	1.0	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
Nitrate (as Nitrogen)	N	2009	1.85	No -range	Ppm	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits
TTHM Total – trihalomethanes	N	2009	3.4	No-range	ppb	0	100	By-product of drinking water chlorination

*** No sample required in 2009**

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Town of Tishomingo is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601-576-7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

Please call our office at 662-438.6402 if you have any questions. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

For more information please contact:

Paula Rushing

Address:

1281 Main Street PO Box 70

Tishomingo, MS 38873

662-438-6402

662-438-6403

tishomingo@frontiernet.net

www.tishomingo.ms

OF PUBLICATION

STATE OF MISSISSIPPI,
TISHOMINGO COUNTY.

Personally appeared before me, the undersigned, Notary Public court, in and for said county, **John H. Biggs**, of the Tishomingo County News, a newspaper published in the Town of Iuka, in said county, who being **duly sworn**, deposes and says that the "notice," a copy of which is hereto attached, was published in said newspaper for 02 consecutive weeks, to wit:

In Vol. <u>126</u>	No. <u>44</u>	Dated <u>Jan. 10,</u>	20 .. <u>10</u>
In Vol.	No.	Dated	20
In Vol.	No.	Dated	20
In Vol.	No.	Dated	20
In Vol.	No.	Dated	20
In Vol.	No.	Dated	20
In Vol.	No.	Dated	20
In Vol.	No.	Dated	20
In Vol.	No.	Dated	20
In Vol.	No.	Dated	20

John H. Biggs, Publisher
June, A.D., 20 10
Charlette B. McWay
Notary Public
My Commission Expires
March 4, 2013

Sworn to and subscribed before me this 15th day of _____, A.D., 20 10

Fees _____


Ann. Water Quality Report

STATEMENT

Publishing _____ words, 12 cents first insertion	\$ <u>150.00</u>
Publishing _____ words, 10 cents for each subsequent insertion	\$ _____
.....	\$ _____
Making proof of publication	\$ <u>3.00</u>
.....	\$ _____
Total	\$ <u>153.00</u>

United Print Services, Co. Inc. 108 500 (662) 287-1090

Revival At New Beginning
New Beginning Fellowship Church will have revival services June 14-16, 7:00 each evening. On the 16th, there will be a fellowship meal at 6:00 followed by preaching at 7:00. The visiting evangelist will be Bro. Danny Lambert. Everyone is invited to attend. The church is located on CR 169.



LEGAL NOTICE

Annual Drinking Water Quality Report Town of Tishomingo PWS ID # 0710010 June 2, 2010

We're pleased to present to you this year's Annual Water Quality Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect the water source. We also want to help you understand the quality of your water. Our water source is a spring water source, and the water is treated to meet the requirements of the Safe Drinking Water Act.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. The general susceptibility rankings assigned to each well or the system are provided immediately below. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The spring has received a high ranking to contamination.

I'm pleased to report that our drinking water meets all federal and state requirements.

If you have any questions about this report or concerning your water utility, please contact Paula Rothman at (663)-432-6402. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Tuesday of each month at 7:00 P.M. at City Hall at 1281 Main St.

The Town of Tishomingo routinely monitors for contaminants in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2009. As water travels over the land or underground, it can pick up substances of contaminants such as microbes, inorganic and organic chemicals, and radioactive substances. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. It's important to remember that the presence of these contaminants does not necessarily pose a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT) - A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

Maximum Contaminant Level (MCL) - The Maximum Allowed (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLG as is feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The Goal (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

TEST RESULTS										
Contaminant	Actions Date	Level	MCLG	MCL	TT	TT Description	TT Status	MCLG	MCL	TT Status
Disinfection & Disinfection By-Products										
Chlorine	12/31/09	1.0	4.0	4.0	None	None	None	4.0	4.0	None
Inorganic Contaminants										
Lead	12/31/09	0.01	0.01	0.01	None	None	None	0.01	0.01	None
Arsenic	12/31/09	0.01	0.01	0.01	None	None	None	0.01	0.01	None
Copper	12/31/09	1.3	1.3	1.3	None	None	None	1.3	1.3	None
Iron	12/31/09	0.3	0.3	0.3	None	None	None	0.3	0.3	None
Manganese	12/31/09	0.05	0.05	0.05	None	None	None	0.05	0.05	None

* No sample required in 2009

Additional Information for Lead:
Elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Town of Tishomingo is responsible for providing high quality drinking water, but cannot control the source of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/lead/>. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 663-576-7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man-made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate a health risk. More information about contaminants and potential health effects can be accessed at <http://www.epa.gov>. For more information about the Safe Drinking Water Act, contact the Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as persons with cancer or ongoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants may be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

Please call our office at 663-432-6402 if you have any questions. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

Town of Tishomingo
 F.D. Box 70
 Tishomingo, MS 38873-0070
 (662)438-6302 (662)438-6402

TISHOMINGO
 Tish

First Class Mail
U.S. POSTAGE
Paid 1 oz.
PERMIT NO. 3

RETURN THIS PORTION WITH PAYMENT

12930 CITY HALL				
TYPE OF SERVICE	METER READING		USED	CHARGES
	PRESENT	PREVIOUS		
WA	3237	3204	33	1590
GS	550	547	3	1244
SW				650
METER READ	NET DUE	AFTER THIS DATE	PAY GROSS	
042910	3484	041510	3882	

061510	3484	3882
--------	------	------

PRESORTED 1 2930

RETURN SERVICE REQUESTED

CITY HALL
 PO BOX 70

TISH MS 38873-0070

\$5.00 FACILITIES CHARGE

BILLS ARE NOW DUE AND PAYABLE. LATE CHARGES ARE ADDED ON THE 16TH. YOUR BILL MUST BE PAID IN FULL BY THE 25TH OR YOUR SERVICE WILL BE DISCONNECTED ON THE 26TH. RECONNECT FEES ARE AUTOMATICALLY APPLIED TO YOUR ACCOUNT, EVEN IF YOUR METER IS NOT PHYSICALLY LOCKED OFF. OUR HOURS ARE 8:00AM-4:30PM, MON-FRI. FOR YOUR CONVENIENCE WE HAVE A NIGHT BOX LOCATED ON THE NORTH SIDE OF THE BUILDING. CCR REPORT WILL BE AVAILABLE BY THE 15TH OF JUNE.