

RECEIVED - WATER SUPPLY

2010 JUN 21 PM 4: 36



RECEIVED - WATER SUPPLY

2010 JUN 18 PM 10: 12

MISSISSIPPI STATE DEPARTMENT OF HEALTH

BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2009 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

HWY. 30 WEST WATER ASSOC.
Public Water Supply Name

0730025
List PWS ID #s for all Water Systems Covered by this CCR

The Federal Safe Drinking Water Act requires each community public water system to develop and distribute a consumer confidence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.

Please Answer the Following Questions Regarding the Consumer Confidence Report

- Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
X Advertisement in local paper
On water bills
Other

Date customers were informed: 06/16/10

- CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:

Date Mailed/Distributed: / /

- CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)

Name of Newspaper: NEW ALBANY GAZETTE

Date Published: 06/16/10

- CCR was posted in public places. (Attach list of locations)

Date Posted: / /

- CCR was posted on a publicly accessible internet site at the address: www.

CERTIFICATION

I hereby certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in the form and manner identified above. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply.

Signature of Duane Stovall
Name/Title (President, Mayor, Owner, etc.)

06/17/10
Date

Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215
Phone: 601-576-7518

RECEIVED - WATER SUPPLY
 2010 JUN -7 AM 9:09

2009 Annual Drinking Water Quality Report
 Highway 30 West Water Association
 PWS#: 0730025
 June 2010

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from two wells drawing from the Eutaw-McShan Formation Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. The general susceptibility rankings assigned to each well of this system are provided immediately below. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the HWY 30 West Water Association have received a moderate susceptibility ranking to contamination.

If you have any questions about this report or concerning your water utility, please contact Mr. Ralph Hanskiewicz at 662-816-2663. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Thursday of each month at 7:00 PM at 1042 CR 60, Myrtle, MS.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2009. In cases where monitoring wasn't required in 2009, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

TEST RESULTS								
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic Contaminants								
8. Arsenic	N	2006*	.592	.554 -.594	ppb	n/a	50	Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes
10. Barium	N	2006*	.211	.210 -.211	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits

13. Chromium	N	2006*	.8	.6 - .8	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2008*	.5	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
17. Lead	N	2008*	5	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
21. Selenium	N	2006*	2	No Range	ppb	50	50	Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines

Disinfection By-Products

Chlorine	N	2009	.593	.33 - .53	ppm	0	MDRL = 4	Water additive used to control microbes
----------	---	------	------	-----------	-----	---	----------	---

* Most recent sample. No sample required for 2009.

As you can see by the table, our system had no violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The HWY 30 West Water Association works around the clock to provide top quality water to every tap. The following improvements have been made to the system: in 1994, the water tank was painted at the cost of \$21,000.00; in 1995, the #2 service well was drilled at the cost of \$186,492.00; in 1998, all meters were replaced and double backflow check valves installed on each; in 1999, the 75 KW Generator with automatic switch over and metal roof cover was installed; in 2000, Herndon Well & Supply replaced the pump shaft on well #1 using old column pipe at the cost of \$16,000.00, in 2001, we rebuilt the 50 horsepower electric pump motor and all new column pipe, shaft, bushings, and pump screen on well #1 at the cost of \$34,834.00; in 2003, we installed scales on all 150 lb. Chlorine bottles at the cost of \$2,472.00, converted old 8' x 16' building to an office for the association, painted exterior of all buildings, installed a 8' x 8' storage shed, S&S Inspection inspected, cleaned and disinfected the water storage tank at the cost of \$1,000.00, painted all hydrants and Barham Contracting, Inc. changed oil & filters on 75 KN generator at the cost of \$500.00 per trip on a 3 year contract; in 2004 the master meter on well #1 was replaced at the cost of \$1,400.00 also, we installed new taps on all inspection stations & installed work stations on both wells. In 2006 repaired Well #1 at the cost of \$32,000.00. In 2007 we added 7840 ft of 6" pipe at the cost of \$82,525.00. The association added a new 135 kw propane generator to well #1 at the cost of \$38,500.

We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

Proof of Publication

State of Mississippi,
County of Union

PERSONALLY APPEARED before me, the undersigned, a notary public in and for UNION County,

Mississippi, the publisher of The New Albany Gazette, a newspaper published in the City of New Albany, Union County, in said state, who, being duly sworn, deposes and says that the NEW ALBANY GAZETTE is a newspaper as defined and prescribed in Senate Bill No. 203 enacted at the regular session of the Mississippi Legislature of 1948, amending Section 1858, of the Mississippi Code of 1942, and that the publication of a notice, of which the annexed is a copy, in

the matter of Cause No. _____

has been made in said newspaper 1 times consecutively, to-wit:

- On the 16th day of June, 2010
- On the _____ day of _____, 20____
- On the _____ day of _____, 20____
- On the _____ day of _____, 20____

SWORN TO and subscribed before me, this

16 day of June, 2010

Annette Dickson
Notary Public

Chancery Clerk & Ex Officio Notary Public
My Commission Expires January 2, 2012

Chancery Clerk
Kathy Butler
Title _____



RECEIVED OF _____
payment in full of the above account.

THE NEW ALBANY GAZETTE
By T. Wayne Mitchell

New Albany, Miss., June 16, 2010

To THE NEW ALBANY GAZETTE Dr.

Re: Publishing _____
case of _____

Cause No. _____

Amt. Due \$ _____

2007 Annual Drinking Water Quality Report
 January 30 Water Association
 PWS# 0750025
 Fall 2010

We're pleased to present to you the yearly Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our primary goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the various water treatment processes and procedures we use to protect our water resources. We are committed to ensuring the quality of your water. Our water source is from two wells drawing from the Eastern Connecticut Aquifer.

The water treatment process we use to treat our public water system to determine the overall acceptability of the drinking water supply is based on several quality of water indicators. The general water quality indicators required to meet the system are provided immediately below. A report containing detailed information on how the water quality indicators were tested has been furnished to our public water system and is available for viewing upon request. The water for the 2007 Water Year Association has received a moderate to good overall water quality.

If you have any questions about the report or concerning your water utility, please contact Mr. Ralph Hanakewicz at 952-818-2663. We will also make customers to be contacted about their water utility. If you wish to learn more, please attend any of our regularly scheduled meetings. They are held on the 3rd Thursday of each month at 7:00 PM at 1042 CR 50, Myrtle, ME.

We routinely monitor for contaminants in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2006. It covers water monitoring reports received in 2006. The table reports the most recent results. As wells draw from the surface of land, it is possible that contaminants may be present in the water. Some of these contaminants are natural and some are man-made. They may come from the air, soil, rocks, or water. Some of these contaminants are agricultural, household, and industrial. Some of these contaminants, such as salts and metals, which can be naturally occurring or result from other sources, may be harmful to you or your family. Some of these contaminants, such as nitrates, nitrites, and pesticides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential use, can be harmful to you and your family. Some of these contaminants, such as nitrates, nitrites, and pesticides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential use, can be harmful to you and your family. Some of these contaminants, such as nitrates, nitrites, and pesticides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential use, can be harmful to you and your family.

In this table, you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level: the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level Goal (MCLG): The "Maximum Allowable" (MCLG) is the highest level of a contaminant that is deemed to be causing no adverse health effects as determined by the MCLG. It is based on the best available treatment technology.

Maximum Contaminant Level (MCL): The "Maximum Allowable" (MCL) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLs are set at a level of safety.

Maximum Residual Disinfectant Level (MRDL): The level of a disinfectant which is deemed to be causing no adverse health effects as determined by the MRDL. It is based on the best available treatment technology.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants in drinking water for controlling microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/L): one part per million corresponds to one minute in two years of a single penny in \$10,000,000.

Parts per billion (ppb) or Micrograms per liter (µg/L): one part per billion corresponds to one minute in 2,000 years of a single penny in \$10,000,000.

TEST RESULTS

Contaminant	Unit	Code	Level	Range of Detects	Unit	MCLG	MCL	Unit	Source of Contamination
Inorganic Contaminants									
Asbestos	fibers/l	199	0.01	0.01-0.01	ppb	0.01	0.01	0.01	Breakdown of natural deposits, runoff from highway, and other sources
10. Barium	mg/l	199	211	118-211	ppm	2	2	2	Runoff from roads, natural deposits, and other sources
13. Chromium	mg/l	206	0	0-0	ppm	100	100	100	Runoff from steel and other metals, and other sources
14. Copper	mg/l	206	0	0-0	ppm	1.3	1.3	1.3	Runoff from pipes, and other sources
17. Lead	mg/l	206	0	0-0	ppm	0	0.01	0.01	Runoff from pipes, and other sources
21. Selenium	mg/l	206	0	0-0	ppm	0.07	0.07	0.07	Runoff from pipes, and other sources
Disinfection By-Products									
Chloroform	mg/l	206	0.02	0.02-0.02	ppm	0	0.05	0.05	Water additive used in water treatment

Water Treatment Process: The water treatment process used for 2006.

MRDL: The maximum residual disinfectant level. We monitor this level to ensure that our drinking water meets or exceeds all Federal and State requirements. We have lowered through our monitoring and testing that some contaminants have been detected. However, the EPA has determined that your water is safe to drink.

MRDLG: The maximum residual disinfectant level goal. It is the level of a disinfectant which is deemed to be causing no adverse health effects as determined by the MRDLG. It is based on the best available treatment technology.

MCL: The maximum contaminant level. It is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLs are set at a level of safety.

MCLG: The maximum contaminant level goal. It is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs do not reflect the benefits of the use of disinfectants in drinking water for controlling microbial contaminants.

MRDL: The maximum residual disinfectant level. It is the level of a disinfectant which is deemed to be causing no adverse health effects as determined by the MRDL. It is based on the best available treatment technology.

MRDLG: The maximum residual disinfectant level goal. It is the level of a disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants in drinking water for controlling microbial contaminants.

MCL: The maximum contaminant level. It is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLs are set at a level of safety.

MCLG: The maximum contaminant level goal. It is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs do not reflect the benefits of the use of disinfectants in drinking water for controlling microbial contaminants.

MRDL: The maximum residual disinfectant level. It is the level of a disinfectant which is deemed to be causing no adverse health effects as determined by the MRDL. It is based on the best available treatment technology.

MRDLG: The maximum residual disinfectant level goal. It is the level of a disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants in drinking water for controlling microbial contaminants.

MCL: The maximum contaminant level. It is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLs are set at a level of safety.

MCLG: The maximum contaminant level goal. It is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs do not reflect the benefits of the use of disinfectants in drinking water for controlling microbial contaminants.

MRDL: The maximum residual disinfectant level. It is the level of a disinfectant which is deemed to be causing no adverse health effects as determined by the MRDL. It is based on the best available treatment technology.

MRDLG: The maximum residual disinfectant level goal. It is the level of a disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants in drinking water for controlling microbial contaminants.

MCL: The maximum contaminant level. It is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLs are set at a level of safety.

MCLG: The maximum contaminant level goal. It is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs do not reflect the benefits of the use of disinfectants in drinking water for controlling microbial contaminants.

MRDL: The maximum residual disinfectant level. It is the level of a disinfectant which is deemed to be causing no adverse health effects as determined by the MRDL. It is based on the best available treatment technology.

MRDLG: The maximum residual disinfectant level goal. It is the level of a disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants in drinking water for controlling microbial contaminants.

MCL: The maximum contaminant level. It is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLs are set at a level of safety.

MCLG: The maximum contaminant level goal. It is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs do not reflect the benefits of the use of disinfectants in drinking water for controlling microbial contaminants.

MRDL: The maximum residual disinfectant level. It is the level of a disinfectant which is deemed to be causing no adverse health effects as determined by the MRDL. It is based on the best available treatment technology.

MRDLG: The maximum residual disinfectant level goal. It is the level of a disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants in drinking water for controlling microbial contaminants.

MCL: The maximum contaminant level. It is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLs are set at a level of safety.

MCLG: The maximum contaminant level goal. It is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs do not reflect the benefits of the use of disinfectants in drinking water for controlling microbial contaminants.

MRDL: The maximum residual disinfectant level. It is the level of a disinfectant which is deemed to be causing no adverse health effects as determined by the MRDL. It is based on the best available treatment technology.

MRDLG: The maximum residual disinfectant level goal. It is the level of a disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants in drinking water for controlling microbial contaminants.

MCL: The maximum contaminant level. It is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLs are set at a level of safety.

MCLG: The maximum contaminant level goal. It is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs do not reflect the benefits of the use of disinfectants in drinking water for controlling microbial contaminants.

MRDL: The maximum residual disinfectant level. It is the level of a disinfectant which is deemed to be causing no adverse health effects as determined by the MRDL. It is based on the best available treatment technology.

MRDLG: The maximum residual disinfectant level goal. It is the level of a disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants in drinking water for controlling microbial contaminants.

MCL: The maximum contaminant level. It is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLs are set at a level of safety.

MCLG: The maximum contaminant level goal. It is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs do not reflect the benefits of the use of disinfectants in drinking water for controlling microbial contaminants.

MRDL: The maximum residual disinfectant level. It is the level of a disinfectant which is deemed to be causing no adverse health effects as determined by the MRDL. It is based on the best available treatment technology.

MRDLG: The maximum residual disinfectant level goal. It is the level of a disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants in drinking water for controlling microbial contaminants.

MCL: The maximum contaminant level. It is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLs are set at a level of safety.

MCLG: The maximum contaminant level goal. It is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs do not reflect the benefits of the use of disinfectants in drinking water for controlling microbial contaminants.