

CALENDAR YEAR 2010 CONSUMER CONFIDENCE REPORT

CERTIFICATION REPORT

BUFFALO WATER ASSOCIATION

PWS ID # ('s): 0790002

2011 JUN 22 PM 2:48

The Federal Safe Drinking Water Act requires each *community* public water system to develop and distribute a consumer confidence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.

Please Answer the Following Questions Regarding the Consumer Confidence Report

- Customers were informed of availability of CCR by: *(Attach copy of publication, water bill, or other)*
- Advertisement in local paper
 - On water bills
 - Other _____

Date customers were informed: _____

- CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:

Date mailed/distributed: _____

- CCR was published in local newspaper. *(Attach copy of published CCR and proof of publication)*

Name of Newspaper: The Woodville Republican
 Date Published: June 16, 2011

- CCR was posted in public places. *(Attach list of locations)*

Date posted: _____

- CCR was posted on a publicly accessible internet site at the address: www: _____

CERTIFICATION:

I hereby certify that a Consumer Confidence Report (CCR) has been distributed to the customers of this public water system in the form and manner identified above. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply.

Patsy D. Carin, Secretary
 Name/Title (President, Mayor, Owner, etc.)

6/20/11
 Date

This Consumer Confidence Report (CCR) was completed by MS Cross Connection, LLC with information provided by the above Public Water System and is certified only to be as true & correct as the information provided.

Susan Boyett
 Signature

6-1-11
 Date

Mail completed form along with a copy of your CCR Report(s) before JULY 1, 2011 to:

**MS State Department of Health
 Division of Public Water Supply
 P O Box 1700
 Jackson, MS 39215
 Phone: 601-576-7518**

Annual Drinking Water Quality Report
Buffalo Water Association
PWS ID # 0790002
June , 2011

2011 JUN 22 PM 2:48

We're pleased to present to you this year's Annual Water Quality Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source consists of three wells that draw from the Miocene Series Aquifer.

A source water assessment has been completed for the water supply to determine the overall susceptibility of its drinking water to identify potential sources of contamination.. The water supply for Buffalo Water Association received a lower susceptibility ranking to contamination.

We're pleased to report that our drinking water meets all federal and state requirements.

If you have any questions about this report or concerning your water utility, please contact Patsy Cavin at 601-888-6977. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on tge third Tuesday of each month at 1494 Buffalo Road at 7:00 p.m. Our Annual Meeting will be held on August 16, 2011 at the J. R. Hamilton Building at 7:00 p.m.

Buffalo Water Association routinely monitors for constituents in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2010. As water travels over the land or underground, it can pick up substances or contaminants such as microbes, inorganic and organic chemicals, and radioactive substances. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily pose a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT) - A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

Maximum Contaminant Level - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal - The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

TEST RESULTS

Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source of Contamination
Inorganic Contaminants								
10. Barium	N		0.09	No Range	Ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N	2006*	0.3	None	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
17. Lead	N	2006*	5	None	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
Disinfectants & Disinfection By-Products								
Chlorine (as Cl ₂)	N		0.76 to 1.01	None	ppm	4	4	Water additive used to control microbes

* *Most recent sample results available*

We constantly monitor for various constituents in the water supply to meet all regulatory requirements. This past year we failed to complete our monitoring for Disinfectant By-Products. This does not pose a threat to the quality of our water supply.

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Buffalo Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested..

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

Please call our office if you have questions.

PROOF OF PUBLICATION


THE STATE OF MISSISSIPPI, Wilkinson County

WOODVILLE, MISS., Thursday, June 16, 2011

PERSONALLY appeared before me the undersigned Notary Public, ANDY J. LEWIS, Editor of THE WOODVILLE REPUBLICAN, who being duly sworn says on oath that the publication, a copy of which is hereto attached, was published in THE WOODVILLE REPUBLICAN, a newspaper published in said County and State, for 1 successive weeks, and being numbers 6

dated Thursday, June 16, 2011

of the _____ volume of said newspaper. Editor KATHLEEN T. HALEY, Notary Public



Commission Expires: 07-09-2013

Annual Drinking Water Quality Report Buffalo Water Association PWS ID # 0790002

DELIVERED, A JUDGMENT BY DEFAULT WILL BE ENTERED AGAINST YOU FOR THE MONEY OR OTHER RELIEF DEMANDED IN THE COMPLAINT. You must also file the original of your Response with the Clerk of this Court within a reasonable time after said Chancery Court, this the 16th day of May, 2011.

THOMAS C. TOLLIVER, JR., Chancery Clerk of Wilkinson County, Mississippi. By: /s/ Mattie L. Powell, D.C. (year) 2011

IN THE CHANCERY COURT OF WILKINSON COUNTY, MISSISSIPPI THE MATTER OF THE ESTATE OF DAVID G. SPENCER, DECEASED. C-#2011-087

SUMMONS BY PUBLICATION TO ANY AND ALL UNKNOWN HEIRS AT LAW, WRONGFUL DEATH BENEFICIARIES, EXECUTORS, ADMINISTRATORS, DECEASED OR LEGAL OR EQUITABLE INTEREST IN THE ESTATE OF DAVID G. SPENCER, DECEASED. You have been made a respondent in the Petition for Determination of Heirship and Other Relief filed in this Court by Laura W. Spencer, seeking to determine and affirm the heirs at law and wrong-death beneficiaries of David G. Spencer, who died on September 20, 2010.

sons interested. At said hearing, all interested persons may appear and be heard. If you intend to contest the docket or request a continuance you must notify the Board and the Petitioner's Attorney of your intention in writing not later than 5:00 P.M. Tuesday, July 12, 2011. Failure to do so notify the Board and the Petitioner shall be a waiver of your right to contest or request continuance.

You are advised the Board may adopt orders concerning a Petition which may differ from the relief requested by the Petitioner and Board will enter such order or orders as in its judgment may be appropriate in accordance with the evidence presented. Dated this 9th day of June, 2011.

MISSISSIPPI STATE OIL & GAS BOARD BY: /s/ Lisa Washin LISAVI SHIN STATE OIL & GAS SUPERVISOR

BEFORE THE STATE OIL AND GAS BOARD OF MISSISSIPPI RE: PETITION OF CARL E. GUNGGOLL EXPLORATION, LLC FOR AN EXTENSION OF INACTIVE WELL STATUS UNDER STATEWIDE RULE 26 FOR A WELL LOCATED IN ST. PATRICK FIELD, WILKINSON COUNTY, MISSISSIPPI DOCKET NO. 134-2011-D 6/16/11

OF COUNSEL WATTS-C. UELTSCHHEY (State Bar No. 57458) BRUNINI, GRANTHAM, GROWER & HEWES, PLLC The Pinnacle Building, Suite 100 190 East Capitol Street (39201) Post Office Drawer, 119 Jackson, Mississippi 39205 Telephone (601) 948-3101 ATTORNEY FOR PETITIONER, DAV DREAMS RESOURCES, LLC 6/16/11

FEMA has determined that for certain types of facilities there are normally no alternatives to restoration in the floodplain or wetland. These are facilities that meet all of the following criteria: 1) FEMA's estimate of the cost of repairs is less than 50% of the cost to replace the entire facility and is less than \$100,000; 2) the facility is not located in a floodway; 3) the facility has not sustained major structural damage in a previous Presidential declared flooding disaster or emergency; and 4) the facility is not critical (e.g., the facility is not a hospital, generating plant, emergency operations center, or a facility that

This public notice concerns activities that may affect historic properties, activities that are located in or affect wetland areas or the 100-year floodplain, and critical actions within the 500-year floodplain. Such activities may adversely affect the historic property and floodplain or wetland, or may result in continuing vulnerability to flood damage.

Presidential Executive Orders 11983 and 11990 require that all federal actions in or affecting the floodplain or wetlands be reviewed for opportunities to relocate and evaluated for social, economic, historical, environmental, legal, and safety considerations. Where there is no opportunity to relocate, FEMA is required to undertake a detailed review to determine what measures may be taken to minimize future damages. The public is invited to participate in the process of identifying alternatives and analyzing their impacts.

FEMA has determined that for certain types of facilities there are normally no alternatives to restoration in the floodplain or wetland. These are facilities that meet all of the following criteria: 1) FEMA's estimate of the cost of repairs is less than 50% of the cost to replace the entire facility and is less than \$100,000; 2) the facility is not located in a floodway; 3) the facility has not sustained major structural damage in a previous Presidential declared flooding disaster or emergency; and 4) the facility is not critical (e.g., the facility is not a hospital, generating plant, emergency operations center, or a facility that

This public notice concerns activities that may affect historic properties, activities that are located in or affect wetland areas or the 100-year floodplain, and critical actions within the 500-year floodplain. Such activities may adversely affect the historic property and floodplain or wetland, or may result in continuing vulnerability to flood damage.

Presidential Executive Orders 11983 and 11990 require that all federal actions in or affecting the floodplain or wetlands be reviewed for opportunities to relocate and evaluated for social, economic, historical, environmental, legal, and safety considerations. Where there is no opportunity to relocate, FEMA is required to undertake a detailed review to determine what measures may be taken to minimize future damages. The public is invited to participate in the process of identifying alternatives and analyzing their impacts.

FEMA has determined that for certain types of facilities there are normally no alternatives to restoration in the floodplain or wetland. These are facilities that meet all of the following criteria: 1) FEMA's estimate of the cost of repairs is less than 50% of the cost to replace the entire facility and is less than \$100,000; 2) the facility is not located in a floodway; 3) the facility has not sustained major structural damage in a previous Presidential declared flooding disaster or emergency; and 4) the facility is not critical (e.g., the facility is not a hospital, generating plant, emergency operations center, or a facility that

We're pleased to present to you this year's Annual Water Quality Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source consists of three wells that draw from the Miocene Series Aquifer.

A source water assessment has been completed for the water supply to determine the overall susceptibility of its drinking water to identify potential sources of contamination. The water supply for Buffalo Water Association received a lower susceptibility ranking to contamination.

We're pleased to report that our drinking water meets all federal and state requirements.

If you have any questions about this report or concerning your water utility, please contact Patsy Cavin at 601-888-6977. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the third Tuesday of each month at 1494 Buffalo Road at 7:00 p.m. Our Annual Meeting will be held on August 16, 2011 at the J. R. Hamilton Building at 7:00 p.m.

Buffalo Water Association routinely monitors for constituents in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2010. As water travels over the land or underground, it can pick up substances or contaminants such as microbes, inorganic and organic chemicals, and radioactive substances. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily pose a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT) - A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

Maximum Contaminant Level - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

TEST RESULTS								
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source of Contamination
Inorganic Contaminants								
10. Barium	N		0.09	No Range	Ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N	2006*	0.3	None	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
17. Lead	N	2006*	5	None	ppb	0	AL=15	Corrosion of household plumbing systems; erosion of natural deposits
Disinfectants & Disinfection By-Products								
Chlorine (as Cl ₂)	N		0.76 to 1.01	None	ppm	4	4	Water additive used to control microbes

* Most recent sample results available

We constantly monitor for various constituents in the water supply to meet all regulatory requirements. This past year we failed to complete our monitoring for Disinfectant By-Products. This does not pose a threat to the quality of our water supply.

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Buffalo Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

Please call our office if you have questions.