



2011 JUL -5 AM 9:22

MISSISSIPPI STATE DEPARTMENT OF HEALTH

BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2010 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

Silvorn Water Association
Public Water Supply Name
130014, 130025, 130015, 130021
130004, 130024, 130017, 130023
List PWS ID #s for all Water Systems Covered by this CCR

The Federal Safe Drinking Water Act requires each community public water system to develop and distribute a consumer confidence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.

Please Answer the Following Questions Regarding the Consumer Confidence Report

Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)

- Advertisement in local paper
On water bills
Other

Date customers were informed: 6/30/11

CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:

Date Mailed/Distributed: / /

CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)

Name of Newspaper: Daily Times Leader

Date Published: 6/22/11

CCR was posted in public places. (Attach list of locations)

Date Posted: / /

CCR was posted on a publicly accessible internet site at the address: www.

CERTIFICATION

I hereby certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in the form and manner identified above. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply.

Mary L. Williams - Hiesmge
Name/Title (President, Mayor, Owner, etc.)

6-22-11
Date

Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215
Phone: 601-576-7518

2010 Drinking Water Quality Report

Is my water safe?

Last year, as in years past, your tap water met all U.S. Environment Protection Agency (EPA) and Mississippi State Department of Health drinking water standards. This report is a snapshot of last years water quality. Included are details about where your water comes from, what it contains and how it compares to standards set by regulatory agencies. We are committed to providing the best information about the quality of your drinking water.

Do I need to take special precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly and infants can be particularly at risk for infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by microbial contaminants are available from the Safe Drinking Water Hotline at 1-800-426-4791.

Where does my water come from?

Our water comes from 8 different wells that draw from the Eutaw, Gordo and McShan Aquifers.

Source water assessment and its availability:

Our source water assessment is available on request.

Why are there contaminants in my drinking water?

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791

How can I get involved?

Our board members meet the 2nd Monday of every month at 5:00 pm at the Siloam Water Office. Our annual meeting is the 1st Monday in April. The exact time and place will be printed on your water bill. This is a very important meeting and we encourage all of our members to attend.

Siloam Water Contact Information
Willie Davenport – Certified Operator
P.O. Box 224
West Point, Ms 39773
662-494-1852

Term	Definition
ppm	parts per million, or milligrams per liter (mg/l)
ppb	parts per billion, or micrograms per liter (ug/l)
MCL-Maximum Contaminant Level	The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology
MCLG-Maximum Contaminant Level Goal	The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
TT-Treatment Technique	A required process intended to reduce the level of a contaminant in drinking water.
AL-Action Level	The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
MRDLG-Maximum Residual Disinfection Level Goal	The level of a drinking water disinfectant below which there is no known or expected risk to health. MCLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
MRDL-Maximum Residual Disinfection Level	The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Siloam Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10.00 per sample. Please contact 601-576-7582 if you wish to have your water tested.

Inorganic and Radioactive Contaminants

BARIUM

Well-PWS ID#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I- 130016	2	2	0.06	No	Mar-08	Discharge of drilling waste and metal refineries. Erosion of natural deposits.
Beasley II- 130025	2	2	0.02	No	Mar-08	
Griffith- 130015	2	2	0.03	No	Mar-08	
Gates- 130021	2	2	0.02	No	Mar-08	
Ivy Village- 130004	2	2	0.03	No	Mar-08	
Muldon- 130024	2	2	0.07	No	Mar-08	
Pine Bluff- 130017	2	2	0.07	No	Mar-08	
Una- 130023	2	2	0.04	No	Mar-08	

FLOURIDE

Well-PWS ID#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I- 130016	4	4	0.73	No	Mar-08	Erosion of natural deposits. Additive which promotes strong teeth. Discharge from fertilizer.
Beasley II- 130025	4	4	1.10	No	Mar-08	
Griffith- 130015	4	4	0.70	No	Mar-08	
Gates- 130021	4	4	0.82	No	Mar-08	
Ivy Village- 130004	4	4	0.77	No	Mar-08	
Muldon- 130024	4	4	0.48	No	Mar-08	
Pine Bluff- 130017	4	4	0.38	No	Mar-08	
Una- 130023	4	4	0.30	No	Mar-08	

LEAD

Well-PWS ID#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I- 130016	0	15	0.002	No	Jul-08	Corrosion of household plumbing systems. Erosion of natural deposits.
Beasley II- 130025	0	15	0.001	No	Jul-08	
Griffith- 130015	0	15	0.002	No	Jul-07	
Gates- 130021	0	15	0.003	No	Jul-07	
Ivy Village- 130004	0	15	0.002	No	Jul-08	
Muldon- 130024	0	15	0.001	No	Jul-08	
Pine Bluff- 130017	0	15	0.002	No	Jul-07	
Una- 130023	0	15	0.003	No	Jul-08	

COPPER

Well-PWS ID#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I- 130016	1.3	1.3	0.60	No	Jul-08	Corrosion of household plumbing systems. Erosion of natural deposits.
Beasley II- 130025	1.3	1.3	0.70	No	Jul-08	
Griffith- 130015	1.3	1.3	0.10	No	Jul-07	
Gates- 130021	1.3	1.3	0.10	No	Jul-07	
Ivy Village- 130004	1.3	1.3	0.00	No	Jul-08	
Muldon- 130024	1.3	1.3	0.46	No	Jul-08	
Pine Bluff- 130017	1.3	1.3	0.30	No	Jul-07	
Una- 130023	1.3	1.3	0.30	No	Jul-08	

NITRATE/NITRATE

Well-PWS ID#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I- 130016	10	10	0.25	No	May-10	Runoff from fertilizer use; leaching from septic tanks and sewage. Erosion of natural deposits.
Beasley II- 130025	10	10	0.25	No	May-10	
Griffith- 130015	10	10	0.25	No	May-10	
Gates- 130021	10	10	0.25	No	May-10	
Ivy Village- 130004	10	10	0.25	No	May-10	
Muldon- 130024	10	10	0.25	No	May-10	
Pine Bluff- 130017	10	10	0.25	No	May-10	
Una- 130023	10	10	0.25	No	May-10	

HALOACETIC ACID HAA5

Well-PWS ID#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I- 130016	0.06	0.06	0.02	No	Aug-08	Disinfection Bi-product
Beasley II- 130025	0.06	0.06	0.02	No	Jun-08	
Griffith- 130015	0.06	0.06	0.06	No	Aug-08	
Gates- 130021	0.06	0.06	0.02	No	Aug-08	
Ivy Village- 130004	0.06	0.06	0.00	No	Aug-08	
Muldon- 130024	0.06	0.06	0.02	No	Aug-08	
Pine Bluff- 130017	0.06	0.06	0.03	No	Aug-08	
Una- 130023	0.06	0.06	0.02	No	Aug-08	

TRIHALOMETHANE TTHM

Well-PWS ID#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I- 130016	0.08	0.08	0.04	No	Aug-08	Disinfection Bi-product
Beasley II- 130025	0.08	0.08	0.04	No	Aug-08	
Griffith- 130015	0.08	0.08	0.00	No	Aug-08	
Gates- 130021	0.08	0.08	0.04	No	Aug-08	
Ivy Village- 130004	0.08	0.08	0.04	No	Aug-08	
Muldon- 130024	0.08	0.08	0.04	No	Aug-08	
Pine Bluff- 130017	0.08	0.08	0.04	No	Aug-08	
Una- 130023	0.08	0.08	0.04	No	Aug-08	

Chlorine-

Well- PWS ID#	MCLG	MCL	Your Water	Low	High	Sample Date	Violation	Typical Source
Beasley I- 130016	4	4	0.10	0.10	0.10	2010	N	Water additive used to control microbes. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
Beasley II- 130025	4	4	0.20	0.20	0.67	2010	N	
Griffith- 130015	4	4	0.15	0.15	0.15	2010	N	
Gates- 130021	4	4	0.15	0.15	0.15	2010	N	
Ivy Village- 130004	4	4	0.15	0.10	0.20	2010	N	
Muldon- 130024	4	4	0.20	0.20	0.20	2010	N	
Pine Bluff- 130017	4	4	0.10	0.10	0.10	2010	N	
Una- 130023	4	4	0.10	0.10	0.10	2010	N	

The State of Mississippi CLAY COUNTY

AFFIDAVIT OF PUBLICATION


Before me, in and for said county, this day personally came the undersigned representative of the Daily Times Leader, a newspaper published in the City of West Point, of said county and state, who being duly sworn deposes and says that the publication of a certain notice, a true copy of which, is hereto affixed has been made for _____ weeks consecutively, to wit:

Dated 6-22, 2011
 Dated _____, 20____
 Dated _____, 20____
 Dated _____, 20____
 Dated _____, 20____

Said representative further certifies that the several numbers of the newspaper containing the above mentioned notice have been produced and compared with the copy affixed; and that the publication thereof has been correctly made.

WITNESS MY HAND AND SEAL OF OFFICE, this the 22nd day of June, A.D., 2011

By: [Signature]
 Notary Public



SEAL:

DAILY TIMES LEADER

By: Natasha Watson
 Publisher Clerk
 Editor Printer

Publication Fee \$ 282.75
 Proof(s) Of Publication \$ 3.00
 Total Charges \$ 285.75

AFFIDAVIT# 12839

2010 Drinking Water Quality Report

Is my water safe? Last year, as in years past, your tap water met all U.S. Environmental Protection Agency (EPA) drinking water health criteria.

By Village	19074	4	4	0.77 No	Mar-08
Madison	19076	4 <td>4</td> <td>0.48 No</td> <td>Mar-08</td>	4	0.48 No	Mar-08
Pine Bluff	19077	4 <td>4</td> <td>0.98 No</td> <td>Mar-08</td>	4	0.98 No	Mar-08
Leak	19079	4 <td>4</td> <td>0.50 No</td> <td>Mar-08</td>	4	0.50 No	Mar-08

WSP-PYS ID#	MCL2	MCL	Test Water	Violation	Sample Date	Typical Source
Beasley	19078	0	19	0.002 No	Jan-08	Corrosion of household plumbing
Beasley	19075	0	19	0.001 No	Jan-08	Systemic Erosion of natural deposits
Griffin	19076	0	19	0.002 No	Jan-08	Systemic Erosion of natural deposits
Griffin	19021	0	18	0.008 No	Jan-07	Systemic Erosion of natural deposits
By Village	19024	0	19	0.002 No	Jan-08	Systemic Erosion of natural deposits
Madison	19024	0	19	0.022 No	Jan-08	Systemic Erosion of natural deposits
Pine Bluff	19017	0	19	0.002 No	Jan-07	Systemic Erosion of natural deposits
Leak	19023	0	19	0.002 No	Jan-08	Systemic Erosion of natural deposits

WSP-PYS ID#	MCL2	MCL	Test Water	Violation	Sample Date	Typical Source
Beasley	19078	1.3	1.3	0.03 No	Jan-08	Corrosion of household plumbing
Beasley	19025	1.3	1.3	0.78 No	Jan-08	Systemic Erosion of natural deposits
Griffin	19075	1.3	1.3	0.19 No	Jan-08	Systemic Erosion of natural deposits
Griffin	19021	1.3	1.3	0.19 No	Jan-07	Systemic Erosion of natural deposits
By Village	19024	1.3	1.3	0.09 No	Jan-08	Systemic Erosion of natural deposits
Madison	19024	1.3	1.3	0.46 No	Jan-08	Systemic Erosion of natural deposits
Pine Bluff	19017	1.3	1.3	0.22 No	Jan-07	Systemic Erosion of natural deposits
Leak	19023	1.3	1.3	0.31 No	Jan-08	Systemic Erosion of natural deposits



ANSWER:

5	7	2	1	8
8	9	3	4	7
1	4	6	5	6
3	6	4	2	8
7	2	1	3	6

The State of Mississippi
LAY COUNTY

AFFIDAVIT OF PUBLICATION

Before me, in and for said county, this day personally came the undersigned representative of the Daily Times Leader, a newspaper published in the City of West Point, of said county and state, who being duly sworn deposes and says that the publication of a certain notice, a true copy of which, is hereto affixed has been made for _____ weeks consecutively, to wit:

Dated 6-22, 2011
 Dated _____, 20____
 Dated _____, 20____
 Dated _____, 20____
 Dated _____, 20____

Said representative further certifies that the several numbers of the newspaper containing the above mentioned notice have been produced and compared with the copy affixed; and that the publication thereof has been correctly made.

WITNESS MY HAND AND SEAL OF OFFICE, this the 22nd day of June, A.D., 2011

By: Maria B. Deat
 Notary Public



SEAL:

DAILY TIMES LEADER

By: Na
 ()
 ()

AFFIDAVIT

2010 Drinking Water Quality Report

Is my water safe?
 Last year, as in years past, your tap water met all U.S. Environmental Protection Agency (EPA) and Mississippi State Department of Health drinking water standards. This report is a snapshot of last year's water quality. Included are details about where your water comes from, what it contains and how it is treated to meet standards set by regulatory agencies. We are committed to providing the best possible quality of your drinking water.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immune-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly and infants can be particularly at risk for infections. Those people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by microbial contaminants are available from the Safe Drinking Water Hotline at 1-800-426-7761.

Where does my water come from?
 Our water comes from 6 different wells that draw from the Eulaw, Gordo and McShan Aquifers.

Source water assessment and its availability:
 Our source water assessment is available on request.

Why are there contaminants in my drinking water?
 Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-7761.

How can I get involved?
 Our board members meet the 2nd Monday of every month at 6:00 pm at the Eulaw Water Office. Our annual meeting is the 1st Monday in April. The exact time and place will be printed on your water bill. This is a very important meeting and we encourage all of our members to attend.

Eulaw Water Contact Information
 Willie Davenport - General Operator
 P.O. Box 224
 West Point, MS 39773
 662-924-1852

Term	Definition
ppm	parts per million, or milligrams per liter (mg/L)
ppb	parts per billion, or micrograms per liter (ug/L)
MCL-Maximum Contaminant Level	The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
MCLG-Maximum Contaminant Level Goal	The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
T-Treatment Technique	A required process intended to reduce the level of a contaminant in drinking water.
AL-Action Level	The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
MRDLs-Maximum Residual Disinfection Level Goal	The level of a drinking water disinfectant below which there is no known or expected risk to health. MCLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
MRDL-Maximum Residual Disinfection Level	The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Eulaw Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/lead>. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10.00 per sample. Please contact 601-576-7582 if you wish to have your water tested.

Parameter/Reference Comparison				MCL/MCLG				MRDL/MRDLG				T-Treatment Technique				AL-Action Level			
Parameter	MCL	MCLG	Unit	MRDL	MRDLG	Unit	T-Treatment Technique	AL-Action Level	MRDL	MRDLG	Unit	T-Treatment Technique	AL-Action Level	MRDL	MRDLG	Unit			
ARSENIC																			
As(V)	0.05	0.01	ppm	0.05	0.01	ppm	As(V) AS-101	0.05	0.05	0.01	ppm	As(V) AS-101	0.05	0.05	0.01	ppm			
BARIUM																			
Barium	2	2	ppm	2	2	ppm	Barium	2	2	2	ppm	Barium	2	2	2	ppm			
CADMIUM																			
Cadmium	0.01	0.005	ppm	0.01	0.005	ppm	Cadmium	0.01	0.01	0.005	ppm	Cadmium	0.01	0.01	0.005	ppm			
COPPER																			
Copper	1.3	1.3	ppm	1.3	1.3	ppm	Copper	1.3	1.3	1.3	ppm	Copper	1.3	1.3	1.3	ppm			
CHLORIDE																			
Chloride	250	250	ppm	250	250	ppm	Chloride	250	250	250	ppm	Chloride	250	250	250	ppm			
CHLORINE																			
Chlorine	4	4	ppm	4	4	ppm	Chlorine	4	4	4	ppm	Chlorine	4	4	4	ppm			
CHLORINE DIOXIDE																			
Chlorine Dioxide	0.05	0.05	ppm	0.05	0.05	ppm	Chlorine Dioxide	0.05	0.05	0.05	ppm	Chlorine Dioxide	0.05	0.05	0.05	ppm			
COBALT																			
Cobalt	0.1	0.1	ppm	0.1	0.1	ppm	Cobalt	0.1	0.1	0.1	ppm	Cobalt	0.1	0.1	0.1	ppm			
COLIFORM BACTERIA																			
Coliform Bacteria	500	500	per 100 ml	500	500	per 100 ml	Coliform Bacteria	500	500	500	per 100 ml	Coliform Bacteria	500	500	500	per 100 ml			
COPPER																			
Copper	1.3	1.3	ppm	1.3	1.3	ppm	Copper	1.3	1.3	1.3	ppm	Copper	1.3	1.3	1.3	ppm			
FLUORIDE																			
Fluoride	4	4	ppm	4	4	ppm	Fluoride	4	4	4	ppm	Fluoride	4	4	4	ppm			
IRON																			
Iron	0.3	0.3	ppm	0.3	0.3	ppm	Iron	0.3	0.3	0.3	ppm	Iron	0.3	0.3	0.3	ppm			
LEAD																			
Lead	0.05	0.01	ppm	0.05	0.01	ppm	Lead	0.05	0.05	0.01	ppm	Lead	0.05	0.05	0.01	ppm			
MANGANESE																			
Manganese	0.05	0.05	ppm	0.05	0.05	ppm	Manganese	0.05	0.05	0.05	ppm	Manganese	0.05	0.05	0.05	ppm			
NITRATE																			
Nitrate	10	10	ppm	10	10	ppm	Nitrate	10	10	10	ppm	Nitrate	10	10	10	ppm			
NITRATES																			
Nitrates	10	10	ppm	10	10	ppm	Nitrates	10	10	10	ppm	Nitrates	10	10	10	ppm			
PHOSPHATE																			
Phosphate	0.1	0.1	ppm	0.1	0.1	ppm	Phosphate	0.1	0.1	0.1	ppm	Phosphate	0.1	0.1	0.1	ppm			
SILICA																			
Silica	0.5	0.5	ppm	0.5	0.5	ppm	Silica	0.5	0.5	0.5	ppm	Silica	0.5	0.5	0.5	ppm			
SODIUM																			
Sodium	200	200	ppm	200	200	ppm	Sodium	200	200	200	ppm	Sodium	200	200	200	ppm			
TOTAL DISSOLVED SOLIDS																			
Total Dissolved Solids	500	500	ppm	500	500	ppm	Total Dissolved Solids	500	500	500	ppm	Total Dissolved Solids	500	500	500	ppm			
TOTAL SOLIDS																			
Total Solids	500	500	ppm	500	500	ppm	Total Solids	500	500	500	ppm	Total Solids	500	500	500	ppm			
TURBIDITY																			
Turbidity	1	1	NTU	1	1	NTU	Turbidity	1	1	1	NTU	Turbidity	1	1	1	NTU			
ZINC																			
Zinc	0.3	0.3	ppm	0.3	0.3	ppm	Zinc	0.3	0.3	0.3	ppm	Zinc	0.3	0.3	0.3	ppm			

ACCOUNT NO. SERVICE FROM SERVICE TO
 30-3009000 05/09 06/13

SERVICE ADDRESS
 376 HWY 47
 WEST POINT, MISSISSIPPI 39773

RETURN THIS STUB WITH PAYMENT TO
SILOAM WATER ASSOCIATION
 P.O. BOX 324
 WEST POINT, MS 39773

PREPAID
 FIRST CLASS MAIL
 U.S. POSTAGE
 PERMIT NO. 52
 WEST POINT, MS

PAY NET AMOUNT ON OR BEFORE DUE DATE	DUE DATE	PAY GROSS AMOUNT AFTER DUE DATE
35.40	07/15/2011	42.48
	SAVE THIS	

CHARGE FOR SERVICE
 WTR 35.40
 NET DUE >>> 35.40
 SAVE THIS >> 7.08
 GROSS DUE >> 42.48

CCR AVAILABLE ON REQUEST.
 OFFICE CLOSED 7/4 FOR HOLIDAY.

RETURN SERVICE REQUESTED
 30-3009000
 ROBERT GABLE
 C/O SCOTT GABLE
 376 HWY 47
 WEST POINT MS 39773

1
 2
 3
 4
 5
 6
 7
 8
 9
 10
 11
 12