



2011 JUN -5 AM 9:22

MISSISSIPPI STATE DEPARTMENT OF HEALTH

BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2010 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

Silvorn Water Association
Public Water Supply Name
130016, 130025, 130015, 130021
130004, 130024, 130017, 130023
List PWS ID #s for all Water Systems Covered by this CCR

The Federal Safe Drinking Water Act requires each community public water system to develop and distribute a consumer confidence report (CCR) to its customers each year.

Please Answer the Following Questions Regarding the Consumer Confidence Report

- Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)
Advertisement in local paper
On water bills
Other

Date customers were informed: 6/30/11

- CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:
Date Mailed/Distributed: / /

- CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)
Name of Newspaper: Daily Times Leader
Date Published: 6/22/11

- CCR was posted in public places. (Attach list of locations)
Date Posted: / /

- CCR was posted on a publicly accessible internet site at the address: www.

CERTIFICATION

I hereby certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in the form and manner identified above.

Mary L. Williams - Hieuge
Name/Title (President, Mayor, Owner, etc.)

6-22-11
Date

Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215
Phone: 601-576-7518

## 2010 Drinking Water Quality Report

### Is my water safe?

Last year, as in years past, your tap water met all U.S. Environment Protection Agency (EPA) and Mississippi State Department of Health drinking water standards. This report is a snapshot of last years water quality. Included are details about where your water comes from, what it contains and how it compares to standards set by regulatory agencies. We are committed to providing the best information about the quality of your drinking water.

### Do I need to take special precautions?

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly and infants can be particularly at risk for infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by microbial contaminants are available from the Safe Drinking Water Hotline at 1-800-426-4791.

### Where does my water come from?

Our water comes from 8 different wells that draw from the Eutaw, Gordo and McShan Aquifers.

### Source water assessment and its availability:

Our source water assessment is available on request.

### Why are there contaminants in my drinking water?

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791

### How can I get involved?

Our board members meet the 2<sup>nd</sup> Monday of every month at 5:00 pm at the Siloam Water Office. Our annual meeting is the 1<sup>st</sup> Monday in April. The exact time and place will be printed on your water bill. This is a very important meeting and we encourage all of our members to attend.

Siloam Water Contact Information  
Willie Davenport – Certified Operator  
P.O. Box 224  
West Point, Ms 39773  
662-494-1852

Term	Definition
ppm	parts per million, or milligrams per liter (mg/l)
ppb	parts per billion, or micrograms per liter (ug/l)
MCL-Maximum Contaminant Level	The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology
MCLG-Maximum Contaminant Level Goal	The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
TT-Treatment Technique	A required process intended to reduce the level of a contaminant in drinking water.
AL-Action Level	The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
MRDLG-Maximum Residual Disinfection Level Goal	The level of a drinking water disinfectant below which there is no known or expected risk to health. MCLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
MRDL-Maximum Residual Disinfection Level	The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

#### Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Siloam Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10.00 per sample. Please contact 601-576-7582 if you wish to have your water tested.

Inorganic and Radioactive Contaminants

**BARIUM**

Well-PWS ID#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I- 130016	2	2	0.06	No	Mar-08	Discharge of drilling waste and metal refineries. Erosion of natural deposits.
Beasley II- 130025	2	2	0.02	No	Mar-08	
Griffith- 130015	2	2	0.03	No	Mar-08	
Gates- 130021	2	2	0.02	No	Mar-08	
Ivy Village- 130004	2	2	0.03	No	Mar-08	
Muldon- 130024	2	2	0.07	No	Mar-08	
Pine Bluff- 130017	2	2	0.07	No	Mar-08	
Una- 130023	2	2	0.04	No	Mar-08	

**FLOURIDE**

Well-PWS ID#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I- 130016	4	4	0.73	No	Mar-08	Erosion of natural deposits. Additive which promotes strong teeth. Discharge from fertilizer.
Beasley II- 130025	4	4	1.10	No	Mar-08	
Griffith- 130015	4	4	0.70	No	Mar-08	
Gates- 130021	4	4	0.82	No	Mar-08	
Ivy Village- 130004	4	4	0.77	No	Mar-08	
Muldon- 130024	4	4	0.48	No	Mar-08	
Pine Bluff- 130017	4	4	0.38	No	Mar-08	
Una- 130023	4	4	0.30	No	Mar-08	

**LEAD**

Well-PWS ID#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I- 130016	0	15	0.002	No	Jul-08	Corrosion of household plumbing systems. Erosion of natural deposits.
Beasley II- 130025	0	15	0.001	No	Jul-08	
Griffith- 130015	0	15	0.002	No	Jul-07	
Gates- 130021	0	15	0.003	No	Jul-07	
Ivy Village- 130004	0	15	0.002	No	Jul-08	
Muldon- 130024	0	15	0.001	No	Jul-08	
Pine Bluff- 130017	0	15	0.002	No	Jul-07	
Una- 130023	0	15	0.003	No	Jul-08	

**COPPER**

Well-PWS ID#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I- 130016	1.3	1.3	0.60	No	Jul-08	Corrosion of household plumbing systems. Erosion of natural deposits.
Beasley II- 130025	1.3	1.3	0.70	No	Jul-08	
Griffith- 130015	1.3	1.3	0.10	No	Jul-07	
Gates- 130021	1.3	1.3	0.10	No	Jul-07	
Ivy Village- 130004	1.3	1.3	0.00	No	Jul-08	
Muldon- 130024	1.3	1.3	0.46	No	Jul-08	
Pine Bluff- 130017	1.3	1.3	0.30	No	Jul-07	
Una- 130023	1.3	1.3	0.30	No	Jul-08	

**NITRATE/NITRATE**

Well-PWS ID#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I- 130016	10	10	0.25	No	May-10	Runoff from fertilizer use; leaching from septic tanks and sewage. Erosion of natural deposits.
Beasley II- 130025	10	10	0.25	No	May-10	
Griffith- 130015	10	10	0.25	No	May-10	
Gates- 130021	10	10	0.25	No	May-10	
Ivy Village- 130004	10	10	0.25	No	May-10	
Muldon- 130024	10	10	0.25	No	May-10	
Pine Bluff- 130017	10	10	0.25	No	May-10	
Una- 130023	10	10	0.25	No	May-10	

**HALOACETIC ACID HAA5**

Well-PWS ID#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I- 130016	0.06	0.06	0.02	No	Aug-08	Disinfection Bi-product
Beasley II- 130025	0.06	0.06	0.02	No	Jun-08	
Griffith- 130015	0.06	0.06	0.06	No	Aug-08	
Gates- 130021	0.06	0.06	0.02	No	Aug-08	
Ivy Village- 130004	0.06	0.06	0.00	No	Aug-08	
Muldon- 130024	0.06	0.06	0.02	No	Aug-08	
Pine Bluff- 130017	0.06	0.06	0.03	No	Aug-08	
Una- 130023	0.06	0.06	0.02	No	Aug-08	

**TRIHALOMETHANE TTHM**

Well-PWS ID#	MCLG	MCL	Your Water	Violation	Sample Date	Typical Source
Beasley I- 130016	0.08	0.08	0.04	No	Aug-08	Disinfection Bi-product
Beasley II- 130025	0.08	0.08	0.04	No	Aug-08	
Griffith- 130015	0.08	0.08	0.00	No	Aug-08	
Gates- 130021	0.08	0.08	0.04	No	Aug-08	
Ivy Village- 130004	0.08	0.08	0.04	No	Aug-08	
Muldon- 130024	0.08	0.08	0.04	No	Aug-08	
Pine Bluff- 130017	0.08	0.08	0.04	No	Aug-08	
Una- 130023	0.08	0.08	0.04	No	Aug-08	

**Chlorine-**

Well- PWS ID#	MCLG	MCL	Your Water	Low	High	Sample Date	Violation	Typical Source
Beasley I- 130016	4	4	0.10	0.10	0.10	2010	N	Water additive used to control microbes. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
Beasley II- 130025	4	4	0.20	0.20	0.67	2010	N	
Griffith- 130015	4	4	0.15	0.15	0.15	2010	N	
Gates- 130021	4	4	0.15	0.15	0.15	2010	N	
Ivy Village- 130004	4	4	0.15	0.10	0.20	2010	N	
Muldon- 130024	4	4	0.20	0.20	0.20	2010	N	
Pine Bluff- 130017	4	4	0.10	0.10	0.10	2010	N	
Una- 130023	4	4	0.10	0.10	0.10	2010	N	

# The State of Mississippi CLAY COUNTY

## AFFIDAVIT OF PUBLICATION


Before me, in and for said county, this day personally came the undersigned representative of the Daily Times Leader, a newspaper published in the City of West Point, of said county and state, who being duly sworn deposes and says that the publication of a certain notice, a true copy of which, is hereto affixed has been made for \_\_\_\_\_ weeks consecutively, to wit:

Dated 6-22, 2011  
 Dated \_\_\_\_\_, 20\_\_\_\_  
 Dated \_\_\_\_\_, 20\_\_\_\_  
 Dated \_\_\_\_\_, 20\_\_\_\_  
 Dated \_\_\_\_\_, 20\_\_\_\_

Said representative further certifies that the several numbers of the newspaper containing the above mentioned notice have been produced and compared with the copy affixed; and that the publication thereof has been correctly made.

WITNESS MY HAND AND SEAL OF OFFICE, this the 22<sup>nd</sup> day of June, A.D., 2011

By: Marcia B. Deaton  
 Notary Public



SEAL:

### DAILY TIMES LEADER

By: Natasha Watson  
 Publisher  Clerk  
 Editor  Printer

Publication Fee \$ 287.75  
 Proof(s) Of Publication \$ 3.00  
 Total Charges \$ 290.75

AFFIDAVIT# 17639

### 2010 Drinking Water Quality Report

Is my water safe?

Last year, as in years past, your tap water met all U.S. Environmental Protection Agency (EPA) drinking water quality standards.

By Village	19004	4	4	0.77 No	NA-01
Madison	19004	4	4	0.48 No	NA-01
Price City	19007	4	4	0.80 No	NA-01
Low	19020	4	4	0.80 No	NA-01

LEAD

WVA-PWS ID	INCLG	INCL	Year Water	Violation	Sample Date	Typical Source
Beasley - 19018	0	15	0.00 No	JA-01	Continuation of household plumbing	
Beasley - 19018	0	15	0.00 No	JA-01	Continuation of household plumbing	
Griffin - 19016	0	15	0.00 No	JA-01	Leakage	
Griffin - 19021	0	15	0.00 No	JA-01	Leakage	
Low Village - 19004	0	15	0.00 No	JA-01	Leakage	
Madison - 19004	0	15	0.00 No	JA-01	Leakage	
Price City - 19007	0	15	0.00 No	JA-01	Leakage	
Low - 19020	0	15	0.00 No	JA-01	Leakage	

COPPER

WVA-PWS ID	INCLG	INCL	Year Water	Violation	Sample Date	Typical Source
Beasley - 19018	1.0	1.0	0.00 No	JA-01	Continuation of household plumbing	
Beasley - 19018	1.0	1.0	0.70 No	JA-01	Continuation of household plumbing	
Griffin - 19016	1.0	1.0	0.19 No	JA-01	Leakage	
Griffin - 19021	1.0	1.0	0.19 No	JA-01	Leakage	
Low Village - 19004	1.0	1.0	0.00 No	JA-01	Leakage	
Madison - 19004	1.0	1.0	0.46 No	JA-01	Leakage	
Price City - 19007	1.0	1.0	0.50 No	JA-01	Leakage	
Low - 19020	1.0	1.0	0.80 No	JA-01	Leakage	

ANSWER:

6	7	2	1	0
8	9	3	4	7
1	4	6	5	9
3	5	4	2	8
7	1	1	3	8

The State of Mississippi  
CLAY COUNTY

**AFFIDAVIT OF PUBLICATION**

Before me, in and for said county, this day personally came the undersigned representative of the Daily Times Leader, a newspaper published in the City of West Point, of said county and state, who being duly sworn deposes and says that the publication of a certain notice, a true copy of which, is hereto affixed has been made for \_\_\_\_\_ weeks consecutively, to wit:

Dated 6-22 20 11  
 Dated \_\_\_\_\_ 20 \_\_\_\_\_  
 Dated \_\_\_\_\_ 20 \_\_\_\_\_  
 Dated \_\_\_\_\_ 20 \_\_\_\_\_  
 Dated \_\_\_\_\_ 20 \_\_\_\_\_

Said representative further certifies that the several numbers of the newspaper containing the above mentioned notice have been produced and compared with the copy affixed; and that the publication thereof has been correctly made.

WITNESS MY HAND AND SEAL OF OFFICE, this the 22<sup>nd</sup> day of June, A.D. 20 11

By: Maria B. Deat  
 Notary Public

DAILY TIMES LEADER  
 ( )



SEAL:

AFFIDAVIT

**2010 Drinking Water Quality Report**

**Is my water safe?**  
 Last year, as in years past, your tap water met all U.S. Environmental Protection Agency (EPA) and Mississippi State Department of Health drinking water standards. This report is a snapshot of last year's water quality. Included are details about where your water comes from, what it contains and how it compares to standards set by regulatory agencies. We are committed to providing the best information about the quality of your drinking water.

**Do I need to take special precautions?**  
 Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly and infants can be particularly at risk for infections. These people should seek advice about drinking water from their health care providers. EPA/CDC's Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by microbial contaminants are available from the State Drinking Water Hotline at 1-800-426-4787.

**Where does my water come from?**  
 Our water comes from 6 different wells that draw from the Eulaw, Gordo and Moshen Aquifers. Source water assessment is available on request.

**Why are there contaminants in my drinking water?**  
 Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4787.

**How can I get involved?**  
 Our board members meet the 2<sup>nd</sup> Monday of every month at 6:00 pm at the Siloam Water Office. Our annual meeting is the 1<sup>st</sup> Monday in April. The action time and place will be printed on your water bill. This is a very important meeting and we encourage all of our members to attend.

**Siloam Water Contact Information**  
 Write Department - Certified Operator  
 P.O. Box 224  
 West Point, MS 38773  
 662-934-1852

Term	Definition
ppm	parts per million, or milligrams per liter (mg/L)
MCL-Maximum Contaminant Level	The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
MCLG-Maximum Contaminant Level Goal	The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
TT-Treatment Technique	A required process intended to reduce the level of a contaminant in drinking water.
AL-Action Level	The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.
MRDL-Maximum Residual Disinfection Level Goal	The level of a drinking water disinfectant below which there is no known or expected risk to health. MCLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
MRDL-Maximum Residual Disinfection Level	The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

**Additional Information for Lead**

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Siloam Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/leadwaterlead>. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10.00 per sample. Please contact 601-576-7582 if you wish to have your water tested.

Parameter	MCL	MCLG	Unit	Sample Date	Sample Location	RESULTS	
						Value	Unit
<b>PERFORMANCE</b>							
Lead	0.01	0.01	ppm	06/15/11	Well 1	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 2	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 3	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 4	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 5	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 6	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 7	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 8	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 9	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 10	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 11	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 12	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 13	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 14	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 15	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 16	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 17	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 18	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 19	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 20	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 21	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 22	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 23	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 24	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 25	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 26	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 27	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 28	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 29	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 30	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 31	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 32	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 33	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 34	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 35	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 36	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 37	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 38	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 39	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 40	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 41	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 42	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 43	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 44	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 45	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 46	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 47	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 48	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 49	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 50	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 51	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 52	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 53	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 54	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 55	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 56	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 57	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 58	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 59	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 60	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 61	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 62	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 63	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 64	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 65	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 66	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 67	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 68	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 69	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 70	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 71	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 72	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 73	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 74	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 75	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 76	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 77	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 78	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 79	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 80	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 81	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 82	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 83	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 84	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 85	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 86	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 87	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 88	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 89	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 90	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 91	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 92	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 93	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 94	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 95	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 96	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 97	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 98	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 99	0.00	ppm
Lead	0.01	0.01	ppm	06/15/11	Well 100	0.00	ppm

