



2011 JUN 29 PM 2:24

MISSISSIPPI STATE DEPARTMENT OF HEALTH

BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2010 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

SHIVERS WATER ASSN. Public Water Supply Name

0640021 List PWS ID #s for all Water Systems Covered by this CCR

The Federal Safe Drinking Water Act requires each community public water system to develop and distribute a consumer confidence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.

Please Answer the Following Questions Regarding the Consumer Confidence Report

Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other)

- Advertisement in local paper
On water bills
Other

Date customers were informed: 6/22/11

CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:

Date Mailed/Distributed: 1/1

CCR was published in local newspaper. (Attach copy of published CCR or proof of publication)

Name of Newspaper: SIMPSON CO. NEWS / MAGEE COURIER

Date Published: 6/22/11

CCR was posted in public places. (Attach list of locations)

Date Posted: 6/22/11 SIMPSON CO. LIBRARY

CCR was posted on a publicly accessible internet site at the address: www.

CERTIFICATION

I hereby certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in the form and manner identified above. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply.

BOBBY SEWELL / OPERATOR Name/Title (President, Mayor, Owner, etc.)

6-30-2011 Date

Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518

2010 Annual Drinking Water Quality Report
SHIVERS WATER ASSOCIATION
PWS ID #640021
JUNE 12, 2011

FILE # 7010237
2011 JUN 29 PM 2: 26

We're pleased to present to you this year's Annual Water Quality Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from two wells pumping water from the Citronelle Formation Aquifer.

Our source assessment has been completed and it shows our wells have a moderate susceptibility to contamination.

I'm pleased to report that our drinking water meets all federal and state requirements.

This report shows our water quality and what it means.

If you have any questions about this report or concerning your water utility, please contact Brenda Newsome at 847-2342. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Thursday of every month at 1716 Shivers Road Pinola Ms.39149.

Shivers Water Association routinely monitors for constituents in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2010. As water travels over the land or underground, it can pick up substances or contaminants such as microbes, inorganic and organic chemicals, and radioactive substances. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily pose a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Non-Detects (ND) - laboratory analysis indicates that the constituent is not present.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

Picocuries per liter (pCi/L) - picocuries per liter is a measure of the radioactivity in water.

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT) - A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

Maximum Contaminant Level - The **Maximum Allowed (MCL)** is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal - The **Goal (MCLG)** is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

TEST RESULTS								
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source of Contamination
Disinfectants & Disinfection By-Products (There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.)								
Chlorine (as CL2)	N	2010	1.08 (RAA) Running Annual Average	0.97-low 1.11-high	ppm	4.0	4.0	Water additive used to control microbes
10. Barium	N	2-17-2010	0.020765	0	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
17. Lead	N	08/14/07*	2.0	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
19. Nitrate	N	9-22-2010	1.00	No Range	ppm	10	10	Runoff from Fertilizer use; leaching from septic tank sewage; erosion from natural deposits
Volatile Organic Contaminants								
73.HAA5	N	12/31/05*	2.0	0	ppb	0	60	By-product of drinking water chlorination

*MOST RECENT SAMPLE

Inorganic Contaminants:

(10) Barium. Some people who drink water containing barium in excess of the MCL over many years could experience an increase in their blood pressure.

(17) Lead. Infants and children who drink water containing lead in excess of the action level could experience delays in their physical or mental development. Children could show slight deficits in attention span and learning abilities. Adults who drink this water over many years could develop kidney problems or high blood pressure.

(19) Nitrate. Infants below the age of six months who drink water containing nitrate in excess of the MCL could become seriously ill and, if untreated, may die.

Volatile Organic Contaminants:

(73)HAA5 s Some people who drink water containing trihalomethanes in excessof the MCL over many years may experience problems with liver ,kidneys,or central nervous systems,and may have an increased risk of getting cancer.

***** Additional Information for Lead*****

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Shivers Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested.

Nitrate in drinking water at levels above 10 ppm is a health risk for infants of less than six months of age. High nitrate levels in drinking water can cause blue baby syndrome. Nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity. If you are caring for an infant you should ask advice from your health care provider

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency=s Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

To comply with the “Regulation Governing Fluoridation of Community Water Supplies” , the Shivers Water Association is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year that average fluoride results were within the optimal range of 0.7-1.3 ppm was 10. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range of 0.7-1.3 ppm was 88%.

*****A MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING*****

In accordance with the Radionuclides Rule, all community public water supplies were required to sample quarterly for radionuclides beginning January 2007- December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Department of health Radiological Health Laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice. Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. The Bureau of Public Water Supply is taking action to resolve this issue as quickly as possible. If you have any questions, please contact Melissa Parker, Deputy Director, Bureau of Public Water Supply, at 601-576-7518.

Please call our office if you have questions.

We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our childrens future.

PROOF OF PUBLICATION

2011 JUN 29 PM 2: 24

THE STATE OF MISSISSIPPI COUNTY OF SIMPSON

Personally appeared before me, the undersigned Notary Public, in and for the County and State aforesaid

Shelley Fairchild

who being by me duly sworn states on oath, that she is land clerk of The Magee Courier a newspaper published in the City of Magee, State and County aforesaid, and that the publication of the notice, a copy of which is hereto attached, has been made in said paper 1 times, as follows:

In Vol. 114 No. 8 Date 23 day of June 2011.

In Vol. _____ No. _____ Date _____ day of _____ 2011.

In Vol. _____ No. _____ Date _____ day of _____ 2011.

In Vol. _____ No. _____ Date _____ day of _____ 2011.

In Vol. _____ No. _____ Date _____ day of _____ 2011.


In Vol. _____ No. _____ Date _____ day of _____ 2011.

Signed Shelley Fairchild

Sworn to and subscribed before me, this 23rd day of June, 2011.

Nancy O. Brown
Notary Public

My Commission Expires: _____



No. words 414.5 at Ad cts. Total \$ 525.00

Proof of Publication : \$ 3.00

Total Cost: \$ 525.00

The Magee Courier | Shivers County News

State Pageant tickets for sale

Tickets are now available for the 2011 Miss Mississippi Pageant. The pageant will be held June 29 - July 2 at the Vicksburg Convention Center. A complete ticket package is available for all four nights for \$100. Single night tickets are also available for preliminary competition and for the final evening. Tickets for Wednesday and Thursday evening's preliminary competition are available for \$25; tickets for Friday evening's preliminary competition are available for \$30, and tickets for Saturday's final competition are \$50. Competition begins promptly at 8 p.m. each night.

Tickets are also available for the Miss Mississippi Party, which will be held Friday, July 1 at 10:30 p.m. The event will be held at the Rainbow Room, adjacent to the

Rainbow Casino and Hotel. Tickets are available for \$20 in advance and, if available, at the door. There are a limited number of tickets for this event. Dress is business casual.

Tickets for the Miss Mississippi Awards Ball are available for \$20 in advance and at the door. The event will be held on Saturday, July 2, following the crowning of Miss Mississippi 2011. The ball will also be held at the Rainbow Room adjacent to the Rainbow Hotel and Casino.

You can order tickets by calling the Miss Mississippi Pageant Office at 601-638-6746 or visiting the Web site at www.missmississippi.com. Also, look for live pageant updates during the week on Twitter by following @MissMSPageant.

2010 Annual Drinking Water Quality Report Shivers Water Association PWS ID#: 640021 June 12, 2011

We pleased to present you this year's Annual Water Quality Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our ongoing goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from two wells pumping water from the Chancelle Formation Aquifer.

Our source protection has been completed and it shows our wells have a moderate susceptibility to contamination. I'm pleased to report that our drinking water meets all federal and state requirements. This report shows our water quality and what it means.

If you have any questions about this report or concerning your water utility, please contact Brenda Pressmore at 847-2342. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Thursday of every month at 1716 Shivers Road, P.O. Box 1819.

Shivers Water Association routinely monitors for contaminants in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1 to December 31, 2010. All water travels over the land or underground. It can pick up substances or contaminants such as microbes, inorganic and organic chemicals, and radioactive substances. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. It's important to remember that the presence of these contaminants does not necessarily pose a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Non-Detect (ND): Laboratory analysis indicates that the contaminant is not present.

Parts per million (ppm) or Milligrams per liter (mg/L): one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter: one part per billion corresponds to one minute in 2,000 years, or a single penny in \$100,000,000.

Fluorides per liter (FCL): fluorides per liter is a measure of the radioactivity in water.

Action Level: the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT): A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

Maximum Contaminant Level: The Maximum Allowed (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the Maximum Contaminant Level (MCL) as feasible using the best available treatment technology.

MCLG as feasible using the best available treatment technology. The MCLG (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

TEST RESULTS								
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source of Contamination
Disinfectants & Disinfection By-Products (There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants)								
Chlorine (as Cl ₂)	N	2010	1.08 (RAA) Running Annual Average	0.97-low 1.11-high	ppm	4.0	4.0	Water additive used to control microbes
10. Barium	N	9-17-2010	0.020765	0	ppm	2	2	Discharge of drilling water; discharge from metal refineries; erosion of natural deposits
17. Lead	N	09/14/07*	0.0	0	ppb	0	AL-15	Corrosion of household plumbing systems; erosion of natural deposits
19. Nitrate	N	5-22-2010	1.00	No Range	ppm	10	10	Runoff from Fertilizer use; leaching from septic tank; seepage/erosion from natural deposits
Volatile Organic Compounds								
79. HAA5	N	12/21/05*	2.0	0	ppb	0	60	Byproduct of drinking water chlorination

* Most recent sample. No sample required for 2010. (10) Barium. Some people who drink water containing barium in excess of the MCL over many years could experience an increase in their blood pressure. (17) Lead. Infants and children who drink water exceeding lead in excess of the action level could experience delays in their physical and mental development. Children could also show slight deficits in attention span and learning ability. Adults who drink this water over their years could develop kidney problems or high blood pressure. (19) Nitrate. Infants below the age of six months who drink water containing nitrate in excess of the MCL could become seriously ill and, if untreated, may die.

Public Organic Compounds:
(79) HAA5. Some people who drink water containing chlorination byproducts in excess of the MCL over many years may experience problems with liver, kidney or central nervous systems, and may have an increased risk to getting cancer.

***** Additional Information for Lead *****
If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Shivers Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline at <http://www.epa.gov/safewater/lead>. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested above 10 ppm is a health risk for infants of less than six months of age. High nitrate levels in drinking water can cause blue baby syndrome in drinking water at levels above 10 ppm is a health risk for infants of less than six months of age. High nitrate levels in drinking water can cause blue baby syndrome. Nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity. If you are eating for an infant you should ask advice from your doctor. Nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity. If you are eating for an infant you should ask advice from your doctor. Nitrate levels may rise quickly for short periods of time because of rainfall or agricultural activity. If you are eating for an infant you should ask advice from your doctor.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-7991.

Some people may be more vulnerable to contaminants in drinking water than the general population. Pregnant women, infants, and the elderly are particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA's National Lead and Copper Action Plan requires public water systems to take steps to reduce lead in drinking water. The Bureau of Public Water Supply is taking action to resolve this issue as quickly as possible. If you have any questions, please contact Melissa Parker, Deputy Director, Bureau of Public Water Supply, at 601-476-7518.

Please call the office if you have questions. We ask that all our customers help to protect our water sources, which are the heart of our community, our way of life and our children's future.

LEGALS CONTINUED

NOTICE FOR SALE
Built March 1993
1034 SHELBY (6408-01)
TYPE-RS214E
Sells reserves the right to accept or reject any and all offers for the sale of the above described property.
02/28/2011 334
This sale is being made to satisfy a lien. Any of the terms may be withdrawn for the sale by Magee Mini Storage at any time without notice.
02/28/11 2728

BID NOTICE

FIVE COUNTY CHILD DEVELOPMENT PROGRAM, INC.
POST OFFICE BOX 1195
1118 3RD STREET
PRENTISS, MISSISSIPPI 39474

Five County Child Development Program, Inc. is soliciting sealed bids for comprehensive insurance coverage to include:

- 1) Worker's Compensation
- 2) Business Auto
- 3) Property
- 4) Commercial Liability
- 5) Inland Marine (IDP)
- 6) Accident: Student and Volunteer
- 7) Directors & Officers Liability
- 8) Fidelity Bond

For the period of October 1, 2011 through September 30, 2012. All interested bidders should contact Sherry Smith at (601) 792-5191 or email ssmith@five-county.org for further information. Sealed bids should be received at the above address by 4:00 pm on Thursday, August 18, 2011.

Official bids must be clearly marked "BID, ENCLOSED" on the outside of the envelope. Five County Child Development Program, Inc. reserves the right to accept/reject any and/or all bids, and waive any informality.

Jonathan Bines
Head Start Director