2012 MAY 29 AM 10: 37

### BUREAU OF PUBLIC WATER SUPPLY

CALENDAR YEAR 2011 CONSUMER CONFIDENCE REPORT CERTIFICATION FORM

for all Water Systems Covered by this CCR

Sweethome Water Public Water

The Federal Safe Drinking Water Act requires each *community* public water system to develop and distribute a consumer confidence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request. Please Answer the Following Questions Regarding the Consumer Confidence Report Customers were informed of availability of CCR by: (Attach copy of publication, water bill or other) Advertisement in local paper On water bills Other Date customers were informed: 5 /24/2 CCR was distributed by mail or other direct delivery. Specify other direct delivery methods: Date Mailed/Distributed:\_\_/\_/\_ CCR was published in local newspaper. (Attach copy of published CCR or proof of publication) П Name of Newspaper: Date Published: \_\_\_/\_/ CCR was posted in public places. (Attach list of locations) CCR was posted on a publicly accessible internet site at the address: www.\_ П

Showther Gatem loshing man

Department of Health, Bureau of Public Water Supply.

Name/Title (President, Mayor, Owner, etc.)

**CERTIFICATION** 

5-25-/2 Date

Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215 Phone: 601-576-7518

I hereby certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in the form and manner identified above. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State

PROOF OF PUBLICATION AM 10: 37

## **HOLMES COUNTY HERALD**

LEXINGTON, MISSISSIPPI

# STATE OF MISSISSIPPI, HOLMES COUNTY

Personally appeared before me, the undersigned authority, Chancery Clerk of said County and State, Bruce Hill, publisher of a public newspaper called the Holmes County Herald established in 1959 and published continuously since that date in said County and State, who, being duly sworn, deposed and said that the notice, of which a true copy is hereto annexed, was published in said paper for \_\_\_\_\_\_\_ times, as follows, to wit:

		15.446						53.21	
			201	1 Annual Drinking Sweethorne Wat PWSII: May	g Water 0 or & Seur 0260015 2012	Duality Ro er Distric	sport 1		
We're pleased and services we want you to un are committed Acuitier	to present e deliver to denstand th to ensurin	to you this you every no efforts w	year's Ann day, Our or a make to by of your			nia report i u with a se or treatme from two	is designe els and de nt proces wells dra	id to inform you about the spenduble supply of drinklr s and protect our water re- wing from the Meridian U	phes portor
	ter assess o identified were made pter & Sow	ment has b i potential e has been er District h	een compli sources of furnished to ave receive	eted for our public contamination. I to our public water at moderate suece	water sy report o system e publity re	stem to d containing nd is avai nkings to	etermine detailed lable for v	the overall susceptibility o information on how the i desving upon request. The ation.	f its di suscep wells
If you have an 801.613.0515. our regularly as MS 30005	y question We want o cheduled m	a about this or valued c seetings. Th	s report or sustomers to sey are held	concerning your o be informed abo d on the first Mond	water util ut their w tay of each	ity, pleas ater utility h month s	e contact If you we il 6:00 PM	Colereginald Patton 662- ant to learn more, please a let 106 Westwood Avenue	834.36 stlend e, Lexi
We routinely o	nonitor for	constituent	s in your o	striking water acc	ording to	Federal z	end State	laws. This table below in	da all
refurnity occurs of enimens or fr septic systems occurring or re- terming pestic residential use processes and be maturally oc- EPA procedure.	ring minora orn human agriculture suit from u ides and h a; organia o petroleum burring or burring or burring of d regulation d donaling	its and, in a activity, mic of livestock, other storm orbidides, o thernical co- production, as that limit water, may	orne cases tropial cont operations, water run which triay mammunds and can a t of oil and the amount be reasons	radioactive male smirrorits, such as and widdle; irong if, industruit, or di come from a var- including syntheti iso come from ga gas production an of certain contain of certain contain shy expected to o	iolis and o virtutes a pric conta omestic w lety of sou ic and vola s stations d mining a inants in v ontain all le	on pick up nd bacteria provanta, estewate prova such stille organ and septi activities enter provant seat provail	s substants, that mu such as a discharge is chamic c systems in order is sided by p amounts.	laws. This table below is 13". 2011. In cases when one of laind or underground oss or contaminants from a y contex from sewings trains atts and metals, which can e., of and pa production collure, urban storm wide is, which are by-products (; radioactive contaminant) or centure that they willed is abble water systems. All off of access contaminant. Ins- seen a health risk.	he pre- ment p be no s, entre- runch of ind s, which safe to mining
n this table you	the present will find m	os of these any terms s nitions:	and abbrev	is does not necess attors you might r	not be fami	ale that th	e weter p To help yo	pees a health risk. ou better understand these	larms
								er requirements which a w	
Treatment Tec	hnique (TT	) - A treatn	nent techni	que is a required	process is	nlended t	o reduce	the level of a contaminan	t in di
weter				Val ex	and)	150	100	VII A Z I	
water: MCLs a	amman, Le	ose to the A	ACLOs on I	easible using the I	CC) IS THE	hip topote	evel of a	contaminant that is allowed ology.	) IN CE
		444 let 144 let 14			Color of Section	WHEN DESIGN	MAN SECTION	iology.	
Maximum Cont	aminent Le	wel Goal (N	(CLG) - The	'Goal'(MCLG) is	the level			drinking water below which	
Maximum Cont	aminent Le	wel Goal (N	(CLG) - The		the level				
Maximum Cont known or exper Maximum Rasi	aminent Le ded risk to idual Diaint	wel Goal (N health: MC sctant Leve	(CLG) - The LGs allow o	e 'Goal'(MCLG) is for a mengin of sail - The highest lev	the level of a did	of a conta	minant in		h there
Maximum Continue Continue or expension or expension Residence that a	aminent Le ded risk to idual Diainf ddition of a	rvel Goal (A health: MC sctaril Leve disinfection	(CLG) - The LGe allow of MRDL) if is necess	e 'Goal' (MCLG) is for a mergin of sail — The highest lev any for control mic	the level of ety. ed of a dis robial cont	of a conta simfectant siminarits.	minant in allowed i	drinking water below which	there
Maximum Continue Continue or expension or expension Residence that a	aminent Le ded risk to idual Diainf ddition of a	rvel Goal (A health: MC sctaril Leve disinfection	(CLG) - The LGe allow of MRDL) if is necess	e 'Goal' (MCLG) is for a mergin of sail — The highest lev any for control mic	the level of ety. ed of a dis robial cont	of a conta simfectant siminarits.	minant in allowed i	drinking water below which	there
Maximum Continum or expension o	aminent Le ded risk to idual Disint ddition of a dual Disint I health. M	rvel Goal (A health: MC sctaril Leve disinfection	(CLG) - The LGe allow of MRDL) if is necess	e 'Goal' (MCLG) la for a mergin of sel - The highest lev ary for control mic (CLG) - The level the benefits of the	the level only.  el of a dispribited control of a driving the control of dispring the control of dispr	of a conta sirriectant summents. sing water rectants	minant in allowed i disinfect to control	drinking water below which in drinking water. There is and below which there is a microbial contaminants.	h there s conv
Maximum Continue Continue or expension or expension Residence that a	aminent Le ded risk to idual Diainf ddition of a	rvel Goal (A health: MC sctaril Leve disinfection	(CLG) - The LGe allow of MRDL) if is necess	e 'Goal' (MCLG) is for a mergin of sel or a mergin of sel or the highest lever for control mic (MCG) — The level his benefits of the TEST R	the level of a discrete of a discrete of d	of a conte sinfectant similarity.	minant in allowed i disinfect to control	drinking water below which	h there s conv
Maximum Continum or expension o	aminent Le ded risk to idual Disint ddition of a dual Disint I health. M	rvel Goal (A health: MC sctaril Leve disinfection	(CLG) - The LGe allow of MRDL) if is necess	e 'Goal' (MCLG) la for a mergin of sel - The highest lev ary for control mic (CLG) - The level the benefits of the	the level of the control of a china of dia c	of a conta sirriectant summents. sing water rectants	minant in allowed i disinfect to control	drinking water below which in drinking water. There is and below which there is a microbial contaminants.	h there s conv
Maximum Continuen or experi Maximum Resi evidence that a Maximum Resi expected risk of Continuent	eminent Le ted risk to idual Disini ddition of a ddal Disini f health. M	ovel Gaal (Mehaeth MC fectaril Leve distributed Leve RDL Ga the)  Color	ICLG) - Thi LGs allow of (MIRDL) if is necess of Goal (MI not reflect to Describe	e "Goal" (MCLG) is for a mergin of sale The highest few any for control mic The level The level The level TEST R. Range of Demma of 9 of Samples Excellent MCLAGL	the level of a discrete of a discrete of d	of a conta airriectant airriectants ting water resctants	minant in allowed i disinfect to control	drinking water below which in drinking water. There is and below which there is relacible conductable.	n there is corry
Maximum Continues or experi known or exper Maximum Pass evidence that a Maximum Real expected risk of Contaminant	eminent Le ded risk to idual Disini iddition of a chart Disini Theath. M	rvel Goal (No health MC fectant Leve distribution declarif Leve RDL Go do Date Collected	ICLG) - Thi LGs allow of (MRDL) if is necess of Goal (Mi not reflect) Level Delected	e 'Goal' (MCLG) is for a mergin of sel or a mergin of sel or the highest lever for control mic (MCG) — The level his benefits of the TEST R	the level of the control of a china of dia c	of a conta sirriectant summents. sing water rectants	minant in allowed i disinfect to control	drinking water below which in drinking water. There is and below which there is a microbial contaminants.	n there is corry
Maximum Confinence of expectations of expectations of expectations and the expectation of	eminent Le ted risk to idual Disini ddition of a clear Disini Preside M	ovel Goal (Mehaeth, MCC loctant Lave distribuction cotant Lave RDL Ge do 1 Date Collected 2008"	ICLG) - This LCG allow of (MRDL) if is necessif Goal (Mrnot reflect to Detected to the Control of the Control o	o 'Goal' (MCLG) is for a mergin of set or a mergin of set or a mergin of set or the highest few set for control mic of the mergin for control mic of the benefits of the the benefits of the TEST R Range of Demina or # of Sergins Expending MCLACL	the level of a discrete of a discrete of d	of a containing water infectants  I'S  MCLO	allowed I disinfect to control	drinking water below which in drinking water. There is and below which there is microbial contaminants.  Likely Source of Contaminant Committee of Contaminant Contaminant Committee of Contaminant Contaminan	h there is converted and and and and and and and and and an
Maximum Continuen or experimental financial fi	eminent Le red risk to loust Dismit ddition of a reduct Dismit f health. M  Valuone Y/N  Contail N	nvel Goal (Menth. MC fectaril Leve distributed for the control Leve RDL Ge do Collected Collected 2008"	ICLG) - Thi LGg allow of (MIRDL) if is necess of Goal (MI not reflect t Detected	e 'Goal' (MCLG) is for a mergin of self or a mergin of the mergin of t	the level of a disrobtal cont ppm	of a conta simfectant similarits. Unity water infectants.	minant in allowed disinfect to control	drinking water below which in chinking water. There is and below which there is refer that of the configuration of	decree
Maximum Confinence of expectations of expectations of expectations and the expectation of	eminent Le ted risk to idual Disini ddition of a clear Disini Preside M	ovel Goal (Mehaeth, MCC loctant Lave distribuction cotant Lave RDL Ge do 1 Date Collected 2008"	ICLG) - This LCG allow of (MRDL) if is necessif Goal (Mrnot reflect to Detected to the Control of the Control o	o 'Goal' (MCLG) is for a mergin of set or a mergin of set or a mergin of set or the highest few set for control mic of the mergin for control mic of the benefits of the the benefits of the TEST R Range of Demina or # of Sergins Expending MCLACL	the level of a disrobial continues of dis-  ESULT  Out Management  ppm	of a containing water infectants  I'S  MCLO	allowed I disinfect to control	drinking water below which in drinking water. There is and below which there is relacible conductant and the property of the property of Contamination and Contamination of Cont	the second secon
Maximum Confunction or expectations or expectations or expectation or expectation of the	eminent Le tendriak to idual Pak to idual Disint ddition of a tesast Dazint f health. M  Viciodes Y/N  Contai  N	ovel Goal (Mohesth, MC Sector Levy Goal Chipselock Levy Geleric Levy Geleric Collected Level RDL Geleric Collected	ICLG) - The LGs allow so (AFCOL) if is necessit if nec	o 'Goal' (MCLG) in for a mergin of see in for a mergin of see in the highest few any for control mic (CCG) — The level for control mic (CCG) — The level for other instruments of the in	the level of a disrobal control of a disroba	of a containing of a containing water infections.  IS MCLO.	allowed in allowed in control to	drinking water below which in chinking water. There is and below which there is reincrohild confidence.  Likely Source of Conference.  Dechange for Orilling session, from male reference, cook deposits.  Dechange for orilling session.  Dechange from the side of periods of conference or cook of the conference of the co	the second secon
Maximum Confunction or expo- lationary Residence that a Maximum Residence that a Maximum Residence of the or Confarment Inorganic 10 January 13 Circumum 14 Copper 17 Lans	eminent Le tendriak to idual Pak to idual Disint ddition of a tesast Dazint f health. M  Viciodes Y/N  Contai  N	ovel Goal (Money) health MC bectant Level distinfactant bectant Level RDL Ge do  Collected  Totale 2008*  2008*  2009*11  2009*11	ICLG) - The LGs allow so (AFCOL) if is necessis if Goal (AFCOL) if is necessis of Goal (AFCOL) the control of the Color of	o "Goal" (MCLG) is for a mergin of self- tor a mergin of self- tor a mergin of self- The highest between the self- many for control mic CCG) — The levels to  TEST R  Europe of Chemita  Encoding  MCLMCL  013 - 066  0 - 9  1	the level of a discrete control of a discret	of a containing of a containing water infections.  IS MCLO.	allowed in allowed in disinfect to control to control to control to AL=13	drinking water below which in drinking water. There is and below which there is microbial contaminants.  Likely Source of Contaminants.  Decharge of Stilling seasons, from made refinement, evocation of the contaminant of t	Owners and of the control of the con
Maximum Confunction or expectations or expectations or expectation or expectation of the	eminent Le tendriak to idual Pak to idual Disint ddition of a tesast Dazint f health. M  Viciodes Y/N  Contai  N	ovel Goal (Mohesth, MC Sector Levy Goal Chipselock Levy Geleric Levy Geleric Collected Level RDL Geleric Collected	ICLG) - The LGs allow so (AFCOL) if is necessit if necessit if necessit if necessit if necessit is necessit if necessit is necessit if necessit is necessit in nec	o 'Goal' (MCLG) in for a mergin of see in for a mergin of see in the highest few any for control mic (CCG) — The level for control mic (CCG) — The level for other instruments of the in	the level of a disrobal control of a disroba	of a containing of a containing water infections.  IS MCLO.	allowed in allowed in disinfect to control to control to control to AL=13	drinking water below which in drinking water. There is and below which there is relacible conductant and the property of the property of Contamination and Contamination of Cont	Owners and of the control of the con
Maximum Confunction or expo- lationary Residence that a Maximum Residence that a Maximum Residence of the or Confarment Inorganic 10 January 13 Circumum 14 Copper 17 Lans	eminent Le control de la contr	Colected Col	ICLG) - The LGs allow in LGs allow in the LGs allow in LGs allowed in LGs	o "Goal" (MCLG) is for a mergin of self- tor a mergin of self- tor a mergin of self- The highest between the self- many for control mic CCG) — The levels to  TEST R  Europe of Chemita  Encoding  MCLMCL  013 - 066  0 - 9  1	the level of a discrete control of a discret	of a containing of a containing water infections.  IS MCLO.	allowed in allowed in disinfect to control to control to control to AL=13	drinking water below which in drinking water. There is and below which there is microbial contaminants.  Likely Source of Contaminants.  Decharge of Stilling seasons, from made refinement, evocation of the contaminant of t	Owners and of the control of the con
Maximum Confinence of expenditure of	eminent Le content rak to detel Disein del del Disein del	collected Collec	PCLG) - The LGs allow in LGs allow in the LGs allow in the necessary of Goal (MF need option) in the necessary of Goal (MF need option) in LGs allow in LGs allowed in LGs	e "Goal" (MCLG) is for a mergin of self- tor a mergin of self- The highest between the highest of the self- may for control min of the self- the between the between the self- TEST R Foregor of Demanda Exceedings MCLARCE  013 - 066  9 - 9  1	the level of a dispersion of the control of the con	of a contact of a	minent in allowed in distinct to control to	drinking water below which in drinking water. There is and below which there is a microbial conductive which there is a microbial conductive with the initial conductive water in the conductive water	to there is control and the co
Maximum Confinence of expenditure of	eminent Le content rak to detel Disein del del Disein del	collected Collec	PCLG) - The LGs allow in LGs allow in the LGs allow in the necessary of Goal (MF need option) in the necessary of Goal (MF need option) in LGs allow in LGs allowed in LGs	e "Goal" (MCLG) is for a mergin of self- tor a mergin of self- The highest between the highest of the self- may for control min of the self- the between the between the self- TEST R Foregor of Demanda Exceedings MCLARCE  013 - 066  9 - 9  1	the level of a dispersion of the control of the con	of a contact of a	minent in allowed in distinct to control to	drinking water below which in drinking water. There is and below which there is a microbial conductive which there is a microbial conductive with the initial conductive water in the conductive water	to there is control and the co
Maximum Confinence of expenditure of	cominent La decided has been decided that be decided that be decided that be decided that be decided the decided that the dec	neel Goal (M house)  Color Leve Color Leve Color	ICCLG) - Thr. LGs allow IGCLG, and IGCLG allow IGCLG A	e "Goal" (MCLG) is to a mergin of self- tor a mergin of self- tor a mergin of self- The highest between the self- tor and the self- TEST R Foreger of Demants Exceeding MCLFACE  1013 - 066  6 - 9  9  1  5 - 95	the level of a die of	of a contain foctant in infoctant in infocta	entinent in allowed in	drinking water below which in drinking water. There is and below which there is a microbial conductive which there is a microbial conductive of Contember 1.  Likely Source of Contember 1.  Likely Source of Contember 1.  Decharge international admiration, evocal deposition.  Decharge international and purchase of mining features are contember of mining features are contember of mining features, evocal or features features, evocal or deshard seatures are consistent or features features.  Results of regular months features for the mining requirements, MSDH.	one and
Maximum Confinence of expenditure of	cominent La decided has been added to the control of the control o	neel Goal (M house)  Color Leve Color Leve Color	ICCLG) - This Accused the Control of Control o	e "Goal" (MCLG) is to a mergin of self- tor a mergin of self- tor a mergin of self- The highest between the self- tor and the self- TEST R Foreger of Demants Exceeding MCLFACE  1013 - 066  6 - 9  9  1  5 - 95	the level of a die of	of a contain foctant in infoctant in infocta	entinent in allowed in	drinking water below which in drinking water. There is and below which there is a microbial conductive which there is a microbial conductive of Contember 1.  Likely Source of Contember 1.  Likely Source of Contember 1.  Decharge international admiration, evocal deposition.  Decharge international and purchase of mining features are contember of mining features are contember of mining features, evocal or features features, evocal or deshard seatures are consistent or features features.  Results of regular months features for the mining requirements, MSDH.	one and
Maximum Confinence of expenditure of	cominent La decided has been added to the control of the control o	neel Goal (M house)  Color Leve Color Leve Color	ICCLG) - This Accused the Control of Control o	e "Goal" (MCLG) is to a mergin of self- tor a mergin of self- tor a mergin of self- The highest between the self- tor and the self- TEST R Foreger of Demants Exceeding MCLFACE  1013 - 066  6 - 9  9  1  5 - 95	the level of a die of	of a contain foctant in infoctant in infocta	entinent in allowed in	drinking water below which in drinking water. There is and below which there is a microbial conductive which there is a microbial conductive of Contember 1.  Likely Source of Contember 1.  Likely Source of Contember 1.  Decharge international admiration, evocal deposition.  Decharge international and purchase of mining features are contember of mining features are contember of mining features, evocal or features features, evocal or deshard seatures are consistent or features features.  Results of regular months features for the mining requirements, MSDH.	one and
Maximum Confinence of expenditure of	cominent La decided has been added to the control of the control o	neel Goal (M house)  Color Leve Color Leve Color	ICCLG) - This Accused the Control of Control o	e "Goal" (MCLG) is to a mergin of self- tor a mergin of self- tor a mergin of self- The highest between the self- tor and the self- TEST R Foreger of Demants Exceeding MCLFACE  1013 - 066  6 - 9  9  1  5 - 95	the level of a die of	of a contain foctant in infoctant in infocta	entinent in allowed in	drinking water below which in drinking water. There is and below which there is a microbial conductive which there is a microbial conductive of Contember 1.  Likely Source of Contember 1.  Likely Source of Contember 1.  Decharge international admiration, evocal deposition.  Decharge international and purchase of mining features are contember of mining features are contember of mining features, evocal or features features, evocal or deshard seatures are consistent or features features.  Results of regular months features for the mining requirements, MSDH.	one and
Mazimum Confunent or experimental confunence or experimental confunence of experimental confunence of experimental confunence of experimental confunence or experimental confunence of experimental confusence of	ominant La decide has to a dec	weel Goal (M health section of the control of the c	ICCLG) - Thr LGs allow ICCLG) - The LGs allow ICCLG Al	e "Goal" (MCLG) is to a mergin of self or self of self or self of self or self or self of self or	the level of a dispersion of a defined of a defi	of a contain of a	minued in allowed if distributed to control	drinking water below which in drinking water. There is and below which there is a microbial conductive which there is a microbial conductive with the initial conductive water in the conductive water	discrete of the control of the contr

### 2011 Annual Drinking Water Quality Report 2012 MAY 15 PM 5: 02 Sweethome Water & Sewer District PWS#: 0260015 May 2012

We're pleased to present to you this pear's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from two wells drawing from the Medidian Upper Wilcox Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report contaminated detailed information on how the susceptibility determinations were made has been turnished to our public water system and is available for viewing upon request. The wells for the Sweethome Water & Sewer District have received moderate susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact Colereginald Patter 662.834.3674 or 601.613.0515. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings, Trey are held on the first Monday of each month at 6:00 PM at 106 Westwood Avenue, Lexington, MS 39.095

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that we detected during for the period of January 1<sup>st</sup> to December 31°, 2011, in cases where monitoring wasn't required in 2011, the table reflects the most repent results. As water travels over the surface of rand or underground, it dissolves naturally occurring minerals and, in some cases, recloactive materials and can pleat up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may some from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from unoan storm-water runoff, industrial, or domestic wastewater discharges oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems, radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions.

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow

Treatment Technique (TT) - A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) — The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

				TEST R	ESULI	S		
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects of # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Incrgani	c Contar			<b>,</b>	,		, <u>-</u>	Y
10. Barium	l N	2008*	.058	.013058	ppm	2 1	2	Discharge of drilling wastes; discharge

13. Chromium	N	2008	.9	/.F9	ppb	00	100	Enschalge from steel and pulp mills; erosion of natural deposits:
14. Copper	N	, 2009/11	.3	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
17. Lead	N	2009/11	3	1	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits

<sup>\*</sup> Most recent sample. 1 ) sample requires for 2011.

We are required to monitor your or niking water for specific constituents on a monthly basis. Fesuits of regular monitoring are an indicator of whether or not our drinking water meets health standards. We did complete the monitoring requirements for bacteriological sampling that showed no coliform present. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for provioung high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by Jushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about read in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/salevater/lead, The Mississippi State Department of Freetin Public Health Laboratory offers lead testing. Please contact 60:1576,7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotine at 1-800-426-4781.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their nearch care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotine 1-800-426-4791.

#### \*\*\*\*\*A MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING\*\*\*\*\*

In accordance with the Radionuclides Rule, all community public water supplies were requires to sample quarterly for radionuclides beginning January 2007 – December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Department of Health Radiological health laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice. Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. This is to notify you that as of this date, your water system has not completed the monitoring requirements. The Bureau of Public Water Supply has taken action to ensure that your water system be returned to compliance by March 31, 2013. If you have any questions, please contact Melissa Parker, Deputy Director, Bureau of Public Water Supply, at 601.576.7518.

The Sweethome Water and Sewer District works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.