

BUREAU OF PUBLIC WATER SUPPLY

**CALENDAR YEAR 2011 CONSUMER CONFIDENCE REPORT
CERTIFICATION FORM**

L & F Water Association
Public Water Supply Name

0620007
List PWS ID #s for all Water Systems Covered by this CCR

The Federal Safe Drinking Water Act requires each *community* public water system to develop and distribute a consumer confidence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed to the customers, published in a newspaper of local circulation, or provided to the customers upon request.

Please Answer the Following Questions Regarding the Consumer Confidence Report

Customers were informed of availability of CCR by: *(Attach copy of publication, water bill or other)*

- Advertisement in local paper
- On water bills
- Other _____

Date customers were informed: / /

CCR was distributed by mail or other direct delivery. Specify other direct delivery methods:

Date Mailed/Distributed: / /

CCR was published in local newspaper. *(Attach copy of published CCR or proof of publication)*

Name of Newspaper: The Spirit of Morton

Date Published: 6/6/12

CCR was posted in public places. *(Attach list of locations)*

Date Posted: / /

CCR was posted on a publicly accessible internet site at the address: www. _____

CERTIFICATION

I hereby certify that a consumer confidence report (CCR) has been distributed to the customers of this public water system in the form and manner identified above. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply.

Fred Ray Max Joseph
Name/Title (President, Mayor, Owner, etc.)

6-16-12
Date

Mail Completed Form to: Bureau of Public Water Supply/P.O. Box 1700/Jackson, MS 39215
Phone: 601-576-7518

2011 Annual Drinking Water Quality Report
 L&F Water Association
 PWS#: 0620007
 May 2012

RECEIVED-WATER SUPPLY

2012 JUN 20 AM 10:17

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Meridian Upper Wilcox Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the L&F Water Association have received lower to moderate susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact Fred May at 601-732-2434. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Thursday of each quarter at 7:00 PM at the Ludlow Volunteer Fire Department.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2011. In cases where monitoring wasn't required in 2011, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

TEST RESULTS

| Contaminant | Violation Y/N | Date Collected | Level Detected | Range of Detects or # of Samples Exceeding MCL/ACL | Unit Measurement | MCLG | MCL | Likely Source of Contamination |
|-------------------------------|---------------|----------------|----------------|--|------------------|------|--------|--|
| Inorganic Contaminants | | | | | | | | |
| 10. Barium | N | 2010* | .006 | .004 - .006 | ppm | 2 | 2 | Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits |
| 13. Chromium | N | 2010* | 3.6 | 2.2 - 3.6 | ppb | 100 | 100 | Discharge from steel and pulp mills; erosion of natural deposits |
| 14. Copper | N | 2009/11 | .4 | 0 | ppm | 1.3 | AL=1.3 | Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives |

| | | | | | | | | |
|--------------|---|---------|------|------------|-----|----|-------|---|
| 16. Fluoride | N | 2010* | .328 | .224- .328 | ppm | 4 | 4 | Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories |
| 17. Lead | N | 2009/11 | 1 | 0 | ppb | 0 | AL=15 | Corrosion of household plumbing systems, erosion of natural deposits |
| 21. Selenium | N | 2010* | 1.1 | No Range | ppb | 50 | 50 | Discharge from petroleum and metal refineries; erosion of natural deposits; discharge from mines |

Disinfection By-Products

| | | | | | | | | |
|-------------------------------------|---|------|-------|----------|-----|---|----------|--|
| 81. HAA5 | N | 2011 | 31.75 | 13 - 52 | ppb | 0 | 60 | By-Product of drinking water disinfection. |
| 82. TTHM [Total trihalomethanes] | N | 2011 | 52.75 | 47 - 54 | ppb | 0 | 80 | By-product of drinking water chlorination. |
| Chlorine | N | 2011 | 1.7 | 1.25 – 2 | ppm | 0 | MDRL = 4 | Water additive used to control microbes |

* Most recent sample. No sample required for 2011.

As you can see by the table, our system had no violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected, however, the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

Significant Deficiency:

During a sanitary survey conducted on 10/27/2011, the Mississippi State Department of Health cited the following significant deficiency:

Well near source of contamination

Corrective actions: This system is currently under a Bilateral Compliance Agreement with the MSDH to correct this deficiency by 12/31/2012.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

To comply with the "Regulation Governing Fluoridation of Community Water Supplies", our water system is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year that average fluoride sample results were within the optimal range of 0.7-1.3 ppm was 1. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range of 0.7-1.3 ppm was 100%.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

*****A MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING*****

In accordance with the Radionuclides Rule, all community public water suppliers were required to sample quarterly for radionuclides beginning January 2007 – December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Department of Health Radiological health laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice. Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. This is to notify you that as of this date, your water system has not completed the monitoring requirements. The Bureau of Public Water Supply has taken action to ensure that your water system be returned to compliance by March 31, 2013. If you have any questions, please contact Melissa Parker, Deputy Director, Bureau of Public Water Supply, at 601.576.7518.

The L&F Water Association works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

Notice: This will serve as notice of the Consumer Confidence Report as this report will not be mailed out.

2012 JUN 20 AM 10:17

Invoice

Little's Printing Service, Inc. Spirit of
 Morton / Advertiser
 32 W. 2nd Avenue
 P. O. Box 80
 Morton, MS 39117
 Phone : 601-732-8999

| | |
|----------|-----------|
| DATE | INVOICE # |
| 6/8/2012 | 32412 |

| |
|---|
| BILL TO |
| L & F Water Association ATTN: Sue May 209 Fairground Road Morton, MS 39117 |

| |
|----------------|
| SHIP TO |
| |

| P.O. NUMBER | TERMS | REP | SHIP | VIA | F.O.B. | PROJECT |
|-------------|----------------|-----|----------|-----|--------|-------------------------|
| | Due on receipt | | 6/8/2012 | | | L & F Water Association |

| QUANTITY | ITEM CODE | DESCRIPTION | PRICE EACH | AMOUNT |
|----------|---------------|---|------------|--------|
| 1 | Legal Notices | Legal Notice - Spirit of Morton Newspaper L & F Water Association Annual Drinking Water Report ran on 6/6 1,757 words @ \$.12 each | 210.84 | 210.84 |

Total \$210.84



photo by BETTY LITTLE

Charles Wilson receives 4-H award

Charles Wilson of Morton was presented Second Place Showmanship winner at the 4-H show in Forest May 14. He showed a palomino horse owned by Jimmy Laird also of Morton.

Are you sensitive?

by Pastor Luis Carriagena

After all, we are living in times where everybody knows what is going on in the world. Bad news is at the forefront of most news media in such an overwhelming way that many people are not sensitive to those tragedies or disasters where the deaths can be counted by hundreds or thousands.

In our spiritual lives this can happen also. Many people listen to sermons, and we preach how we could be free when we obey God. As pastors we see that some people appear to not want to understand the message. Perhaps they were thinking on other issues or they forget everything while walking out of the temple. There's nothing new under the sun, and they should know how dangerous it is to do it. They can reach a level where nothing matters, because they lost sensitivity to sin. Be careful! If you are one of those people, you should know that you are in the waiting room of a spiritual death. When we sin and don't repent, we are assuming that everything is normal.

2011 Annual Drinking Water Quality Report L&F Water Association

PWS#: 0620007
May 2012

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Madison Lippert Wilcox Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the L&F Water Association have received lower residence susceptibility ratings to contamination.

If you have any questions about this report or concerning your water utility, please contact Fred May at 801-732-2434. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Thursday of each quarter at 7:00 PM at the Ludlow Volunteer Fire Department.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2011. In cases where monitoring wasn't required in 2011, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity. Microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and auto service systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA practices regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter (µg/l) - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

TEST RESULTS

| Contaminant | Violation Y/N | Date Collected | Level Detected | Range of Detects or # of Samples Exceeding MCL/MCLG | Unit Measurement | MCLG | MCL | Likely Source of Contamination |
|-------------------------------|---------------|----------------|----------------|---|------------------|------|--------|--|
| Inorganic Contaminants | | | | | | | | |
| 10. Barium | N | 2/10* | .006 | .004 - .009 | ppm | 2 | 2 | Discharge of drilling wastes, discharge from metal refineries, erosion of natural deposits |
| 13. Chromium | N | 2/10* | 3.6 | 2.2 - 3.6 | ppb | 100 | 100 | Discharge from steel and pulp mills, erosion of natural deposits |
| 14. Copper | N | 2/08/11 | A | 0 | ppm | 1.3 | AL=1.3 | Discharge from steel and pulp mills, erosion of natural deposits, corrosion of household plumbing systems, erosion of natural deposits, leaching from wood preservatives |
| 16. Fluoride | N | 2/10* | .369 | .224 - .328 | ppm | 4 | 4 | erosion of natural deposits, water additive which promotes strong teeth, discharge from fertilizer and aluminum facilities |
| 17. Lead | N | 2/08/11 | 1 | 0 | ppb | 0 | AL=15 | Corrosion of household plumbing systems, erosion of natural deposits |
| 21. Selenium | N | 2/10* | 1.1 | No Range | ppb | 50 | 50 | Discharge from petroleum and metal refineries, erosion of |

2012 JUN 14 AM 10:57 L&F WATER SUPPLY

When John the Baptist baptized he exhorted: "Bear fruit in keeping with repentance. And do not presume to say to yourselves, 'we have Abraham as our father,' for I tell you, God is able from these stones to raise up children for Abraham." Matthew 3:8-9 (ESV) Our Christianity can't stop and be only words following religious traditions, because we ought to give testimony of our internal change with our behavior. When we feel and are sensitive to what is bad in our lives, we are thinking about the consequences that sin has.

To be on the straight path means to be able to meditate on our actions and to make sure they agree with our beliefs and faith. A large part of society has lost compassion, and they don't care about the needy, those who suffer and about those who sin. They watch but don't feel the need for piety because they ignore Christ's teachings. "For I do not do the good I want, but the evil I do not want is what I keep on doing." Romans 7:19 (ESV) Be careful! This is a symptom of a terminal spiritual disease because you push away love. You close the door to communion with God.

Serious consequences exist for our spiritual lives, because when Jesus comes again, there will be a resurrection into real life for those who really believed and the others will be pushed away from God. "Do not marvel at this, for an hour is coming when all who are in the tombs will hear his voice and come out; those who have done good to the resurrection of life, and those who have done evil to the resurrection of judgment." John 5:28-29 (ESV)

We should neither be indifferent nor insensible if we have already accepted God because we need to do God's will. The opposite means you have not listened to nor understand His message. "And you do not have his word abiding in you, for you do not believe the one whom he has sent." John 5:38. (ESV) May God bless you.

Elvis is coming to the FedExForum in Memphis



ELVIS' 35TH ANNIVERSARY CONCERT
THURSDAY, AUGUST 16

Elvis returns to Memphis for a spectacular concert event starting the real Elvis Presley HD video. TICKETS ON SALE NOW!

GET TICKETS AT THE ELVIS MEMPHIS BOX OFFICE, ALL TICKETMASTER LOCATIONS, ONLINE AT TICKETMASTER.COM, OR CHANGE BY PHONE AT 1-800-745-3000. FOR MORE ABOUT ELVIS, VISIT: www.elvis.com

Disinfection By-Products

| ST. MAAS | TR | 2011 | 31.78 | 13 - 82 | ppb | 0 | 80 | By-Product of drinking water disinfection |
|--------------------------|----|------|-------|----------|-----|---|----------|---|
| ED. TTHM | N | 2011 | 82.78 | 47 - 84 | ppb | 0 | 80 | By-product of drinking water disinfection |
| Total (Microbial) | | | | | | | | |
| Chlorine | N | 2011 | 1.7 | 1.28 - 2 | ppm | 0 | MGDL = 4 | Water additive used to control microbes |

Most recent sample. No sample required for 2011.

As you can see by the table, our system has no violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected, however, the EPA has determined that your water is SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems comply all monitoring requirements, MSCH now notifies systems of any resulting samples prior to the start of the compliance period.

Significant Deficiency:
During a sanitary survey conducted on 10/27/2011, the Mississippi State Department of Health cited the following significant deficiency:
Was new source of contamination
Corrective Action: This system is currently under a Consent Compliance Agreement with the MSCH to correct this deficiency by 12/31/2012.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the State Drinking Water Hotline or at <http://www.epa.gov/lead/>. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.878.7082 if you wish to have your water tested.

To comply with the "Regulation Governing Fluoridation of Community Water Supplies", our water system is required to report certain results pertaining to fluoridation of our water system. The number of months in the previous calendar year that average fluoride sample results were within the optimal range of 0.7-1.2 ppm was 1. The percentage of fluoride samples collected in the previous calendar year that was within the optimal range of 0.6-1.3 ppm was 100%.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man-made. These substances can be chlorine, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/MSCH maintains an appropriate reason to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the State Drinking Water Hotline 1-800-368-4791.

*****A MESSAGE FROM MSCH CONCERNING RADIOLOGICAL SAMPLING*****

In accordance with the Radionuclide Rule, all community public water suppliers were required to sample quarterly for radionuclides beginning January 2007 - December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Department of Health Radiological Health Laboratory, the Environmental Protection Agency (EPA) suspended shipment and reporting of radiological compliance samples and results until further notice. Although this was not the result of action by the public water supply, MSCH was required to issue a violation. This is to notify you that as of this date, your water system has not completed the monitoring requirements. The Bureau of Public Water Supply has taken action to ensure that your water system be returned to compliance by March 31, 2013. If you have any questions, please contact Melissa Parker, Deputy Director, Bureau of Public Water Supply, at 601.878.7018.

The L&P Water Association works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water source, which is the heart of our community, and that of us and our children's future.

Notice: This will serve as notice of the Consumer Confidence Report as this report will not be mailed out.

June Edition of
The Spirit of
Scott County...
... Is Its People
Coming in June!

Community, Civic,
or Church News is
welcome!

Just mail to:
PO Box 86, Merton, MS 39117
or Fax: 601-732-1468 or email:
spirit@morton@bellouth.net
DEADLINE: FRIDAY 5 P.M.