

2013 JUN -6 PM 12: 23

WAUTUBBEE WATER ASSOCIATION

Public Water Supply Name

0120027

PWS ID # (*s):

The Federal Safe Drinking Water Act requires each Community public water system to develop and distribute a consumer confidence report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed or delivered to the customers, published in a newspaper of local circulation, or provided to the customers upon request. Make sure you follow the proper procedures when distributing the CCR. **Since this is the first year of electronic delivery, we request you mail or fax a hard copy of the CCR and Certification Form to MSDH. Please check all boxes that apply.**

Please Answer the Following Questions Regarding the Consumer Confidence Report

Customers were informed of availability of CCR by: *(Attach copy of publication, water bill, or other)*

- Advertisement in local paper (attach copy of advertisement)
- On water bills (attach copy of bill)
- E-mail message (MUST Email the message to the address below)
- Other _____

Date customers were informed: 151 16 1231 . 1 1

CCR was distributed by U.S. Postal Service or other direct delivery. Must specify other direct delivery methods used

Date mailed/distributed: 5 117 113 - To out of state customers

CCR was published in local newspaper. *(Attach copy of published CCR and proof of publication)*

Name of Newspaper: The Clarke County Tribune

Date Published: 5 1 16 1 13

CCR was posted in public places. *(Attach list of locations)* Date posted: 5 117 113

CCR was posted on a publicly accessible internet site at the address: **(DIRECT URL REQUIRED):**

CERTIFICATION:

I hereby certify that the 2012 Consumer Confidence Report (CCR) has been distributed to the customers of this public water system in the form and manner identified above and that I used distribution methods allowed by the SDWA. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply.

Margaret Jane McLandy Secretary
Name/Tittle (President, Mayer, Owner, etc.)

6-4-13
Date

This Consumer Confidence Report (CCR) was completed by MS Cross Connection, LLC with information provided by the above Public Water System and is certified only to be as true & correct as the information provided.

Susan Bayliss
Signature

5-6-13
Date

Deliver or send via U. S. Postal Service:
Bureau of Public Water Supply
P O Box 1700
Jackson, MS 39215

May be faxed to:
(601) 576-7800

May be emailed to:
Melanie.Yanklowski@msdh.state.ms.us

2013 JUN -6 PM 12: 24

Annual Drinking Water Quality Report
Wautubbee Water Association
PWS ID #0120027
May, 2013

We're pleased to present to you this year's Annual Water Quality Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source consists of one well that draws from the Lower Wilcox Aquifer.

A source water assessment has been completed for the Wautubbee Water Association's water supply to determine the overall susceptibility of its drinking water to identify potential sources of contamination. The water supply for Wautubbee Water Association received a lower susceptibility ranking to contamination.

We're pleased to report that our drinking water meets all federal and state requirements.

If you have any questions about this report or concerning your water utility, please contact Gerald Sanders at 601-934-7638. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Monday of each month at 2242 C. R. 311 in Enterprise at 7:00 p.m.

Wautubbee Water Association routinely monitors for constituents in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2012. As water travels over the land or underground, it can pick up substances or contaminants such as microbes, inorganic and organic chemicals, and radioactive substances. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily pose a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT) - A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

Maximum Contaminant Level - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal - The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

TEST RESULTS

Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source of Contamination
Inorganic Contaminants								
10. Barium	N	2011*	0.0096	No Range	Ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N	2011*	0.2	None	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
17. Lead	N	2011*	6	None	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
Disinfectants & Disinfection By-Products								
Chlorine (as Cl ₂)	N	1/1/12 to 12/31/12	0.50	0.50 to 0.50	ppm	4	4	Water additive used to control microbes
73. TTHM [Total tri-halomethanes]	N	2011*	10.95	No Range	ppb	0	80	By-product of drinking water chlorination
HAA5 [Haloacetic acids]	N	2011*	5	No Range	ppb	0	60	By-product of drinking water chlorination

* Most recent sample results available

SIGNIFICANT DEFICIENCY(S)

During a sanitary survey conducted on 10/11/12, the Mississippi State Department of Health cited the following significant deficiency(s):

- 1) Inadequate internal cleaning/maintenance of storage tanks
- 2) Lack of redundant mechanical components where treatment is required

Corrective Actions:

- 1) MSDH is currently working with this system to return them to compliance since the expiration of the compliance since the expiration of the compliance deadline. It is anticipated we will be returned to compliance by June 1, 2013.
- 2) MSDH is currently working with this system to return them to compliance since the expiration of the compliance since the expiration of the compliance deadline. It is anticipated we will be returned to compliance by June 1, 2013

*****APRIL 1, 2013 MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING*****

In accordance with the Radionuclides Rule, all community public water supplies were required to sample quarterly for radionuclides beginning January 2007 - December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Department of Health Radiological Health Laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice. Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. This is to notify you that as of this date, your water system has completed the monitoring requirements and is now in compliance with the Radionuclides Rules. If you have any questions, please contact Karen Walters, Director of Compliance and Enforcement, Bureau of Public Water Supply, at 601-576-7518.

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Wautubbee Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

This report being published in the paper will not be mailed. Please call our office if you would like a copy or have questions.

RECEIVED-WATER SUPPLY

2013 JUN -6 PM 12: 23

Posted In The Following Places

Bethel Baptist Church

Souenlovie Baptist Church

Pachuta Public Library

PROOF OF PUBLICATION 2013 JUN -6 PM 12: 24

STATE OF MISSISSIPPI
COUNTY OF CLARKE

Invoice # _____

Before me, the undersigned authority in and for said county of Clarke, legal clerk of The Clarke County Tribune, a newspaper published in the City of Quitman, County of Clarke, Mississippi, being duly sworn says that the notice, a copy of which is hereto attached, was published in said newspaper as follows, to-wit:

Dated 5-16 2013

Dated _____ 20____

Dated _____ 20____

Dated _____ 20____

The Clarke County Tribune

By: [Signature]

Sworn to and subscribed before me, the said Notary Public as aforesaid, do certify that the newspaper containing said notice has been produced before me and compared with the copy hereto attached and that the same is correct and truly made.

Given under my hand and the seal of said county, this the 3rd day of June 2013.

Printer's Fee: \$ _____

Proof of Pub: \$ _____

TOTAL: \$ 241.50

Beth D Jordan By: Wanda Heams or
Notary Public



Education

Students learn about money, saving and investing

BY JAMES W. SWINDELL JR.
Ph.D.

BankPlus representatives Mrs. Tammy Larson and Mrs. Frances Underwood spoke to Quitman junior high and high school students Wednesday morning about budgeting, saving money, using debit cards, balancing checking accounts, individual retirement

accounts, and investing. Mrs. Larson discussed budgeting and gave a wonderful example using the purchase of a hamster. She explained that some of their expenses would be comprised of food, a cage, a water bottle and a food bowl. Another simple but understandable example of budgeting was given by using \$100/week income. The expenses consisted of a house note of \$50,

and a car note of \$30. She asked the students how much was left. Desean Hall correctly answered \$20. She then added that a decision has to be made to spend the remaining \$20 on food – a need or on some pricy tennis shoes which would be a want. Ms. Jacqueline Brown, teacher assistant, stated, "One thing from the presentation that students could focus on was working to better themselves and learning to budget based on needs and not wants." When bills can't be paid the students learned that the bank often has to repossess items so ultimately there is a danger of spending more than you make and not properly budgeting.

Mrs. Underwood shared information about the pros and cons of having a debit card. Convenience was big on the pro side but overspending due to poor record keeping was big on the con side. She emphasized how important it is to keep good records of what you spend on a debit card so you don't overspend. The importance of establishing

and balancing a checking account was related directly to debit card spending. Students learned that they could open up a checking account under the supervision of their parents and begin saving money and balancing the account.

Students also learned that doing business with a bank allows one to keep savings protected from fire and theft as opposed to keeping money at home 'under the mattress'. The IRA or individual retirement account was explained to students as a way of saving each year for retirement. Other topics discussed included money market accounts and the opening of a "Christmas" account that could be opened for as little as \$5 allowing one to save each month automatically and get paid interest. Staff member Rio Price added, "The kids learned how important it is to budget, save and invest throughout their working years in order to live well and enjoy life after retirement."

Annual Drinking Water Quality Report Wautubbee Water Association PWS # 0270012 May 2013

We're pleased to present to you this year's Annual Water Quality Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually give the water treatment process and protect our water resources. We are committed to ensuring the quality of our water. Our water source is one well that draws from the Lower Wilcox Aquifer.

A source water assessment has been completed for Wautubbee Water Association's water supply to determine the overall susceptibility of its drinking water to identify potential sources of contamination. A report containing detailed information has been received by our office and will be made available for review upon request. The water supply for Wautubbee Water Association received a lower susceptibility ranking to contamination.

We're pleased to report that our drinking water meets all federal and state requirements. If you have any questions, about this report or concerning your water utility, please contact Gerald Sanders at (601) 659-7638. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Monday of every month at 7:00 p.m. at 2242 County Road 311, Enterprise.

Wautubbee Water Association routinely monitors for constituents in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2012. As water travels over the land or underground, it can pick up substances or contaminants such as microbes, inorganic and organic chemicals, and radioactive substances. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily pose a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceed, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT) - A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

Maximum Contaminant Level - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

TEST RESULTS

Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Values or # of Samples Exceeding MCL/Gs	Unit Measurement	MCLG	MCL	Action Level	Source of Contamination
Inorganic Contaminants									
10. Barium	N	2011*	0.0096	No Range	ppm	2	2	2	Discharge of drilling wastes, discharge from metal refineries, erosion of natural deposits
14. Copper	N	2011**	0.2	None	ppm	1.3	1.3	1.3	Corrosion of household plumbing systems, erosion of natural deposits, leaching from wood preservatives
17. Lead	N	2011**	6	None	ppm	0	15	15	Corrosion of household plumbing systems, erosion of natural deposits
Disinfectants & Disinfection By-Products									
Chlorine (as Cl ₂)	N	1/17/12 to 12/12/12	0.50	0.50 to 0.50	ppm	4	4	4	Water additive used to control microbes
73. THM4 (Total trihalomethanes)	N	7/01/11*	10.95	No Range	ppb	0	100	100	By-product of drinking water chlorination
HAAs (Haloacetic Acids)	N	2011**	5	No Range	ppb	0	100	100	By-product of drinking water chlorination

* Most recent sample results available

Significant Deficiencies

During a sanitary survey conducted on 10/11/12, the Mississippi State Department of Health cited the following significant deficiencies:

1. Inadequate internal cleaning/maintenance of storage tanks.
2. Lack of redundant mechanical components where treatment is required.

Corrective actions:

1. MSDH is currently working with this system to return them to compliance since the expiration of the compliance deadline. It is anticipated we will be returned to compliance by June 1, 2013.
2. MSDH is currently working with this system to return them to compliance since the expiration of the compliance deadline. It is anticipated we will be returned to compliance by June 1, 2013.

April 1, 2013 A MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING

In accordance with the Radionuclides Rule, all community public water supplies were required to sample quarterly for radionuclides beginning Jan. 2007-Dec. 2007. Your public water supply completed the sampling by the scheduled deadline; however, during an audit of the Mississippi State Department of Health Radiological Health Laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice. Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. This is to notify you that as of this date, your water system has completed the monitoring requirements, and is now in compliance with the Radionuclides Rules. If you have any questions, please contact Karen Welters, Director of Compliance and Enforcement, Bureau of Public Water Supply, at 601-576-7618.


Additional Information For Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Wautubbee Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601-576-7682 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in water than the general population. Immunocompromised persons, such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

This report being published in the paper will not be mailed. Please call our office if you have questions.



Mrs. Tammy Larson and Mrs. Frances Underwood present budgeting and saving to Quitman students.



Painting with a Twist - Front: Cogan McGruder, Taylor Boyd, and Dylan Robinson. Back: Matthew Goodman, Blaine Parker, and Grant Goodman.

Students paint with a twist

On Friday, April 19, 2013 Mrs. Blair & Mrs. Anita took their class on an Art Trip to "Painting with a Twist" located in North Hills, Meridian. The teachers and students wore their tie-dye shirts that they made during the week, with the help and guidance of Mrs. Tullos and her chemistry class. While on their trip the students learned various painting techniques from Ms. Scarlet who was their painting instructor. They also had the opportunity to tour the gallery and look at all of the other paintings that were displayed on the walls. We

all agreed that each painting told their very own story. Our class will definitely take another trip to Painting with a Twist. We would like to say "Thank you" to Mrs. Judy (the owner) and Ms. Cane's.

