

MISSISSIPPI STATE DEPARTMENT OF HEALTH 2013 JUN 10 AM 9:33  
 BUREAU OF PUBLIC WATER SUPPLY  
 CCR CERTIFICATION FORM  
 CALENDAR YEAR 2012

Town of Plantersville  
 Public Water Supply Name

0410011

List PWS ID #s for all Community Water Systems included in this CCR

The Federal Safe Drinking Water Act (SDWA) requires each Community public water system to develop and distribute a Consumer Confidence Report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed or delivered to the customers, published in a newspaper of local circulation, or provided to the customers upon request. Make sure you follow the proper procedures when distributing the CCR. **Since this is the first year of electronic delivery, we request you mail or fax a hard copy of the CCR and Certification Form to MSDH. Please check all boxes that apply.**

Customers were informed of availability of CCR by: *(Attach copy of publication, water bill or other)*

- Advertisement in local paper (attach copy of advertisement)
- On water bills (attach copy of bill)
- Email message (MUST Email the message to the address below)
- Other \_\_\_\_\_

Date(s) customers were informed: \_\_\_\_/\_\_\_\_/\_\_\_\_, \_\_\_\_/\_\_\_\_/\_\_\_\_, \_\_\_\_/\_\_\_\_/\_\_\_\_

CCR was distributed by U.S. Postal Service or other direct delivery. Must specify other direct delivery methods used \_\_\_\_\_

Date Mailed/Distributed: \_\_\_\_/\_\_\_\_/\_\_\_\_

CCR was distributed by Email (MUST Email MSDH a copy) Date Emailed: \_\_\_\_/\_\_\_\_/\_\_\_\_

- As a URL (Provide URL \_\_\_\_\_)
- As an attachment
- As text within the body of the email message

CCR was published in local newspaper. *(Attach copy of published CCR or proof of publication)*

Name of Newspaper: Lee Co. Courier

Date Published: 5/30/13

CCR was posted in public places. *(Attach list of locations)* Date Posted: \_\_\_\_/\_\_\_\_/\_\_\_\_

CCR was posted on a publicly accessible internet site at the following address **(DIRECT URL REQUIRED)**: \_\_\_\_\_

**CERTIFICATION**

I hereby certify that the 2012 Consumer Confidence Report (CCR) has been distributed to the customers of this public water system in the form and manner identified above and that I used distribution methods allowed by the SDWA. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply.

Maryn Gougeon HLF  
 Name/Title (Resident, Mayor, Owner, etc.)

5-31-13  
 Date

Deliver or send via U.S. Postal Service:  
 Bureau of Public Water Supply  
 P.O. Box 1700  
 Jackson, MS 39215

May be faxed to:  
 (601)576-7800

May be emailed to:  
[Melanie.Yanklowski@msdh.state.ms.us](mailto:Melanie.Yanklowski@msdh.state.ms.us)

✓

2013 JUN 10 AM 9:33

PROOF OF PUBLICATION

STATE OF MISSISSIPPI  
COUNTY OF LEE

Before the undersigned, a NOTARY  
in and for said state and county, JIM CLARK  
general manager of the

LEE COUNTY COURIER

a newspaper published  
in the Town of TUPERO in said county and state, makes oath that the

WATER REPORT


of which the article hereunto attached is a true copy, was published in said newspa-  
per as follows:

- Volume 22, No. 22 Date 5-30 2013
- Volume \_\_\_\_\_, No. \_\_\_\_\_ Date \_\_\_\_\_ 20\_\_\_\_\_
- Volume \_\_\_\_\_, No. \_\_\_\_\_ Date \_\_\_\_\_ 20\_\_\_\_\_
- Volume \_\_\_\_\_, No. \_\_\_\_\_ Date \_\_\_\_\_ 20\_\_\_\_\_
- Volume \_\_\_\_\_, No. \_\_\_\_\_ Date \_\_\_\_\_ 20\_\_\_\_\_

And I, hereby certify that the issues above mentioned have been examined  
by me, and I find the publication thereof to have been duly made, and that The Lee  
County Courier has been established, published and had a bona fide circulation in  
said city, county and state for more than one year next proceeding the first date writ-  
ten above.

[Signature]  
General Manager

Sworn to and subscribed before me this the 30<sup>th</sup> day  
of May, 2013  
Janice M. Hoover  
My commission expires June 10, 2013



No robots were being fired in the direction of the houses and they were being fired during daylight hours. Deputy explained to the woman that it was not illegal for an individual as long as they fired on private property and in a safe direction. She was very dissatisfied and said it was disrespectful for people to be shooting where the shots could be heard by others. She said she would continue to call every time she heard the shots, 5-28.

CR 1145, Auburn, false pretense, recovered stolen vehicle, a man said he purchased what he thought to be a 1971 Chevy C10 truck, that was sitting on South Gloster Street in Tupelo. He called the number on the window and spoke to the suspect. The suspect followed him back to his residence and he paid the suspect for the truck. He received a bill of sale and the title. He then saw a similar truck, to the one he bought, reported stolen out of Henderson, Tenn. He called the Lee County Sheriff's Department and a Sgt. Rhodes with the Henderson, Tenn. Police Department was contacted. It was confirmed that a 1972 Chevy C10 truck was stolen, that matched the description of the truck he had purchased. It appeared the Vin Tag inside the driver's door had been changed along with the Chevy emblem on the front, 5-24.

Lake, Piomingo, breaking and entering, a woman said her granddaughter came there to stay a few days and found the front door open. There was nothing missing, but there was marijuana found in the bedroom. Some clothes, Swisher Sweet cigars and footprints were also found in the bedroom. There was a knife in the kitchen and some strange black stuff in the bathtub. They also replaced a bedroom window, that had been broken last Sunday, 5-24.

Mooreville, possible assault, medical call, deputies responded to a 911 call that someone had been assaulted. Deputies found a very drunk man. He was advised if he wanted to file charges, he could do it tomorrow. He left with the medics, 5-26.

Lake Forrest, Saltillo, vicious dog, a man said his neighbor's dog is very vicious and has already bitten four of the neighbors in the subdivision. The dog attacked the latest victim when she was leaving for church. It attacked another walking in the neighborhood. He said his wife sprayed it with mace and the owners son came out and got the dog. The neighbor's son said, "If you hurt my dog, I'm going to hurt you," 5-23.

Mooreville, unwanted guest, victim wanted the suspect, her boyfriend, to leave. The suspect agreed to leave. The suspect called a friend to pick him up. No report wanted. They both were intoxicated, 5-25.

Bonnie Farm, Mooreville, missing person, a man left home and told his wife he was going to a park in Baldwin. He didn't come home and she hadn't heard from him. She and his son had tried to get up with him and couldn't. He left in a white Chevy Lumina, with Lee County plates. He was wearing black shorts and a blue T-shirt, with no sleeves, with a green and tan Phoenix hat. He is missing a right leg and the index finger on his left hand. He had tattoos on his body. He has high blood pressure. The man texted his wife after she filed the report and said he was alright, 5-25.

Plantersville, assault, a woman said the suspect was on a motorcycle and stopped in front of their house and sprayed their dog with mace. The wind caught the spray and it got in her face, causing discomfort. She told him she would call the law. The suspect said, "Damn the law, bring them on," 5-26.

Green Tee Road, Verona, property damage, trespass, a man said the female suspect got out of a grey Nissan Altima and walked into his yard. She cut the tire on his car. She then called his son and laughed about what she did, 5-24.

Northridge, Saltillo, simple assault, threats, a woman said

Turkey Trail, Lake Piomingo, vandalism, malicious mischief, a man said someone stole three letters off the sign and messed up the Indian's head. There was a half-inch wrench found by the sign, 5-20.

CR 154, Shannon, general information, a man said that between 2010 until recently he's been locked up in jail. He said someone has been using his information to file taxes. He said he did not file taxes, while he was locked up in jail, 5-20.

CR 265, Shannon, general information, a man said he got a letter from the IRS saying he owes money and works in Holly Springs. He said he never worked in Holly Springs. He said he called the business in Holly Springs and they told him someone, with his name and information, works there, 5-17.

CR 1452, theft of medicine, a man said a female suspect took his morphine. The suspect had a wreck and is in jail for possession of narcotics, DUI and more, 5-17.

Shannon, damage to property, a man said a cow came up out of a ditch and walked into his vehicle. He said he believed he knew who owned the cow. There was heavy damage to the passenger bumper, hood and fender, 5-17.

CR 1562, threats, a woman said she is receiving threatening texts from someone. She said the texts say they are going to harm her and her family, 5-24.

Hwy. 348, Guntown, family disturbance, a woman said she and her husband got into an argument because he went outside with his ex-girlfriend. She left with her mother, 5-18.

Rd. 2346, Guntown, disturbance, a woman said her husband got mad at the kids for being in front of the TV. He grabbed the kid by the shirt and pulled the child into the floor. She said that's why her and her husband got in an argument. The suspect broke a Xbox 360 and a water pipe in the front yard before leaving on a Honda 250 four-wheeler. He also cut doughnuts in the yard and driveway before leaving, 5-18.

Hwy. 178, Skyline, property damage, a man said his estranged wife came to his residence. They talked for a few minutes and then she told him she needed money. He told her he didn't have any money to give her. She got mad and threw an Amsterdam gin bottle at the TV, then kicked the TV over, busting the screen and destroying the TV, 5-18.

Dr. 1367, Guntown, trespassing, a man said he was sitting on his front porch when he saw a male going in and out of his shop, near the woods. He confronted the suspect and asked him what he was doing. The suspect said he didn't know, 5-18.

Guntown, dog bite, a man said he went to a gentlemen's house to look at purchasing some items he'd seen on his Facebook page. He said he and his wife were bitten by the suspect's dog. The owner said the dog was up to date on his shots, 5-18.

CR 2720, Guntown, breaking and entering, a man said when he returned home he found someone had cut the screen off his back porch door and pulled the screens out of three windows. The back door had been forced open and a gold trigger 30-30 Mellin, an AR-15 bolt action British 303, a Remington 66 22 caliber, a 20 gauge bolt-action Browning 30-06 bolt-action and a money box, full of cash were taken. Also an undetermined amount of ammunition was missing, 5-18.

CR 1820, Saltillo, petit larceny, a man said he works second shift. He borrowed a weed eater from a friend. He used the weed eater Tuesday, and afterwards he stuck the weed eater under his house. He went back to get the weed eater and it was gone, 5-14.

CR 855, Shannon, phone threats, a woman said another female suspect has been making threats towards her. She said her son and the suspect don't get along. She said the suspect has made these threats on her Facebook page, 5-19.

# "2012 Annual Drinking Water Quality Report"

## Town of Plantersville

PWS ID: 0410011

May 22, 2013

We're very pleased to provide you with this year's Annual Water Quality Report. We want to keep you informed about the excellent water and services we have delivered to you over the past year. Our goal is and always has been, to provide to you a safe and dependable supply of drinking water. Our water source is groundwater and our well's draw from the McShand Formation.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. The general susceptibility rankings assigned to each well of this system are provided immediately below. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. All three of our well's all moderate susceptibility contamination.

I'm pleased to report that our drinking water meets all federal and state requirements.

If you have any questions about this report or concerning your water utility, please contact Norma Ballard at (662)-844-2012. We want our valued customers to be informed about their water utility. If you want to learn more, please attend one of our regular meetings held at 6 P.M. on the first Tuesday of each month at the Town Hall.

The Town of Plantersville routinely monitors for constituents in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1<sup>st</sup> to December 31<sup>st</sup>, 2011. As water travels over the land or underground, it can pick up substances or contaminants such as microbes, inorganic and organic chemicals, and radioactive substances. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily pose a health risk.

**Action Level** - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

**Treatment Technique (TT)** - A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

**Maximum Contaminant Level** - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

**Maximum Contaminant Level Goal** - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

### TEST RESULTS

Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source of Contamination
<b>Disinfectants &amp; Disinfection By-Products</b> (There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.)								
Chlorine (as Cl <sub>2</sub> ) (ppm)	N	2012	80	.42-.96	Ppm	4	4	Water additive used to control microbes
<b>Inorganic Contaminants</b>								
Fluoride	N	2012	.113	.103-.113	Ppm	4.0	4.0	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
Barium	N	2012	.093	.083-.093	Ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
Copper	N	2011	.4	No-range	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
Lead	N	2011	1.0	No-range	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits

\*Most recent sample. No sample was required in 2012

### \*\*\* A message from MSDH concerning radiological sampling \*\*\*

In accordance with the Radionuclides Rule, all community public water supplies were required to sample quarterly for radionuclides beginning January 2007- December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Ms. State Department of Health Radiological Health Laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice. Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. This is to notify you that as of this date, your water system has completed the monitoring requirements and is now in compliance with the Radionuclides Rule. If you have any questions, please contact Karen Walters, Director of Compliance & Enforcement, Bureau of Public Water Supply, at (601)576-7518.

### \*\*\*Additional Information for Lead\*\*\*

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Town of Plantersville is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>. Please contact 601-576-7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk.

More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

Your CCR will not be mailed to you however; you may obtain a copy from the Town Hall. Please call 662-844-2012 if you have any questions. Please call our office if you have questions.

2013 MAY 30 10 10 AM EDT  
 2013 MAY 30 10 10 AM EDT