MISSISSIPPI STATE DEPARTMENT OF HEALTH BUREAU OF PUBLIC WATER SUPPLY CCR CERTIFICATION FORM CALENDAR YEAR 2012

Ree Hown Water Public Water Supply Name

025001,0110078,0250007 List PWS ID #s for all Community W	Vater Systems included in this CCR
The Federal Safe Drinking Water Act (SDWA) requires each Consumer Confidence Report (CCR) to its customers each year system, this CCR must be mailed or delivered to the customers, p customers upon request. Make sure you follow the proper proce of electronic delivery, we request you mail or fax a hard cocheck all boxes that apply.	Community public water system to develop and distribute a
Customers were informed of availability of CCR by:	Attach copy of publication, water bill or other)
Advertisement in local paper (attach On water bills (attach copy of bill) Email message (MUST Email the mother posted in well travel	copy of advertisement) essage to the address below) ed tocation
Date(s) customers were informed:/,	
CCR was distributed by U.S. Postal Service or ot methods used	her direct delivery. Must specify other direct delivery
Date Mailed/Distributed://	
CCR was distributed by Email (MUST Email MSDH As a URL (Provide URL As an attachment As text within the body of the email	
CCR was published in local newspaper. (Attach copy	of published CCR or proof of publication)
Name of Newspaper: Port Likson Rever	
Date Published:/	
CCR was posted in public places. (Attach list of locate	ions) Date Posted://
CCR was posted on a publicly accessible internet site	at the following address (DIRECT URL REQUIRED):
certification hereby certify that the 2012 Consumer Confidence Reposition water system in the form and manner identified a he SDWA. I further certify that the information included he water quality monitoring data provided to the public partment of Health, Bureau of Public Water Supply. Manager Consumer Confidence Reposition of the public water supply. Manager Consumer Confidence Reposition of the public water supply. Manager Consumer Confidence Reposition of the public water supply.	bove and that I used distribution methods allowed by din this CCR is true and correct and is consistent with
Deliver or send via U.S. Postal Service: Bureau of Public Water Supply	May be faxed to: (601)576-7800
P.O. Box 1700 ackson, MS 39215	May be emailed to: Melanie. Yanklowski@msdh.state.ms.us

2012 Annual Drinking Water Quality Report Reedtown Water Association & Hubbard Water Association 2013 JUN 22 PM 12: 23 PWS#: 110028, 250021 & 250007 June 2013

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Catahoula Formation, Cockfield Formation and Miocene System Aquifers.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Reedtown Water Association have received lower to moderate susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact Wesley Mathes at 601-942-5092. We want our valued customers to be informed about their water utility. If you want to learn more, please attend the meetings scheduled for the second Tuesday of the month at 6:00 PM at the Reedtown Water Association office.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2012. In cases where monitoring wasn't required in 2012, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

PWS #: 01	1	7349 82		EST RESUL	10				
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination	
Radioactiv	ve Conta	minants							
5. Gross Alpha	N	2012	3.83	1.4 – 3.83	pCi/L	0		15	Erosion of natura
									aopoono
Inorganic	Contam	inants							чороско
10. Barium	N	2011*	.007	No Range	ppm	2	2	Discharge of discharge fror erosion of nat	drilling wastes; n metal refineries;
Inorganic 10. Barium 13. Chromium 14. Copper			1.1	No Range	ppm	100	2	discharge from erosion of nat Discharge from	drilling wastes; n metal refineries;

						***************************************				preservatives	
16. Fluoride	N	2012	1.27	No Range		ppm		4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories	
17. Lead	N	2011*	8	0		ppb		0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits	
Volatile Or	ganic	Contan	ninants								
75. Vinyl Chloride	N	2012	.942	.917942		ppb		0	2	Leaching from PVC piping; discharge from plastics factories	
Disinfection	n By-l	Product	S			• •	,		·		
81. HAA5	Y	4Q2012	157 RAA	134 - 157	ppb		0 60 By-Product of drinking water disinfection.				
82. TTHM [Total trihalomethanes]	Y	4Q2012	286 RAA	286 - 352	ppb	0 O			By-product of drinking water chlorination.		
Chlorine	N	2012	1.4	.5 – 2	mg/l		0	MRD	- '	Nater additive used to control nicrobes	

^{*} Most recent sample. No sample required for 2012.

Disinfection By-Products:

- (81) Haloacetic Acids (HAA5). Some people who drink water containing bromate in excess of the MCL over many years may have an increased risk of cancer
- (82) Total Trihalomethanes (TTHMs). Some people who drink water containing trihalomethanes in excess of the MCL over many years may experience problems with their liver, kidneys, or central nervous systems, and may have an increased risk of getting cancer.

Our systems violated a drinking water standard. We exceeded the MCL for Disinfection Byproducts in all quarters of 2012. The standard for Trihalomethanes (TTHM) is .080 mg/l. The standard for Haloacetic Acids (HAA5) is .060mg/l. On System # 110028 our TTHMs ranged from 88-156 and our HAA5s ranged from 141 – 227. On System # 250007 our TTHMs ranged from 286-352 and our HAA5s ranged from 134 – 157. We are working with the MSDH to evaluate the water supply and researching options to correct the problem.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississispipi State Department of Health Public Health Laboratory offers lead testing. Please contact 601,576,7582 if you wish to have your water tested.

Significant Deficiency - System # 250021

During a sanitary survey conducted on 8/24/2010, the Mississippi State Department of Health cited the following significant deficiency:

Inadequate pump capacity

Corrective actions: This system has entered into a Bilateral Compliance Agreement with the Mississippi State Department of Health to correct this deficiency by 1/10/2014.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

*****April 1, 2013 MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING*****

In accordance with the Radionuclides Rule, all community public water supplies were required to sample quarterly for radionuclides beginning January 2007 — December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippi State Department of Health Radiological Health Laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice. Although this was not the result of inaction by the public water supply, MSDH was required to issue a violation. This is to notify you that as of this date, your water system has completed the monitoring requirements and is now in compliance with the Radionuclides Rule. If you have any questions, please contact Karen Walters, Director of Compliance & Enforcement, Bureau of Public Water Supply, at 601.576.7518.

The Reedtown & Hubbard Water Associations works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future. We are starting a 1.3 million dollar upgrade to our system. We will be laying miles of pipe connecting Reedtown to Hubbard. This will improve both system's quality of water and cut down the number of outages.

2012 Annual Drinking Water Quality Report for Reedtown Water Association & Hubbard Water Association PWS#: 110028, 250021 * 250007 June 2013

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water, We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Catahoula Formation. Cockfield Formation and Miocene System Aquifers.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request The wells, for the Reedtown Water Association have received lower to moderate susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact Wesley Mathes at 601-942-5092- We want our valued customers to be informed about their water utility. If you want to learn more, please attend the meetings scheduled for the second Tuesday of the month at 8:00 p.m. aat the Reedtown Water Association office.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2012, in cases where monitoring wasn't required in 2012, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife: inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a hearth risk.

... In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions;

Maximum Contaminant Level (MCI) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the bast available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which

there is no known or expected risk to health. MCLGs allow for a margin Of safety.

Maximum Residual Disinfectant Level(WRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected risk of hearth. MRQLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms peer liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000.000.

TEST RESULTS PWS#: 0110028 Likely Source of Contemination Range of Detects or MCLG MCL Unit Level Date Violetion Contaminant of Samples Excessing Measun Collected -ment MCL/AC Radioactive Contaminants Erosion of netural 1.4 - 3.83 pCVI. 3.63 deposits 2012 5. Gross Alpha Inorganic Contaminants Discharge of drilling wastes; discharge from motal refineries; No Renge ppm 007 resion of natural deposits Discharge from steel and pulp mile; erosion of natural deposits 100 ppb No Rango 2011 1.1 13. Chromium Erosion of natural deposits; water additive which promotes strong teath; discharge from fertilizer and afurnisum factories No Ronge ppen 2011 123 16. Fluoride Corresion of household plumbing systems, procion of natural ppb 2012 6 17 Laad deposits Disinfection By-Products 80 By-Product of drinking water 141, 227 oob 402012 81. HAA5 By-product of drinking water opb 82. TTHM [Total 88 - 156 402012 tribulomethanes] Water additive used to control MORL = 4 wΩΛ 0 1.4 4 - 2 Chlorine

Some people may be more vulnerable to contaminants in drinking water than the general populations sons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from Infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline i-800-426-4791.

****April 1, 2013 MESSAGE FROM MSDH CONCERNING RADIOLOGICAL SAMPLING***** in accordance with the

Radionuclides Rule, aH community public water supplies were required to sample quarterly for radionuclides beginning January 2007 - December 2007. Your public water supply completed sampling by the scheduled deadline; however, during an audit of the Mississippi Slate Department of Health Radiological Health. Laboratory, the Environmental Protection Agency (EPA) suspended analyses and reporting of radiological compliance samples and results until further notice. Although this was not the result of inaction by the and reporting of macronogical computance samples and results until further notice. Although this was not the result of macron by the public water supply, MSDH was required to issue a violation. This is to notify you that as of this date, your water system has compublic water supply, MSDH was required to issue a violation. This is to notify you that as of this date, your water system has completed the monitoring requirements and is now in compliance with the Radionuclides Rule. If you have any questions, please contact Karen Walters, Director of Compliance & Enforcement. Bureau of Public Water Supply, at 601-576-7518.

The Reedtown & Hubbard Water Associations work around the dock to provide top quality water to every tap. We ask that all of our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future. We are starting a 1.3 million dellar upgrade to our system. We will be laying miles of pipe connecting Reedtown to Hubbard. This will improve both system's quality of water and cut down the number of outages. Contact person: Emily Cohn, P. O. Box 223, Utica, MS 39175. Telephone: 601-885-6839, Fax: 601-885-6990

said count, newspaper, state, who, blished for which, the

the papers. nared with e correct-2013.

-E ųη Δįd

-O.ĭ pəa IO 1. ers, วเาอเ -əa 4

snie.

e sb--110 [

oui t

asid street thes utes East 80.0 feet; thence leave Street, South 78 degrees 45 minthe count time of safe califor

The Port Gibson Reveille
P. O. Box 1002, 708 Market Street
Port Gibson, MS 39150

Invoice

Invoice No. 283

Bill To:

Reedtown Water Association P. O. Box 223 Utica, MS 39175 Remit To

The Port Gibson Reveille P. O. Box 1002 Port Gibson, MS 39150

Date
07/09/13

P.O. Number	Terms	Project
	Due on receipt	

Item	Description	Quantity	Rate	Amount
1/2 page ad	July 4, 2013, water report		319.00	319.00T
			0.00	0.00
		CK. NO. TO	13	
		DATE_7(2	40	
Thanks for adve	ertising in The Reveille		Total	\$319.00