

6/4/14

2014 JUN -2 AM 9:57

MISSISSIPPI STATE DEPARTMENT OF HEALTH
BUREAU OF PUBLIC WATER SUPPLY
CCR CERTIFICATION
CALENDAR YEAR 2013

2014 JUN -2 AM 9:57

TOWN OF TISHOMINGO
Public Water Supply Name

0710010

List PWS ID #s for all Community Water Systems included in this CCR

The Federal Safe Drinking Water Act (SDWA) requires each Community public water system to develop and distribute a Consumer Confidence Report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed or delivered to the customers, published in a newspaper of local circulation, or provided to the customers upon request. Make sure you follow the proper procedures when distributing the CCR. **You must mail, fax or email a copy of the CCR and Certification to MSDH. Please check all boxes that apply.**

Customers were informed of availability of CCR by: *(Attach copy of publication, water bill or other)*

- Advertisement in local paper (attach copy of advertisement)
- On water bills (attach copy of bill)
- Email message (MUST Email the message to the address below)
- Other _____

Date(s) customers were informed: ____ / ____ / ____ , ____ / ____ / ____

CCR was distributed by U.S. Postal Service or other direct delivery. Must specify other direct delivery methods used _____

Date Mailed/Distributed: ____ / ____ / ____

CCR was distributed by Email (MUST Email MSDH a copy) Date Emailed: ____ / ____ / ____
As a URL (Provide URL _____)
As an attachment
As text within the body of the email message

CCR was published in local newspaper. *(Attach copy of published CCR or proof of publication)*

Name of Newspaper: TISHOMINGO County News

Date Published: 5/22/2014

CCR was posted in public places. *(Attach list of locations)* Date Posted: ____ / ____ / ____

CCR was posted on a publicly accessible internet site at the following address (**DIRECT URL REQUIRED**):

CERTIFICATION

I hereby certify that the 2013 Consumer Confidence Report (CCR) has been distributed to the customers of this public water system in the form and manner identified above and that I used distribution methods allowed by the SDWA. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply.

James Ferry, Mayor
Name/Title (President, Mayor, Owner, etc.)

May 30, 2014
Date

Deliver or send via U.S. Postal Service:
Bureau of Public Water Supply
P.O. Box 1700
Jackson, MS 39215

May be faxed to:
(601) 576-7800

May be emailed to:
Melanie.Yanklowski@msdh.state.ms.us

2013 Annual Drinking Water Quality Report

Town of Tishomingo

PWS ID: 0710010

MAY 19, 2014

2014 JUN -2 AM 9:58
WATER SUPPLY

We're very pleased to provide you with this year's Annual Water Quality Report. We want to keep you informed about the excellent water and services we have delivered to you over the past year. Our goal is and always has been, to provide to you a safe and dependable supply of drinking water. Our water source is from the natural spring water at Jackson Springs, in Tishomingo.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The spring for the Town of Tishomingo received a **moderate** ranking to contaminations.

I'm pleased to report that our drinking water meets all federal and state requirements.

If you have any questions about this report or concerning your water utility, please contact Paula Rushing at 662-438-6402. We want our valued customers to be informed about their water utility. If you want to learn more, please attend one of our regular meetings, on the first Tuesday night of each month at 7:00 p.m. at The Town Hall.

The Town of Tishomingo routinely monitors for constituents in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2013. As water travels over the land or underground, it can pick up substances or contaminants such as microbes, inorganic and organic chemicals, and radioactive substances. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily pose a health risk.

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT) - A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

Maximum Contaminant Level - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal - The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MRDL: Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants

Parts per million (ppm) – Milligrams per liter (mg/L).

Parts per billion (ppb) – Micrograms per liter (ug/L).

TEST RESULTS

| Contaminant | Violation Y/N | Date Collected | Level Detected | Range of Detects or # of Samples Exceeding MCL/ACL | Unit Measurement | MCLG | MCL | Likely Source of Contamination |
|---|---------------|----------------|----------------|--|------------------|------|--------|---|
| Disinfectants & Disinfection By-Products (There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.) | | | | | | | | |
| Chlorine (as Cl ₂) (ppm) | N | 2013 | 1.0 | .80-1.10 | Ppm | 4 | 4 | Water additive used to control microbes |
| TTHM | N | *2011 | 7.94 | No-range | Ppb | 0 | 80 | By-product of drinking water chlorination |
| HAA5 | N | *2011 | 1.0 | No-range | Ppm | 0 | 60.0 | By-product of drinking water chlorination |
| Inorganic Contaminants | | | | | | | | |
| Barium | N | 2013 | .0207 | No-range | Ppm | 2 | 2 | Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits |
| Cadmium | N | 2013 | <.0005 | No-range | Ppb | 5 | 5 | Corrosion of galvanized pipes; erosion of natural deposits; discharge from metal refineries; runoff from waste batteries and paints |
| Chromium | N | 2013 | 1.1 | No-range | Ppb | 100 | 100 | Discharge from steel and pulp mills; erosion of natural deposits |
| Nitrite (as Nitrogen) | N | 2013 | 1.61 | .02-1.61 | Ppm | 1 | 1 | Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits |
| Copper | N | *2011 | .1 | 0 | ppm | 1.3 | AL=1.3 | Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives |
| Lead | N | *2011 | 6.0 | 0 | ppb | 0 | AL=15 | Corrosion of household plumbing systems, erosion of natural deposits |

*Most recent sample. No sample was required in 2013

Monitoring and Reporting of Compliance Data Violations Significant Deficiencies

During 2013, we received a violation for Failure to report Corrective Actions related to a significant deficiency. The significant deficiency has been corrected and resolved and no further action is required.

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Town of Tishomingo is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>. Contact 601-576-7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

Your CCR will not be mailed to you however; you may obtain a copy at City Hall or by calling 662-438-6402 if you have questions.

ELVIE NELL BROWN, Deceased UNKNOWN HEIRS AT LAW OF RAYOLA BROWN ROBERTS, Deceased UNKNOWN HEIRS AT LAW OF RYON ROBERTS, Deceased UNKNOWN HEIRS AT LAW OF BERTHA MAXWELL ARNOLD, Deceased UNKNOWN HEIRS AT LAW OF GARVIN O. "RABBIT" ARNOLD, Deceased UNKNOWN HEIRS AT LAW OF MARION "LADIAN" "BOBBIE" ARNOLD ROBINSON MANUEL, Deceased UNKNOWN HEIRS AT LAW OF JAMES CORBIN ROBINSON, Deceased UNKNOWN HEIRS AT LAW OF JAMES STEPHEN ROBINSON, Deceased ALL UNKNOWN PARTIES CLAIMING ANY LEGAL OR EQUITABLE RIGHT, TITLE, OR INTEREST IN AND TO THE FOLLOWING DESCRIBED PROPERTY. YOU HAVE BEEN MADE A DEFENDANT IN THE SUIT FILED IN THIS COURT BY MICHAEL RAY BROWN, JUDY BROWN REDSTOCK, JERRY CLAY SKELTON BROWN, JR., CHARLOTTE SMITH AND CHARLES ROBERTS, PLAINTIFFS. The Plaintiffs are seeking to quiet and confirm title and remove all clouds from the hereinafter described real property and to establish adverse possession, and determine heirship in the property hereinafter set out. The real property which the subject of this law suit is described as follows: Part of the NW 1/4 and part of the SW 1/4 of Section 9, Township 2, Range 10, and also part of the NE 1/4 and SE 1/4 of Section 8, Township 2, Range 10, being described as follows: Commencing at the Southeast Corner of the Northeast Quarter of Section 8, Township 2 South, Range 10 East, Tishomingo County, Mississippi; thence N. 00°-05'-00" E. 269.35 feet; thence S. 86°-44'-08" E. 3.33 feet to a post found on the eastern right-of-way line of Tishomingo County Road No. 306 for the POINT OF BEGINNING; thence S. 86°-44'-08" E. 111.72 feet; thence S. 88°-44'-38" E. 89.47 feet to an iron pipe found; thence S. 03°-30'-00" E. 62.78 feet to an iron pipe found; thence S. 84°-22'-38" E. 218.44 feet to an iron pipe found; thence S. 23°-29'-13" E. 110.77 feet to a T.V.A. pole; thence S. 55°-00'-58" E. 131.13 feet to an iron rod set on a common boundary of Roy C. Adams Properties, LLC, as recorded in instrument number 2009001848, and MB 38 at page 699-703 in the records office of Tishomingo County, Mississippi; thence S. 03°-26'-16" E. 329.64 feet to an iron rod set; thence S. 86°-08'-51" W. 183.69 feet to the center of Cole Mill Creek; thence along the center of Cole Mill Cr ek the following Fourteen (14) calls: (1) N. 46°-05'-28" W. 53.04 feet; (2) N. 56°-31'-03" W. 71.67 feet; (3) N. 03°-58'-47" W. 27.49 feet; (4) N. 28°-33'-55" E. 63.87 feet; (5) N. 64°-53'-10" E. 43.85 feet; (6) N. 42°-58'-35" E. 33.26 feet; (7) N. 24°-13'-37" W. 39.21 feet; (8) N. 41°-48'-01" W. 67.43 feet; (9) N. 63°-49'-41" W. 28.33 feet; (10) S. 60°-55'-59" W. 84.91 feet; (11) N. 88°-52'-06" W. 216.72 feet; (12) N. 55°-04'-41" W. 80.07 feet; (13) N. 85°-40'-08" W. 152.08 feet; (14) N. 71°-22'-26" W. 118.86 feet to the eastern right-of-way line of Tishomingo County Road No. 306; thence along said right-of-way line the following Four (4) calls: (1) N. 56°-41'-54" E. 89.84 feet; (2) N. 52°-07'-36" E. 178.81 feet; (3) N. 45°-39'-16" E. 105.57 feet; (4) N. 34°-13'-06" E. 21.82 feet to the POINT OF BEGINNING, containing 5.77 acres, more or less. You are required to mail or hand deliver a written response to the Complaint filed against you in this action to Harold S. Jackson, Attorney for Plaintiffs, whose post office address is Post Office Box 414, Iuka, Mississippi 38852, and whose street address is 301 W. Eastport Street, Iuka, Mississippi 38852. YOUR RESPONSE MUST BE MAILED OR DELIVERED NOT LATER THAN THIRTY (30) DAYS AFTER THE 8th DAY OF MAY, 2014, WHICH IS THE DATE OF THE FIRST PUBLICATION OF THIS SUMMONS. IF YOUR RESPONSE IS NOT SO MAILED OR DELIVERED, A JUDGEMENT BY DEFAULT WILL BE ENTERED AGAINST YOU FOR THE MONEY OR OTHER RELIEF DEMANDED IN THE COMPLAINT. You must also file the original of your response with the Clerk of this Court within a reasonable time afterward. Issued under my hand and seal of said Court, this 8th day of May, 2014. Peyton Cummings PEYTON CUMMINGS, Tishomingo County Chancery Court Clerk m-8-15-22-chg

of the SE 1/4 of the SW 1/4 9 degrees West with West

2013 Annual Drinking Water Quality Report Town of Tishomingo PWS ID: 0710010 MAY 19, 2014

We're very pleased to provide you with this year's Annual Water Quality Report. We want to keep you informed about the excellent water and services we have delivered to you over the past year. Our goal is and always has been, to provide to you a safe and dependable supply of drinking water. Our water source is from the natural spring water at Jackson Springs, in Tishomingo, MS. The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The spring for the Town of Tishomingo received a moderate ranking to contaminations.

We're very pleased to provide you with this year's Annual Quality Water Report. We want to keep you informed about the excellent water and services we have delivered to you over the past year. Our goal is and always has been, to provide to you a safe and dependable supply of drinking water. Our water source is (name the source and type, i.e., wells, Drawn from the Duncan Aquifer, surface water, i.e., River Jordan or we purchase our water from the City of Waterville which is treated surface water from Lake Duncan.) (This is REQUIRED information).

I'm pleased to report that our drinking water meets all federal and state requirements. If you have any questions about this report or concerning your water utility, please contact Paula Rushing at 662-438-6402. We want our valued customers to be informed about their water utility. If you want to learn more, please attend one of our regular meetings, on the first Tuesday night of each month at 7:00 p.m. at The Town Hall.

The Town of Tishomingo routinely monitors for constituents in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2013. As water travels over the land or underground, it can pick up substances or contaminants such as microbes, inorganic and organic chemicals, and radioactive substances. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily pose a health risk.

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT) - A treatment technique is a required process intended to reduce the level of a contaminant in drinking water. Maximum Contaminant Level - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MRDL: Maximum residual disinfectant level. The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants

Parts per million (ppm) - Milligrams per liter (mg/L). Parts per billion (ppb) - Micrograms per liter (ug/L).

TEST RESULTS

Table with columns: Contaminant, Date, Level, Range of Detects or # of Samples Exceeding MCL/ACL, Unit Measurement, MCL, Likely Source of Contamination. Includes sections for Disinfectants & Disinfection By-Products and Inorganic Contaminants.

Most recent sample. No sample was required in 2013 Monitoring and Reporting of Compliance Data Violations

Significant Deficiencies

During 2013, we received a violation for Failure to report Corrective Actions related to a significant deficiency. The significant deficiency has been corrected and resolved and no further action is required.

Additional information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Town of Tishomingo is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. Contact 800-426-7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791). Your CCR will not be mailed to you however, you may obtain a copy at City Hall or by calling 662-438-6402 if you have questions.

BILLS ARE DUE BY THE 15TH AND LATE CHARGES ARE ADDED ON THE 16TH. YOUR BILL MUST BE PAID IN FULL BY THE 25TH OR YOUR SERVICE WILL BE DISCONNECTED AND RECONNECT FEES WILL BE AUTOMATICALLY APPLIED TO YOUR ACCOUNT EVEN IF YOUR METER IS NOT PHYSICALLY LOCKED OFF. \$20 WATER-\$30 GAS. OUR HOURS ARE MON.-FRI. 8:00-4:30. FOR YOUR CONVENIENCE WE HAVE A NIGHT BOX LOCATED ON THE NORTH SIDE OF OUR BUILDING. THE 2013 CCR REPORTS ARE READY AND COPIES CAN BE PICKED UP AT CITY HALL.

Town of Tishomingo
 P.O. Box 70
 Tishomingo, MS 38873-0070
 (662)438-6302 (662)438-6402
 1 830 TISHOMINGO LIBRARY

| TYPE OF SERVICE | METER READING | | USED | CHARGES |
|-----------------|---------------|-----------------|-----------|---------|
| | PRESENT | PREVIOUS | | |
| 65 | 920 | 905 | 15 | 1709 |
| METER READ | NET DUE | AFTER THIS DATE | PAY GROSS | |
| 042514 | 1709 | 061514 | 1880 | |

\$5.00 FACILITIES CHARGE

TISHOMINGO Tish
 First Class Mail
 U.S. POSTAGE
 Paid 1 oz.
 PERMIT NO. 3

RETURN THIS PORTION WITH PAYMENT
 061514 1709 1880

PRESORTED 1-830
 RETURN SERVICE REQUESTED

TISHOMINGO LIBRARY
 TISH CITY HALL
 P O BOX 70
 TISH MS 38873-0070

The Tishomingo County News
The Vidette
 120 West Front St. P.O. Box 70 Iuka, MS 38852
 P. 662-423-2211 F. 662-423-2214
 tcnews@bellsouth.net

| | |
|---------|-----------|
| Date | Invoice # |
| 5-27-14 | |

2014 JUN -2 AM 9:57

| |
|--|
| Bill To |
| <i>Town of Tishomingo</i> <i>P.O. Box 71</i> <i>Tishomingo, MS 38873</i> |

| | |
|-------------|-------|
| P.O. Number | Terms |
| | |

| |
|------|
| Ref. |
|------|

| Run Date | Description | Item Code | Word Count | Rate | Amount |
|----------|-----------------------------|-----------|------------|-------|---------------|
| | <i>Water Quality Report</i> | | | | |
| | | | | Total | <i>303.00</i> |

PROOF OF PUBLICATION

STATE OF MISSISSIPPI,
 COUNTY OF TISHOMINGO,
 Before me the undersigned Notary of Tishomingo County, Mississippi personally appeared _____,
 who being by me first duly sworn, did depose and say that she is a clerk of The Tishomingo County News, a newspaper published in the city of
 Iuka, in Tishomingo County, Mississippi, and the publication of the notice, a copy of which is hereto attached, has been published in said paper
 times in the following numbers and on the following dates of such paper. to wit:

| | | | |
|--------------------|---------------|----------------------|------|
| In Vol. <u>130</u> | No. <u>41</u> | Dated <u>May 22,</u> | 2014 |
| In Vol. _____ | No. _____ | Dated _____ | 2014 |
| In Vol. _____ | No. _____ | Dated _____ | 2014 |
| In Vol. _____ | No. _____ | Dated _____ | 2014 |
| In Vol. _____ | No. _____ | Dated _____ | 2014 |
| In Vol. _____ | No. _____ | Dated _____ | 2014 |

Nancy Hughes

 Clerk

Sworn to and subscribed before me this 27th day of May, AD., 2014.

Charlatta B. May

 Notary Public

My Commission Expires
February 24, 2017