

MISSISSIPPI STATE DEPARTMENT OF HEALTH
BUREAU OF PUBLIC WATER SUPPLY
CCR CERTIFICATION
CALENDAR YEAR 2013

2014 JUN 13 AM 9:37

TN6omAt Water Asson, Inc
Public Water Supply Name

730003

List PWS ID #s for all Community Water Systems included in this CCR

The Federal Safe Drinking Water Act (SDWA) requires each Community public water system to develop and distribute a Consumer Confidence Report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed or delivered to the customers, published in a newspaper of local circulation, or provided to the customers upon request. Make sure you follow the proper procedures when distributing the CCR. **You must mail, fax or email a copy of the CCR and Certification to MSDH. Please check all boxes that apply.**

Customers were informed of availability of CCR by: *(Attach copy of publication, water bill or other)*

- Advertisement in local paper (attach copy of advertisement)
- On water bills (attach copy of bill)
- Email message (MUST Email the message to the address below)
- Other _____

Date(s) customers were informed: 5/10/14, 5/21/14, 1/1

CCR was distributed by U.S. Postal Service or other direct delivery. Must specify other direct delivery methods used _____

Date Mailed/Distributed: 1/1

CCR was distributed by Email (MUST Email MSDH a copy) Date Emailed: 1/1
As a URL (Provide URL _____)
As an attachment
As text within the body of the email message

CCR was published in local newspaper. *(Attach copy of published CCR or proof of publication)*

Name of Newspaper: New Albany Gazette

Date Published: 16 May 14 + 21 May 14

CCR was posted in public places. *(Attach list of locations)*

Date Posted: 5/13/14

Posted at Water Bldg. 1409 CR 101 + Union Co. Library

CCR was posted on a publicly accessible internet site at the following address (**DIRECT URL REQUIRED**):

CERTIFICATION

I hereby certify that the 2013 Consumer Confidence Report (CCR) has been distributed to the customers of this public water system in the form and manner identified above and that I used distribution methods allowed by the SDWA. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply.

John F. WEEDEN Sec/Tm. Manager
Name/Title (President, Mayor, Owner, etc.)

5-26-14
Date

Deliver or send via U.S. Postal Service:
Bureau of Public Water Supply
P.O. Box 1700
Jackson, MS 39215

May be faxed to:
(601)576-7800

May be emailed to:
Melanie.Yanklowski@msdh.state.ms.us

2013 Annual Drinking Water Quality Report **2014 SEP 15 AM 8: 32**
 Ingomar Water Association
 PWS#: 730003
 April 2014

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Eutaw-McShan Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The well for the Ingomar Water Association has received a lower susceptibility ranking to contamination.

If you have any questions about this report or concerning your water utility, please contact John F. Weeden at 662.538.8885. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on every second Thursday of the month at 7:00 PM at Ingomar School. Annual

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that we detected during for the period of January 1st to December 31st, 2013. In cases where monitoring wasn't required in 2013, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary to control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

TEST RESULTS

Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
-------------	---------------	----------------	----------------	--	--------------------	------	-----	--------------------------------

Radioactive Contaminants									
5. Gross Alpha	N	2012*	3	1.4 - 3	pCi/L	0	15	Erosion of natural deposits	
Inorganic Contaminants									
10. Barium	N	2013	.15	.12 - .15	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits	
14. Copper	N	2009/11*	.3	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives	
16. Fluoride	N	2013	.17	.14 - .17	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories	
17. Lead	N	2009/11*	1	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits	
Disinfection By-Products									
82. TTHM [Total trihalomethanes]	N	2013	3.2	No Range	ppb	0	80	By-product of drinking water chlorination.	
Chlorine	N	2013	.8	.5- 1.1	ppm	0	MDRL = 4	Water additive used to control microbes	

* Most recent sample. No sample required for 2013.

As you can see by the table, our system had no contaminate violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The Ingomar Water Association's Board of Director & Staff work hard to make sure our water is safe. We ask that all our customers help us protect our water sources. Please report leaks that you might see. We need to protect our water for our children's future.

State of Mississippi,
County of Union

PERSONALLY APPEARED before me, the undersigned, a notary public in and for UNION County,

Mississippi, the Publisher of The New Albany Gazette, a newspaper published in the City of New Albany, Union County, in said state, who, being duly sworn, deposes and says that the NEW ALBANY GAZETTE is a newspaper as defined and prescribed in Senate Bill No. 203 enacted at the regular session of the Mississippi Legislature of 1948, amending Section 1858, of the Mississippi Code of 1942, and that the publication of a notice, of which the annexed is a copy, in

the matter of Cause No. _____

has been made in said newspaper _____ times consecutively, to-wit:

- On the 16 day of May, 2014
- On the _____ day of _____, 20____
- On the _____ day of _____, 20____
- On the _____ day of _____, 20____

SWORN TO and subscribed before me, this


16th day of May, 2014

Chancery Clerk
Notary Public

Chancery Clerk
Title

RECEIVED OF _____

payment in full of the above account.



THE NEW ALBANY GAZETTE

By T. Wayne Mitchell

New Albany, Miss. May 16, 2014

TO THE NEW ALBANY GAZETTE Dr.

For Publishing _____

case of _____

Cause No. _____

Amt. Due \$ _____

73103

2014 Annual Drinking Water Report
Regional Water Association
April 2014

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our consistent goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continuously improve the water treatment process and protect the water resources. We are committed to keeping the quality of your water. Our water source is from wells drawing from the Ebbel-Medman Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The web for the report: www.rwa.org has received a lower susceptibility rating to contamination.

If you have any questions about this report or concerning your water utility, please contact John F. Wineson at 602.536.8880. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on every second Thursday of the month at 7:00 PM at Ingomar School. Annual.

The routinely monitor for constituents in your drinking water according to Federal and State law. The table below lists all of the drinking water contaminants that we detected during for the period of January 1st to December 31st, 2013. In cases where monitoring wasn't required by 2013, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity. Microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, effluent systems, agricultural livestock operations, and wildlife. Inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, air and gas production, mining, or farming. Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by products of industrial processes and petroleum production, and can also come from gas stations and other systems, radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to assure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In the table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow

Maximum Contaminant Level (MCL) - The "Maximum Allowable" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as is feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary to control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/L) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

TEST RESULTS								
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/MCLG	Unit Measure	MCLG	MCL	Usual Source of Contamination

Radioactive Contaminants

1. Gross Alpha	N	2013	0	0 - 0	PCU	0	15	Exposure of natural deposits
----------------	---	------	---	-------	-----	---	----	------------------------------

Inorganic Contaminants

15. Barium	N	2013	16	12 - 19	ppm	2	2	Discharge of drilling waste discharge from metal refineries, erosion of natural deposits
14. Cadmium	N	2008/11	0	0	ppm	1.3	1.3	Corrosion of metallic plumbing fixtures, erosion of metallic deposits, leaching from wood preservatives
16. Fluoride	N	2013	12	14 - 12	ppm	4	4	Exposure of natural deposits, water estives which promote strong leach discharge from metallic and nonmetallic minerals
17. Lead	N	2008/11	1	0	ppm	0	1.5	Corrosion of metallic plumbing fixtures, erosion of natural deposits

Disinfection By-Products

12. THM5 (Total Trihalomethanes)	N	2013	0.2	No Range	ppm	0	0.5	By-product of drinking water disinfection
Chlorine	N	2013	8	5 - 11	ppm	0	MRL = 4	Water additive used to control microbials

As you can see by the table, our system had no contaminant violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected. However, the EPA has determined that your water is SAFE at these levels.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our Water Association is responsible for providing high quality drinking water. Our control control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/lead/>. The Mississippi State Department of Health, Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man-made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4761.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons, such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some infants, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by protozoan and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4761.

The Regional Water Association's Board of Directors is staff each hour to make sure our water is safe. We ask that all our customers help us protect our water resources. Please report leaks that you might see. We need to protect our water for our children's future.

State of Mississippi,
County of Union
PERSONALLY APPEARED

NOTICE OF YEARLY MEETING OF THE INGOMAR WATER ASSOCIATION


The yearly meeting of the Ingomar Water Association will be held on Thursday night, May 22, 2014, at 7:00 in the Ingomar School Cafeteria

he undersigned, a notary public in and for UNION County, the Publishe of The New Albany Gazette, published in the City of New Albany, Union County, in said being duly sworn, deposes and says that the NEW ALBANY a newspaper as defined and prescribed in Senate Bill No. at the regular session of the Mississippi Legislature of 1858, of the Mississippi Code of 1942, and publication of a notice, of which the annexed is a copy, in Cause No. _____

has been made in said newspaper _____ times consecutively, to-wit:
On the 16 day of May, 2014
On the 21 day of May, 2014
On the _____ day of _____, 20____
On the _____ day of _____, 20____

SWORN TO and subscribed before me, this 16th day of May, 2014
[Signature] Notary Public [Signature] Title

RECEIVED OF _____ payment in full of the above account.



THE NEW ALBANY GAZETTE
By T. Wayne Mitchell
New Albany, Miss. May 14, 2014

TO THE NEW ALBANY GAZETTE Dr.
Re: Publishing _____
case of _____
Cause No. _____
Amt. Due \$ _____

New Albany Gazette

P.O. Box 300 New Albany, MS 38652

Phone: (662) 534-6321 Fax: (662) 534-6355

5/1/2014-5/31/2014	801188	1
--------------------	--------	---

INGOMAR WATER ASSOCIATION
 1264 CR 120
 BLUE SPRINGS, MS 38828 0000

DATE	REF ID	ISSUE	DESCRIPTION	SIZE	RATE	ADDITIONAL CHARGES	TOTAL
			Balance Brought Forward				0.00
5/16/2014	954187	GAZ	Classified Display ingomar water report 954	3 x 12	36.00	0.00	340.20
			PO #: water				
5/16/2014	954188	GAZ	Retail Advertising ingomar meeting	2 x 2	4.00	9.45	37.80
5/21/2014	955974	GAZ	Retail Advertising ingomar meeting	2 x 2	4.00	0.00	0.00

*Mr. Chalk 7150
6-9-14*

30 DAYS	60 DAYS	90 DAYS	120 DAYS	TOTAL
378.00	0.00	0.00	0.00	\$378.00



INGOMAR WATER ASSOCIATION
 1409 CR 101
 NEW ALBANY, MS 38952
 OFFICE (662) 534-7795
 (662) 534-3171 CUTOFF NOTICE ON BACK

73/03
 RETURN SERVICE REQUESTED

PRINTED
 FIRST CLASS MAIL
 OCT PERMIT NO.
 PAID
 NEW ALBANY MS
 PERMIT NO. 10

TYPE OF SERVICE	METER NUMBER	PREVIOUS METER READING	USG	CHARGES
Water	646600	660600	4,000	18.00

2014 JUN 11 11:04 AM

Ingomar Water Assn

CUSTOMER		PAY DUE DATE
NAME	NUMBER	
	71	6/20/14
NET AMOUNT DUE		18.00
TAXES		1.80
TOTAL AMOUNT DUE		19.80

MAIL THIS STUB WITH YOUR PAYMENT

METER READING		ACCOUNT 71		6/5/14
PREVIOUS	CURRENT	TOTAL DUE	TAXES	PAY DUE
DATE	DATE	AMOUNT	AMOUNT	DATE
6	2	18.00	1.80	19.80

CLAYTON, KENNETH
 1131 COUNTY ROAD 100
 NEW ALBANY MS
 38652-9452

OFFICE HRS 9:00-5:00 TUE & THUR 534-7795
 RECONNECT 538-4423/538-8885
 ANNUAL WATER QUALITY REPORT CAN BE VIEWED AT
 IWA OFFICE OR THE UNION COUNTY LIBRARY