WATER SUPPL
2015 MAY 26 AM 8:49

MISSISSIPPI STATE DEPARTMENT OF HEALTH
BUREAU OF PUBLIC WATER SUPPLY
CCR CERTIFICATION
CALENDAR YEAR 2014

Myrtle Water System
Public Water Supply Name

0730005
List PWS ID #s for all Community Water Systems included in this CCR

The Federal Safe Drinking Water Act (SDWA) requires each Community public water system to develop and distribute a Consumer Confidence Report (CCR) to its customers each year. Depending on the population served by the public water system, this CCR must be mailed or delivered to the customers, published in a newspaper of local circulation, or provided to the customers upon request. Make sure you follow the proper procedures when distributing the CCR. **You must mail, fax or email a copy of the CCR and Certification to MSDH.** ***Please check all boxes that apply.***

Customers were informed of availability of CCR by: ***(Attach copy of publication, water bill or other)***

- ☐ Advertisement in local paper (attach copy of advertisement)
- ☒ On water bills (attach copy of bill)
- ☐ Email message (MUST Email the message to the address below)
- ☐ Other_____

Date(s) customers were informed: 5/20/2015 / / , / /

CCR was distributed by U.S. Postal Service or other direct delivery. Must specify other direct delivery methods used_____

Date Mailed/Distributed:____/____/____

CCR was distributed by Email (MUST Email MSDH a copy) Date Emailed:____/____/____

- ☐ As a URL (Provide URL _____)
- ☐ As an attachment
- ☐ As text within the body of the email message

CCR was published in local newspaper. ***(Attach copy of published CCR or proof of publication)***

Name of Newspaper: New Albany Gazette

Date Published: 5/06/2015

CCR was posted in public places. ***(Attach list of locations)*** Date Posted:____/____/____

CCR was posted on a publicly accessible internet site at the following address (**DIRECT URL REQUIRED**):

_____

CERTIFICATION

I hereby certify that the 2014 Consumer Confidence Report (CCR) has been distributed to the customers of this public water system in the form and manner identified above and that I used distribution methods allowed by the SDWA. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the public water system officials by the Mississippi State Department of Health, Bureau of Public Water Supply.

_____ 5-18-15
Name/Title (President, Mayor, Owner, etc.) ***Date***

Deliver or send via U.S. Postal Service:
Bureau of Public Water Supply
P.O. Box 1700
Jackson, MS 39215

May be faxed to:
(601)576-7800

May be emailed to:
water.reports@msdh.ms.gov

RECEIVED - WATER SUPPLY
2015 MAY 26 AM 8:49

2014 Annual Drinking Water Quality Report
Myrtle Water System
PWS#: 0730005
April 2015

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Ripley Formation Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Myrtle Water System have received lower susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact David Peeler at 662.316.2441. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Thursday of each month at 6:00 PM at the Myrtle Town Hall located at 1031 Church Street.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st , 2014. In cases where monitoring wasn't required in 2014, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary to control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in $10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in $10,000,000.

TEST RESULTS

Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination

Inorganic Contaminants

10. Barium	N	2013*	.012	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N	2012/14	.1	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
13. Chromium	N	2013*	1.4	1.3 – 1.4	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits
16. Fluoride	N	2013*	.23	No Range	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2012/14	1	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits

Disinfection By-Products

82. TTHM [Total trihalomethanes]	N	2013*	1.11	No Range	ppb	0	80	By-product of drinking water chlorination.
Chlorine	N	2014	1.2	.30- 2	mg/l	0	MRDL = 4	Water additive used to control microbes

** Most recent sample. No sample required for 2014.*

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our water system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The Myrtle Water System works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

Court of Union County, Mississippi, for probate and registration according to law within ninety (90) days from the first publication hereto, or they will be forever barred.

This the 16th day of April, 2015.

ENOLA DAVIS
Administratrix of the Estate of Willmar Ann Garrett, Deceased

JOE M. DAVIS
RUTLEDGE, DAVIS AND HARRIS, P.L.L.C.
ATTORNEY FOR ADMINISTRATOR
113 WEST BANKHEAD STREET
POST OFFICE BOX 29
NEW ALBANY, MS 38652

This will publish April 22, 29, and May 6, 2015.

#1060520

LEGAL NOTICE

IN THE CHANCERY COURT OF UNION COUNTY, MISSISSIPPI

IN RE: THE MATTER OF THE ESTATE OF LILLY FRANCES REED, DECEASED

MARGARET McGILL LANE, PETITIONER

CAUSE NO. CV2015-000165-73

NOTICE TO CREDITORS

Letters Testamentary having been granted on the 20th day of April, 2015, by the Chancery Court of Union County, Mississippi, to the undersigned Executor of the Estate of Lilly Frances Reed, deceased, notice is hereby given to all persons having claims against the Estate to present the same to the Clerk of this Court for probate and registration according to law, within ninety (90) days from the first publication of this notice, or they will be forever barred.

This the 20th day of April, 2015.

MARGARET McGILL LANE
Executor of the Estate of Lilly Frances Reed, Deceased

WILLIAM O. RUTLEDGE III
Attorney at Law
Post Office Box 29
New Albany, MS 38652
(662) 534-6421
MS STATE BAR NO. 05753

This will publish April 29, May 6, and May 13, 2015.

#1064069

LEGAL NOTICE

UNION COUNTY WRECKER & SALVAGE INC
402 CARTER AVE
NEW ALBANY, MS 38652
PHONE: 662-534-5273
FAX: 662-534-9148

The following will be sold by auction on the property of Union County Wrecker & Salvage Inc at 402 Carter Ave, New Albany, MS 38652 on May 18th, 2015. The time being 9:00 AM:

REF: 2002 Merc MOD: Sab
VIN: 1MEFM50U82A620783

REF: 1997 Chevy MOD: Vtr
VIN: 1GNDX03E9VD268931

REF: 2001 Mazd MOD: Pro
VIN: JM1BJ225X10409666

REF: 2004 Ford MOD: Fis
VIN: 1FTPW1452KD06314

REF: 1998 Dodg MOD: Dak
VIN: 1B7FL26P6WS6660896

REF: 2001 Linc MOD: Ls
VIN: 1LNHM87A31Y667860

REF: 1995 Chevy MOD: Csa
VIN: 1G1LD55M4SY188142

This will publish on May 6, and 13, 2015.

#1061391

LEGAL NOTICE

IN THE CHANCERY COURT OF UNION COUNTY, MISSISSIPPI

IN THE MATTER OF THE LAST WILL AND TESTAMENT OF CHARLES A. BRISCOE

DECEASED

NO. CV2015-000155-73-L

NOTICE TO CREDITORS

Letters Administration having been granted on the 15th day of April, 2015 by the Chancery Clerk of Union County, Mississippi to the undersigned upon the Estate of the decedent, Charles A. Briscoe, being Cause Number CV2015-000155-73-L on the docket of said court. Notice is hereby given to all persons having claim against the estate of the decedent to present same to the Clerk of the Chancery Court of Union County, Mississippi for probate and registration according to law within ninety (90) days from the date hereof, or they shall be forever barred.

DATED this 13th day of April, 2015.

DAVID BRISCOE/EXECUTOR

CHRIS A. CHILDERS
ATTORNEY FOR EXECUTOR
108 NORTH RAILROAD AVENUE
POST OFFICE BOX 972
NEW ALBANY, MS 38652

SOLICITOR

This will publish April 29, May 6, and May 13, 2015.

#1064781

LEGAL NOTICE

IN THE CHANCERY COURT OF UNION COUNTY, MISSISSIPPI

IN THE MATTER OF THE ESTATE OF SHIRLEY BIGHAM, DECEASED

CAUSE NO. CV2015-000190

NOTICE TO CREDITORS

NOTICE IS HEREBY GIVEN to all persons having claims against the Estate of Shirley Bigham, deceased, that Letters Testamentary were granted to the undersigned as Executor of said estate by the Chancery Court of said county on the 1st day of May, 2015, and all persons holding claims against said estate are hereby notified to have same probated and registered, according to the law, by the Chancery Clerk within ninety (90) days from date of this Notice, otherwise such claim or claims not so probated will be forever barred.

This 1st day of May, 2015.

BENNIE BROOKS BIGHAM, Executor

RHETT R. RUSSELL
Russell & Russell, PLLC
Attorney for Executor
P.O.Box 27
Tupelo, MS 38802
(662) 844-1630

This will publish May 6, 13, and 20, 2015.

#1062578

LEGAL NOTICE

REQUEST FOR PROPOSAL TO PROVIDE ENGINEERING SERVICES

Union County will accept proposals from qualified engineering firms until Wednesday, May 13, 2015 at 5:00 p.m. for the following:

Provision of all engineering services in connection with public building improvements project for economic development, as defined by a current Community Development Block Grant Economic Development (CDBG) application.

This project is being financed in part through Community Development Block Grant (CDBG) funds from the Mississippi Development Authority. Proposals will be rated on the following criteria: Qualifications 0-40 points, Experience 0-40 points, Capacity 0-20 points.

Interested respondents may obtain a Request for Proposal from the Union County Chancery Court, 109 E Main, New Albany, MS 38652.

Danny Jordan, Board President

Union County Board
of Supervisors
109 East Main St.
New Albany, MS 38652

This will publish May 6, 2015.

#1063976

LEGAL NOTICE

IN THE CHANCERY COURT OF UNION COUNTY, MISSISSIPPI

IN RE: LAST WILL AND TESTAMENT OF NORMA JEAN HOLCOMB KYLE, DECEASED, MARCUS BRYANT HAWKINS, EXECUTOR

CAUSE NO: 2015-000098

NOTICE TO CREDITORS

NOTICE IS HEREBY GIVEN to all persons having claims against the Estate of Norma Jean Holcomb Kyle, deceased, that Letters Testamentary were granted to the undersigned as Executor of said estate by the Chancery Court of said county, on the 13th day of April, 2015, and all persons holding claims against said estate are hereby notified to have same probated and registered, according to law, by the Chancery Clerk, within ninety (90) days from the date of this notice is first published, otherwise such claim or claims, not so probated, will be forever barred.

This the 24th day of April, 2015.

MARCUS BRYANT HAWKINS, Executor
Estate of Norma Jean Holcomb Kyle, Deceased

The Weir Law Firm, P.C.
Post Office Box 3150
Tupelo, MS 38803
Telephone: (662) 841-0220
Facsimile: (662) 842-3189
Solicitors for the Estate

This will publish May 6, 13, 20, and 27, 2015.

#1064526

LEGAL NOTICE

LEGAL NOTICE TO BIDDERS

The Board of Trustees of the New Albany School District will receive bids until 2:00 p.m., May 25, 2015 in the office of the Superintendent located at 301 Highway 15 North, for depository of school funds. This depository will be for a period of one year beginning July1, 2015 through June 30, 2016 with an option for up to two additional one-year renewals. The bid will be accepted by the Board at their regular meeting on June 1, 2015. Specifications are on file in the Superintendent's office.

The bid must conform with Sections 37-7-333 and 27-105-305 of the Mississippi Code of 1972 as amended and supplemented.

The Board reserves the right to reject any and all bids.

JACKIE FORD
SUPERINTENDENT
NEW ALBANY SCHOOL DISTRICT

This will publish May 6, and 13, 2015.

2014 Annual Drinking Water Quality Report
Myrtle Water System
PWS#: 0730005
April 2015

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Ripley Formation Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Myrtle Water System have received lower susceptibility rankings to contamination.

If you have any questions about this report or concerning your water utility, please contact David Peeler at 662.318.2441. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Thursday of each month at 6:00 PM at the Myrtle Town Hall located at 1031 Church Street.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2014. In cases where monitoring wasn't required in 2014, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary to control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) – The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in $10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in $10,000,000.

TEST RESULTS

Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source of Contamination
Inorganic Contaminants								
10. Barium	N	2013*	.012	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
14. Copper	N	2012/14	.1	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
13. Chromium	N	2013*	1.4	1.3 – 1.4	ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits
16. Fluoride	N	2013*	.23	No Range	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
17. Lead	N	2010/14	1	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
Disinfection By-Products								
82. TTHM [Total trihalomethanes]	N	2013*	1.11	No Range	ppb	0	80	By-product of drinking water chlorination
Chlorine	N	2014	1.2	.10 - 2	mg/l	0	MRDL = 4	Water additive used to control microbes

* Most recent sample. No sample required for 2014.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our water system is

---

OFFICE OF STATE AID ROAD CONSTRUCTION
MISSISSIPPI DEPARTMENT OF TRANSPORTATION
AND
BOARD OF SUPERVISORS OF UNION COUNTY

SECTION 900

NOTICE TO CONTRACTORS:

Sealed bids will be received by the Board of Supervisors of Union County, Mississippi, at 109 East Main, New Albany, Mississippi, 38652, until 11:00 AM on the 8th day of June, 2015 and shortly thereafter publicly opened for the construction of 0.056 miles of BRIDGE AND APPROACHES on COUNTY ROAD 147 being known as Project No. LSBP-73(19) in Union County, Mississippi.

PRINCIPAL ITEMS OF WORK ARE APPROXIMATELY AS FOLLOWS:

ITEM	QUANTITY	UNIT
ROADWAY ITEMS:		
MOBILIZATION	LUMP SUM	LS
CLEARING AND GRUBBING	LUMP SUM	LS
REMOVAL OF BRIDGE @ STA. 13+05	1.000	UN
UNCLASSIFIED EXCAVATION (FM)	26.000	CY
EXCESS UNCLASSIFIED EXCAVATION (FM)	409.000	CY
CRUSHED STONE	240.000	TON
18" CORRUGATED POLYETHYLENE PIPE	30.000	LF
24" CORRUGATED POLYETHYLENE PIPE	100.000	LF
RIGHT OF WAY MARKERS (TYPE II)	8.000	EA
MAINTENANCE OF TRAFFIC	LUMP SUM	LS
ADDITIONAL CONSTRUCTION SIGNS	0.000	SF
REFLECTORIZED TRAFFIC OBJECT MARKER (ENCAPSULATED LENS) (TYPE 3)	4.000	EA
EROSION CONTROL ITEMS:		
AGRICULTURAL LIMESTONE	1.380	TON
COMMERCIAL FERTILIZER (13-13-13)	0.690	TON
SEEDING	0.690	AC
VEGETATIVE MATERIALS FOR MULCH	1.380	TON
SOLID SODDING	100.000	SY
TEMPORARY SILT FENCE (TYPE I)(AOS 0.15-0.84)	600.000	LF
WATTLES, 20"	50.000	LF
BRIDGE ITEMS:		
TEST PILE	2.000	EA
CONVENTIONAL STATIC PILE LOAD TEST	0.000	EA
12" STEEL PILING	640.000	LF
18" PRE-FORMED PILE HOLE	513.000	LF

SECTION 900
PROJECT NO. LSBP-73(19)
UNION COUNTY

ITEM	QUANTITY	UNIT
BRIDGE CONCRETE, CLASS "B"	5.200	CY
REINFORCEMENT	98.000	LB
19' PRECAST CONCRETE SLAB UNIT, 3.5' INTERIOR	12.000	EA
40' PRECAST CONCRETE SLAB UNIT, 3.5' INTERIOR	6.000	EA
19' PRECAST CONCRETE SLAB UNIT, 3.5' EXTERIOR	4.000	EA
40' PRECAST CONCRETE SLAB UNIT, 3.5' EXTERIOR	2.000	EA
PRECAST CONCRETE BARRIER RAIL	156.000	LF
31.33' PRECAST CONCRETE CAP, INTERMEDIATE UNIT, STEEL PILE	2.000	EA
31' PRECAST CONCRETE CAP, END UNIT, STEEL PILE	2.000	EA
9.25' PRECAST CONCRETE WING	4.000	EA
LOOSE RIPRAP, 300 LB.	186.000	TON
GEOTEXTILE UNDER RIPRAP, TYPE V, AOS 0.21-0.43	344.000	SY

NOTICE TO CONTRACTORS:

CONTRACT TIME: 75 Working Days

The award, if made, will be made to the lowest qualified bidder on the basis of published quantities.

The Board of Supervisors hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, minority business enterprise will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

PLANS AND SPECIFICATIONS are on file in the Office of the Chancery Clerk of

---

WTR	30.66
SWR	15.33
TAN	2.05
NET DUE >>	48.04
SAVE THIS >>	4.80
GROSS DUE >>	52.84

CCR'S AVAIL. UPON REQUEST!!!
OFFICE #662-988-2220

RETURN SERVICE REQUESTED

010001000
GREGORY ESTATE
1032 ANGEL STREET
MYRTLE MS 38650-9633

2015 MAY 26 AM 8:49
-WATER SUPPL