




## 2013-2014 Influenza Report Week 47

November 17 – November 23, 2013

### About our flu activity reporting

MSDH relies upon selected sentinel health practitioners across the state to report the percentage of total patient visits consistent with an influenza-like illness (ILI: fever of 100°F or higher AND cough and/or sore throat). Also, providers are supplied with specimen collection kits. Samples are submitted to the Mississippi Public Health Laboratory for influenza PCR testing. Reports are used to estimate the state's ILI rate and the magnitude of the state's influenza activity. Reports represent only the distribution of flu in the state, not an actual count of all flu cases statewide. **Information is provisional only and may change depending on additional reporting from sentinel providers.**

### State ILI Surveillance




The state ILI rate has been slowly, but steadily increasing since week 41. During week **47** (11/17/2013-11/23/2013), the overall state ILI rate (**5.9%**) **increased** from last week

(**5.3%**), but was lower than this time last year (**6.6%**). | [Figure 1](#)


Total number of patients treated by sentinel providers in the last three weeks. | **Table 1**

| 2013-2014 Influenza Season |                |                |              |              |
|----------------------------|----------------|----------------|--------------|--------------|
| CDC Week                   | Week Ending    | Total patients | ILI symptoms | ILI Rate (%) |
| <b>47</b>                  | <b>Nov. 23</b> | <b>13176</b>   | <b>780</b>   | <b>5.9%</b>  |
| 46                         | Nov. 16        | 17170          | 903          | 5.3%         |
| 45                         | Nov. 9         | 18213          | 871          | 4.8%         |

During week **47**, **five** districts (1, 5, 6, 7, and 8) had an increase in ILI activity, while **two** districts (2 and 3) had a decrease. **Two** districts (4 and 9) remained about the same. *Information is provisional only and may change depending on additional reporting from sentinel providers.* | **Table 2**



| MSDH District ILI Rates (%)<br>2013-2014 |         |         |
|--|---------|---------|
| District                                 | Week 46 | Week 47 |
| State                                    | 5.3     | 5.9     |
| I  | 2.0     | 2.6     |
| II                                       | 12.5    | 8.8     |
| III                                      | 10.3    | 7.3     |
| IV                                       | 3.4     | 3.4     |
| V  | 0.7     | 1.6     |
| VI                                       | 12.8    | 13.5    |
| VII                                      | 3.0     | 3.7     |
| VIII                                     | 5.6     | 6.2     |
| IX                                       | 8.2     | 8.5     |




Since week 35, the percentage of reported ILI cases has been highest among those in the **5-24 years** of age group. During week **47**, the

percentage of reported ILI cases was highest among individuals in the **5 to 24 years** of age group. |


**Figure 2**

The 2013-14 state ILI rate was **above** the national, Region 4, and the state baselines for week **47**. |

**Figure 3**




Mississippi ILI Rates 2010-2013 | **Figure 4**



### Flu Testing Reports

From week **40** (week ending October 5<sup>th</sup>) through week **47** (week ending November 23<sup>rd</sup>), **38** positive influenza samples were identified by MSDH. All 38 samples were identified as influenza A (2009 H1N1).

The influenza cases were identified from the following counties: Chickasaw (1), Forrest (1), Harrison (8), Jackson (13), Lawrence (1), Lee (2), Marion (1), Monroe (1), Oktibbeha (3), Tate (3), Washington (3), and Yalobusha (1). | [Figure 5](#)



### National and Mississippi Pediatric Mortality Surveillance

**No** influenza-associated pediatric deaths were reported nationally during week **47**. **Two** influenza-associated pediatric deaths have been reported for the 2013-2014 season.

Mississippi has had **no** influenza-associated pediatric deaths reported during this influenza season.


### National ILI Surveillance

For week **47**, the MS ILI rate (5.9%) continued to remain **above** the national ILI rate (1.7%).

Mississippi reported “**Regional**” flu activity for week **47**. | **Table 3**

| Level of Flu Activity | Definition   |
|-----------------------|--|
| <b>No Activity</b>    | Overall clinical activity remains low and there are no lab confirmed cases.  |
| <b>Sporadic</b>       | Isolated cases of lab confirmed influenza in the state; ILI activity is not increased <u>OR</u> A lab-confirmed outbreak in a single institution in the state; ILI activity is not increased.  |
| <b>Local</b>          | Increased ILI within a single region <b>AND</b> recent (within the past 3 weeks) laboratory evidence of influenza in that region. ILI activity in other regions is not increased <u>OR</u> two of more institutional outbreaks (ILI or lab confirmed) within a single region <b>AND</b> recent (within the past 3 weeks) lab confirmed influenza in that region. Other regions do not have increased ILI and virus activity is no greater than sporadic in those regions |
| <b>Regional</b>       | Increased ILI in at least 2 regions but fewer than half of the regions <b>AND</b> recent (within the past 3 weeks) lab confirmed influenza in the affected regions <u>OR</u> Institutional outbreaks (ILI or lab confirmed) in at least 2 regions but fewer than half of the regions <b>AND</b> recent lab confirmed influenza in the affected regions.  |
| <b>Widespread</b>     | Increased ILI and/or institutional outbreaks (ILI or lab confirmed) in at least half of the regions <b>AND</b> recent (within the past 3 weeks) lab confirmed influenza in the state.  |

During week **47**, influenza activity **increased slightly** in the United States.<sup>1</sup> | [Figure 6](#)



<sup>1</sup>For up-to-date information on flu activity nationwide, please refer to the CDC’s website:  
<http://www.cdc.gov/flu/weekly/fluactivitysurv.htm>.

**Additional information:**

|  |   |
|--|---|
| Centers for Disease Control and Prevention         | <a href="http://cdc.gov/flu/">http://cdc.gov/flu/</a>   |
| Centers for Disease Control and Prevention FluView | <a href="http://www.cdc.gov/flu/weekly/">http://www.cdc.gov/flu/weekly/</a>   |
| Flu.gov  | <a href="http://www.flu.gov/">http://www.flu.gov/</a>   |
| MSDH Flu and Pneumonia                             | <a href="http://msdh.ms.gov/msdhsite/ static/14,0,199.html">http://msdh.ms.gov/msdhsite/ static/14,0,199.html</a>               |
| Google Flu Trends                                  | <a href="http://www.google.org/flutrends/">http://www.google.org/flutrends/</a>   |
| World Health Organization FluNet                   | <a href="http://www.who.int/influenza/gisrs_laboratory/flunet/en/">http://www.who.int/influenza/gisrs_laboratory/flunet/en/</a> |

*Page intentionally blank*

## Appendix

Figure 1







Figure 2



**Figure 3**



**Figure 4**



**Figure 5**




Figure 6

