

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: ADAMS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	32,099	2,308	1,173	1,135	435
WHITE	13,964	773	385	388	149
NONWHITE	18,135	1,535	788	747	286

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	89	2	23	64	20	0	6	14	69	2	17	50
TEENAGE IMMATURE BIRTHS	15	0	4	11	3	0	1	2	12	0	3	9
TEENAGE PREMATURE BIRTHS	21	1	6	14	5	0	1	4	16	1	5	10
TEENAGE ILLEGITIMATE BIRTHS	81	2	19	60	12	0	2	10	69	2	17	50
TEENS WHO HAD PREVIOUS LIVE BIRTHS	22	0	3	19	5	0	1	4	17	0	2	15
TEENS WHO HAD PREVIOUS PREGNANCIES	27	0	3	24	6	0	1	5	21	0	2	19
TEENS WITH INADEQUATE* PRENATAL CARE	2	1	0	1	0	0	0	0	2	1	0	1
TEENAGE FERTILITY RATE	38.6	1.7	76.6	(15-19)	25.9	0.0	51.5	(15-19)	45.0	2.5	89.7	(15-19)
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	22.5	0.0	43.5	15.6	0.0	0.0	0.0	0.0	29.0	0.0	58.8	20.0
TEENAGE INDUCED TERMINATIONS#	11	2	1	8	3	0	0	3	8	2	1	5
TEENAGE INDUCED TERMINATION RATIO	123.6	1000.0	43.5	125.0	150.0	0.0	0.0	214.3	115.9	1000.0	58.8	100.0
TEENAGE PREGNANCIES#	102	4	25	73	23	0	6	17	79	4	19	56
TEENAGE PREGNANCY RATE	44.2	3.4	86.3	(15-19)	29.8	0.0	59.3	(15-19)	51.5	5.1	100.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1
INFANT MORTALITY RATE, TEEN MOMS	22.5	0.0	43.5	15.6	0.0	0.0	0.0	0.0	29.0	0.0	58.8	20.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: ALCORN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	35,306	2,109	1,091	1,018	459
WHITE	30,958	1,778	923	855	392
NONWHITE	4,348	331	168	163	67

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	75	3	28	44	60	2	24	34	15	1	4	10
TEENAGE IMMATURE BIRTHS	12	0	3	9	8	0	3	5	4	0	0	4
TEENAGE PREMATURE BIRTHS	21	2	6	13	14	1	4	9	7	1	2	4
TEENAGE ILLEGITIMATE BIRTHS	58	3	22	33	43	2	18	23	15	1	4	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	7	8	11	0	6	5	4	0	1	3
TEENS WHO HAD PREVIOUS PREGNANCIES	21	0	7	14	16	0	6	10	5	0	1	4
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	2	0	1	1	1	0	0	1
TEENAGE FERTILITY RATE	35.6	2.8	70.7	(15-19)	33.7	2.2	67.8	(15-19)	45.3	6.0	85.9	(15-19)
TEENAGE FETAL DEATHS**	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	26.7	0.0	35.7	22.7	16.7	0.0	41.7	0.0	66.7	0.0	0.0	100.0
TEENAGE INDUCED TERMINATIONS#	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE INDUCED TERMINATION RATIO	26.7	0.0	71.4	0.0	0.0	0.0	0.0	0.0	133.3	0.0	500.0	0.0
TEENAGE PREGNANCIES#	79	3	31	45	61	2	25	34	18	1	6	11
TEENAGE PREGNANCY RATE	37.4	2.8	74.6	(15-19)	34.3	2.2	69.0	(15-19)	54.4	6.0	104.3	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	2	0	1	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	26.7	0.0	35.7	22.7	33.3	0.0	41.7	29.4	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
 BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
 MISSISSIPPI, 2005

COUNTY: AMITE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,435	913	466	447	153
WHITE	7,739	436	232	204	74
NONWHITE	5,696	477	234	243	79

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	29	1	8	20	6	0	1	5	23	1	7	15
TEENAGE IMMATURE BIRTHS	3	0	0	3	1	0	0	1	2	0	0	2
TEENAGE PREMATURE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE ILLEGITIMATE BIRTHS	26	1	7	18	4	0	0	4	22	1	7	14
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	0	3	0	0	0	0	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	0	7	1	0	0	1	6	0	0	6
TEENS WITH INADEQUATE* PRENATAL CARE	5	1	1	3	0	0	0	0	5	1	1	3
TEENAGE FERTILITY RATE	31.8	2.1	62.6	(15-19)	13.8	0.0	29.4	(15-19)	48.2	4.3	90.5	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	34.5	0.0	0.0	50.0	0.0	0.0	0.0	0.0	43.5	0.0	0.0	66.7
TEENAGE PREGNANCIES#	30	1	8	21	6	0	1	5	24	1	7	16
TEENAGE PREGNANCY RATE	32.8	2.1	64.9	(15-19)	13.8	0.0	29.4	(15-19)	50.3	4.3	94.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	34.5	0.0	0.0	50.0	0.0	0.0	0.0	0.0	43.5	0.0	0.0	66.7

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: ATTALA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,552	1,356	664	692	292
WHITE	11,459	641	320	321	138
NONWHITE	8,093	715	344	371	154

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	53	0	14	39	16	0	4	12	37	0	10	27
TEENAGE IMMATURE BIRTHS	12	0	5	7	3	0	1	2	9	0	4	5
TEENAGE PREMATURE BIRTHS	11	0	4	7	2	0	0	2	9	0	4	5
TEENAGE ILLEGITIMATE BIRTHS	48	0	14	34	11	0	4	7	37	0	10	27
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	0	2	15	4	0	0	4	13	0	2	11
TEENS WHO HAD PREVIOUS PREGNANCIES	18	0	2	16	4	0	0	4	14	0	2	12
TEENS WITH INADEQUATE* PRENATAL CARE	15	0	5	10	0	0	0	0	15	0	5	10
TEENAGE FERTILITY RATE	39.1	0.0	76.6	(15-19)	25.0	0.0	49.8	(15-19)	51.7	0.0	99.7	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	18.9	0.0	0.0	25.6	0.0	0.0	0.0	0.0	27.0	0.0	0.0	37.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	18.9	0.0	0.0	25.6	0.0	0.0	0.0	0.0	27.0	0.0	0.0	37.0
TEENAGE PREGNANCIES#	55	0	14	41	16	0	4	12	39	0	10	29
TEENAGE PREGNANCY RATE	40.6	0.0	79.5	(15-19)	25.0	0.0	49.8	(15-19)	54.5	0.0	105.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: BENTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	7,852	518	283	235	122
WHITE	5,064	266	141	125	82
NONWHITE	2,788	252	142	110	40

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	19	0	7	12	10	0	5	5	9	0	2	7
TEENAGE IMMATURE BIRTHS	3	0	3	0	1	0	1	0	2	0	2	0
TEENAGE PREMATURE BIRTHS	7	0	3	4	2	0	1	1	5	0	2	3
TEENAGE ILLEGITIMATE BIRTHS	17	0	6	11	8	0	4	4	9	0	2	7
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	0	5	2	0	0	2	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	1	5	3	0	1	2	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FERTILITY RATE	36.7	0.0	80.8	(15-19)	37.6	0.0	80.0	(15-19)	35.7	0.0	81.8	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	19	0	7	12	10	0	5	5	9	0	2	7
TEENAGE PREGNANCY RATE	36.7	0.0	80.8	(15-19)	37.6	0.0	80.0	(15-19)	35.7	0.0	81.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	2	0	1	0	1	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	105.3	0.0	285.7	0.0	100.0	0.0	200.0	0.0	111.1	0.0	500.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: BOLIVAR

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	38,641	3,122	1,424	1,698	567
WHITE	12,943	740	275	465	160
NONWHITE	25,698	2,382	1,149	1,233	407

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	121	7	41	73	14	1	2	11	107	6	39	62
TEENAGE IMMATURE BIRTHS	20	1	7	12	1	0	0	1	19	1	7	11
TEENAGE PREMATURE BIRTHS	30	1	10	19	1	0	0	1	29	1	10	18
TEENAGE ILLEGITIMATE BIRTHS	114	7	40	67	8	1	1	6	106	6	39	61
TEENS WHO HAD PREVIOUS LIVE BIRTHS	25	0	6	19	4	0	1	3	21	0	5	16
TEENS WHO HAD PREVIOUS PREGNANCIES	30	0	8	22	4	0	1	3	26	0	7	19
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	1	3	0	0	0	0	4	0	1	3
TEENAGE FERTILITY RATE	38.8	4.9	67.1	(15-19)	18.9	3.6	28.0	(15-19)	44.9	5.2	81.9	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	8.3	0.0	0.0	13.7	0.0	0.0	0.0	0.0	9.3	0.0	0.0	16.1
TEENAGE INDUCED TERMINATIONS#	3	0	1	2	2	0	1	1	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	24.8	0.0	24.4	27.4	142.8	0.0	500.0	90.9	9.3	0.0	0.0	16.1
TEENAGE PREGNANCIES#	125	7	42	76	16	1	3	12	109	6	39	64
TEENAGE PREGNANCY RATE	40.0	4.9	69.5	(15-19)	21.6	3.6	32.2	(15-19)	45.8	5.2	83.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	8.3	0.0	24.4	0.0	0.0	0.0	0.0	0.0	9.3	0.0	25.6	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: CALHOUN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	14,652	920	472	448	215
WHITE	10,312	552	292	260	145
NONWHITE	4,340	368	180	188	70

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	38	1	14	23	19	0	7	12	19	1	7	11
TEENAGE IMMATURE BIRTHS	6	0	3	3	3	0	1	2	3	0	2	1
TEENAGE PREMATURE BIRTHS	10	0	4	6	4	0	1	3	6	0	3	3
TEENAGE ILLEGITIMATE BIRTHS	28	1	10	17	9	0	3	6	19	1	7	11
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	1	5	2	0	1	1	4	0	0	4
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	2	6	4	0	2	2	4	0	0	4
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FERTILITY RATE	41.3	2.1	82.6	(15-19)	34.4	0.0	73.1	(15-19)	51.6	5.6	95.7	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	52.6	0.0	71.4	43.5	0.0	0.0	0.0	0.0	105.3	0.0	142.8	90.9
TEENAGE PREGNANCIES#	40	1	15	24	19	0	7	12	21	1	8	12
TEENAGE PREGNANCY RATE	43.5	2.1	87.0	(15-19)	34.4	0.0	73.1	(15-19)	57.1	5.6	106.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: CARROLL

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,397	664	318	346	109
WHITE	6,806	354	173	181	71
NONWHITE	3,591	310	145	165	38

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	12	0	3	9	7	0	2	5	5	0	1	4
TEENAGE IMMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE PREMATURE BIRTHS	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	11	0	3	8	6	0	2	4	5	0	1	4
TEENS WHO HAD PREVIOUS LIVE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	3	0	0	3	2	0	0	2	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	18.1	0.0	34.7	(15-19)	19.8	0.0	38.7	(15-19)	16.1	0.0	30.3	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	1	1	2	2	0	1	1	2	1	0	1
TEENAGE INDUCED TERMINATION RATIO	333.3	-	333.3	222.2	285.7	0.0	500.0	200.0	400.0	-	0.0	250.0
TEENAGE PREGNANCIES#	16	1	4	11	9	0	3	6	7	1	1	5
TEENAGE PREGNANCY RATE	24.1	3.1	43.4	(15-19)	25.4	0.0	49.7	(15-19)	22.6	6.9	36.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	83.3	0.0	0.0	111.1	142.9	0.0	0.0	200.0	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: CHICKASAW

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,184	1,370	698	672	270
WHITE	11,067	632	360	272	140
NONWHITE	8,117	738	338	400	130

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	56	2	15	39	26	1	5	20	30	1	10	19
TEENAGE IMMATURE BIRTHS	3	0	0	3	2	0	0	2	1	0	0	1
TEENAGE PREMATURE BIRTHS	15	1	5	9	6	1	2	3	9	0	3	6
TEENAGE ILLEGITIMATE BIRTHS	44	2	12	30	15	1	2	12	29	1	10	18
TEENS WHO HAD PREVIOUS LIVE BIRTHS	14	0	1	13	5	0	0	5	9	0	1	8
TEENS WHO HAD PREVIOUS PREGNANCIES	16	1	1	14	7	1	0	6	9	0	1	8
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	0	4	1	0	0	1	3	0	0	3
TEENAGE FERTILITY RATE	40.9	2.9	80.4	(15-19)	41.1	2.8	91.9	(15-19)	40.6	3.0	72.5	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	17.8	0.0	0.0	25.6	38.5	0.0	0.0	50.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	57	2	15	40	27	1	5	21	30	1	10	19
TEENAGE PREGNANCY RATE	41.6	2.9	81.8	(15-19)	42.7	2.8	95.6	(15-19)	40.6	3.0	72.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	17.9	0.0	0.0	25.6	0.0	0.0	0.0	0.0	33.3	0.0	0.0	52.6

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: CHOCTAW

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,572	725	331	394	103
WHITE	6,512	452	203	249	55
NONWHITE	3,060	273	128	145	48

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	10	0	4	6	4	0	2	2	6	0	2	4
TEENAGE IMMATURE BIRTHS	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE PREMATURE BIRTHS	4	0	0	4	2	0	0	2	2	0	0	2
TEENAGE ILLEGITIMATE BIRTHS	9	0	3	6	3	0	1	2	6	0	2	4
TEENS WHO HAD PREVIOUS LIVE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	2	0	0	2	0	0	0	0	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	13.8	0.0	25.4	(15-19)	8.8	0.0	16.1	(15-19)	22.0	0.0	41.4	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	100.0	0.0	0.0	166.7	0.0	0.0	0.0	0.0	166.7	0.0	0.0	250.0
TEENAGE PREGNANCIES#	11	0	4	7	4	0	2	2	7	0	2	5
TEENAGE PREGNANCY RATE	15.2	0.0	27.9	(15-19)	8.8	0.0	16.1	(15-19)	25.6	0.0	48.3	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: CLAIBORNE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	11,492	1,109	390	719	137
WHITE	1,742	64	27	37	6
NONWHITE	9,750	1,045	363	682	131

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	26	1	12	13	0	0	0	0	26	1	12	13
TEENAGE IMMATURE BIRTHS	8	1	6	1	0	0	0	0	8	1	6	1
TEENAGE PREMATURE BIRTHS	8	0	3	5	0	0	0	0	8	0	3	5
TEENAGE ILLEGITIMATE BIRTHS	25	1	12	12	0	0	0	0	25	1	12	12
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	3	3	0	0	0	0	6	0	3	3
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	3	3	0	0	0	0	6	0	3	3
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	3	0	0	0	0	0	3	0	3	0
TEENAGE FERTILITY RATE	23.4	2.6	34.8	(15-19)	0.0	0.0	0.0	(15-19)	24.9	2.8	36.6	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	0	4	0	0	0	0	4	0	0	4
TEENAGE INDUCED TERMINATION RATIO	153.8	0.0	0.0	307.7	0.0	0.0	0.0	0.0	153.8	0.0	0.0	307.7
TEENAGE PREGNANCIES#	30	1	12	17	0	0	0	0	30	1	12	17
TEENAGE PREGNANCY RATE	27.0	2.6	40.3	(15-19)	0.0	0.0	0.0	(15-19)	28.7	2.8	42.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: CLARKE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	17,670	1,231	632	599	221
WHITE	11,655	741	389	352	131
NONWHITE	6,015	490	243	247	90

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	26	0	9	17	11	0	5	6	15	0	4	11
TEENAGE IMMATURE BIRTHS	6	0	1	5	2	0	1	1	4	0	0	4
TEENAGE PREMATURE BIRTHS	6	0	1	5	3	0	1	2	3	0	0	3
TEENAGE ILLEGITIMATE BIRTHS	22	0	9	13	7	0	5	2	15	0	4	11
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	0	6	2	0	0	2	4	0	0	4
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	0	6	2	0	0	2	4	0	0	4
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE	21.1	0.0	43.4	(15-19)	14.8	0.0	31.2	(15-19)	30.6	0.0	60.7	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	2	2	0	0	0	0	4	0	2	2
TEENAGE INDUCED TERMINATION RATIO	153.8	0.0	222.2	117.6	0.0	0.0	0.0	0.0	266.7	0.0	500.0	181.8
TEENAGE PREGNANCIES#	30	0	11	19	11	0	5	6	19	0	6	13
TEENAGE PREGNANCY RATE	24.4	0.0	50.1	(15-19)	14.8	0.0	31.2	(15-19)	38.8	0.0	76.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: CLAY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,223	1,546	788	758	323
WHITE	8,988	464	254	210	114
NONWHITE	12,235	1,082	534	548	209

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	56	3	13	40	4	0	1	3	52	3	12	37
TEENAGE IMMATURE BIRTHS	11	1	3	7	1	0	0	1	10	1	3	6
TEENAGE PREMATURE BIRTHS	15	2	4	9	1	0	0	1	14	2	4	8
TEENAGE ILLEGITIMATE BIRTHS	55	3	13	39	3	0	1	2	52	3	12	37
TEENS WHO HAD PREVIOUS LIVE BIRTHS	10	0	0	10	0	0	0	0	10	0	0	10
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	0	11	0	0	0	0	11	0	0	11
TEENS WITH INADEQUATE* PRENATAL CARE	12	0	4	8	1	0	0	1	11	0	4	7
TEENAGE FERTILITY RATE	36.2	3.8	69.9	(15-19)	8.6	0.0	19.0	(15-19)	48.0	5.6	89.4	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	17.8	0.0	76.9	0.0	250.0	0.0	1000.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	7	0	4	3	3	0	2	1	3	0	2	1
TEENAGE INDUCED TERMINATION RATIO	125.0	0.0	307.7	75.0	750.0	0.0	2000.0	333.3	57.7	0.0	166.7	27.0
TEENAGE PREGNANCIES#	64	3	18	43	8	0	4	4	55	3	14	38
TEENAGE PREGNANCY RATE	41.4	3.8	80.5	(15-19)	17.2	0.0	38.1	(15-19)	50.8	5.6	94.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	0	0	0	0	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	35.7	0.0	0.0	50.0	0.0	0.0	0.0	0.0	38.5	0.0	0.0	54.1

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: COAHOMA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	29,002	2,485	1,228	1,257	482
WHITE	7,428	436	207	229	84
NONWHITE	21,574	2,049	1,021	1,028	398

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	104	1	36	67	14	0	6	8	90	1	30	59
TEENAGE IMMATURE BIRTHS	15	0	7	8	0	0	0	0	15	0	7	8
TEENAGE PREMATURE BIRTHS	28	1	13	14	3	0	2	1	25	1	11	13
TEENAGE ILLEGITIMATE BIRTHS	98	1	34	63	10	0	5	5	88	1	29	58
TEENS WHO HAD PREVIOUS LIVE BIRTHS	24	0	7	17	1	0	1	0	23	0	6	17
TEENS WHO HAD PREVIOUS PREGNANCIES	30	0	9	21	1	0	1	0	29	0	8	21
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	2	0	2	0	2	0	0	0	0	0
TEENAGE FERTILITY RATE	41.8	0.8	81.9 (15-19)		32.1	0.0	61.1 (15-19)		43.9	1.0	86.6 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	9.6	0.0	27.8	0.0	0.0	0.0	0.0	0.0	11.1	0.0	33.3	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	105	1	37	67	14	0	6	8	91	1	31	59
TEENAGE PREGNANCY RATE	42.2	0.8	82.7 (15-19)		32.1	0.0	61.1 (15-19)		44.4	1.0	87.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	3	0	0	3	1	0	0	1	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	28.8	0.0	0.0	44.8	71.4	0.0	0.0	125.0	22.2	0.0	0.0	33.9

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: COPIAH

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	29,164	2,259	952	1,307	475
WHITE	14,186	837	346	491	187
NONWHITE	14,978	1,422	606	816	288

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	74	2	23	49	21	0	5	16	53	2	18	33
TEENAGE IMMATURE BIRTHS	13	0	0	13	2	0	0	2	11	0	0	11
TEENAGE PREMATURE BIRTHS	19	0	5	14	3	0	0	3	16	0	5	11
TEENAGE ILLEGITIMATE BIRTHS	65	2	21	42	13	0	3	10	52	2	18	32
TEENS WHO HAD PREVIOUS LIVE BIRTHS	18	0	4	14	4	0	0	4	14	0	4	10
TEENS WHO HAD PREVIOUS PREGNANCIES	21	0	5	16	5	0	1	4	16	0	4	12
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	4	2	0	0	0	0	6	0	4	2
TEENAGE FERTILITY RATE	32.8	2.1	55.1	(15-19)	25.1	0.0	42.8	(15-19)	37.3	3.3	62.5	(15-19)
TEENAGE FETAL DEATHS**	1	1	0	0	0	0	0	0	1	1	0	0
TEENAGE FETAL DEATH RATIO	13.5	500.0	0.0	0.0	0.0	0.0	0.0	0.0	18.9	500.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	6	1	4	1	1	0	0	1	5	1	4	0
TEENAGE INDUCED TERMINATION RATIO	81.1	500.0	173.9	20.4	47.6	0.0	0.0	62.5	94.3	500.0	222.2	0.0
TEENAGE PREGNANCIES#	81	4	27	50	22	0	5	17	59	4	22	33
TEENAGE PREGNANCY RATE	35.8	4.2	58.9	(15-19)	26.3	0.0	44.8	(15-19)	41.5	6.6	67.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	1	0	0	0	0	0	0	1	1	0	0
INFANT MORTALITY RATE, TEEN MOMS	13.5	500.0	0.0	0.0	0.0	0.0	0.0	0.0	18.9	500.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: COVINGTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	20,273	1,542	802	740	321
WHITE	12,800	842	425	417	178
NONWHITE	7,473	700	377	323	143

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	58	0	20	38	24	0	7	17	34	0	13	21
TEENAGE IMMATURE BIRTHS	5	0	1	4	2	0	0	2	3	0	1	2
TEENAGE PREMATURE BIRTHS	5	0	2	3	2	0	0	2	3	0	2	1
TEENAGE ILLEGITIMATE BIRTHS	50	0	20	30	17	0	7	10	33	0	13	20
TEENS WHO HAD PREVIOUS LIVE BIRTHS	12	0	1	11	6	0	1	5	6	0	0	6
TEENS WHO HAD PREVIOUS PREGNANCIES	14	0	1	13	8	0	1	7	6	0	0	6
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE	37.6	0.0	78.4	(15-19)	28.5	0.0	57.6	(15-19)	48.6	0.0	105.3	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	17.2	0.0	50.0	0.0	0.0	0.0	0.0	0.0	29.4	0.0	76.9	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	0	4	1	0	0	1	3	0	0	3
TEENAGE INDUCED TERMINATION RATIO	69.0	0.0	0.0	105.3	41.7	0.0	0.0	58.8	88.2	0.0	0.0	142.8
TEENAGE PREGNANCIES#	63	0	21	42	25	0	7	18	38	0	14	24
TEENAGE PREGNANCY RATE	40.8	0.0	85.1	(15-19)	29.7	0.0	60.0	(15-19)	54.3	0.0	117.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	17.2	0.0	0.0	26.3	41.7	0.0	0.0	58.8	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: DESOTO

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	137,004	9,602	5,034	4,568	2,023
WHITE	110,941	7,354	3,831	3,523	1,607
NONWHITE	26,063	2,248	1,203	1,045	416

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	206	0	66	140	149	0	43	106	57	0	23	34
TEENAGE IMMATURE BIRTHS	21	0	10	11	13	0	8	5	8	0	2	6
TEENAGE PREMATURE BIRTHS	30	0	15	15	20	0	10	10	10	0	5	5
TEENAGE ILLEGITIMATE BIRTHS	171	0	60	111	115	0	37	78	56	0	23	33
TEENS WHO HAD PREVIOUS LIVE BIRTHS	32	0	5	27	17	0	3	14	15	0	2	13
TEENS WHO HAD PREVIOUS PREGNANCIES	33	0	6	27	17	0	3	14	16	0	3	13
TEENS WITH INADEQUATE* PRENATAL CARE	24	0	8	16	14	0	5	9	10	0	3	7
TEENAGE FERTILITY RATE	21.4	0.0	45.1	(15-19)	20.3	0.0	42.3	(15-19)	25.4	0.0	54.5	(15-19)
TEENAGE FETAL DEATHS**	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE FETAL DEATH RATIO	9.7	0.0	0.0	14.3	6.7	0.0	0.0	9.4	17.5	0.0	0.0	29.4
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	9.7	0.0	0.0	14.3	0.0	0.0	0.0	0.0	35.1	0.0	0.0	58.8
TEENAGE PREGNANCIES#	210	0	66	144	150	0	43	107	60	0	23	37
TEENAGE PREGNANCY RATE	21.9	0.0	46.0	(15-19)	20.4	0.0	42.6	(15-19)	26.7	0.0	57.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	3	0	1	2	1	0	1	0	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	14.6	0.0	15.2	14.3	6.7	0.0	23.3	0.0	35.1	0.0	0.0	58.8

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: FORREST

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	75,095	5,415	2,283	3,132	1,091
WHITE	47,521	2,886	1,151	1,735	614
NONWHITE	27,574	2,529	1,132	1,397	477

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	170	6	49	115	73	0	19	54	97	6	30	61
TEENAGE IMMATURE BIRTHS	25	1	7	17	10	0	2	8	15	1	5	9
TEENAGE PREMATURE BIRTHS	38	3	9	26	18	0	4	14	20	3	5	12
TEENAGE ILLEGITIMATE BIRTHS	151	6	46	99	54	0	16	38	97	6	30	61
TEENS WHO HAD PREVIOUS LIVE BIRTHS	39	0	4	35	19	0	1	18	20	0	3	17
TEENS WHO HAD PREVIOUS PREGNANCIES	51	1	7	43	27	0	4	23	24	1	3	20
TEENS WITH INADEQUATE* PRENATAL CARE	6	1	4	1	3	0	3	0	3	1	1	1
TEENAGE FERTILITY RATE	31.4	2.6	52.4	(15-19)	25.3	0.0	42.1	(15-19)	38.4	5.3	65.1	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	5.9	0.0	0.0	8.7	0.0	0.0	0.0	0.0	10.3	0.0	0.0	16.4
TEENAGE INDUCED TERMINATIONS#	30	1	4	25	11	0	2	9	19	1	2	16
TEENAGE INDUCED TERMINATION RATIO	176.5	166.7	81.6	217.4	150.7	0.0	105.3	166.7	195.9	166.7	66.7	262.3
TEENAGE PREGNANCIES#	201	7	53	141	84	0	21	63	117	7	32	78
TEENAGE PREGNANCY RATE	37.1	3.1	61.9	(15-19)	29.1	0.0	48.4	(15-19)	46.3	6.2	78.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	5	1	1	3	1	0	0	1	4	1	1	2
INFANT MORTALITY RATE, TEEN MOMS	29.4	166.7	20.4	26.1	13.7	0.0	0.0	18.5	41.2	166.7	33.3	32.8

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: FRANKLIN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	8,411	545	251	294	115
WHITE	5,328	280	141	139	53
NONWHITE	3,083	265	110	155	62

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	9	0	5	4	4	0	3	1	5	0	2	3
TEENAGE IMMATURE BIRTHS	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE PREMATURE BIRTHS	3	0	1	2	1	0	1	0	2	0	0	2
TEENAGE ILLEGITIMATE BIRTHS	8	0	5	3	3	0	3	0	5	0	2	3
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	2	1	1	0	1	0	2	0	1	1
TEENS WHO HAD PREVIOUS PREGNANCIES	3	0	2	1	1	0	1	0	2	0	1	1
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE		16.5	0.0	30.6 (15-19)	14.3	0.0	28.8 (15-19)	18.9	0.0	32.2 (15-19)		
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	9	0	5	4	4	0	3	1	5	0	2	3
TEENAGE PREGNANCY RATE	16.5	0.0	30.6 (15-19)	14.3	0.0	28.8 (15-19)	18.9	0.0	32.2 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: GEORGE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,259	1,468	798	670	335
WHITE	19,077	1,303	709	594	305
NONWHITE	2,182	165	89	76	30

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	57	1	27	29	52	0	24	28	5	1	3	1
TEENAGE IMMATURE BIRTHS	5	0	5	0	4	0	4	0	1	0	1	0
TEENAGE PREMATURE BIRTHS	9	0	5	4	7	0	3	4	2	0	2	0
TEENAGE ILLEGITIMATE BIRTHS	38	1	21	16	33	0	18	15	5	1	3	1
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	3	6	9	0	3	6	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	3	6	9	0	3	6	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	4	1	5	0	4	1	0	0	0	0
TEENAGE FERTILITY RATE	38.8	1.2	83.6	(15-19)	39.9	0.0	87.5	(15-19)	30.3	11.2	52.6	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	17.5	0.0	0.0	34.5	0.0	0.0	0.0	0.0	200.0	0.0	0.0	1000.0
TEENAGE PREGNANCIES#	58	1	27	30	52	0	24	28	6	1	3	2
TEENAGE PREGNANCY RATE	39.5	1.2	85.1	(15-19)	39.9	0.0	87.5	(15-19)	36.4	11.2	65.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	1	0	1	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	17.5	0.0	37.0	0.0	19.2	0.0	41.7	0.0	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: GREENE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,183	769	398	371	150
WHITE	9,617	602	319	283	116
NONWHITE	3,566	167	79	88	34

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	29	0	7	22	21	0	5	16	8	0	2	6
TEENAGE IMMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE PREMATURE BIRTHS	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	16	0	5	11	9	0	3	6	7	0	2	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	0	6	3	0	0	3	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	1	7	5	0	1	4	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FERTILITY RATE	37.7	0.0	78.2	(15-19)	34.9	0.0	74.2	(15-19)	47.9	0.0	90.9	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	2	0	0	2	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	69.0	0.0	0.0	90.9	95.2	0.0	0.0	125.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	31	0	7	24	23	0	5	18	8	0	2	6
TEENAGE PREGNANCY RATE	40.3	0.0	83.6	(15-19)	38.2	0.0	81.3	(15-19)	47.9	0.0	90.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: GRENADA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	22,861	1,695	841	854	348
WHITE	13,061	829	404	425	174
NONWHITE	9,800	866	437	429	174

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	55	1	24	30	21	0	5	16	34	1	19	14
TEENAGE IMMATURE BIRTHS	5	0	2	3	2	0	0	2	3	0	2	1
TEENAGE PREMATURE BIRTHS	4	0	2	2	0	0	0	0	4	0	2	2
TEENAGE ILLEGITIMATE BIRTHS	51	1	24	26	17	0	5	12	34	1	19	14
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	3	4	2	0	0	2	5	0	3	2
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	3	5	2	0	0	2	6	0	3	3
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	0	5	1	0	0	1	4	0	0	4
TEENAGE FERTILITY RATE	32.4	1.2	63.2	(15-19)	25.3	0.0	49.4	(15-19)	39.3	2.3	76.9	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	5	0	1	4	2	0	0	2	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	90.9	0.0	41.7	133.3	95.2	0.0	0.0	125.0	88.2	0.0	52.6	142.8
TEENAGE PREGNANCIES#	60	1	25	34	23	0	5	18	37	1	20	16
TEENAGE PREGNANCY RATE	35.4	1.2	69.1	(15-19)	27.7	0.0	54.1	(15-19)	42.7	2.3	83.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1
INFANT MORTALITY RATE, TEEN MOMS	36.4	0.0	41.7	33.3	0.0	0.0	0.0	0.0	58.8	0.0	52.6	71.4

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: HANCOCK

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	46,711	3,060	1,536	1,524	452
WHITE	42,311	2,709	1,362	1,347	411
NONWHITE	4,400	351	174	177	41

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	88	1	33	54	76	1	31	44	12	0	2	10
TEENAGE IMMATURE BIRTHS	5	0	0	5	2	0	0	2	3	0	0	3
TEENAGE PREMATURE BIRTHS	16	0	6	10	12	0	5	7	4	0	1	3
TEENAGE ILLEGITIMATE BIRTHS	72	1	30	41	60	1	28	31	12	0	2	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	12	0	1	11	10	0	0	10	2	0	1	1
TEENS WHO HAD PREVIOUS PREGNANCIES	16	0	1	15	12	0	0	12	4	0	1	3
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	1	3	4	0	1	3	0	0	0	0
TEENAGE FERTILITY RATE	28.8	0.6	57.1	(15-19)	28.0	0.7	55.7	(15-19)	34.2	0.0	67.8	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	1	0	2	3	1	0	2	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	34.1	1000.0	0.0	37.0	39.5	1000.0	0.0	45.4	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	91	2	33	56	79	2	31	46	12	0	2	10
TEENAGE PREGNANCY RATE	29.7	1.3	58.4	(15-19)	29.2	1.5	57.2	(15-19)	34.2	0.0	67.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: HARRISON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	193,810	13,056	6,694	6,362	2,736
WHITE	140,121	8,439	4,286	4,153	1,901
NONWHITE	53,689	4,617	2,408	2,209	835

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	356	5	109	242	221	3	70	148	135	2	39	94
TEENAGE IMMATURE BIRTHS	39	1	9	29	17	0	3	14	22	1	6	15
TEENAGE PREMATURE BIRTHS	62	3	16	43	31	2	9	20	31	1	7	23
TEENAGE ILLEGITIMATE BIRTHS	286	5	97	184	158	3	58	97	128	2	39	87
TEENS WHO HAD PREVIOUS LIVE BIRTHS	63	0	11	52	30	0	4	26	33	0	7	26
TEENS WHO HAD PREVIOUS PREGNANCIES	91	0	15	76	51	0	6	45	40	0	9	31
TEENS WITH INADEQUATE* PRENATAL CARE	29	0	9	20	14	0	4	10	15	0	5	10
TEENAGE FERTILITY RATE	27.3	0.7	55.2	(15-19)	26.2	0.7	52.5	(15-19)	29.2	0.8	60.2	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	2.8	0.0	0.0	4.1	4.5	0.0	0.0	6.8	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	34	0	10	24	21	0	7	14	13	0	3	10
TEENAGE INDUCED TERMINATION RATIO	95.5	0.0	91.7	99.2	95.0	0.0	100.0	94.6	96.3	0.0	76.9	106.4
TEENAGE PREGNANCIES#	391	5	119	267	243	3	77	163	148	2	42	104
TEENAGE PREGNANCY RATE	29.9	0.7	60.7	(15-19)	28.8	0.7	57.8	(15-19)	32.0	0.8	66.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	6	0	2	4	1	0	0	1	5	0	2	3
INFANT MORTALITY RATE, TEEN MOMS	16.9	0.0	18.3	16.5	4.5	0.0	0.0	6.8	37.0	0.0	51.3	31.9

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: HINDS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	249,345	18,869	9,035	9,834	3,953
WHITE	83,060	4,512	1,976	2,536	913
NONWHITE	166,285	14,357	7,059	7,298	3,040

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	680	23	255	402	73	0	17	56	607	23	238	346
TEENAGE IMMATURE BIRTHS	117	6	44	67	2	0	0	2	115	6	44	65
TEENAGE PREMATURE BIRTHS	178	6	78	94	9	0	2	7	169	6	76	87
TEENAGE ILLEGITIMATE BIRTHS	648	23	254	371	51	0	16	35	597	23	238	336
TEENS WHO HAD PREVIOUS LIVE BIRTHS	148	1	30	117	15	0	0	15	133	1	30	102
TEENS WHO HAD PREVIOUS PREGNANCIES	182	1	44	137	18	0	1	17	164	1	43	120
TEENS WITH INADEQUATE* PRENATAL CARE	109	6	43	60	6	0	3	3	103	6	40	57
TEENAGE FERTILITY RATE	36.0	2.5	66.8 (15-19)		16.2	0.0	28.8 (15-19)		42.3	3.2	80.0 (15-19)	
TEENAGE FETAL DEATHS**	11	0	4	7	0	0	0	0	11	0	4	7
TEENAGE FETAL DEATH RATIO	16.2	0.0	15.7	17.4	0.0	0.0	0.0	0.0	18.1	0.0	16.8	20.2
TEENAGE INDUCED TERMINATIONS#	182	9	45	128	16	0	5	11	166	9	40	117
TEENAGE INDUCED TERMINATION RATIO	267.6	391.3	176.5	318.4	219.2	0.0	294.1	196.4	273.5	391.3	168.1	338.2
TEENAGE PREGNANCIES#	873	32	304	537	89	0	22	67	784	32	282	470
TEENAGE PREGNANCY RATE	46.3	3.5	85.5 (15-19)		19.7	0.0	35.1 (15-19)		54.6	4.5	103.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	11	0	7	4	0	0	0	0	11	0	7	4
INFANT MORTALITY RATE, TEEN MOMS	16.2	0.0	27.5	10.0	0.0	0.0	0.0	0.0	18.1	0.0	29.4	11.6

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: HOLMES

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,099	1,815	876	939	383
WHITE	3,944	236	69	167	41
NONWHITE	17,155	1,579	807	772	342

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	83	4	29	50	3	0	3	0	80	4	26	50
TEENAGE IMMATURE BIRTHS	9	0	3	6	0	0	0	0	9	0	3	6
TEENAGE PREMATURE BIRTHS	19	2	5	12	0	0	0	0	19	2	5	12
TEENAGE ILLEGITIMATE BIRTHS	79	4	29	46	3	0	3	0	76	4	26	46
TEENS WHO HAD PREVIOUS LIVE BIRTHS	20	1	4	15	0	0	0	0	20	1	4	15
TEENS WHO HAD PREVIOUS PREGNANCIES	21	1	4	16	0	0	0	0	21	1	4	16
TEENS WITH INADEQUATE* PRENATAL CARE	36	3	10	23	0	0	0	0	36	3	10	23
TEENAGE FERTILITY RATE	45.7	4.6	84.1	(15-19)	12.7	0.0	18.0	(15-19)	50.7	5.0	98.4	(15-19)
TEENAGE FETAL DEATHS**	5	0	3	2	0	0	0	0	5	0	3	2
TEENAGE FETAL DEATH RATIO	60.2	0.0	103.4	40.0	0.0	0.0	0.0	0.0	62.5	0.0	115.4	40.0
TEENAGE INDUCED TERMINATIONS#	17	2	8	7	0	0	0	0	17	2	8	7
TEENAGE INDUCED TERMINATION RATIO	204.8	500.0	275.9	140.0	0.0	0.0	0.0	0.0	212.5	500.0	307.7	140.0
TEENAGE PREGNANCIES#	105	6	40	59	3	0	3	0	102	6	37	59
TEENAGE PREGNANCY RATE	57.8	6.8	105.4	(15-19)	12.7	0.0	18.0	(15-19)	64.6	7.4	124.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: HUMPHREYS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,527	865	432	433	192
WHITE	2,728	141	70	71	22
NONWHITE	7,799	724	362	362	170

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	42	0	14	28	0	0	0	0	42	0	14	28
TEENAGE IMMATURE BIRTHS	13	0	5	8	0	0	0	0	13	0	5	8
TEENAGE PREMATURE BIRTHS	12	0	5	7	0	0	0	0	12	0	5	7
TEENAGE ILLEGITIMATE BIRTHS	42	0	14	28	0	0	0	0	42	0	14	28
TEENS WHO HAD PREVIOUS LIVE BIRTHS	14	0	1	13	0	0	0	0	14	0	1	13
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	1	14	0	0	0	0	15	0	1	14
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	1	4	0	0	0	0	5	0	1	4
TEENAGE FERTILITY RATE	48.6	0.0	97.0	(15-19)	0.0	0.0	0.0	(15-19)	58.0	0.0	116.0	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	23.8	0.0	71.4	0.0	0.0	0.0	0.0	0.0	23.8	0.0	71.4	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	3	1	0	0	0	0	4	0	3	1
TEENAGE INDUCED TERMINATION RATIO	95.2	0.0	214.3	35.7	0.0	0.0	0.0	0.0	95.2	0.0	214.3	35.7
TEENAGE PREGNANCIES#	47	0	18	29	0	0	0	0	47	0	18	29
TEENAGE PREGNANCY RATE	54.3	0.0	108.5	(15-19)	0.0	0.0	0.0	(15-19)	64.9	0.0	129.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1
INFANT MORTALITY RATE, TEEN MOMS	47.6	0.0	71.4	35.7	0.0	0.0	0.0	0.0	47.6	0.0	71.4	35.7

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: ISSAQUENA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	1,909	160	78	82	18
WHITE	713	33	11	22	6
NONWHITE	1,196	127	67	60	12

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	8	0	2	6	1	0	1	0	7	0	1	6
TEENAGE IMMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE PREMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	8	0	2	6	1	0	1	0	7	0	1	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	0	3	0	0	0	0	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	3	0	0	3	0	0	0	0	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE FERTILITY RATE		50.0	0.0	97.6 (15-19)	30.3	0.0	45.4 (15-19)		55.1	0.0	116.7 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	8	0	2	6	1	0	1	0	7	0	1	6
TEENAGE PREGNANCY RATE	50.0	0.0	97.6 (15-19)		30.3	0.0	45.4 (15-19)		55.1	0.0	116.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: ITAWAMBA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	23,359	1,752	806	946	264
WHITE	21,671	1,566	753	813	245
NONWHITE	1,688	186	53	133	19

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	34	0	10	24	30	0	8	22	4	0	2	2
TEENAGE IMMATURE BIRTHS	3	0	1	2	3	0	1	2	0	0	0	0
TEENAGE PREMATURE BIRTHS	7	0	3	4	7	0	3	4	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	23	0	10	13	19	0	8	11	4	0	2	2
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	1	5	5	0	1	4	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	2	6	7	0	2	5	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	19.4	0.0	35.9	(15-19)	19.2	0.0	36.9	(15-19)	21.5	0.0	30.1	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	2	0	1	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	58.8	0.0	100.0	41.7	66.7	0.0	125.0	45.4	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	36	0	11	25	32	0	9	23	4	0	2	2
TEENAGE PREGNANCY RATE	20.5	0.0	38.0	(15-19)	20.4	0.0	39.4	(15-19)	21.5	0.0	30.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	2	0	0	2	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	58.8	0.0	0.0	83.3	66.7	0.0	0.0	90.9	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: JACKSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	135,940	9,631	4,897	4,734	1,706
WHITE	101,802	6,678	3,366	3,312	1,203
NONWHITE	34,138	2,953	1,531	1,422	503

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	236	6	79	151	130	2	44	84	106	4	35	67
TEENAGE IMMATURE BIRTHS	27	0	10	17	13	0	5	8	14	0	5	9
TEENAGE PREMATURE BIRTHS	38	0	12	26	22	0	8	14	16	0	4	12
TEENAGE ILLEGITIMATE BIRTHS	201	6	72	123	105	2	38	65	96	4	34	58
TEENS WHO HAD PREVIOUS LIVE BIRTHS	45	0	10	35	17	0	4	13	28	0	6	22
TEENS WHO HAD PREVIOUS PREGNANCIES	54	0	11	43	23	0	4	19	31	0	7	24
TEENS WITH INADEQUATE* PRENATAL CARE	12	0	3	9	5	0	0	5	7	0	3	4
TEENAGE FERTILITY RATE	24.5	1.2	48.6	(15-19)	19.5	0.6	38.6	(15-19)	35.9	2.6	71.7	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	28	0	14	14	21	0	12	9	6	0	1	5
TEENAGE INDUCED TERMINATION RATIO	118.6	0.0	177.2	92.7	161.5	0.0	272.7	107.1	56.6	0.0	28.6	74.6
TEENAGE PREGNANCIES#	264	6	93	165	151	2	56	93	112	4	36	72
TEENAGE PREGNANCY RATE	27.4	1.2	54.5	(15-19)	22.6	0.6	45.0	(15-19)	37.9	2.6	75.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	1	0	1	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	8.5	0.0	12.7	6.6	7.7	0.0	22.7	0.0	9.4	0.0	0.0	14.9

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: JASPER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	18,162	1,305	671	634	224
WHITE	8,529	466	248	218	90
NONWHITE	9,633	839	423	416	134

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	37	2	13	22	9	0	2	7	28	2	11	15
TEENAGE IMMATURE BIRTHS	5	0	3	2	1	0	0	1	4	0	3	1
TEENAGE PREMATURE BIRTHS	5	1	1	3	1	0	0	1	4	1	1	2
TEENAGE ILLEGITIMATE BIRTHS	33	2	13	18	5	0	2	3	28	2	11	15
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	0	6	2	0	0	2	4	0	0	4
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	0	6	2	0	0	2	4	0	0	4
TEENS WITH INADEQUATE* PRENATAL CARE	2	1	1	0	0	0	0	0	2	1	1	0
TEENAGE FERTILITY RATE	28.4	3.0	55.2	(15-19)	19.3	0.0	41.3	(15-19)	33.4	4.7	62.5	(15-19)
TEENAGE FETAL DEATHS**	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE FETAL DEATH RATIO	54.0	0.0	0.0	90.9	111.1	0.0	0.0	142.8	35.7	0.0	0.0	66.7
TEENAGE INDUCED TERMINATIONS#	5	1	2	2	0	0	0	0	5	1	2	2
TEENAGE INDUCED TERMINATION RATIO	135.1	500.0	153.8	90.9	0.0	0.0	0.0	0.0	178.6	500.0	181.8	133.3
TEENAGE PREGNANCIES#	44	3	15	26	10	0	2	8	34	3	13	18
TEENAGE PREGNANCY RATE	33.7	4.5	64.7	(15-19)	21.4	0.0	45.9	(15-19)	40.5	7.1	74.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: JEFFERSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,432	715	331	384	118
WHITE	1,296	50	17	33	6
NONWHITE	8,136	665	314	351	112

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	26	0	9	17	1	0	1	0	25	0	8	17
TEENAGE IMMATURE BIRTHS	3	0	0	3	0	0	0	0	3	0	0	3
TEENAGE PREMATURE BIRTHS	5	0	0	5	0	0	0	0	5	0	0	5
TEENAGE ILLEGITIMATE BIRTHS	26	0	9	17	1	0	1	0	25	0	8	17
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	0	8	0	0	0	0	8	0	0	8
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	0	8	0	0	0	0	8	0	0	8
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FERTILITY RATE	36.4	0.0	67.7	(15-19)	20.0	0.0	30.3	(15-19)	37.6	0.0	71.2	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	3	1	0	0	0	0	4	0	3	1
TEENAGE INDUCED TERMINATION RATIO	153.8	0.0	333.3	58.8	0.0	0.0	0.0	0.0	160.0	0.0	375.0	58.8
TEENAGE PREGNANCIES#	30	0	12	18	1	0	1	0	29	0	11	18
TEENAGE PREGNANCY RATE	42.0	0.0	78.1	(15-19)	20.0	0.0	30.3	(15-19)	43.6	0.0	82.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	38.5	0.0	0.0	58.8	0.0	0.0	0.0	0.0	40.0	0.0	0.0	58.8

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: JEFF DAVIS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,158	961	484	477	166
WHITE	5,468	287	134	153	53
NONWHITE	7,690	674	350	324	113

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	24	2	10	12	6	0	3	3	18	2	7	9
TEENAGE IMMATURE BIRTHS	3	1	2	0	0	0	0	0	3	1	2	0
TEENAGE PREMATURE BIRTHS	5	1	2	2	0	0	0	0	5	1	2	2
TEENAGE ILLEGITIMATE BIRTHS	22	2	9	11	4	0	2	2	18	2	7	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	0	3	1	0	0	1	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	3	0	0	3	1	0	0	1	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	2	3	1	0	0	1	4	0	2	2
TEENAGE FERTILITY RATE	25.0	4.1	46.1	(15-19)	20.9	0.0	39.2	(15-19)	26.7	5.7	49.4	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	1	1	2	0	0	0	0	4	1	1	2
TEENAGE INDUCED TERMINATION RATIO	166.7	500.0	100.0	166.7	0.0	0.0	0.0	0.0	222.2	500.0	142.8	222.2
TEENAGE PREGNANCIES#	28	3	11	14	6	0	3	3	22	3	8	11
TEENAGE PREGNANCY RATE	29.1	6.2	52.4	(15-19)	20.9	0.0	39.2	(15-19)	32.6	8.6	58.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: JONES

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	66,160	4,395	2,139	2,256	1,068
WHITE	47,232	2,748	1,308	1,440	679
NONWHITE	18,928	1,647	831	816	389

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	199	3	61	135	108	2	30	76	91	1	31	59
TEENAGE IMMATURE BIRTHS	33	1	9	23	11	1	3	7	22	0	6	16
TEENAGE PREMATURE BIRTHS	22	0	8	14	13	0	2	11	9	0	6	3
TEENAGE ILLEGITIMATE BIRTHS	161	3	57	101	71	2	26	43	90	1	31	58
TEENS WHO HAD PREVIOUS LIVE BIRTHS	50	1	7	42	28	1	3	24	22	0	4	18
TEENS WHO HAD PREVIOUS PREGNANCIES	64	2	9	53	39	2	5	32	25	0	4	21
TEENS WITH INADEQUATE* PRENATAL CARE	11	1	5	5	5	0	2	3	6	1	3	2
TEENAGE FERTILITY RATE	45.3	1.4	86.9	(15-19)	39.3	1.5	73.6	(15-19)	55.2	1.2	110.3	(15-19)
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	10.0	0.0	16.4	7.4	0.0	0.0	0.0	0.0	22.0	0.0	32.2	16.9
TEENAGE INDUCED TERMINATIONS#	13	2	4	7	2	0	0	2	11	2	4	5
TEENAGE INDUCED TERMINATION RATIO	65.3	666.7	65.6	51.8	18.5	0.0	0.0	26.3	120.9	2000.0	129.0	84.7
TEENAGE PREGNANCIES#	214	5	66	143	110	2	30	78	104	3	36	65
TEENAGE PREGNANCY RATE	48.7	2.3	92.6	(15-19)	40.0	1.5	75.0	(15-19)	63.1	3.6	123.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	6	0	4	2	3	0	2	1	3	0	2	1
INFANT MORTALITY RATE, TEEN MOMS	30.2	0.0	65.6	14.8	27.8	0.0	66.7	13.2	33.0	0.0	64.5	16.9

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: KEMPER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,246	723	326	397	116
WHITE	3,972	209	87	122	36
NONWHITE	6,274	514	239	275	80

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	14	1	0	13	3	1	0	2	11	0	0	11
TEENAGE IMMATURE BIRTHS	2	1	0	1	1	1	0	0	1	0	0	1
TEENAGE PREMATURE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE ILLEGITIMATE BIRTHS	13	1	0	12	2	1	0	1	11	0	0	11
TEENS WHO HAD PREVIOUS LIVE BIRTHS	2	0	0	2	2	0	0	2	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	2	0	0	2	2	0	0	2	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	19.4	3.1	32.7 (15-19)	14.4	11.5	16.4 (15-19)	21.4	0.0	40.0 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	214.3	0.0	-	153.8	0.0	0.0	0.0	0.0	272.7	0.0	-	181.8
TEENAGE PREGNANCIES#	17	1	1	15	3	1	0	2	14	0	1	13
TEENAGE PREGNANCY RATE	23.5	3.1	40.3 (15-19)	14.4	11.5	16.4 (15-19)	27.2	0.0	50.9 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: LAFAYETTE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	40,842	3,050	931	2,119	493
WHITE	29,925	2,201	577	1,624	293
NONWHITE	10,917	849	354	495	200

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	59	1	11	47	22	0	2	20	37	1	9	27
TEENAGE IMMATURE BIRTHS	9	0	2	7	3	0	0	3	6	0	2	4
TEENAGE PREMATURE BIRTHS	14	0	4	10	3	0	1	2	11	0	3	8
TEENAGE ILLEGITIMATE BIRTHS	50	1	10	39	16	0	1	15	34	1	9	24
TEENS WHO HAD PREVIOUS LIVE BIRTHS	10	0	0	10	3	0	0	3	7	0	0	7
TEENS WHO HAD PREVIOUS PREGNANCIES	17	0	1	16	7	0	0	7	10	0	1	9
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE FERTILITY RATE	19.3	1.1	27.4	(15-19)	10.0	0.0	13.5	(15-19)	43.6	2.8	72.7	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	16.9	0.0	90.9	0.0	0.0	0.0	0.0	0.0	27.0	0.0	111.1	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	0	3	2	0	0	2	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	50.8	0.0	0.0	63.8	90.9	0.0	0.0	100.0	27.0	0.0	0.0	37.0
TEENAGE PREGNANCIES#	63	1	12	50	24	0	2	22	39	1	10	28
TEENAGE PREGNANCY RATE	20.6	1.1	29.2	(15-19)	10.9	0.0	14.8	(15-19)	45.9	2.8	76.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	16.9	0.0	90.9	0.0	0.0	0.0	0.0	0.0	27.0	0.0	111.1	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: LAMAR

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	44,616	3,097	1,566	1,531	707
WHITE	37,546	2,449	1,239	1,210	552
NONWHITE	7,070	648	327	321	155

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	69	0	18	51	45	0	14	31	24	0	4	20
TEENAGE IMMATURE BIRTHS	9	0	2	7	5	0	1	4	4	0	1	3
TEENAGE PREMATURE BIRTHS	11	0	2	9	5	0	1	4	6	0	1	5
TEENAGE ILLEGITIMATE BIRTHS	56	0	16	40	32	0	12	20	24	0	4	20
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	0	15	9	0	0	9	6	0	0	6
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	0	15	9	0	0	9	6	0	0	6
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	3	2	2	0	1	1	3	0	2	1
TEENAGE FERTILITY RATE	22.3	0.0	45.1	(15-19)	18.4	0.0	37.2	(15-19)	37.0	0.0	74.8	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	7	0	2	5	6	0	2	4	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	101.4	0.0	111.1	98.0	133.3	0.0	142.8	129.0	41.7	0.0	0.0	50.0
TEENAGE PREGNANCIES#	76	0	20	56	51	0	16	35	25	0	4	21
TEENAGE PREGNANCY RATE	24.5	0.0	49.6	(15-19)	20.8	0.0	42.1	(15-19)	38.6	0.0	77.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: LAUDERDALE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	77,218	5,449	2,660	2,789	1,168
WHITE	44,726	2,581	1,222	1,359	587
NONWHITE	32,492	2,868	1,438	1,430	581

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	188	6	63	119	67	1	16	50	121	5	47	69
TEENAGE IMMATURE BIRTHS	26	1	7	18	5	0	1	4	21	1	6	14
TEENAGE PREMATURE BIRTHS	33	2	15	16	8	1	4	3	25	1	11	13
TEENAGE ILLEGITIMATE BIRTHS	162	6	61	95	44	1	14	29	118	5	47	66
TEENS WHO HAD PREVIOUS LIVE BIRTHS	36	0	7	29	8	0	0	8	28	0	7	21
TEENS WHO HAD PREVIOUS PREGNANCIES	40	0	10	30	10	0	1	9	30	0	9	21
TEENS WITH INADEQUATE* PRENATAL CARE	14	0	7	7	2	0	1	1	12	0	6	6
TEENAGE FERTILITY RATE	34.5	2.2	65.2	(15-19)	26.0	0.8	48.6	(15-19)	42.2	3.5	81.1	(15-19)
TEENAGE FETAL DEATHS**	5	0	4	1	3	0	2	1	2	0	2	0
TEENAGE FETAL DEATH RATIO	26.6	0.0	63.5	8.4	44.8	0.0	125.0	20.0	16.5	0.0	42.6	0.0
TEENAGE INDUCED TERMINATIONS#	31	3	9	19	8	0	2	6	23	3	7	13
TEENAGE INDUCED TERMINATION RATIO	164.9	500.0	142.8	159.7	119.4	0.0	125.0	120.0	190.1	600.0	148.9	188.4
TEENAGE PREGNANCIES#	224	9	76	139	78	1	20	57	146	8	56	82
TEENAGE PREGNANCY RATE	41.1	3.4	77.1	(15-19)	30.2	0.8	56.6	(15-19)	50.9	5.6	96.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: LAWRENCE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,502	963	515	448	169
WHITE	9,115	572	304	268	106
NONWHITE	4,387	391	211	180	63

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	22	1	5	16	9	1	1	7	13	0	4	9
TEENAGE IMMATURE BIRTHS	5	0	2	3	2	0	0	2	3	0	2	1
TEENAGE PREMATURE BIRTHS	3	0	0	3	1	0	0	1	2	0	0	2
TEENAGE ILLEGITIMATE BIRTHS	18	1	5	12	5	1	1	3	13	0	4	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	0	4	1	0	0	1	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	4	0	0	4	1	0	0	1	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	3	1	0	2	3	1	0	2	0	0	0	0
TEENAGE FERTILITY RATE	22.8	1.9	46.9	(15-19)	15.7	3.3	29.8	(15-19)	33.2	0.0	72.2	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	45.4	0.0	0.0	62.5	0.0	0.0	0.0	0.0	76.9	0.0	0.0	111.1
TEENAGE PREGNANCIES#	23	1	5	17	9	1	1	7	14	0	4	10
TEENAGE PREGNANCY RATE	23.9	1.9	49.1	(15-19)	15.7	3.3	29.8	(15-19)	35.8	0.0	77.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: LEAKE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	22,453	1,651	853	798	383
WHITE	12,531	743	382	361	200
NONWHITE	9,922	908	471	437	183

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	55	4	15	36	21	0	6	15	34	4	9	21
TEENAGE IMMATURE BIRTHS	6	0	3	3	3	0	1	2	3	0	2	1
TEENAGE PREMATURE BIRTHS	9	2	2	5	5	0	2	3	4	2	0	2
TEENAGE ILLEGITIMATE BIRTHS	48	4	15	29	16	0	6	10	32	4	9	19
TEENS WHO HAD PREVIOUS LIVE BIRTHS	10	0	1	9	4	0	0	4	6	0	1	5
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	1	10	5	0	0	5	6	0	1	5
TEENS WITH INADEQUATE* PRENATAL CARE	8	2	2	4	3	0	1	2	5	2	1	2
TEENAGE FERTILITY RATE	33.3	4.7	63.9	(15-19)	28.3	0.0	58.2	(15-19)	37.4	8.5	68.6	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	18.2	0.0	66.7	0.0	0.0	0.0	0.0	0.0	29.4	0.0	111.1	0.0
TEENAGE INDUCED TERMINATIONS#	6	0	2	4	2	0	1	1	4	0	1	3
TEENAGE INDUCED TERMINATION RATIO	109.1	0.0	133.3	111.1	95.2	0.0	166.7	66.7	117.6	0.0	111.1	142.8
TEENAGE PREGNANCIES#	62	4	18	40	23	0	7	16	39	4	11	24
TEENAGE PREGNANCY RATE	37.6	4.7	72.7	(15-19)	31.0	0.0	63.7	(15-19)	43.0	8.5	80.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	1	0	1	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	18.2	0.0	66.7	0.0	47.6	0.0	166.7	0.0	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: LEE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	78,793	5,411	2,841	2,570	1,218
WHITE	57,265	3,441	1,814	1,627	817
NONWHITE	21,528	1,970	1,027	943	401

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	176	3	52	121	104	2	23	79	72	1	29	42
TEENAGE IMMATURE BIRTHS	25	0	8	17	10	0	1	9	15	0	7	8
TEENAGE PREMATURE BIRTHS	29	0	7	22	13	0	1	12	16	0	6	10
TEENAGE ILLEGITIMATE BIRTHS	140	3	50	87	70	2	22	46	70	1	28	41
TEENS WHO HAD PREVIOUS LIVE BIRTHS	36	0	9	27	18	0	3	15	18	0	6	12
TEENS WHO HAD PREVIOUS PREGNANCIES	45	0	12	33	26	0	6	20	19	0	6	13
TEENS WITH INADEQUATE* PRENATAL CARE	7	1	1	5	2	1	0	1	5	0	1	4
TEENAGE FERTILITY RATE	32.5	1.0	67.3	(15-19)	30.2	1.1	62.7	(15-19)	36.5	1.0	75.3	(15-19)
TEENAGE FETAL DEATHS**	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE FETAL DEATH RATIO	11.4	0.0	38.5	0.0	0.0	0.0	0.0	0.0	27.8	0.0	69.0	0.0
TEENAGE INDUCED TERMINATIONS#	10	1	4	5	4	0	1	3	6	1	3	2
TEENAGE INDUCED TERMINATION RATIO	56.8	333.3	76.9	41.3	38.5	0.0	43.5	38.0	83.3	1000.0	103.4	47.6
TEENAGE PREGNANCIES#	188	4	58	126	108	2	24	82	80	2	34	44
TEENAGE PREGNANCY RATE	34.7	1.4	71.6	(15-19)	31.4	1.1	65.2	(15-19)	40.6	1.9	82.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	3	0	1	2	2	0	0	2	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	17.0	0.0	19.2	16.5	19.2	0.0	0.0	25.3	13.9	0.0	34.5	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: LEFLORE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	36,431	2,860	1,371	1,489	580
WHITE	10,382	574	256	318	123
NONWHITE	26,049	2,286	1,115	1,171	457

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	129	8	44	77	16	0	5	11	113	8	39	66
TEENAGE IMMATURE BIRTHS	28	3	10	15	3	0	2	1	25	3	8	14
TEENAGE PREMATURE BIRTHS	30	5	11	14	5	0	2	3	25	5	9	11
TEENAGE ILLEGITIMATE BIRTHS	123	8	43	72	13	0	5	8	110	8	38	64
TEENS WHO HAD PREVIOUS LIVE BIRTHS	37	1	5	31	7	0	0	7	30	1	5	24
TEENS WHO HAD PREVIOUS PREGNANCIES	41	1	6	34	7	0	0	7	34	1	6	27
TEENS WITH INADEQUATE* PRENATAL CARE	18	1	8	9	2	0	0	2	16	1	8	7
TEENAGE FERTILITY RATE	45.1	5.8	81.3	(15-19)	27.9	0.0	50.3	(15-19)	49.4	7.2	89.7	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	7	1	3	3	1	0	1	0	6	1	2	3
TEENAGE INDUCED TERMINATION RATIO	54.3	125.0	68.2	39.0	62.5	0.0	200.0	0.0	53.1	125.0	51.3	45.4
TEENAGE PREGNANCIES#	136	9	47	80	17	0	6	11	119	9	41	69
TEENAGE PREGNANCY RATE	47.6	6.6	85.3	(15-19)	29.6	0.0	53.4	(15-19)	52.0	8.1	93.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	7.8	0.0	22.7	0.0	0.0	0.0	0.0	0.0	8.9	0.0	25.6	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: LINCOLN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	33,906	2,279	1,202	1,077	468
WHITE	23,419	1,427	742	685	306
NONWHITE	10,487	852	460	392	162

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	66	1	21	44	37	0	9	28	29	1	12	16
TEENAGE IMMATURE BIRTHS	6	0	0	6	2	0	0	2	4	0	0	4
TEENAGE PREMATURE BIRTHS	11	0	1	10	6	0	1	5	5	0	0	5
TEENAGE ILLEGITIMATE BIRTHS	50	1	19	30	21	0	7	14	29	1	12	16
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	2	9	4	0	1	3	7	0	1	6
TEENS WHO HAD PREVIOUS PREGNANCIES	13	0	2	11	6	0	1	5	7	0	1	6
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	3	3	4	0	1	3	2	0	2	0
TEENAGE FERTILITY RATE	29.0	0.8	60.4	(15-19)	25.9	0.0	54.0	(15-19)	34.0	2.2	71.4	(15-19)
TEENAGE FETAL DEATHS**	2	0	0	2	2	0	0	2	0	0	0	0
TEENAGE FETAL DEATH RATIO	30.3	0.0	0.0	45.4	54.0	0.0	0.0	71.4	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	10	0	5	5	5	0	3	2	5	0	2	3
TEENAGE INDUCED TERMINATION RATIO	151.5	0.0	238.1	113.6	135.1	0.0	333.3	71.4	172.4	0.0	166.7	187.5
TEENAGE PREGNANCIES#	78	1	26	51	44	0	12	32	34	1	14	19
TEENAGE PREGNANCY RATE	34.2	0.8	71.5	(15-19)	30.8	0.0	64.2	(15-19)	39.9	2.2	84.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: LOWNDES

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	59,895	4,427	2,171	2,256	835
WHITE	33,130	1,999	941	1,058	416
NONWHITE	26,765	2,428	1,230	1,198	419

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	122	5	41	76	38	1	9	28	84	4	32	48
TEENAGE IMMATURE BIRTHS	21	1	10	10	3	0	1	2	18	1	9	8
TEENAGE PREMATURE BIRTHS	36	3	13	20	9	0	1	8	27	3	12	12
TEENAGE ILLEGITIMATE BIRTHS	107	5	39	63	24	1	7	16	83	4	32	47
TEENS WHO HAD PREVIOUS LIVE BIRTHS	24	0	4	20	9	0	1	8	15	0	3	12
TEENS WHO HAD PREVIOUS PREGNANCIES	31	0	7	24	12	0	2	10	19	0	5	14
TEENS WITH INADEQUATE* PRENATAL CARE	6	2	3	1	1	0	1	0	5	2	2	1
TEENAGE FERTILITY RATE	27.6	2.3	51.9	(15-19)	19.0	1.1	35.0	(15-19)	34.6	3.2	66.8	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	26	1	8	17	8	0	4	4	18	1	4	13
TEENAGE INDUCED TERMINATION RATIO	213.1	200.0	195.1	223.7	210.5	0.0	444.4	142.8	214.3	250.0	125.0	270.8
TEENAGE PREGNANCIES#	148	6	49	93	46	1	13	32	102	5	36	61
TEENAGE PREGNANCY RATE	33.4	2.8	62.9	(15-19)	23.0	1.1	42.5	(15-19)	42.0	4.1	81.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	8.2	0.0	24.4	0.0	0.0	0.0	0.0	0.0	11.9	0.0	31.3	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: MADISON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	84,286	6,246	3,147	3,099	1,230
WHITE	50,362	3,209	1,659	1,550	674
NONWHITE	33,924	3,037	1,488	1,549	556

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	114	3	41	70	30	0	11	19	84	3	30	51
TEENAGE IMMATURE BIRTHS	17	1	9	7	2	0	1	1	15	1	8	6
TEENAGE PREMATURE BIRTHS	27	1	9	17	5	0	1	4	22	1	8	13
TEENAGE ILLEGITIMATE BIRTHS	103	3	39	61	20	0	9	11	83	3	30	50
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	0	3	14	3	0	0	3	14	0	3	11
TEENS WHO HAD PREVIOUS PREGNANCIES	23	0	3	20	5	0	0	5	18	0	3	15
TEENS WITH INADEQUATE* PRENATAL CARE	38	2	13	23	4	0	1	3	34	2	12	20
TEENAGE FERTILITY RATE	18.2	1.0	35.8	(15-19)	9.3	0.0	19.4	(15-19)	27.6	2.0	52.3	(15-19)
TEENAGE FETAL DEATHS**	3	0	0	3	0	0	0	0	3	0	0	3
TEENAGE FETAL DEATH RATIO	26.3	0.0	0.0	42.8	0.0	0.0	0.0	0.0	35.7	0.0	0.0	58.8
TEENAGE INDUCED TERMINATIONS#	43	5	12	26	16	1	5	10	27	4	7	16
TEENAGE INDUCED TERMINATION RATIO	377.2	1666.7	292.7	371.4	533.3	-	454.5	526.3	321.4	1333.3	233.3	313.7
TEENAGE PREGNANCIES#	160	8	53	99	46	1	16	29	114	7	37	70
TEENAGE PREGNANCY RATE	25.6	2.5	49.0	(15-19)	14.3	0.6	29.0	(15-19)	37.5	4.7	69.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1
INFANT MORTALITY RATE, TEEN MOMS	17.5	0.0	24.4	14.3	0.0	0.0	0.0	0.0	23.8	0.0	33.3	19.6

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: MARION

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	25,235	1,796	908	888	386
WHITE	16,827	1,017	501	516	265
NONWHITE	8,408	779	407	372	121

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	77	0	27	50	56	0	20	36	21	0	7	14
TEENAGE IMMATURE BIRTHS	8	0	3	5	6	0	2	4	2	0	1	1
TEENAGE PREMATURE BIRTHS	9	0	2	7	7	0	1	6	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	57	0	22	35	36	0	15	21	21	0	7	14
TEENS WHO HAD PREVIOUS LIVE BIRTHS	14	0	1	13	10	0	0	10	4	0	1	3
TEENS WHO HAD PREVIOUS PREGNANCIES	22	0	1	21	16	0	0	16	6	0	1	5
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	2	4	4	0	1	3	2	0	1	1
TEENAGE FERTILITY RATE	42.9	0.0	86.7	(15-19)	55.1	0.0	108.5	(15-19)	27.0	0.0	56.4	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	39.0	0.0	37.0	40.0	17.8	0.0	0.0	27.8	95.2	0.0	142.8	71.4
TEENAGE PREGNANCIES#	80	0	28	52	57	0	20	37	23	0	8	15
TEENAGE PREGNANCY RATE	44.5	0.0	90.1	(15-19)	56.0	0.0	110.5	(15-19)	29.5	0.0	61.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: MARSHALL

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	35,659	2,567	1,216	1,351	494
WHITE	17,700	988	491	497	239
NONWHITE	17,959	1,579	725	854	255

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	91	3	25	63	32	0	9	23	59	3	16	40
TEENAGE IMMATURE BIRTHS	10	1	3	6	3	0	1	2	7	1	2	4
TEENAGE PREMATURE BIRTHS	14	0	3	11	4	0	1	3	10	0	2	8
TEENAGE ILLEGITIMATE BIRTHS	77	3	23	51	20	0	7	13	57	3	16	38
TEENS WHO HAD PREVIOUS LIVE BIRTHS	20	0	1	19	6	0	0	6	14	0	1	13
TEENS WHO HAD PREVIOUS PREGNANCIES	23	0	1	22	7	0	0	7	16	0	1	15
TEENS WITH INADEQUATE* PRENATAL CARE	10	1	1	8	2	0	0	2	8	1	1	6
TEENAGE FERTILITY RATE	35.4	2.5	65.1	(15-19)	32.4	0.0	64.4	(15-19)	37.4	4.1	65.6	(15-19)
TEENAGE FETAL DEATHS**	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE FETAL DEATH RATIO	22.0	0.0	0.0	31.7	31.2	0.0	0.0	43.5	16.9	0.0	0.0	25.0
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	22.0	0.0	40.0	15.9	0.0	0.0	0.0	0.0	33.9	0.0	62.5	25.0
TEENAGE PREGNANCIES#	95	3	26	66	33	0	9	24	62	3	17	42
TEENAGE PREGNANCY RATE	37.0	2.5	68.1	(15-19)	33.4	0.0	66.4	(15-19)	39.3	4.1	69.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	11.0	0.0	0.0	15.9	31.3	0.0	0.0	43.5	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: MONROE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	37,704	2,639	1,359	1,280	566
WHITE	25,776	1,620	816	804	356
NONWHITE	11,928	1,019	543	476	210

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	77	1	21	55	44	0	10	34	33	1	11	21
TEENAGE IMMATURE BIRTHS	16	0	7	9	7	0	3	4	9	0	4	5
TEENAGE PREMATURE BIRTHS	17	1	5	11	7	0	2	5	10	1	3	6
TEENAGE ILLEGITIMATE BIRTHS	52	1	17	34	21	0	6	15	31	1	11	19
TEENS WHO HAD PREVIOUS LIVE BIRTHS	19	0	3	16	8	0	1	7	11	0	2	9
TEENS WHO HAD PREVIOUS PREGNANCIES	22	0	3	19	10	0	1	9	12	0	2	10
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE FERTILITY RATE	29.2	0.7	59.4	(15-19)	27.2	0.0	54.7	(15-19)	32.4	1.8	67.2	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	13.0	0.0	0.0	18.2	0.0	0.0	0.0	0.0	30.3	0.0	0.0	47.6
TEENAGE INDUCED TERMINATIONS#	6	1	1	4	2	0	1	1	4	1	0	3
TEENAGE INDUCED TERMINATION RATIO	77.9	1000.0	47.6	72.7	45.4	0.0	100.0	29.4	121.2	1000.0	0.0	142.8
TEENAGE PREGNANCIES#	84	2	22	60	46	0	11	35	38	2	11	25
TEENAGE PREGNANCY RATE	31.8	1.5	64.1	(15-19)	28.4	0.0	57.2	(15-19)	37.3	3.7	75.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1
INFANT MORTALITY RATE, TEEN MOMS	26.0	0.0	47.6	18.2	0.0	0.0	0.0	0.0	60.6	0.0	90.9	47.6

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: MONTGOMERY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	11,829	843	413	430	161
WHITE	6,348	346	164	182	68
NONWHITE	5,481	497	249	248	93

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	22	1	5	16	3	0	0	3	19	1	5	13
TEENAGE IMMATURE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE PREMATURE BIRTHS	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	21	1	5	15	2	0	0	2	19	1	5	13
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	1	3	1	0	0	1	3	0	1	2
TEENS WHO HAD PREVIOUS PREGNANCIES	5	0	1	4	1	0	0	1	4	0	1	3
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	26.1	2.4	48.8	(15-19)	8.7	0.0	16.5	(15-19)	38.2	4.0	72.6	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	45.4	0.0	0.0	62.5	0.0	0.0	0.0	0.0	52.6	0.0	0.0	76.9
TEENAGE INDUCED TERMINATIONS#	9	2	3	4	1	1	0	0	8	1	3	4
TEENAGE INDUCED TERMINATION RATIO	409.1	2000.0	600.0	250.0	333.3	-	0.0	0.0	421.0	1000.0	600.0	307.7
TEENAGE PREGNANCIES#	32	3	8	21	4	1	0	3	28	2	8	18
TEENAGE PREGNANCY RATE	38.0	7.3	67.4	(15-19)	11.6	6.1	16.5	(15-19)	56.3	8.0	104.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: NESHOBA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	29,905	2,185	1,157	1,028	515
WHITE	19,017	1,136	581	555	251
NONWHITE	10,888	1,049	576	473	264

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	76	0	27	49	24	0	7	17	52	0	20	32
TEENAGE IMMATURE BIRTHS	10	0	4	6	4	0	1	3	6	0	3	3
TEENAGE PREMATURE BIRTHS	10	0	6	4	3	0	1	2	7	0	5	2
TEENAGE ILLEGITIMATE BIRTHS	67	0	23	44	19	0	5	14	48	0	18	30
TEENS WHO HAD PREVIOUS LIVE BIRTHS	19	0	6	13	7	0	1	6	12	0	5	7
TEENS WHO HAD PREVIOUS PREGNANCIES	24	0	7	17	8	0	1	7	16	0	6	10
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	3	3	0	0	0	0	6	0	3	3
TEENAGE FERTILITY RATE	34.8	0.0	73.9	(15-19)	21.1	0.0	43.2	(15-19)	49.6	0.0	109.9	(15-19)
TEENAGE FETAL DEATHS**	3	0	2	1	2	0	1	1	1	0	1	0
TEENAGE FETAL DEATH RATIO	39.5	0.0	74.1	20.4	83.3	0.0	142.8	58.8	19.2	0.0	50.0	0.0
TEENAGE INDUCED TERMINATIONS#	6	0	3	3	3	0	2	1	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	78.9	0.0	111.1	61.2	125.0	0.0	285.7	58.8	57.7	0.0	50.0	62.5
TEENAGE PREGNANCIES#	85	0	32	53	29	0	10	19	56	0	22	34
TEENAGE PREGNANCY RATE	38.9	0.0	82.7	(15-19)	25.5	0.0	52.2	(15-19)	53.4	0.0	118.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	13.2	0.0	0.0	20.4	0.0	0.0	0.0	0.0	19.2	0.0	0.0	31.3

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
 BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
 MISSISSIPPI, 2005

COUNTY: NEWTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	22,366	1,656	773	883	368
WHITE	14,584	929	427	502	189
NONWHITE	7,782	727	346	381	179

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	49	2	14	33	19	1	7	11	30	1	7	22
TEENAGE IMMATURE BIRTHS	4	0	2	2	1	0	0	1	3	0	2	1
TEENAGE PREMATURE BIRTHS	7	0	2	5	1	0	0	1	6	0	2	4
TEENAGE ILLEGITIMATE BIRTHS	41	2	13	26	11	1	6	4	30	1	7	22
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	2	11	6	0	2	4	7	0	0	7
TEENS WHO HAD PREVIOUS PREGNANCIES	16	0	2	14	7	0	2	5	9	0	0	9
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	1	0	1	0	2	0	0	2
TEENAGE FERTILITY RATE	29.6	2.6	53.2	(15-19)	20.4	2.3	35.8	(15-19)	41.3	2.9	76.1	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	20.4	0.0	71.4	0.0	0.0	0.0	0.0	0.0	33.3	0.0	142.8	0.0
TEENAGE INDUCED TERMINATIONS#	4	1	1	2	2	0	1	1	2	1	0	1
TEENAGE INDUCED TERMINATION RATIO	81.6	500.0	71.4	60.6	105.3	0.0	142.8	90.9	66.7	1000.0	0.0	45.4
TEENAGE PREGNANCIES#	54	3	16	35	21	1	8	12	33	2	8	23
TEENAGE PREGNANCY RATE	32.6	3.9	57.8	(15-19)	22.6	2.3	39.8	(15-19)	45.4	5.8	81.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	20.4	0.0	0.0	30.3	0.0	0.0	0.0	0.0	33.3	0.0	0.0	45.5

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: NOXUBEE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,202	942	460	482	183
WHITE	3,528	174	96	78	34
NONWHITE	8,674	768	364	404	149

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	43	2	11	30	0	0	0	0	43	2	11	30
TEENAGE IMMATURE BIRTHS	4	0	3	1	0	0	0	0	4	0	3	1
TEENAGE PREMATURE BIRTHS	10	1	3	6	0	0	0	0	10	1	3	6
TEENAGE ILLEGITIMATE BIRTHS	40	2	11	27	0	0	0	0	40	2	11	27
TEENS WHO HAD PREVIOUS LIVE BIRTHS	10	0	2	8	0	0	0	0	10	0	2	8
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	2	8	0	0	0	0	10	0	2	8
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE		45.6	4.3	85.1 (15-19)	0.0	0.0	0.0 (15-19)		56.0	5.5	101.5 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	9	0	5	4	0	0	0	0	9	0	5	4
TEENAGE INDUCED TERMINATION RATIO	209.3	0.0	454.5	133.3	0.0	0.0	0.0	0.0	209.3	0.0	454.5	133.3
TEENAGE PREGNANCIES#	52	2	16	34	0	0	0	0	52	2	16	34
TEENAGE PREGNANCY RATE	55.2	4.3	103.7 (15-19)		0.0	0.0	0.0 (15-19)		67.7	5.5	123.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	23.3	0.0	90.9	0.0	0.0	0.0	0.0	0.0	23.3	0.0	90.9	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: OKTIBBEHA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	41,247	2,881	917	1,964	602
WHITE	24,831	1,459	390	1,069	290
NONWHITE	16,416	1,422	527	895	312

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	70	3	20	47	11	0	3	8	59	3	17	39
TEENAGE IMMATURE BIRTHS	10	0	4	6	0	0	0	0	10	0	4	6
TEENAGE PREMATURE BIRTHS	5	0	1	4	0	0	0	0	5	0	1	4
TEENAGE ILLEGITIMATE BIRTHS	65	3	20	42	9	0	3	6	56	3	17	36
TEENS WHO HAD PREVIOUS LIVE BIRTHS	20	0	2	18	0	0	0	0	20	0	2	18
TEENS WHO HAD PREVIOUS PREGNANCIES	21	0	2	19	0	0	0	0	21	0	2	19
TEENS WITH INADEQUATE* PRENATAL CARE	6	1	2	3	0	0	0	0	6	1	2	3
TEENAGE FERTILITY RATE	24.3	3.3	34.1	(15-19)	7.5	0.0	10.3	(15-19)	41.5	5.7	62.6	(15-19)
TEENAGE FETAL DEATHS**	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FETAL DEATH RATIO	28.6	0.0	0.0	42.6	0.0	0.0	0.0	0.0	33.9	0.0	0.0	51.3
TEENAGE INDUCED TERMINATIONS#	16	0	3	13	3	0	0	3	13	0	3	10
TEENAGE INDUCED TERMINATION RATIO	228.6	0.0	150.0	276.6	272.7	0.0	0.0	375.0	220.3	0.0	176.5	256.4
TEENAGE PREGNANCIES#	88	3	23	62	14	0	3	11	74	3	20	51
TEENAGE PREGNANCY RATE	30.5	3.3	43.3	(15-19)	9.6	0.0	13.1	(15-19)	52.0	5.7	79.3	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	14.3	0.0	0.0	21.3	0.0	0.0	0.0	0.0	16.9	0.0	0.0	25.6

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: PANOLA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	35,331	2,578	1,273	1,305	560
WHITE	18,177	981	486	495	241
NONWHITE	17,154	1,597	787	810	319

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	122	2	35	85	45	0	15	30	77	2	20	55
TEENAGE IMMATURE BIRTHS	15	0	6	9	4	0	2	2	11	0	4	7
TEENAGE PREMATURE BIRTHS	19	1	5	13	8	0	2	6	11	1	3	7
TEENAGE ILLEGITIMATE BIRTHS	110	2	32	76	33	0	12	21	77	2	20	55
TEENS WHO HAD PREVIOUS LIVE BIRTHS	33	0	3	30	10	0	1	9	23	0	2	21
TEENS WHO HAD PREVIOUS PREGNANCIES	37	0	3	34	14	0	1	13	23	0	2	21
TEENS WITH INADEQUATE* PRENATAL CARE	11	0	3	8	1	0	1	0	10	0	2	8
TEENAGE FERTILITY RATE	47.3	1.6	92.0	(15-19)	45.9	0.0	90.9	(15-19)	48.2	2.5	92.6	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	122	2	35	85	45	0	15	30	77	2	20	55
TEENAGE PREGNANCY RATE	47.3	1.6	92.0	(15-19)	45.9	0.0	90.9	(15-19)	48.2	2.5	92.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	0	0	0	0	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	16.4	0.0	0.0	23.5	0.0	0.0	0.0	0.0	26.0	0.0	0.0	36.4

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: PEARL RIVER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	52,659	3,671	1,777	1,894	660
WHITE	45,190	3,000	1,434	1,566	553
NONWHITE	7,469	671	343	328	107

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	84	3	23	58	69	3	18	48	15	0	5	10
TEENAGE IMMATURE BIRTHS	11	0	3	8	10	0	3	7	1	0	0	1
TEENAGE PREMATURE BIRTHS	17	2	4	11	14	2	3	9	3	0	1	2
TEENAGE ILLEGITIMATE BIRTHS	61	3	16	42	46	3	11	32	15	0	5	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	14	0	3	11	12	0	3	9	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	17	0	4	13	14	0	3	11	3	0	1	2
TEENS WITH INADEQUATE* PRENATAL CARE	2	1	0	1	2	1	0	1	0	0	0	0
TEENAGE FERTILITY RATE	22.9	1.7	42.8	(15-19)	23.0	2.1	42.1	(15-19)	22.4	0.0	45.7	(15-19)
TEENAGE FETAL DEATHS**	2	1	0	1	2	1	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	23.8	333.3	0.0	17.2	29.0	333.3	0.0	20.8	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	1	3	2	0	1	1	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	47.6	0.0	43.5	51.7	29.0	0.0	55.6	20.8	133.3	0.0	0.0	200.0
TEENAGE PREGNANCIES#	90	4	24	62	73	4	19	50	17	0	5	12
TEENAGE PREGNANCY RATE	24.5	2.2	45.4	(15-19)	24.3	2.8	44.1	(15-19)	25.3	0.0	51.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	1	0	1	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	11.9	0.0	43.5	0.0	14.5	0.0	55.6	0.0	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: PERRY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,160	866	444	422	159
WHITE	9,242	581	303	278	117
NONWHITE	2,918	285	141	144	42

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	17	0	4	13	10	0	3	7	7	0	1	6
TEENAGE IMMATURE BIRTHS	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE PREMATURE BIRTHS	3	0	2	1	2	0	2	0	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	12	0	3	9	6	0	2	4	6	0	1	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	0	4	1	0	0	1	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	4	0	0	4	1	0	0	1	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	19.6	0.0	40.3	(15-19)	17.2	0.0	36.0	(15-19)	24.6	0.0	48.6	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	176.5	0.0	250.0	153.8	0.0	0.0	0.0	0.0	428.6	0.0	1000.0	333.3
TEENAGE PREGNANCIES#	20	0	5	15	10	0	3	7	10	0	2	8
TEENAGE PREGNANCY RATE	23.1	0.0	47.4	(15-19)	17.2	0.0	36.0	(15-19)	35.1	0.0	69.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: PIKE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	39,426	2,919	1,499	1,420	604
WHITE	19,542	1,198	566	632	233
NONWHITE	19,884	1,721	933	788	371

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	100	10	33	57	31	0	6	25	69	10	27	32
TEENAGE IMMATURE BIRTHS	12	2	3	7	2	0	0	2	10	2	3	5
TEENAGE PREMATURE BIRTHS	25	4	10	11	6	0	1	5	19	4	9	6
TEENAGE ILLEGITIMATE BIRTHS	84	10	31	43	15	0	4	11	69	10	27	32
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	3	12	6	0	2	4	9	0	1	8
TEENS WHO HAD PREVIOUS PREGNANCIES	22	0	5	17	10	0	3	7	12	0	2	10
TEENS WITH INADEQUATE* PRENATAL CARE	10	1	2	7	2	0	0	2	8	1	2	5
TEENAGE FERTILITY RATE	34.2	6.7	63.4	(15-19)	25.9	0.0	49.0	(15-19)	40.1	10.7	74.9	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	10.0	0.0	30.3	0.0	0.0	0.0	0.0	0.0	14.5	0.0	37.0	0.0
TEENAGE INDUCED TERMINATIONS#	17	2	5	10	2	1	1	0	15	1	4	10
TEENAGE INDUCED TERMINATION RATIO	170.0	200.0	151.5	175.4	64.5	-	166.7	0.0	217.4	100.0	148.1	312.5
TEENAGE PREGNANCIES#	118	12	39	67	33	1	7	25	85	11	32	42
TEENAGE PREGNANCY RATE	40.4	8.0	74.6	(15-19)	27.5	1.8	50.6	(15-19)	49.4	11.8	93.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: PONTOTOC

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	28,208	1,887	972	915	440
WHITE	23,887	1,560	812	748	379
NONWHITE	4,321	327	160	167	61

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	62	1	17	44	51	1	14	36	11	0	3	8
TEENAGE IMMATURE BIRTHS	10	0	2	8	7	0	1	6	3	0	1	2
TEENAGE PREMATURE BIRTHS	9	0	4	5	6	0	3	3	3	0	1	2
TEENAGE ILLEGITIMATE BIRTHS	39	1	13	25	30	1	10	19	9	0	3	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	14	0	1	13	12	0	1	11	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	16	0	1	15	14	0	1	13	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FERTILITY RATE		32.8	1.0	66.7 (15-19)		32.7	1.2	66.8 (15-19)		33.6	0.0	65.9 (15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	62	1	17	44	51	1	14	36	11	0	3	8
TEENAGE PREGNANCY RATE		32.8	1.0	66.7 (15-19)		32.7	1.2	66.8 (15-19)		33.6	0.0	65.9 (15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	16.1	0.0	0.0	22.7	19.6	0.0	0.0	27.8	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: PRENTISS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	25,593	1,808	808	1,000	289
WHITE	21,774	1,484	670	814	244
NONWHITE	3,819	324	138	186	45

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	42	1	12	29	37	0	11	26	5	1	1	3
TEENAGE IMMATURE BIRTHS	4	0	0	4	3	0	0	3	1	0	0	1
TEENAGE PREMATURE BIRTHS	6	0	2	4	5	0	2	3	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	26	1	10	15	21	0	9	12	5	1	1	3
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	1	8	9	0	1	8	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	1	9	10	0	1	9	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	3	1	0	2	1	0	0	1	2	1	0	1
TEENAGE FERTILITY RATE	23.2	1.2	41.0	(15-19)	24.9	0.0	45.4	(15-19)	15.4	7.2	21.5	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	23.8	0.0	83.3	0.0	27.0	0.0	90.9	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	71.4	0.0	83.3	69.0	27.0	0.0	0.0	38.5	400.0	0.0	1000.0	333.3
TEENAGE PREGNANCIES#	46	1	14	31	39	0	12	27	7	1	2	4
TEENAGE PREGNANCY RATE	25.4	1.2	45.0	(15-19)	26.3	0.0	47.9	(15-19)	21.6	7.2	32.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
 BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
 MISSISSIPPI, 2005

COUNTY: QUITMAN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,512	784	395	389	121
WHITE	2,899	150	74	76	25
NONWHITE	6,613	634	321	313	96

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	31	1	8	22	6	0	1	5	25	1	7	17
TEENAGE IMMATURE BIRTHS	3	1	0	2	1	0	0	1	2	1	0	1
TEENAGE PREMATURE BIRTHS	8	1	0	7	2	0	0	2	6	1	0	5
TEENAGE ILLEGITIMATE BIRTHS	29	1	8	20	5	0	1	4	24	1	7	16
TEENS WHO HAD PREVIOUS LIVE BIRTHS	10	0	1	9	2	0	0	2	8	0	1	7
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	2	10	2	0	0	2	10	0	2	8
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	39.5	2.5	77.1	(15-19)	40.0	0.0	78.9	(15-19)	39.4	3.1	76.7	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	32.2	0.0	0.0	45.4	0.0	0.0	0.0	0.0	40.0	0.0	0.0	58.8
TEENAGE PREGNANCIES#	32	1	8	23	6	0	1	5	26	1	7	18
TEENAGE PREGNANCY RATE	40.8	2.5	79.7	(15-19)	40.0	0.0	78.9	(15-19)	41.0	3.1	79.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: RANKIN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	131,841	8,232	4,156	4,076	1,968
WHITE	105,228	6,289	3,201	3,088	1,574
NONWHITE	26,613	1,943	955	988	394

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	189	1	59	129	134	1	41	92	55	0	18	37
TEENAGE IMMATURE BIRTHS	20	0	7	13	13	0	4	9	7	0	3	4
TEENAGE PREMATURE BIRTHS	44	0	14	30	27	0	8	19	17	0	6	11
TEENAGE ILLEGITIMATE BIRTHS	143	1	45	97	88	1	27	60	55	0	18	37
TEENS WHO HAD PREVIOUS LIVE BIRTHS	40	0	6	34	32	0	5	27	8	0	1	7
TEENS WHO HAD PREVIOUS PREGNANCIES	48	0	9	39	38	0	7	31	10	0	2	8
TEENS WITH INADEQUATE* PRENATAL CARE	22	0	12	10	16	0	10	6	6	0	2	4
TEENAGE FERTILITY RATE	23.0	0.2	46.1	(15-19)	21.3	0.3	43.1	(15-19)	28.3	0.0	55.7	(15-19)
TEENAGE FETAL DEATHS**	4	0	2	2	3	0	2	1	1	0	0	1
TEENAGE FETAL DEATH RATIO	21.2	0.0	33.9	15.5	22.4	0.0	48.8	10.9	18.2	0.0	0.0	27.0
TEENAGE INDUCED TERMINATIONS#	40	3	13	24	25	3	6	16	15	0	7	8
TEENAGE INDUCED TERMINATION RATIO	211.6	3000.0	220.3	186.0	186.6	3000.0	146.3	173.9	272.7	0.0	388.9	216.2
TEENAGE PREGNANCIES#	233	4	74	155	162	4	49	109	71	0	25	46
TEENAGE PREGNANCY RATE	28.3	1.0	56.2	(15-19)	25.8	1.2	51.2	(15-19)	36.5	0.0	71.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	6	0	1	5	4	0	1	3	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	31.7	0.0	16.9	38.8	29.9	0.0	24.4	32.6	36.4	0.0	0.0	54.1

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: SCOTT

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	28,739	2,065	1,054	1,011	476
WHITE	17,216	1,028	510	518	294
NONWHITE	11,523	1,037	544	493	182

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	93	3	26	64	54	2	12	40	39	1	14	24
TEENAGE IMMATURE BIRTHS	7	0	3	4	2	0	0	2	5	0	3	2
TEENAGE PREMATURE BIRTHS	11	0	4	7	3	0	1	2	8	0	3	5
TEENAGE ILLEGITIMATE BIRTHS	74	3	24	47	36	2	10	24	38	1	14	23
TEENS WHO HAD PREVIOUS LIVE BIRTHS	18	0	0	18	12	0	0	12	6	0	0	6
TEENS WHO HAD PREVIOUS PREGNANCIES	22	0	0	22	15	0	0	15	7	0	0	7
TEENS WITH INADEQUATE* PRENATAL CARE	13	0	4	9	6	0	2	4	7	0	2	5
TEENAGE FERTILITY RATE	45.0	2.8	89.0	(15-19)	52.5	3.9	100.4	(15-19)	37.6	1.8	77.1	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	10.8	0.0	0.0	15.6	0.0	0.0	0.0	0.0	25.6	0.0	0.0	41.7
TEENAGE INDUCED TERMINATIONS#	8	0	5	3	2	0	1	1	5	0	3	2
TEENAGE INDUCED TERMINATION RATIO	86.0	0.0	192.3	46.9	37.0	0.0	83.3	25.0	128.2	0.0	214.3	83.3
TEENAGE PREGNANCIES#	102	3	31	68	56	2	13	41	45	1	17	27
TEENAGE PREGNANCY RATE	49.4	2.8	97.9	(15-19)	54.5	3.9	104.2	(15-19)	43.4	1.8	89.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	3	0	2	1	0	0	0	0	3	0	2	1
INFANT MORTALITY RATE, TEEN MOMS	32.3	0.0	76.9	15.6	0.0	0.0	0.0	0.0	76.9	0.0	142.9	41.7

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: SHARKEY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	5,967	485	258	227	101
WHITE	1,780	93	55	38	22
NONWHITE	4,187	392	203	189	79

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	19	1	1	17	2	0	0	2	17	1	1	15
TEENAGE IMMATURE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE PREMATURE BIRTHS	1	1	0	0	0	0	0	0	1	1	0	0
TEENAGE ILLEGITIMATE BIRTHS	19	1	1	17	2	0	0	2	17	1	1	15
TEENS WHO HAD PREVIOUS LIVE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	2	0	0	2	0	0	0	0	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE FERTILITY RATE	39.2	3.9	79.3	(15-19)	21.5	0.0	52.6	(15-19)	43.4	4.9	84.6	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	52.6	0.0	1000.0	0.0	0.0	0.0	0.0	0.0	58.8	0.0	1000.0	0.0
TEENAGE PREGNANCIES#	20	1	2	17	2	0	0	2	18	1	2	15
TEENAGE PREGNANCY RATE	41.2	3.9	83.7	(15-19)	21.5	0.0	52.6	(15-19)	45.9	4.9	89.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: SIMPSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	27,944	1,991	1,038	953	393
WHITE	18,059	1,095	556	539	228
NONWHITE	9,885	896	482	414	165

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	52	0	17	35	30	0	13	17	22	0	4	18
TEENAGE IMMATURE BIRTHS	8	0	2	6	2	0	1	1	6	0	1	5
TEENAGE PREMATURE BIRTHS	12	0	2	10	5	0	1	4	7	0	1	6
TEENAGE ILLEGITIMATE BIRTHS	43	0	14	29	21	0	10	11	22	0	4	18
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	1	15	10	0	1	9	6	0	0	6
TEENS WHO HAD PREVIOUS PREGNANCIES	17	0	1	16	11	0	1	10	6	0	0	6
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE FERTILITY RATE	26.1	0.0	54.6	(15-19)	27.4	0.0	55.6	(15-19)	24.6	0.0	53.1	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	19.2	0.0	0.0	28.6	33.3	0.0	0.0	58.8	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	1	2	1	2	1	1	0	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	76.9	-	117.6	28.6	66.7	-	76.9	0.0	90.9	0.0	250.0	55.6
TEENAGE PREGNANCIES#	57	1	19	37	33	1	14	18	24	0	5	19
TEENAGE PREGNANCY RATE	28.6	1.0	58.8	(15-19)	30.1	1.8	59.4	(15-19)	26.8	0.0	58.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: SMITH

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	16,058	1,113	584	529	213
WHITE	12,271	762	390	372	153
NONWHITE	3,787	351	194	157	60

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	31	1	9	21	19	0	6	13	12	1	3	8
TEENAGE IMMATURE BIRTHS	4	0	0	4	1	0	0	1	3	0	0	3
TEENAGE PREMATURE BIRTHS	6	0	0	6	4	0	0	4	2	0	0	2
TEENAGE ILLEGITIMATE BIRTHS	23	1	8	14	11	0	5	6	12	1	3	8
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	1	5	3	0	0	3	3	0	1	2
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	1	8	5	0	0	5	4	0	1	3
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FERTILITY RATE	27.8	1.7	56.7 (15-19)		24.9	0.0	51.1 (15-19)		34.2	5.2	70.1 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	32.2	0.0	0.0	47.6	52.6	0.0	0.0	76.9	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	32.2	0.0	111.1	0.0	52.6	0.0	166.7	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	33	1	10	22	21	0	7	14	12	1	3	8
TEENAGE PREGNANCY RATE	29.6	1.7	60.5 (15-19)		27.6	0.0	56.4 (15-19)		34.2	5.2	70.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	1	0	0	0	0	0	0	1	1	0	0
INFANT MORTALITY RATE, TEEN MOMS	32.3	1000.0	0.0	0.0	0.0	0.0	0.0	0.0	83.3	1000.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: STONE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	14,862	1,131	495	636	181
WHITE	11,757	842	361	481	142
NONWHITE	3,105	289	134	155	39

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	28	0	5	23	22	0	3	19	6	0	2	4
TEENAGE IMMATURE BIRTHS	3	0	0	3	3	0	0	3	0	0	0	0
TEENAGE PREMATURE BIRTHS	9	0	1	8	7	0	0	7	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	19	0	4	15	13	0	2	11	6	0	2	4
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	1	4	3	0	0	3	2	0	1	1
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	1	5	4	0	0	4	2	0	1	1
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	2	1	2	0	1	1	1	0	1	0
TEENAGE FERTILITY RATE	24.8	0.0	44.0	(15-19)	26.1	0.0	45.7	(15-19)	20.8	0.0	38.7	(15-19)
TEENAGE FETAL DEATHS**	2	0	0	2	2	0	0	2	0	0	0	0
TEENAGE FETAL DEATH RATIO	71.4	0.0	0.0	87.0	90.9	0.0	0.0	105.3	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	6	0	2	4	6	0	2	4	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	214.3	0.0	400.0	173.9	272.7	0.0	666.7	210.5	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	36	0	7	29	30	0	5	25	6	0	2	4
TEENAGE PREGNANCY RATE	31.8	0.0	56.6	(15-19)	35.6	0.0	62.4	(15-19)	20.8	0.0	38.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	1	0	0	1	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	71.4	0.0	200.0	43.5	45.5	0.0	0.0	52.6	166.7	0.0	500.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: SUNFLOWER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	32,311	2,412	1,152	1,260	476
WHITE	8,702	468	206	262	81
NONWHITE	23,609	1,944	946	998	395

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	113	4	39	70	9	0	6	3	104	4	33	67
TEENAGE IMMATURE BIRTHS	23	2	8	13	2	0	2	0	21	2	6	13
TEENAGE PREMATURE BIRTHS	33	1	14	18	4	0	3	1	29	1	11	17
TEENAGE ILLEGITIMATE BIRTHS	110	4	38	68	8	0	5	3	102	4	33	65
TEENS WHO HAD PREVIOUS LIVE BIRTHS	27	0	3	24	1	0	0	1	26	0	3	23
TEENS WHO HAD PREVIOUS PREGNANCIES	31	0	5	26	1	0	0	1	30	0	5	25
TEENS WITH INADEQUATE* PRENATAL CARE	10	0	5	5	0	0	0	0	10	0	5	5
TEENAGE FERTILITY RATE	46.8	3.5	86.5	(15-19)	19.2	0.0	34.4	(15-19)	53.5	4.2	100.2	(15-19)
TEENAGE FETAL DEATHS**	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE FETAL DEATH RATIO	17.7	0.0	51.3	0.0	0.0	0.0	0.0	0.0	19.2	0.0	60.6	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	3	0	0	0	0	0	3	0	3	0
TEENAGE INDUCED TERMINATION RATIO	26.5	0.0	76.9	0.0	0.0	0.0	0.0	0.0	28.8	0.0	90.9	0.0
TEENAGE PREGNANCIES#	118	4	44	70	9	0	6	3	109	4	38	67
TEENAGE PREGNANCY RATE	48.9	3.5	90.5	(15-19)	19.2	0.0	34.4	(15-19)	56.1	4.2	105.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	3	0	0	3	1	0	0	1	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	26.5	0.0	0.0	42.9	111.1	0.0	0.0	333.3	19.2	0.0	0.0	29.9

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: TALLAHATCHIE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	14,191	1,209	643	566	165
WHITE	5,510	335	174	161	52
NONWHITE	8,681	874	469	405	113

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	35	1	9	25	9	0	4	5	26	1	5	20
TEENAGE IMMATURE BIRTHS	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE PREMATURE BIRTHS	8	0	1	7	1	0	0	1	7	0	1	6
TEENAGE ILLEGITIMATE BIRTHS	32	1	9	22	6	0	4	2	26	1	5	20
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	3	4	2	0	1	1	5	0	2	3
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	3	5	3	0	1	2	5	0	2	3
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	2	0	1	1	1	0	0	1
TEENAGE FERTILITY RATE	29.0	1.6	60.1 (15-19)		26.9	0.0	55.9 (15-19)		29.7	2.1	61.7 (15-19)	
TEENAGE FETAL DEATHS**	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE FETAL DEATH RATIO	57.1	0.0	222.2	0.0	0.0	0.0	0.0	0.0	76.9	0.0	400.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	37	1	11	25	9	0	4	5	28	1	7	20
TEENAGE PREGNANCY RATE	30.6	1.6	63.6 (15-19)		26.9	0.0	55.9 (15-19)		32.0	2.1	66.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: TATE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	26,548	2,097	918	1,179	382
WHITE	18,259	1,297	599	698	241
NONWHITE	8,289	800	319	481	141

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	74	1	28	45	37	0	10	27	37	1	18	18
TEENAGE IMMATURE BIRTHS	6	0	3	3	2	0	0	2	4	0	3	1
TEENAGE PREMATURE BIRTHS	6	0	3	3	3	0	3	0	3	0	0	3
TEENAGE ILLEGITIMATE BIRTHS	61	1	23	37	24	0	5	19	37	1	18	18
TEENS WHO HAD PREVIOUS LIVE BIRTHS	18	1	4	13	8	0	3	5	10	1	1	8
TEENS WHO HAD PREVIOUS PREGNANCIES	20	1	4	15	10	0	3	7	10	1	1	8
TEENS WITH INADEQUATE* PRENATAL CARE	11	1	4	6	2	0	1	1	9	1	3	5
TEENAGE FERTILITY RATE	35.3	1.1	61.9	(15-19)	28.5	0.0	53.0	(15-19)	46.2	3.1	74.8	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	13.5	0.0	35.7	0.0	0.0	0.0	0.0	0.0	27.0	0.0	55.6	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	75	1	29	45	37	0	10	27	38	1	19	18
TEENAGE PREGNANCY RATE	35.8	1.1	62.8	(15-19)	28.5	0.0	53.0	(15-19)	47.5	3.1	76.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	13.5	0.0	0.0	22.2	0.0	0.0	0.0	0.0	27.0	0.0	0.0	55.6

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: TIPPAH

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,212	1,369	650	719	336
WHITE	17,399	1,069	499	570	283
NONWHITE	3,813	300	151	149	53

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	63	0	15	48	54	0	13	41	9	0	2	7
TEENAGE IMMATURE BIRTHS	11	0	3	8	8	0	2	6	3	0	1	2
TEENAGE PREMATURE BIRTHS	7	0	3	4	6	0	2	4	1	0	1	0
TEENAGE ILLEGITIMATE BIRTHS	36	0	9	27	28	0	7	21	8	0	2	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	0	2	15	15	0	2	13	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	19	0	2	17	17	0	2	15	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FERTILITY RATE	46.0	0.0	87.6	(15-19)	50.5	0.0	94.7	(15-19)	30.0	0.0	60.4	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	63	0	15	48	54	0	13	41	9	0	2	7
TEENAGE PREGNANCY RATE	46.0	0.0	87.6	(15-19)	50.5	0.0	94.7	(15-19)	30.0	0.0	60.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	15.9	0.0	0.0	20.8	18.5	0.0	0.0	24.4	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: TISHOMINGO

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,202	1,174	628	546	223
WHITE	18,411	1,129	602	527	220
NONWHITE	791	45	26	19	3

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	42	0	9	33	41	0	9	32	1	0	0	1
TEENAGE IMMATURE BIRTHS	6	0	0	6	6	0	0	6	0	0	0	0
TEENAGE PREMATURE BIRTHS	7	0	0	7	7	0	0	7	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	22	0	9	13	21	0	9	12	1	0	0	1
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	0	7	6	0	0	6	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	2	7	8	0	2	6	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	35.8	0.0	76.9	(15-19)	36.3	0.0	77.8	(15-19)	22.2	0.0	52.6	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	23.8	0.0	0.0	30.3	24.4	0.0	0.0	31.2	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	43	0	9	34	42	0	9	33	1	0	0	1
TEENAGE PREGNANCY RATE	36.6	0.0	78.8	(15-19)	37.2	0.0	79.7	(15-19)	22.2	0.0	52.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: TUNICA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,321	809	405	404	228
WHITE	2,658	96	44	52	43
NONWHITE	7,663	713	361	352	185

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	51	2	18	31	3	1	1	1	48	1	17	30
TEENAGE IMMATURE BIRTHS	9	0	5	4	1	0	1	0	8	0	4	4
TEENAGE PREMATURE BIRTHS	11	0	5	6	1	0	1	0	10	0	4	6
TEENAGE ILLEGITIMATE BIRTHS	51	2	18	31	3	1	1	1	48	1	17	30
TEENS WHO HAD PREVIOUS LIVE BIRTHS	12	0	3	9	0	0	0	0	12	0	3	9
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	3	9	0	0	0	0	12	0	3	9
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	4	1	1	0	1	0	4	0	3	1
TEENAGE FERTILITY RATE	63.0	4.9	121.3	(15-19)	31.2	22.7	38.5	(15-19)	67.3	2.8	133.5	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	51	2	18	31	3	1	1	1	48	1	17	30
TEENAGE PREGNANCY RATE	63.0	4.9	121.3	(15-19)	31.2	22.7	38.5	(15-19)	67.3	2.8	133.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1
INFANT MORTALITY RATE, TEEN MOMS	39.2	0.0	55.6	32.3	0.0	0.0	0.0	0.0	41.7	0.0	58.8	33.3

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: UNION

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	26,784	1,764	918	846	385
WHITE	22,449	1,417	726	691	340
NONWHITE	4,335	347	192	155	45

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	65	7	20	38	50	3	15	32	15	4	5	6
TEENAGE IMMATURE BIRTHS	11	1	4	6	8	0	2	6	3	1	2	0
TEENAGE PREMATURE BIRTHS	11	3	3	5	9	2	2	5	2	1	1	0
TEENAGE ILLEGITIMATE BIRTHS	49	7	17	25	34	3	12	19	15	4	5	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	2	9	9	0	0	9	2	0	2	0
TEENS WHO HAD PREVIOUS PREGNANCIES	14	0	4	10	10	0	0	10	4	0	4	0
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE		36.8	7.6	68.6 (15-19)	35.3	4.1	68.0 (15-19)	43.2	20.8	71.0 (15-19)		
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	15.4	0.0	0.0	26.3	20.0	0.0	0.0	31.2	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	66	7	20	39	51	3	15	33	15	4	5	6
TEENAGE PREGNANCY RATE	37.4	7.6	69.7 (15-19)	36.0	4.1	69.5 (15-19)	43.2	20.8	71.0 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: WALTHALL

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	15,460	1,086	546	540	193
WHITE	8,511	444	218	226	96
NONWHITE	6,949	642	328	314	97

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	24	0	6	18	5	0	2	3	19	0	4	15
TEENAGE IMMATURE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE PREMATURE BIRTHS	4	0	3	1	1	0	1	0	3	0	2	1
TEENAGE ILLEGITIMATE BIRTHS	20	0	5	15	2	0	1	1	18	0	4	14
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	0	5	0	0	0	0	5	0	0	5
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	1	8	2	0	1	1	7	0	0	7
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE FERTILITY RATE	22.1	0.0	44.4	(15-19)	11.3	0.0	22.1	(15-19)	29.6	0.0	60.5	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	83.3	0.0	166.7	55.6	0.0	0.0	0.0	0.0	105.3	0.0	250.0	66.7
TEENAGE PREGNANCIES#	26	0	7	19	5	0	2	3	21	0	5	16
TEENAGE PREGNANCY RATE	23.9	0.0	48.1	(15-19)	11.3	0.0	22.1	(15-19)	32.7	0.0	66.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: WARREN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	49,131	3,611	1,934	1,677	729
WHITE	25,783	1,602	843	759	300
NONWHITE	23,348	2,009	1,091	918	429

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	116	6	36	74	39	0	10	29	77	6	26	45
TEENAGE IMMATURE BIRTHS	23	1	8	14	8	0	2	6	15	1	6	8
TEENAGE PREMATURE BIRTHS	33	1	10	22	11	0	2	9	22	1	8	13
TEENAGE ILLEGITIMATE BIRTHS	108	6	33	69	31	0	7	24	77	6	26	45
TEENS WHO HAD PREVIOUS LIVE BIRTHS	27	0	5	22	12	0	1	11	15	0	4	11
TEENS WHO HAD PREVIOUS PREGNANCIES	33	0	6	27	15	0	2	13	18	0	4	14
TEENS WITH INADEQUATE* PRENATAL CARE	8	0	3	5	5	0	2	3	3	0	1	2
TEENAGE FERTILITY RATE	32.1	3.1	65.6	(15-19)	24.3	0.0	51.4	(15-19)	38.3	5.5	77.3	(15-19)
TEENAGE FETAL DEATHS**	1	1	0	0	0	0	0	0	1	1	0	0
TEENAGE FETAL DEATH RATIO	8.6	166.7	0.0	0.0	0.0	0.0	0.0	0.0	13.0	166.7	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	25	2	8	15	6	0	3	3	19	2	5	12
TEENAGE INDUCED TERMINATION RATIO	215.5	333.3	222.2	202.7	153.8	0.0	300.0	103.4	246.8	333.3	192.3	266.7
TEENAGE PREGNANCIES#	142	9	44	89	45	0	13	32	97	9	31	57
TEENAGE PREGNANCY RATE	39.3	4.6	79.3	(15-19)	28.1	0.0	59.3	(15-19)	48.3	8.2	95.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	1	1	0	0	0	0	0	2	1	1	0
INFANT MORTALITY RATE, TEEN MOMS	17.2	166.7	27.8	0.0	0.0	0.0	0.0	0.0	26.0	166.7	38.5	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: WASHINGTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	59,220	4,600	2,396	2,204	931
WHITE	18,773	1,008	501	507	207
NONWHITE	40,447	3,592	1,895	1,697	724

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	181	5	63	113	20	0	5	15	161	5	58	98
TEENAGE IMMATURE BIRTHS	27	0	12	15	2	0	1	1	25	0	11	14
TEENAGE PREMATURE BIRTHS	41	0	18	23	1	0	1	0	40	0	17	23
TEENAGE ILLEGITIMATE BIRTHS	175	5	62	108	15	0	4	11	160	5	58	97
TEENS WHO HAD PREVIOUS LIVE BIRTHS	50	0	11	39	4	0	0	4	46	0	11	35
TEENS WHO HAD PREVIOUS PREGNANCIES	53	0	12	41	4	0	0	4	49	0	12	37
TEENS WITH INADEQUATE* PRENATAL CARE	19	0	6	13	1	0	1	0	18	0	5	13
TEENAGE FERTILITY RATE	39.3	2.1	79.8	(15-19)	19.8	0.0	39.4	(15-19)	44.8	2.6	91.9	(15-19)
TEENAGE FETAL DEATHS**	5	0	3	2	0	0	0	0	5	0	3	2
TEENAGE FETAL DEATH RATIO	27.6	0.0	47.6	17.7	0.0	0.0	0.0	0.0	31.0	0.0	51.7	20.4
TEENAGE INDUCED TERMINATIONS#	5	0	0	5	0	0	0	0	5	0	0	5
TEENAGE INDUCED TERMINATION RATIO	27.6	0.0	0.0	44.2	0.0	0.0	0.0	0.0	31.0	0.0	0.0	51.0
TEENAGE PREGNANCIES#	191	5	66	120	20	0	5	15	171	5	61	105
TEENAGE PREGNANCY RATE	41.5	2.1	84.4	(15-19)	19.8	0.0	39.4	(15-19)	47.6	2.6	97.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	4	0	1	3	0	0	0	0	4	0	1	3
INFANT MORTALITY RATE, TEEN MOMS	22.1	0.0	15.9	26.5	0.0	0.0	0.0	0.0	24.8	0.0	17.2	30.6

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: WAYNE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,291	1,479	773	706	277
WHITE	13,072	794	396	398	134
NONWHITE	8,219	685	377	308	143

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	47	0	16	31	21	0	7	14	26	0	9	17
TEENAGE IMMATURE BIRTHS	7	0	3	4	2	0	1	1	5	0	2	3
TEENAGE PREMATURE BIRTHS	8	0	5	3	3	0	3	0	5	0	2	3
TEENAGE ILLEGITIMATE BIRTHS	37	0	15	22	12	0	6	6	25	0	9	16
TEENS WHO HAD PREVIOUS LIVE BIRTHS	12	0	2	10	3	0	1	2	9	0	1	8
TEENS WHO HAD PREVIOUS PREGNANCIES	16	0	6	10	4	0	2	2	12	0	4	8
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	0	3	0	0	0	0	3	0	0	3
TEENAGE FERTILITY RATE	31.8	0.0	66.6	(15-19)	26.4	0.0	52.8	(15-19)	38.0	0.0	84.4	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	6	1	3	2	0	0	0	0	6	1	3	2
TEENAGE INDUCED TERMINATION RATIO	127.7	-	187.5	64.5	0.0	0.0	0.0	0.0	230.8	-	333.3	117.6
TEENAGE PREGNANCIES#	53	1	19	33	21	0	7	14	32	1	12	19
TEENAGE PREGNANCY RATE	35.8	1.3	73.6	(15-19)	26.4	0.0	52.8	(15-19)	46.7	2.6	100.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	21.3	0.0	0.0	32.3	0.0	0.0	0.0	0.0	38.5	0.0	0.0	58.8

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: WEBSTER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,092	644	330	314	117
WHITE	8,053	458	244	214	78
NONWHITE	2,039	186	86	100	39

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	17	0	5	12	7	0	2	5	10	0	3	7
TEENAGE IMMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE PREMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	16	0	5	11	6	0	2	4	10	0	3	7
TEENS WHO HAD PREVIOUS LIVE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	2	0	0	2	1	0	0	1	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE FERTILITY RATE	26.4	0.0	54.1	(15-19)	15.3	0.0	32.7	(15-19)	53.8	0.0	100.0	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	58.8	0.0	200.0	0.0	142.8	0.0	500.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	18	0	6	12	8	0	3	5	10	0	3	7
TEENAGE PREGNANCY RATE	28.0	0.0	57.3	(15-19)	17.5	0.0	37.4	(15-19)	53.8	0.0	100.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: WILKINSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,269	657	334	323	137
WHITE	3,061	144	64	80	32
NONWHITE	7,208	513	270	243	105

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	26	4	7	15	3	0	0	3	23	4	7	12
TEENAGE IMMATURE BIRTHS	6	3	0	3	0	0	0	0	6	3	0	3
TEENAGE PREMATURE BIRTHS	9	3	2	4	0	0	0	0	9	3	2	4
TEENAGE ILLEGITIMATE BIRTHS	25	4	7	14	2	0	0	2	23	4	7	12
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	0	4	1	0	0	1	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	5	0	0	5	1	0	0	1	4	0	0	4
TEENS WITH INADEQUATE* PRENATAL CARE	3	2	0	1	1	0	0	1	2	2	0	0
TEENAGE FERTILITY RATE	39.6	12.0	68.1	(15-19)	20.8	0.0	37.5	(15-19)	44.8	14.8	78.2	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	26	4	7	15	3	0	0	3	23	4	7	12
TEENAGE PREGNANCY RATE	39.6	12.0	68.1	(15-19)	20.8	0.0	37.5	(15-19)	44.8	14.8	78.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	38.5	0.0	0.0	66.7	0.0	0.0	0.0	0.0	43.5	0.0	0.0	83.3

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: WINSTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,870	1,323	661	662	273
WHITE	10,871	595	298	297	107
NONWHITE	8,999	728	363	365	166

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	39	1	14	24	14	0	3	11	25	1	11	13
TEENAGE IMMATURE BIRTHS	5	0	3	2	1	0	0	1	4	0	3	1
TEENAGE PREMATURE BIRTHS	6	0	4	2	2	0	1	1	4	0	3	1
TEENAGE ILLEGITIMATE BIRTHS	28	1	12	15	7	0	2	5	21	1	10	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	3	8	4	0	0	4	7	0	3	4
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	3	8	4	0	0	4	7	0	3	4
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	2	3	1	0	0	1	4	0	2	2
TEENAGE FERTILITY RATE	29.5	1.5	57.4	(15-19)	23.5	0.0	47.1	(15-19)	34.3	2.8	65.8	(15-19)
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	51.3	0.0	71.4	41.7	0.0	0.0	0.0	0.0	80.0	0.0	90.9	76.9
TEENAGE INDUCED TERMINATIONS#	7	1	2	4	1	0	0	1	6	1	2	3
TEENAGE INDUCED TERMINATION RATIO	179.5	1000.0	142.8	166.7	71.4	0.0	0.0	90.9	240.0	1000.0	181.8	230.8
TEENAGE PREGNANCIES#	48	2	17	29	15	0	3	12	33	2	14	17
TEENAGE PREGNANCY RATE	36.3	3.0	69.5	(15-19)	25.2	0.0	50.5	(15-19)	45.3	5.5	84.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	25.6	0.0	0.0	41.7	0.0	0.0	0.0	0.0	40.0	0.0	0.0	76.9

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: YALOBUSHA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,417	860	448	412	211
WHITE	8,077	414	215	199	121
NONWHITE	5,340	446	233	213	90

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	33	1	10	22	16	0	4	12	17	1	6	10
TEENAGE IMMATURE BIRTHS	4	0	3	1	2	0	1	1	2	0	2	0
TEENAGE PREMATURE BIRTHS	6	0	1	5	1	0	0	1	5	0	1	4
TEENAGE ILLEGITIMATE BIRTHS	29	1	9	19	12	0	3	9	17	1	6	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	1	6	4	0	0	4	3	0	1	2
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	1	7	5	0	0	5	3	0	1	2
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	1	0	1	0	2	0	0	2
TEENAGE FERTILITY RATE	38.4	2.2	77.7	(15-19)	38.6	0.0	80.4	(15-19)	38.1	4.3	75.1	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	30.3	0.0	100.0	0.0	62.5	0.0	250.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	34	1	11	22	17	0	5	12	17	1	6	10
TEENAGE PREGNANCY RATE	39.5	2.2	80.1	(15-19)	41.1	0.0	85.4	(15-19)	38.1	4.3	75.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	30.3	0.0	0.0	45.5	0.0	0.0	0.0	0.0	58.8	0.0	0.0	100.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2005

COUNTY: YAZOO

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	28,195	1,996	1,041	955	431
WHITE	12,470	611	301	310	128
NONWHITE	15,725	1,385	740	645	303

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	80	5	30	45	12	0	3	9	68	5	27	36
TEENAGE IMMATURE BIRTHS	11	1	6	4	0	0	0	0	11	1	6	4
TEENAGE PREMATURE BIRTHS	11	1	5	5	1	0	0	1	10	1	5	4
TEENAGE ILLEGITIMATE BIRTHS	75	5	30	40	9	0	3	6	66	5	27	34
TEENS WHO HAD PREVIOUS LIVE BIRTHS	21	1	3	17	2	0	1	1	19	1	2	16
TEENS WHO HAD PREVIOUS PREGNANCIES	22	1	3	18	3	0	1	2	19	1	2	16
TEENS WITH INADEQUATE* PRENATAL CARE	16	1	7	8	2	0	1	1	14	1	6	7
TEENAGE FERTILITY RATE	40.1	4.8	78.5 (15-19)		19.6	0.0	38.7 (15-19)		49.1	6.8	97.7 (15-19)	
TEENAGE FETAL DEATHS**	3	0	3	0	0	0	0	0	3	0	3	0
TEENAGE FETAL DEATH RATIO	37.5	0.0	100.0	0.0	0.0	0.0	0.0	0.0	44.1	0.0	111.1	0.0
TEENAGE INDUCED TERMINATIONS#	8	1	4	3	3	0	2	1	5	1	2	2
TEENAGE INDUCED TERMINATION RATIO	100.0	200.0	133.3	66.7	250.0	0.0	666.7	111.1	73.5	200.0	74.1	55.6
TEENAGE PREGNANCIES#	91	6	37	48	15	0	5	10	76	6	32	38
TEENAGE PREGNANCY RATE	45.6	5.8	89.0 (15-19)		24.6	0.0	48.4 (15-19)		54.9	8.1	108.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.