

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: ADAMS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	31,710	2,233	1,102	1,131	428
WHITE	13,506	727	355	372	147
NONWHITE	18,204	1,506	747	759	281

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	80	3	22	55	15	1	1	13	65	2	21	42
TEENAGE IMMATURE BIRTHS	23	1	5	17	3	0	1	2	20	1	4	15
TEENAGE PREMATURE BIRTHS	26	0	8	18	4	0	0	4	22	0	8	14
TEENAGE ILLEGITIMATE BIRTHS	72	3	22	47	9	1	1	7	63	2	21	40
TEENS WHO HAD PREVIOUS LIVE BIRTHS	18	0	2	16	5	0	0	5	13	0	2	11
TEENS WHO HAD PREVIOUS PREGNANCIES	20	0	3	17	5	0	0	5	15	0	3	12
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	2	2	1	0	0	1	3	0	2	1
TEENAGE FERTILITY RATE	35.8	2.7	68.1 (15-19)		20.6	2.8	37.6 (15-19)		43.2	2.7	83.0 (15-19)	
TEENAGE FETAL DEATHS**	2	0	2	0	1	0	1	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	25.0	0.0	90.9	0.0	66.7	0.0	1000.0	0.0	15.4	0.0	47.6	0.0
TEENAGE INDUCED TERMINATIONS#	9	0	3	6	2	0	2	0	7	0	1	6
TEENAGE INDUCED TERMINATION RATIO	112.5	0.0	136.4	109.1	133.3	0.0	2000.0	0.0	107.7	0.0	47.6	142.8
TEENAGE PREGNANCIES#	91	3	27	61	18	1	4	13	73	2	23	48
TEENAGE PREGNANCY RATE	40.8	2.7	77.8 (15-19)		24.8	2.8	45.7 (15-19)		48.5	2.7	93.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	2	0	1	0	1	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	25.0	0.0	90.9	0.0	66.7	0.0	1000.0	0.0	15.4	0.0	47.6	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: ALCORN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	35,609	2,134	1,065	1,069	509
WHITE	31,187	1,790	887	903	432
NONWHITE	4,422	344	178	166	77

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	104	5	41	58	80	4	25	51	24	1	16	7
TEENAGE IMMATURE BIRTHS	13	0	6	7	7	0	2	5	6	0	4	2
TEENAGE PREMATURE BIRTHS	18	2	8	8	13	2	4	7	5	0	4	1
TEENAGE ILLEGITIMATE BIRTHS	78	5	36	37	55	4	20	31	23	1	16	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	26	0	7	19	18	0	4	14	8	0	3	5
TEENS WHO HAD PREVIOUS PREGNANCIES	34	0	9	25	23	0	5	18	11	0	4	7
TEENS WITH INADEQUATE* PRENATAL CARE	6	1	3	2	4	1	2	1	2	0	1	1
TEENAGE FERTILITY RATE	48.7	4.7	92.6 (15-19)		44.7	4.5	84.2 (15-19)		69.8	5.6	138.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	7	1	3	3	4	1	1	2	3	0	2	1
TEENAGE INDUCED TERMINATION RATIO	67.3	200.0	73.2	51.7	50.0	250.0	40.0	39.2	125.0	0.0	125.0	142.8
TEENAGE PREGNANCIES#	111	6	44	61	84	5	26	53	27	1	18	8
TEENAGE PREGNANCY RATE	52.0	5.6	98.2 (15-19)		46.9	5.6	87.5 (15-19)		78.5	5.6	156.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: AMITE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,345	874	424	450	184
WHITE	7,390	409	207	202	76
NONWHITE	5,955	465	217	248	108

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	33	1	15	17	14	0	7	7	19	1	8	10
TEENAGE IMMATURE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE PREMATURE BIRTHS	4	0	1	3	0	0	0	0	4	0	1	3
TEENAGE ILLEGITIMATE BIRTHS	29	1	13	15	10	0	5	5	19	1	8	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	1	3	0	0	0	0	4	0	1	3
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	1	5	0	0	0	0	6	0	1	5
TEENS WITH INADEQUATE* PRENATAL CARE	3	1	1	1	0	0	0	0	3	1	1	1
TEENAGE FERTILITY RATE	37.8	2.4	71.1 (15-19)		34.2	0.0	69.3 (15-19)		40.9	4.6	72.6 (15-19)	
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	60.6	0.0	66.7	58.8	0.0	0.0	0.0	0.0	105.3	0.0	125.0	100.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	30.3	0.0	0.0	58.8	71.4	0.0	0.0	142.8	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	36	1	16	19	15	0	7	8	21	1	9	11
TEENAGE PREGNANCY RATE	41.2	2.4	77.8 (15-19)		36.7	0.0	74.2 (15-19)		45.2	4.6	80.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: ATTALA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,600	1,348	625	723	324
WHITE	11,367	647	313	334	155
NONWHITE	8,233	701	312	389	169

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	59	1	23	35	19	0	9	10	40	1	14	25
TEENAGE IMMATURE BIRTHS	11	0	3	8	2	0	0	2	9	0	3	6
TEENAGE PREMATURE BIRTHS	17	0	5	12	2	0	1	1	15	0	4	11
TEENAGE ILLEGITIMATE BIRTHS	55	1	21	33	15	0	7	8	40	1	14	25
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	0	4	13	5	0	2	3	12	0	2	10
TEENS WHO HAD PREVIOUS PREGNANCIES	17	0	4	13	5	0	2	3	12	0	2	10
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	5	2	0	0	0	0	7	0	5	2
TEENAGE FERTILITY RATE	43.8	1.6	80.2 (15-19)		29.4	0.0	56.9 (15-19)		57.1	3.2	100.2 (15-19)	
TEENAGE FETAL DEATHS**	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	33.9	0.0	43.5	28.6	52.6	0.0	111.1	0.0	25.0	0.0	0.0	40.0
TEENAGE INDUCED TERMINATIONS#	4	1	0	3	0	0	0	0	4	1	0	3
TEENAGE INDUCED TERMINATION RATIO	67.8	1000.0	0.0	85.7	0.0	0.0	0.0	0.0	100.0	1000.0	0.0	120.0
TEENAGE PREGNANCIES#	65	2	24	39	20	0	10	10	45	2	14	29
TEENAGE PREGNANCY RATE	48.2	3.2	87.1 (15-19)		30.9	0.0	59.9 (15-19)		64.2	6.4	110.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	16.9	0.0	0.0	28.6	0.0	0.0	0.0	0.0	25.0	0.0	0.0	40.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: BENTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	8,037	546	297	249	102
WHITE	5,113	268	156	112	63
NONWHITE	2,924	278	141	137	39

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	16	2	6	8	9	1	3	5	7	1	3	3
TEENAGE IMMATURE BIRTHS	2	1	1	0	0	0	0	0	2	1	1	0
TEENAGE PREMATURE BIRTHS	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE ILLEGITIMATE BIRTHS	12	2	6	4	6	1	3	2	6	1	3	2
TEENS WHO HAD PREVIOUS LIVE BIRTHS	2	0	0	2	1	0	0	1	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	3	0	0	3	2	0	0	2	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FERTILITY RATE	29.3	6.7	56.2 (15-19)	33.6	33.6	6.4	71.4 (15-19)	25.2	25.2	7.1	43.8 (15-19)	25.2
TEENAGE FETAL DEATHS**	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FETAL DEATH RATIO	125.0	0.0	0.0	250.0	0.0	0.0	0.0	0.0	285.7	0.0	0.0	666.7
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	62.5	0.0	0.0	125.0	111.1	0.0	0.0	200.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	19	2	6	11	10	1	3	6	9	1	3	5
TEENAGE PREGNANCY RATE	34.8	6.7	68.3 (15-19)	37.3	37.3	6.4	80.4 (15-19)	32.4	32.4	7.1	58.4 (15-19)	32.4
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: BOLIVAR

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	37,635	2,963	1,307	1,656	627
WHITE	12,412	740	262	478	147
NONWHITE	25,223	2,223	1,045	1,178	480

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	139	1	52	86	15	0	6	9	124	1	46	77
TEENAGE IMMATURE BIRTHS	19	0	7	12	1	0	0	1	18	0	7	11
TEENAGE PREMATURE BIRTHS	31	1	13	17	1	0	0	1	30	1	13	16
TEENAGE ILLEGITIMATE BIRTHS	136	1	51	84	12	0	5	7	124	1	46	77
TEENS WHO HAD PREVIOUS LIVE BIRTHS	26	0	7	19	3	0	0	3	23	0	7	16
TEENS WHO HAD PREVIOUS PREGNANCIES	31	0	9	22	3	0	0	3	28	0	9	19
TEENS WITH INADEQUATE* PRENATAL CARE	8	0	4	4	0	0	0	0	8	0	4	4
TEENAGE FERTILITY RATE	46.9	0.8	83.3 (15-19)		20.3	0.0	31.4 (15-19)		55.8	1.0	104.4 (15-19)	
TEENAGE FETAL DEATHS**	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FETAL DEATH RATIO	14.4	0.0	0.0	23.2	0.0	0.0	0.0	0.0	16.1	0.0	0.0	26.0
TEENAGE INDUCED TERMINATIONS#	19	0	8	11	5	0	3	2	14	0	5	9
TEENAGE INDUCED TERMINATION RATIO	136.7	0.0	153.8	127.9	333.3	0.0	500.0	222.2	112.9	0.0	108.7	116.9
TEENAGE PREGNANCIES#	160	1	60	99	20	0	9	11	140	1	51	88
TEENAGE PREGNANCY RATE	54.0	0.8	96.0 (15-19)		27.0	0.0	41.8 (15-19)		63.0	1.0	118.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	0	0	0	0	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	14.4	0.0	0.0	23.3	0.0	0.0	0.0	0.0	16.1	0.0	0.0	26.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: CALHOUN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	14,591	910	479	431	206
WHITE	10,144	547	293	254	137
NONWHITE	4,447	363	186	177	69

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	36	1	16	19	15	0	3	12	21	1	13	7
TEENAGE IMMATURE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE PREMATURE BIRTHS	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	29	1	14	14	8	0	1	7	21	1	13	7
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	1	3	2	0	0	2	2	0	1	1
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	1	6	4	0	0	4	3	0	1	2
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FERTILITY RATE	39.6	2.1	81.2 (15-19)		27.4	0.0	59.0 (15-19)		57.8	5.4	113.0 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	7	0	4	3	4	0	3	1	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	194.4	0.0	250.0	157.9	266.7	0.0	1000.0	83.3	142.8	0.0	76.9	285.7
TEENAGE PREGNANCIES#	43	1	20	22	19	0	6	13	24	1	14	9
TEENAGE PREGNANCY RATE	47.2	2.1	97.4 (15-19)		34.7	0.0	74.8 (15-19)		66.1	5.4	129.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1
INFANT MORTALITY RATE, TEEN MOMS	55.6	0.0	62.5	52.6	0.0	0.0	0.0	0.0	95.2	0.0	76.9	142.9

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: CARROLL

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,304	620	289	331	159
WHITE	6,645	329	155	174	101
NONWHITE	3,659	291	134	157	58

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	28	0	9	19	18	0	7	11	10	0	2	8
TEENAGE IMMATURE BIRTHS	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE PREMATURE BIRTHS	3	0	1	2	3	0	1	2	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	26	0	9	17	16	0	7	9	10	0	2	8
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	1	5	3	0	1	2	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	2	5	4	0	2	2	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	2	1	2	0	2	0	1	0	0	1
TEENAGE FERTILITY RATE	45.2	0.0	84.6	(15-19)	54.7	0.0	103.4	(15-19)	34.4	0.0	63.7	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	1	3	1	0	1	0	3	0	0	3
TEENAGE INDUCED TERMINATION RATIO	142.8	0.0	111.1	157.9	55.6	0.0	142.8	0.0	300.0	0.0	0.0	375.0
TEENAGE PREGNANCIES#	32	0	10	22	19	0	8	11	13	0	2	11
TEENAGE PREGNANCY RATE	51.6	0.0	96.7	(15-19)	57.8	0.0	109.2	(15-19)	44.7	0.0	82.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	35.7	0.0	0.0	52.6	0.0	0.0	0.0	0.0	100.0	0.0	0.0	125.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: CHICKASAW

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	18,974	1,335	700	635	298
WHITE	10,878	618	367	251	153
NONWHITE	8,096	717	333	384	145

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	75	1	26	48	31	0	9	22	44	1	17	26
TEENAGE IMMATURE BIRTHS	11	0	3	8	1	0	1	0	10	0	2	8
TEENAGE PREMATURE BIRTHS	10	0	4	6	1	0	1	0	9	0	3	6
TEENAGE ILLEGITIMATE BIRTHS	64	1	25	38	20	0	8	12	44	1	17	26
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	0	3	14	7	0	1	6	10	0	2	8
TEENS WHO HAD PREVIOUS PREGNANCIES	19	0	5	14	9	0	3	6	10	0	2	8
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	3	2	2	0	1	1	3	0	2	1
TEENAGE FERTILITY RATE	56.2	1.4	116.5	(15-19)	50.2	0.0	123.5	(15-19)	61.4	3.0	112.0	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	7	0	5	2	1	0	1	0	6	0	4	2
TEENAGE INDUCED TERMINATION RATIO	93.3	0.0	192.3	41.7	32.2	0.0	111.1	0.0	136.4	0.0	235.3	76.9
TEENAGE PREGNANCIES#	82	1	31	50	32	0	10	22	50	1	21	28
TEENAGE PREGNANCY RATE	61.4	1.4	127.6	(15-19)	51.8	0.0	127.5	(15-19)	69.7	3.0	127.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	13.3	0.0	38.5	0.0	0.0	0.0	0.0	0.0	22.7	0.0	58.8	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: CHOCTAW

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,052	682	309	373	125
WHITE	6,173	437	194	243	62
NONWHITE	2,879	245	115	130	63

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	18	0	8	10	4	0	3	1	14	0	5	9
TEENAGE IMMATURE BIRTHS	3	0	1	2	1	0	1	0	2	0	0	2
TEENAGE PREMATURE BIRTHS	5	0	2	3	1	0	1	0	4	0	1	3
TEENAGE ILLEGITIMATE BIRTHS	15	0	7	8	3	0	2	1	12	0	5	7
TEENS WHO HAD PREVIOUS LIVE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	2	0	0	2	0	0	0	0	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	26.4	0.0	48.2 (15-19)		9.2	0.0	16.5 (15-19)		57.1	0.0	107.7 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	111.1	0.0	125.0	100.0	250.0	0.0	333.3	0.0	71.4	0.0	0.0	111.1
TEENAGE PREGNANCIES#	20	0	9	11	5	0	4	1	15	0	5	10
TEENAGE PREGNANCY RATE	29.3	0.0	53.6 (15-19)		11.4	0.0	20.6 (15-19)		61.2	0.0	115.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: CLAIBORNE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,999	1,033	350	683	161
WHITE	1,660	64	33	31	11
NONWHITE	9,339	969	317	652	150

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	37	1	14	22	1	1	0	0	36	0	14	22
TEENAGE IMMATURE BIRTHS	9	0	4	5	0	0	0	0	9	0	4	5
TEENAGE PREMATURE BIRTHS	11	0	4	7	0	0	0	0	11	0	4	7
TEENAGE ILLEGITIMATE BIRTHS	36	1	14	21	1	1	0	0	35	0	14	21
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	3	5	0	0	0	0	8	0	3	5
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	3	6	0	0	0	0	9	0	3	6
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE FERTILITY RATE	35.8	2.8	52.7 (15-19)	15.6	30.3	0.0 (15-19)	37.2	0.0	55.2 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	54.0	0.0	0.0	90.9	1000.0	0.0	0.0	-	27.8	0.0	0.0	45.4
TEENAGE PREGNANCIES#	39	1	14	24	2	1	0	1	37	0	14	23
TEENAGE PREGNANCY RATE	37.8	2.8	55.6 (15-19)	31.2	30.3	32.2 (15-19)	38.2	0.0	56.7 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: CLARKE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	17,414	1,210	591	619	231
WHITE	11,252	726	358	368	121
NONWHITE	6,162	484	233	251	110

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	39	1	14	24	16	0	4	12	23	1	10	12
TEENAGE IMMATURE BIRTHS	8	0	2	6	4	0	1	3	4	0	1	3
TEENAGE PREMATURE BIRTHS	6	0	1	5	3	0	1	2	3	0	0	3
TEENAGE ILLEGITIMATE BIRTHS	32	1	13	18	10	0	4	6	22	1	9	12
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	2	3	3	0	1	2	2	0	1	1
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	2	5	4	0	1	3	3	0	1	2
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE FERTILITY RATE	32.2	1.7	61.4 (15-19)		22.0	0.0	43.5 (15-19)		47.5	4.3	87.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	6	1	1	4	1	0	0	1	5	1	1	3
TEENAGE INDUCED TERMINATION RATIO	153.8	1000.0	71.4	166.7	62.5	0.0	0.0	83.3	217.4	1000.0	100.0	250.0
TEENAGE PREGNANCIES#	45	2	15	28	17	0	4	13	28	2	11	15
TEENAGE PREGNANCY RATE	37.2	3.4	69.5 (15-19)		23.4	0.0	46.2 (15-19)		57.8	8.6	103.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: CLAY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	20,969	1,479	734	745	317
WHITE	9,019	447	247	200	97
NONWHITE	11,950	1,032	487	545	220

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	58	0	15	43	9	0	1	8	49	0	14	35
TEENAGE IMMATURE BIRTHS	6	0	1	5	1	0	0	1	5	0	1	4
TEENAGE PREMATURE BIRTHS	10	0	5	5	2	0	1	1	8	0	4	4
TEENAGE ILLEGITIMATE BIRTHS	56	0	15	41	7	0	1	6	49	0	14	35
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	2	9	1	0	0	1	10	0	2	8
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	2	10	2	0	0	2	10	0	2	8
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	0	3	0	0	0	0	3	0	0	3
TEENAGE FERTILITY RATE	39.2	0.0	77.8 (15-19)		20.1	0.0	45.0 (15-19)		47.5	0.0	89.9 (15-19)	
TEENAGE FETAL DEATHS**	3	1	0	2	0	0	0	0	3	1	0	2
TEENAGE FETAL DEATH RATIO	51.7	-	0.0	46.5	0.0	0.0	0.0	0.0	61.2	-	0.0	57.1
TEENAGE INDUCED TERMINATIONS#	7	0	2	5	2	0	1	1	5	0	1	4
TEENAGE INDUCED TERMINATION RATIO	120.7	0.0	133.3	116.3	222.2	0.0	1000.0	125.0	102.0	0.0	71.4	114.3
TEENAGE PREGNANCIES#	68	1	17	50	11	0	2	9	57	1	15	41
TEENAGE PREGNANCY RATE	46.0	1.4	89.9 (15-19)		24.6	0.0	55.0 (15-19)		55.2	2.0	102.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: COAHOMA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	27,543	2,342	1,160	1,182	552
WHITE	6,697	366	169	197	70
NONWHITE	20,846	1,976	991	985	482

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	124	1	40	83	5	0	0	5	119	1	40	78
TEENAGE IMMATURE BIRTHS	20	0	9	11	0	0	0	0	20	0	9	11
TEENAGE PREMATURE BIRTHS	28	0	9	19	0	0	0	0	28	0	9	19
TEENAGE ILLEGITIMATE BIRTHS	123	1	40	82	4	0	0	4	119	1	40	78
TEENS WHO HAD PREVIOUS LIVE BIRTHS	33	0	7	26	0	0	0	0	33	0	7	26
TEENS WHO HAD PREVIOUS PREGNANCIES	37	0	7	30	1	0	0	1	36	0	7	29
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE FERTILITY RATE	52.9	0.9	104.1	(15-19)	13.7	0.0	25.4	(15-19)	60.2	1.0	119.8	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	18	0	4	14	1	0	0	1	17	0	4	13
TEENAGE INDUCED TERMINATION RATIO	145.2	0.0	100.0	168.7	200.0	0.0	0.0	200.0	142.8	0.0	100.0	166.7
TEENAGE PREGNANCIES#	142	1	44	97	6	0	0	6	136	1	44	91
TEENAGE PREGNANCY RATE	60.6	0.9	119.3	(15-19)	16.4	0.0	30.4	(15-19)	68.8	1.0	137.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	3	0	2	1	0	0	0	0	3	0	2	1
INFANT MORTALITY RATE, TEEN MOMS	24.2	0.0	50.0	12.0	0.0	0.0	0.0	0.0	25.2	0.0	50.0	12.8

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: COPIAH

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	29,317	2,216	946	1,270	473
WHITE	13,968	819	362	457	170
NONWHITE	15,349	1,397	584	813	303

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	94	0	31	63	12	0	6	6	82	0	25	57
TEENAGE IMMATURE BIRTHS	23	0	9	14	0	0	0	0	23	0	9	14
TEENAGE PREMATURE BIRTHS	27	0	9	18	2	0	1	1	25	0	8	17
TEENAGE ILLEGITIMATE BIRTHS	91	0	31	60	11	0	6	5	80	0	25	55
TEENS WHO HAD PREVIOUS LIVE BIRTHS	24	0	4	20	1	0	0	1	23	0	4	19
TEENS WHO HAD PREVIOUS PREGNANCIES	30	0	5	25	3	0	0	3	27	0	5	22
TEENS WITH INADEQUATE* PRENATAL CARE	8	0	3	5	1	0	1	0	7	0	2	5
TEENAGE FERTILITY RATE	42.4	0.0	74.0 (15-19)		14.6	0.0	26.2 (15-19)		58.7	0.0	100.9 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	10.6	0.0	32.2	0.0	0.0	0.0	0.0	0.0	12.2	0.0	40.0	0.0
TEENAGE INDUCED TERMINATIONS#	9	1	2	6	0	0	0	0	9	1	2	6
TEENAGE INDUCED TERMINATION RATIO	95.7	-	64.5	95.2	0.0	0.0	0.0	0.0	109.8	-	80.0	105.3
TEENAGE PREGNANCIES#	104	1	34	69	12	0	6	6	92	1	28	63
TEENAGE PREGNANCY RATE	46.9	1.0	81.1 (15-19)		14.6	0.0	26.2 (15-19)		65.8	1.7	111.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: COVINGTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	20,361	1,511	752	759	312
WHITE	12,803	836	402	434	169
NONWHITE	7,558	675	350	325	143

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	51	2	19	30	18	0	6	12	33	2	13	18
TEENAGE IMMATURE BIRTHS	5	0	3	2	3	0	2	1	2	0	1	1
TEENAGE PREMATURE BIRTHS	9	0	3	6	3	0	2	1	6	0	1	5
TEENAGE ILLEGITIMATE BIRTHS	42	2	16	24	10	0	3	7	32	2	13	17
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	0	5	1	0	0	1	4	0	0	4
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	0	7	2	0	0	2	5	0	0	5
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	33.8	2.7	64.6 (15-19)		21.5	0.0	41.5 (15-19)		48.9	5.7	95.4 (15-19)	
TEENAGE FETAL DEATHS**	2	0	2	0	1	0	1	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	39.2	0.0	105.3	0.0	55.6	0.0	166.7	0.0	30.3	0.0	76.9	0.0
TEENAGE INDUCED TERMINATIONS#	7	0	1	6	5	0	0	5	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	137.2	0.0	52.6	200.0	277.8	0.0	0.0	416.7	30.3	0.0	0.0	55.6
TEENAGE PREGNANCIES#	60	2	22	36	24	0	7	17	35	2	14	19
TEENAGE PREGNANCY RATE	39.7	2.7	76.4 (15-19)		28.7	0.0	55.3 (15-19)		51.8	5.7	101.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	1	0	1	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	19.6	0.0	52.6	0.0	55.6	0.0	166.7	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: DESOTO

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	149,393	10,960	5,811	5,149	2,235
WHITE	115,266	7,717	4,063	3,654	1,691
NONWHITE	34,127	3,243	1,748	1,495	544

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	242	6	78	158	166	4	47	115	76	2	31	43
TEENAGE IMMATURE BIRTHS	24	1	9	14	13	1	2	10	11	0	7	4
TEENAGE PREMATURE BIRTHS	26	2	10	14	15	1	5	9	11	1	5	5
TEENAGE ILLEGITIMATE BIRTHS	198	6	71	121	124	4	40	80	74	2	31	41
TEENS WHO HAD PREVIOUS LIVE BIRTHS	45	0	14	31	26	0	7	19	19	0	7	12
TEENS WHO HAD PREVIOUS PREGNANCIES	55	0	16	39	33	0	8	25	22	0	8	14
TEENS WITH INADEQUATE* PRENATAL CARE	27	1	10	16	18	1	6	11	9	0	4	5
TEENAGE FERTILITY RATE	22.1	1.0	45.8	(15-19)	21.5	1.0	44.3	(15-19)	23.4	1.1	49.5	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	4.1	0.0	12.8	0.0	0.0	0.0	0.0	0.0	13.2	0.0	32.2	0.0
TEENAGE INDUCED TERMINATIONS#	80	5	32	43	48	5	20	23	30	0	10	20
TEENAGE INDUCED TERMINATION RATIO	330.6	833.3	410.2	272.2	289.2	1250.0	425.5	200.0	394.7	0.0	322.6	465.1
TEENAGE PREGNANCIES#	323	11	111	201	214	9	67	138	107	2	42	63
TEENAGE PREGNANCY RATE	29.5	1.9	60.6	(15-19)	27.7	2.2	56.1	(15-19)	33.0	1.1	70.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	3	0	1	2	2	0	1	1	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	12.4	0.0	12.8	12.7	12.0	0.0	21.3	8.7	13.2	0.0	0.0	23.3

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: FORREST

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	78,241	5,898	2,486	3,412	1,321
WHITE	48,696	3,094	1,228	1,866	726
NONWHITE	29,545	2,804	1,258	1,546	595

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	234	2	74	158	104	0	25	79	130	2	49	79
TEENAGE IMMATURE BIRTHS	33	0	15	18	10	0	2	8	23	0	13	10
TEENAGE PREMATURE BIRTHS	47	0	11	36	19	0	2	17	28	0	9	19
TEENAGE ILLEGITIMATE BIRTHS	206	2	68	136	78	0	20	58	128	2	48	78
TEENS WHO HAD PREVIOUS LIVE BIRTHS	47	0	11	36	15	0	1	14	32	0	10	22
TEENS WHO HAD PREVIOUS PREGNANCIES	60	0	14	46	21	0	2	19	39	0	12	27
TEENS WITH INADEQUATE* PRENATAL CARE	18	0	11	7	6	0	3	3	12	0	8	4
TEENAGE FERTILITY RATE	39.7	0.8	68.0 (15-19)		33.6	0.0	55.7 (15-19)		46.4	1.6	82.8 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	4.3	0.0	13.5	0.0	0.0	0.0	0.0	0.0	7.7	0.0	20.4	0.0
TEENAGE INDUCED TERMINATIONS#	23	0	7	16	5	0	1	4	18	0	6	12
TEENAGE INDUCED TERMINATION RATIO	98.3	0.0	94.6	101.3	48.1	0.0	40.0	50.6	138.5	0.0	122.4	151.9
TEENAGE PREGNANCIES#	258	2	82	174	109	0	26	83	149	2	56	91
TEENAGE PREGNANCY RATE	43.7	0.8	75.0 (15-19)		35.2	0.0	58.4 (15-19)		53.1	1.6	95.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1
INFANT MORTALITY RATE, TEEN MOMS	8.5	0.0	13.5	6.3	0.0	0.0	0.0	0.0	15.4	0.0	20.4	12.7

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: FRANKLIN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	8,312	516	231	285	127
WHITE	5,129	251	116	135	69
NONWHITE	3,183	265	115	150	58

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	17	0	5	12	6	0	2	4	11	0	3	8
TEENAGE IMMATURE BIRTHS	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE PREMATURE BIRTHS	4	0	0	4	1	0	0	1	3	0	0	3
TEENAGE ILLEGITIMATE BIRTHS	15	0	5	10	4	0	2	2	11	0	3	8
TEENS WHO HAD PREVIOUS LIVE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	2	0	0	2	0	0	0	0	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	32.9	0.0	59.6 (15-19)		23.9	0.0	44.4 (15-19)		41.5	0.0	73.3 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	0	4	1	0	0	1	3	0	0	3
TEENAGE INDUCED TERMINATION RATIO	235.3	0.0	0.0	333.3	166.7	0.0	0.0	250.0	272.7	0.0	0.0	375.0
TEENAGE PREGNANCIES#	21	0	5	16	7	0	2	5	14	0	3	11
TEENAGE PREGNANCY RATE	40.7	0.0	73.7 (15-19)		27.9	0.0	51.8 (15-19)		52.8	0.0	93.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	58.8	0.0	0.0	83.3	0.0	0.0	0.0	0.0	90.9	0.0	0.0	125.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: GEORGE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,937	1,524	803	721	418
WHITE	19,536	1,325	702	623	376
NONWHITE	2,401	199	101	98	42

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	88	2	32	54	76	1	28	47	12	1	4	7
TEENAGE IMMATURE BIRTHS	8	0	2	6	6	0	1	5	2	0	1	1
TEENAGE PREMATURE BIRTHS	19	0	8	11	15	0	7	8	4	0	1	3
TEENAGE ILLEGITIMATE BIRTHS	64	2	27	35	52	1	23	28	12	1	4	7
TEENS WHO HAD PREVIOUS LIVE BIRTHS	24	0	2	22	20	0	2	18	4	0	0	4
TEENS WHO HAD PREVIOUS PREGNANCIES	27	0	2	25	23	0	2	21	4	0	0	4
TEENS WITH INADEQUATE* PRENATAL CARE	7	2	1	4	3	1	0	2	4	1	1	2
TEENAGE FERTILITY RATE	57.7	2.5	119.3	(15-19)	57.4	1.4	120.4	(15-19)	60.3	9.9	112.2	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	11.4	0.0	0.0	18.5	13.2	0.0	0.0	21.3	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	89	2	32	55	77	1	28	48	12	1	4	7
TEENAGE PREGNANCY RATE	58.4	2.5	120.7	(15-19)	58.1	1.4	122.0	(15-19)	60.3	9.9	112.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: GREENE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,137	773	416	357	155
WHITE	9,640	622	340	282	113
NONWHITE	3,497	151	76	75	42

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	26	0	8	18	15	0	5	10	11	0	3	8
TEENAGE IMMATURE BIRTHS	3	0	0	3	0	0	0	0	3	0	0	3
TEENAGE PREMATURE BIRTHS	4	0	2	2	2	0	2	0	2	0	0	2
TEENAGE ILLEGITIMATE BIRTHS	18	0	7	11	7	0	4	3	11	0	3	8
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	0	5	1	0	0	1	4	0	0	4
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	0	6	1	0	0	1	5	0	0	5
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	0	3	1	0	0	1	2	0	0	2
TEENAGE FERTILITY RATE	33.6	0.0	72.8 (15-19)		24.1	0.0	53.2 (15-19)		72.8	0.0	146.7 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	38.5	0.0	0.0	55.6	0.0	0.0	0.0	0.0	90.9	0.0	0.0	125.0
TEENAGE PREGNANCIES#	27	0	8	19	15	0	5	10	12	0	3	9
TEENAGE PREGNANCY RATE	34.9	0.0	75.6 (15-19)		24.1	0.0	53.2 (15-19)		79.5	0.0	160.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: GRENADA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	23,076	1,686	799	887	346
WHITE	13,149	844	414	430	155
NONWHITE	9,927	842	385	457	191

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	83	3	35	45	25	0	9	16	58	3	26	29
TEENAGE IMMATURE BIRTHS	15	1	5	9	1	0	0	1	14	1	5	8
TEENAGE PREMATURE BIRTHS	22	2	8	12	3	0	1	2	19	2	7	10
TEENAGE ILLEGITIMATE BIRTHS	77	3	33	41	19	0	7	12	58	3	26	29
TEENS WHO HAD PREVIOUS LIVE BIRTHS	22	0	5	17	5	0	1	4	17	0	4	13
TEENS WHO HAD PREVIOUS PREGNANCIES	28	0	8	20	6	0	2	4	22	0	6	16
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	2	3	1	0	0	1	4	0	2	2
TEENAGE FERTILITY RATE	49.2	3.8	90.2 (15-19)		29.6	0.0	58.1 (15-19)		68.9	7.8	120.4 (15-19)	
TEENAGE FETAL DEATHS**	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FETAL DEATH RATIO	24.1	0.0	0.0	44.4	0.0	0.0	0.0	0.0	34.5	0.0	0.0	69.0
TEENAGE INDUCED TERMINATIONS#	14	1	4	9	7	1	1	5	7	0	3	4
TEENAGE INDUCED TERMINATION RATIO	168.7	333.3	114.3	200.0	280.0	-	111.1	312.5	120.7	0.0	115.4	137.9
TEENAGE PREGNANCIES#	99	4	39	56	32	1	10	21	67	3	29	35
TEENAGE PREGNANCY RATE	58.7	5.0	107.1 (15-19)		37.9	2.4	72.1 (15-19)		79.6	7.8	140.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1
INFANT MORTALITY RATE, TEEN MOMS	24.1	0.0	28.6	22.2	0.0	0.0	0.0	0.0	34.5	0.0	38.5	34.5

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: HANCOCK

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	39,687	2,697	1,330	1,367	490
WHITE	35,846	2,395	1,175	1,220	451
NONWHITE	3,841	302	155	147	39

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	86	0	19	67	79	0	18	61	7	0	1	6
TEENAGE IMMATURE BIRTHS	7	0	1	6	7	0	1	6	0	0	0	0
TEENAGE PREMATURE BIRTHS	12	0	4	8	12	0	4	8	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	78	0	18	60	71	0	17	54	7	0	1	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	1	14	12	0	1	11	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	22	0	2	20	19	0	2	17	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	1	5	5	0	1	4	1	0	0	1
TEENAGE FERTILITY RATE	31.9	0.0	62.9 (15-19)		33.0	0.0	64.8 (15-19)		23.2	0.0	47.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	11.6	0.0	0.0	14.9	12.6	0.0	0.0	16.4	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	87	0	19	68	80	0	18	62	7	0	1	6
TEENAGE PREGNANCY RATE	32.2	0.0	63.6 (15-19)		33.4	0.0	65.6 (15-19)		23.2	0.0	47.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: HARRISON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	176,105	12,565	6,353	6,212	2,942
WHITE	126,078	8,041	4,024	4,017	2,082
NONWHITE	50,027	4,524	2,329	2,195	860

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	463	5	135	323	315	3	81	231	148	2	54	92
TEENAGE IMMATURE BIRTHS	53	1	10	42	32	0	6	26	21	1	4	16
TEENAGE PREMATURE BIRTHS	72	2	16	54	40	2	7	31	32	0	9	23
TEENAGE ILLEGITIMATE BIRTHS	395	4	129	262	253	2	75	176	142	2	54	86
TEENS WHO HAD PREVIOUS LIVE BIRTHS	100	0	23	77	59	0	10	49	41	0	13	28
TEENS WHO HAD PREVIOUS PREGNANCIES	131	0	29	102	81	0	13	68	50	0	16	34
TEENS WITH INADEQUATE* PRENATAL CARE	36	0	17	19	22	0	10	12	14	0	7	7
TEENAGE FERTILITY RATE	36.8	0.8	73.7 (15-19)		39.2	0.7	77.7 (15-19)		32.7	0.8	66.5 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	2.2	0.0	0.0	3.1	0.0	0.0	0.0	0.0	6.8	0.0	0.0	10.9
TEENAGE INDUCED TERMINATIONS#	21	0	5	16	9	0	1	8	11	0	3	8
TEENAGE INDUCED TERMINATION RATIO	45.4	0.0	37.0	49.5	28.6	0.0	12.3	34.6	74.3	0.0	55.6	87.0
TEENAGE PREGNANCIES#	485	5	140	340	324	3	82	239	160	2	57	101
TEENAGE PREGNANCY RATE	38.6	0.8	77.3 (15-19)		40.3	0.7	79.9 (15-19)		35.4	0.8	72.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	6	0	1	5	4	0	1	3	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	13.0	0.0	7.4	15.5	12.7	0.0	12.3	13.0	13.5	0.0	0.0	21.7

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: HINDS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	249,157	19,388	9,111	10,277	3,982
WHITE	80,353	4,506	1,896	2,610	886
NONWHITE	168,804	14,882	7,215	7,667	3,096

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	659	16	220	423	68	0	17	51	591	16	203	372
TEENAGE IMMATURE BIRTHS	111	4	44	63	6	0	0	6	105	4	44	57
TEENAGE PREMATURE BIRTHS	171	6	69	96	12	0	4	8	159	6	65	88
TEENAGE ILLEGITIMATE BIRTHS	633	16	217	400	54	0	15	39	579	16	202	361
TEENS WHO HAD PREVIOUS LIVE BIRTHS	172	2	31	139	13	0	3	10	159	2	28	129
TEENS WHO HAD PREVIOUS PREGNANCIES	207	2	41	164	18	0	4	14	189	2	37	150
TEENS WITH INADEQUATE* PRENATAL CARE	63	5	29	29	4	0	1	3	59	5	28	26
TEENAGE FERTILITY RATE	34.0	1.8	62.6 (15-19)		15.1	0.0	26.0 (15-19)		39.7	2.2	75.0 (15-19)	
TEENAGE FETAL DEATHS**	11	0	5	6	0	0	0	0	11	0	5	6
TEENAGE FETAL DEATH RATIO	16.7	0.0	22.7	14.2	0.0	0.0	0.0	0.0	18.6	0.0	24.6	16.1
TEENAGE INDUCED TERMINATIONS#	188	8	55	125	14	0	2	12	174	8	53	113
TEENAGE INDUCED TERMINATION RATIO	285.3	500.0	250.0	295.5	205.9	0.0	117.6	235.3	294.4	500.0	261.1	303.8
TEENAGE PREGNANCIES#	858	24	280	554	82	0	19	63	776	24	261	491
TEENAGE PREGNANCY RATE	44.2	2.6	81.2 (15-19)		18.2	0.0	31.4 (15-19)		52.1	3.3	98.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	11	0	3	8	0	0	0	0	11	0	3	8
INFANT MORTALITY RATE, TEEN MOMS	16.7	0.0	13.6	18.9	0.0	0.0	0.0	0.0	18.6	0.0	14.8	21.5

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: HOLMES

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	20,461	1,713	784	929	406
WHITE	3,729	218	51	167	41
NONWHITE	16,732	1,495	733	762	365

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	97	3	39	55	7	0	1	6	90	3	38	49
TEENAGE IMMATURE BIRTHS	17	0	6	11	3	0	0	3	14	0	6	8
TEENAGE PREMATURE BIRTHS	18	0	9	9	3	0	1	2	15	0	8	7
TEENAGE ILLEGITIMATE BIRTHS	96	3	38	55	7	0	1	6	89	3	37	49
TEENS WHO HAD PREVIOUS LIVE BIRTHS	26	0	4	22	2	0	0	2	24	0	4	20
TEENS WHO HAD PREVIOUS PREGNANCIES	31	0	5	26	2	0	0	2	29	0	5	24
TEENS WITH INADEQUATE* PRENATAL CARE	16	2	4	10	0	0	0	0	16	2	4	10
TEENAGE FERTILITY RATE	56.6	3.8	101.2	(15-19)	32.1	0.0	41.9	(15-19)	60.2	4.1	114.2	(15-19)
TEENAGE FETAL DEATHS**	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE FETAL DEATH RATIO	30.9	0.0	25.6	36.4	0.0	0.0	0.0	0.0	33.3	0.0	26.3	40.8
TEENAGE INDUCED TERMINATIONS#	13	2	6	5	1	0	0	1	12	2	6	4
TEENAGE INDUCED TERMINATION RATIO	134.0	666.7	153.8	90.9	142.8	0.0	0.0	166.7	133.3	666.7	157.9	81.6
TEENAGE PREGNANCIES#	113	5	46	62	8	0	1	7	105	5	45	55
TEENAGE PREGNANCY RATE	66.0	6.4	116.2	(15-19)	36.7	0.0	47.9	(15-19)	70.2	6.8	131.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1
INFANT MORTALITY RATE, TEEN MOMS	20.6	0.0	25.6	18.2	0.0	0.0	0.0	0.0	22.2	0.0	26.3	20.4

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: HUMPHREYS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,994	764	374	390	246
WHITE	2,603	132	59	73	28
NONWHITE	7,391	632	315	317	218

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	58	2	22	34	3	0	2	1	55	2	20	33
TEENAGE IMMATURE BIRTHS	10	0	1	9	0	0	0	0	10	0	1	9
TEENAGE PREMATURE BIRTHS	11	0	3	8	0	0	0	0	11	0	3	8
TEENAGE ILLEGITIMATE BIRTHS	57	2	22	33	3	0	2	1	54	2	20	32
TEENS WHO HAD PREVIOUS LIVE BIRTHS	20	0	4	16	0	0	0	0	20	0	4	16
TEENS WHO HAD PREVIOUS PREGNANCIES	23	0	5	18	0	0	0	0	23	0	5	18
TEENS WITH INADEQUATE* PRENATAL CARE	8	0	3	5	0	0	0	0	8	0	3	5
TEENAGE FERTILITY RATE	75.9	5.3	143.6	(15-19)	22.7	0.0	41.1	(15-19)	87.0	6.3	167.2	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	1	2	1	0	0	0	0	4	1	2	1
TEENAGE INDUCED TERMINATION RATIO	69.0	500.0	90.9	29.4	0.0	0.0	0.0	0.0	72.7	500.0	100.0	30.3
TEENAGE PREGNANCIES#	62	3	24	35	3	0	2	1	59	3	22	34
TEENAGE PREGNANCY RATE	81.2	8.0	151.3	(15-19)	22.7	0.0	41.1	(15-19)	93.4	9.5	176.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	3	0	1	2	0	0	0	0	3	0	1	2
INFANT MORTALITY RATE, TEEN MOMS	51.7	0.0	45.5	58.8	0.0	0.0	0.0	0.0	54.5	0.0	50.0	60.6

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: ISSAQUENA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	1,675	107	50	57	15
WHITE	690	30	15	15	1
NONWHITE	985	77	35	42	14

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE IMMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE PREMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	2	0	2	0	0	0	0	0	2	0	2	0
TEENS WHO HAD PREVIOUS LIVE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	0	0	0	0	0	0	0	0	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	18.7	0.0	35.1 (15-19)		0.0	0.0	0.0 (15-19)		26.0	0.0	47.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE PREGNANCY RATE	18.7	0.0	35.1 (15-19)		0.0	0.0	0.0 (15-19)		26.0	0.0	47.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: ITAWAMBA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	23,034	1,747	755	992	305
WHITE	21,235	1,547	697	850	292
NONWHITE	1,799	200	58	142	13

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	48	1	12	35	48	1	12	35	0	0	0	0
TEENAGE IMMATURE BIRTHS	8	0	3	5	8	0	3	5	0	0	0	0
TEENAGE PREMATURE BIRTHS	4	0	1	3	4	0	1	3	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	28	1	11	16	28	1	11	16	0	0	0	0
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	0	9	9	0	0	9	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	0	11	11	0	0	11	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	27.5	1.3	47.4	(15-19)	31.0	1.4	55.3	(15-19)	0.0	0.0	0.0	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	20.8	0.0	0.0	28.6	0.0	0.0	0.0	0.0	-	0.0	0.0	-
TEENAGE PREGNANCIES#	49	1	12	36	48	1	12	35	1	0	0	1
TEENAGE PREGNANCY RATE	28.0	1.3	48.4	(15-19)	31.0	1.4	55.3	(15-19)	5.0	0.0	7.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: JACKSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	130,098	9,460	4,692	4,768	1,948
WHITE	96,629	6,497	3,194	3,303	1,373
NONWHITE	33,469	2,963	1,498	1,465	575

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	330	6	105	219	201	2	59	140	129	4	46	79
TEENAGE IMMATURE BIRTHS	49	0	15	34	28	0	9	19	21	0	6	15
TEENAGE PREMATURE BIRTHS	49	1	14	34	35	0	12	23	14	1	2	11
TEENAGE ILLEGITIMATE BIRTHS	289	6	98	185	161	2	52	107	128	4	46	78
TEENS WHO HAD PREVIOUS LIVE BIRTHS	73	0	14	59	44	0	6	38	29	0	8	21
TEENS WHO HAD PREVIOUS PREGNANCIES	90	0	18	72	58	0	9	49	32	0	9	23
TEENS WITH INADEQUATE* PRENATAL CARE	16	1	5	10	9	0	3	6	7	1	2	4
TEENAGE FERTILITY RATE	34.9	1.3	68.0 (15-19)		30.9	0.6	60.2 (15-19)		43.5	2.7	85.3 (15-19)	
TEENAGE FETAL DEATHS**	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE FETAL DEATH RATIO	6.1	0.0	0.0	9.1	5.0	0.0	0.0	7.1	7.8	0.0	0.0	12.6
TEENAGE INDUCED TERMINATIONS#	21	1	11	9	9	1	4	4	12	0	7	5
TEENAGE INDUCED TERMINATION RATIO	63.6	166.7	104.8	41.1	44.8	500.0	67.8	28.6	93.0	0.0	152.2	63.3
TEENAGE PREGNANCIES#	353	7	116	230	211	3	63	145	142	4	53	85
TEENAGE PREGNANCY RATE	37.3	1.5	72.6 (15-19)		32.5	0.9	63.0 (15-19)		47.9	2.7	94.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: JASPER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	18,071	1,298	615	683	277
WHITE	8,515	475	223	252	104
NONWHITE	9,556	823	392	431	173

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	46	0	14	32	14	0	2	12	32	0	12	20
TEENAGE IMMATURE BIRTHS	6	0	0	6	3	0	0	3	3	0	0	3
TEENAGE PREMATURE BIRTHS	9	0	3	6	3	0	1	2	6	0	2	4
TEENAGE ILLEGITIMATE BIRTHS	40	0	14	26	9	0	2	7	31	0	12	19
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	1	6	2	0	0	2	5	0	1	4
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	2	7	2	0	0	2	7	0	2	5
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	2	0	1	1	1	0	0	1
TEENAGE FERTILITY RATE	35.4	0.0	67.4 (15-19)		29.5	0.0	55.6 (15-19)		38.9	0.0	74.2 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	21.7	0.0	0.0	31.2	71.4	0.0	0.0	83.3	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	43.5	0.0	0.0	62.5	0.0	0.0	0.0	0.0	62.5	0.0	0.0	100.0
TEENAGE PREGNANCIES#	49	0	14	35	15	0	2	13	34	0	12	22
TEENAGE PREGNANCY RATE	37.8	0.0	71.7 (15-19)		31.6	0.0	59.5 (15-19)		41.3	0.0	78.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: JEFFERSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	8,960	641	297	344	130
WHITE	1,218	47	24	23	6
NONWHITE	7,742	594	273	321	124

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	21	0	12	9	1	0	1	0	20	0	11	9
TEENAGE IMMATURE BIRTHS	5	0	2	3	0	0	0	0	5	0	2	3
TEENAGE PREMATURE BIRTHS	10	0	6	4	1	0	1	0	9	0	5	4
TEENAGE ILLEGITIMATE BIRTHS	21	0	12	9	1	0	1	0	20	0	11	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	2	0	0	2	0	0	0	0	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	32.8	0.0	61.0 (15-19)		21.3	0.0	43.5 (15-19)		33.7	0.0	62.3 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	2	2	0	0	0	0	4	0	2	2
TEENAGE INDUCED TERMINATION RATIO	190.5	0.0	166.7	222.2	0.0	0.0	0.0	0.0	200.0	0.0	181.8	222.2
TEENAGE PREGNANCIES#	25	0	14	11	1	0	1	0	24	0	13	11
TEENAGE PREGNANCY RATE	39.0	0.0	72.7 (15-19)		21.3	0.0	43.5 (15-19)		40.4	0.0	74.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: JEFF DAVIS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,813	908	453	455	187
WHITE	5,307	282	121	161	55
NONWHITE	7,506	626	332	294	132

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	38	0	9	29	10	0	5	5	28	0	4	24
TEENAGE IMMATURE BIRTHS	4	0	1	3	1	0	0	1	3	0	1	2
TEENAGE PREMATURE BIRTHS	7	0	2	5	0	0	0	0	7	0	2	5
TEENAGE ILLEGITIMATE BIRTHS	34	0	8	26	7	0	4	3	27	0	4	23
TEENS WHO HAD PREVIOUS LIVE BIRTHS	12	0	2	10	1	0	0	1	11	0	2	9
TEENS WHO HAD PREVIOUS PREGNANCIES	14	0	2	12	2	0	0	2	12	0	2	10
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	41.8	0.0	83.5 (15-19)		35.5	0.0	62.1 (15-19)		44.7	0.0	95.2 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	26.3	0.0	0.0	34.5	0.0	0.0	0.0	0.0	35.7	0.0	0.0	41.7
TEENAGE INDUCED TERMINATIONS#	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE INDUCED TERMINATION RATIO	78.9	0.0	222.2	34.5	0.0	0.0	0.0	0.0	107.1	0.0	500.0	41.7
TEENAGE PREGNANCIES#	42	0	11	31	10	0	5	5	32	0	6	26
TEENAGE PREGNANCY RATE	46.2	0.0	92.3 (15-19)		35.5	0.0	62.1 (15-19)		51.1	0.0	108.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: JONES

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	66,763	4,411	2,095	2,316	1,180
WHITE	47,494	2,722	1,278	1,444	780
NONWHITE	19,269	1,689	817	872	400

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	219	6	63	150	123	1	30	92	96	5	33	58
TEENAGE IMMATURE BIRTHS	36	1	13	22	11	0	1	10	25	1	12	12
TEENAGE PREMATURE BIRTHS	26	0	9	17	12	0	1	11	14	0	8	6
TEENAGE ILLEGITIMATE BIRTHS	178	6	57	115	85	1	24	60	93	5	33	55
TEENS WHO HAD PREVIOUS LIVE BIRTHS	48	0	7	41	26	0	4	22	22	0	3	19
TEENS WHO HAD PREVIOUS PREGNANCIES	66	0	12	54	37	0	6	31	29	0	6	23
TEENS WITH INADEQUATE* PRENATAL CARE	11	0	4	7	6	0	2	4	5	0	2	3
TEENAGE FERTILITY RATE	49.6	2.9	92.0 (15-19)		45.2	0.8	84.5 (15-19)		56.8	6.1	104.4 (15-19)	
TEENAGE FETAL DEATHS**	4	0	2	2	2	0	0	2	2	0	2	0
TEENAGE FETAL DEATH RATIO	18.3	0.0	31.7	13.3	16.3	0.0	0.0	21.7	20.8	0.0	60.6	0.0
TEENAGE INDUCED TERMINATIONS#	18	2	3	13	3	0	0	3	15	2	3	10
TEENAGE INDUCED TERMINATION RATIO	82.2	333.3	47.6	86.7	24.4	0.0	0.0	32.6	156.2	400.0	90.9	172.4
TEENAGE PREGNANCIES#	241	8	68	165	128	1	30	97	113	7	38	68
TEENAGE PREGNANCY RATE	54.6	3.8	100.6 (15-19)		47.0	0.8	88.0 (15-19)		66.9	8.6	121.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	0	0	0	0	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	9.1	0.0	0.0	13.3	0.0	0.0	0.0	0.0	20.8	0.0	0.0	34.5

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: KEMPER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,109	732	331	401	144
WHITE	3,802	203	85	118	41
NONWHITE	6,307	529	246	283	103

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	23	0	9	14	4	0	2	2	19	0	7	12
TEENAGE IMMATURE BIRTHS	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE PREMATURE BIRTHS	5	0	0	5	1	0	0	1	4	0	0	4
TEENAGE ILLEGITIMATE BIRTHS	21	0	8	13	3	0	1	2	18	0	7	11
TEENS WHO HAD PREVIOUS LIVE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	2	0	0	2	0	0	0	0	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	31.4	0.0	57.4 (15-19)		19.7	0.0	33.9 (15-19)		35.9	0.0	67.1 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	130.4	0.0	111.1	142.8	0.0	0.0	0.0	0.0	157.9	0.0	142.8	166.7
TEENAGE PREGNANCIES#	26	0	10	16	4	0	2	2	22	0	8	14
TEENAGE PREGNANCY RATE	35.5	0.0	64.8 (15-19)		19.7	0.0	33.9 (15-19)		41.6	0.0	77.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: LAFAYETTE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	42,716	3,248	1,078	2,170	538
WHITE	31,134	2,315	670	1,645	350
NONWHITE	11,582	933	408	525	188

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	59	0	18	41	33	0	8	25	26	0	10	16
TEENAGE IMMATURE BIRTHS	4	0	1	3	4	0	1	3	0	0	0	0
TEENAGE PREMATURE BIRTHS	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	46	0	14	32	20	0	4	16	26	0	10	16
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	1	5	2	0	0	2	4	0	1	3
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	2	6	4	0	1	3	4	0	1	3
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	2	2	3	0	2	1	1	0	0	1
TEENAGE FERTILITY RATE	18.2	0.0	27.2 (15-19)		14.2	0.0	20.1 (15-19)		27.9	0.0	49.5 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	18	0	3	15	10	0	2	8	8	0	1	7
TEENAGE INDUCED TERMINATION RATIO	305.1	0.0	166.7	365.8	303.0	0.0	250.0	320.0	307.7	0.0	100.0	437.5
TEENAGE PREGNANCIES#	77	0	21	56	43	0	10	33	34	0	11	23
TEENAGE PREGNANCY RATE	23.7	0.0	35.5 (15-19)		18.6	0.0	26.1 (15-19)		36.4	0.0	64.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: LAMAR

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	47,698	3,331	1,663	1,668	817
WHITE	39,472	2,562	1,272	1,290	634
NONWHITE	8,226	769	391	378	183

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	90	0	28	62	67	0	19	48	23	0	9	14
TEENAGE IMMATURE BIRTHS	8	0	0	8	6	0	0	6	2	0	0	2
TEENAGE PREMATURE BIRTHS	18	0	4	14	13	0	2	11	5	0	2	3
TEENAGE ILLEGITIMATE BIRTHS	68	0	21	47	45	0	12	33	23	0	9	14
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	2	14	13	0	2	11	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	22	0	2	20	19	0	2	17	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	9	0	4	5	5	0	1	4	4	0	3	1
TEENAGE FERTILITY RATE	27.0	0.0	54.0 (15-19)		26.2	0.0	51.9 (15-19)		29.9	0.0	60.8 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	11.1	0.0	35.7	0.0	14.9	0.0	52.6	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	13	0	4	9	5	0	2	3	8	0	2	6
TEENAGE INDUCED TERMINATION RATIO	144.4	0.0	142.8	145.2	74.6	0.0	105.3	62.5	347.8	0.0	222.2	428.6
TEENAGE PREGNANCIES#	104	0	33	71	73	0	22	51	31	0	11	20
TEENAGE PREGNANCY RATE	31.2	0.0	62.4 (15-19)		28.5	0.0	56.6 (15-19)		40.3	0.0	82.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: LAUDERDALE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	77,100	5,579	2,643	2,936	1,269
WHITE	44,102	2,590	1,203	1,387	583
NONWHITE	32,998	2,989	1,440	1,549	686

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	213	5	59	149	66	1	19	46	147	4	40	103
TEENAGE IMMATURE BIRTHS	22	0	9	13	4	0	2	2	18	0	7	11
TEENAGE PREMATURE BIRTHS	36	2	11	23	7	0	1	6	29	2	10	17
TEENAGE ILLEGITIMATE BIRTHS	188	5	58	125	43	1	18	24	145	4	40	101
TEENS WHO HAD PREVIOUS LIVE BIRTHS	53	0	6	47	15	0	3	12	38	0	3	35
TEENS WHO HAD PREVIOUS PREGNANCIES	60	0	8	52	18	0	3	15	42	0	5	37
TEENS WITH INADEQUATE* PRENATAL CARE	12	1	3	8	1	0	1	0	11	1	2	8
TEENAGE FERTILITY RATE	38.2	1.9	70.8	(15-19)	25.5	0.8	46.9	(15-19)	49.2	2.8	92.3	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	24	1	10	13	7	1	4	2	17	0	6	11
TEENAGE INDUCED TERMINATION RATIO	112.7	200.0	169.5	87.2	106.1	1000.0	210.5	43.5	115.6	0.0	150.0	106.8
TEENAGE PREGNANCIES#	237	6	69	162	73	2	23	48	164	4	46	114
TEENAGE PREGNANCY RATE	42.5	2.3	78.7	(15-19)	28.2	1.7	51.2	(15-19)	54.9	2.8	103.3	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: LAWRENCE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,341	948	487	461	219
WHITE	8,906	552	279	273	135
NONWHITE	4,435	396	208	188	84

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	38	2	12	24	23	1	10	12	15	1	2	12
TEENAGE IMMATURE BIRTHS	8	0	5	3	4	0	4	0	4	0	1	3
TEENAGE PREMATURE BIRTHS	11	1	6	4	6	1	5	0	5	0	1	4
TEENAGE ILLEGITIMATE BIRTHS	26	2	8	16	12	1	6	5	14	1	2	11
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	2	2	2	0	2	0	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	2	5	4	0	2	2	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	0	5	0	0	0	0	5	0	0	5
TEENAGE FERTILITY RATE	40.1	4.1	78.1 (15-19)		41.7	3.6	80.6 (15-19)		37.9	4.8	74.5 (15-19)	
TEENAGE FETAL DEATHS**	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE FETAL DEATH RATIO	52.6	0.0	0.0	83.3	43.5	0.0	0.0	83.3	66.7	0.0	0.0	83.3
TEENAGE INDUCED TERMINATIONS#	4	0	3	1	0	0	0	0	4	0	3	1
TEENAGE INDUCED TERMINATION RATIO	105.3	0.0	250.0	41.7	0.0	0.0	0.0	0.0	266.7	0.0	1500.0	83.3
TEENAGE PREGNANCIES#	44	2	15	27	24	1	10	13	20	1	5	14
TEENAGE PREGNANCY RATE	46.4	4.1	91.1 (15-19)		43.5	3.6	84.2 (15-19)		50.5	4.8	101.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	26.3	0.0	0.0	41.7	0.0	0.0	0.0	0.0	66.7	0.0	0.0	83.3

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: LEAKE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	22,828	1,732	849	883	426
WHITE	12,673	790	398	392	202
NONWHITE	10,155	942	451	491	224

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	63	1	27	35	29	0	12	17	34	1	15	18
TEENAGE IMMATURE BIRTHS	10	0	7	3	4	0	2	2	6	0	5	1
TEENAGE PREMATURE BIRTHS	11	0	4	7	6	0	1	5	5	0	3	2
TEENAGE ILLEGITIMATE BIRTHS	56	1	27	28	22	0	12	10	34	1	15	18
TEENS WHO HAD PREVIOUS LIVE BIRTHS	12	0	4	8	6	0	1	5	6	0	3	3
TEENS WHO HAD PREVIOUS PREGNANCIES	17	0	6	11	9	0	3	6	8	0	3	5
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	2	3	4	0	1	3	1	0	1	0
TEENAGE FERTILITY RATE	36.4	1.2	70.2 (15-19)	36.7	0.0	74.0 (15-19)	36.1	2.2	67.2 (15-19)			
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	15.9	0.0	0.0	28.6	0.0	0.0	0.0	0.0	29.4	0.0	0.0	55.6
TEENAGE INDUCED TERMINATIONS#	3	1	1	1	0	0	0	0	3	1	1	1
TEENAGE INDUCED TERMINATION RATIO	47.6	1000.0	37.0	28.6	0.0	0.0	0.0	0.0	88.2	1000.0	66.7	55.6
TEENAGE PREGNANCIES#	67	2	28	37	29	0	12	17	38	2	16	20
TEENAGE PREGNANCY RATE	38.7	2.4	73.6 (15-19)	36.7	0.0	74.0 (15-19)	40.3	4.4	73.3 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: LEE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	80,349	5,546	2,852	2,694	1,335
WHITE	57,902	3,458	1,789	1,669	868
NONWHITE	22,447	2,088	1,063	1,025	467

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	233	4	93	136	127	2	49	76	106	2	44	60
TEENAGE IMMATURE BIRTHS	39	0	16	23	14	0	5	9	25	0	11	14
TEENAGE PREMATURE BIRTHS	22	0	9	13	9	0	3	6	13	0	6	7
TEENAGE ILLEGITIMATE BIRTHS	206	4	88	114	102	2	44	56	104	2	44	58
TEENS WHO HAD PREVIOUS LIVE BIRTHS	47	0	12	35	20	0	4	16	27	0	8	19
TEENS WHO HAD PREVIOUS PREGNANCIES	58	0	16	42	28	0	7	21	30	0	9	21
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	2	3	2	0	1	1	3	0	1	2
TEENAGE FERTILITY RATE	42.0	1.4	85.0 (15-19)		36.7	1.1	74.9 (15-19)		50.8	1.9	101.5 (15-19)	
TEENAGE FETAL DEATHS**	3	0	2	1	1	0	1	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	12.9	0.0	21.5	7.4	7.9	0.0	20.4	0.0	18.9	0.0	22.7	16.7
TEENAGE INDUCED TERMINATIONS#	16	3	2	11	5	0	0	5	10	3	2	5
TEENAGE INDUCED TERMINATION RATIO	68.7	750.0	21.5	80.9	39.4	0.0	0.0	65.8	94.3	1500.0	45.4	83.3
TEENAGE PREGNANCIES#	252	7	97	148	133	2	50	81	118	5	47	66
TEENAGE PREGNANCY RATE	45.4	2.4	90.9 (15-19)		38.5	1.1	78.5 (15-19)		56.5	4.7	110.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	4	0	3	1	2	0	2	0	2	0	1	1
INFANT MORTALITY RATE, TEEN MOMS	17.2	0.0	32.3	7.4	15.7	0.0	40.8	0.0	18.9	0.0	22.7	16.7

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: LEFLORE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	35,088	2,750	1,302	1,448	597
WHITE	9,705	517	214	303	116
NONWHITE	25,383	2,233	1,088	1,145	481

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	124	4	51	69	12	1	6	5	112	3	45	64
TEENAGE IMMATURE BIRTHS	18	1	8	9	2	1	1	0	16	0	7	9
TEENAGE PREMATURE BIRTHS	31	1	15	15	1	0	1	0	30	1	14	15
TEENAGE ILLEGITIMATE BIRTHS	119	4	47	68	9	1	4	4	110	3	43	64
TEENS WHO HAD PREVIOUS LIVE BIRTHS	37	0	9	28	1	0	0	1	36	0	9	27
TEENS WHO HAD PREVIOUS PREGNANCIES	38	0	9	29	1	0	0	1	37	0	9	28
TEENS WITH INADEQUATE* PRENATAL CARE	18	1	7	10	2	0	1	1	16	1	6	9
TEENAGE FERTILITY RATE	45.1	3.1	82.9 (15-19)		23.2	4.7	36.3 (15-19)		50.2	2.8	95.2 (15-19)	
TEENAGE FETAL DEATHS**	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE FETAL DEATH RATIO	24.2	0.0	39.2	14.5	0.0	0.0	0.0	0.0	26.8	0.0	44.4	15.6
TEENAGE INDUCED TERMINATIONS#	27	5	6	16	3	0	1	2	24	5	5	14
TEENAGE INDUCED TERMINATION RATIO	217.7	1250.0	117.6	231.9	250.0	0.0	166.7	400.0	214.3	1666.7	111.1	218.8
TEENAGE PREGNANCIES#	154	9	59	86	15	1	7	7	139	8	52	79
TEENAGE PREGNANCY RATE	56.0	6.9	100.1 (15-19)		29.0	4.7	46.2 (15-19)		62.2	7.4	114.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: LINCOLN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	34,529	2,327	1,160	1,167	580
WHITE	23,552	1,419	678	741	355
NONWHITE	10,977	908	482	426	225

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	92	2	23	67	47	0	12	35	45	2	11	32
TEENAGE IMMATURE BIRTHS	12	0	3	9	7	0	2	5	5	0	1	4
TEENAGE PREMATURE BIRTHS	18	0	7	11	6	0	2	4	12	0	5	7
TEENAGE ILLEGITIMATE BIRTHS	69	2	20	47	27	0	9	18	42	2	11	29
TEENS WHO HAD PREVIOUS LIVE BIRTHS	22	0	3	19	9	0	0	9	13	0	3	10
TEENS WHO HAD PREVIOUS PREGNANCIES	27	0	3	24	11	0	0	11	16	0	3	13
TEENS WITH INADEQUATE* PRENATAL CARE	11	0	5	6	2	0	1	1	9	0	4	5
TEENAGE FERTILITY RATE	39.5	1.7	77.1 (15-19)		33.1	0.0	63.4 (15-19)		49.6	4.1	100.9 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	10.9	0.0	43.5	0.0	21.3	0.0	83.3	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	8	0	4	4	3	0	2	1	5	0	2	3
TEENAGE INDUCED TERMINATION RATIO	87.0	0.0	173.9	59.7	63.8	0.0	166.7	28.6	111.1	0.0	181.8	93.8
TEENAGE PREGNANCIES#	101	2	28	71	51	0	15	36	50	2	13	35
TEENAGE PREGNANCY RATE	43.4	1.7	84.8 (15-19)		35.9	0.0	68.8 (15-19)		55.1	4.1	112.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: LOWNDES

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	59,614	4,512	2,160	2,352	937
WHITE	32,788	2,035	966	1,069	437
NONWHITE	26,826	2,477	1,194	1,283	500

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	165	3	58	104	45	1	12	32	120	2	46	72
TEENAGE IMMATURE BIRTHS	27	1	9	17	4	0	1	3	23	1	8	14
TEENAGE PREMATURE BIRTHS	41	1	11	29	8	0	0	8	33	1	11	21
TEENAGE ILLEGITIMATE BIRTHS	151	3	57	91	34	1	11	22	117	2	46	69
TEENS WHO HAD PREVIOUS LIVE BIRTHS	46	0	11	35	7	0	1	6	39	0	10	29
TEENS WHO HAD PREVIOUS PREGNANCIES	54	0	13	41	11	0	1	10	43	0	12	31
TEENS WITH INADEQUATE* PRENATAL CARE	12	0	4	8	3	0	1	2	9	0	3	6
TEENAGE FERTILITY RATE	36.6	1.4	68.9 (15-19)		22.1	1.0	41.2 (15-19)		48.4	1.7	92.0 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	6.1	0.0	0.0	9.6	0.0	0.0	0.0	0.0	8.3	0.0	0.0	13.9
TEENAGE INDUCED TERMINATIONS#	24	3	5	16	8	1	0	7	16	2	5	9
TEENAGE INDUCED TERMINATION RATIO	145.4	1000.0	86.2	153.8	177.8	1000.0	0.0	218.8	133.3	1000.0	108.7	125.0
TEENAGE PREGNANCIES#	190	6	63	121	53	2	12	39	137	4	51	82
TEENAGE PREGNANCY RATE	42.1	2.8	78.2 (15-19)		26.0	2.1	47.7 (15-19)		55.3	3.4	103.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	0	0	0	0	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	12.1	0.0	0.0	19.2	0.0	0.0	0.0	0.0	16.7	0.0	0.0	27.8

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: MADISON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	89,387	6,751	3,462	3,289	1,489
WHITE	53,623	3,444	1,854	1,590	772
NONWHITE	35,764	3,307	1,608	1,699	717

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	143	1	54	88	32	0	12	20	111	1	42	68
TEENAGE IMMATURE BIRTHS	25	0	12	13	5	0	3	2	20	0	9	11
TEENAGE PREMATURE BIRTHS	36	0	15	21	7	0	4	3	29	0	11	18
TEENAGE ILLEGITIMATE BIRTHS	140	1	54	85	29	0	12	17	111	1	42	68
TEENS WHO HAD PREVIOUS LIVE BIRTHS	26	0	7	19	4	0	1	3	22	0	6	16
TEENS WHO HAD PREVIOUS PREGNANCIES	30	0	7	23	4	0	1	3	26	0	6	20
TEENS WITH INADEQUATE* PRENATAL CARE	12	0	2	10	3	0	1	2	9	0	1	8
TEENAGE FERTILITY RATE	21.2	0.3	43.2 (15-19)	9.3	0.0	20.1 (15-19)	33.6	0.6	64.7 (15-19)			
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	7.0	0.0	18.5	0.0	0.0	0.0	0.0	0.0	9.0	0.0	23.8	0.0
TEENAGE INDUCED TERMINATIONS#	40	1	15	24	15	0	5	10	25	1	10	14
TEENAGE INDUCED TERMINATION RATIO	279.7	1000.0	277.8	272.7	468.8	0.0	416.7	500.0	225.2	1000.0	238.1	205.9
TEENAGE PREGNANCIES#	184	2	70	112	47	0	17	30	137	2	53	82
TEENAGE PREGNANCY RATE	27.2	0.6	55.3 (15-19)	13.6	0.0	29.6 (15-19)	41.4	1.2	79.4 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	3	1	0	2	1	0	0	1	2	1	0	1
INFANT MORTALITY RATE, TEEN MOMS	21.0	1000.0	0.0	22.7	31.3	0.0	0.0	50.0	18.0	1000.0	0.0	14.7

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: MARION

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	25,735	1,818	894	924	430
WHITE	16,967	1,038	508	530	261
NONWHITE	8,768	780	386	394	169

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	89	0	39	50	43	0	17	26	46	0	22	24
TEENAGE IMMATURE BIRTHS	13	0	8	5	6	0	4	2	7	0	4	3
TEENAGE PREMATURE BIRTHS	12	0	8	4	5	0	3	2	7	0	5	2
TEENAGE ILLEGITIMATE BIRTHS	74	0	34	40	30	0	12	18	44	0	22	22
TEENS WHO HAD PREVIOUS LIVE BIRTHS	19	0	5	14	10	0	3	7	9	0	2	7
TEENS WHO HAD PREVIOUS PREGNANCIES	25	0	8	17	14	0	5	9	11	0	3	8
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	4	3	3	0	1	2	4	0	3	1
TEENAGE FERTILITY RATE	49.0	0.0	96.3 (15-19)		41.4	0.0	81.1 (15-19)		59.0	0.0	116.8 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	11.2	0.0	0.0	20.0	23.2	0.0	0.0	38.5	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	2	2	2	0	1	1	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	44.9	0.0	51.3	40.0	46.5	0.0	58.8	38.5	43.5	0.0	45.4	41.7
TEENAGE PREGNANCIES#	94	0	41	53	46	0	18	28	48	0	23	25
TEENAGE PREGNANCY RATE	51.7	0.0	101.7 (15-19)		44.3	0.0	86.8 (15-19)		61.5	0.0	121.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	11.2	0.0	0.0	20.0	0.0	0.0	0.0	0.0	21.7	0.0	0.0	41.7

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: MARSHALL

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	36,695	2,635	1,275	1,360	583
WHITE	18,471	1,059	557	502	268
NONWHITE	18,224	1,576	718	858	315

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	107	2	38	67	43	0	15	28	64	2	23	39
TEENAGE IMMATURE BIRTHS	14	0	3	11	5	0	0	5	9	0	3	6
TEENAGE PREMATURE BIRTHS	9	0	1	8	2	0	0	2	7	0	1	6
TEENAGE ILLEGITIMATE BIRTHS	95	2	34	59	33	0	11	22	62	2	23	37
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	0	2	15	6	0	0	6	11	0	2	9
TEENS WHO HAD PREVIOUS PREGNANCIES	21	0	3	18	8	0	1	7	13	0	2	11
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	2	4	1	0	0	1	5	0	2	3
TEENAGE FERTILITY RATE	40.6	1.6	77.2 (15-19)		40.6	0.0	85.6 (15-19)		40.6	2.8	72.3 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	9.3	0.0	0.0	14.9	0.0	0.0	0.0	0.0	15.6	0.0	0.0	25.6
TEENAGE INDUCED TERMINATIONS#	16	1	6	9	2	0	0	2	14	1	6	7
TEENAGE INDUCED TERMINATION RATIO	149.5	500.0	157.9	134.3	46.5	0.0	0.0	71.4	218.8	500.0	260.9	179.5
TEENAGE PREGNANCIES#	124	3	44	77	45	0	15	30	79	3	29	47
TEENAGE PREGNANCY RATE	47.0	2.4	89.0 (15-19)		42.5	0.0	89.6 (15-19)		50.1	4.2	88.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	9.3	0.0	0.0	14.9	0.0	0.0	0.0	0.0	15.6	0.0	0.0	25.6

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: MONROE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	37,078	2,523	1,287	1,236	567
WHITE	25,272	1,554	778	776	340
NONWHITE	11,806	969	509	460	227

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	112	2	38	72	68	1	28	39	44	1	10	33
TEENAGE IMMATURE BIRTHS	17	0	7	10	10	0	5	5	7	0	2	5
TEENAGE PREMATURE BIRTHS	21	0	9	12	12	0	7	5	9	0	2	7
TEENAGE ILLEGITIMATE BIRTHS	89	2	32	55	46	1	22	23	43	1	10	32
TEENS WHO HAD PREVIOUS LIVE BIRTHS	21	0	4	17	9	0	3	6	12	0	1	11
TEENS WHO HAD PREVIOUS PREGNANCIES	24	0	5	19	11	0	4	7	13	0	1	12
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE FERTILITY RATE	44.4	1.6	89.0 (15-19)		43.8	1.3	86.3 (15-19)		45.4	2.0	93.5 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	8.9	0.0	26.3	0.0	14.7	0.0	35.7	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	9	0	2	7	4	0	1	3	5	0	1	4
TEENAGE INDUCED TERMINATION RATIO	80.4	0.0	52.6	97.2	58.8	0.0	35.7	76.9	113.6	0.0	100.0	121.2
TEENAGE PREGNANCIES#	122	2	41	79	73	1	30	42	49	1	11	37
TEENAGE PREGNANCY RATE	48.4	1.6	97.1 (15-19)		47.0	1.3	92.8 (15-19)		50.6	2.0	104.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	8.9	0.0	0.0	13.9	0.0	0.0	0.0	0.0	22.7	0.0	0.0	30.3

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: MONTGOMERY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	11,491	813	367	446	155
WHITE	6,129	356	163	193	52
NONWHITE	5,362	457	204	253	103

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	25	1	11	13	5	0	2	3	20	1	9	10
TEENAGE IMMATURE BIRTHS	6	0	4	2	0	0	0	0	6	0	4	2
TEENAGE PREMATURE BIRTHS	5	1	2	2	0	0	0	0	5	1	2	2
TEENAGE ILLEGITIMATE BIRTHS	23	1	10	12	4	0	2	2	19	1	8	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	2	3	0	0	0	0	5	0	2	3
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	2	4	0	0	0	0	6	0	2	4
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FERTILITY RATE	30.8	2.7	53.8 (15-19)		14.0	0.0	25.9 (15-19)		43.8	4.9	75.1 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	6	0	2	4	2	0	1	1	4	0	1	3
TEENAGE INDUCED TERMINATION RATIO	240.0	0.0	181.8	307.7	400.0	0.0	500.0	333.3	200.0	0.0	111.1	300.0
TEENAGE PREGNANCIES#	31	1	13	17	7	0	3	4	24	1	10	13
TEENAGE PREGNANCY RATE	38.1	2.7	67.3 (15-19)		19.7	0.0	36.3 (15-19)		52.5	4.9	90.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: NESHOPA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	30,236	2,228	1,173	1,055	543
WHITE	19,382	1,167	621	546	255
NONWHITE	10,854	1,061	552	509	288

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	121	1	42	78	48	0	19	29	73	1	23	49
TEENAGE IMMATURE BIRTHS	18	0	8	10	8	0	4	4	10	0	4	6
TEENAGE PREMATURE BIRTHS	21	0	10	11	9	0	6	3	12	0	4	8
TEENAGE ILLEGITIMATE BIRTHS	97	1	35	61	29	0	12	17	68	1	23	44
TEENS WHO HAD PREVIOUS LIVE BIRTHS	31	0	4	27	8	0	2	6	23	0	2	21
TEENS WHO HAD PREVIOUS PREGNANCIES	37	0	5	32	12	0	3	9	25	0	2	23
TEENS WITH INADEQUATE* PRENATAL CARE	14	0	5	9	2	0	2	0	12	0	3	9
TEENAGE FERTILITY RATE	54.3	0.8	113.7 (15-19)		41.1	0.0	87.9 (15-19)		68.8	1.8	141.4 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	8	0	4	4	3	0	1	2	4	0	3	1
TEENAGE INDUCED TERMINATION RATIO	66.1	0.0	95.2	51.3	62.5	0.0	52.6	69.0	54.8	0.0	130.4	20.4
TEENAGE PREGNANCIES#	129	1	46	82	51	0	20	31	77	1	26	50
TEENAGE PREGNANCY RATE	57.9	0.8	121.3 (15-19)		43.7	0.0	93.4 (15-19)		72.6	1.8	149.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	8.3	0.0	23.8	0.0	0.0	0.0	0.0	0.0	13.7	0.0	43.5	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: NEWTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	22,329	1,693	747	946	365
WHITE	14,460	950	403	547	199
NONWHITE	7,869	743	344	399	166

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	55	1	18	36	17	1	4	12	38	0	14	24
TEENAGE IMMATURE BIRTHS	4	0	2	2	0	0	0	0	4	0	2	2
TEENAGE PREMATURE BIRTHS	8	0	4	4	1	0	0	1	7	0	4	3
TEENAGE ILLEGITIMATE BIRTHS	48	1	16	31	11	1	2	8	37	0	14	23
TEENS WHO HAD PREVIOUS LIVE BIRTHS	14	0	2	12	5	0	0	5	9	0	2	7
TEENS WHO HAD PREVIOUS PREGNANCIES	18	0	4	14	5	0	0	5	13	0	4	9
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	0	6	1	0	0	1	5	0	0	5
TEENAGE FERTILITY RATE	32.5	1.3	57.1 (15-19)		17.9	2.5	29.2 (15-19)		51.1	0.0	95.2 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	5	1	2	2	3	1	1	1	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	90.9	1000.0	111.1	55.6	176.5	1000.0	250.0	83.3	52.6	0.0	71.4	41.7
TEENAGE PREGNANCIES#	60	2	20	38	20	2	5	13	40	0	15	25
TEENAGE PREGNANCY RATE	35.4	2.7	61.3 (15-19)		21.0	5.0	32.9 (15-19)		53.8	0.0	100.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	18.2	0.0	0.0	27.8	0.0	0.0	0.0	0.0	26.3	0.0	0.0	41.7

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: NOXUBEE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	11,874	900	427	473	210
WHITE	3,436	169	85	84	46
NONWHITE	8,438	731	342	389	164

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	49	2	19	28	2	0	1	1	47	2	18	27
TEENAGE IMMATURE BIRTHS	7	1	5	1	1	0	1	0	6	1	4	1
TEENAGE PREMATURE BIRTHS	15	1	6	8	1	0	1	0	14	1	5	8
TEENAGE ILLEGITIMATE BIRTHS	47	2	19	26	2	0	1	1	45	2	18	25
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	1	7	0	0	0	0	8	0	1	7
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	3	7	0	0	0	0	10	0	3	7
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE	54.4	4.7	99.4 (15-19)	11.8	0.0	23.8 (15-19)	64.3	5.8	115.7 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	10	0	2	8	0	0	0	0	10	0	2	8
TEENAGE INDUCED TERMINATION RATIO	204.1	0.0	105.3	285.7	0.0	0.0	0.0	0.0	212.8	0.0	111.1	296.3
TEENAGE PREGNANCIES#	59	2	21	36	2	0	1	1	57	2	20	35
TEENAGE PREGNANCY RATE	65.6	4.7	120.5 (15-19)	11.8	0.0	23.8 (15-19)	78.0	5.8	141.4 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	20.4	0.0	52.6	0.0	0.0	0.0	0.0	0.0	21.3	0.0	55.6	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: OKTIBBEHA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	43,898	3,333	1,097	2,236	624
WHITE	26,005	1,762	494	1,268	318
NONWHITE	17,893	1,571	603	968	306

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	58	0	15	43	18	0	2	16	40	0	13	27
TEENAGE IMMATURE BIRTHS	10	0	5	5	2	0	1	1	8	0	4	4
TEENAGE PREMATURE BIRTHS	11	0	4	7	3	0	1	2	8	0	3	5
TEENAGE ILLEGITIMATE BIRTHS	50	0	14	36	11	0	1	10	39	0	13	26
TEENS WHO HAD PREVIOUS LIVE BIRTHS	14	0	2	12	3	0	0	3	11	0	2	9
TEENS WHO HAD PREVIOUS PREGNANCIES	17	0	2	15	5	0	0	5	12	0	2	10
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	2	5	0	0	0	0	7	0	2	5
TEENAGE FERTILITY RATE	17.4	0.0	25.9	(15-19)	10.2	0.0	14.2	(15-19)	25.5	0.0	41.3	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	17.2	0.0	0.0	23.2	55.6	0.0	0.0	62.5	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	19	0	2	17	11	0	1	10	8	0	1	7
TEENAGE INDUCED TERMINATION RATIO	327.6	0.0	133.3	395.3	611.1	0.0	500.0	625.0	200.0	0.0	76.9	259.2
TEENAGE PREGNANCIES#	78	0	17	61	30	0	3	27	48	0	14	34
TEENAGE PREGNANCY RATE	23.4	0.0	34.9	(15-19)	17.0	0.0	23.6	(15-19)	30.6	0.0	49.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: PANOLA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	35,408	2,535	1,257	1,278	626
WHITE	18,195	959	495	464	253
NONWHITE	17,213	1,576	762	814	373

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	148	6	48	94	52	2	18	32	96	4	30	62
TEENAGE IMMATURE BIRTHS	15	0	5	10	4	0	3	1	11	0	2	9
TEENAGE PREMATURE BIRTHS	17	1	5	11	4	0	2	2	13	1	3	9
TEENAGE ILLEGITIMATE BIRTHS	131	6	43	82	35	2	13	20	96	4	30	62
TEENS WHO HAD PREVIOUS LIVE BIRTHS	30	0	6	24	10	0	1	9	20	0	5	15
TEENS WHO HAD PREVIOUS PREGNANCIES	38	0	7	31	12	0	1	11	26	0	6	20
TEENS WITH INADEQUATE* PRENATAL CARE	12	1	4	7	2	0	0	2	10	1	4	5
TEENAGE FERTILITY RATE	58.4	4.8	111.1 (15-19)	54.2	4.0	107.8 (15-19)	60.9	5.2	113.0 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	20	1	7	12	1	0	0	1	18	1	7	10
TEENAGE INDUCED TERMINATION RATIO	135.1	166.7	145.8	127.7	19.2	0.0	0.0	31.2	187.5	250.0	233.3	161.3
TEENAGE PREGNANCIES#	168	7	55	106	53	2	18	33	114	5	37	72
TEENAGE PREGNANCY RATE	66.3	5.6	126.0 (15-19)	55.3	4.0	109.9 (15-19)	72.3	6.6	133.9 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	1	0	1	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	13.5	0.0	20.8	10.6	19.2	0.0	55.6	0.0	10.4	0.0	0.0	16.1

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: PEARL RIVER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	57,071	3,963	1,978	1,985	773
WHITE	48,896	3,224	1,630	1,594	651
NONWHITE	8,175	739	348	391	122

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	115	0	32	83	90	0	23	67	25	0	9	16
TEENAGE IMMATURE BIRTHS	11	0	4	7	8	0	3	5	3	0	1	2
TEENAGE PREMATURE BIRTHS	20	0	7	13	13	0	3	10	7	0	4	3
TEENAGE ILLEGITIMATE BIRTHS	89	0	28	61	65	0	19	46	24	0	9	15
TEENS WHO HAD PREVIOUS LIVE BIRTHS	24	0	1	23	20	0	1	19	4	0	0	4
TEENS WHO HAD PREVIOUS PREGNANCIES	33	0	3	30	27	0	3	24	6	0	0	6
TEENS WITH INADEQUATE* PRENATAL CARE	8	0	4	4	4	0	2	2	4	0	2	2
TEENAGE FERTILITY RATE	29.0	0.0	57.9 (15-19)		27.9	0.0	56.5 (15-19)		33.8	0.0	63.9 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	8.7	0.0	31.2	0.0	11.1	0.0	43.5	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	2	0	2	0	2	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	17.4	0.0	62.5	0.0	22.2	0.0	87.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	118	0	35	83	93	0	26	67	25	0	9	16
TEENAGE PREGNANCY RATE	29.8	0.0	59.4 (15-19)		28.8	0.0	58.3 (15-19)		33.8	0.0	63.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	1	0	0	1	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	17.4	0.0	31.3	12.0	11.1	0.0	0.0	14.9	40.0	0.0	111.1	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: PERRY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,205	878	424	454	203
WHITE	9,339	592	288	304	152
NONWHITE	2,866	286	136	150	51

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	31	0	7	24	23	0	5	18	8	0	2	6
TEENAGE IMMATURE BIRTHS	4	0	0	4	3	0	0	3	1	0	0	1
TEENAGE PREMATURE BIRTHS	6	0	2	4	2	0	0	2	4	0	2	2
TEENAGE ILLEGITIMATE BIRTHS	22	0	7	15	15	0	5	10	7	0	2	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	1	7	7	0	1	6	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	1	7	7	0	1	6	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	3	0	1	2	0	0	0	0
TEENAGE FERTILITY RATE	35.3	0.0	68.3 (15-19)		38.8	0.0	75.6 (15-19)		28.0	0.0	53.3 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	32.2	0.0	0.0	41.7	0.0	0.0	0.0	0.0	125.0	0.0	0.0	166.7
TEENAGE PREGNANCIES#	32	0	7	25	23	0	5	18	9	0	2	7
TEENAGE PREGNANCY RATE	36.4	0.0	70.5 (15-19)		38.8	0.0	75.6 (15-19)		31.5	0.0	60.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: PIKE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	39,798	2,926	1,421	1,505	693
WHITE	19,665	1,228	566	662	261
NONWHITE	20,133	1,698	855	843	432

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	121	2	44	75	28	0	7	21	93	2	37	54
TEENAGE IMMATURE BIRTHS	14	0	3	11	2	0	1	1	12	0	2	10
TEENAGE PREMATURE BIRTHS	24	1	6	17	3	0	0	3	21	1	6	14
TEENAGE ILLEGITIMATE BIRTHS	105	2	42	61	14	0	6	8	91	2	36	53
TEENS WHO HAD PREVIOUS LIVE BIRTHS	32	0	7	25	7	0	0	7	25	0	7	18
TEENS WHO HAD PREVIOUS PREGNANCIES	33	0	7	26	7	0	0	7	26	0	7	19
TEENS WITH INADEQUATE* PRENATAL CARE	9	1	1	7	0	0	0	0	9	1	1	7
TEENAGE FERTILITY RATE	41.4	1.4	79.1 (15-19)		22.8	0.0	42.3 (15-19)		54.8	2.3	107.9 (15-19)	
TEENAGE FETAL DEATHS**	3	0	0	3	0	0	0	0	3	0	0	3
TEENAGE FETAL DEATH RATIO	24.8	0.0	0.0	40.0	0.0	0.0	0.0	0.0	32.2	0.0	0.0	55.6
TEENAGE INDUCED TERMINATIONS#	11	1	3	7	1	0	0	1	10	1	3	6
TEENAGE INDUCED TERMINATION RATIO	90.9	500.0	68.2	93.3	35.7	0.0	0.0	47.6	107.5	500.0	81.1	111.1
TEENAGE PREGNANCIES#	135	3	47	85	29	0	7	22	106	3	40	63
TEENAGE PREGNANCY RATE	46.1	2.1	87.7 (15-19)		23.6	0.0	43.8 (15-19)		62.4	3.5	122.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	8.3	0.0	22.7	0.0	0.0	0.0	0.0	0.0	10.8	0.0	27.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: PONTOTOC

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	28,862	1,944	1,002	942	476
WHITE	24,323	1,594	837	757	413
NONWHITE	4,539	350	165	185	63

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	80	0	22	58	72	0	20	52	8	0	2	6
TEENAGE IMMATURE BIRTHS	8	0	1	7	8	0	1	7	0	0	0	0
TEENAGE PREMATURE BIRTHS	6	0	0	6	5	0	0	5	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	64	0	22	42	56	0	20	36	8	0	2	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	18	0	2	16	17	0	2	15	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	22	0	2	20	21	0	2	19	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FERTILITY RATE	41.2	0.0	84.9 (15-19)		45.2	0.0	95.1 (15-19)		22.8	0.0	43.2 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	12.5	0.0	0.0	17.2	13.9	0.0	0.0	19.2	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	0	4	3	0	0	3	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	50.0	0.0	0.0	69.0	41.7	0.0	0.0	57.7	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	85	0	22	63	76	0	20	56	8	0	2	6
TEENAGE PREGNANCY RATE	43.7	0.0	90.2 (15-19)		47.7	0.0	100.4 (15-19)		22.8	0.0	43.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: PRENTISS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	25,378	1,825	808	1,017	354
WHITE	21,483	1,470	645	825	299
NONWHITE	3,895	355	163	192	55

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	78	1	23	54	71	0	22	49	7	1	1	5
TEENAGE IMMATURE BIRTHS	11	0	2	9	9	0	2	7	2	0	0	2
TEENAGE PREMATURE BIRTHS	7	0	1	6	5	0	1	4	2	0	0	2
TEENAGE ILLEGITIMATE BIRTHS	57	1	19	37	50	0	18	32	7	1	1	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	2	14	13	0	2	11	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	19	0	3	16	15	0	3	12	4	0	0	4
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE FERTILITY RATE	42.7	1.2	75.7 (15-19)		48.3	0.0	86.1 (15-19)		19.7	6.1	31.2 (15-19)	
TEENAGE FETAL DEATHS**	2	1	0	1	1	1	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	25.6	1000.0	0.0	18.5	14.1	-	0.0	0.0	142.8	0.0	0.0	200.0
TEENAGE INDUCED TERMINATIONS#	9	0	4	5	4	0	2	2	4	0	2	2
TEENAGE INDUCED TERMINATION RATIO	115.4	0.0	173.9	92.6	56.3	0.0	90.9	40.8	571.4	0.0	2000.0	400.0
TEENAGE PREGNANCIES#	89	2	27	60	76	1	24	51	12	1	3	8
TEENAGE PREGNANCY RATE	48.8	2.5	85.5 (15-19)		51.7	1.6	90.9 (15-19)		33.8	6.1	57.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: QUITMAN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	8,910	708	366	342	124
WHITE	2,672	132	70	62	23
NONWHITE	6,238	576	296	280	101

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	36	2	8	26	6	0	1	5	30	2	7	21
TEENAGE IMMATURE BIRTHS	6	0	2	4	0	0	0	0	6	0	2	4
TEENAGE PREMATURE BIRTHS	10	1	2	7	0	0	0	0	10	1	2	7
TEENAGE ILLEGITIMATE BIRTHS	35	2	8	25	5	0	1	4	30	2	7	21
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	0	7	2	0	0	2	5	0	0	5
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	0	8	3	0	0	3	5	0	0	5
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	1	4	1	0	0	1	4	0	1	3
TEENAGE FERTILITY RATE	50.8	5.5	99.4 (15-19)	45.4	0.0	96.8 (15-19)	52.1	6.8	100.0 (15-19)			
TEENAGE FETAL DEATHS**	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FETAL DEATH RATIO	55.6	0.0	0.0	76.9	0.0	0.0	0.0	0.0	66.7	0.0	0.0	95.2
TEENAGE INDUCED TERMINATIONS#	7	0	3	4	0	0	0	0	7	0	3	4
TEENAGE INDUCED TERMINATION RATIO	194.4	0.0	375.0	153.8	0.0	0.0	0.0	0.0	233.3	0.0	428.6	190.5
TEENAGE PREGNANCIES#	45	2	11	32	6	0	1	5	39	2	10	27
TEENAGE PREGNANCY RATE	63.6	5.5	125.7 (15-19)	45.4	0.0	96.8 (15-19)	67.7	6.8	132.1 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	27.8	0.0	125.0	0.0	0.0	0.0	0.0	0.0	33.3	0.0	142.9	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: RANKIN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	138,362	8,794	4,598	4,196	2,170
WHITE	108,316	6,495	3,428	3,067	1,721
NONWHITE	30,046	2,299	1,170	1,129	449

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	215	3	55	157	152	0	39	113	63	3	16	44
TEENAGE IMMATURE BIRTHS	29	0	4	25	19	0	3	16	10	0	1	9
TEENAGE PREMATURE BIRTHS	40	1	10	29	25	0	6	19	15	1	4	10
TEENAGE ILLEGITIMATE BIRTHS	175	3	50	122	114	0	34	80	61	3	16	42
TEENS WHO HAD PREVIOUS LIVE BIRTHS	47	0	4	43	34	0	3	31	13	0	1	12
TEENS WHO HAD PREVIOUS PREGNANCIES	59	0	6	53	44	0	5	39	15	0	1	14
TEENS WITH INADEQUATE* PRENATAL CARE	24	1	6	17	13	0	5	8	11	1	1	9
TEENAGE FERTILITY RATE	24.4	0.6	50.5 (15-19)		23.4	0.0	49.6 (15-19)		27.4	2.6	53.1 (15-19)	
TEENAGE FETAL DEATHS**	3	0	0	3	0	0	0	0	3	0	0	3
TEENAGE FETAL DEATH RATIO	14.0	0.0	0.0	19.1	0.0	0.0	0.0	0.0	47.6	0.0	0.0	68.2
TEENAGE INDUCED TERMINATIONS#	30	2	13	15	17	1	8	8	13	1	5	7
TEENAGE INDUCED TERMINATION RATIO	139.5	666.7	236.4	95.5	111.8	-	205.1	70.8	206.3	333.3	312.5	159.1
TEENAGE PREGNANCIES#	248	5	68	175	169	1	47	121	79	4	21	54
TEENAGE PREGNANCY RATE	28.2	1.1	57.9 (15-19)		26.0	0.3	54.8 (15-19)		34.4	3.4	66.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	4	0	2	2	3	0	2	1	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	18.6	0.0	36.4	12.7	19.7	0.0	51.3	8.9	15.9	0.0	0.0	22.7

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: SCOTT

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	28,895	2,038	989	1,049	517
WHITE	17,277	1,005	486	519	291
NONWHITE	11,618	1,033	503	530	226

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	111	2	41	68	51	1	22	28	60	1	19	40
TEENAGE IMMATURE BIRTHS	18	0	3	15	4	0	1	3	14	0	2	12
TEENAGE PREMATURE BIRTHS	21	0	10	11	7	0	5	2	14	0	5	9
TEENAGE ILLEGITIMATE BIRTHS	95	2	35	58	35	1	16	18	60	1	19	40
TEENS WHO HAD PREVIOUS LIVE BIRTHS	28	0	8	20	12	0	4	8	16	0	4	12
TEENS WHO HAD PREVIOUS PREGNANCIES	36	0	11	25	16	0	5	11	20	0	6	14
TEENS WITH INADEQUATE* PRENATAL CARE	10	0	5	5	3	0	1	2	7	0	4	3
TEENAGE FERTILITY RATE	54.5	2.0	103.9	(15-19)	50.7	2.0	96.3	(15-19)	58.1	2.0	111.3	(15-19)
TEENAGE FETAL DEATHS**	2	0	0	2	2	0	0	2	0	0	0	0
TEENAGE FETAL DEATH RATIO	18.0	0.0	0.0	29.4	39.2	0.0	0.0	71.4	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	6	2	2	2	1	0	0	1	5	2	2	1
TEENAGE INDUCED TERMINATION RATIO	54.0	1000.0	48.8	29.4	19.6	0.0	0.0	35.7	83.3	2000.0	105.3	25.0
TEENAGE PREGNANCIES#	119	4	43	72	54	1	22	31	65	3	21	41
TEENAGE PREGNANCY RATE	58.4	4.0	109.6	(15-19)	53.7	2.0	102.1	(15-19)	62.9	6.0	117.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: SHARKEY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	5,571	443	232	211	101
WHITE	1,693	89	41	48	15
NONWHITE	3,878	354	191	163	86

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	23	0	13	10	0	0	0	0	23	0	13	10
TEENAGE IMMATURE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE PREMATURE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE ILLEGITIMATE BIRTHS	23	0	13	10	0	0	0	0	23	0	13	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	1	2	0	0	0	0	3	0	1	2
TEENS WHO HAD PREVIOUS PREGNANCIES	5	0	2	3	0	0	0	0	5	0	2	3
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE FERTILITY RATE	51.9	0.0	109.0	(15-19)	0.0	0.0	0.0	(15-19)	65.0	0.0	141.1	(15-19)
TEENAGE FETAL DEATHS**	2	0	2	0	1	0	1	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	87.0	0.0	153.8	0.0	-	0.0	-	0.0	43.5	0.0	76.9	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	25	0	15	10	1	0	1	0	24	0	14	10
TEENAGE PREGNANCY RATE	56.4	0.0	118.5	(15-19)	11.2	0.0	20.8	(15-19)	67.8	0.0	147.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: SIMPSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	27,824	1,991	1,017	974	442
WHITE	17,890	1,092	545	547	259
NONWHITE	9,934	899	472	427	183

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	79	3	32	44	46	2	18	26	33	1	14	18
TEENAGE IMMATURE BIRTHS	17	0	10	7	5	0	3	2	12	0	7	5
TEENAGE PREMATURE BIRTHS	19	0	7	12	8	0	2	6	11	0	5	6
TEENAGE ILLEGITIMATE BIRTHS	66	3	29	34	34	2	15	17	32	1	14	17
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	3	10	9	0	2	7	4	0	1	3
TEENS WHO HAD PREVIOUS PREGNANCIES	16	0	4	12	9	0	2	7	7	0	2	5
TEENS WITH INADEQUATE* PRENATAL CARE	8	0	5	3	6	0	3	3	2	0	2	0
TEENAGE FERTILITY RATE	39.7	3.0	78.0 (15-19)	42.1	3.7	80.4 (15-19)	36.7	2.1	74.9 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	10	0	3	7	2	0	1	1	8	0	2	6
TEENAGE INDUCED TERMINATION RATIO	126.6	0.0	93.8	159.1	43.5	0.0	55.6	38.5	242.4	0.0	142.8	333.3
TEENAGE PREGNANCIES#	89	3	35	51	48	2	19	27	41	1	16	24
TEENAGE PREGNANCY RATE	44.7	3.0	88.3 (15-19)	44.0	3.7	84.1 (15-19)	45.6	2.1	93.7 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	2	0	0	2	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	25.3	0.0	0.0	45.5	43.5	0.0	0.0	76.9	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: SMITH

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	16,009	1,127	591	536	202
WHITE	11,980	745	382	363	140
NONWHITE	4,029	382	209	173	62

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	27	0	9	18	18	0	6	12	9	0	3	6
TEENAGE IMMATURE BIRTHS	5	0	3	2	2	0	2	0	3	0	1	2
TEENAGE PREMATURE BIRTHS	8	0	2	6	6	0	1	5	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	20	0	5	15	12	0	2	10	8	0	3	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	2	6	5	0	1	4	3	0	1	2
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	2	7	6	0	1	5	3	0	1	2
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	2	0	0	2	1	0	1	0
TEENAGE FERTILITY RATE	24.0	0.0	50.4 (15-19)		24.2	0.0	49.6 (15-19)		23.6	0.0	52.0 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	37.0	0.0	111.1	0.0	55.6	0.0	166.7	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	28	0	10	18	19	0	7	12	9	0	3	6
TEENAGE PREGNANCY RATE	24.8	0.0	52.2 (15-19)		25.5	0.0	52.3 (15-19)		23.6	0.0	52.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: STONE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	15,731	1,187	524	663	237
WHITE	12,456	869	394	475	184
NONWHITE	3,275	318	130	188	53

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	43	1	12	30	34	0	7	27	9	1	5	3
TEENAGE IMMATURE BIRTHS	7	0	2	5	4	0	0	4	3	0	2	1
TEENAGE PREMATURE BIRTHS	5	0	3	2	2	0	1	1	3	0	2	1
TEENAGE ILLEGITIMATE BIRTHS	30	1	11	18	21	0	6	15	9	1	5	3
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	1	7	6	0	1	5	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	2	7	7	0	2	5	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	4	1	2	1	3	0	2	1	1	1	0	0
TEENAGE FERTILITY RATE	36.2	1.9	63.3 (15-19)	39.1	39.1	0.0	71.6 (15-19)	28.3	28.3	7.7	42.6 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	23.2	0.0	83.3	0.0	29.4	0.0	142.8	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	69.8	0.0	83.3	66.7	29.4	0.0	0.0	37.0	222.2	0.0	200.0	333.3
TEENAGE PREGNANCIES#	47	1	14	32	36	0	8	28	11	1	6	4
TEENAGE PREGNANCY RATE	39.6	1.9	69.4 (15-19)	41.4	41.4	0.0	75.8 (15-19)	34.6	34.6	7.7	53.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	1	0	0	1	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	46.5	0.0	83.3	33.3	29.4	0.0	0.0	37.0	111.1	0.0	200.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: SUNFLOWER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	30,964	2,270	999	1,271	531
WHITE	8,375	466	192	274	73
NONWHITE	22,589	1,804	807	997	458

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	144	3	54	87	10	0	6	4	134	3	48	83
TEENAGE IMMATURE BIRTHS	20	1	5	14	1	0	0	1	19	1	5	13
TEENAGE PREMATURE BIRTHS	38	1	16	21	2	0	2	0	36	1	14	21
TEENAGE ILLEGITIMATE BIRTHS	143	3	54	86	10	0	6	4	133	3	48	82
TEENS WHO HAD PREVIOUS LIVE BIRTHS	42	0	9	33	0	0	0	0	42	0	9	33
TEENS WHO HAD PREVIOUS PREGNANCIES	48	0	10	38	0	0	0	0	48	0	10	38
TEENS WITH INADEQUATE* PRENATAL CARE	11	0	4	7	1	0	1	0	10	0	3	7
TEENAGE FERTILITY RATE	63.4	3.0	110.9 (15-19)		21.4	0.0	36.5 (15-19)		74.3	3.7	131.4 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	6.9	0.0	18.5	0.0	0.0	0.0	0.0	0.0	7.5	0.0	20.8	0.0
TEENAGE INDUCED TERMINATIONS#	15	4	5	6	1	1	0	0	14	3	5	6
TEENAGE INDUCED TERMINATION RATIO	104.2	1333.3	92.6	69.0	100.0	-	0.0	0.0	104.5	1000.0	104.2	72.3
TEENAGE PREGNANCIES#	160	7	60	93	11	1	6	4	149	6	54	89
TEENAGE PREGNANCY RATE	70.5	7.0	120.4 (15-19)		23.6	5.2	36.5 (15-19)		82.6	7.4	143.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	4	1	0	3	0	0	0	0	4	1	0	3
INFANT MORTALITY RATE, TEEN MOMS	27.8	333.3	0.0	34.5	0.0	0.0	0.0	0.0	29.9	333.3	0.0	36.1

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: TALLAHATCHIE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,260	1,093	545	548	259
WHITE	5,168	303	146	157	49
NONWHITE	8,092	790	399	391	210

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	59	3	23	33	7	1	1	5	52	2	22	28
TEENAGE IMMATURE BIRTHS	13	1	6	6	1	0	0	1	12	1	6	5
TEENAGE PREMATURE BIRTHS	12	2	7	3	1	1	0	0	11	1	7	3
TEENAGE ILLEGITIMATE BIRTHS	58	3	23	32	6	1	1	4	52	2	22	28
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	1	7	0	0	0	0	8	0	1	7
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	2	10	1	0	0	1	11	0	2	9
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	0	5	0	0	0	0	5	0	0	5
TEENAGE FERTILITY RATE	54.0	5.5	102.2	(15-19)	23.1	6.8	38.2	(15-19)	65.8	5.0	127.9	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	6	1	3	2	0	0	0	0	6	1	3	2
TEENAGE INDUCED TERMINATION RATIO	101.7	333.3	130.4	60.6	0.0	0.0	0.0	0.0	115.4	500.0	136.4	71.4
TEENAGE PREGNANCIES#	65	4	26	35	7	1	1	5	58	3	25	30
TEENAGE PREGNANCY RATE	59.5	7.3	111.3	(15-19)	23.1	6.8	38.2	(15-19)	73.4	7.5	140.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	1	0	1	1	0	0	1	1	1	0	0
INFANT MORTALITY RATE, TEEN MOMS	33.9	333.3	0.0	30.3	142.9	0.0	0.0	200.0	19.2	500.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: TATE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	26,910	2,114	894	1,220	417
WHITE	18,201	1,306	583	723	254
NONWHITE	8,709	808	311	497	163

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	72	0	27	45	32	0	15	17	40	0	12	28
TEENAGE IMMATURE BIRTHS	11	0	7	4	6	0	5	1	5	0	2	3
TEENAGE PREMATURE BIRTHS	15	0	8	7	10	0	6	4	5	0	2	3
TEENAGE ILLEGITIMATE BIRTHS	67	0	27	40	27	0	15	12	40	0	12	28
TEENS WHO HAD PREVIOUS LIVE BIRTHS	19	0	4	15	5	0	2	3	14	0	2	12
TEENS WHO HAD PREVIOUS PREGNANCIES	20	0	4	16	5	0	2	3	15	0	2	13
TEENS WITH INADEQUATE* PRENATAL CARE	8	0	4	4	2	0	1	1	6	0	3	3
TEENAGE FERTILITY RATE	34.0	0.0	59.0 (15-19)		24.5	0.0	44.3 (15-19)		49.5	0.0	80.5 (15-19)	
TEENAGE FETAL DEATHS**	2	0	2	0	1	0	1	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	27.8	0.0	74.1	0.0	31.2	0.0	66.7	0.0	25.0	0.0	83.3	0.0
TEENAGE INDUCED TERMINATIONS#	14	0	3	11	1	0	0	1	12	0	2	10
TEENAGE INDUCED TERMINATION RATIO	194.4	0.0	111.1	244.4	31.2	0.0	0.0	58.8	300.0	0.0	166.7	357.1
TEENAGE PREGNANCIES#	88	0	32	56	34	0	16	18	53	0	15	38
TEENAGE PREGNANCY RATE	41.6	0.0	72.1 (15-19)		26.0	0.0	47.0 (15-19)		65.6	0.0	106.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: TIPPAH

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,160	1,286	637	649	335
WHITE	17,283	995	476	519	270
NONWHITE	3,877	291	161	130	65

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	69	1	16	52	64	1	15	48	5	0	1	4
TEENAGE IMMATURE BIRTHS	7	0	1	6	7	0	1	6	0	0	0	0
TEENAGE PREMATURE BIRTHS	5	0	2	3	4	0	1	3	1	0	1	0
TEENAGE ILLEGITIMATE BIRTHS	49	1	10	38	44	1	9	34	5	0	1	4
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	0	16	15	0	0	15	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	17	0	0	17	16	0	0	16	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	53.6	1.6	104.8	(15-19)	64.3	2.1	121.4	(15-19)	17.2	0.0	38.5	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	1	3	3	0	1	2	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	58.0	0.0	62.5	57.7	46.9	0.0	66.7	41.7	200.0	0.0	0.0	250.0
TEENAGE PREGNANCIES#	73	1	17	55	67	1	16	50	6	0	1	5
TEENAGE PREGNANCY RATE	56.8	1.6	110.9	(15-19)	67.3	2.1	127.2	(15-19)	20.6	0.0	46.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: TISHOMINGO

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,053	1,167	601	566	250
WHITE	18,160	1,107	565	542	246
NONWHITE	893	60	36	24	4

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	46	1	15	30	46	1	15	30	0	0	0	0
TEENAGE IMMATURE BIRTHS	4	0	3	1	4	0	3	1	0	0	0	0
TEENAGE PREMATURE BIRTHS	4	0	1	3	4	0	1	3	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	27	1	10	16	27	1	10	16	0	0	0	0
TEENS WHO HAD PREVIOUS LIVE BIRTHS	10	0	2	8	10	0	2	8	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	4	11	15	0	4	11	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FERTILITY RATE	39.4	1.7	79.5 (15-19)		41.6	1.8	83.0 (15-19)		0.0	0.0	0.0 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	21.7	0.0	0.0	33.3	21.7	0.0	0.0	33.3	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	47	1	15	31	47	1	15	31	0	0	0	0
TEENAGE PREGNANCY RATE	40.3	1.7	81.3 (15-19)		42.4	1.8	84.9 (15-19)		0.0	0.0	0.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: TUNICA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,453	794	401	393	233
WHITE	2,875	120	71	49	31
NONWHITE	7,578	674	330	344	202

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	67	1	21	45	4	0	1	3	63	1	20	42
TEENAGE IMMATURE BIRTHS	12	0	6	6	0	0	0	0	12	0	6	6
TEENAGE PREMATURE BIRTHS	10	0	5	5	1	0	0	1	9	0	5	4
TEENAGE ILLEGITIMATE BIRTHS	66	1	20	45	3	0	0	3	63	1	20	42
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	3	13	1	0	0	1	15	0	3	12
TEENS WHO HAD PREVIOUS PREGNANCIES	19	0	3	16	1	0	0	1	18	0	3	15
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	1	4	0	0	0	0	5	0	1	4
TEENAGE FERTILITY RATE	84.4	2.5	167.9	(15-19)	33.3	0.0	81.6	(15-19)	93.5	3.0	180.2	(15-19)
TEENAGE FETAL DEATHS**	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE FETAL DEATH RATIO	29.8	0.0	95.2	0.0	0.0	0.0	0.0	0.0	31.7	0.0	100.0	0.0
TEENAGE INDUCED TERMINATIONS#	8	1	2	5	0	0	0	0	8	1	2	5
TEENAGE INDUCED TERMINATION RATIO	119.4	1000.0	95.2	111.1	0.0	0.0	0.0	0.0	127.0	1000.0	100.0	119.0
TEENAGE PREGNANCIES#	77	2	25	50	4	0	1	3	73	2	24	47
TEENAGE PREGNANCY RATE	97.0	5.0	190.8	(15-19)	33.3	0.0	81.6	(15-19)	108.3	6.1	206.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1
INFANT MORTALITY RATE, TEEN MOMS	29.9	0.0	47.6	22.2	0.0	0.0	0.0	0.0	31.7	0.0	50.0	23.8

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: UNION

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	26,907	1,798	919	879	406
WHITE	22,436	1,424	706	718	340
NONWHITE	4,471	374	213	161	66

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	74	1	28	45	59	0	23	36	15	1	5	9
TEENAGE IMMATURE BIRTHS	9	0	5	4	5	0	3	2	4	0	2	2
TEENAGE PREMATURE BIRTHS	4	0	1	3	4	0	1	3	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	58	1	25	32	43	0	20	23	15	1	5	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	0	5	12	12	0	3	9	5	0	2	3
TEENS WHO HAD PREVIOUS PREGNANCIES	22	0	6	16	17	0	4	13	5	0	2	3
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	2	0	1	1	1	0	0	1
TEENAGE FERTILITY RATE	41.2	1.1	83.0	(15-19)	41.4	0.0	82.2	(15-19)	40.1	4.7	87.0	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	8	0	4	4	4	0	3	1	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	108.1	0.0	142.8	88.9	67.8	0.0	130.4	27.8	200.0	0.0	200.0	222.2
TEENAGE PREGNANCIES#	82	1	32	49	63	0	26	37	18	1	6	11
TEENAGE PREGNANCY RATE	45.6	1.1	92.2	(15-19)	44.2	0.0	87.7	(15-19)	48.1	4.7	105.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	13.5	0.0	0.0	22.2	0.0	0.0	0.0	0.0	66.7	0.0	0.0	111.1

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: WALTHALL

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	15,360	1,079	541	538	228
WHITE	8,312	432	215	217	108
NONWHITE	7,048	647	326	321	120

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	32	2	9	21	12	0	5	7	20	2	4	14
TEENAGE IMMATURE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE PREMATURE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	29	2	8	19	9	0	4	5	20	2	4	14
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	0	8	3	0	0	3	5	0	0	5
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	0	9	4	0	0	4	5	0	0	5
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	3	1	3	0	2	1	1	0	1	0
TEENAGE FERTILITY RATE	29.6	3.7	55.8 (15-19)	27.8	0.0	55.3 (15-19)	30.9	6.1	56.1 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	1	3	2	0	1	1	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	125.0	0.0	111.1	142.8	166.7	0.0	200.0	142.8	100.0	0.0	0.0	142.8
TEENAGE PREGNANCIES#	36	2	10	24	14	0	6	8	22	2	4	16
TEENAGE PREGNANCY RATE	33.4	3.7	63.2 (15-19)	32.4	0.0	64.5 (15-19)	34.0	6.1	62.3 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: WARREN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	48,866	3,670	1,880	1,790	779
WHITE	25,041	1,567	804	763	320
NONWHITE	23,825	2,103	1,076	1,027	459

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	145	5	53	87	48	0	14	34	97	5	39	53
TEENAGE IMMATURE BIRTHS	16	1	6	9	3	0	1	2	13	1	5	7
TEENAGE PREMATURE BIRTHS	36	2	14	20	10	0	4	6	26	2	10	14
TEENAGE ILLEGITIMATE BIRTHS	133	5	51	77	37	0	13	24	96	5	38	53
TEENS WHO HAD PREVIOUS LIVE BIRTHS	40	0	12	28	15	0	3	12	25	0	9	16
TEENS WHO HAD PREVIOUS PREGNANCIES	46	0	14	32	17	0	3	14	29	0	11	18
TEENS WITH INADEQUATE* PRENATAL CARE	8	0	5	3	1	0	1	0	7	0	4	3
TEENAGE FERTILITY RATE	39.5	2.7	78.2 (15-19)		30.6	0.0	62.9 (15-19)		46.1	4.6	89.6 (15-19)	
TEENAGE FETAL DEATHS**	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE FETAL DEATH RATIO	20.7	0.0	37.7	11.5	0.0	0.0	0.0	0.0	30.9	0.0	51.3	18.9
TEENAGE INDUCED TERMINATIONS#	24	1	16	7	6	0	3	3	18	1	13	4
TEENAGE INDUCED TERMINATION RATIO	165.5	200.0	301.9	80.5	125.0	0.0	214.3	88.2	185.6	200.0	333.3	75.5
TEENAGE PREGNANCIES#	172	6	71	95	54	0	17	37	118	6	54	58
TEENAGE PREGNANCY RATE	46.9	3.2	92.7 (15-19)		34.5	0.0	70.8 (15-19)		56.1	5.6	109.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	6.9	0.0	0.0	11.5	0.0	0.0	0.0	0.0	10.3	0.0	0.0	18.9

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: WASHINGTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	55,644	4,230	2,123	2,107	970
WHITE	17,219	887	402	485	192
NONWHITE	38,425	3,343	1,721	1,622	778

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	221	3	78	140	24	0	6	18	197	3	72	122
TEENAGE IMMATURE BIRTHS	29	1	10	18	3	0	0	3	26	1	10	15
TEENAGE PREMATURE BIRTHS	52	2	19	31	3	0	0	3	49	2	19	28
TEENAGE ILLEGITIMATE BIRTHS	216	3	78	135	20	0	6	14	196	3	72	121
TEENS WHO HAD PREVIOUS LIVE BIRTHS	60	0	9	51	4	0	1	3	56	0	8	48
TEENS WHO HAD PREVIOUS PREGNANCIES	71	0	10	61	5	0	1	4	66	0	9	57
TEENS WITH INADEQUATE* PRENATAL CARE	20	0	8	12	2	0	1	1	18	0	7	11
TEENAGE FERTILITY RATE	52.2	1.4	103.5	(15-19)	27.0	0.0	49.5	(15-19)	58.9	1.7	119.6	(15-19)
TEENAGE FETAL DEATHS**	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE FETAL DEATH RATIO	13.6	0.0	12.8	14.3	0.0	0.0	0.0	0.0	15.2	0.0	13.9	16.4
TEENAGE INDUCED TERMINATIONS#	33	1	13	19	2	0	0	2	31	1	13	17
TEENAGE INDUCED TERMINATION RATIO	149.3	333.3	166.7	135.7	83.3	0.0	0.0	111.1	157.4	333.3	180.6	139.3
TEENAGE PREGNANCIES#	257	4	92	161	26	0	6	20	231	4	86	141
TEENAGE PREGNANCY RATE	60.8	1.9	120.1	(15-19)	29.3	0.0	53.6	(15-19)	69.1	2.3	140.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1
INFANT MORTALITY RATE, TEEN MOMS	9.1	0.0	12.8	7.1	0.0	0.0	0.0	0.0	10.2	0.0	13.9	8.2

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: WAYNE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,096	1,504	798	706	324
WHITE	12,770	797	415	382	174
NONWHITE	8,326	707	383	324	150

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	65	1	20	44	33	0	14	19	32	1	6	25
TEENAGE IMMATURE BIRTHS	13	0	4	9	6	0	2	4	7	0	2	5
TEENAGE PREMATURE BIRTHS	13	1	3	9	5	0	1	4	8	1	2	5
TEENAGE ILLEGITIMATE BIRTHS	49	1	17	31	21	0	11	10	28	1	6	21
TEENS WHO HAD PREVIOUS LIVE BIRTHS	18	0	1	17	10	0	0	10	8	0	1	7
TEENS WHO HAD PREVIOUS PREGNANCIES	23	0	4	19	14	0	3	11	9	0	1	8
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE FERTILITY RATE	43.2	1.2	90.6 (15-19)		41.4	0.0	86.4 (15-19)		45.3	2.6	95.7 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	15.4	0.0	0.0	22.7	30.3	0.0	0.0	52.6	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	5	0	0	5	1	0	0	1	4	0	0	4
TEENAGE INDUCED TERMINATION RATIO	76.9	0.0	0.0	113.6	30.3	0.0	0.0	52.6	125.0	0.0	0.0	160.0
TEENAGE PREGNANCIES#	71	1	20	50	35	0	14	21	36	1	6	29
TEENAGE PREGNANCY RATE	47.2	1.2	99.2 (15-19)		43.9	0.0	91.6 (15-19)		50.9	2.6	108.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	1	0	0	1	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	30.8	0.0	0.0	45.5	30.3	0.0	0.0	52.6	31.3	0.0	0.0	40.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: WEBSTER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,789	625	309	316	132
WHITE	7,714	452	222	230	102
NONWHITE	2,075	173	87	86	30

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	19	0	6	13	12	0	4	8	7	0	2	5
TEENAGE IMMATURE BIRTHS	4	0	1	3	1	0	0	1	3	0	1	2
TEENAGE PREMATURE BIRTHS	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	11	0	4	7	4	0	2	2	7	0	2	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	0	6	2	0	0	2	4	0	0	4
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	0	6	2	0	0	2	4	0	0	4
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	0	3	0	0	0	0	3	0	0	3
TEENAGE FERTILITY RATE	30.4	0.0	60.1 (15-19)		26.5	0.0	52.2 (15-19)		40.5	0.0	81.4 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	52.6	0.0	0.0	76.9	83.3	0.0	0.0	125.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	20	0	6	14	13	0	4	9	7	0	2	5
TEENAGE PREGNANCY RATE	32.0	0.0	63.3 (15-19)		28.8	0.0	56.5 (15-19)		40.5	0.0	81.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: WILKINSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,266	649	331	318	154
WHITE	3,092	145	76	69	28
NONWHITE	7,174	504	255	249	126

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	27	1	11	15	0	0	0	0	27	1	11	15
TEENAGE IMMATURE BIRTHS	5	0	2	3	0	0	0	0	5	0	2	3
TEENAGE PREMATURE BIRTHS	4	0	3	1	0	0	0	0	4	0	3	1
TEENAGE ILLEGITIMATE BIRTHS	27	1	11	15	0	0	0	0	27	1	11	15
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	3	4	0	0	0	0	7	0	3	4
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	4	5	0	0	0	0	9	0	4	5
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	2	2	0	0	0	0	4	0	2	2
TEENAGE FERTILITY RATE	41.6	3.0	81.8	(15-19)	0.0	0.0	0.0	(15-19)	53.6	3.9	104.4	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	27	1	11	15	0	0	0	0	27	1	11	15
TEENAGE PREGNANCY RATE	41.6	3.0	81.8	(15-19)	0.0	0.0	0.0	(15-19)	53.6	3.9	104.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	37.0	0.0	90.9	0.0	0.0	0.0	0.0	0.0	37.0	0.0	90.9	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: WINSTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,705	1,301	638	663	281
WHITE	10,669	614	298	316	106
NONWHITE	9,036	687	340	347	175

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	48	2	16	30	12	0	2	10	36	2	14	20
TEENAGE IMMATURE BIRTHS	9	0	3	6	2	0	1	1	7	0	2	5
TEENAGE PREMATURE BIRTHS	13	1	4	8	3	0	0	3	10	1	4	5
TEENAGE ILLEGITIMATE BIRTHS	46	2	16	28	10	0	2	8	36	2	14	20
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	1	10	4	0	1	3	7	0	0	7
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	2	10	4	0	1	3	8	0	1	7
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	2	3	0	0	0	0	5	0	2	3
TEENAGE FERTILITY RATE	36.9	3.1	69.4 (15-19)		19.5	0.0	38.0 (15-19)		52.4	5.9	98.0 (15-19)	
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	41.7	0.0	62.5	33.3	0.0	0.0	0.0	0.0	55.6	0.0	71.4	50.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	50	2	17	31	12	0	2	10	38	2	15	21
TEENAGE PREGNANCY RATE	38.4	3.1	72.4 (15-19)		19.5	0.0	38.0 (15-19)		55.3	5.9	103.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
 BY COUNTY OF RESIDENCE AND RACE OF MOTHER
 MISSISSIPPI, 2007

COUNTY: YALOBUSHA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,672	876	415	461	210
WHITE	8,171	411	205	206	115
NONWHITE	5,501	465	210	255	95

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	42	3	13	26	15	2	1	12	27	1	12	14
TEENAGE IMMATURE BIRTHS	4	0	1	3	0	0	0	0	4	0	1	3
TEENAGE PREMATURE BIRTHS	12	1	6	5	2	1	0	1	10	0	6	4
TEENAGE ILLEGITIMATE BIRTHS	38	3	13	22	11	2	1	8	27	1	12	14
TEENS WHO HAD PREVIOUS LIVE BIRTHS	14	0	3	11	6	0	1	5	8	0	2	6
TEENS WHO HAD PREVIOUS PREGNANCIES	20	0	5	15	8	0	1	7	12	0	4	8
TEENS WITH INADEQUATE* PRENATAL CARE	3	1	1	1	2	1	1	0	1	0	0	1
TEENAGE FERTILITY RATE		47.9	7.2	84.6 (15-19)	36.5	9.8	63.1 (15-19)	58.1	4.8	102.0 (15-19)		
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	7	0	2	5	3	0	0	3	4	0	2	2
TEENAGE INDUCED TERMINATION RATIO	166.7	0.0	153.8	192.3	200.0	0.0	0.0	250.0	148.1	0.0	166.7	142.8
TEENAGE PREGNANCIES#	49	3	15	31	18	2	1	15	31	1	14	16
TEENAGE PREGNANCY RATE	55.9	7.2	99.8 (15-19)	43.8	9.8	77.7 (15-19)	66.7	4.8	117.6 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	1	1	0	0	1	1	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	23.8	333.3	0.0	0.0	66.7	500.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2007

COUNTY: YAZOO

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	27,187	1,913	953	960	482
WHITE	11,817	584	293	291	141
NONWHITE	15,370	1,329	660	669	341

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	110	5	32	73	18	0	6	12	92	5	26	61
TEENAGE IMMATURE BIRTHS	19	2	6	11	5	0	2	3	14	2	4	8
TEENAGE PREMATURE BIRTHS	19	1	4	14	3	0	1	2	16	1	3	12
TEENAGE ILLEGITIMATE BIRTHS	102	5	32	65	10	0	6	4	92	5	26	61
TEENS WHO HAD PREVIOUS LIVE BIRTHS	32	0	9	23	5	0	1	4	27	0	8	19
TEENS WHO HAD PREVIOUS PREGNANCIES	37	0	9	28	6	0	1	5	31	0	8	23
TEENS WITH INADEQUATE* PRENATAL CARE	10	0	7	3	3	0	1	2	7	0	6	1
TEENAGE FERTILITY RATE	57.5	5.2	109.4 (15-19)	30.8	30.8	0.0	61.8 (15-19)	69.2	69.2	7.6	130.0 (15-19)	69.2
TEENAGE FETAL DEATHS**	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE FETAL DEATH RATIO	27.3	0.0	62.5	13.7	0.0	0.0	0.0	0.0	32.6	0.0	76.9	16.4
TEENAGE INDUCED TERMINATIONS#	12	1	7	4	3	0	2	1	9	1	5	3
TEENAGE INDUCED TERMINATION RATIO	109.1	200.0	218.8	54.8	166.7	0.0	333.3	83.3	97.8	200.0	192.3	49.2
TEENAGE PREGNANCIES#	125	6	41	78	21	0	8	13	104	6	33	65
TEENAGE PREGNANCY RATE	65.3	6.3	124.0 (15-19)	36.0	36.0	0.0	72.2 (15-19)	78.2	78.2	9.1	146.5 (15-19)	78.2
INFANT DEATHS TO TEENAGE MOTHERS	2	0	2	0	0	0	0	0	2	0	2	0
INFANT MORTALITY RATE, TEEN MOMS	18.2	0.0	62.5	0.0	0.0	0.0	0.0	0.0	21.7	0.0	76.9	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.