

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: ADAMS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	31,307	2,169	1,042	1,127	418
WHITE	13,337	701	317	384	161
NONWHITE	17,970	1,468	725	743	257

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	73	2	24	47	11	0	4	7	62	2	20	40
TEENAGE IMMATURE BIRTHS	12	1	4	7	0	0	0	0	12	1	4	7
TEENAGE PREMATURE BIRTHS	18	1	5	12	1	0	0	1	17	1	5	11
TEENAGE ILLEGITIMATE BIRTHS	71	2	24	45	9	0	4	5	62	2	20	40
TEENS WHO HAD PREVIOUS LIVE BIRTHS	14	0	1	13	3	0	0	3	11	0	1	10
TEENS WHO HAD PREVIOUS PREGNANCIES	18	0	1	17	4	0	0	4	14	0	1	13
TEENS WITH INADEQUATE* PRENATAL CARE	8	1	4	3	1	0	1	0	7	1	3	3
TEENAGE FERTILITY RATE	33.6	1.9	63.0 (15-19)		15.7	0.0	28.6 (15-19)		42.2	2.8	80.8 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	13.7	0.0	0.0	21.3	0.0	0.0	0.0	0.0	16.1	0.0	0.0	25.0
TEENAGE INDUCED TERMINATIONS#	11	0	2	9	2	0	0	2	9	0	2	7
TEENAGE INDUCED TERMINATION RATIO	150.7	0.0	83.3	191.5	181.8	0.0	0.0	285.7	145.2	0.0	100.0	175.0
TEENAGE PREGNANCIES#	85	2	26	57	13	0	4	9	72	2	22	48
TEENAGE PREGNANCY RATE	39.2	1.9	73.6 (15-19)		18.5	0.0	33.8 (15-19)		49.0	2.8	94.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: ALCORN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	35,673	2,139	1,061	1,078	475
WHITE	31,193	1,797	902	895	400
NONWHITE	4,480	342	159	183	75

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	84	1	28	55	62	0	22	40	22	1	6	15
TEENAGE IMMATURE BIRTHS	11	0	2	9	7	0	0	7	4	0	2	2
TEENAGE PREMATURE BIRTHS	22	0	9	13	14	0	6	8	8	0	3	5
TEENAGE ILLEGITIMATE BIRTHS	63	1	21	41	42	0	16	26	21	1	5	15
TEENS WHO HAD PREVIOUS LIVE BIRTHS	29	0	8	21	19	0	6	13	10	0	2	8
TEENS WHO HAD PREVIOUS PREGNANCIES	34	0	9	25	22	0	7	15	12	0	2	10
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE FERTILITY RATE	39.3	0.9	77.0 (15-19)		34.5	0.0	69.3 (15-19)		64.3	6.3	114.8 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	11.9	0.0	35.7	0.0	16.1	0.0	45.4	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	10	2	5	3	8	2	3	3	2	0	2	0
TEENAGE INDUCED TERMINATION RATIO	119.0	2000.0	178.6	54.5	129.0	-	136.4	75.0	90.9	0.0	333.3	0.0
TEENAGE PREGNANCIES#	95	3	34	58	71	2	26	43	24	1	8	15
TEENAGE PREGNANCY RATE	44.4	2.8	85.3 (15-19)		39.5	2.2	77.1 (15-19)		70.2	6.3	125.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	3	0	2	1	2	0	1	1	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	35.7	0.0	71.4	18.2	32.3	0.0	45.5	25.0	45.5	0.0	166.7	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: AMITE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,248	852	397	455	155
WHITE	7,303	395	194	201	90
NONWHITE	5,945	457	203	254	65

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	24	0	5	19	14	0	4	10	10	0	1	9
TEENAGE IMMATURE BIRTHS	3	0	0	3	2	0	0	2	1	0	0	1
TEENAGE PREMATURE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	15	0	4	11	6	0	3	3	9	0	1	8
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	0	8	3	0	0	3	5	0	0	5
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	0	9	4	0	0	4	5	0	0	5
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	0	5	1	0	0	1	4	0	0	4
TEENAGE FERTILITY RATE	28.2	0.0	52.7 (15-19)		35.4	0.0	69.6 (15-19)		21.9	0.0	39.4 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	41.7	0.0	200.0	0.0	71.4	0.0	250.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	25	0	6	19	15	0	5	10	10	0	1	9
TEENAGE PREGNANCY RATE	29.3	0.0	54.9 (15-19)		38.0	0.0	74.6 (15-19)		21.9	0.0	39.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: ATTALA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,671	1,324	608	716	312
WHITE	11,304	645	307	338	131
NONWHITE	8,367	679	301	378	181

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	49	0	17	32	17	0	4	13	32	0	13	19
TEENAGE IMMATURE BIRTHS	6	0	0	6	0	0	0	0	6	0	0	6
TEENAGE PREMATURE BIRTHS	7	0	3	4	1	0	1	0	6	0	2	4
TEENAGE ILLEGITIMATE BIRTHS	43	0	16	27	11	0	3	8	32	0	13	19
TEENS WHO HAD PREVIOUS LIVE BIRTHS	12	0	1	11	3	0	0	3	9	0	1	8
TEENS WHO HAD PREVIOUS PREGNANCIES	13	0	1	12	4	0	0	4	9	0	1	8
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	2	3	0	0	0	0	5	0	2	3
TEENAGE FERTILITY RATE	37.0	0.0	68.4 (15-19)		26.4	0.0	50.3 (15-19)		47.1	0.0	84.6 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	20.4	0.0	58.8	0.0	0.0	0.0	0.0	0.0	31.2	0.0	76.9	0.0
TEENAGE INDUCED TERMINATIONS#	5	1	2	2	1	1	0	0	4	0	2	2
TEENAGE INDUCED TERMINATION RATIO	102.0	-	117.6	62.5	58.8	-	0.0	0.0	125.0	0.0	153.8	105.3
TEENAGE PREGNANCIES#	55	1	20	34	18	1	4	13	37	0	16	21
TEENAGE PREGNANCY RATE	41.5	1.6	75.4 (15-19)		27.9	3.2	50.3 (15-19)		54.5	0.0	97.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: BENTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	8,116	556	286	270	118
WHITE	5,243	285	158	127	66
NONWHITE	2,873	271	128	143	52

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	23	0	7	16	14	0	3	11	9	0	4	5
TEENAGE IMMATURE BIRTHS	3	0	0	3	2	0	0	2	1	0	0	1
TEENAGE PREMATURE BIRTHS	3	0	0	3	2	0	0	2	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	22	0	7	15	13	0	3	10	9	0	4	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	0	4	3	0	0	3	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	4	0	0	4	3	0	0	3	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	41.4	0.0	85.2 (15-19)		49.1	0.0	110.2 (15-19)		33.2	0.0	62.9 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	1	3	0	2	1	1	0	2	0	2	0
TEENAGE INDUCED TERMINATION RATIO	173.9	-	428.6	0.0	142.8	-	333.3	0.0	222.2	0.0	500.0	0.0
TEENAGE PREGNANCIES#	27	1	10	16	16	1	4	11	11	0	6	5
TEENAGE PREGNANCY RATE	48.6	3.5	96.3 (15-19)		56.1	6.3	118.1 (15-19)		40.6	0.0	76.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: BOLIVAR

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	37,195	2,827	1,233	1,594	630
WHITE	12,267	700	253	447	146
NONWHITE	24,928	2,127	980	1,147	484

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	125	6	32	87	17	0	5	12	108	6	27	75
TEENAGE IMMATURE BIRTHS	21	2	2	17	1	0	0	1	20	2	2	16
TEENAGE PREMATURE BIRTHS	33	3	10	20	3	0	2	1	30	3	8	19
TEENAGE ILLEGITIMATE BIRTHS	120	6	32	82	14	0	5	9	106	6	27	73
TEENS WHO HAD PREVIOUS LIVE BIRTHS	37	0	8	29	2	0	1	1	35	0	7	28
TEENS WHO HAD PREVIOUS PREGNANCIES	42	0	10	32	3	0	1	2	39	0	9	30
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	2	3	0	0	0	0	5	0	2	3
TEENAGE FERTILITY RATE	44.2	4.9	74.6	(15-19)	24.3	0.0	38.0	(15-19)	50.8	6.1	88.9	(15-19)
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	16.0	0.0	31.2	11.5	0.0	0.0	0.0	0.0	18.5	0.0	37.0	13.3
TEENAGE INDUCED TERMINATIONS#	30	3	11	16	4	0	1	3	26	3	10	13
TEENAGE INDUCED TERMINATION RATIO	240.0	500.0	343.8	183.9	235.3	0.0	200.0	250.0	240.7	500.0	370.4	173.3
TEENAGE PREGNANCIES#	157	9	44	104	21	0	6	15	136	9	38	89
TEENAGE PREGNANCY RATE	55.5	7.3	92.8	(15-19)	30.0	0.0	47.0	(15-19)	63.9	9.2	110.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	3	1	0	2	0	0	0	0	3	1	0	2
INFANT MORTALITY RATE, TEEN MOMS	24.0	166.7	0.0	23.0	0.0	0.0	0.0	0.0	27.8	166.7	0.0	26.7

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: CALHOUN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	14,508	885	452	433	211
WHITE	10,182	546	287	259	129
NONWHITE	4,326	339	165	174	82

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	32	2	7	23	21	1	3	17	11	1	4	6
TEENAGE IMMATURE BIRTHS	4	0	1	3	3	0	1	2	1	0	0	1
TEENAGE PREMATURE BIRTHS	3	0	1	2	2	0	0	2	1	0	1	0
TEENAGE ILLEGITIMATE BIRTHS	26	2	7	17	15	1	3	11	11	1	4	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	0	6	4	0	0	4	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	0	8	6	0	0	6	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	1	1	0	0	0	0	0	0	1	1	0	0
TEENAGE FERTILITY RATE	36.2	4.4	69.3 (15-19)		38.5	3.5	77.2 (15-19)		32.4	6.1	57.5 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	31.2	0.0	0.0	43.5	0.0	0.0	0.0	0.0	90.9	0.0	0.0	166.7
TEENAGE INDUCED TERMINATIONS#	2	1	0	1	0	0	0	0	2	1	0	1
TEENAGE INDUCED TERMINATION RATIO	62.5	500.0	0.0	43.5	0.0	0.0	0.0	0.0	181.8	1000.0	0.0	166.7
TEENAGE PREGNANCIES#	35	3	7	25	21	1	3	17	14	2	4	8
TEENAGE PREGNANCY RATE	39.5	6.6	73.9 (15-19)		38.5	3.5	77.2 (15-19)		41.3	12.1	69.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: CARROLL

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,367	606	274	332	128
WHITE	6,695	328	154	174	80
NONWHITE	3,672	278	120	158	48

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	14	0	4	10	8	0	3	5	6	0	1	5
TEENAGE IMMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE PREMATURE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	12	0	4	8	6	0	3	3	6	0	1	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	4	0	2	2	4	0	2	2	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE	23.1	0.0	42.2 (15-19)		24.4	0.0	46.0 (15-19)		21.6	0.0	38.0 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	2	0	1	0	1	0	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	142.8	0.0	500.0	0.0	125.0	0.0	333.3	0.0	166.7	0.0	1000.0	0.0
TEENAGE PREGNANCIES#	16	0	6	10	9	0	4	5	7	0	2	5
TEENAGE PREGNANCY RATE	26.4	0.0	48.2 (15-19)		27.4	0.0	51.7 (15-19)		25.2	0.0	44.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: CHICKASAW

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	18,826	1,320	695	625	281
WHITE	10,746	622	362	260	157
NONWHITE	8,080	698	333	365	124

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	58	2	23	33	35	0	15	20	23	2	8	13
TEENAGE IMMATURE BIRTHS	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE PREMATURE BIRTHS	10	0	3	7	5	0	0	5	5	0	3	2
TEENAGE ILLEGITIMATE BIRTHS	52	2	23	27	29	0	15	14	23	2	8	13
TEENS WHO HAD PREVIOUS LIVE BIRTHS	10	0	2	8	4	0	1	3	6	0	1	5
TEENS WHO HAD PREVIOUS PREGNANCIES	13	0	3	10	6	0	2	4	7	0	1	6
TEENS WITH INADEQUATE* PRENATAL CARE	4	1	0	3	1	0	0	1	3	1	0	2
TEENAGE FERTILITY RATE	43.9	2.9	89.6 (15-19)		56.3	0.0	134.6 (15-19)		33.0	6.0	57.5 (15-19)	
TEENAGE FETAL DEATHS**	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE FETAL DEATH RATIO	34.5	0.0	43.5	30.3	28.6	0.0	0.0	50.0	43.5	0.0	125.0	0.0
TEENAGE INDUCED TERMINATIONS#	9	1	5	3	4	1	2	1	5	0	3	2
TEENAGE INDUCED TERMINATION RATIO	155.2	500.0	217.4	90.9	114.3	-	133.3	50.0	217.4	0.0	375.0	153.8
TEENAGE PREGNANCIES#	69	3	29	37	40	1	17	22	29	2	12	15
TEENAGE PREGNANCY RATE	52.3	4.3	105.6 (15-19)		64.3	2.8	150.0 (15-19)		41.5	6.0	74.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: CHOCTAW

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,090	673	318	355	125
WHITE	6,139	431	198	233	66
NONWHITE	2,951	242	120	122	59

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	21	0	7	14	10	0	2	8	11	0	5	6
TEENAGE IMMATURE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE PREMATURE BIRTHS	3	0	0	3	0	0	0	0	3	0	0	3
TEENAGE ILLEGITIMATE BIRTHS	17	0	7	10	6	0	2	4	11	0	5	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	0	3	2	0	0	2	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	3	0	0	3	2	0	0	2	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE FERTILITY RATE	31.2	0.0	59.2 (15-19)		23.2	0.0	42.9 (15-19)		45.4	0.0	90.2 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	95.2	0.0	0.0	142.8	100.0	0.0	0.0	125.0	90.9	0.0	0.0	166.7
TEENAGE PREGNANCIES#	23	0	7	16	11	0	2	9	12	0	5	7
TEENAGE PREGNANCY RATE	34.2	0.0	64.8 (15-19)		25.5	0.0	47.2 (15-19)		49.6	0.0	98.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: CLAIBORNE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,848	998	354	644	161
WHITE	1,649	66	35	31	10
NONWHITE	9,199	932	319	613	151

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	41	0	12	29	1	0	0	1	40	0	12	28
TEENAGE IMMATURE BIRTHS	7	0	0	7	0	0	0	0	7	0	0	7
TEENAGE PREMATURE BIRTHS	8	0	2	6	0	0	0	0	8	0	2	6
TEENAGE ILLEGITIMATE BIRTHS	41	0	12	29	1	0	0	1	40	0	12	28
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	2	2	0	0	0	0	4	0	2	2
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	2	8	0	0	0	0	10	0	2	8
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE	41.1	0.0	63.7 (15-19)		15.2	0.0	32.2 (15-19)		42.9	0.0	65.2 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	24.4	0.0	0.0	34.5	0.0	0.0	0.0	0.0	25.0	0.0	0.0	35.7
TEENAGE PREGNANCIES#	42	0	12	30	1	0	0	1	41	0	12	29
TEENAGE PREGNANCY RATE	42.1	0.0	65.2 (15-19)		15.2	0.0	32.2 (15-19)		44.0	0.0	66.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	24.4	0.0	83.3	0.0	0.0	0.0	0.0	0.0	25.0	0.0	83.3	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: CLARKE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	17,378	1,206	563	643	214
WHITE	11,212	730	346	384	122
NONWHITE	6,166	476	217	259	92

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	44	1	9	34	23	0	7	16	21	1	2	18
TEENAGE IMMATURE BIRTHS	5	0	1	4	2	0	1	1	3	0	0	3
TEENAGE PREMATURE BIRTHS	9	0	0	9	5	0	0	5	4	0	0	4
TEENAGE ILLEGITIMATE BIRTHS	34	1	7	26	15	0	5	10	19	1	2	16
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	0	11	7	0	0	7	4	0	0	4
TEENS WHO HAD PREVIOUS PREGNANCIES	14	0	1	13	8	0	0	8	6	0	1	5
TEENS WITH INADEQUATE* PRENATAL CARE	5	1	1	3	2	0	1	1	3	1	0	2
TEENAGE FERTILITY RATE	36.5	1.8	66.9 (15-19)		31.5	0.0	59.9 (15-19)		44.1	4.6	77.2 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	22.7	0.0	0.0	29.4	0.0	0.0	0.0	0.0	47.6	0.0	0.0	55.6
TEENAGE INDUCED TERMINATIONS#	4	1	1	2	1	0	0	1	3	1	1	1
TEENAGE INDUCED TERMINATION RATIO	90.9	1000.0	111.1	58.8	43.5	0.0	0.0	62.5	142.8	1000.0	500.0	55.6
TEENAGE PREGNANCIES#	49	2	10	37	24	0	7	17	25	2	3	20
TEENAGE PREGNANCY RATE	40.6	3.6	73.1 (15-19)		32.9	0.0	62.5 (15-19)		52.5	9.2	88.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: CLAY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	20,860	1,478	738	740	309
WHITE	8,901	435	245	190	103
NONWHITE	11,959	1,043	493	550	206

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	58	0	16	42	13	0	3	10	45	0	13	32
TEENAGE IMMATURE BIRTHS	12	0	5	7	0	0	0	0	12	0	5	7
TEENAGE PREMATURE BIRTHS	16	0	7	9	0	0	0	0	16	0	7	9
TEENAGE ILLEGITIMATE BIRTHS	54	0	16	38	9	0	3	6	45	0	13	32
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	1	12	2	0	0	2	11	0	1	10
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	2	13	3	0	1	2	12	0	1	11
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	1	4	1	0	0	1	4	0	1	3
TEENAGE FERTILITY RATE	39.2	0.0	78.4 (15-19)		29.9	0.0	68.4 (15-19)		43.1	0.0	81.8 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	17.2	0.0	0.0	23.8	0.0	0.0	0.0	0.0	22.2	0.0	0.0	31.2
TEENAGE INDUCED TERMINATIONS#	6	0	1	5	0	0	0	0	6	0	1	5
TEENAGE INDUCED TERMINATION RATIO	103.4	0.0	62.5	119.0	0.0	0.0	0.0	0.0	133.3	0.0	76.9	156.2
TEENAGE PREGNANCIES#	65	0	17	48	13	0	3	10	52	0	14	38
TEENAGE PREGNANCY RATE	44.0	0.0	87.8 (15-19)		29.9	0.0	68.4 (15-19)		49.8	0.0	94.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: COAHOMA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	27,272	2,333	1,168	1,165	527
WHITE	6,581	352	162	190	74
NONWHITE	20,691	1,981	1,006	975	453

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	131	4	49	78	17	0	6	11	114	4	43	67
TEENAGE IMMATURE BIRTHS	22	0	9	13	2	0	0	2	20	0	9	11
TEENAGE PREMATURE BIRTHS	35	1	13	21	2	0	0	2	33	1	13	19
TEENAGE ILLEGITIMATE BIRTHS	123	4	48	71	12	0	5	7	111	4	43	64
TEENS WHO HAD PREVIOUS LIVE BIRTHS	28	0	4	24	3	0	0	3	25	0	4	21
TEENS WHO HAD PREVIOUS PREGNANCIES	37	0	7	30	5	0	1	4	32	0	6	26
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	2	3	0	0	0	0	5	0	2	3
TEENAGE FERTILITY RATE	56.2	3.4	109.0	(15-19)	48.3	0.0	89.5	(15-19)	57.5	4.0	112.8	(15-19)
TEENAGE FETAL DEATHS**	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE FETAL DEATH RATIO	22.9	0.0	40.8	12.8	0.0	0.0	0.0	0.0	26.3	0.0	46.5	14.9
TEENAGE INDUCED TERMINATIONS#	11	2	3	6	1	0	0	1	10	2	3	5
TEENAGE INDUCED TERMINATION RATIO	84.0	500.0	61.2	76.9	58.8	0.0	0.0	90.9	87.7	500.0	69.8	74.6
TEENAGE PREGNANCIES#	145	6	54	85	18	0	6	12	127	6	48	73
TEENAGE PREGNANCY RATE	62.2	5.1	119.3	(15-19)	51.1	0.0	94.7	(15-19)	64.1	6.0	124.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: COPIAH

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	29,331	2,187	911	1,276	459
WHITE	13,990	820	364	456	176
NONWHITE	15,341	1,367	547	820	283

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	103	2	38	63	28	0	9	19	75	2	29	44
TEENAGE IMMATURE BIRTHS	26	0	7	19	2	0	0	2	24	0	7	17
TEENAGE PREMATURE BIRTHS	36	1	11	24	4	0	1	3	32	1	10	21
TEENAGE ILLEGITIMATE BIRTHS	94	2	38	54	20	0	9	11	74	2	29	43
TEENS WHO HAD PREVIOUS LIVE BIRTHS	30	0	6	24	9	0	2	7	21	0	4	17
TEENS WHO HAD PREVIOUS PREGNANCIES	42	0	9	33	13	0	2	11	29	0	7	22
TEENS WITH INADEQUATE* PRENATAL CARE	8	0	2	6	2	0	1	1	6	0	1	5
TEENAGE FERTILITY RATE	47.1	2.2	79.2 (15-19)		34.1	0.0	61.4 (15-19)		54.9	3.6	89.0 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	13	1	5	7	1	1	0	0	12	0	5	7
TEENAGE INDUCED TERMINATION RATIO	126.2	500.0	131.6	111.1	35.7	-	0.0	0.0	160.0	0.0	172.4	159.1
TEENAGE PREGNANCIES#	116	3	43	70	29	1	9	19	87	2	34	51
TEENAGE PREGNANCY RATE	53.0	3.3	88.6 (15-19)		35.4	2.7	61.4 (15-19)		63.6	3.6	103.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	9.7	0.0	0.0	15.9	0.0	0.0	0.0	0.0	13.3	0.0	0.0	22.7

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: COVINGTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	20,526	1,529	754	775	319
WHITE	12,803	843	402	441	192
NONWHITE	7,723	686	352	334	127

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	74	0	23	51	40	0	11	29	34	0	12	22
TEENAGE IMMATURE BIRTHS	5	0	2	3	1	0	0	1	4	0	2	2
TEENAGE PREMATURE BIRTHS	14	0	5	9	4	0	0	4	10	0	5	5
TEENAGE ILLEGITIMATE BIRTHS	59	0	22	37	25	0	10	15	34	0	12	22
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	0	3	14	7	0	1	6	10	0	2	8
TEENS WHO HAD PREVIOUS PREGNANCIES	24	0	4	20	10	0	1	9	14	0	3	11
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	2	5	0	0	0	0	7	0	2	5
TEENAGE FERTILITY RATE	48.4	0.0	95.5 (15-19)		47.4	0.0	90.7 (15-19)		49.6	0.0	101.8 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	9	0	2	7	3	0	0	3	6	0	2	4
TEENAGE INDUCED TERMINATION RATIO	121.6	0.0	87.0	137.2	75.0	0.0	0.0	103.4	176.5	0.0	166.7	181.8
TEENAGE PREGNANCIES#	83	0	25	58	43	0	11	32	40	0	14	26
TEENAGE PREGNANCY RATE	54.3	0.0	107.1 (15-19)		51.0	0.0	97.5 (15-19)		58.3	0.0	119.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	1	0	0	1	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	27.0	0.0	43.5	19.6	25.0	0.0	0.0	34.5	29.4	0.0	83.3	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: DESOTO

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	154,748	11,334	6,007	5,327	2,326
WHITE	117,676	7,841	4,112	3,729	1,759
NONWHITE	37,072	3,493	1,895	1,598	567

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	255	4	83	168	161	3	50	108	94	1	33	60
TEENAGE IMMATURE BIRTHS	24	0	10	14	14	0	6	8	10	0	4	6
TEENAGE PREMATURE BIRTHS	28	1	13	14	20	1	10	9	8	0	3	5
TEENAGE ILLEGITIMATE BIRTHS	221	4	80	137	128	3	47	78	93	1	33	59
TEENS WHO HAD PREVIOUS LIVE BIRTHS	45	0	7	38	29	0	5	24	16	0	2	14
TEENS WHO HAD PREVIOUS PREGNANCIES	47	0	7	40	30	0	5	25	17	0	2	15
TEENS WITH INADEQUATE* PRENATAL CARE	28	1	6	21	18	1	5	12	10	0	1	9
TEENAGE FERTILITY RATE	22.5	0.7	47.1 (15-19)		20.5	0.7	42.4 (15-19)		26.9	0.5	58.2 (15-19)	
TEENAGE FETAL DEATHS**	2	0	2	0	1	0	1	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	7.8	0.0	24.1	0.0	6.2	0.0	20.0	0.0	10.6	0.0	30.3	0.0
TEENAGE INDUCED TERMINATIONS#	85	3	32	50	38	0	12	26	44	3	19	22
TEENAGE INDUCED TERMINATION RATIO	333.3	750.0	385.5	297.6	236.0	0.0	240.0	240.7	468.1	3000.0	575.8	366.7
TEENAGE PREGNANCIES#	342	7	117	218	200	3	63	134	139	4	53	82
TEENAGE PREGNANCY RATE	30.2	1.2	62.9 (15-19)		25.5	0.7	52.8 (15-19)		39.8	2.1	84.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: FORREST

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	79,425	6,069	2,542	3,527	1,239
WHITE	49,581	3,235	1,279	1,956	696
NONWHITE	29,844	2,834	1,263	1,571	543

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	214	5	62	147	91	2	19	70	123	3	43	77
TEENAGE IMMATURE BIRTHS	35	2	10	23	9	1	1	7	26	1	9	16
TEENAGE PREMATURE BIRTHS	39	1	8	30	14	0	4	10	25	1	4	20
TEENAGE ILLEGITIMATE BIRTHS	191	5	58	128	69	2	15	52	122	3	43	76
TEENS WHO HAD PREVIOUS LIVE BIRTHS	54	0	8	46	23	0	4	19	31	0	4	27
TEENS WHO HAD PREVIOUS PREGNANCIES	64	0	10	54	26	0	4	22	38	0	6	32
TEENS WITH INADEQUATE* PRENATAL CARE	21	1	3	17	8	0	1	7	13	1	2	10
TEENAGE FERTILITY RATE	35.3	2.0	59.2 (15-19)		28.1	1.6	45.5 (15-19)		43.4	2.4	76.4 (15-19)	
TEENAGE FETAL DEATHS**	3	0	2	1	1	0	0	1	2	0	2	0
TEENAGE FETAL DEATH RATIO	14.0	0.0	32.2	6.8	11.0	0.0	0.0	14.3	16.3	0.0	46.5	0.0
TEENAGE INDUCED TERMINATIONS#	35	1	7	27	8	0	1	7	27	1	6	20
TEENAGE INDUCED TERMINATION RATIO	163.6	200.0	112.9	183.7	87.9	0.0	52.6	100.0	219.5	333.3	139.5	259.7
TEENAGE PREGNANCIES#	252	6	71	175	100	2	20	78	152	4	51	97
TEENAGE PREGNANCY RATE	41.5	2.4	69.7 (15-19)		30.9	1.6	50.1 (15-19)		53.6	3.2	94.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	3	0	0	3	1	0	0	1	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	14.0	0.0	0.0	20.4	11.0	0.0	0.0	14.3	16.3	0.0	0.0	26.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: FRANKLIN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	8,316	492	228	264	127
WHITE	5,147	246	110	136	61
NONWHITE	3,169	246	118	128	66

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	16	0	4	12	6	0	0	6	10	0	4	6
TEENAGE IMMATURE BIRTHS	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE PREMATURE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE ILLEGITIMATE BIRTHS	13	0	4	9	4	0	0	4	9	0	4	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	0	3	2	0	0	2	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	3	0	0	3	2	0	0	2	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	32.5	0.0	60.6 (15-19)		24.4	0.0	44.1 (15-19)		40.6	0.0	78.1 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	16	0	4	12	6	0	0	6	10	0	4	6
TEENAGE PREGNANCY RATE	32.5	0.0	60.6 (15-19)		24.4	0.0	44.1 (15-19)		40.6	0.0	78.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: GEORGE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	22,406	1,580	841	739	382
WHITE	20,001	1,365	728	637	354
NONWHITE	2,405	215	113	102	28

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	66	0	15	51	60	0	13	47	6	0	2	4
TEENAGE IMMATURE BIRTHS	13	0	3	10	11	0	2	9	2	0	1	1
TEENAGE PREMATURE BIRTHS	16	0	5	11	14	0	4	10	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	49	0	13	36	43	0	11	32	6	0	2	4
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	5	10	14	0	4	10	1	0	1	0
TEENS WHO HAD PREVIOUS PREGNANCIES	23	0	6	17	19	0	5	14	4	0	1	3
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	0	4	4	0	0	4	0	0	0	0
TEENAGE FERTILITY RATE	41.8	0.0	89.3 (15-19)		44.0	0.0	94.2 (15-19)		27.9	0.0	58.8 (15-19)	
TEENAGE FETAL DEATHS**	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE FETAL DEATH RATIO	30.3	0.0	0.0	39.2	16.7	0.0	0.0	21.3	166.7	0.0	0.0	250.0
TEENAGE INDUCED TERMINATIONS#	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	15.2	0.0	66.7	0.0	16.7	0.0	76.9	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	69	0	16	53	62	0	14	48	7	0	2	5
TEENAGE PREGNANCY RATE	43.7	0.0	93.4 (15-19)		45.4	0.0	97.3 (15-19)		32.6	0.0	68.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: GREENE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,818	790	394	396	151
WHITE	9,790	630	322	308	121
NONWHITE	4,028	160	72	88	30

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	17	0	3	14	16	0	3	13	1	0	0	1
TEENAGE IMMATURE BIRTHS	3	0	0	3	3	0	0	3	0	0	0	0
TEENAGE PREMATURE BIRTHS	5	0	0	5	4	0	0	4	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	11	0	3	8	10	0	3	7	1	0	0	1
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	0	3	2	0	0	2	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	5	0	0	5	4	0	0	4	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	1	3	3	0	1	2	1	0	0	1
TEENAGE FERTILITY RATE	21.5	0.0	42.9 (15-19)		25.4	0.0	51.9 (15-19)		6.2	0.0	11.4 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	17	0	3	14	16	0	3	13	1	0	0	1
TEENAGE PREGNANCY RATE	21.5	0.0	42.9 (15-19)		25.4	0.0	51.9 (15-19)		6.2	0.0	11.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: GRENADA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	22,995	1,669	817	852	333
WHITE	13,093	838	415	423	154
NONWHITE	9,902	831	402	429	179

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	69	0	23	46	25	0	5	20	44	0	18	26
TEENAGE IMMATURE BIRTHS	7	0	4	3	2	0	1	1	5	0	3	2
TEENAGE PREMATURE BIRTHS	12	0	5	7	3	0	1	2	9	0	4	5
TEENAGE ILLEGITIMATE BIRTHS	64	0	22	42	20	0	4	16	44	0	18	26
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	4	12	4	0	0	4	12	0	4	8
TEENS WHO HAD PREVIOUS PREGNANCIES	18	0	4	14	6	0	0	6	12	0	4	8
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	2	0	1	0	1	0	1	0	1	0
TEENAGE FERTILITY RATE	41.3	0.0	81.0 (15-19)		29.8	0.0	59.1 (15-19)		52.9	0.0	102.6 (15-19)	
TEENAGE FETAL DEATHS**	1	1	0	0	0	0	0	0	1	1	0	0
TEENAGE FETAL DEATH RATIO	14.5	-	0.0	0.0	0.0	0.0	0.0	0.0	22.7	-	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	9	0	2	7	0	0	0	0	8	0	2	6
TEENAGE INDUCED TERMINATION RATIO	130.4	0.0	87.0	152.2	0.0	0.0	0.0	0.0	181.8	0.0	111.1	230.8
TEENAGE PREGNANCIES#	79	1	25	53	25	0	5	20	53	1	20	32
TEENAGE PREGNANCY RATE	47.3	1.2	91.5 (15-19)		29.8	0.0	59.1 (15-19)		63.8	2.5	121.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	14.5	0.0	0.0	21.7	0.0	0.0	0.0	0.0	22.7	0.0	0.0	38.5

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: HANCOCK

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	40,140	2,683	1,301	1,382	532
WHITE	36,162	2,391	1,161	1,230	489
NONWHITE	3,978	292	140	152	43

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	93	2	24	67	86	1	21	64	7	1	3	3
TEENAGE IMMATURE BIRTHS	6	0	1	5	6	0	1	5	0	0	0	0
TEENAGE PREMATURE BIRTHS	10	1	2	7	8	0	2	6	2	1	0	1
TEENAGE ILLEGITIMATE BIRTHS	77	2	21	54	71	1	18	52	6	1	3	2
TEENS WHO HAD PREVIOUS LIVE BIRTHS	21	0	3	18	19	0	2	17	2	0	1	1
TEENS WHO HAD PREVIOUS PREGNANCIES	22	0	3	19	20	0	2	18	2	0	1	1
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	3	4	7	0	3	4	0	0	0	0
TEENAGE FERTILITY RATE	34.7	1.5	65.8 (15-19)		36.0	0.9	69.1 (15-19)		24.0	7.1	39.5 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	10.8	0.0	41.7	0.0	11.6	0.0	47.6	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	94	2	25	67	87	1	22	64	7	1	3	3
TEENAGE PREGNANCY RATE	35.0	1.5	66.6 (15-19)		36.4	0.9	69.9 (15-19)		24.0	7.1	39.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	2	0	1	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	21.5	0.0	41.7	14.9	23.3	0.0	47.6	15.6	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: HARRISON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	178,460	12,576	6,260	6,316	2,952
WHITE	126,933	8,008	3,938	4,070	2,043
NONWHITE	51,527	4,568	2,322	2,246	909

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	379	3	115	261	243	2	67	174	136	1	48	87
TEENAGE IMMATURE BIRTHS	46	0	16	30	27	0	9	18	19	0	7	12
TEENAGE PREMATURE BIRTHS	70	0	30	40	35	0	14	21	35	0	16	19
TEENAGE ILLEGITIMATE BIRTHS	320	3	109	208	190	2	61	127	130	1	48	81
TEENS WHO HAD PREVIOUS LIVE BIRTHS	69	0	8	61	40	0	1	39	29	0	7	22
TEENS WHO HAD PREVIOUS PREGNANCIES	83	0	12	71	50	0	5	45	33	0	7	26
TEENS WITH INADEQUATE* PRENATAL CARE	38	0	14	24	16	0	6	10	22	0	8	14
TEENAGE FERTILITY RATE	30.1	0.5	59.5 (15-19)		30.3	0.5	59.2 (15-19)		29.8	0.4	60.1 (15-19)	
TEENAGE FETAL DEATHS**	5	0	0	5	3	0	0	3	2	0	0	2
TEENAGE FETAL DEATH RATIO	13.2	0.0	0.0	19.2	12.3	0.0	0.0	17.2	14.7	0.0	0.0	23.0
TEENAGE INDUCED TERMINATIONS#	22	1	6	15	7	0	2	5	14	1	3	10
TEENAGE INDUCED TERMINATION RATIO	58.0	333.3	52.2	57.5	28.8	0.0	29.8	28.7	102.9	1000.0	62.5	114.9
TEENAGE PREGNANCIES#	406	4	121	281	253	2	69	182	152	2	51	99
TEENAGE PREGNANCY RATE	32.3	0.6	63.6 (15-19)		31.6	0.5	61.7 (15-19)		33.3	0.9	66.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	2.6	0.0	0.0	3.8	4.1	0.0	0.0	5.7	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: HINDS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	247,650	19,167	8,871	10,296	3,861
WHITE	78,669	4,380	1,779	2,601	873
NONWHITE	168,981	14,787	7,092	7,695	2,988

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	589	15	164	410	72	0	16	56	517	15	148	354
TEENAGE IMMATURE BIRTHS	90	6	18	66	8	0	1	7	82	6	17	59
TEENAGE PREMATURE BIRTHS	140	7	43	90	16	0	7	9	124	7	36	81
TEENAGE ILLEGITIMATE BIRTHS	570	15	162	393	58	0	14	44	512	15	148	349
TEENS WHO HAD PREVIOUS LIVE BIRTHS	151	0	35	116	10	0	2	8	141	0	33	108
TEENS WHO HAD PREVIOUS PREGNANCIES	173	1	37	135	11	0	2	9	162	1	35	126
TEENS WITH INADEQUATE* PRENATAL CARE	43	3	12	28	4	0	2	2	39	3	10	26
TEENAGE FERTILITY RATE	30.7	1.7	55.8 (15-19)		16.4	0.0	27.7 (15-19)		35.0	2.1	65.2 (15-19)	
TEENAGE FETAL DEATHS**	19	1	4	14	1	0	0	1	18	1	4	13
TEENAGE FETAL DEATH RATIO	32.2	66.7	24.4	34.1	13.9	0.0	0.0	17.8	34.8	66.7	27.0	36.7
TEENAGE INDUCED TERMINATIONS#	190	9	56	125	13	0	1	12	177	9	55	113
TEENAGE INDUCED TERMINATION RATIO	322.6	600.0	341.5	304.9	180.6	0.0	62.5	214.3	342.4	600.0	371.6	319.2
TEENAGE PREGNANCIES#	798	25	224	549	86	0	17	69	712	25	207	480
TEENAGE PREGNANCY RATE	41.6	2.8	75.1 (15-19)		19.6	0.0	33.1 (15-19)		48.2	3.5	89.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	6	0	2	4	2	0	0	2	4	0	2	2
INFANT MORTALITY RATE, TEEN MOMS	10.2	0.0	12.2	9.8	27.8	0.0	0.0	35.7	7.7	0.0	13.5	5.7

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: HOLMES

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	20,595	1,703	759	944	379
WHITE	3,763	222	59	163	36
NONWHITE	16,832	1,481	700	781	343

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	90	2	32	56	3	0	1	2	87	2	31	54
TEENAGE IMMATURE BIRTHS	9	0	5	4	0	0	0	0	9	0	5	4
TEENAGE PREMATURE BIRTHS	22	0	10	12	2	0	1	1	20	0	9	11
TEENAGE ILLEGITIMATE BIRTHS	90	2	32	56	3	0	1	2	87	2	31	54
TEENS WHO HAD PREVIOUS LIVE BIRTHS	20	0	3	17	0	0	0	0	20	0	3	17
TEENS WHO HAD PREVIOUS PREGNANCIES	25	0	4	21	0	0	0	0	25	0	4	21
TEENS WITH INADEQUATE* PRENATAL CARE	8	0	1	7	0	0	0	0	8	0	1	7
TEENAGE FERTILITY RATE	52.8	2.6	93.2 (15-19)		13.5	0.0	18.4 (15-19)		58.7	2.8	108.8 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	12	1	2	9	0	0	0	0	12	1	2	9
TEENAGE INDUCED TERMINATION RATIO	133.3	500.0	62.5	160.7	0.0	0.0	0.0	0.0	137.9	500.0	64.5	166.7
TEENAGE PREGNANCIES#	102	3	34	65	3	0	1	2	99	3	33	63
TEENAGE PREGNANCY RATE	59.9	4.0	104.9 (15-19)		13.5	0.0	18.4 (15-19)		66.8	4.3	122.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: HUMPHREYS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,089	729	333	396	184
WHITE	2,658	133	57	76	24
NONWHITE	7,431	596	276	320	160

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	40	2	20	18	3	0	2	1	37	2	18	17
TEENAGE IMMATURE BIRTHS	7	0	2	5	1	0	0	1	6	0	2	4
TEENAGE PREMATURE BIRTHS	11	0	8	3	1	0	1	0	10	0	7	3
TEENAGE ILLEGITIMATE BIRTHS	40	2	20	18	3	0	2	1	37	2	18	17
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	3	6	2	0	1	1	7	0	2	5
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	4	8	2	0	1	1	10	0	3	7
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	3	2	2	0	2	0	3	0	1	2
TEENAGE FERTILITY RATE	54.9	6.0	96.0 (15-19)		22.6	0.0	39.5 (15-19)		62.1	7.2	109.4 (15-19)	
TEENAGE FETAL DEATHS**	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE FETAL DEATH RATIO	50.0	0.0	100.0	0.0	0.0	0.0	0.0	0.0	54.0	0.0	111.1	0.0
TEENAGE INDUCED TERMINATIONS#	5	0	3	2	1	0	0	1	4	0	3	1
TEENAGE INDUCED TERMINATION RATIO	125.0	0.0	150.0	111.1	333.3	0.0	0.0	1000.0	108.1	0.0	166.7	58.8
TEENAGE PREGNANCIES#	47	2	25	20	4	0	2	2	43	2	23	18
TEENAGE PREGNANCY RATE	64.5	6.0	113.6 (15-19)		30.1	0.0	52.6 (15-19)		72.1	7.2	128.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: ISSAQUENA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	1,658	106	44	62	13
WHITE	672	32	14	18	5
NONWHITE	986	74	30	44	8

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE IMMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE PREMATURE BIRTHS	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	1	0	1	0	1	0	1	0	0	0	0	0
TEENS WHO HAD PREVIOUS LIVE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	0	0	0	0	0	0	0	0	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	18.9	0.0	32.2 (15-19)		31.2	0.0	55.6 (15-19)		13.5	0.0	22.7 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE PREGNANCY RATE	18.9	0.0	32.2 (15-19)		31.2	0.0	55.6 (15-19)		13.5	0.0	22.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: ITAWAMBA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	23,175	1,739	733	1,006	297
WHITE	21,350	1,526	665	861	275
NONWHITE	1,825	213	68	145	22

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	44	0	14	30	40	0	12	28	4	0	2	2
TEENAGE IMMATURE BIRTHS	7	0	2	5	7	0	2	5	0	0	0	0
TEENAGE PREMATURE BIRTHS	4	0	0	4	4	0	0	4	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	30	0	12	18	26	0	10	16	4	0	2	2
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	1	7	7	0	1	6	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	1	9	9	0	1	8	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	25.3	0.0	43.7 (15-19)		26.2	0.0	46.4 (15-19)		18.8	0.0	27.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	2	2	3	0	2	1	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	90.9	0.0	142.8	66.7	75.0	0.0	166.7	35.7	250.0	0.0	0.0	500.0
TEENAGE PREGNANCIES#	48	0	16	32	43	0	14	29	5	0	2	3
TEENAGE PREGNANCY RATE	27.6	0.0	47.7 (15-19)		28.2	0.0	49.9 (15-19)		23.5	0.0	34.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: JACKSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	130,694	9,356	4,579	4,777	1,882
WHITE	96,702	6,379	3,114	3,265	1,355
NONWHITE	33,992	2,977	1,465	1,512	527

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	302	2	80	220	201	0	48	153	101	2	32	67
TEENAGE IMMATURE BIRTHS	34	1	5	28	21	0	3	18	13	1	2	10
TEENAGE PREMATURE BIRTHS	46	0	12	34	32	0	6	26	14	0	6	8
TEENAGE ILLEGITIMATE BIRTHS	262	2	74	186	166	0	42	124	96	2	32	62
TEENS WHO HAD PREVIOUS LIVE BIRTHS	74	0	7	67	51	0	5	46	23	0	2	21
TEENS WHO HAD PREVIOUS PREGNANCIES	90	0	9	81	62	0	7	55	28	0	2	26
TEENS WITH INADEQUATE* PRENATAL CARE	11	0	1	10	8	0	0	8	3	0	1	2
TEENAGE FERTILITY RATE	32.3	0.4	62.8 (15-19)		31.5	0.0	61.6 (15-19)		33.9	1.4	65.5 (15-19)	
TEENAGE FETAL DEATHS**	2	0	1	1	2	0	1	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	6.6	0.0	12.5	4.5	10.0	0.0	20.8	6.5	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	28	3	10	15	16	1	4	11	11	2	5	4
TEENAGE INDUCED TERMINATION RATIO	92.7	1500.0	125.0	68.2	79.6	-	83.3	71.9	108.9	1000.0	156.2	59.7
TEENAGE PREGNANCIES#	332	5	91	236	219	1	53	165	112	4	37	71
TEENAGE PREGNANCY RATE	35.5	1.1	68.4 (15-19)		34.3	0.3	66.8 (15-19)		37.6	2.7	71.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	3	0	1	2	2	0	1	1	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	9.9	0.0	12.5	9.1	10.0	0.0	20.8	6.5	9.9	0.0	0.0	14.9

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: JASPER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	18,253	1,332	641	691	249
WHITE	8,631	508	258	250	93
NONWHITE	9,622	824	383	441	156

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	41	0	17	24	8	0	5	3	33	0	12	21
TEENAGE IMMATURE BIRTHS	6	0	2	4	0	0	0	0	6	0	2	4
TEENAGE PREMATURE BIRTHS	13	0	3	10	1	0	0	1	12	0	3	9
TEENAGE ILLEGITIMATE BIRTHS	39	0	16	23	6	0	4	2	33	0	12	21
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	0	8	2	0	0	2	6	0	0	6
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	0	9	2	0	0	2	7	0	0	7
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	4	3	2	0	1	1	5	0	3	2
TEENAGE FERTILITY RATE	30.8	0.0	59.3 (15-19)		15.7	0.0	32.0 (15-19)		40.0	0.0	74.8 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	11	0	5	6	0	0	0	0	11	0	5	6
TEENAGE INDUCED TERMINATION RATIO	268.3	0.0	294.1	250.0	0.0	0.0	0.0	0.0	333.3	0.0	416.7	285.7
TEENAGE PREGNANCIES#	52	0	22	30	8	0	5	3	44	0	17	27
TEENAGE PREGNANCY RATE	39.0	0.0	75.2 (15-19)		15.7	0.0	32.0 (15-19)		53.4	0.0	99.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	24.4	0.0	0.0	41.7	0.0	0.0	0.0	0.0	30.3	0.0	0.0	47.6

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: JEFFERSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	8,872	641	304	337	119
WHITE	1,189	44	24	20	7
NONWHITE	7,683	597	280	317	112

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	20	1	9	10	1	0	1	0	19	1	8	10
TEENAGE IMMATURE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE PREMATURE BIRTHS	6	0	3	3	0	0	0	0	6	0	3	3
TEENAGE ILLEGITIMATE BIRTHS	20	1	9	10	1	0	1	0	19	1	8	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	2	2	1	0	1	0	3	0	1	2
TEENS WHO HAD PREVIOUS PREGNANCIES	5	0	2	3	1	0	1	0	4	0	1	3
TEENS WITH INADEQUATE* PRENATAL CARE	2	1	0	1	0	0	0	0	2	1	0	1
TEENAGE FERTILITY RATE	31.2	3.3	56.4 (15-19)		22.7	0.0	50.0 (15-19)		31.8	3.6	56.8 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	100.0	0.0	0.0	200.0	0.0	0.0	0.0	0.0	105.3	0.0	0.0	200.0
TEENAGE PREGNANCIES#	22	1	9	12	1	0	1	0	21	1	8	12
TEENAGE PREGNANCY RATE	34.3	3.3	62.3 (15-19)		22.7	0.0	50.0 (15-19)		35.2	3.6	63.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	50.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0	52.6	0.0	0.0	100.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: JEFF DAVIS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,653	871	416	455	195
WHITE	5,209	269	118	151	60
NONWHITE	7,444	602	298	304	135

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	35	0	12	23	9	0	2	7	26	0	10	16
TEENAGE IMMATURE BIRTHS	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE PREMATURE BIRTHS	7	0	4	3	2	0	1	1	5	0	3	2
TEENAGE ILLEGITIMATE BIRTHS	31	0	12	19	5	0	2	3	26	0	10	16
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	0	5	2	0	0	2	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	0	8	3	0	0	3	5	0	0	5
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	3	0	1	0	1	0	2	0	2	0
TEENAGE FERTILITY RATE	40.2	0.0	76.9 (15-19)		33.4	0.0	59.6 (15-19)		43.2	0.0	85.5 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE INDUCED TERMINATION RATIO	85.7	0.0	166.7	43.5	0.0	0.0	0.0	0.0	115.4	0.0	200.0	62.5
TEENAGE PREGNANCIES#	38	0	14	24	9	0	2	7	29	0	12	17
TEENAGE PREGNANCY RATE	43.6	0.0	83.5 (15-19)		33.4	0.0	59.6 (15-19)		48.2	0.0	95.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: JONES

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	67,198	4,412	2,070	2,342	1,116
WHITE	47,790	2,731	1,265	1,466	738
NONWHITE	19,408	1,681	805	876	378

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	191	2	61	128	103	1	29	73	88	1	32	55
TEENAGE IMMATURE BIRTHS	18	0	6	12	7	0	2	5	11	0	4	7
TEENAGE PREMATURE BIRTHS	32	0	12	20	16	0	6	10	16	0	6	10
TEENAGE ILLEGITIMATE BIRTHS	163	2	59	102	75	1	27	47	88	1	32	55
TEENS WHO HAD PREVIOUS LIVE BIRTHS	47	0	7	40	29	0	3	26	18	0	4	14
TEENS WHO HAD PREVIOUS PREGNANCIES	65	0	15	50	39	0	8	31	26	0	7	19
TEENS WITH INADEQUATE* PRENATAL CARE	12	1	2	9	6	1	1	4	6	0	1	5
TEENAGE FERTILITY RATE	43.3	1.0	80.7 (15-19)		37.7	0.8	69.6 (15-19)		52.4	1.2	99.3 (15-19)	
TEENAGE FETAL DEATHS**	3	0	2	1	1	0	1	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	15.7	0.0	32.8	7.8	9.7	0.0	34.5	0.0	22.7	0.0	31.2	18.2
TEENAGE INDUCED TERMINATIONS#	13	1	3	9	4	0	2	2	9	1	1	7
TEENAGE INDUCED TERMINATION RATIO	68.1	500.0	49.2	70.3	38.8	0.0	69.0	27.4	102.3	1000.0	31.2	127.3
TEENAGE PREGNANCIES#	207	3	66	138	108	1	32	75	99	2	34	63
TEENAGE PREGNANCY RATE	46.9	1.4	87.1 (15-19)		39.5	0.8	73.0 (15-19)		58.9	2.5	110.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1
INFANT MORTALITY RATE, TEEN MOMS	10.5	0.0	16.4	7.8	0.0	0.0	0.0	0.0	22.7	0.0	31.3	18.2

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: KEMPER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,967	709	313	396	124
WHITE	3,728	193	75	118	36
NONWHITE	6,239	516	238	278	88

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	21	1	9	11	4	0	2	2	17	1	7	9
TEENAGE IMMATURE BIRTHS	4	1	1	2	1	0	1	0	3	1	0	2
TEENAGE PREMATURE BIRTHS	4	1	2	1	1	0	1	0	3	1	1	1
TEENAGE ILLEGITIMATE BIRTHS	21	1	9	11	4	0	2	2	17	1	7	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	1	2	0	0	0	0	3	0	1	2
TEENS WHO HAD PREVIOUS PREGNANCIES	3	0	1	2	0	0	0	0	3	0	1	2
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE FERTILITY RATE	29.6	3.2	50.5 (15-19)		20.7	0.0	33.9 (15-19)		32.9	4.2	57.6 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	47.6	0.0	0.0	90.9	0.0	0.0	0.0	0.0	58.8	0.0	0.0	111.1
TEENAGE INDUCED TERMINATIONS#	4	0	4	0	1	0	1	0	3	0	3	0
TEENAGE INDUCED TERMINATION RATIO	190.5	0.0	444.4	0.0	250.0	0.0	500.0	0.0	176.5	0.0	428.6	0.0
TEENAGE PREGNANCIES#	26	1	13	12	5	0	3	2	21	1	10	10
TEENAGE PREGNANCY RATE	36.7	3.2	63.1 (15-19)		25.9	0.0	42.4 (15-19)		40.7	4.2	71.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: LAFAYETTE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	43,922	3,427	1,095	2,332	501
WHITE	32,001	2,441	673	1,768	327
NONWHITE	11,921	986	422	564	174

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	39	0	10	29	17	0	3	14	22	0	7	15
TEENAGE IMMATURE BIRTHS	6	0	1	5	2	0	0	2	4	0	1	3
TEENAGE PREMATURE BIRTHS	7	0	1	6	3	0	0	3	4	0	1	3
TEENAGE ILLEGITIMATE BIRTHS	32	0	10	22	11	0	3	8	21	0	7	14
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	0	11	7	0	0	7	4	0	0	4
TEENS WHO HAD PREVIOUS PREGNANCIES	13	0	0	13	7	0	0	7	6	0	0	6
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	1	5	2	0	0	2	4	0	1	3
TEENAGE FERTILITY RATE	11.4	0.0	16.7 (15-19)		7.0	0.0	9.6 (15-19)		22.3	0.0	39.0 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	21	0	1	20	11	0	1	10	10	0	0	10
TEENAGE INDUCED TERMINATION RATIO	538.5	0.0	100.0	689.6	647.0	0.0	333.3	714.3	454.5	0.0	0.0	666.7
TEENAGE PREGNANCIES#	60	0	11	49	28	0	4	24	32	0	7	25
TEENAGE PREGNANCY RATE	17.5	0.0	25.7 (15-19)		11.5	0.0	15.8 (15-19)		32.4	0.0	56.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	25.6	0.0	100.0	0.0	0.0	0.0	0.0	0.0	45.5	0.0	142.9	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: LAMAR

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	49,121	3,424	1,737	1,687	830
WHITE	40,323	2,611	1,316	1,295	626
NONWHITE	8,798	813	421	392	204

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	86	1	25	60	51	0	18	33	35	1	7	27
TEENAGE IMMATURE BIRTHS	13	0	4	9	7	0	4	3	6	0	0	6
TEENAGE PREMATURE BIRTHS	14	0	2	12	8	0	2	6	6	0	0	6
TEENAGE ILLEGITIMATE BIRTHS	74	1	22	51	39	0	15	24	35	1	7	27
TEENS WHO HAD PREVIOUS LIVE BIRTHS	23	0	2	21	9	0	1	8	14	0	1	13
TEENS WHO HAD PREVIOUS PREGNANCIES	28	0	2	26	13	0	1	12	15	0	1	14
TEENS WITH INADEQUATE* PRENATAL CARE	9	0	7	2	4	0	3	1	5	0	4	1
TEENAGE FERTILITY RATE	25.1	0.6	50.4 (15-19)		19.5	0.0	39.4 (15-19)		43.0	2.4	86.7 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	12	0	2	10	5	0	1	4	7	0	1	6
TEENAGE INDUCED TERMINATION RATIO	139.5	0.0	80.0	166.7	98.0	0.0	55.6	121.2	200.0	0.0	142.8	222.2
TEENAGE PREGNANCIES#	98	1	27	70	56	0	19	37	42	1	8	33
TEENAGE PREGNANCY RATE	28.6	0.6	57.5 (15-19)		21.4	0.0	43.2 (15-19)		51.7	2.4	104.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	3	0	1	2	2	0	1	1	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	34.9	0.0	40.0	33.3	39.2	0.0	55.6	30.3	28.6	0.0	0.0	37.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: LAUDERDALE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	78,180	5,606	2,571	3,035	1,216
WHITE	44,504	2,630	1,189	1,441	584
NONWHITE	33,676	2,976	1,382	1,594	632

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	203	5	76	122	65	1	17	47	138	4	59	75
TEENAGE IMMATURE BIRTHS	29	0	10	19	8	0	1	7	21	0	9	12
TEENAGE PREMATURE BIRTHS	38	0	13	25	12	0	3	9	26	0	10	16
TEENAGE ILLEGITIMATE BIRTHS	190	5	76	109	52	1	17	34	138	4	59	75
TEENS WHO HAD PREVIOUS LIVE BIRTHS	51	0	13	38	13	0	2	11	38	0	11	27
TEENS WHO HAD PREVIOUS PREGNANCIES	60	0	15	45	16	0	2	14	44	0	13	31
TEENS WITH INADEQUATE* PRENATAL CARE	12	0	5	7	4	0	0	4	8	0	5	3
TEENAGE FERTILITY RATE	36.2	1.9	65.2 (15-19)		24.7	0.8	44.4 (15-19)		46.4	2.9	84.1 (15-19)	
TEENAGE FETAL DEATHS**	4	0	1	3	0	0	0	0	4	0	1	3
TEENAGE FETAL DEATH RATIO	19.7	0.0	13.2	24.6	0.0	0.0	0.0	0.0	29.0	0.0	16.9	40.0
TEENAGE INDUCED TERMINATIONS#	34	2	15	17	8	1	2	5	26	1	13	12
TEENAGE INDUCED TERMINATION RATIO	167.5	400.0	197.4	139.3	123.1	1000.0	117.6	106.4	188.4	250.0	220.3	160.0
TEENAGE PREGNANCIES#	241	7	92	142	73	2	19	52	168	5	73	90
TEENAGE PREGNANCY RATE	43.0	2.7	77.1 (15-19)		27.8	1.7	49.3 (15-19)		56.4	3.6	102.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: LAWRENCE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,370	930	458	472	211
WHITE	8,906	533	260	273	134
NONWHITE	4,464	397	198	199	77

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	32	1	9	22	15	1	3	11	17	0	6	11
TEENAGE IMMATURE BIRTHS	8	0	2	6	2	0	0	2	6	0	2	4
TEENAGE PREMATURE BIRTHS	7	0	0	7	2	0	0	2	5	0	0	5
TEENAGE ILLEGITIMATE BIRTHS	28	1	9	18	11	1	3	7	17	0	6	11
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	0	3	0	0	0	0	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	0	6	3	0	0	3	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	2	1	1	0	1	0	2	0	1	1
TEENAGE FERTILITY RATE	34.4	2.2	65.7 (15-19)		28.1	3.8	51.3 (15-19)		42.8	0.0	85.4 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	7	1	0	6	4	1	0	3	3	0	0	3
TEENAGE INDUCED TERMINATION RATIO	218.8	1000.0	0.0	272.7	266.7	1000.0	0.0	272.7	176.5	0.0	0.0	272.7
TEENAGE PREGNANCIES#	39	2	9	28	19	2	3	14	20	0	6	14
TEENAGE PREGNANCY RATE	41.9	4.4	78.4 (15-19)		35.6	7.7	62.3 (15-19)		50.4	0.0	100.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: LEAKE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	22,844	1,726	857	869	397
WHITE	12,604	788	409	379	188
NONWHITE	10,240	938	448	490	209

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	69	2	16	51	29	0	8	21	40	2	8	30
TEENAGE IMMATURE BIRTHS	12	1	2	9	4	0	0	4	8	1	2	5
TEENAGE PREMATURE BIRTHS	18	1	4	13	8	0	2	6	10	1	2	7
TEENAGE ILLEGITIMATE BIRTHS	59	2	15	42	20	0	8	12	39	2	7	30
TEENS WHO HAD PREVIOUS LIVE BIRTHS	19	0	1	18	9	0	0	9	10	0	1	9
TEENS WHO HAD PREVIOUS PREGNANCIES	20	0	1	19	10	0	0	10	10	0	1	9
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	0	4	2	0	0	2	2	0	0	2
TEENAGE FERTILITY RATE	40.0	2.3	77.1 (15-19)		36.8	0.0	76.5 (15-19)		42.6	4.5	77.6 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	14.5	0.0	62.5	0.0	34.5	0.0	125.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	6	0	0	6	1	0	0	1	4	0	0	4
TEENAGE INDUCED TERMINATION RATIO	87.0	0.0	0.0	117.6	34.5	0.0	0.0	47.6	100.0	0.0	0.0	133.3
TEENAGE PREGNANCIES#	76	2	17	57	31	0	9	22	44	2	8	34
TEENAGE PREGNANCY RATE	44.0	2.3	85.2 (15-19)		39.3	0.0	81.8 (15-19)		46.9	4.5	85.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: LEE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	81,139	5,563	2,854	2,709	1,241
WHITE	58,278	3,470	1,802	1,668	785
NONWHITE	22,861	2,093	1,052	1,041	456

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	202	5	69	128	104	0	28	76	98	5	41	52
TEENAGE IMMATURE BIRTHS	28	0	11	17	13	0	2	11	15	0	9	6
TEENAGE PREMATURE BIRTHS	31	0	8	23	16	0	2	14	15	0	6	9
TEENAGE ILLEGITIMATE BIRTHS	171	5	63	103	75	0	22	53	96	5	41	50
TEENS WHO HAD PREVIOUS LIVE BIRTHS	48	0	10	38	26	0	2	24	22	0	8	14
TEENS WHO HAD PREVIOUS PREGNANCIES	59	1	12	46	32	0	3	29	27	1	9	17
TEENS WITH INADEQUATE* PRENATAL CARE	4	1	2	1	1	0	0	1	3	1	2	0
TEENAGE FERTILITY RATE	36.3	1.8	72.7 (15-19)		30.0	0.0	62.4 (15-19)		46.8	4.8	89.3 (15-19)	
TEENAGE FETAL DEATHS**	5	0	2	3	3	0	1	2	2	0	1	1
TEENAGE FETAL DEATH RATIO	24.8	0.0	29.0	23.4	28.8	0.0	35.7	26.3	20.4	0.0	24.4	19.2
TEENAGE INDUCED TERMINATIONS#	26	3	6	17	15	2	2	11	11	1	4	6
TEENAGE INDUCED TERMINATION RATIO	128.7	600.0	87.0	132.8	144.2	-	71.4	144.7	112.2	200.0	97.6	115.4
TEENAGE PREGNANCIES#	233	8	77	148	122	2	31	89	111	6	46	59
TEENAGE PREGNANCY RATE	41.9	2.8	83.0 (15-19)		35.2	1.1	71.9 (15-19)		53.0	5.7	100.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	2	0	0	0	0	0	2	0	2	0
INFANT MORTALITY RATE, TEEN MOMS	9.9	0.0	29.0	0.0	0.0	0.0	0.0	0.0	20.4	0.0	48.8	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: LEFLORE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	35,185	2,785	1,298	1,487	629
WHITE	9,670	524	227	297	142
NONWHITE	25,515	2,261	1,071	1,190	487

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	137	4	47	86	14	0	7	7	123	4	40	79
TEENAGE IMMATURE BIRTHS	24	0	6	18	1	0	0	1	23	0	6	17
TEENAGE PREMATURE BIRTHS	25	1	7	17	0	0	0	0	25	1	7	17
TEENAGE ILLEGITIMATE BIRTHS	132	4	46	82	11	0	6	5	121	4	40	77
TEENS WHO HAD PREVIOUS LIVE BIRTHS	30	0	3	27	4	0	2	2	26	0	1	25
TEENS WHO HAD PREVIOUS PREGNANCIES	34	0	5	29	5	0	3	2	29	0	2	27
TEENS WITH INADEQUATE* PRENATAL CARE	26	0	10	16	3	0	0	3	23	0	10	13
TEENAGE FERTILITY RATE	49.2	3.1	89.4 (15-19)		26.7	0.0	47.1 (15-19)		54.4	3.7	100.0 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	18	2	4	12	2	0	1	1	16	2	3	11
TEENAGE INDUCED TERMINATION RATIO	131.4	500.0	85.1	139.5	142.8	0.0	142.8	142.8	130.1	500.0	75.0	139.2
TEENAGE PREGNANCIES#	155	6	51	98	16	0	8	8	139	6	43	90
TEENAGE PREGNANCY RATE	55.6	4.6	100.2 (15-19)		30.5	0.0	53.9 (15-19)		61.5	5.6	111.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	3	0	0	3	1	0	0	1	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	21.9	0.0	0.0	34.9	71.4	0.0	0.0	142.9	16.3	0.0	0.0	25.3

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: LINCOLN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	34,931	2,342	1,129	1,213	556
WHITE	23,875	1,432	667	765	350
NONWHITE	11,056	910	462	448	206

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	77	4	23	50	38	1	12	25	39	3	11	25
TEENAGE IMMATURE BIRTHS	12	0	2	10	8	0	1	7	4	0	1	3
TEENAGE PREMATURE BIRTHS	17	2	5	10	8	1	2	5	9	1	3	5
TEENAGE ILLEGITIMATE BIRTHS	61	4	19	38	22	1	8	13	39	3	11	25
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	2	14	12	0	1	11	4	0	1	3
TEENS WHO HAD PREVIOUS PREGNANCIES	19	0	4	15	12	0	1	11	7	0	3	4
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	2	4	2	0	0	2	4	0	2	2
TEENAGE FERTILITY RATE	32.9	3.5	60.2 (15-19)		26.5	1.5	48.4 (15-19)		42.8	6.5	80.4 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	13.0	0.0	0.0	20.0	26.3	0.0	0.0	40.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	8	1	3	4	4	0	2	2	4	1	1	2
TEENAGE INDUCED TERMINATION RATIO	103.9	250.0	130.4	80.0	105.3	0.0	166.7	80.0	102.6	333.3	90.9	80.0
TEENAGE PREGNANCIES#	86	5	26	55	43	1	14	28	43	4	12	27
TEENAGE PREGNANCY RATE	36.7	4.4	66.8 (15-19)		30.0	1.5	54.9 (15-19)		47.2	8.6	87.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	3	0	0	3	3	0	0	3	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	39.0	0.0	0.0	60.0	78.9	0.0	0.0	120.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: LOWNDES

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	59,284	4,442	2,127	2,315	885
WHITE	32,580	2,018	980	1,038	454
NONWHITE	26,704	2,424	1,147	1,277	431

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	149	1	45	103	46	1	10	35	103	0	35	68
TEENAGE IMMATURE BIRTHS	19	0	7	12	3	0	1	2	16	0	6	10
TEENAGE PREMATURE BIRTHS	34	1	10	23	9	1	0	8	25	0	10	15
TEENAGE ILLEGITIMATE BIRTHS	133	1	44	88	33	1	9	23	100	0	35	65
TEENS WHO HAD PREVIOUS LIVE BIRTHS	36	0	6	30	7	0	0	7	29	0	6	23
TEENS WHO HAD PREVIOUS PREGNANCIES	42	0	9	33	9	0	1	8	33	0	8	25
TEENS WITH INADEQUATE* PRENATAL CARE	10	0	2	8	1	0	0	1	9	0	2	7
TEENAGE FERTILITY RATE	33.5	0.5	63.9	(15-19)	22.8	1.0	43.4	(15-19)	42.5	0.0	80.6	(15-19)
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	13.4	0.0	22.2	9.7	0.0	0.0	0.0	0.0	19.4	0.0	28.6	14.7
TEENAGE INDUCED TERMINATIONS#	34	6	13	15	10	1	6	3	24	5	7	12
TEENAGE INDUCED TERMINATION RATIO	228.2	6000.0	288.9	145.6	217.4	1000.0	600.0	85.7	233.0	-	200.0	176.5
TEENAGE PREGNANCIES#	185	7	59	119	56	2	16	38	129	5	43	81
TEENAGE PREGNANCY RATE	41.6	3.3	76.9	(15-19)	27.8	2.0	52.0	(15-19)	53.2	4.4	97.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: MADISON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	91,369	6,802	3,468	3,334	1,439
WHITE	55,062	3,487	1,876	1,611	783
NONWHITE	36,307	3,315	1,592	1,723	656

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	150	0	50	100	39	0	10	29	111	0	40	71
TEENAGE IMMATURE BIRTHS	25	0	7	18	5	0	2	3	20	0	5	15
TEENAGE PREMATURE BIRTHS	29	0	10	19	11	0	3	8	18	0	7	11
TEENAGE ILLEGITIMATE BIRTHS	146	0	50	96	36	0	10	26	110	0	40	70
TEENS WHO HAD PREVIOUS LIVE BIRTHS	30	0	5	25	6	0	2	4	24	0	3	21
TEENS WHO HAD PREVIOUS PREGNANCIES	38	0	6	32	8	0	2	6	30	0	4	26
TEENS WITH INADEQUATE* PRENATAL CARE	8	0	5	3	0	0	0	0	8	0	5	3
TEENAGE FERTILITY RATE	22.0	0.0	45.0 (15-19)		11.2	0.0	24.2 (15-19)		33.5	0.0	64.4 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	44	0	18	26	5	0	1	4	39	0	17	22
TEENAGE INDUCED TERMINATION RATIO	293.3	0.0	360.0	260.0	128.2	0.0	100.0	137.9	351.4	0.0	425.0	309.8
TEENAGE PREGNANCIES#	194	0	68	126	44	0	11	33	150	0	57	93
TEENAGE PREGNANCY RATE	28.5	0.0	58.2 (15-19)		12.6	0.0	27.3 (15-19)		45.2	0.0	87.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	6.7	0.0	20.0	0.0	0.0	0.0	0.0	0.0	9.0	0.0	25.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: MARION

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	25,830	1,822	905	917	430
WHITE	16,965	1,037	509	528	267
NONWHITE	8,865	785	396	389	163

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	77	1	21	55	48	1	12	35	29	0	9	20
TEENAGE IMMATURE BIRTHS	6	1	1	4	2	1	0	1	4	0	1	3
TEENAGE PREMATURE BIRTHS	7	0	3	4	3	0	1	2	4	0	2	2
TEENAGE ILLEGITIMATE BIRTHS	61	1	18	42	33	1	10	22	28	0	8	20
TEENS WHO HAD PREVIOUS LIVE BIRTHS	20	0	6	14	9	0	3	6	11	0	3	8
TEENS WHO HAD PREVIOUS PREGNANCIES	28	0	8	20	17	0	5	12	11	0	3	8
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	0	3	1	0	0	1	2	0	0	2
TEENAGE FERTILITY RATE	42.3	1.1	82.9 (15-19)		46.3	2.0	89.0 (15-19)		36.9	0.0	74.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	6	0	1	5	2	0	1	1	4	0	0	4
TEENAGE INDUCED TERMINATION RATIO	77.9	0.0	47.6	90.9	41.7	0.0	83.3	28.6	137.9	0.0	0.0	200.0
TEENAGE PREGNANCIES#	83	1	22	60	50	1	13	36	33	0	9	24
TEENAGE PREGNANCY RATE	45.6	1.1	89.4 (15-19)		48.2	2.0	92.8 (15-19)		42.0	0.0	84.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: MARSHALL

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	37,102	2,611	1,233	1,378	575
WHITE	18,767	1,071	553	518	282
NONWHITE	18,335	1,540	680	860	293

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	113	1	40	72	46	0	17	29	67	1	23	43
TEENAGE IMMATURE BIRTHS	13	0	2	11	3	0	0	3	10	0	2	8
TEENAGE PREMATURE BIRTHS	14	0	5	9	5	0	2	3	9	0	3	6
TEENAGE ILLEGITIMATE BIRTHS	96	1	37	58	29	0	14	15	67	1	23	43
TEENS WHO HAD PREVIOUS LIVE BIRTHS	21	0	5	16	8	0	1	7	13	0	4	9
TEENS WHO HAD PREVIOUS PREGNANCIES	23	0	5	18	9	0	1	8	14	0	4	10
TEENS WITH INADEQUATE* PRENATAL CARE	9	0	4	5	1	0	1	0	8	0	3	5
TEENAGE FERTILITY RATE	43.3	0.8	81.3	(15-19)	43.0	0.0	88.8	(15-19)	43.5	1.5	76.7	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	25	1	9	15	6	0	4	2	19	1	5	13
TEENAGE INDUCED TERMINATION RATIO	221.2	1000.0	225.0	208.3	130.4	0.0	235.3	69.0	283.6	1000.0	217.4	302.3
TEENAGE PREGNANCIES#	138	2	49	87	52	0	21	31	86	2	28	56
TEENAGE PREGNANCY RATE	52.8	1.6	98.7	(15-19)	48.6	0.0	100.4	(15-19)	55.8	2.9	97.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	8.9	0.0	0.0	13.9	0.0	0.0	0.0	0.0	14.9	0.0	0.0	23.3

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: MONROE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	37,250	2,474	1,242	1,232	513
WHITE	25,483	1,526	756	770	313
NONWHITE	11,767	948	486	462	200

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	89	1	25	63	57	1	15	41	32	0	10	22
TEENAGE IMMATURE BIRTHS	7	0	2	5	5	0	1	4	2	0	1	1
TEENAGE PREMATURE BIRTHS	17	0	6	11	8	0	4	4	9	0	2	7
TEENAGE ILLEGITIMATE BIRTHS	68	1	22	45	36	1	12	23	32	0	10	22
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	0	1	16	10	0	1	9	7	0	0	7
TEENS WHO HAD PREVIOUS PREGNANCIES	21	0	3	18	12	0	2	10	9	0	1	8
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE FERTILITY RATE	36.0	0.8	71.4 (15-19)		37.4	1.3	72.7 (15-19)		33.8	0.0	69.3 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	11.2	0.0	40.0	0.0	0.0	0.0	0.0	0.0	31.2	0.0	100.0	0.0
TEENAGE INDUCED TERMINATIONS#	17	0	9	8	7	0	3	4	10	0	6	4
TEENAGE INDUCED TERMINATION RATIO	191.0	0.0	360.0	127.0	122.8	0.0	200.0	97.6	312.5	0.0	600.0	181.8
TEENAGE PREGNANCIES#	107	1	35	71	64	1	18	45	43	0	17	26
TEENAGE PREGNANCY RATE	43.2	0.8	86.0 (15-19)		41.9	1.3	81.8 (15-19)		45.4	0.0	93.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	11.2	0.0	0.0	15.9	17.5	0.0	0.0	24.4	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: MONTGOMERY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	11,266	783	349	434	164
WHITE	6,023	353	160	193	63
NONWHITE	5,243	430	189	241	101

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	35	0	14	21	9	0	3	6	26	0	11	15
TEENAGE IMMATURE BIRTHS	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE PREMATURE BIRTHS	8	0	2	6	1	0	0	1	7	0	2	5
TEENAGE ILLEGITIMATE BIRTHS	33	0	14	19	7	0	3	4	26	0	11	15
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	0	6	3	0	0	3	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	0	8	5	0	0	5	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	2	4	3	0	1	2	3	0	1	2
TEENAGE FERTILITY RATE	44.7	0.0	80.6 (15-19)		25.5	0.0	46.6 (15-19)		60.5	0.0	107.9 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	7	0	4	3	3	0	1	2	4	0	3	1
TEENAGE INDUCED TERMINATION RATIO	200.0	0.0	285.7	142.8	333.3	0.0	333.3	333.3	153.8	0.0	272.7	66.7
TEENAGE PREGNANCIES#	42	0	18	24	12	0	4	8	30	0	14	16
TEENAGE PREGNANCY RATE	53.6	0.0	96.8 (15-19)		34.0	0.0	62.2 (15-19)		69.8	0.0	124.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1
INFANT MORTALITY RATE, TEEN MOMS	57.1	0.0	71.4	47.6	0.0	0.0	0.0	0.0	76.9	0.0	90.9	66.7

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: NESHOMA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	30,530	2,215	1,149	1,066	510
WHITE	19,256	1,148	601	547	232
NONWHITE	11,274	1,067	548	519	278

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	112	1	36	75	44	0	13	31	68	1	23	44
TEENAGE IMMATURE BIRTHS	7	0	2	5	1	0	0	1	6	0	2	4
TEENAGE PREMATURE BIRTHS	15	0	7	8	4	0	1	3	11	0	6	5
TEENAGE ILLEGITIMATE BIRTHS	93	1	32	60	27	0	9	18	66	1	23	42
TEENS WHO HAD PREVIOUS LIVE BIRTHS	37	0	4	33	8	0	1	7	29	0	3	26
TEENS WHO HAD PREVIOUS PREGNANCIES	40	0	4	36	8	0	1	7	32	0	3	29
TEENS WITH INADEQUATE* PRENATAL CARE	8	0	2	6	1	0	1	0	7	0	1	6
TEENAGE FERTILITY RATE	50.6	0.9	104.1	(15-19)	38.3	0.0	80.4	(15-19)	63.7	1.8	129.1	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	8.9	0.0	0.0	13.3	0.0	0.0	0.0	0.0	14.7	0.0	0.0	22.7
TEENAGE INDUCED TERMINATIONS#	7	1	3	3	3	1	0	2	3	0	2	1
TEENAGE INDUCED TERMINATION RATIO	62.5	1000.0	83.3	40.0	68.2	-	0.0	64.5	44.1	0.0	87.0	22.7
TEENAGE PREGNANCIES#	120	2	39	79	47	1	13	33	72	1	25	46
TEENAGE PREGNANCY RATE	54.2	1.7	110.7	(15-19)	40.9	1.7	84.1	(15-19)	67.5	1.8	136.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	8.9	0.0	27.8	0.0	0.0	0.0	0.0	0.0	14.7	0.0	43.5	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: NEWTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	22,355	1,645	722	923	359
WHITE	14,455	937	401	536	186
NONWHITE	7,900	708	321	387	173

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	63	1	24	38	23	0	6	17	40	1	18	21
TEENAGE IMMATURE BIRTHS	7	0	4	3	1	0	0	1	6	0	4	2
TEENAGE PREMATURE BIRTHS	15	1	8	6	4	0	1	3	11	1	7	3
TEENAGE ILLEGITIMATE BIRTHS	56	1	24	31	16	0	6	10	40	1	18	21
TEENS WHO HAD PREVIOUS LIVE BIRTHS	12	0	3	9	3	0	0	3	9	0	3	6
TEENS WHO HAD PREVIOUS PREGNANCIES	14	0	4	10	4	0	0	4	10	0	4	6
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE FERTILITY RATE	38.3	1.4	67.2 (15-19)		24.5	0.0	42.9 (15-19)		56.5	3.1	100.8 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	15.9	0.0	0.0	26.3	0.0	0.0	0.0	0.0	25.0	0.0	0.0	47.6
TEENAGE INDUCED TERMINATIONS#	8	0	3	5	2	0	0	2	6	0	3	3
TEENAGE INDUCED TERMINATION RATIO	127.0	0.0	125.0	131.6	87.0	0.0	0.0	117.6	150.0	0.0	166.7	142.8
TEENAGE PREGNANCIES#	72	1	27	44	25	0	6	19	47	1	21	25
TEENAGE PREGNANCY RATE	43.8	1.4	76.9 (15-19)		26.7	0.0	46.6 (15-19)		66.4	3.1	118.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	1	0	0	0	0	0	0	1	1	0	0
INFANT MORTALITY RATE, TEEN MOMS	15.9	1000.0	0.0	0.0	0.0	0.0	0.0	0.0	25.0	1000.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: NOXUBEE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	11,828	882	407	475	193
WHITE	3,502	165	77	88	39
NONWHITE	8,326	717	330	387	154

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	36	0	15	21	3	0	0	3	33	0	15	18
TEENAGE IMMATURE BIRTHS	5	0	3	2	0	0	0	0	5	0	3	2
TEENAGE PREMATURE BIRTHS	8	0	3	5	0	0	0	0	8	0	3	5
TEENAGE ILLEGITIMATE BIRTHS	33	0	15	18	1	0	0	1	32	0	15	17
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	0	5	1	0	0	1	4	0	0	4
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	1	6	1	0	0	1	6	0	1	5
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE FERTILITY RATE	40.8	0.0	75.8 (15-19)		18.2	0.0	34.1 (15-19)		46.0	0.0	85.3 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	8	0	3	5	0	0	0	0	8	0	3	5
TEENAGE INDUCED TERMINATION RATIO	222.2	0.0	200.0	238.1	0.0	0.0	0.0	0.0	242.4	0.0	200.0	277.8
TEENAGE PREGNANCIES#	44	0	18	26	3	0	0	3	41	0	18	23
TEENAGE PREGNANCY RATE	49.9	0.0	92.6 (15-19)		18.2	0.0	34.1 (15-19)		57.2	0.0	105.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	27.8	0.0	66.7	0.0	0.0	0.0	0.0	0.0	30.3	0.0	66.7	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: OKTIBBEHA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	43,944	3,330	1,119	2,211	620
WHITE	26,202	1,783	523	1,260	305
NONWHITE	17,742	1,547	596	951	315

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	71	2	20	49	18	0	4	14	53	2	16	35
TEENAGE IMMATURE BIRTHS	9	0	3	6	2	0	0	2	7	0	3	4
TEENAGE PREMATURE BIRTHS	18	1	8	9	3	0	2	1	15	1	6	8
TEENAGE ILLEGITIMATE BIRTHS	61	2	19	40	13	0	4	9	48	2	15	31
TEENS WHO HAD PREVIOUS LIVE BIRTHS	19	0	2	17	2	0	0	2	17	0	2	15
TEENS WHO HAD PREVIOUS PREGNANCIES	19	0	2	17	2	0	0	2	17	0	2	15
TEENS WITH INADEQUATE* PRENATAL CARE	6	1	3	2	0	0	0	0	6	1	3	2
TEENAGE FERTILITY RATE	21.3	1.8	31.2	(15-19)	10.1	0.0	14.3	(15-19)	34.3	3.4	53.6	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	17	0	2	15	5	0	1	4	12	0	1	11
TEENAGE INDUCED TERMINATION RATIO	239.4	0.0	100.0	306.1	277.8	0.0	250.0	285.7	226.4	0.0	62.5	314.3
TEENAGE PREGNANCIES#	88	2	22	64	23	0	5	18	65	2	17	46
TEENAGE PREGNANCY RATE	26.4	1.8	38.9	(15-19)	12.9	0.0	18.2	(15-19)	42.0	3.4	66.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: PANOLA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	35,660	2,499	1,217	1,282	570
WHITE	18,322	972	502	470	241
NONWHITE	17,338	1,527	715	812	329

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	135	0	41	94	48	0	10	38	87	0	31	56
TEENAGE IMMATURE BIRTHS	16	0	3	13	5	0	0	5	11	0	3	8
TEENAGE PREMATURE BIRTHS	17	0	6	11	4	0	1	3	13	0	5	8
TEENAGE ILLEGITIMATE BIRTHS	123	0	40	83	39	0	9	30	84	0	31	53
TEENS WHO HAD PREVIOUS LIVE BIRTHS	36	0	5	31	11	0	0	11	25	0	5	20
TEENS WHO HAD PREVIOUS PREGNANCIES	48	0	6	42	20	0	1	19	28	0	5	23
TEENS WITH INADEQUATE* PRENATAL CARE	13	0	7	6	3	0	0	3	10	0	7	3
TEENAGE FERTILITY RATE	54.0	0.0	105.3	(15-19)	49.4	0.0	102.1	(15-19)	57.0	0.0	107.1	(15-19)
TEENAGE FETAL DEATHS**	4	0	2	2	0	0	0	0	4	0	2	2
TEENAGE FETAL DEATH RATIO	29.6	0.0	48.8	21.3	0.0	0.0	0.0	0.0	46.0	0.0	64.5	35.7
TEENAGE INDUCED TERMINATIONS#	15	0	6	9	5	0	1	4	10	0	5	5
TEENAGE INDUCED TERMINATION RATIO	111.1	0.0	146.3	95.7	104.2	0.0	100.0	105.3	114.9	0.0	161.3	89.3
TEENAGE PREGNANCIES#	154	0	49	105	53	0	11	42	101	0	38	63
TEENAGE PREGNANCY RATE	61.6	0.0	120.1	(15-19)	54.5	0.0	112.8	(15-19)	66.1	0.0	124.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	7.4	0.0	24.4	0.0	0.0	0.0	0.0	0.0	11.5	0.0	32.3	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: PEARL RIVER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	57,466	3,999	1,961	2,038	840
WHITE	48,989	3,235	1,602	1,633	675
NONWHITE	8,477	764	359	405	165

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	141	5	31	105	107	4	22	81	34	1	9	24
TEENAGE IMMATURE BIRTHS	7	0	3	4	6	0	3	3	1	0	0	1
TEENAGE PREMATURE BIRTHS	17	0	6	11	13	0	3	10	4	0	3	1
TEENAGE ILLEGITIMATE BIRTHS	117	5	28	84	83	4	19	60	34	1	9	24
TEENS WHO HAD PREVIOUS LIVE BIRTHS	20	0	2	18	15	0	2	13	5	0	0	5
TEENS WHO HAD PREVIOUS PREGNANCIES	28	0	3	25	20	0	3	17	8	0	0	8
TEENS WITH INADEQUATE* PRENATAL CARE	6	1	1	4	4	0	0	4	2	1	1	0
TEENAGE FERTILITY RATE	35.2	2.6	66.7 (15-19)		33.1	2.5	63.1 (15-19)		44.5	2.8	81.5 (15-19)	
TEENAGE FETAL DEATHS**	2	0	2	0	1	0	1	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	14.2	0.0	64.5	0.0	9.3	0.0	45.4	0.0	29.4	0.0	111.1	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	14.2	0.0	0.0	19.0	9.3	0.0	0.0	12.3	29.4	0.0	0.0	41.7
TEENAGE PREGNANCIES#	145	5	33	107	109	4	23	82	36	1	10	25
TEENAGE PREGNANCY RATE	36.2	2.6	68.7 (15-19)		33.7	2.5	64.3 (15-19)		47.1	2.8	86.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	3	0	1	2	3	0	1	2	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	21.3	0.0	32.3	19.0	28.0	0.0	45.5	24.7	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: PERRY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,235	890	415	475	186
WHITE	9,327	611	293	318	138
NONWHITE	2,908	279	122	157	48

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	40	0	12	28	30	0	7	23	10	0	5	5
TEENAGE IMMATURE BIRTHS	3	0	1	2	3	0	1	2	0	0	0	0
TEENAGE PREMATURE BIRTHS	7	0	3	4	5	0	1	4	2	0	2	0
TEENAGE ILLEGITIMATE BIRTHS	30	0	8	22	20	0	3	17	10	0	5	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	1	8	8	0	1	7	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	1	10	9	0	1	8	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	2	1	2	0	1	1	1	0	1	0
TEENAGE FERTILITY RATE	44.9	0.0	84.2 (15-19)		49.1	0.0	94.3 (15-19)		35.8	0.0	63.7 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	25.0	0.0	0.0	35.7	0.0	0.0	0.0	0.0	100.0	0.0	0.0	200.0
TEENAGE INDUCED TERMINATIONS#	5	0	4	1	3	0	3	0	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	125.0	0.0	333.3	35.7	100.0	0.0	428.6	0.0	200.0	0.0	200.0	200.0
TEENAGE PREGNANCIES#	46	0	16	30	33	0	10	23	13	0	6	7
TEENAGE PREGNANCY RATE	51.7	0.0	96.8 (15-19)		54.0	0.0	103.8 (15-19)		46.6	0.0	82.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: PIKE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	39,961	2,939	1,379	1,560	681
WHITE	19,829	1,258	565	693	255
NONWHITE	20,132	1,681	814	867	426

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	124	1	41	82	35	1	7	27	89	0	34	55
TEENAGE IMMATURE BIRTHS	20	0	9	11	2	0	0	2	18	0	9	9
TEENAGE PREMATURE BIRTHS	18	1	4	13	6	1	0	5	12	0	4	8
TEENAGE ILLEGITIMATE BIRTHS	107	1	40	66	20	1	6	13	87	0	34	53
TEENS WHO HAD PREVIOUS LIVE BIRTHS	37	0	9	28	9	0	1	8	28	0	8	20
TEENS WHO HAD PREVIOUS PREGNANCIES	39	0	10	29	9	0	1	8	30	0	9	21
TEENS WITH INADEQUATE* PRENATAL CARE	14	0	2	12	2	0	0	2	12	0	2	10
TEENAGE FERTILITY RATE	42.2	0.7	78.8 (15-19)		27.8	1.8	49.1 (15-19)		52.9	0.0	102.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	12	0	3	9	3	0	0	3	9	0	3	6
TEENAGE INDUCED TERMINATION RATIO	96.8	0.0	73.2	109.8	85.7	0.0	0.0	111.1	101.1	0.0	88.2	109.1
TEENAGE PREGNANCIES#	136	1	44	91	38	1	7	30	98	0	37	61
TEENAGE PREGNANCY RATE	46.3	0.7	86.5 (15-19)		30.2	1.8	53.4 (15-19)		58.3	0.0	113.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	8.1	0.0	0.0	12.2	0.0	0.0	0.0	0.0	11.2	0.0	0.0	18.2

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: PONTOTOC

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	29,004	1,939	1,013	926	445
WHITE	24,454	1,597	847	750	393
NONWHITE	4,550	342	166	176	52

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	71	2	21	48	57	2	17	38	14	0	4	10
TEENAGE IMMATURE BIRTHS	4	0	2	2	2	0	1	1	2	0	1	1
TEENAGE PREMATURE BIRTHS	8	0	3	5	5	0	1	4	3	0	2	1
TEENAGE ILLEGITIMATE BIRTHS	59	2	20	37	45	2	16	27	14	0	4	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	3	13	11	0	2	9	5	0	1	4
TEENS WHO HAD PREVIOUS PREGNANCIES	24	0	4	20	17	0	3	14	7	0	1	6
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FERTILITY RATE	36.6	2.0	74.5 (15-19)		35.7	2.4	73.3 (15-19)		40.9	0.0	79.5 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	7	0	0	7	6	0	0	6	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	98.6	0.0	0.0	145.8	105.3	0.0	0.0	157.9	71.4	0.0	0.0	100.0
TEENAGE PREGNANCIES#	78	2	21	55	63	2	17	44	15	0	4	11
TEENAGE PREGNANCY RATE	40.2	2.0	82.1 (15-19)		39.4	2.4	81.3 (15-19)		43.9	0.0	85.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: PRENTISS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	25,707	1,868	794	1,074	363
WHITE	21,789	1,502	638	864	300
NONWHITE	3,918	366	156	210	63

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	68	2	14	52	51	2	9	40	17	0	5	12
TEENAGE IMMATURE BIRTHS	6	0	3	3	4	0	2	2	2	0	1	1
TEENAGE PREMATURE BIRTHS	10	0	1	9	8	0	1	7	2	0	0	2
TEENAGE ILLEGITIMATE BIRTHS	50	2	11	37	33	2	6	25	17	0	5	12
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	1	14	14	0	1	13	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	20	0	2	18	19	0	2	17	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FERTILITY RATE	36.4	2.5	61.4	(15-19)	34.0	3.1	56.7	(15-19)	46.4	0.0	81.0	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	5	0	3	2	3	0	1	2	2	0	2	0
TEENAGE INDUCED TERMINATION RATIO	73.5	0.0	214.3	38.5	58.8	0.0	111.1	50.0	117.6	0.0	400.0	0.0
TEENAGE PREGNANCIES#	73	2	17	54	54	2	10	42	19	0	7	12
TEENAGE PREGNANCY RATE	39.1	2.5	66.1	(15-19)	36.0	3.1	60.2	(15-19)	51.9	0.0	90.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: QUITMAN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	8,724	692	354	338	136
WHITE	2,601	129	71	58	21
NONWHITE	6,123	563	283	280	115

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	26	1	10	15	4	0	2	2	22	1	8	13
TEENAGE IMMATURE BIRTHS	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE PREMATURE BIRTHS	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	25	1	9	15	3	0	1	2	22	1	8	13
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	1	8	0	0	0	0	9	0	1	8
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	2	8	0	0	0	0	10	0	2	8
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	37.6	2.8	74.0 (15-19)		31.0	0.0	69.0 (15-19)		39.1	3.5	75.0 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	7	1	2	4	0	0	0	0	7	1	2	4
TEENAGE INDUCED TERMINATION RATIO	269.2	1000.0	200.0	266.7	0.0	0.0	0.0	0.0	318.2	1000.0	250.0	307.7
TEENAGE PREGNANCIES#	33	2	12	19	4	0	2	2	29	2	10	17
TEENAGE PREGNANCY RATE	47.7	5.6	91.7 (15-19)		31.0	0.0	69.0 (15-19)		51.5	7.1	96.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: RANKIN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	140,901	8,946	4,721	4,225	2,031
WHITE	110,151	6,606	3,500	3,106	1,555
NONWHITE	30,750	2,340	1,221	1,119	476

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	191	4	43	144	135	2	29	104	56	2	14	40
TEENAGE IMMATURE BIRTHS	30	1	4	25	17	1	0	16	13	0	4	9
TEENAGE PREMATURE BIRTHS	44	0	10	34	23	0	5	18	21	0	5	16
TEENAGE ILLEGITIMATE BIRTHS	161	4	41	116	107	2	28	77	54	2	13	39
TEENS WHO HAD PREVIOUS LIVE BIRTHS	43	0	2	41	30	0	1	29	13	0	1	12
TEENS WHO HAD PREVIOUS PREGNANCIES	48	1	3	44	34	1	2	31	14	0	1	13
TEENS WITH INADEQUATE* PRENATAL CARE	4	1	1	2	1	0	0	1	3	1	1	1
TEENAGE FERTILITY RATE	21.4	0.8	44.3	(15-19)	20.4	0.6	42.8	(15-19)	23.9	1.6	48.2	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	5.2	0.0	23.2	0.0	7.4	0.0	34.5	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	35	1	12	22	20	1	6	13	15	0	6	9
TEENAGE INDUCED TERMINATION RATIO	183.2	250.0	279.1	152.8	148.1	500.0	206.9	125.0	267.8	0.0	428.6	225.0
TEENAGE PREGNANCIES#	227	5	56	166	156	3	36	117	71	2	20	49
TEENAGE PREGNANCY RATE	25.4	1.0	52.5	(15-19)	23.6	0.8	49.2	(15-19)	30.3	1.6	61.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	2	0	0	2	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	10.5	0.0	0.0	13.9	14.8	0.0	0.0	19.2	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: SCOTT

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	28,850	2,003	986	1,017	541
WHITE	17,419	1,003	501	502	321
NONWHITE	11,431	1,000	485	515	220

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	102	4	27	71	53	1	13	39	49	3	14	32
TEENAGE IMMATURE BIRTHS	10	1	3	6	6	0	2	4	4	1	1	2
TEENAGE PREMATURE BIRTHS	17	1	6	10	9	0	3	6	8	1	3	4
TEENAGE ILLEGITIMATE BIRTHS	91	4	26	61	43	1	12	30	48	3	14	31
TEENS WHO HAD PREVIOUS LIVE BIRTHS	20	0	3	17	10	0	2	8	10	0	1	9
TEENS WHO HAD PREVIOUS PREGNANCIES	24	0	3	21	13	0	2	11	11	0	1	10
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	0	3	0	0	0	0	3	0	0	3
TEENAGE FERTILITY RATE	50.9	4.0	96.4 (15-19)		52.8	2.0	103.6 (15-19)		49.0	6.2	89.3 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	9.8	0.0	0.0	14.1	0.0	0.0	0.0	0.0	20.4	0.0	0.0	31.2
TEENAGE INDUCED TERMINATIONS#	11	0	4	7	6	0	2	4	5	0	2	3
TEENAGE INDUCED TERMINATION RATIO	107.8	0.0	148.1	98.6	113.2	0.0	153.8	102.6	102.0	0.0	142.8	93.8
TEENAGE PREGNANCIES#	114	4	31	79	59	1	15	43	55	3	16	36
TEENAGE PREGNANCY RATE	56.9	4.0	108.2 (15-19)		58.8	2.0	115.5 (15-19)		55.0	6.2	101.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	3	0	3	0	2	0	2	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	29.4	0.0	111.1	0.0	37.7	0.0	153.8	0.0	20.4	0.0	71.4	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: SHARKEY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	5,556	450	232	218	94
WHITE	1,642	85	40	45	16
NONWHITE	3,914	365	192	173	78

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	18	1	5	12	1	0	0	1	17	1	5	11
TEENAGE IMMATURE BIRTHS	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE PREMATURE BIRTHS	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE ILLEGITIMATE BIRTHS	17	1	5	11	0	0	0	0	17	1	5	11
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	1	3	0	0	0	0	4	0	1	3
TEENS WHO HAD PREVIOUS PREGNANCIES	5	0	1	4	0	0	0	0	5	0	1	4
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	40.0	4.3	78.0 (15-19)		11.8	0.0	22.2 (15-19)		46.6	5.2	92.5 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	0	3	0	0	0	0	3	0	0	3
TEENAGE INDUCED TERMINATION RATIO	166.7	0.0	0.0	250.0	0.0	0.0	0.0	0.0	176.5	0.0	0.0	272.7
TEENAGE PREGNANCIES#	21	1	5	15	1	0	0	1	20	1	5	14
TEENAGE PREGNANCY RATE	46.7	4.3	91.7 (15-19)		11.8	0.0	22.2 (15-19)		54.8	5.2	109.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: SIMPSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	28,034	1,961	988	973	399
WHITE	18,096	1,093	551	542	256
NONWHITE	9,938	868	437	431	143

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	89	2	29	58	60	0	21	39	29	2	8	19
TEENAGE IMMATURE BIRTHS	11	0	3	8	6	0	1	5	5	0	2	3
TEENAGE PREMATURE BIRTHS	17	0	7	10	11	0	4	7	6	0	3	3
TEENAGE ILLEGITIMATE BIRTHS	75	2	27	46	46	0	19	27	29	2	8	19
TEENS WHO HAD PREVIOUS LIVE BIRTHS	19	0	2	17	15	0	1	14	4	0	1	3
TEENS WHO HAD PREVIOUS PREGNANCIES	24	0	3	21	18	0	2	16	6	0	1	5
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FERTILITY RATE	45.4	2.0	89.4 (15-19)		54.9	0.0	110.7 (15-19)		33.4	4.6	62.6 (15-19)	
TEENAGE FETAL DEATHS**	2	0	2	0	2	0	2	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	22.5	0.0	69.0	0.0	33.3	0.0	95.2	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	3	1	2	0	1	1	2	0	2	0
TEENAGE INDUCED TERMINATION RATIO	44.9	0.0	103.4	17.2	33.3	0.0	47.6	25.6	69.0	0.0	250.0	0.0
TEENAGE PREGNANCIES#	95	2	34	59	64	0	24	40	31	2	10	19
TEENAGE PREGNANCY RATE	48.4	2.0	95.6 (15-19)		58.6	0.0	118.1 (15-19)		35.7	4.6	67.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: SMITH

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	15,809	1,104	568	536	240
WHITE	11,905	745	373	372	175
NONWHITE	3,904	359	195	164	65

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	37	1	10	26	22	0	4	18	15	1	6	8
TEENAGE IMMATURE BIRTHS	10	1	1	8	5	0	0	5	5	1	1	3
TEENAGE PREMATURE BIRTHS	13	1	3	9	7	0	0	7	6	1	3	2
TEENAGE ILLEGITIMATE BIRTHS	24	1	9	14	9	0	3	6	15	1	6	8
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	1	10	6	0	0	6	5	0	1	4
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	1	10	6	0	0	6	5	0	1	4
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	33.5	1.8	67.2 (15-19)		29.5	0.0	59.1 (15-19)		41.8	5.1	85.4 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	0	3	3	0	0	3	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	81.1	0.0	0.0	115.4	136.4	0.0	0.0	166.7	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	40	1	10	29	25	0	4	21	15	1	6	8
TEENAGE PREGNANCY RATE	36.2	1.8	72.8 (15-19)		33.6	0.0	67.2 (15-19)		41.8	5.1	85.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	3	0	1	2	3	0	1	2	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	81.1	0.0	100.0	76.9	136.4	0.0	250.0	111.1	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: STONE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	16,025	1,169	534	635	247
WHITE	12,805	863	402	461	199
NONWHITE	3,220	306	132	174	48

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	43	0	15	28	31	0	11	20	12	0	4	8
TEENAGE IMMATURE BIRTHS	4	0	2	2	3	0	2	1	1	0	0	1
TEENAGE PREMATURE BIRTHS	9	0	5	4	9	0	5	4	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	33	0	12	21	21	0	8	13	12	0	4	8
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	1	6	6	0	1	5	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	13	0	1	12	10	0	1	9	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	36.8	0.0	67.7 (15-19)		35.9	0.0	67.2 (15-19)		39.2	0.0	69.0 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	23.2	0.0	66.7	0.0	32.2	0.0	90.9	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	7	0	4	3	4	0	3	1	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	162.8	0.0	266.7	107.1	129.0	0.0	272.7	50.0	250.0	0.0	250.0	250.0
TEENAGE PREGNANCIES#	51	0	20	31	36	0	15	21	15	0	5	10
TEENAGE PREGNANCY RATE	43.6	0.0	80.3 (15-19)		41.7	0.0	78.1 (15-19)		49.0	0.0	86.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: SUNFLOWER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	30,697	2,236	966	1,270	437
WHITE	8,168	452	190	262	72
NONWHITE	22,529	1,784	776	1,008	365

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	101	0	46	55	7	0	3	4	94	0	43	51
TEENAGE IMMATURE BIRTHS	19	0	12	7	2	0	1	1	17	0	11	6
TEENAGE PREMATURE BIRTHS	21	0	12	9	0	0	0	0	21	0	12	9
TEENAGE ILLEGITIMATE BIRTHS	100	0	46	54	6	0	3	3	94	0	43	51
TEENS WHO HAD PREVIOUS LIVE BIRTHS	27	0	9	18	1	0	0	1	26	0	9	17
TEENS WHO HAD PREVIOUS PREGNANCIES	31	0	9	22	1	0	0	1	30	0	9	21
TEENS WITH INADEQUATE* PRENATAL CARE	10	0	6	4	0	0	0	0	10	0	6	4
TEENAGE FERTILITY RATE	45.2	0.0	79.5 (15-19)		15.5	0.0	26.7 (15-19)		52.7	0.0	93.2 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	9.9	0.0	0.0	18.2	0.0	0.0	0.0	0.0	10.6	0.0	0.0	19.6
TEENAGE INDUCED TERMINATIONS#	21	4	6	11	1	0	0	1	20	4	6	10
TEENAGE INDUCED TERMINATION RATIO	207.9	-	130.4	200.0	142.8	0.0	0.0	250.0	212.8	-	139.5	196.1
TEENAGE PREGNANCIES#	123	4	52	67	8	0	3	5	115	4	49	62
TEENAGE PREGNANCY RATE	55.0	4.1	93.7 (15-19)		17.7	0.0	30.5 (15-19)		64.5	5.2	110.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	9.9	0.0	21.7	0.0	0.0	0.0	0.0	0.0	10.6	0.0	23.3	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: TALLAHATCHIE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,027	1,032	468	564	225
WHITE	4,980	286	130	156	46
NONWHITE	8,047	746	338	408	179

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	63	2	21	40	15	0	3	12	48	2	18	28
TEENAGE IMMATURE BIRTHS	16	1	6	9	4	0	0	4	12	1	6	5
TEENAGE PREMATURE BIRTHS	18	2	6	10	5	0	0	5	13	2	6	5
TEENAGE ILLEGITIMATE BIRTHS	60	2	21	37	12	0	3	9	48	2	18	28
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	3	13	3	0	0	3	13	0	3	10
TEENS WHO HAD PREVIOUS PREGNANCIES	19	0	3	16	4	0	0	4	15	0	3	12
TEENS WITH INADEQUATE* PRENATAL CARE	8	0	1	7	0	0	0	0	8	0	1	7
TEENAGE FERTILITY RATE	61.0	4.3	108.2	(15-19)	52.4	0.0	96.2	(15-19)	64.3	5.9	112.7	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	8	0	4	4	1	0	0	1	7	0	4	3
TEENAGE INDUCED TERMINATION RATIO	127.0	0.0	190.5	100.0	66.7	0.0	0.0	83.3	145.8	0.0	222.2	107.1
TEENAGE PREGNANCIES#	71	2	25	44	16	0	3	13	55	2	22	31
TEENAGE PREGNANCY RATE	68.8	4.3	122.3	(15-19)	55.9	0.0	102.6	(15-19)	73.7	5.9	129.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: TATE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	27,176	2,099	897	1,202	366
WHITE	18,361	1,293	578	715	232
NONWHITE	8,815	806	319	487	134

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	43	0	10	33	26	0	4	22	17	0	6	11
TEENAGE IMMATURE BIRTHS	5	0	0	5	3	0	0	3	2	0	0	2
TEENAGE PREMATURE BIRTHS	5	0	2	3	2	0	0	2	3	0	2	1
TEENAGE ILLEGITIMATE BIRTHS	34	0	9	25	17	0	3	14	17	0	6	11
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	3	8	5	0	2	3	6	0	1	5
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	3	8	5	0	2	3	6	0	1	5
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	2	4	0	0	0	0	6	0	2	4
TEENAGE FERTILITY RATE	20.5	0.0	35.8 (15-19)		20.1	0.0	36.4 (15-19)		21.1	0.0	34.9 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	11	0	3	8	5	0	3	2	6	0	0	6
TEENAGE INDUCED TERMINATION RATIO	255.8	0.0	300.0	242.4	192.3	0.0	750.0	90.9	352.9	0.0	0.0	545.4
TEENAGE PREGNANCIES#	54	0	13	41	31	0	7	24	23	0	6	17
TEENAGE PREGNANCY RATE	25.7	0.0	44.9 (15-19)		24.0	0.0	43.4 (15-19)		28.5	0.0	47.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: TIPPAAH

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,210	1,279	632	647	312
WHITE	17,346	995	482	513	254
NONWHITE	3,864	284	150	134	58

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	58	2	19	37	51	1	18	32	7	1	1	5
TEENAGE IMMATURE BIRTHS	5	0	3	2	5	0	3	2	0	0	0	0
TEENAGE PREMATURE BIRTHS	7	0	2	5	7	0	2	5	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	42	2	14	26	35	1	13	21	7	1	1	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	2	7	8	0	2	6	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	2	9	10	0	2	8	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	2	0	0	2	0	0	0	0
TEENAGE FERTILITY RATE	45.3	3.2	86.6 (15-19)		51.2	2.1	97.5 (15-19)		24.6	6.7	44.8 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	5	0	2	3	5	0	2	3	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	86.2	0.0	105.3	81.1	98.0	0.0	111.1	93.8	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	63	2	21	40	56	1	20	35	7	1	1	5
TEENAGE PREGNANCY RATE	49.2	3.2	94.3 (15-19)		56.3	2.1	107.2 (15-19)		24.6	6.7	44.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: TISHOMINGO

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	18,947	1,142	573	569	223
WHITE	18,057	1,074	532	542	217
NONWHITE	890	68	41	27	6

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	31	0	11	20	31	0	11	20	0	0	0	0
TEENAGE IMMATURE BIRTHS	2	0	2	0	2	0	2	0	0	0	0	0
TEENAGE PREMATURE BIRTHS	4	0	2	2	4	0	2	2	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	24	0	9	15	24	0	9	15	0	0	0	0
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	1	3	4	0	1	3	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	2	5	7	0	2	5	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FERTILITY RATE	27.1	0.0	54.5 (15-19)		28.9	0.0	57.2 (15-19)		0.0	0.0	0.0 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	6	0	2	4	5	0	1	4	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	193.5	0.0	181.8	200.0	161.3	0.0	90.9	200.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	37	0	13	24	36	0	12	24	0	0	0	0
TEENAGE PREGNANCY RATE	32.4	0.0	65.0 (15-19)		33.5	0.0	66.4 (15-19)		0.0	0.0	0.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	32.3	0.0	0.0	50.0	32.3	0.0	0.0	50.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: TUNICA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,448	786	394	392	241
WHITE	2,833	124	76	48	33
NONWHITE	7,615	662	318	344	208

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	47	0	17	30	3	0	1	2	44	0	16	28
TEENAGE IMMATURE BIRTHS	5	0	3	2	1	0	0	1	4	0	3	1
TEENAGE PREMATURE BIRTHS	6	0	3	3	0	0	0	0	6	0	3	3
TEENAGE ILLEGITIMATE BIRTHS	45	0	16	29	1	0	0	1	44	0	16	28
TEENS WHO HAD PREVIOUS LIVE BIRTHS	12	0	0	12	2	0	0	2	10	0	0	10
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	0	12	2	0	0	2	10	0	0	10
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	1	3	0	0	0	0	4	0	1	3
TEENAGE FERTILITY RATE	59.8	0.0	119.9	(15-19)	24.2	0.0	62.5	(15-19)	66.5	0.0	127.9	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	21.3	0.0	0.0	33.3	0.0	0.0	0.0	0.0	22.7	0.0	0.0	35.7
TEENAGE INDUCED TERMINATIONS#	7	0	2	5	0	0	0	0	7	0	2	5
TEENAGE INDUCED TERMINATION RATIO	148.9	0.0	117.6	166.7	0.0	0.0	0.0	0.0	159.1	0.0	125.0	178.6
TEENAGE PREGNANCIES#	55	0	19	36	3	0	1	2	52	0	18	34
TEENAGE PREGNANCY RATE	70.0	0.0	140.3	(15-19)	24.2	0.0	62.5	(15-19)	78.6	0.0	151.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	1	0	0	1	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	42.6	0.0	0.0	66.7	333.3	0.0	0.0	500.0	22.7	0.0	0.0	35.7

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: UNION

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	27,212	1,804	912	892	385
WHITE	22,676	1,426	709	717	323
NONWHITE	4,536	378	203	175	62

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	61	0	21	40	49	0	18	31	12	0	3	9
TEENAGE IMMATURE BIRTHS	3	0	0	3	2	0	0	2	1	0	0	1
TEENAGE PREMATURE BIRTHS	3	0	1	2	2	0	1	1	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	45	0	16	29	33	0	13	20	12	0	3	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	4	12	15	0	4	11	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	19	0	5	14	17	0	5	12	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	33.8	0.0	68.4 (15-19)		34.4	0.0	68.3 (15-19)		31.7	0.0	68.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	8	0	2	6	6	0	2	4	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	131.1	0.0	95.2	150.0	122.4	0.0	111.1	129.0	83.3	0.0	0.0	111.1
TEENAGE PREGNANCIES#	69	0	23	46	55	0	20	35	13	0	3	10
TEENAGE PREGNANCY RATE	38.2	0.0	77.4 (15-19)		38.6	0.0	76.7 (15-19)		34.4	0.0	74.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: WALTHALL

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	15,416	1,066	525	541	221
WHITE	8,336	431	219	212	103
NONWHITE	7,080	635	306	329	118

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	42	0	18	24	20	0	10	10	22	0	8	14
TEENAGE IMMATURE BIRTHS	5	0	3	2	2	0	1	1	3	0	2	1
TEENAGE PREMATURE BIRTHS	6	0	1	5	3	0	1	2	3	0	0	3
TEENAGE ILLEGITIMATE BIRTHS	38	0	17	21	17	0	9	8	21	0	8	13
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	4	3	2	0	1	1	5	0	3	2
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	5	3	3	0	2	1	5	0	3	2
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	1	3	0	0	0	0	4	0	1	3
TEENAGE FERTILITY RATE	39.4	0.0	77.6 (15-19)		46.4	0.0	94.3 (15-19)		34.6	0.0	66.9 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	23.8	0.0	0.0	41.7	0.0	0.0	0.0	0.0	45.4	0.0	0.0	71.4
TEENAGE INDUCED TERMINATIONS#	2	1	0	1	1	0	0	1	1	1	0	0
TEENAGE INDUCED TERMINATION RATIO	47.6	-	0.0	41.7	50.0	0.0	0.0	100.0	45.4	-	0.0	0.0
TEENAGE PREGNANCIES#	45	1	18	26	21	0	10	11	24	1	8	15
TEENAGE PREGNANCY RATE	42.2	1.9	81.3 (15-19)		48.7	0.0	99.0 (15-19)		37.8	3.3	69.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: WARREN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	48,087	3,600	1,814	1,786	726
WHITE	24,518	1,537	791	746	297
NONWHITE	23,569	2,063	1,023	1,040	429

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	137	4	57	76	45	0	16	29	92	4	41	47
TEENAGE IMMATURE BIRTHS	24	1	10	13	6	0	4	2	18	1	6	11
TEENAGE PREMATURE BIRTHS	26	3	10	13	7	0	3	4	19	3	7	9
TEENAGE ILLEGITIMATE BIRTHS	129	4	53	72	38	0	12	26	91	4	41	46
TEENS WHO HAD PREVIOUS LIVE BIRTHS	31	0	10	21	9	0	3	6	22	0	7	15
TEENS WHO HAD PREVIOUS PREGNANCIES	43	0	14	29	10	0	3	7	33	0	11	22
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	2	3	1	0	0	1	4	0	2	2
TEENAGE FERTILITY RATE	38.0	2.2	74.5 (15-19)		29.3	0.0	60.3 (15-19)		44.6	3.9	84.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	21	3	6	12	2	0	0	2	19	3	6	10
TEENAGE INDUCED TERMINATION RATIO	153.3	750.0	105.3	157.9	44.4	0.0	0.0	69.0	206.5	750.0	146.3	212.8
TEENAGE PREGNANCIES#	158	7	63	88	47	0	16	31	111	7	47	57
TEENAGE PREGNANCY RATE	43.9	3.8	84.5 (15-19)		30.6	0.0	63.0 (15-19)		53.8	6.8	100.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	7.3	0.0	17.5	0.0	0.0	0.0	0.0	0.0	10.9	0.0	24.4	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: WASHINGTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	55,079	4,145	2,083	2,062	958
WHITE	16,772	836	359	477	193
NONWHITE	38,307	3,309	1,724	1,585	765

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	193	5	52	136	27	1	8	18	166	4	44	118
TEENAGE IMMATURE BIRTHS	27	1	7	19	3	1	1	1	24	0	6	18
TEENAGE PREMATURE BIRTHS	51	3	13	35	4	1	1	2	47	2	12	33
TEENAGE ILLEGITIMATE BIRTHS	187	5	51	131	21	1	7	13	166	4	44	118
TEENS WHO HAD PREVIOUS LIVE BIRTHS	63	0	9	54	7	0	0	7	56	0	9	47
TEENS WHO HAD PREVIOUS PREGNANCIES	71	0	9	62	7	0	0	7	64	0	9	55
TEENS WITH INADEQUATE* PRENATAL CARE	17	2	3	12	1	0	0	1	16	2	3	11
TEENAGE FERTILITY RATE	46.6	2.4	91.2 (15-19)		32.3	2.8	54.5 (15-19)		50.2	2.3	102.2 (15-19)	
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	10.4	0.0	19.2	7.4	0.0	0.0	0.0	0.0	12.0	0.0	22.7	8.5
TEENAGE INDUCED TERMINATIONS#	41	3	21	17	2	0	0	2	39	3	21	15
TEENAGE INDUCED TERMINATION RATIO	212.4	600.0	403.8	125.0	74.1	0.0	0.0	111.1	234.9	750.0	477.3	127.1
TEENAGE PREGNANCIES#	236	8	74	154	29	1	8	20	207	7	66	134
TEENAGE PREGNANCY RATE	56.9	3.8	110.6 (15-19)		34.7	2.8	58.7 (15-19)		62.6	4.1	126.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	5	0	0	5	0	0	0	0	5	0	0	5
INFANT MORTALITY RATE, TEEN MOMS	25.9	0.0	0.0	36.8	0.0	0.0	0.0	0.0	30.1	0.0	0.0	42.4

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: WAYNE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	20,755	1,477	793	684	295
WHITE	12,575	788	419	369	149
NONWHITE	8,180	689	374	315	146

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	59	0	18	41	25	0	9	16	34	0	9	25
TEENAGE IMMATURE BIRTHS	9	0	2	7	4	0	1	3	5	0	1	4
TEENAGE PREMATURE BIRTHS	12	0	4	8	5	0	2	3	7	0	2	5
TEENAGE ILLEGITIMATE BIRTHS	47	0	17	30	13	0	8	5	34	0	9	25
TEENS WHO HAD PREVIOUS LIVE BIRTHS	18	0	4	14	7	0	2	5	11	0	2	9
TEENS WHO HAD PREVIOUS PREGNANCIES	20	0	4	16	9	0	2	7	11	0	2	9
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	0	3	1	0	0	1	2	0	0	2
TEENAGE FERTILITY RATE	39.9	0.0	86.2 (15-19)		31.7	0.0	67.8 (15-19)		49.3	0.0	107.9 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	1	2	1	0	1	0	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	50.8	0.0	55.6	48.8	40.0	0.0	111.1	0.0	58.8	0.0	0.0	80.0
TEENAGE PREGNANCIES#	62	0	19	43	26	0	10	16	36	0	9	27
TEENAGE PREGNANCY RATE	42.0	0.0	90.6 (15-19)		33.0	0.0	70.5 (15-19)		52.2	0.0	114.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	1	0	1	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	16.9	0.0	55.6	0.0	40.0	0.0	111.1	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: WEBSTER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,887	642	306	336	135
WHITE	7,747	458	220	238	99
NONWHITE	2,140	184	86	98	36

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	18	0	4	14	11	0	3	8	7	0	1	6
TEENAGE IMMATURE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE PREMATURE BIRTHS	4	0	0	4	0	0	0	0	4	0	0	4
TEENAGE ILLEGITIMATE BIRTHS	13	0	3	10	7	0	2	5	6	0	1	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	0	5	1	0	0	1	4	0	0	4
TEENS WHO HAD PREVIOUS PREGNANCIES	5	0	0	5	1	0	0	1	4	0	0	4
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	0	4	1	0	0	1	3	0	0	3
TEENAGE FERTILITY RATE	28.0	0.0	53.6 (15-19)		24.0	0.0	46.2 (15-19)		38.0	0.0	71.4 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	55.6	0.0	0.0	71.4	0.0	0.0	0.0	0.0	142.8	0.0	0.0	166.7
TEENAGE INDUCED TERMINATIONS#	4	0	1	3	3	0	1	2	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	222.2	0.0	250.0	214.3	272.7	0.0	333.3	250.0	142.8	0.0	0.0	166.7
TEENAGE PREGNANCIES#	23	0	5	18	14	0	4	10	9	0	1	8
TEENAGE PREGNANCY RATE	35.8	0.0	68.4 (15-19)		30.6	0.0	58.8 (15-19)		48.9	0.0	91.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: WILKINSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,283	631	301	330	138
WHITE	3,111	148	76	72	27
NONWHITE	7,172	483	225	258	111

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	22	1	9	12	2	0	0	2	20	1	9	10
TEENAGE IMMATURE BIRTHS	3	1	1	1	0	0	0	0	3	1	1	1
TEENAGE PREMATURE BIRTHS	5	0	3	2	0	0	0	0	5	0	3	2
TEENAGE ILLEGITIMATE BIRTHS	21	1	9	11	1	0	0	1	20	1	9	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	0	5	1	0	0	1	4	0	0	4
TEENS WHO HAD PREVIOUS PREGNANCIES	5	0	0	5	1	0	0	1	4	0	0	4
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE FERTILITY RATE	34.9	3.3	63.6 (15-19)		13.5	0.0	27.8 (15-19)		41.4	4.4	73.6 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	45.4	0.0	111.1	0.0	500.0	0.0	-	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	23	1	10	12	3	0	1	2	20	1	9	10
TEENAGE PREGNANCY RATE	36.4	3.3	66.7 (15-19)		20.3	0.0	41.7 (15-19)		41.4	4.4	73.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: WINSTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,575	1,244	601	643	293
WHITE	10,540	596	297	299	92
NONWHITE	9,035	648	304	344	201

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	43	1	13	29	13	0	3	10	30	1	10	19
TEENAGE IMMATURE BIRTHS	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE PREMATURE BIRTHS	4	1	0	3	0	0	0	0	4	1	0	3
TEENAGE ILLEGITIMATE BIRTHS	40	1	12	27	10	0	2	8	30	1	10	19
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	3	6	3	0	0	3	6	0	3	3
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	3	7	3	0	0	3	7	0	3	4
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	3	1	1	0	0	1	3	0	3	0
TEENAGE FERTILITY RATE	34.6	1.7	65.3 (15-19)		21.8	0.0	43.5 (15-19)		46.3	3.3	84.3 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	1	3	1	0	0	1	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	93.0	0.0	76.9	103.4	76.9	0.0	0.0	100.0	100.0	0.0	100.0	105.3
TEENAGE PREGNANCIES#	47	1	14	32	14	0	3	11	33	1	11	21
TEENAGE PREGNANCY RATE	37.8	1.7	71.5 (15-19)		23.5	0.0	46.8 (15-19)		50.9	3.3	93.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: YALOBUSHA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,645	870	402	468	171
WHITE	8,102	404	201	203	90
NONWHITE	5,543	466	201	265	81

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	39	1	12	26	15	0	2	13	24	1	10	13
TEENAGE IMMATURE BIRTHS	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE PREMATURE BIRTHS	7	0	3	4	1	0	0	1	6	0	3	3
TEENAGE ILLEGITIMATE BIRTHS	33	1	11	21	9	0	1	8	24	1	10	13
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	2	5	3	0	1	2	4	0	1	3
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	2	7	5	0	1	4	4	0	1	3
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	2	4	1	0	0	1	5	0	2	3
TEENAGE FERTILITY RATE	44.8	2.5	81.2 (15-19)		37.1	0.0	73.9 (15-19)		51.5	5.0	86.8 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	1	3	1	0	0	1	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	102.6	0.0	83.3	115.4	66.7	0.0	0.0	76.9	125.0	0.0	100.0	153.8
TEENAGE PREGNANCIES#	43	1	13	29	16	0	2	14	27	1	11	15
TEENAGE PREGNANCY RATE	49.4	2.5	89.7 (15-19)		39.6	0.0	78.8 (15-19)		57.9	5.0	98.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2008

COUNTY: YAZOO

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	28,464	1,892	936	956	433
WHITE	12,553	566	289	277	115
NONWHITE	15,911	1,326	647	679	318

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	90	2	30	58	12	0	3	9	78	2	27	49
TEENAGE IMMATURE BIRTHS	14	0	3	11	0	0	0	0	14	0	3	11
TEENAGE PREMATURE BIRTHS	18	0	5	13	0	0	0	0	18	0	5	13
TEENAGE ILLEGITIMATE BIRTHS	87	2	29	56	9	0	2	7	78	2	27	49
TEENS WHO HAD PREVIOUS LIVE BIRTHS	31	0	4	27	1	0	1	0	30	0	3	27
TEENS WHO HAD PREVIOUS PREGNANCIES	38	0	8	30	3	0	2	1	35	0	6	29
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	47.6	2.1	92.0 (15-19)		21.2	0.0	43.3 (15-19)		58.8	3.1	111.9 (15-19)	
TEENAGE FETAL DEATHS**	3	0	0	3	0	0	0	0	3	0	0	3
TEENAGE FETAL DEATH RATIO	33.3	0.0	0.0	51.7	0.0	0.0	0.0	0.0	38.5	0.0	0.0	61.2
TEENAGE INDUCED TERMINATIONS#	16	1	6	9	4	0	1	3	12	1	5	6
TEENAGE INDUCED TERMINATION RATIO	177.8	500.0	200.0	155.2	333.3	0.0	333.3	333.3	153.8	500.0	185.2	122.4
TEENAGE PREGNANCIES#	109	3	36	70	16	0	4	12	93	3	32	58
TEENAGE PREGNANCY RATE	57.6	3.2	110.9 (15-19)		28.3	0.0	57.8 (15-19)		70.1	4.6	132.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1
INFANT MORTALITY RATE, TEEN MOMS	22.2	0.0	33.3	17.2	0.0	0.0	0.0	0.0	25.6	0.0	37.0	20.4

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.