

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: ADAMS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	32,297	1,995	942	1,053	393
WHITE	13,793	599	289	310	131
NONWHITE	18,504	1,396	653	743	262

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	89	4	30	55	17	0	3	14	72	4	27	41
TEENAGE IMMATURE BIRTHS	8	0	2	6	0	0	0	0	8	0	2	6
TEENAGE PREMATURE BIRTHS	13	0	4	9	2	0	0	2	11	0	4	7
TEENAGE ILLEGITIMATE BIRTHS	85	4	30	51	13	0	3	10	72	4	27	41
TEENS WHO HAD PREVIOUS LIVE BIRTHS	21	0	2	19	6	0	0	6	15	0	2	13
TEENS WHO HAD PREVIOUS PREGNANCIES	23	0	2	21	6	0	0	6	17	0	2	15
TEENS WITH INADEQUATE* PRENATAL CARE	7	2	1	4	0	0	0	0	7	2	1	4
TEENAGE FERTILITY RATE	44.6	4.2	80.7 (15-19)		28.4	0.0	54.8 (15-19)		51.6	6.1	91.5 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	11.2	0.0	0.0	18.2	0.0	0.0	0.0	0.0	13.9	0.0	0.0	24.4
TEENAGE INDUCED TERMINATIONS#	6	0	2	4	0	0	0	0	6	0	2	4
TEENAGE INDUCED TERMINATION RATIO	67.4	0.0	66.7	72.7	0.0	0.0	0.0	0.0	83.3	0.0	74.1	97.6
TEENAGE PREGNANCIES#	96	4	32	60	17	0	3	14	79	4	29	46
TEENAGE PREGNANCY RATE	48.1	4.2	87.4 (15-19)		28.4	0.0	54.8 (15-19)		56.6	6.1	100.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	11.2	0.0	33.3	0.0	0.0	0.0	0.0	0.0	13.9	0.0	37.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: ALCORN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	37,057	2,376	1,178	1,198	436
WHITE	31,656	1,925	952	973	367
NONWHITE	5,401	451	226	225	69

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	77	3	20	54	61	3	16	42	16	0	4	12
TEENAGE IMMATURE BIRTHS	6	0	2	4	5	0	1	4	1	0	1	0
TEENAGE PREMATURE BIRTHS	13	0	6	7	8	0	4	4	5	0	2	3
TEENAGE ILLEGITIMATE BIRTHS	57	3	16	38	41	3	12	26	16	0	4	12
TEENS WHO HAD PREVIOUS LIVE BIRTHS	22	0	2	20	13	0	2	11	9	0	0	9
TEENS WHO HAD PREVIOUS PREGNANCIES	25	0	4	21	16	0	4	12	9	0	0	9
TEENS WITH INADEQUATE* PRENATAL CARE	7	1	1	5	5	1	1	3	2	0	0	2
TEENAGE FERTILITY RATE	32.4	2.5	61.8 (15-19)		31.7	3.2	59.6 (15-19)		35.5	0.0	71.1 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	6	1	1	4	3	1	1	1	3	0	0	3
TEENAGE INDUCED TERMINATION RATIO	77.9	333.3	50.0	74.1	49.2	333.3	62.5	23.8	187.5	0.0	0.0	250.0
TEENAGE PREGNANCIES#	83	4	21	58	64	4	17	43	19	0	4	15
TEENAGE PREGNANCY RATE	34.9	3.4	65.9 (15-19)		33.2	4.2	61.7 (15-19)		42.1	0.0	84.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: AMITE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,131	755	362	393	125
WHITE	7,574	369	181	188	64
NONWHITE	5,557	386	181	205	61

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	15	0	8	7	5	0	2	3	10	0	6	4
TEENAGE IMMATURE BIRTHS	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE PREMATURE BIRTHS	3	0	2	1	1	0	0	1	2	0	2	0
TEENAGE ILLEGITIMATE BIRTHS	14	0	8	6	4	0	2	2	10	0	6	4
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	1	3	2	0	0	2	2	0	1	1
TEENS WHO HAD PREVIOUS PREGNANCIES	4	0	1	3	2	0	0	2	2	0	1	1
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	19.9	0.0	38.2 (15-19)	13.6	13.6	0.0	26.6 (15-19)	25.9	25.9	0.0	48.8 (15-19)	13.6
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	133.3	0.0	0.0	285.7	200.0	0.0	0.0	333.3	100.0	0.0	0.0	250.0
TEENAGE PREGNANCIES#	17	0	8	9	6	0	2	4	11	0	6	5
TEENAGE PREGNANCY RATE	22.5	0.0	43.2 (15-19)	16.3	16.3	0.0	31.9 (15-19)	28.5	28.5	0.0	53.6 (15-19)	16.3
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: ATTALA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,564	1,292	638	654	282
WHITE	11,000	636	318	318	130
NONWHITE	8,564	656	320	336	152

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	53	1	15	37	20	0	5	15	33	1	10	22
TEENAGE IMMATURE BIRTHS	4	0	0	4	1	0	0	1	3	0	0	3
TEENAGE PREMATURE BIRTHS	7	1	3	3	1	0	0	1	6	1	3	2
TEENAGE ILLEGITIMATE BIRTHS	48	1	13	34	15	0	3	12	33	1	10	22
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	3	6	2	0	0	2	7	0	3	4
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	3	7	3	0	0	3	7	0	3	4
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	41.0	1.6	79.5 (15-19)		31.4	0.0	62.9 (15-19)		50.3	3.1	95.2 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	3	1	2	0	1	1	2	0	2	0
TEENAGE INDUCED TERMINATION RATIO	75.5	0.0	200.0	27.0	100.0	0.0	200.0	66.7	60.6	0.0	200.0	0.0
TEENAGE PREGNANCIES#	57	1	18	38	22	0	6	16	35	1	12	22
TEENAGE PREGNANCY RATE	44.1	1.6	85.6 (15-19)		34.6	0.0	69.2 (15-19)		53.4	3.1	101.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: BENTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	8,729	593	310	283	94
WHITE	5,284	318	153	165	51
NONWHITE	3,445	275	157	118	43

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	21	2	11	8	11	1	7	3	10	1	4	5
TEENAGE IMMATURE BIRTHS	4	0	3	1	1	0	1	0	3	0	2	1
TEENAGE PREMATURE BIRTHS	3	1	2	0	1	0	1	0	2	1	1	0
TEENAGE ILLEGITIMATE BIRTHS	19	2	11	6	9	1	7	1	10	1	4	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	2	0	1	1	1	0	1	0	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	3	0	1	2	2	0	1	1	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FERTILITY RATE	35.4	6.4	67.1 (15-19)		34.6	6.5	60.6 (15-19)		36.4	6.4	76.3 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	2	0	0	2	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	95.2	0.0	0.0	250.0	181.8	0.0	0.0	666.7	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	23	2	11	10	13	1	7	5	10	1	4	5
TEENAGE PREGNANCY RATE	38.8	6.4	74.2 (15-19)		40.9	6.5	72.7 (15-19)		36.4	6.4	76.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: BOLIVAR

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	34,145	2,549	1,143	1,406	587
WHITE	11,446	650	274	376	150
NONWHITE	22,699	1,899	869	1,030	437

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	108	0	40	68	17	0	4	13	91	0	36	55
TEENAGE IMMATURE BIRTHS	14	0	7	7	1	0	1	0	13	0	6	7
TEENAGE PREMATURE BIRTHS	27	0	14	13	2	0	1	1	25	0	13	12
TEENAGE ILLEGITIMATE BIRTHS	105	0	40	65	14	0	4	10	91	0	36	55
TEENS WHO HAD PREVIOUS LIVE BIRTHS	23	0	5	18	5	0	0	5	18	0	5	13
TEENS WHO HAD PREVIOUS PREGNANCIES	29	0	6	23	7	0	0	7	22	0	6	16
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	42.4	0.0	76.8 (15-19)		26.2	0.0	45.2 (15-19)		47.9	0.0	88.4 (15-19)	
TEENAGE FETAL DEATHS**	2	1	0	1	0	0	0	0	2	1	0	1
TEENAGE FETAL DEATH RATIO	18.5	-	0.0	14.7	0.0	0.0	0.0	0.0	22.0	-	0.0	18.2
TEENAGE INDUCED TERMINATIONS#	15	1	5	9	0	0	0	0	15	1	5	9
TEENAGE INDUCED TERMINATION RATIO	138.9	-	125.0	132.4	0.0	0.0	0.0	0.0	164.8	-	138.9	163.6
TEENAGE PREGNANCIES#	125	2	45	78	17	0	4	13	108	2	41	65
TEENAGE PREGNANCY RATE	49.0	1.8	87.5 (15-19)		26.2	0.0	45.2 (15-19)		56.9	2.3	102.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1
INFANT MORTALITY RATE, TEEN MOMS	18.5	0.0	25.0	14.7	0.0	0.0	0.0	0.0	22.0	0.0	27.8	18.2

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: CALHOUN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	14,962	1,015	505	510	193
WHITE	10,096	589	306	283	128
NONWHITE	4,866	426	199	227	65

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	27	1	7	19	14	0	4	10	13	1	3	9
TEENAGE IMMATURE BIRTHS	7	0	2	5	1	0	0	1	6	0	2	4
TEENAGE PREMATURE BIRTHS	5	0	0	5	2	0	0	2	3	0	0	3
TEENAGE ILLEGITIMATE BIRTHS	23	1	7	15	10	0	4	6	13	1	3	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	1	4	2	0	0	2	3	0	1	2
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	1	6	2	0	0	2	5	0	1	4
TEENS WITH INADEQUATE* PRENATAL CARE	4	1	1	2	3	0	1	2	1	1	0	0
TEENAGE FERTILITY RATE	26.6	2.0	51.0 (15-19)	23.8	23.8	0.0	49.5 (15-19)	30.5	30.5	5.0	52.9 (15-19)	30.5
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	37.0	0.0	0.0	52.6	71.4	0.0	0.0	100.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	28	1	7	20	15	0	4	11	13	1	3	9
TEENAGE PREGNANCY RATE	27.6	2.0	52.9 (15-19)	25.5	25.5	0.0	53.0 (15-19)	30.5	30.5	5.0	52.9 (15-19)	30.5
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	1	0	1	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	37.0	0.0	142.9	0.0	71.4	0.0	250.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: CARROLL

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,597	628	286	342	98
WHITE	6,956	339	161	178	55
NONWHITE	3,641	289	125	164	43

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	16	0	5	11	7	0	2	5	9	0	3	6
TEENAGE IMMATURE BIRTHS	2	0	2	0	1	0	1	0	1	0	1	0
TEENAGE PREMATURE BIRTHS	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE ILLEGITIMATE BIRTHS	16	0	5	11	7	0	2	5	9	0	3	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	0	3	3	0	0	3	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	4	0	1	3	4	0	1	3	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	25.5	0.0	46.8 (15-19)		20.6	0.0	39.3 (15-19)		31.1	0.0	54.9 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	3	1	0	0	0	0	4	0	3	1
TEENAGE INDUCED TERMINATION RATIO	250.0	0.0	600.0	90.9	0.0	0.0	0.0	0.0	444.4	0.0	1000.0	166.7
TEENAGE PREGNANCIES#	20	0	8	12	7	0	2	5	13	0	6	7
TEENAGE PREGNANCY RATE	31.8	0.0	58.5 (15-19)		20.6	0.0	39.3 (15-19)		45.0	0.0	79.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: CHICKASAW

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	17,392	1,243	598	645	277
WHITE	9,386	590	288	302	143
NONWHITE	8,006	653	310	343	134

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	60	2	24	34	36	2	16	18	24	0	8	16
TEENAGE IMMATURE BIRTHS	9	0	5	4	4	0	3	1	5	0	2	3
TEENAGE PREMATURE BIRTHS	14	0	7	7	8	0	5	3	6	0	2	4
TEENAGE ILLEGITIMATE BIRTHS	55	2	22	31	31	2	14	15	24	0	8	16
TEENS WHO HAD PREVIOUS LIVE BIRTHS	10	0	4	6	5	0	3	2	5	0	1	4
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	4	7	5	0	3	2	6	0	1	5
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	1	5	3	0	1	2	3	0	0	3
TEENAGE FERTILITY RATE	48.3	3.3	89.9 (15-19)		61.0	6.9	112.6 (15-19)		36.8	0.0	70.0 (15-19)	
TEENAGE FETAL DEATHS**	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FETAL DEATH RATIO	33.3	0.0	0.0	58.8	0.0	0.0	0.0	0.0	83.3	0.0	0.0	125.0
TEENAGE INDUCED TERMINATIONS#	7	1	1	5	2	1	0	1	5	0	1	4
TEENAGE INDUCED TERMINATION RATIO	116.7	500.0	41.7	147.0	55.6	500.0	0.0	55.6	208.3	0.0	125.0	250.0
TEENAGE PREGNANCIES#	69	3	25	41	38	3	16	19	31	0	9	22
TEENAGE PREGNANCY RATE	55.5	5.0	102.3 (15-19)		64.4	10.4	115.9 (15-19)		47.5	0.0	90.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: CHOCTAW

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	8,547	593	299	294	112
WHITE	5,846	373	196	177	65
NONWHITE	2,701	220	103	117	47

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	17	0	6	11	9	0	5	4	8	0	1	7
TEENAGE IMMATURE BIRTHS	3	0	2	1	2	0	2	0	1	0	0	1
TEENAGE PREMATURE BIRTHS	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	16	0	6	10	8	0	5	3	8	0	1	7
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	0	3	1	0	0	1	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	5	0	0	5	2	0	0	2	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE FERTILITY RATE	28.7	0.0	57.8 (15-19)		24.1	0.0	50.8 (15-19)		36.4	0.0	68.4 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	58.8	0.0	0.0	90.9	0.0	0.0	0.0	0.0	125.0	0.0	0.0	142.8
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	18	0	6	12	9	0	5	4	9	0	1	8
TEENAGE PREGNANCY RATE	30.4	0.0	61.2 (15-19)		24.1	0.0	50.8 (15-19)		40.9	0.0	76.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	1	0	1	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	58.8	0.0	166.7	0.0	111.1	0.0	200.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: CLAIBORNE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,604	837	316	521	138
WHITE	1,367	54	29	25	5
NONWHITE	8,237	783	287	496	133

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	34	0	15	19	0	0	0	0	34	0	15	19
TEENAGE IMMATURE BIRTHS	9	0	4	5	0	0	0	0	9	0	4	5
TEENAGE PREMATURE BIRTHS	7	0	4	3	0	0	0	0	7	0	4	3
TEENAGE ILLEGITIMATE BIRTHS	34	0	15	19	0	0	0	0	34	0	15	19
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	4	5	0	0	0	0	9	0	4	5
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	4	5	0	0	0	0	9	0	4	5
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	1	4	0	0	0	0	5	0	1	4
TEENAGE FERTILITY RATE	40.6	0.0	65.2 (15-19)		0.0	0.0	0.0 (15-19)		43.4	0.0	68.5 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	1	1	2	0	0	0	0	4	1	1	2
TEENAGE INDUCED TERMINATION RATIO	117.6	-	66.7	105.3	0.0	0.0	0.0	0.0	117.6	-	66.7	105.3
TEENAGE PREGNANCIES#	38	1	16	21	0	0	0	0	38	1	16	21
TEENAGE PREGNANCY RATE	45.4	3.2	71.0 (15-19)		0.0	0.0	0.0 (15-19)		48.5	3.5	74.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	29.4	0.0	66.7	0.0	0.0	0.0	0.0	0.0	29.4	0.0	66.7	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: CLARKE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	16,732	1,174	593	581	198
WHITE	10,741	660	328	332	130
NONWHITE	5,991	514	265	249	68

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	32	1	5	26	23	1	5	17	9	0	0	9
TEENAGE IMMATURE BIRTHS	6	0	0	6	2	0	0	2	4	0	0	4
TEENAGE PREMATURE BIRTHS	7	0	1	6	5	0	1	4	2	0	0	2
TEENAGE ILLEGITIMATE BIRTHS	28	1	5	22	19	1	5	13	9	0	0	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	0	5	2	0	0	2	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	1	7	4	0	1	3	4	0	0	4
TEENS WITH INADEQUATE* PRENATAL CARE	1	1	0	0	1	1	0	0	0	0	0	0
TEENAGE FERTILITY RATE	27.2	1.7	53.4 (15-19)	34.8	34.8	3.0	66.3 (15-19)	17.5	17.5	0.0	36.1 (15-19)	0.0
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	31.2	0.0	200.0	0.0	0.0	0.0	0.0	0.0	111.1	0.0	-	0.0
TEENAGE PREGNANCIES#	33	1	6	26	23	1	5	17	10	0	1	9
TEENAGE PREGNANCY RATE	28.1	1.7	55.1 (15-19)	34.8	34.8	3.0	66.3 (15-19)	19.4	19.4	0.0	40.2 (15-19)	0.0
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: CLAY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	20,634	1,583	788	795	243
WHITE	8,350	448	227	221	74
NONWHITE	12,284	1,135	561	574	169

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	34	1	7	26	6	0	1	5	28	1	6	21
TEENAGE IMMATURE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE PREMATURE BIRTHS	7	0	2	5	1	0	0	1	6	0	2	4
TEENAGE ILLEGITIMATE BIRTHS	32	1	7	24	5	0	1	4	27	1	6	20
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	0	4	1	0	0	1	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	5	0	0	5	1	0	0	1	4	0	0	4
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	21.5	1.3	41.5 (15-19)	13.4	0.0	27.1 (15-19)	24.7	1.8	47.0 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	5	0	3	2	0	0	0	0	5	0	3	2
TEENAGE INDUCED TERMINATION RATIO	147.0	0.0	428.6	76.9	0.0	0.0	0.0	0.0	178.6	0.0	500.0	95.2
TEENAGE PREGNANCIES#	39	1	10	28	6	0	1	5	33	1	9	23
TEENAGE PREGNANCY RATE	24.6	1.3	47.8 (15-19)	13.4	0.0	27.1 (15-19)	29.1	1.8	55.7 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: COAHOMA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	26,151	2,255	1,062	1,193	449
WHITE	5,989	298	128	170	83
NONWHITE	20,162	1,957	934	1,023	366

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	105	5	37	63	8	0	4	4	97	5	33	59
TEENAGE IMMATURE BIRTHS	25	1	6	18	0	0	0	0	25	1	6	18
TEENAGE PREMATURE BIRTHS	45	5	17	23	1	0	1	0	44	5	16	23
TEENAGE ILLEGITIMATE BIRTHS	103	5	35	63	6	0	2	4	97	5	33	59
TEENS WHO HAD PREVIOUS LIVE BIRTHS	32	0	5	27	2	0	1	1	30	0	4	26
TEENS WHO HAD PREVIOUS PREGNANCIES	34	0	6	28	3	0	1	2	31	0	5	26
TEENS WITH INADEQUATE* PRENATAL CARE	6	1	3	2	0	0	0	0	6	1	3	2
TEENAGE FERTILITY RATE	46.6	4.7	83.8 (15-19)		26.8	0.0	47.0 (15-19)		49.6	5.4	89.9 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	9.5	0.0	0.0	15.9	0.0	0.0	0.0	0.0	10.3	0.0	0.0	16.9
TEENAGE INDUCED TERMINATIONS#	11	0	8	3	0	0	0	0	11	0	8	3
TEENAGE INDUCED TERMINATION RATIO	104.8	0.0	216.2	47.6	0.0	0.0	0.0	0.0	113.4	0.0	242.4	50.8
TEENAGE PREGNANCIES#	117	5	45	67	8	0	4	4	109	5	41	63
TEENAGE PREGNANCY RATE	51.9	4.7	93.9 (15-19)		26.8	0.0	47.0 (15-19)		55.7	5.4	101.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	9.5	0.0	0.0	15.9	0.0	0.0	0.0	0.0	10.3	0.0	0.0	16.9

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: COPIAH

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	29,449	2,184	925	1,259	364
WHITE	13,627	838	360	478	153
NONWHITE	15,822	1,346	565	781	211

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	55	0	18	37	17	0	3	14	38	0	15	23
TEENAGE IMMATURE BIRTHS	8	0	2	6	2	0	0	2	6	0	2	4
TEENAGE PREMATURE BIRTHS	13	0	2	11	2	0	0	2	11	0	2	9
TEENAGE ILLEGITIMATE BIRTHS	50	0	17	33	12	0	2	10	38	0	15	23
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	1	8	1	0	0	1	8	0	1	7
TEENS WHO HAD PREVIOUS PREGNANCIES	13	0	2	11	4	0	1	3	9	0	1	8
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	0	3	0	0	0	0	3	0	0	3
TEENAGE FERTILITY RATE	25.2	0.0	43.7 (15-19)		20.3	0.0	35.6 (15-19)		28.2	0.0	48.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	12	1	2	9	2	0	1	1	10	1	1	8
TEENAGE INDUCED TERMINATION RATIO	218.2	-	111.1	243.2	117.6	0.0	333.3	71.4	263.2	-	66.7	347.8
TEENAGE PREGNANCIES#	67	1	20	46	19	0	4	15	48	1	16	31
TEENAGE PREGNANCY RATE	30.7	1.1	52.4 (15-19)		22.7	0.0	39.7 (15-19)		35.7	1.8	60.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: COVINGTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,568	1,454	676	778	281
WHITE	12,319	794	370	424	167
NONWHITE	7,249	660	306	354	114

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	50	1	11	38	22	1	4	17	28	0	7	21
TEENAGE IMMATURE BIRTHS	12	1	3	8	6	1	2	3	6	0	1	5
TEENAGE PREMATURE BIRTHS	10	1	2	7	5	1	2	2	5	0	0	5
TEENAGE ILLEGITIMATE BIRTHS	48	1	11	36	20	1	4	15	28	0	7	21
TEENS WHO HAD PREVIOUS LIVE BIRTHS	14	0	0	14	5	0	0	5	9	0	0	9
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	0	15	6	0	0	6	9	0	0	9
TEENS WITH INADEQUATE* PRENATAL CARE	7	1	2	4	2	1	0	1	5	0	2	3
TEENAGE FERTILITY RATE	34.4	1.5	63.0 (15-19)		27.7	2.7	49.5 (15-19)		42.4	0.0	79.1 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	20.0	0.0	0.0	26.3	45.4	0.0	0.0	58.8	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	40.0	0.0	90.9	26.3	45.4	0.0	0.0	58.8	35.7	0.0	142.8	0.0
TEENAGE PREGNANCIES#	53	1	12	40	24	1	4	19	29	0	8	21
TEENAGE PREGNANCY RATE	36.4	1.5	66.8 (15-19)		30.2	2.7	54.2 (15-19)		43.9	0.0	81.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: DESOTO

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	161,252	12,345	6,600	5,745	2,030
WHITE	116,440	8,027	4,211	3,816	1,494
NONWHITE	44,812	4,318	2,389	1,929	536

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	194	2	64	128	129	2	41	86	65	0	23	42
TEENAGE IMMATURE BIRTHS	18	0	5	13	9	0	2	7	9	0	3	6
TEENAGE PREMATURE BIRTHS	16	0	8	8	9	0	5	4	7	0	3	4
TEENAGE ILLEGITIMATE BIRTHS	173	2	58	113	108	2	35	71	65	0	23	42
TEENS WHO HAD PREVIOUS LIVE BIRTHS	33	0	7	26	23	0	4	19	10	0	3	7
TEENS WHO HAD PREVIOUS PREGNANCIES	36	0	7	29	25	0	4	21	11	0	3	8
TEENS WITH INADEQUATE* PRENATAL CARE	11	0	2	9	5	0	0	5	6	0	2	4
TEENAGE FERTILITY RATE	15.7	0.3	33.4 (15-19)		16.1	0.5	33.3 (15-19)		15.0	0.0	33.7 (15-19)	
TEENAGE FETAL DEATHS**	3	0	2	1	1	0	1	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	15.5	0.0	31.2	7.8	7.8	0.0	24.4	0.0	30.8	0.0	43.5	23.8
TEENAGE INDUCED TERMINATIONS#	75	5	30	40	41	2	12	27	33	3	17	13
TEENAGE INDUCED TERMINATION RATIO	386.6	2500.0	468.8	312.5	317.8	1000.0	292.7	314.0	507.7	-	739.1	309.5
TEENAGE PREGNANCIES#	272	7	96	169	171	4	54	113	100	3	41	56
TEENAGE PREGNANCY RATE	22.0	1.1	46.1 (15-19)		21.3	1.0	43.8 (15-19)		23.2	1.2	50.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	5.2	0.0	0.0	7.8	7.8	0.0	0.0	11.6	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: FORREST

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	74,934	5,647	2,332	3,315	1,175
WHITE	44,726	2,934	1,200	1,734	645
NONWHITE	30,208	2,713	1,132	1,581	530

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	165	1	49	115	68	0	21	47	97	1	28	68
TEENAGE IMMATURE BIRTHS	29	1	8	20	8	0	2	6	21	1	6	14
TEENAGE PREMATURE BIRTHS	35	1	9	25	11	0	3	8	24	1	6	17
TEENAGE ILLEGITIMATE BIRTHS	146	1	46	99	50	0	18	32	96	1	28	67
TEENS WHO HAD PREVIOUS LIVE BIRTHS	40	0	8	32	14	0	4	10	26	0	4	22
TEENS WHO HAD PREVIOUS PREGNANCIES	46	0	8	38	16	0	4	12	30	0	4	26
TEENS WITH INADEQUATE* PRENATAL CARE	8	0	2	6	3	0	0	3	5	0	2	3
TEENAGE FERTILITY RATE	29.2	0.4	49.5 (15-19)		23.2	0.0	39.2 (15-19)		35.8	0.9	60.7 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	6.1	0.0	20.4	0.0	0.0	0.0	0.0	0.0	10.3	0.0	35.7	0.0
TEENAGE INDUCED TERMINATIONS#	21	1	4	16	8	0	1	7	13	1	3	9
TEENAGE INDUCED TERMINATION RATIO	127.3	1000.0	81.6	139.1	117.6	0.0	47.6	148.9	134.0	1000.0	107.1	132.4
TEENAGE PREGNANCIES#	187	2	54	131	76	0	22	54	111	2	32	77
TEENAGE PREGNANCY RATE	33.1	0.8	55.8 (15-19)		25.9	0.0	43.8 (15-19)		40.9	1.8	68.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	1	0	0	1	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	12.1	0.0	0.0	17.4	14.7	0.0	0.0	21.3	10.3	0.0	0.0	14.7

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: FRANKLIN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	8,118	526	279	247	88
WHITE	5,257	283	146	137	49
NONWHITE	2,861	243	133	110	39

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	14	0	3	11	7	0	0	7	7	0	3	4
TEENAGE IMMATURE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE PREMATURE BIRTHS	4	0	1	3	1	0	0	1	3	0	1	2
TEENAGE ILLEGITIMATE BIRTHS	11	0	3	8	4	0	0	4	7	0	3	4
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	0	3	1	0	0	1	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	3	0	0	3	1	0	0	1	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	26.6	0.0	56.7 (15-19)		24.7	0.0	51.1 (15-19)		28.8	0.0	63.6 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	71.4	0.0	0.0	90.9	0.0	0.0	0.0	0.0	142.8	0.0	0.0	250.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	71.4	0.0	0.0	90.9	0.0	0.0	0.0	0.0	142.8	0.0	0.0	250.0
TEENAGE PREGNANCIES#	16	0	3	13	7	0	0	7	9	0	3	6
TEENAGE PREGNANCY RATE	30.4	0.0	64.8 (15-19)		24.7	0.0	51.1 (15-19)		37.0	0.0	81.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: GEORGE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	22,578	1,670	843	827	381
WHITE	20,266	1,493	748	745	336
NONWHITE	2,312	177	95	82	45

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	72	0	21	51	61	0	17	44	11	0	4	7
TEENAGE IMMATURE BIRTHS	8	0	1	7	7	0	1	6	1	0	0	1
TEENAGE PREMATURE BIRTHS	7	0	2	5	6	0	2	4	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	52	0	20	32	42	0	16	26	10	0	4	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	2	13	12	0	1	11	3	0	1	2
TEENS WHO HAD PREVIOUS PREGNANCIES	18	0	2	16	15	0	1	14	3	0	1	2
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	2	0	2	0	2	0	0	0	0	0
TEENAGE FERTILITY RATE	43.1	0.0	87.1 (15-19)		40.8	0.0	81.9 (15-19)		62.1	0.0	134.1 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	13.9	0.0	0.0	19.6	16.4	0.0	0.0	22.7	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	2	0	1	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	27.8	0.0	47.6	19.6	32.8	0.0	58.8	22.7	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	75	0	22	53	64	0	18	46	11	0	4	7
TEENAGE PREGNANCY RATE	44.9	0.0	90.7 (15-19)		42.9	0.0	85.9 (15-19)		62.1	0.0	134.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	1	0	1	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	13.9	0.0	47.6	0.0	16.4	0.0	58.8	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: GREENE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	14,400	879	459	420	135
WHITE	10,441	705	365	340	113
NONWHITE	3,959	174	94	80	22

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	25	0	6	19	22	0	6	16	3	0	0	3
TEENAGE IMMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE PREMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	22	0	5	17	19	0	5	14	3	0	0	3
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	1	3	4	0	1	3	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	5	0	1	4	5	0	1	4	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	28.4	0.0	59.5 (15-19)		31.2	0.0	64.7 (15-19)		17.2	0.0	37.5 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	25	0	6	19	22	0	6	16	3	0	0	3
TEENAGE PREGNANCY RATE	28.4	0.0	59.5 (15-19)		31.2	0.0	64.7 (15-19)		17.2	0.0	37.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: GRENADA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,906	1,558	740	818	258
WHITE	12,465	796	412	384	128
NONWHITE	9,441	762	328	434	130

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	60	3	24	33	20	0	8	12	40	3	16	21
TEENAGE IMMATURE BIRTHS	11	1	2	8	3	0	1	2	8	1	1	6
TEENAGE PREMATURE BIRTHS	11	1	4	6	1	0	1	0	10	1	3	6
TEENAGE ILLEGITIMATE BIRTHS	57	3	23	31	17	0	7	10	40	3	16	21
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	1	7	1	0	0	1	7	0	1	6
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	2	8	2	0	0	2	8	0	2	6
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	3	3	0	0	0	0	6	0	3	3
TEENAGE FERTILITY RATE	38.5	4.0	69.7 (15-19)	25.1	25.1	0.0	52.1 (15-19)	52.5	52.5	9.1	85.2 (15-19)	85.2
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	16.7	0.0	0.0	30.3	50.0	0.0	0.0	83.3	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	10	1	5	4	2	0	1	1	8	1	4	3
TEENAGE INDUCED TERMINATION RATIO	166.7	333.3	208.3	121.2	100.0	0.0	125.0	83.3	200.0	333.3	250.0	142.8
TEENAGE PREGNANCIES#	71	4	29	38	23	0	9	14	48	4	20	24
TEENAGE PREGNANCY RATE	45.6	5.4	81.9 (15-19)	28.9	28.9	0.0	59.9 (15-19)	63.0	63.0	12.2	101.4 (15-19)	101.4
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	16.7	0.0	41.7	0.0	0.0	0.0	0.0	0.0	25.0	0.0	62.5	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: HANCOCK

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	43,929	2,859	1,390	1,469	440
WHITE	38,842	2,419	1,177	1,242	403
NONWHITE	5,087	440	213	227	37

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	58	0	19	39	52	0	14	38	6	0	5	1
TEENAGE IMMATURE BIRTHS	8	0	5	3	6	0	3	3	2	0	2	0
TEENAGE PREMATURE BIRTHS	6	0	2	4	4	0	0	4	2	0	2	0
TEENAGE ILLEGITIMATE BIRTHS	51	0	19	32	45	0	14	31	6	0	5	1
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	0	6	6	0	0	6	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	0	7	7	0	0	7	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	20.3	0.0	39.5 (15-19)		21.5	0.0	41.9 (15-19)		13.6	0.0	26.4 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	17.2	0.0	52.6	0.0	19.2	0.0	71.4	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	59	0	20	39	53	0	15	38	6	0	5	1
TEENAGE PREGNANCY RATE	20.6	0.0	40.2 (15-19)		21.9	0.0	42.7 (15-19)		13.6	0.0	26.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	17.2	0.0	52.6	0.0	0.0	0.0	0.0	0.0	166.7	0.0	200.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: HARRISON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	187,105	12,156	5,902	6,254	2,754
WHITE	130,366	7,595	3,701	3,894	1,863
NONWHITE	56,739	4,561	2,201	2,360	891

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	357	10	93	254	204	3	45	156	153	7	48	98
TEENAGE IMMATURE BIRTHS	54	1	16	37	20	0	5	15	34	1	11	22
TEENAGE PREMATURE BIRTHS	63	0	17	46	26	0	7	19	37	0	10	27
TEENAGE ILLEGITIMATE BIRTHS	307	10	89	208	160	3	41	116	147	7	48	92
TEENS WHO HAD PREVIOUS LIVE BIRTHS	71	0	5	66	33	0	3	30	38	0	2	36
TEENS WHO HAD PREVIOUS PREGNANCIES	84	0	8	76	43	0	6	37	41	0	2	39
TEENS WITH INADEQUATE* PRENATAL CARE	36	1	10	25	13	0	4	9	23	1	6	16
TEENAGE FERTILITY RATE	29.4	1.7	55.5 (15-19)		26.9	0.8	51.6 (15-19)		33.5	3.2	61.9 (15-19)	
TEENAGE FETAL DEATHS**	7	0	1	6	4	0	1	3	3	0	0	3
TEENAGE FETAL DEATH RATIO	19.6	0.0	10.8	23.6	19.6	0.0	22.2	19.2	19.6	0.0	0.0	30.6
TEENAGE INDUCED TERMINATIONS#	15	3	3	9	10	1	1	8	5	2	2	1
TEENAGE INDUCED TERMINATION RATIO	42.0	300.0	32.2	35.4	49.0	333.3	22.2	51.3	32.7	285.7	41.7	10.2
TEENAGE PREGNANCIES#	379	13	97	269	218	4	47	167	161	9	50	102
TEENAGE PREGNANCY RATE	31.2	2.2	58.5 (15-19)		28.7	1.1	55.0 (15-19)		35.3	4.1	64.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	7	0	2	5	3	0	1	2	4	0	1	3
INFANT MORTALITY RATE, TEEN MOMS	19.6	0.0	21.5	19.7	14.7	0.0	22.2	12.8	26.1	0.0	20.8	30.6

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: HINDS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	245,285	18,973	8,769	10,204	3,529
WHITE	69,769	3,610	1,622	1,988	806
NONWHITE	175,516	15,363	7,147	8,216	2,723

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	543	16	202	325	54	1	14	39	489	15	188	286
TEENAGE IMMATURE BIRTHS	96	1	34	61	6	0	1	5	90	1	33	56
TEENAGE PREMATURE BIRTHS	102	1	34	67	17	0	3	14	85	1	31	53
TEENAGE ILLEGITIMATE BIRTHS	530	16	202	312	47	1	14	32	483	15	188	280
TEENS WHO HAD PREVIOUS LIVE BIRTHS	123	0	20	103	14	0	2	12	109	0	18	91
TEENS WHO HAD PREVIOUS PREGNANCIES	149	0	26	123	19	0	4	15	130	0	22	108
TEENS WITH INADEQUATE* PRENATAL CARE	35	2	15	18	2	0	0	2	33	2	15	16
TEENAGE FERTILITY RATE	28.6	1.8	51.6 (15-19)		15.0	0.6	26.7 (15-19)		31.8	2.1	57.7 (15-19)	
TEENAGE FETAL DEATHS**	5	0	3	2	1	0	1	0	4	0	2	2
TEENAGE FETAL DEATH RATIO	9.2	0.0	14.8	6.2	18.5	0.0	71.4	0.0	8.2	0.0	10.6	7.0
TEENAGE INDUCED TERMINATIONS#	137	3	43	91	4	0	0	4	133	3	43	87
TEENAGE INDUCED TERMINATION RATIO	252.3	187.5	212.9	280.0	74.1	0.0	0.0	102.6	272.0	200.0	228.7	304.2
TEENAGE PREGNANCIES#	685	19	248	418	59	1	15	43	626	18	233	375
TEENAGE PREGNANCY RATE	36.1	2.2	65.3 (15-19)		16.3	0.6	29.2 (15-19)		40.7	2.5	74.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	10	0	3	7	2	0	0	2	8	0	3	5
INFANT MORTALITY RATE, TEEN MOMS	18.4	0.0	14.9	21.5	37.0	0.0	0.0	51.3	16.4	0.0	16.0	17.5

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: HOLMES

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,198	1,670	777	893	307
WHITE	3,001	187	73	114	19
NONWHITE	16,197	1,483	704	779	288

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	54	2	19	33	0	0	0	0	54	2	19	33
TEENAGE IMMATURE BIRTHS	5	0	3	2	0	0	0	0	5	0	3	2
TEENAGE PREMATURE BIRTHS	15	0	4	11	0	0	0	0	15	0	4	11
TEENAGE ILLEGITIMATE BIRTHS	54	2	19	33	0	0	0	0	54	2	19	33
TEENS WHO HAD PREVIOUS LIVE BIRTHS	14	0	4	10	0	0	0	0	14	0	4	10
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	4	11	0	0	0	0	15	0	4	11
TEENS WITH INADEQUATE* PRENATAL CARE	9	1	5	3	0	0	0	0	9	1	5	3
TEENAGE FERTILITY RATE	32.3	2.6	58.2	(15-19)	0.0	0.0	0.0	(15-19)	36.4	2.8	66.8	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	12	1	3	8	0	0	0	0	12	1	3	8
TEENAGE INDUCED TERMINATION RATIO	222.2	500.0	157.9	242.4	0.0	0.0	0.0	0.0	222.2	500.0	157.9	242.4
TEENAGE PREGNANCIES#	66	3	22	41	0	0	0	0	66	3	22	41
TEENAGE PREGNANCY RATE	39.5	3.9	70.5	(15-19)	0.0	0.0	0.0	(15-19)	44.5	4.3	80.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	18.5	0.0	52.6	0.0	0.0	0.0	0.0	0.0	18.5	0.0	52.6	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: HUMPHREYS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,375	674	317	357	153
WHITE	2,203	102	42	60	15
NONWHITE	7,172	572	275	297	138

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	36	0	11	25	3	0	0	3	33	0	11	22
TEENAGE IMMATURE BIRTHS	5	0	2	3	1	0	0	1	4	0	2	2
TEENAGE PREMATURE BIRTHS	6	0	2	4	0	0	0	0	6	0	2	4
TEENAGE ILLEGITIMATE BIRTHS	36	0	11	25	3	0	0	3	33	0	11	22
TEENS WHO HAD PREVIOUS LIVE BIRTHS	10	0	2	8	1	0	0	1	9	0	2	7
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	2	9	1	0	0	1	10	0	2	8
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	3	2	1	0	0	1	4	0	3	1
TEENAGE FERTILITY RATE	53.4	0.0	100.8	(15-19)	29.4	0.0	50.0	(15-19)	57.7	0.0	111.1	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	1	0	2	0	0	0	0	3	1	0	2
TEENAGE INDUCED TERMINATION RATIO	83.3	-	0.0	80.0	0.0	0.0	0.0	0.0	90.9	-	0.0	90.9
TEENAGE PREGNANCIES#	39	1	11	27	3	0	0	3	36	1	11	24
TEENAGE PREGNANCY RATE	57.9	3.2	106.4	(15-19)	29.4	0.0	50.0	(15-19)	62.9	3.6	117.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	27.8	0.0	0.0	40.0	0.0	0.0	0.0	0.0	30.3	0.0	0.0	45.5

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: ISSAQUENA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	1,406	72	34	38	24
WHITE	486	11	6	5	6
NONWHITE	920	61	28	33	18

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE IMMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE PREMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENS WHO HAD PREVIOUS LIVE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	0	0	0	0	0	0	0	0	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	27.8	0.0	52.6 (15-19)		0.0	0.0	0.0 (15-19)		32.8	0.0	60.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE PREGNANCY RATE	27.8	0.0	52.6 (15-19)		0.0	0.0	0.0 (15-19)		32.8	0.0	60.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: ITAWAMBA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	23,401	1,792	766	1,026	242
WHITE	21,623	1,593	702	891	235
NONWHITE	1,778	199	64	135	7

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	40	0	15	25	38	0	14	24	2	0	1	1
TEENAGE IMMATURE BIRTHS	8	0	2	6	8	0	2	6	0	0	0	0
TEENAGE PREMATURE BIRTHS	7	0	3	4	7	0	3	4	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	34	0	15	19	32	0	14	18	2	0	1	1
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	2	5	6	0	1	5	1	0	1	0
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	2	6	7	0	1	6	1	0	1	0
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	22.3	0.0	39.0 (15-19)		23.8	0.0	42.6 (15-19)		10.0	0.0	14.8 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	0	3	1	0	0	1	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	75.0	0.0	0.0	120.0	26.3	0.0	0.0	41.7	1000.0	0.0	0.0	2000.0
TEENAGE PREGNANCIES#	43	0	15	28	39	0	14	25	4	0	1	3
TEENAGE PREGNANCY RATE	24.0	0.0	41.9 (15-19)		24.5	0.0	43.8 (15-19)		20.1	0.0	29.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: JACKSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	139,668	9,804	4,859	4,945	1,702
WHITE	100,735	6,454	3,222	3,232	1,247
NONWHITE	38,933	3,350	1,637	1,713	455

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	259	0	68	191	178	0	46	132	81	0	22	59
TEENAGE IMMATURE BIRTHS	37	0	5	32	28	0	4	24	9	0	1	8
TEENAGE PREMATURE BIRTHS	35	0	7	28	23	0	3	20	12	0	4	8
TEENAGE ILLEGITIMATE BIRTHS	230	0	67	163	150	0	45	105	80	0	22	58
TEENS WHO HAD PREVIOUS LIVE BIRTHS	49	0	6	43	29	0	4	25	20	0	2	18
TEENS WHO HAD PREVIOUS PREGNANCIES	65	0	8	57	38	0	5	33	27	0	3	24
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	3	3	2	0	2	0	4	0	1	3
TEENAGE FERTILITY RATE	26.4	0.0	52.4	(15-19)	27.6	0.0	55.1	(15-19)	24.2	0.0	47.3	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	25	1	4	20	12	0	2	10	13	1	2	10
TEENAGE INDUCED TERMINATION RATIO	96.5	-	58.8	104.7	67.4	0.0	43.5	75.8	160.5	-	90.9	169.5
TEENAGE PREGNANCIES#	284	1	72	211	190	0	48	142	94	1	24	69
TEENAGE PREGNANCY RATE	29.0	0.2	57.2	(15-19)	29.4	0.0	58.8	(15-19)	28.1	0.6	54.3	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	0	0	0	0	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	7.7	0.0	0.0	10.5	0.0	0.0	0.0	0.0	24.7	0.0	0.0	33.9

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: JASPER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	17,062	1,222	603	619	223
WHITE	7,894	436	212	224	83
NONWHITE	9,168	786	391	395	140

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	35	2	6	27	8	0	3	5	27	2	3	22
TEENAGE IMMATURE BIRTHS	6	0	0	6	0	0	0	0	6	0	0	6
TEENAGE PREMATURE BIRTHS	6	0	1	5	0	0	0	0	6	0	1	5
TEENAGE ILLEGITIMATE BIRTHS	34	2	6	26	7	0	3	4	27	2	3	22
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	0	5	1	0	0	1	4	0	0	4
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	0	6	1	0	0	1	5	0	0	5
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	1	4	0	0	0	0	5	0	1	4
TEENAGE FERTILITY RATE	28.6	3.3	53.3 (15-19)	18.3	0.0	35.7 (15-19)	34.4	5.1	63.3 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	57.1	0.0	0.0	74.1	125.0	0.0	0.0	200.0	37.0	0.0	0.0	45.4
TEENAGE PREGNANCIES#	37	2	6	29	9	0	3	6	28	2	3	23
TEENAGE PREGNANCY RATE	30.3	3.3	56.5 (15-19)	20.6	0.0	40.2 (15-19)	35.6	5.1	65.8 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: JEFFERSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	7,726	520	255	265	105
WHITE	1,060	37	25	12	11
NONWHITE	6,666	483	230	253	94

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	18	0	4	14	1	0	0	1	17	0	4	13
TEENAGE IMMATURE BIRTHS	3	0	0	3	1	0	0	1	2	0	0	2
TEENAGE PREMATURE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE ILLEGITIMATE BIRTHS	18	0	4	14	1	0	0	1	17	0	4	13
TEENS WHO HAD PREVIOUS LIVE BIRTHS	2	0	0	2	1	0	0	1	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	3	0	0	3	1	0	0	1	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	0	3	1	0	0	1	2	0	0	2
TEENAGE FERTILITY RATE	34.6	0.0	67.9 (15-19)		27.0	0.0	83.3 (15-19)		35.2	0.0	67.2 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	111.1	0.0	250.0	71.4	0.0	0.0	0.0	0.0	117.6	0.0	250.0	76.9
TEENAGE PREGNANCIES#	20	0	5	15	1	0	0	1	19	0	5	14
TEENAGE PREGNANCY RATE	38.5	0.0	75.5 (15-19)		27.0	0.0	83.3 (15-19)		39.3	0.0	75.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	55.6	0.0	0.0	71.4	0.0	0.0	0.0	0.0	58.8	0.0	0.0	76.9

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: JEFF DAVIS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,487	844	401	443	167
WHITE	4,834	207	96	111	53
NONWHITE	7,653	637	305	332	114

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	28	0	11	17	7	0	2	5	21	0	9	12
TEENAGE IMMATURE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE PREMATURE BIRTHS	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE ILLEGITIMATE BIRTHS	26	0	11	15	5	0	2	3	21	0	9	12
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	1	2	2	0	1	1	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	4	0	1	3	2	0	1	1	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	33.2	0.0	63.2 (15-19)		33.8	0.0	63.1 (15-19)		33.0	0.0	63.2 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	35.7	0.0	90.9	0.0	0.0	0.0	0.0	0.0	47.6	0.0	111.1	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	29	0	12	17	7	0	2	5	22	0	10	12
TEENAGE PREGNANCY RATE	34.4	0.0	65.5 (15-19)		33.8	0.0	63.1 (15-19)		34.5	0.0	66.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: JONES

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	67,761	4,735	2,272	2,463	1,015
WHITE	45,531	2,819	1,359	1,460	627
NONWHITE	22,230	1,916	913	1,003	388

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	185	5	62	118	97	2	33	62	88	3	29	56
TEENAGE IMMATURE BIRTHS	29	1	9	19	12	1	4	7	17	0	5	12
TEENAGE PREMATURE BIRTHS	33	1	12	20	14	1	5	8	19	0	7	12
TEENAGE ILLEGITIMATE BIRTHS	168	5	59	104	80	2	30	48	88	3	29	56
TEENS WHO HAD PREVIOUS LIVE BIRTHS	40	0	8	32	17	0	6	11	23	0	2	21
TEENS WHO HAD PREVIOUS PREGNANCIES	45	0	8	37	19	0	6	13	26	0	2	24
TEENS WITH INADEQUATE* PRENATAL CARE	16	1	5	10	6	0	1	5	10	1	4	5
TEENAGE FERTILITY RATE	39.1	2.2	73.1 (15-19)		34.4	1.5	65.1 (15-19)		45.9	3.3	84.7 (15-19)	
TEENAGE FETAL DEATHS**	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE FETAL DEATH RATIO	10.8	0.0	0.0	16.9	10.3	0.0	0.0	16.1	11.4	0.0	0.0	17.8
TEENAGE INDUCED TERMINATIONS#	6	0	0	6	1	0	0	1	5	0	0	5
TEENAGE INDUCED TERMINATION RATIO	32.4	0.0	0.0	50.8	10.3	0.0	0.0	16.1	56.8	0.0	0.0	89.3
TEENAGE PREGNANCIES#	193	5	62	126	99	2	33	64	94	3	29	62
TEENAGE PREGNANCY RATE	40.8	2.2	76.3 (15-19)		35.1	1.5	66.4 (15-19)		49.1	3.3	90.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	4	0	0	4	3	0	0	3	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	21.6	0.0	0.0	33.9	30.9	0.0	0.0	48.4	11.4	0.0	0.0	17.9

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: KEMPER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,456	726	318	408	92
WHITE	3,689	179	70	109	27
NONWHITE	6,767	547	248	299	65

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	14	1	3	10	1	0	0	1	13	1	3	9
TEENAGE IMMATURE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE PREMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	14	1	3	10	1	0	0	1	13	1	3	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	2	0	0	2	1	0	0	1	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	2	0	0	2	1	0	0	1	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	2	1	0	1	0	0	0	0	2	1	0	1
TEENAGE FERTILITY RATE	19.3	3.1	31.9 (15-19)		5.6	0.0	9.2 (15-19)		23.8	4.0	40.1 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	8	0	3	5	0	0	0	0	8	0	3	5
TEENAGE INDUCED TERMINATION RATIO	571.4	0.0	1000.0	500.0	0.0	0.0	0.0	0.0	615.4	0.0	1000.0	555.6
TEENAGE PREGNANCIES#	22	1	6	15	1	0	0	1	21	1	6	14
TEENAGE PREGNANCY RATE	30.3	3.1	51.5 (15-19)		5.6	0.0	9.2 (15-19)		38.4	4.0	66.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: LAFAYETTE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	47,351	3,827	1,129	2,698	512
WHITE	33,976	2,626	690	1,936	345
NONWHITE	13,375	1,201	439	762	167

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	48	1	11	36	22	1	5	16	26	0	6	20
TEENAGE IMMATURE BIRTHS	8	0	1	7	4	0	0	4	4	0	1	3
TEENAGE PREMATURE BIRTHS	7	0	3	4	4	0	1	3	3	0	2	1
TEENAGE ILLEGITIMATE BIRTHS	42	1	10	31	17	1	4	12	25	0	6	19
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	0	11	3	0	0	3	8	0	0	8
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	0	12	4	0	0	4	8	0	0	8
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE	12.5	0.9	17.4	(15-19)	8.4	1.4	10.8	(15-19)	21.6	0.0	34.1	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	18	0	3	15	5	0	1	4	13	0	2	11
TEENAGE INDUCED TERMINATION RATIO	375.0	0.0	272.7	416.7	227.3	0.0	200.0	250.0	500.0	0.0	333.3	550.0
TEENAGE PREGNANCIES#	66	1	14	51	27	1	6	20	39	0	8	31
TEENAGE PREGNANCY RATE	17.2	0.9	24.1	(15-19)	10.3	1.4	13.4	(15-19)	32.5	0.0	51.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	3	0	2	1	1	0	0	1	2	0	2	0
INFANT MORTALITY RATE, TEEN MOMS	62.5	0.0	181.8	27.8	45.5	0.0	0.0	62.5	76.9	0.0	333.3	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: LAMAR

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	55,658	3,854	1,940	1,914	754
WHITE	43,011	2,754	1,397	1,357	567
NONWHITE	12,647	1,100	543	557	187

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	67	1	20	46	44	1	11	32	23	0	9	14
TEENAGE IMMATURE BIRTHS	3	0	1	2	2	0	1	1	1	0	0	1
TEENAGE PREMATURE BIRTHS	8	0	2	6	6	0	1	5	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	54	1	19	34	31	1	10	20	23	0	9	14
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	0	5	5	0	0	5	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	0	8	8	0	0	8	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	5	1	1	3	2	1	0	1	3	0	1	2
TEENAGE FERTILITY RATE	17.4	0.5	34.5 (15-19)		16.0	0.7	31.7 (15-19)		20.9	0.0	41.3 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	5	0	2	3	4	0	1	3	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	74.6	0.0	100.0	65.2	90.9	0.0	90.9	93.8	43.5	0.0	111.1	0.0
TEENAGE PREGNANCIES#	72	1	22	49	48	1	12	35	24	0	10	14
TEENAGE PREGNANCY RATE	18.7	0.5	37.1 (15-19)		17.4	0.7	34.6 (15-19)		21.8	0.0	43.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: LAUDERDALE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	80,261	5,628	2,653	2,975	1,070
WHITE	43,957	2,450	1,199	1,251	509
NONWHITE	36,304	3,178	1,454	1,724	561

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	178	2	56	120	46	0	10	36	132	2	46	84
TEENAGE IMMATURE BIRTHS	34	1	11	22	2	0	1	1	32	1	10	21
TEENAGE PREMATURE BIRTHS	39	1	14	24	5	0	2	3	34	1	12	21
TEENAGE ILLEGITIMATE BIRTHS	166	2	53	111	36	0	7	29	130	2	46	82
TEENS WHO HAD PREVIOUS LIVE BIRTHS	41	0	7	34	12	0	3	9	29	0	4	25
TEENS WHO HAD PREVIOUS PREGNANCIES	52	0	10	42	14	0	3	11	38	0	7	31
TEENS WITH INADEQUATE* PRENATAL CARE	11	0	4	7	1	0	0	1	10	0	4	6
TEENAGE FERTILITY RATE	31.6	0.8	59.2 (15-19)		18.8	0.0	36.8 (15-19)		41.5	1.4	75.4 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	19	3	3	13	8	1	2	5	11	2	1	8
TEENAGE INDUCED TERMINATION RATIO	106.7	1500.0	53.6	108.3	173.9	-	200.0	138.9	83.3	1000.0	21.7	95.2
TEENAGE PREGNANCIES#	197	5	59	133	54	1	12	41	143	4	47	92
TEENAGE PREGNANCY RATE	35.0	1.9	64.5 (15-19)		22.0	0.8	42.4 (15-19)		45.0	2.8	80.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	0	0	0	0	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	11.2	0.0	0.0	16.7	0.0	0.0	0.0	0.0	15.2	0.0	0.0	23.8

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: LAWRENCE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,929	861	429	432	175
WHITE	8,624	503	241	262	108
NONWHITE	4,305	358	188	170	67

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	27	0	7	20	14	0	4	10	13	0	3	10
TEENAGE IMMATURE BIRTHS	3	0	0	3	1	0	0	1	2	0	0	2
TEENAGE PREMATURE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE ILLEGITIMATE BIRTHS	24	0	7	17	11	0	4	7	13	0	3	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	0	7	6	0	0	6	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	0	8	7	0	0	7	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	2	2	1	0	1	0	3	0	1	2
TEENAGE FERTILITY RATE	31.4	0.0	62.5 (15-19)	27.8	27.8	0.0	53.4 (15-19)	36.3	36.3	0.0	76.5 (15-19)	36.3
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	37.0	0.0	142.8	0.0	0.0	0.0	0.0	0.0	76.9	0.0	333.3	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	28	0	8	20	14	0	4	10	14	0	4	10
TEENAGE PREGNANCY RATE	32.5	0.0	64.8 (15-19)	27.8	27.8	0.0	53.4 (15-19)	39.1	39.1	0.0	82.4 (15-19)	39.1
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: LEAKE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	23,805	1,553	765	788	338
WHITE	11,793	674	363	311	179
NONWHITE	12,012	879	402	477	159

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	65	1	23	41	23	0	6	17	42	1	17	24
TEENAGE IMMATURE BIRTHS	9	0	1	8	5	0	0	5	4	0	1	3
TEENAGE PREMATURE BIRTHS	14	1	3	10	6	0	0	6	8	1	3	4
TEENAGE ILLEGITIMATE BIRTHS	55	1	21	33	16	0	5	11	39	1	16	22
TEENS WHO HAD PREVIOUS LIVE BIRTHS	14	0	2	12	2	0	0	2	12	0	2	10
TEENS WHO HAD PREVIOUS PREGNANCIES	20	0	4	16	6	0	1	5	14	0	3	11
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	2	3	1	0	1	0	4	0	1	3
TEENAGE FERTILITY RATE	41.8	1.3	81.2 (15-19)		34.1	0.0	74.0 (15-19)		47.8	2.5	86.0 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	15.4	0.0	0.0	24.4	0.0	0.0	0.0	0.0	23.8	0.0	0.0	41.7
TEENAGE INDUCED TERMINATIONS#	8	1	3	4	1	0	1	0	7	1	2	4
TEENAGE INDUCED TERMINATION RATIO	123.1	1000.0	130.4	97.6	43.5	0.0	166.7	0.0	166.7	1000.0	117.6	166.7
TEENAGE PREGNANCIES#	74	2	26	46	24	0	7	17	50	2	19	29
TEENAGE PREGNANCY RATE	47.6	2.6	91.4 (15-19)		35.6	0.0	77.2 (15-19)		56.9	5.0	100.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	15.4	0.0	0.0	24.4	0.0	0.0	0.0	0.0	23.8	0.0	0.0	41.7

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: LEE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	82,910	5,887	2,989	2,898	1,206
WHITE	57,497	3,608	1,866	1,742	774
NONWHITE	25,413	2,279	1,123	1,156	432

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	195	1	73	121	95	0	30	65	100	1	43	56
TEENAGE IMMATURE BIRTHS	33	0	9	24	8	0	1	7	25	0	8	17
TEENAGE PREMATURE BIRTHS	38	0	11	27	15	0	4	11	23	0	7	16
TEENAGE ILLEGITIMATE BIRTHS	170	1	71	98	71	0	28	43	99	1	43	55
TEENS WHO HAD PREVIOUS LIVE BIRTHS	45	0	8	37	17	0	2	15	28	0	6	22
TEENS WHO HAD PREVIOUS PREGNANCIES	58	0	11	47	23	0	3	20	35	0	8	27
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	2	4	3	0	0	3	3	0	2	1
TEENAGE FERTILITY RATE	33.1	0.3	66.9 (15-19)		26.3	0.0	54.5 (15-19)		43.9	0.9	85.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	31	2	11	18	14	1	5	8	16	1	6	9
TEENAGE INDUCED TERMINATION RATIO	159.0	2000.0	150.7	148.8	147.4	-	166.7	123.1	160.0	1000.0	139.5	160.7
TEENAGE PREGNANCIES#	226	3	84	139	109	1	35	73	116	2	49	65
TEENAGE PREGNANCY RATE	38.4	1.0	77.0 (15-19)		30.2	0.5	62.0 (15-19)		50.9	1.8	98.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	2	0	1	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	10.3	0.0	13.7	8.3	21.1	0.0	33.3	15.4	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: LEFLORE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	32,317	2,465	1,148	1,317	537
WHITE	8,038	334	181	153	116
NONWHITE	24,279	2,131	967	1,164	421

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	103	6	37	60	8	0	0	8	95	6	37	52
TEENAGE IMMATURE BIRTHS	10	1	4	5	1	0	0	1	9	1	4	4
TEENAGE PREMATURE BIRTHS	16	4	7	5	1	0	0	1	15	4	7	4
TEENAGE ILLEGITIMATE BIRTHS	102	6	37	59	7	0	0	7	95	6	37	52
TEENS WHO HAD PREVIOUS LIVE BIRTHS	25	1	5	19	1	0	0	1	24	1	5	18
TEENS WHO HAD PREVIOUS PREGNANCIES	26	1	6	19	1	0	0	1	25	1	6	18
TEENS WITH INADEQUATE* PRENATAL CARE	14	2	6	6	1	0	0	1	13	2	6	5
TEENAGE FERTILITY RATE	41.8	5.2	73.6 (15-19)		24.0	0.0	52.3 (15-19)		44.6	6.2	76.5 (15-19)	
TEENAGE FETAL DEATHS**	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE FETAL DEATH RATIO	29.1	0.0	54.0	16.7	0.0	0.0	0.0	0.0	31.6	0.0	54.0	19.2
TEENAGE INDUCED TERMINATIONS#	18	2	6	10	0	0	0	0	18	2	6	10
TEENAGE INDUCED TERMINATION RATIO	174.8	333.3	162.2	166.7	0.0	0.0	0.0	0.0	189.5	333.3	162.2	192.3
TEENAGE PREGNANCIES#	124	8	45	71	8	0	0	8	116	8	45	63
TEENAGE PREGNANCY RATE	50.3	7.0	88.1 (15-19)		24.0	0.0	52.3 (15-19)		54.4	8.3	92.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: LINCOLN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	34,869	2,564	1,288	1,276	471
WHITE	23,864	1,621	827	794	273
NONWHITE	11,005	943	461	482	198

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	80	0	30	50	30	0	10	20	50	0	20	30
TEENAGE IMMATURE BIRTHS	6	0	4	2	0	0	0	0	6	0	4	2
TEENAGE PREMATURE BIRTHS	14	0	5	9	3	0	0	3	11	0	5	6
TEENAGE ILLEGITIMATE BIRTHS	68	0	30	38	19	0	10	9	49	0	20	29
TEENS WHO HAD PREVIOUS LIVE BIRTHS	14	0	2	12	7	0	0	7	7	0	2	5
TEENS WHO HAD PREVIOUS PREGNANCIES	17	0	2	15	8	0	0	8	9	0	2	7
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	1	4	1	0	1	0	4	0	0	4
TEENAGE FERTILITY RATE	31.2	0.0	62.7 (15-19)		18.5	0.0	37.8 (15-19)		53.0	0.0	103.7 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	9	0	4	5	3	0	0	3	6	0	4	2
TEENAGE INDUCED TERMINATION RATIO	112.5	0.0	133.3	100.0	100.0	0.0	0.0	150.0	120.0	0.0	200.0	66.7
TEENAGE PREGNANCIES#	89	0	34	55	33	0	10	23	56	0	24	32
TEENAGE PREGNANCY RATE	34.7	0.0	69.7 (15-19)		20.4	0.0	41.6 (15-19)		59.4	0.0	116.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1
INFANT MORTALITY RATE, TEEN MOMS	25.0	0.0	33.3	20.0	0.0	0.0	0.0	0.0	40.0	0.0	50.0	33.3

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: LOWNDES

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	59,779	4,380	2,105	2,275	790
WHITE	32,259	1,928	948	980	419
NONWHITE	27,520	2,452	1,157	1,295	371

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	122	0	36	86	36	0	10	26	86	0	26	60
TEENAGE IMMATURE BIRTHS	14	0	3	11	3	0	1	2	11	0	2	9
TEENAGE PREMATURE BIRTHS	17	0	6	11	7	0	3	4	10	0	3	7
TEENAGE ILLEGITIMATE BIRTHS	109	0	36	73	26	0	10	16	83	0	26	57
TEENS WHO HAD PREVIOUS LIVE BIRTHS	22	0	3	19	7	0	1	6	15	0	2	13
TEENS WHO HAD PREVIOUS PREGNANCIES	29	0	3	26	8	0	1	7	21	0	2	19
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	1	3	2	0	0	2	2	0	1	1
TEENAGE FERTILITY RATE	27.8	0.0	53.6 (15-19)		18.7	0.0	36.7 (15-19)		35.1	0.0	66.4 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	8.2	0.0	0.0	11.6	27.8	0.0	0.0	38.5	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	24	0	12	12	3	0	2	1	21	0	10	11
TEENAGE INDUCED TERMINATION RATIO	196.7	0.0	333.3	139.5	83.3	0.0	200.0	38.5	244.2	0.0	384.6	183.3
TEENAGE PREGNANCIES#	147	0	48	99	40	0	12	28	107	0	36	71
TEENAGE PREGNANCY RATE	33.6	0.0	64.6 (15-19)		20.7	0.0	40.8 (15-19)		43.6	0.0	82.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	8.2	0.0	0.0	11.6	0.0	0.0	0.0	0.0	11.6	0.0	0.0	16.7

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: MADISON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	95,203	6,933	3,573	3,360	1,200
WHITE	54,270	3,417	1,872	1,545	621
NONWHITE	40,933	3,516	1,701	1,815	579

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	90	0	33	57	22	0	4	18	68	0	29	39
TEENAGE IMMATURE BIRTHS	12	0	6	6	1	0	1	0	11	0	5	6
TEENAGE PREMATURE BIRTHS	16	0	7	9	2	0	2	0	14	0	5	9
TEENAGE ILLEGITIMATE BIRTHS	85	0	33	52	17	0	4	13	68	0	29	39
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	3	13	2	0	0	2	14	0	3	11
TEENS WHO HAD PREVIOUS PREGNANCIES	18	0	3	15	3	0	0	3	15	0	3	12
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE FERTILITY RATE	13.0	0.0	26.8	(15-19)	6.4	0.0	14.2	(15-19)	19.3	0.0	37.5	(15-19)
TEENAGE FETAL DEATHS**	5	0	1	4	0	0	0	0	5	0	1	4
TEENAGE FETAL DEATH RATIO	55.6	0.0	30.3	70.2	0.0	0.0	0.0	0.0	73.5	0.0	34.5	102.6
TEENAGE INDUCED TERMINATIONS#	32	0	10	22	7	0	3	4	25	0	7	18
TEENAGE INDUCED TERMINATION RATIO	355.6	0.0	303.0	386.0	318.2	0.0	750.0	222.2	367.6	0.0	241.4	461.5
TEENAGE PREGNANCIES#	127	0	44	83	29	0	7	22	98	0	37	61
TEENAGE PREGNANCY RATE	18.3	0.0	37.8	(15-19)	8.5	0.0	18.8	(15-19)	27.9	0.0	54.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	11.1	0.0	0.0	17.5	0.0	0.0	0.0	0.0	14.7	0.0	0.0	25.6

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: MARION

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	27,088	1,808	905	903	370
WHITE	17,822	1,064	549	515	222
NONWHITE	9,266	744	356	388	148

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	68	2	18	48	35	1	10	24	33	1	8	24
TEENAGE IMMATURE BIRTHS	12	0	4	8	6	0	3	3	6	0	1	5
TEENAGE PREMATURE BIRTHS	20	0	7	13	12	0	4	8	8	0	3	5
TEENAGE ILLEGITIMATE BIRTHS	57	2	17	38	24	1	9	14	33	1	8	24
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	1	15	9	0	1	8	7	0	0	7
TEENS WHO HAD PREVIOUS PREGNANCIES	19	0	2	17	11	0	2	9	8	0	0	8
TEENS WITH INADEQUATE* PRENATAL CARE	6	1	0	5	0	0	0	0	6	1	0	5
TEENAGE FERTILITY RATE	37.6	2.2	73.1 (15-19)		32.9	1.8	66.0 (15-19)		44.4	2.8	82.5 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	14.7	0.0	0.0	20.8	0.0	0.0	0.0	0.0	30.3	0.0	0.0	41.7
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	69	2	18	49	35	1	10	24	34	1	8	25
TEENAGE PREGNANCY RATE	38.2	2.2	74.2 (15-19)		32.9	1.8	66.0 (15-19)		45.7	2.8	85.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	1	0	0	1	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	29.4	0.0	0.0	41.7	28.6	0.0	0.0	41.7	30.3	0.0	0.0	41.7

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: MARSHALL

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	37,144	2,606	1,192	1,414	457
WHITE	18,614	962	471	491	220
NONWHITE	18,530	1,644	721	923	237

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	61	1	21	39	30	0	11	19	31	1	10	20
TEENAGE IMMATURE BIRTHS	5	0	3	2	2	0	2	0	3	0	1	2
TEENAGE PREMATURE BIRTHS	5	0	1	4	1	0	1	0	4	0	0	4
TEENAGE ILLEGITIMATE BIRTHS	55	1	20	34	24	0	10	14	31	1	10	20
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	2	11	7	0	1	6	6	0	1	5
TEENS WHO HAD PREVIOUS PREGNANCIES	13	0	2	11	7	0	1	6	6	0	1	5
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	23.4	0.8	42.4 (15-19)		31.2	0.0	61.1 (15-19)		18.8	1.4	32.5 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	16.4	0.0	47.6	0.0	0.0	0.0	0.0	0.0	32.2	0.0	100.0	0.0
TEENAGE INDUCED TERMINATIONS#	17	1	5	11	3	1	0	2	13	0	5	8
TEENAGE INDUCED TERMINATION RATIO	278.7	1000.0	238.1	282.0	100.0	-	0.0	105.3	419.4	0.0	500.0	400.0
TEENAGE PREGNANCIES#	79	2	27	50	33	1	11	21	45	1	16	28
TEENAGE PREGNANCY RATE	30.3	1.7	54.4 (15-19)		34.3	2.1	65.2 (15-19)		27.4	1.4	47.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	16.4	0.0	0.0	25.6	0.0	0.0	0.0	0.0	32.3	0.0	0.0	50.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: MONROE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	36,989	2,527	1,223	1,304	405
WHITE	25,035	1,565	769	796	262
NONWHITE	11,954	962	454	508	143

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	54	1	16	37	24	0	8	16	30	1	8	21
TEENAGE IMMATURE BIRTHS	9	0	2	7	3	0	1	2	6	0	1	5
TEENAGE PREMATURE BIRTHS	14	0	3	11	4	0	1	3	10	0	2	8
TEENAGE ILLEGITIMATE BIRTHS	45	1	14	30	16	0	6	10	29	1	8	20
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	1	8	3	0	0	3	6	0	1	5
TEENS WHO HAD PREVIOUS PREGNANCIES	13	0	2	11	7	0	1	6	6	0	1	5
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	21.4	0.8	40.6 (15-19)	15.3	15.3	0.0	30.2 (15-19)	31.2	31.2	2.2	57.1 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	18.5	0.0	0.0	27.0	0.0	0.0	0.0	0.0	33.3	0.0	0.0	47.6
TEENAGE INDUCED TERMINATIONS#	13	0	8	5	5	0	1	4	8	0	7	1
TEENAGE INDUCED TERMINATION RATIO	240.7	0.0	500.0	135.1	208.3	0.0	125.0	250.0	266.7	0.0	875.0	47.6
TEENAGE PREGNANCIES#	68	1	24	43	29	0	9	20	39	1	15	23
TEENAGE PREGNANCY RATE	26.9	0.8	51.4 (15-19)	18.5	18.5	0.0	36.4 (15-19)	40.5	40.5	2.2	74.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	3	0	1	2	1	0	1	0	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	55.6	0.0	62.5	54.1	41.7	0.0	125.0	0.0	66.7	0.0	0.0	95.2

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: MONTGOMERY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,925	749	348	401	128
WHITE	5,790	339	155	184	52
NONWHITE	5,135	410	193	217	76

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	23	0	6	17	8	0	5	3	15	0	1	14
TEENAGE IMMATURE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE PREMATURE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE ILLEGITIMATE BIRTHS	19	0	3	16	4	0	2	2	15	0	1	14
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	0	5	1	0	0	1	4	0	0	4
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	0	6	1	0	0	1	5	0	0	5
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE FERTILITY RATE	30.7	0.0	57.4 (15-19)		23.6	0.0	43.5 (15-19)		36.6	0.0	69.1 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	5	1	0	4	0	0	0	0	5	1	0	4
TEENAGE INDUCED TERMINATION RATIO	217.4	-	0.0	235.3	0.0	0.0	0.0	0.0	333.3	-	0.0	285.7
TEENAGE PREGNANCIES#	28	1	6	21	8	0	5	3	20	1	1	18
TEENAGE PREGNANCY RATE	37.4	2.9	67.3 (15-19)		23.6	0.0	43.5 (15-19)		48.8	5.2	87.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: NESHOBA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	29,676	2,216	1,138	1,078	435
WHITE	17,974	1,142	573	569	193
NONWHITE	11,702	1,074	565	509	242

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	77	2	20	55	34	0	10	24	43	2	10	31
TEENAGE IMMATURE BIRTHS	11	0	5	6	4	0	3	1	7	0	2	5
TEENAGE PREMATURE BIRTHS	17	0	4	13	4	0	1	3	13	0	3	10
TEENAGE ILLEGITIMATE BIRTHS	68	2	20	46	26	0	10	16	42	2	10	30
TEENS WHO HAD PREVIOUS LIVE BIRTHS	18	0	3	15	7	0	1	6	11	0	2	9
TEENS WHO HAD PREVIOUS PREGNANCIES	23	0	4	19	9	0	1	8	14	0	3	11
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	34.7	1.8	69.6 (15-19)		29.8	0.0	59.8 (15-19)		40.0	3.5	80.6 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	13.0	0.0	0.0	18.2	0.0	0.0	0.0	0.0	23.2	0.0	0.0	32.2
TEENAGE INDUCED TERMINATIONS#	5	1	1	3	2	0	1	1	3	1	0	2
TEENAGE INDUCED TERMINATION RATIO	64.9	500.0	50.0	54.5	58.8	0.0	100.0	41.7	69.8	500.0	0.0	64.5
TEENAGE PREGNANCIES#	83	3	21	59	36	0	11	25	47	3	10	34
TEENAGE PREGNANCY RATE	37.4	2.6	74.2 (15-19)		31.5	0.0	63.3 (15-19)		43.8	5.3	86.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: NEWTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,720	1,621	702	919	295
WHITE	13,734	885	385	500	169
NONWHITE	7,986	736	317	419	126

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	51	3	15	33	23	0	7	16	28	3	8	17
TEENAGE IMMATURE BIRTHS	5	0	1	4	2	0	0	2	3	0	1	2
TEENAGE PREMATURE BIRTHS	13	1	4	8	3	0	1	2	10	1	3	6
TEENAGE ILLEGITIMATE BIRTHS	42	3	14	25	15	0	6	9	27	3	8	16
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	2	7	4	0	2	2	5	0	0	5
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	2	8	4	0	2	2	6	0	0	6
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	31.5	4.3	52.2 (15-19)	26.0	26.0	0.0	46.0 (15-19)	38.0	38.0	9.5	59.7 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	6	1	0	5	3	0	0	3	3	1	0	2
TEENAGE INDUCED TERMINATION RATIO	117.6	333.3	0.0	151.5	130.4	0.0	0.0	187.5	107.1	333.3	0.0	117.6
TEENAGE PREGNANCIES#	57	4	15	38	26	0	7	19	31	4	8	19
TEENAGE PREGNANCY RATE	35.2	5.7	57.7 (15-19)	29.4	29.4	0.0	52.0 (15-19)	42.1	42.1	12.6	64.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: NOXUBEE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	11,545	875	467	408	157
WHITE	3,133	179	96	83	40
NONWHITE	8,412	696	371	325	117

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	27	0	5	22	2	0	0	2	25	0	5	20
TEENAGE IMMATURE BIRTHS	11	0	2	9	0	0	0	0	11	0	2	9
TEENAGE PREMATURE BIRTHS	6	0	2	4	0	0	0	0	6	0	2	4
TEENAGE ILLEGITIMATE BIRTHS	26	0	5	21	1	0	0	1	25	0	5	20
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	1	3	0	0	0	0	4	0	1	3
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	2	4	0	0	0	0	6	0	2	4
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	0	3	0	0	0	0	3	0	0	3
TEENAGE FERTILITY RATE	30.8	0.0	66.2 (15-19)	11.2	0.0	24.1 (15-19)	35.9	0.0	76.9 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	6	0	3	3	0	0	0	0	6	0	3	3
TEENAGE INDUCED TERMINATION RATIO	222.2	0.0	600.0	136.4	0.0	0.0	0.0	0.0	240.0	0.0	600.0	150.0
TEENAGE PREGNANCIES#	33	0	8	25	2	0	0	2	31	0	8	23
TEENAGE PREGNANCY RATE	37.7	0.0	80.9 (15-19)	11.2	0.0	24.1 (15-19)	44.5	0.0	95.4 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1
INFANT MORTALITY RATE, TEEN MOMS	74.1	0.0	200.0	45.5	0.0	0.0	0.0	0.0	80.0	0.0	200.0	50.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: OKTIBBEHA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	47,671	3,721	1,106	2,615	546
WHITE	28,224	2,055	450	1,605	279
NONWHITE	19,447	1,666	656	1,010	267

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	49	0	11	38	10	0	2	8	39	0	9	30
TEENAGE IMMATURE BIRTHS	5	0	3	2	1	0	1	0	4	0	2	2
TEENAGE PREMATURE BIRTHS	11	0	3	8	3	0	1	2	8	0	2	6
TEENAGE ILLEGITIMATE BIRTHS	46	0	11	35	8	0	2	6	38	0	9	29
TEENS WHO HAD PREVIOUS LIVE BIRTHS	10	0	3	7	0	0	0	0	10	0	3	7
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	3	7	0	0	0	0	10	0	3	7
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE FERTILITY RATE	13.2	0.0	18.7	(15-19)	4.9	0.0	6.2	(15-19)	23.4	0.0	38.6	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	18	1	6	11	6	0	2	4	12	1	4	7
TEENAGE INDUCED TERMINATION RATIO	367.3	-	545.4	289.5	600.0	0.0	1000.0	500.0	307.7	-	444.4	233.3
TEENAGE PREGNANCIES#	67	1	17	49	16	0	4	12	51	1	13	37
TEENAGE PREGNANCY RATE	18.0	0.9	25.2	(15-19)	7.8	0.0	10.0	(15-19)	30.6	1.5	49.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: PANOLA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	34,707	2,608	1,273	1,335	529
WHITE	17,161	973	481	492	222
NONWHITE	17,546	1,635	792	843	307

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	109	1	34	74	31	0	10	21	78	1	24	53
TEENAGE IMMATURE BIRTHS	12	0	3	9	3	0	0	3	9	0	3	6
TEENAGE PREMATURE BIRTHS	20	0	7	13	4	0	1	3	16	0	6	10
TEENAGE ILLEGITIMATE BIRTHS	100	1	30	69	22	0	6	16	78	1	24	53
TEENS WHO HAD PREVIOUS LIVE BIRTHS	31	0	8	23	6	0	1	5	25	0	7	18
TEENS WHO HAD PREVIOUS PREGNANCIES	36	0	10	26	8	0	1	7	28	0	9	19
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	4	3	1	0	1	0	6	0	3	3
TEENAGE FERTILITY RATE	41.8	0.8	80.9 (15-19)		31.9	0.0	63.0 (15-19)		47.7	1.3	91.3 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	20	0	9	11	5	0	2	3	15	0	7	8
TEENAGE INDUCED TERMINATION RATIO	183.5	0.0	264.7	148.6	161.3	0.0	200.0	142.8	192.3	0.0	291.7	150.9
TEENAGE PREGNANCIES#	129	1	43	85	36	0	12	24	93	1	31	61
TEENAGE PREGNANCY RATE	49.5	0.8	95.9 (15-19)		37.0	0.0	73.2 (15-19)		56.9	1.3	109.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	9.2	0.0	29.4	0.0	0.0	0.0	0.0	0.0	12.8	0.0	41.7	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: PEARL RIVER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	55,834	3,849	1,818	2,031	664
WHITE	46,924	3,047	1,490	1,557	558
NONWHITE	8,910	802	328	474	106

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	107	2	36	69	80	1	28	51	27	1	8	18
TEENAGE IMMATURE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE PREMATURE BIRTHS	9	0	2	7	6	0	2	4	3	0	0	3
TEENAGE ILLEGITIMATE BIRTHS	92	2	34	56	65	1	26	38	27	1	8	18
TEENS WHO HAD PREVIOUS LIVE BIRTHS	21	0	5	16	16	0	5	11	5	0	0	5
TEENS WHO HAD PREVIOUS PREGNANCIES	25	0	6	19	17	0	5	12	8	0	1	7
TEENS WITH INADEQUATE* PRENATAL CARE	4	1	2	1	3	0	2	1	1	1	0	0
TEENAGE FERTILITY RATE	27.8	1.1	51.7 (15-19)		26.2	0.7	50.7 (15-19)		33.7	3.0	54.8 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	9.3	0.0	0.0	14.5	12.5	0.0	0.0	19.6	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	1	1	1	3	1	1	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	28.0	500.0	27.8	14.5	37.5	1000.0	35.7	19.6	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	111	3	37	71	84	2	29	53	27	1	8	18
TEENAGE PREGNANCY RATE	28.8	1.6	53.2 (15-19)		27.6	1.3	52.7 (15-19)		33.7	3.0	54.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	1	0	0	1	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	18.7	0.0	0.0	29.0	12.5	0.0	0.0	19.6	37.0	0.0	0.0	55.6

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: PERRY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,250	844	422	422	141
WHITE	9,575	608	294	314	100
NONWHITE	2,675	236	128	108	41

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	23	0	6	17	22	0	6	16	1	0	0	1
TEENAGE IMMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE PREMATURE BIRTHS	2	0	1	1	2	0	1	1	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	18	0	6	12	17	0	6	11	1	0	0	1
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	1	3	4	0	1	3	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	4	0	1	3	4	0	1	3	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	27.2	0.0	54.5 (15-19)		36.2	0.0	70.1 (15-19)		4.2	0.0	9.2 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	43.5	0.0	0.0	58.8	0.0	0.0	0.0	0.0	1000.0	0.0	0.0	1000.0
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	87.0	0.0	166.7	58.8	0.0	0.0	0.0	0.0	2000.0	0.0	-	1000.0
TEENAGE PREGNANCIES#	26	0	7	19	22	0	6	16	4	0	1	3
TEENAGE PREGNANCY RATE	30.8	0.0	61.6 (15-19)		36.2	0.0	70.1 (15-19)		16.9	0.0	37.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: PIKE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	40,404	2,974	1,409	1,565	603
WHITE	18,745	1,114	547	567	222
NONWHITE	21,659	1,860	862	998	381

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	106	2	31	73	30	0	3	27	76	2	28	46
TEENAGE IMMATURE BIRTHS	20	0	9	11	3	0	1	2	17	0	8	9
TEENAGE PREMATURE BIRTHS	19	1	6	12	2	0	0	2	17	1	6	10
TEENAGE ILLEGITIMATE BIRTHS	97	2	31	64	23	0	3	20	74	2	28	44
TEENS WHO HAD PREVIOUS LIVE BIRTHS	32	0	6	26	7	0	0	7	25	0	6	19
TEENS WHO HAD PREVIOUS PREGNANCIES	37	0	7	30	10	0	0	10	27	0	7	20
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	2	3	1	0	0	1	4	0	2	2
TEENAGE FERTILITY RATE	35.6	1.4	66.4 (15-19)		26.9	0.0	52.9 (15-19)		40.9	2.3	74.1 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	10	1	3	6	1	0	0	1	9	1	3	5
TEENAGE INDUCED TERMINATION RATIO	94.3	500.0	96.8	82.2	33.3	0.0	0.0	37.0	118.4	500.0	107.1	108.7
TEENAGE PREGNANCIES#	116	3	34	79	31	0	3	28	85	3	31	51
TEENAGE PREGNANCY RATE	39.0	2.1	72.2 (15-19)		27.8	0.0	54.7 (15-19)		45.7	3.5	82.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	4	0	1	3	1	0	0	1	3	0	1	2
INFANT MORTALITY RATE, TEEN MOMS	37.7	0.0	32.3	41.1	33.3	0.0	0.0	37.0	39.5	0.0	35.7	43.5

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: PONTOTOC

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	29,957	2,101	1,096	1,005	432
WHITE	23,984	1,648	863	785	379
NONWHITE	5,973	453	233	220	53

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	80	1	21	58	74	1	18	55	6	0	3	3
TEENAGE IMMATURE BIRTHS	7	0	2	5	6	0	1	5	1	0	1	0
TEENAGE PREMATURE BIRTHS	10	1	3	6	9	1	2	6	1	0	1	0
TEENAGE ILLEGITIMATE BIRTHS	61	1	19	41	55	1	16	38	6	0	3	3
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	3	13	15	0	3	12	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	22	0	5	17	21	0	5	16	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	3	3	6	0	3	3	0	0	0	0
TEENAGE FERTILITY RATE	38.1	0.9	78.6 (15-19)		44.9	1.2	93.0 (15-19)		13.2	0.0	27.3 (15-19)	
TEENAGE FETAL DEATHS**	3	3	0	0	3	3	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	37.5	3000.0	0.0	0.0	40.5	3000.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	12.5	0.0	0.0	17.2	0.0	0.0	0.0	0.0	166.7	0.0	0.0	333.3
TEENAGE PREGNANCIES#	84	4	21	59	77	4	18	55	7	0	3	4
TEENAGE PREGNANCY RATE	40.0	3.6	79.6 (15-19)		46.7	4.6	93.0 (15-19)		15.4	0.0	31.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	1	0	1	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	12.5	0.0	47.6	0.0	13.5	0.0	55.6	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: PRENTISS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	25,276	1,745	765	980	347
WHITE	21,312	1,393	633	760	296
NONWHITE	3,964	352	132	220	51

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	67	1	17	49	56	1	16	39	11	0	1	10
TEENAGE IMMATURE BIRTHS	13	0	3	10	10	0	3	7	3	0	0	3
TEENAGE PREMATURE BIRTHS	15	0	6	9	14	0	6	8	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	55	1	14	40	44	1	13	30	11	0	1	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	1	14	12	0	0	12	3	0	1	2
TEENS WHO HAD PREVIOUS PREGNANCIES	20	0	1	19	17	0	0	17	3	0	1	2
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	38.4	1.3	67.3 (15-19)		40.2	1.6	72.4 (15-19)		31.2	0.0	50.0 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	1	2	2	0	0	2	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	44.8	0.0	58.8	40.8	35.7	0.0	0.0	51.3	90.9	0.0	1000.0	0.0
TEENAGE PREGNANCIES#	70	1	18	51	58	1	16	41	12	0	2	10
TEENAGE PREGNANCY RATE	40.1	1.3	70.4 (15-19)		41.6	1.6	75.0 (15-19)		34.1	0.0	54.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	1	0	0	1	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	29.9	0.0	58.8	20.4	17.9	0.0	0.0	25.6	90.9	0.0	1000.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: QUITMAN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	8,223	635	301	334	106
WHITE	2,381	104	48	56	20
NONWHITE	5,842	531	253	278	86

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	34	1	12	21	5	0	2	3	29	1	10	18
TEENAGE IMMATURE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE PREMATURE BIRTHS	13	1	3	9	0	0	0	0	13	1	3	9
TEENAGE ILLEGITIMATE BIRTHS	34	1	12	21	5	0	2	3	29	1	10	18
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	2	1	0	0	0	0	3	0	2	1
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	4	5	1	0	0	1	8	0	4	4
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE		53.5	3.3	98.8 (15-19)	48.1	0.0	89.3 (15-19)		54.6	4.0	100.7 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	6	0	2	4	0	0	0	0	6	0	2	4
TEENAGE INDUCED TERMINATION RATIO	176.5	0.0	166.7	190.5	0.0	0.0	0.0	0.0	206.9	0.0	200.0	222.2
TEENAGE PREGNANCIES#	40	1	14	25	5	0	2	3	35	1	12	22
TEENAGE PREGNANCY RATE	63.0	3.3	116.8 (15-19)		48.1	0.0	89.3 (15-19)		65.9	4.0	122.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: RANKIN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	141,617	9,173	4,837	4,336	1,952
WHITE	109,523	6,668	3,554	3,114	1,548
NONWHITE	32,094	2,505	1,283	1,222	404

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	171	0	48	123	134	0	35	99	37	0	13	24
TEENAGE IMMATURE BIRTHS	15	0	3	12	11	0	2	9	4	0	1	3
TEENAGE PREMATURE BIRTHS	31	0	11	20	25	0	8	17	6	0	3	3
TEENAGE ILLEGITIMATE BIRTHS	145	0	45	100	110	0	32	78	35	0	13	22
TEENS WHO HAD PREVIOUS LIVE BIRTHS	37	0	6	31	24	0	4	20	13	0	2	11
TEENS WHO HAD PREVIOUS PREGNANCIES	42	0	8	34	29	0	6	23	13	0	2	11
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	3	4	4	0	1	3	3	0	2	1
TEENAGE FERTILITY RATE	18.6	0.0	39.4	(15-19)	20.1	0.0	43.0	(15-19)	14.8	0.0	30.3	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	36	2	19	15	20	1	14	5	16	1	5	10
TEENAGE INDUCED TERMINATION RATIO	210.5	-	395.8	122.0	149.2	-	400.0	50.5	432.4	-	384.6	416.7
TEENAGE PREGNANCIES#	207	2	67	138	154	1	49	104	53	1	18	34
TEENAGE PREGNANCY RATE	22.6	0.4	47.3	(15-19)	23.1	0.3	49.1	(15-19)	21.2	0.8	42.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	5.8	0.0	0.0	8.1	7.5	0.0	0.0	10.1	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: SCOTT

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	28,264	1,976	974	1,002	442
WHITE	15,051	854	434	420	273
NONWHITE	13,213	1,122	540	582	169

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	66	1	17	48	35	1	8	26	31	0	9	22
TEENAGE IMMATURE BIRTHS	9	0	2	7	2	0	1	1	7	0	1	6
TEENAGE PREMATURE BIRTHS	11	0	5	6	3	0	2	1	8	0	3	5
TEENAGE ILLEGITIMATE BIRTHS	60	1	17	42	29	1	8	20	31	0	9	22
TEENS WHO HAD PREVIOUS LIVE BIRTHS	12	0	3	9	5	0	1	4	7	0	2	5
TEENS WHO HAD PREVIOUS PREGNANCIES	14	0	3	11	6	0	1	5	8	0	2	6
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	2	2	1	0	1	0	3	0	1	2
TEENAGE FERTILITY RATE	33.4	1.0	64.9 (15-19)		41.0	2.3	81.0 (15-19)		27.6	0.0	53.3 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	45.4	0.0	58.8	41.7	28.6	0.0	0.0	38.5	64.5	0.0	111.1	45.4
TEENAGE PREGNANCIES#	69	1	18	50	36	1	8	27	33	0	10	23
TEENAGE PREGNANCY RATE	34.9	1.0	67.9 (15-19)		42.2	2.3	83.3 (15-19)		29.4	0.0	56.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	15.2	0.0	0.0	20.8	0.0	0.0	0.0	0.0	32.3	0.0	0.0	45.5

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: SHARKEY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	4,916	385	188	197	75
WHITE	1,370	65	35	30	11
NONWHITE	3,546	320	153	167	64

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	13	0	3	10	1	0	0	1	12	0	3	9
TEENAGE IMMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE PREMATURE BIRTHS	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE ILLEGITIMATE BIRTHS	13	0	3	10	1	0	0	1	12	0	3	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	0	3	0	0	0	0	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	3	0	0	3	0	0	0	0	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	33.8	0.0	66.0 (15-19)		15.4	0.0	33.3 (15-19)		37.5	0.0	71.8 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	13	0	3	10	1	0	0	1	12	0	3	9
TEENAGE PREGNANCY RATE	33.8	0.0	66.0 (15-19)		15.4	0.0	33.3 (15-19)		37.5	0.0	71.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: SIMPSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	27,503	1,867	917	950	365
WHITE	17,260	1,000	522	478	220
NONWHITE	10,243	867	395	472	145

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	68	2	21	45	38	1	10	27	30	1	11	18
TEENAGE IMMATURE BIRTHS	9	0	4	5	6	0	3	3	3	0	1	2
TEENAGE PREMATURE BIRTHS	12	0	5	7	6	0	3	3	6	0	2	4
TEENAGE ILLEGITIMATE BIRTHS	61	2	18	41	31	1	7	23	30	1	11	18
TEENS WHO HAD PREVIOUS LIVE BIRTHS	19	0	3	16	11	0	1	10	8	0	2	6
TEENS WHO HAD PREVIOUS PREGNANCIES	23	0	4	19	14	0	2	12	9	0	2	7
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE	36.4	2.2	69.5 (15-19)		38.0	1.9	77.4 (15-19)		34.6	2.5	61.4 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	9	0	3	6	1	0	0	1	8	0	3	5
TEENAGE INDUCED TERMINATION RATIO	132.4	0.0	142.8	133.3	26.3	0.0	0.0	37.0	266.7	0.0	272.7	277.8
TEENAGE PREGNANCIES#	77	2	24	51	39	1	10	28	38	1	14	23
TEENAGE PREGNANCY RATE	41.2	2.2	78.9 (15-19)		39.0	1.9	79.5 (15-19)		43.8	2.5	78.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	14.7	0.0	0.0	22.2	26.3	0.0	0.0	37.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: SMITH

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	16,491	1,135	572	563	225
WHITE	12,503	755	381	374	143
NONWHITE	3,988	380	191	189	82

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	31	1	13	17	19	0	8	11	12	1	5	6
TEENAGE IMMATURE BIRTHS	3	0	1	2	2	0	0	2	1	0	1	0
TEENAGE PREMATURE BIRTHS	5	0	3	2	2	0	0	2	3	0	3	0
TEENAGE ILLEGITIMATE BIRTHS	24	1	10	13	12	0	5	7	12	1	5	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	0	4	3	0	0	3	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	1	5	3	0	0	3	3	0	1	2
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FERTILITY RATE	27.3	1.7	53.3 (15-19)		25.2	0.0	50.8 (15-19)		31.6	5.2	58.2 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	32.2	0.0	0.0	58.8	0.0	0.0	0.0	0.0	83.3	0.0	0.0	166.7
TEENAGE INDUCED TERMINATIONS#	3	1	2	0	3	1	2	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	96.8	1000.0	153.8	0.0	157.9	-	250.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	35	2	15	18	22	1	10	11	13	1	5	7
TEENAGE PREGNANCY RATE	30.8	3.5	58.6 (15-19)		29.1	2.6	56.2 (15-19)		34.2	5.2	63.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: STONE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	17,786	1,446	621	825	217
WHITE	13,982	1,043	465	578	180
NONWHITE	3,804	403	156	247	37

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	39	1	12	26	31	1	11	19	8	0	1	7
TEENAGE IMMATURE BIRTHS	3	0	0	3	1	0	0	1	2	0	0	2
TEENAGE PREMATURE BIRTHS	7	1	1	5	3	1	0	2	4	0	1	3
TEENAGE ILLEGITIMATE BIRTHS	34	1	12	21	26	1	11	14	8	0	1	7
TEENS WHO HAD PREVIOUS LIVE BIRTHS	10	0	1	9	7	0	1	6	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	1	10	8	0	1	7	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	2	0	1	1	1	0	0	1
TEENAGE FERTILITY RATE	27.0	1.6	46.1 (15-19)	29.7	2.2	51.9 (15-19)	19.8	0.0	32.4 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	25.6	0.0	0.0	38.5	32.2	0.0	0.0	52.6	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	40	1	12	27	32	1	11	20	8	0	1	7
TEENAGE PREGNANCY RATE	27.7	1.6	47.3 (15-19)	30.7	2.2	53.6 (15-19)	19.8	0.0	32.4 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: SUNFLOWER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	29,450	1,999	902	1,097	396
WHITE	7,493	377	146	231	75
NONWHITE	21,957	1,622	756	866	321

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	88	1	32	55	10	0	3	7	78	1	29	48
TEENAGE IMMATURE BIRTHS	14	0	5	9	1	0	0	1	13	0	5	8
TEENAGE PREMATURE BIRTHS	17	0	3	14	2	0	0	2	15	0	3	12
TEENAGE ILLEGITIMATE BIRTHS	85	1	32	52	7	0	3	4	78	1	29	48
TEENS WHO HAD PREVIOUS LIVE BIRTHS	27	0	3	24	3	0	0	3	24	0	3	21
TEENS WHO HAD PREVIOUS PREGNANCIES	32	0	5	27	3	0	0	3	29	0	5	24
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	0	3	0	0	0	0	3	0	0	3
TEENAGE FERTILITY RATE	44.0	1.1	79.3 (15-19)		26.5	0.0	43.3 (15-19)		48.1	1.3	88.9 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	11.4	0.0	0.0	18.2	0.0	0.0	0.0	0.0	12.8	0.0	0.0	20.8
TEENAGE INDUCED TERMINATIONS#	7	0	3	4	0	0	0	0	7	0	3	4
TEENAGE INDUCED TERMINATION RATIO	79.5	0.0	93.8	72.7	0.0	0.0	0.0	0.0	89.7	0.0	103.4	83.3
TEENAGE PREGNANCIES#	96	1	35	60	10	0	3	7	86	1	32	53
TEENAGE PREGNANCY RATE	48.0	1.1	86.6 (15-19)		26.5	0.0	43.3 (15-19)		53.0	1.3	98.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	11.4	0.0	31.3	0.0	0.0	0.0	0.0	0.0	12.8	0.0	34.5	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: TALLAHATCHIE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	15,378	1,003	460	543	201
WHITE	5,988	278	140	138	47
NONWHITE	9,390	725	320	405	154

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	46	1	26	19	5	0	4	1	41	1	22	18
TEENAGE IMMATURE BIRTHS	6	0	4	2	0	0	0	0	6	0	4	2
TEENAGE PREMATURE BIRTHS	16	0	10	6	2	0	2	0	14	0	8	6
TEENAGE ILLEGITIMATE BIRTHS	46	1	26	19	5	0	4	1	41	1	22	18
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	1	6	0	0	0	0	7	0	1	6
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	2	8	0	0	0	0	10	0	2	8
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	3	2	0	0	0	0	5	0	3	2
TEENAGE FERTILITY RATE	45.9	2.2	82.9 (15-19)		18.0	0.0	36.2 (15-19)		56.6	3.1	98.8 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	21.7	0.0	38.5	0.0	0.0	0.0	0.0	0.0	24.4	0.0	45.4	0.0
TEENAGE PREGNANCIES#	47	1	27	19	5	0	4	1	42	1	23	18
TEENAGE PREGNANCY RATE	46.8	2.2	84.7 (15-19)		18.0	0.0	36.2 (15-19)		57.9	3.1	101.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: TATE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	28,886	2,318	1,019	1,299	365
WHITE	19,313	1,396	626	770	227
NONWHITE	9,573	922	393	529	138

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	49	0	15	34	27	0	8	19	22	0	7	15
TEENAGE IMMATURE BIRTHS	7	0	1	6	2	0	1	1	5	0	0	5
TEENAGE PREMATURE BIRTHS	4	0	0	4	1	0	0	1	3	0	0	3
TEENAGE ILLEGITIMATE BIRTHS	44	0	15	29	22	0	8	14	22	0	7	15
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	1	12	7	0	0	7	6	0	1	5
TEENS WHO HAD PREVIOUS PREGNANCIES	13	0	1	12	7	0	0	7	6	0	1	5
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	2	3	3	0	2	1	2	0	0	2
TEENAGE FERTILITY RATE	21.1	0.0	37.7	(15-19)	19.3	0.0	35.1	(15-19)	23.9	0.0	41.6	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	17	1	4	12	4	0	1	3	13	1	3	9
TEENAGE INDUCED TERMINATION RATIO	346.9	-	266.7	352.9	148.1	0.0	125.0	157.9	590.9	-	428.6	600.0
TEENAGE PREGNANCIES#	66	1	19	46	31	0	9	22	35	1	10	24
TEENAGE PREGNANCY RATE	28.5	1.0	50.0	(15-19)	22.2	0.0	40.3	(15-19)	38.0	2.5	64.3	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: TIPPAH

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	22,232	1,501	743	758	249
WHITE	17,779	1,121	534	587	203
NONWHITE	4,453	380	209	171	46

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	41	0	10	31	34	0	9	25	7	0	1	6
TEENAGE IMMATURE BIRTHS	7	0	0	7	3	0	0	3	4	0	0	4
TEENAGE PREMATURE BIRTHS	3	0	1	2	3	0	1	2	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	32	0	7	25	25	0	6	19	7	0	1	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	1	14	12	0	1	11	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	17	0	1	16	14	0	1	13	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE FERTILITY RATE	27.3	0.0	54.1 (15-19)		30.3	0.0	57.9 (15-19)		18.4	0.0	40.9 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	48.8	0.0	100.0	32.2	29.4	0.0	0.0	40.0	142.8	0.0	1000.0	0.0
TEENAGE PREGNANCIES#	43	0	11	32	35	0	9	26	8	0	2	6
TEENAGE PREGNANCY RATE	28.6	0.0	56.7 (15-19)		31.2	0.0	59.6 (15-19)		21.0	0.0	46.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: TISHOMINGO

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,593	1,314	662	652	184
WHITE	18,509	1,241	633	608	182
NONWHITE	1,084	73	29	44	2

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	29	1	7	21	29	1	7	21	0	0	0	0
TEENAGE IMMATURE BIRTHS	5	1	1	3	5	1	1	3	0	0	0	0
TEENAGE PREMATURE BIRTHS	9	1	1	7	9	1	1	7	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	19	1	6	12	19	1	6	12	0	0	0	0
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	1	4	5	0	1	4	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	1	7	8	0	1	7	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FERTILITY RATE	22.1	1.5	42.9 (15-19)		23.4	1.6	46.0 (15-19)		0.0	0.0	0.0 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	34.5	0.0	0.0	47.6	34.5	0.0	0.0	47.6	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	30	1	7	22	30	1	7	22	0	0	0	0
TEENAGE PREGNANCY RATE	22.8	1.5	44.5 (15-19)		24.2	1.6	47.7 (15-19)		0.0	0.0	0.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	2	0	0	2	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	69.0	0.0	0.0	95.2	69.0	0.0	0.0	95.2	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: TUNICA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,778	814	464	350	202
WHITE	2,553	91	65	26	30
NONWHITE	8,225	723	399	324	172

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	41	2	16	23	3	0	1	2	38	2	15	21
TEENAGE IMMATURE BIRTHS	6	0	2	4	0	0	0	0	6	0	2	4
TEENAGE PREMATURE BIRTHS	4	0	2	2	0	0	0	0	4	0	2	2
TEENAGE ILLEGITIMATE BIRTHS	40	2	16	22	2	0	1	1	38	2	15	21
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	1	7	1	0	0	1	7	0	1	6
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	2	7	1	0	0	1	8	0	2	6
TEENS WITH INADEQUATE* PRENATAL CARE	2	1	1	0	0	0	0	0	2	1	1	0
TEENAGE FERTILITY RATE	50.4	4.3	111.4	(15-19)	33.0	0.0	115.4	(15-19)	52.6	5.0	111.1	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	6	1	0	5	1	0	0	1	4	1	0	3
TEENAGE INDUCED TERMINATION RATIO	146.3	500.0	0.0	217.4	333.3	0.0	0.0	500.0	105.3	500.0	0.0	142.8
TEENAGE PREGNANCIES#	47	3	16	28	4	0	1	3	42	3	15	24
TEENAGE PREGNANCY RATE	57.7	6.5	125.7	(15-19)	44.0	0.0	153.8	(15-19)	58.1	7.5	120.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: UNION

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	27,134	1,828	934	894	341
WHITE	21,973	1,397	719	678	275
NONWHITE	5,161	431	215	216	66

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	56	0	14	42	43	0	9	34	13	0	5	8
TEENAGE IMMATURE BIRTHS	6	0	0	6	6	0	0	6	0	0	0	0
TEENAGE PREMATURE BIRTHS	9	0	1	8	7	0	1	6	2	0	0	2
TEENAGE ILLEGITIMATE BIRTHS	42	0	14	28	30	0	9	21	12	0	5	7
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	0	3	14	11	0	1	10	6	0	2	4
TEENS WHO HAD PREVIOUS PREGNANCIES	20	0	4	16	13	0	2	11	7	0	2	5
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE FERTILITY RATE	30.6	0.0	62.6	(15-19)	30.8	0.0	63.4	(15-19)	30.2	0.0	60.2	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	6	1	1	4	4	1	0	3	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	107.1	-	71.4	95.2	93.0	-	0.0	88.2	76.9	0.0	0.0	125.0
TEENAGE PREGNANCIES#	62	1	15	46	47	1	9	37	14	0	5	9
TEENAGE PREGNANCY RATE	33.9	1.1	68.2	(15-19)	33.6	1.4	67.8	(15-19)	32.5	0.0	64.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: WALTHALL

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	15,443	1,083	545	538	202
WHITE	8,250	451	242	209	102
NONWHITE	7,193	632	303	329	100

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	27	0	7	20	11	0	2	9	16	0	5	11
TEENAGE IMMATURE BIRTHS	7	0	2	5	1	0	0	1	6	0	2	4
TEENAGE PREMATURE BIRTHS	8	0	3	5	1	0	0	1	7	0	3	4
TEENAGE ILLEGITIMATE BIRTHS	24	0	6	18	8	0	1	7	16	0	5	11
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	2	1	2	0	1	1	1	0	1	0
TEENS WHO HAD PREVIOUS PREGNANCIES	4	0	2	2	3	0	1	2	1	0	1	0
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	24.9	0.0	50.2 (15-19)		24.4	0.0	52.6 (15-19)		25.3	0.0	48.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	27	0	7	20	11	0	2	9	16	0	5	11
TEENAGE PREGNANCY RATE	24.9	0.0	50.2 (15-19)		24.4	0.0	52.6 (15-19)		25.3	0.0	48.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: WARREN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	48,773	3,571	1,804	1,767	629
WHITE	24,548	1,457	731	726	269
NONWHITE	24,225	2,114	1,073	1,041	360

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	112	1	44	67	40	0	11	29	72	1	33	38
TEENAGE IMMATURE BIRTHS	11	1	6	4	2	0	1	1	9	1	5	3
TEENAGE PREMATURE BIRTHS	18	0	11	7	4	0	1	3	14	0	10	4
TEENAGE ILLEGITIMATE BIRTHS	104	1	43	60	32	0	10	22	72	1	33	38
TEENS WHO HAD PREVIOUS LIVE BIRTHS	19	0	2	17	6	0	0	6	13	0	2	11
TEENS WHO HAD PREVIOUS PREGNANCIES	29	0	5	24	10	0	0	10	19	0	5	14
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	3	3	2	0	0	2	4	0	3	1
TEENAGE FERTILITY RATE	31.4	0.6	62.8	(15-19)	27.4	0.0	55.1	(15-19)	34.0	0.9	68.2	(15-19)
TEENAGE FETAL DEATHS**	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE FETAL DEATH RATIO	17.8	0.0	0.0	29.8	25.0	0.0	0.0	34.5	13.9	0.0	0.0	26.3
TEENAGE INDUCED TERMINATIONS#	16	4	7	5	5	1	1	3	11	3	6	2
TEENAGE INDUCED TERMINATION RATIO	142.8	4000.0	159.1	74.6	125.0	-	90.9	103.4	152.8	3000.0	181.8	52.6
TEENAGE PREGNANCIES#	130	5	51	74	46	1	12	33	84	4	39	41
TEENAGE PREGNANCY RATE	36.4	2.8	70.7	(15-19)	31.6	1.4	62.0	(15-19)	39.7	3.7	76.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: WASHINGTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	51,137	3,996	1,933	2,063	829
WHITE	13,784	646	313	333	153
NONWHITE	37,353	3,350	1,620	1,730	676

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	188	6	63	119	15	0	2	13	173	6	61	106
TEENAGE IMMATURE BIRTHS	30	1	10	19	2	0	0	2	28	1	10	17
TEENAGE PREMATURE BIRTHS	41	2	17	22	2	0	0	2	39	2	17	20
TEENAGE ILLEGITIMATE BIRTHS	183	6	62	115	10	0	1	9	173	6	61	106
TEENS WHO HAD PREVIOUS LIVE BIRTHS	47	0	7	40	5	0	0	5	42	0	7	35
TEENS WHO HAD PREVIOUS PREGNANCIES	54	0	9	45	6	0	0	6	48	0	9	39
TEENS WITH INADEQUATE* PRENATAL CARE	21	2	2	17	2	0	0	2	19	2	2	15
TEENAGE FERTILITY RATE	47.0	3.1	88.2 (15-19)		23.2	0.0	45.0 (15-19)		51.6	3.7	96.5 (15-19)	
TEENAGE FETAL DEATHS**	4	0	2	2	0	0	0	0	4	0	2	2
TEENAGE FETAL DEATH RATIO	21.3	0.0	31.7	16.8	0.0	0.0	0.0	0.0	23.1	0.0	32.8	18.9
TEENAGE INDUCED TERMINATIONS#	25	2	13	10	1	0	1	0	24	2	12	10
TEENAGE INDUCED TERMINATION RATIO	133.0	333.3	206.3	84.0	66.7	0.0	500.0	0.0	138.7	333.3	196.7	94.3
TEENAGE PREGNANCIES#	217	8	78	131	16	0	3	13	201	8	75	118
TEENAGE PREGNANCY RATE	54.3	4.1	101.3 (15-19)		24.8	0.0	48.0 (15-19)		60.0	4.9	111.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	1	0	0	1	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	10.6	0.0	15.9	8.4	66.7	0.0	0.0	76.9	5.8	0.0	16.4	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: WAYNE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	20,747	1,540	796	744	315
WHITE	12,300	800	418	382	161
NONWHITE	8,447	740	378	362	154

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	59	0	16	43	29	0	8	21	30	0	8	22
TEENAGE IMMATURE BIRTHS	9	0	1	8	3	0	0	3	6	0	1	5
TEENAGE PREMATURE BIRTHS	16	0	6	10	4	0	1	3	12	0	5	7
TEENAGE ILLEGITIMATE BIRTHS	46	0	12	34	17	0	4	13	29	0	8	21
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	1	4	1	0	0	1	4	0	1	3
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	3	7	5	0	2	3	5	0	1	4
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	2	2	1	0	0	1	3	0	2	1
TEENAGE FERTILITY RATE	38.3	0.0	79.3 (15-19)		36.2	0.0	75.9 (15-19)		40.5	0.0	82.9 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	16.9	0.0	0.0	23.2	34.5	0.0	0.0	47.6	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	5	0	4	1	3	0	2	1	2	0	2	0
TEENAGE INDUCED TERMINATION RATIO	84.7	0.0	250.0	23.2	103.4	0.0	250.0	47.6	66.7	0.0	250.0	0.0
TEENAGE PREGNANCIES#	65	0	20	45	33	0	10	23	32	0	10	22
TEENAGE PREGNANCY RATE	42.2	0.0	87.4 (15-19)		41.2	0.0	86.4 (15-19)		43.2	0.0	88.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: WEBSTER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,253	675	365	310	134
WHITE	8,065	512	285	227	89
NONWHITE	2,188	163	80	83	45

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	22	1	6	15	16	1	5	10	6	0	1	5
TEENAGE IMMATURE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE PREMATURE BIRTHS	3	0	2	1	2	0	2	0	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	18	1	5	12	12	1	4	7	6	0	1	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	0	3	2	0	0	2	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	5	0	1	4	4	0	1	3	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE FERTILITY RATE	32.6	2.7	67.7 (15-19)		31.2	3.5	66.1 (15-19)		36.8	0.0	72.3 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	6	1	2	3	3	1	1	1	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	272.7	1000.0	333.3	200.0	187.5	1000.0	200.0	100.0	500.0	0.0	1000.0	400.0
TEENAGE PREGNANCIES#	28	2	8	18	19	2	6	11	9	0	2	7
TEENAGE PREGNANCY RATE	41.5	5.5	83.9 (15-19)		37.1	7.0	74.9 (15-19)		55.2	0.0	108.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	45.5	0.0	0.0	66.7	0.0	0.0	0.0	0.0	166.7	0.0	0.0	200.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: WILKINSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,878	571	272	299	124
WHITE	2,834	120	59	61	23
NONWHITE	7,044	451	213	238	101

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	24	0	10	14	3	0	1	2	21	0	9	12
TEENAGE IMMATURE BIRTHS	5	0	2	3	0	0	0	0	5	0	2	3
TEENAGE PREMATURE BIRTHS	9	0	3	6	1	0	0	1	8	0	3	5
TEENAGE ILLEGITIMATE BIRTHS	22	0	10	12	2	0	1	1	20	0	9	11
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	3	3	0	0	0	0	6	0	3	3
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	3	3	0	0	0	0	6	0	3	3
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	42.0	0.0	80.3 (15-19)		25.0	0.0	49.2 (15-19)		46.6	0.0	88.2 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	41.7	0.0	0.0	71.4	0.0	0.0	0.0	0.0	47.6	0.0	0.0	83.3
TEENAGE INDUCED TERMINATIONS#	2	1	1	0	0	0	0	0	2	1	1	0
TEENAGE INDUCED TERMINATION RATIO	83.3	-	100.0	0.0	0.0	0.0	0.0	0.0	95.2	-	111.1	0.0
TEENAGE PREGNANCIES#	27	1	11	15	3	0	1	2	24	1	10	13
TEENAGE PREGNANCY RATE	47.3	3.7	87.0 (15-19)		25.0	0.0	49.2 (15-19)		53.2	4.7	96.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	41.7	0.0	0.0	71.4	0.0	0.0	0.0	0.0	47.6	0.0	0.0	83.3

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: WINSTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,198	1,227	583	644	213
WHITE	9,972	525	251	274	72
NONWHITE	9,226	702	332	370	141

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	29	0	9	20	5	0	2	3	24	0	7	17
TEENAGE IMMATURE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE PREMATURE BIRTHS	4	0	2	2	0	0	0	0	4	0	2	2
TEENAGE ILLEGITIMATE BIRTHS	29	0	9	20	5	0	2	3	24	0	7	17
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	0	5	0	0	0	0	5	0	0	5
TEENS WHO HAD PREVIOUS PREGNANCIES	5	0	0	5	0	0	0	0	5	0	0	5
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE FERTILITY RATE	23.6	0.0	45.0 (15-19)		9.5	0.0	18.2 (15-19)		34.2	0.0	64.9 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	34.5	0.0	0.0	50.0	0.0	0.0	0.0	0.0	41.7	0.0	0.0	58.8
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	30	0	9	21	5	0	2	3	25	0	7	18
TEENAGE PREGNANCY RATE	24.4	0.0	46.6 (15-19)		9.5	0.0	18.2 (15-19)		35.6	0.0	67.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: YALOBUSHA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,678	824	403	421	166
WHITE	7,667	419	221	198	98
NONWHITE	5,011	405	182	223	68

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	32	1	9	22	11	0	3	8	21	1	6	14
TEENAGE IMMATURE BIRTHS	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE PREMATURE BIRTHS	3	0	2	1	1	0	1	0	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	26	1	8	17	6	0	2	4	20	1	6	13
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	1	4	2	0	1	1	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	1	7	4	0	1	3	4	0	0	4
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	2	1	1	0	1	0	2	0	1	1
TEENAGE FERTILITY RATE	38.8	2.5	73.6 (15-19)		26.2	0.0	55.6 (15-19)		51.8	5.5	89.7 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	0	3	1	0	0	1	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	93.8	0.0	0.0	136.4	90.9	0.0	0.0	125.0	95.2	0.0	0.0	142.8
TEENAGE PREGNANCIES#	35	1	9	25	12	0	3	9	23	1	6	16
TEENAGE PREGNANCY RATE	42.5	2.5	80.8 (15-19)		28.6	0.0	60.6 (15-19)		56.8	5.5	98.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	31.3	0.0	0.0	45.5	0.0	0.0	0.0	0.0	47.6	0.0	0.0	71.4

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2010

COUNTY: YAZOO

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	28,065	1,841	927	914	400
WHITE	11,212	499	284	215	114
NONWHITE	16,853	1,342	643	699	286

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	91	0	33	58	13	0	3	10	78	0	30	48
TEENAGE IMMATURE BIRTHS	15	0	9	6	1	0	0	1	14	0	9	5
TEENAGE PREMATURE BIRTHS	18	0	6	12	1	0	0	1	17	0	6	11
TEENAGE ILLEGITIMATE BIRTHS	88	0	32	56	11	0	2	9	77	0	30	47
TEENS WHO HAD PREVIOUS LIVE BIRTHS	19	0	3	16	2	0	0	2	17	0	3	14
TEENS WHO HAD PREVIOUS PREGNANCIES	23	0	4	19	3	0	1	2	20	0	3	17
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE	49.4	0.0	99.6 (15-19)		26.0	0.0	60.5 (15-19)		58.1	0.0	111.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	16	2	7	7	2	0	1	1	14	2	6	6
TEENAGE INDUCED TERMINATION RATIO	175.8	-	212.1	120.7	153.8	0.0	333.3	100.0	179.5	-	200.0	125.0
TEENAGE PREGNANCIES#	107	2	40	65	15	0	4	11	92	2	36	54
TEENAGE PREGNANCY RATE	58.1	2.2	114.9 (15-19)		30.1	0.0	69.8 (15-19)		68.6	3.1	128.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	11.0	0.0	0.0	17.2	0.0	0.0	0.0	0.0	12.8	0.0	0.0	20.8

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.