

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: ADAMS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	32,067	1,921	936	985	409
WHITE	14,206	600	303	297	152
NONWHITE	17,861	1,321	633	688	257

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	52	0	11	41	20	0	3	17	32	0	8	24
TEENAGE IMMATURE BIRTHS	4	0	0	4	1	0	0	1	3	0	0	3
TEENAGE PREMATURE BIRTHS	8	0	1	7	3	0	0	3	5	0	1	4
TEENAGE ILLEGITIMATE BIRTHS	46	0	10	36	15	0	2	13	31	0	8	23
TEENS WHO HAD PREVIOUS LIVE BIRTHS	12	0	0	12	5	0	0	5	7	0	0	7
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	0	15	5	0	0	5	10	0	0	10
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FERTILITY RATE	27.1	0.0	52.8	(15-19)	33.3	0.0	67.3	(15-19)	24.2	0.0	46.5	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	8	0	2	6	3	0	0	3	5	0	2	3
TEENAGE INDUCED TERMINATION RATIO	153.8	0.0	181.8	146.3	150.0	0.0	0.0	176.5	156.2	0.0	250.0	125.0
TEENAGE PREGNANCIES#	60	0	13	47	23	0	3	20	37	0	10	27
TEENAGE PREGNANCY RATE	31.2	0.0	60.9	(15-19)	38.3	0.0	77.4	(15-19)	28.0	0.0	53.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	19.2	0.0	90.9	0.0	0.0	0.0	0.0	0.0	31.3	0.0	125.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: ALCORN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	37,052	2,358	1,223	1,135	444
WHITE	32,045	1,940	1,014	926	384
NONWHITE	5,007	418	209	209	60

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	81	2	21	58	66	1	15	50	15	1	6	8
TEENAGE IMMATURE BIRTHS	8	1	3	4	5	0	1	4	3	1	2	0
TEENAGE PREMATURE BIRTHS	21	2	5	14	17	1	4	12	4	1	1	2
TEENAGE ILLEGITIMATE BIRTHS	66	2	18	46	52	1	12	39	14	1	6	7
TEENS WHO HAD PREVIOUS LIVE BIRTHS	18	0	2	16	16	0	1	15	2	0	1	1
TEENS WHO HAD PREVIOUS PREGNANCIES	24	0	3	21	21	0	2	19	3	0	1	2
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	0	3	3	0	0	3	0	0	0	0
TEENAGE FERTILITY RATE	34.4	1.6	69.6	(15-19)	34.0	1.0	70.2	(15-19)	35.9	4.8	67.0	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	6	0	0	6	2	0	0	2	4	0	0	4
TEENAGE INDUCED TERMINATION RATIO	74.1	0.0	0.0	103.4	30.3	0.0	0.0	40.0	266.7	0.0	0.0	500.0
TEENAGE PREGNANCIES#	87	2	21	64	68	1	15	52	19	1	6	12
TEENAGE PREGNANCY RATE	36.9	1.6	74.9	(15-19)	35.0	1.0	72.4	(15-19)	45.4	4.8	86.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: AMITE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,064	715	348	367	167
WHITE	7,494	359	189	170	77
NONWHITE	5,570	356	159	197	90

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	28	0	8	20	7	0	2	5	21	0	6	15
TEENAGE IMMATURE BIRTHS	3	0	0	3	0	0	0	0	3	0	0	3
TEENAGE PREMATURE BIRTHS	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE ILLEGITIMATE BIRTHS	28	0	8	20	7	0	2	5	21	0	6	15
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	1	3	0	0	0	0	4	0	1	3
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	1	6	2	0	0	2	5	0	1	4
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	0	3	1	0	0	1	2	0	0	2
TEENAGE FERTILITY RATE	39.2	0.0	76.3 (15-19)		19.5	0.0	41.2 (15-19)		59.0	0.0	106.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	1	0	0	0	0	0	0	1	1	0	0
TEENAGE INDUCED TERMINATION RATIO	35.7	-	0.0	0.0	0.0	0.0	0.0	0.0	47.6	-	0.0	0.0
TEENAGE PREGNANCIES#	29	1	8	20	7	0	2	5	22	1	6	15
TEENAGE PREGNANCY RATE	40.6	2.9	76.3 (15-19)		19.5	0.0	41.2 (15-19)		61.8	6.3	106.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: ATTALA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,466	1,273	653	620	254
WHITE	11,003	640	332	308	127
NONWHITE	8,463	633	321	312	127

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	23	0	7	16	5	0	1	4	18	0	6	12
TEENAGE IMMATURE BIRTHS	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE PREMATURE BIRTHS	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE ILLEGITIMATE BIRTHS	22	0	7	15	4	0	1	3	18	0	6	12
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	1	4	0	0	0	0	5	0	1	4
TEENS WHO HAD PREVIOUS PREGNANCIES	5	0	1	4	0	0	0	0	5	0	1	4
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	18.1	0.0	37.1	(15-19)	7.8	0.0	16.2	(15-19)	28.4	0.0	57.7	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	43.5	0.0	0.0	62.5	0.0	0.0	0.0	0.0	55.6	0.0	0.0	83.3
TEENAGE INDUCED TERMINATIONS#	3	0	1	2	1	0	1	0	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	130.4	0.0	142.8	125.0	200.0	0.0	1000.0	0.0	111.1	0.0	0.0	166.7
TEENAGE PREGNANCIES#	27	0	8	19	6	0	2	4	21	0	6	15
TEENAGE PREGNANCY RATE	21.2	0.0	43.5	(15-19)	9.4	0.0	19.5	(15-19)	33.2	0.0	67.3	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: BENTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	8,732	596	304	292	99
WHITE	5,370	320	157	163	59
NONWHITE	3,362	276	147	129	40

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	18	1	2	15	9	0	0	9	9	1	2	6
TEENAGE IMMATURE BIRTHS	6	0	0	6	4	0	0	4	2	0	0	2
TEENAGE PREMATURE BIRTHS	4	0	0	4	3	0	0	3	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	17	1	2	14	8	0	0	8	9	1	2	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	0	3	2	0	0	2	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	3	0	0	3	2	0	0	2	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	30.2	3.3	58.2 (15-19)		28.1	0.0	55.2 (15-19)		32.6	6.8	62.0 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	55.6	0.0	0.0	66.7	0.0	0.0	0.0	0.0	111.1	0.0	0.0	166.7
TEENAGE PREGNANCIES#	19	1	2	16	9	0	0	9	10	1	2	7
TEENAGE PREGNANCY RATE	31.9	3.3	61.6 (15-19)		28.1	0.0	55.2 (15-19)		36.2	6.8	69.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: BOLIVAR

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	33,771	2,469	1,192	1,277	574
WHITE	11,614	676	320	356	141
NONWHITE	22,157	1,793	872	921	433

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	94	1	33	60	13	0	6	7	81	1	27	53
TEENAGE IMMATURE BIRTHS	9	0	3	6	0	0	0	0	9	0	3	6
TEENAGE PREMATURE BIRTHS	19	0	4	15	2	0	0	2	17	0	4	13
TEENAGE ILLEGITIMATE BIRTHS	91	1	33	57	11	0	6	5	80	1	27	52
TEENS WHO HAD PREVIOUS LIVE BIRTHS	22	0	1	21	1	0	0	1	21	0	1	20
TEENS WHO HAD PREVIOUS PREGNANCIES	26	0	1	25	1	0	0	1	25	0	1	24
TEENS WITH INADEQUATE* PRENATAL CARE	4	1	0	3	0	0	0	0	4	1	0	3
TEENAGE FERTILITY RATE	38.1	0.8	72.8	(15-19)	19.2	0.0	36.5	(15-19)	45.2	1.1	86.9	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	11	0	3	8	1	0	1	0	10	0	2	8
TEENAGE INDUCED TERMINATION RATIO	117.0	0.0	90.9	133.3	76.9	0.0	166.7	0.0	123.4	0.0	74.1	150.9
TEENAGE PREGNANCIES#	105	1	36	68	14	0	7	7	91	1	29	61
TEENAGE PREGNANCY RATE	42.5	0.8	81.4	(15-19)	20.7	0.0	39.3	(15-19)	50.8	1.1	97.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: CALHOUN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	14,917	1,005	518	487	173
WHITE	10,491	618	321	297	114
NONWHITE	4,426	387	197	190	59

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	30	0	11	19	14	0	4	10	16	0	7	9
TEENAGE IMMATURE BIRTHS	3	0	0	3	1	0	0	1	2	0	0	2
TEENAGE PREMATURE BIRTHS	6	0	2	4	2	0	0	2	4	0	2	2
TEENAGE ILLEGITIMATE BIRTHS	29	0	11	18	13	0	4	9	16	0	7	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	1	6	4	0	1	3	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	1	6	4	0	1	3	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	2	0	2	0	2	0	0	0	0	0
TEENAGE FERTILITY RATE	29.8	0.0	61.6	(15-19)	22.6	0.0	47.1	(15-19)	41.3	0.0	84.2	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	33.3	0.0	0.0	52.6	0.0	0.0	0.0	0.0	62.5	0.0	0.0	111.1
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	31	0	11	20	14	0	4	10	17	0	7	10
TEENAGE PREGNANCY RATE	30.8	0.0	63.6	(15-19)	22.6	0.0	47.1	(15-19)	43.9	0.0	89.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: CARROLL

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,373	576	253	323	91
WHITE	6,796	314	149	165	48
NONWHITE	3,577	262	104	158	43

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	11	0	1	10	6	0	0	6	5	0	1	4
TEENAGE IMMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE PREMATURE BIRTHS	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE ILLEGITIMATE BIRTHS	7	0	1	6	2	0	0	2	5	0	1	4
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	0	5	3	0	0	3	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	0	6	4	0	0	4	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	1	4	2	0	0	2	3	0	1	2
TEENAGE FERTILITY RATE	19.1	0.0	34.0	(15-19)	19.1	0.0	36.4	(15-19)	19.1	0.0	31.6	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	90.9	0.0	0.0	100.0	0.0	0.0	0.0	0.0	200.0	0.0	0.0	250.0
TEENAGE PREGNANCIES#	12	0	1	11	6	0	0	6	6	0	1	5
TEENAGE PREGNANCY RATE	20.8	0.0	37.2	(15-19)	19.1	0.0	36.4	(15-19)	22.9	0.0	38.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: CHICKASAW

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	17,124	1,204	578	626	246
WHITE	9,511	610	292	318	128
NONWHITE	7,613	594	286	308	118

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	48	1	10	37	24	1	5	18	24	0	5	19
TEENAGE IMMATURE BIRTHS	7	0	1	6	4	0	0	4	3	0	1	2
TEENAGE PREMATURE BIRTHS	7	0	2	5	2	0	1	1	5	0	1	4
TEENAGE ILLEGITIMATE BIRTHS	47	1	10	36	23	1	5	17	24	0	5	19
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	1	15	9	0	1	8	7	0	0	7
TEENS WHO HAD PREVIOUS PREGNANCIES	20	1	1	18	12	1	1	10	8	0	0	8
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	0	4	3	0	0	3	1	0	0	1
TEENAGE FERTILITY RATE	39.9	1.7	75.1	(15-19)	39.3	3.4	72.3	(15-19)	40.4	0.0	77.9	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	10	1	6	3	2	0	1	1	8	1	5	2
TEENAGE INDUCED TERMINATION RATIO	208.3	1000.0	600.0	81.1	83.3	0.0	200.0	55.6	333.3	-	1000.0	105.3
TEENAGE PREGNANCIES#	58	2	16	40	26	1	6	19	32	1	10	21
TEENAGE PREGNANCY RATE	48.2	3.5	89.4	(15-19)	42.6	3.4	78.6	(15-19)	53.9	3.5	100.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	1	0	0	1	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	41.7	0.0	0.0	54.1	41.7	0.0	0.0	55.6	41.7	0.0	0.0	52.6

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: CHOCTAW

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	8,412	562	276	286	81
WHITE	5,699	350	181	169	57
NONWHITE	2,713	212	95	117	24

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	7	0	3	4	6	0	3	3	1	0	0	1
TEENAGE IMMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE PREMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	6	0	3	3	5	0	3	2	1	0	0	1
TEENS WHO HAD PREVIOUS LIVE BIRTHS	1	0	0	1	1	0	0	1	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	1	0	0	1	1	0	0	1	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FERTILITY RATE	12.4	0.0	24.5	(15-19)	17.1	0.0	35.5	(15-19)	4.7	0.0	8.5	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	285.7	0.0	333.3	250.0	0.0	0.0	0.0	0.0	2000.0	0.0	-	1000.0
TEENAGE PREGNANCIES#	9	0	4	5	6	0	3	3	3	0	1	2
TEENAGE PREGNANCY RATE	16.0	0.0	31.5	(15-19)	17.1	0.0	35.5	(15-19)	14.2	0.0	25.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: CLAIBORNE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,585	822	336	486	115
WHITE	1,393	66	39	27	7
NONWHITE	8,192	756	297	459	108

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	19	0	7	12	1	0	0	1	18	0	7	11
TEENAGE IMMATURE BIRTHS	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE PREMATURE BIRTHS	4	0	0	4	0	0	0	0	4	0	0	4
TEENAGE ILLEGITIMATE BIRTHS	18	0	7	11	1	0	0	1	17	0	7	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	1	5	0	0	0	0	6	0	1	5
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	1	5	0	0	0	0	6	0	1	5
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	23.1	0.0	39.1 (15-19)		15.2	0.0	37.0 (15-19)		23.8	0.0	39.2 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	1	0	1	0	0	0	0	2	1	0	1
TEENAGE INDUCED TERMINATION RATIO	105.3	-	0.0	83.3	0.0	0.0	0.0	0.0	111.1	-	0.0	90.9
TEENAGE PREGNANCIES#	21	1	7	13	1	0	0	1	20	1	7	12
TEENAGE PREGNANCY RATE	25.5	3.0	41.2 (15-19)		15.2	0.0	37.0 (15-19)		26.4	3.4	41.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: CLARKE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	16,743	1,150	601	549	181
WHITE	10,739	636	333	303	115
NONWHITE	6,004	514	268	246	66

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	19	0	4	15	11	0	1	10	8	0	3	5
TEENAGE IMMATURE BIRTHS	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE PREMATURE BIRTHS	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	14	0	4	10	6	0	1	5	8	0	3	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	1	6	5	0	0	5	2	0	1	1
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	1	7	5	0	0	5	3	0	1	2
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	16.5	0.0	34.6	(15-19)	17.3	0.0	36.3	(15-19)	15.6	0.0	32.5	(15-19)
TEENAGE FETAL DEATHS**	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE FETAL DEATH RATIO	105.3	0.0	0.0	133.3	90.9	0.0	0.0	100.0	125.0	0.0	0.0	200.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	52.6	0.0	0.0	66.7	0.0	0.0	0.0	0.0	125.0	0.0	0.0	200.0
TEENAGE PREGNANCIES#	22	0	4	18	12	0	1	11	10	0	3	7
TEENAGE PREGNANCY RATE	19.1	0.0	40.1	(15-19)	18.9	0.0	39.6	(15-19)	19.4	0.0	40.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: CLAY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	20,456	1,507	755	752	247
WHITE	8,293	415	212	203	74
NONWHITE	12,163	1,092	543	549	173

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	41	1	8	32	8	0	2	6	33	1	6	26
TEENAGE IMMATURE BIRTHS	5	0	1	4	1	0	0	1	4	0	1	3
TEENAGE PREMATURE BIRTHS	7	0	2	5	1	0	0	1	6	0	2	4
TEENAGE ILLEGITIMATE BIRTHS	40	1	7	32	7	0	1	6	33	1	6	26
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	0	6	2	0	0	2	4	0	0	4
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	0	7	2	0	0	2	5	0	0	5
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE	27.2	1.3	53.2 (15-19)		19.3	0.0	39.4 (15-19)		30.2	1.8	58.3 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	24.4	0.0	125.0	0.0	125.0	0.0	500.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	3	1	0	0	0	0	4	0	3	1
TEENAGE INDUCED TERMINATION RATIO	97.6	0.0	375.0	31.2	0.0	0.0	0.0	0.0	121.2	0.0	500.0	38.5
TEENAGE PREGNANCIES#	46	1	12	33	9	0	3	6	37	1	9	27
TEENAGE PREGNANCY RATE	30.5	1.3	59.8 (15-19)		21.7	0.0	44.3 (15-19)		33.9	1.8	65.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	24.4	0.0	0.0	31.3	0.0	0.0	0.0	0.0	30.3	0.0	0.0	38.5

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: COAHOMA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	25,913	2,158	1,063	1,095	468
WHITE	6,136	303	145	158	65
NONWHITE	19,777	1,855	918	937	403

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	90	1	36	53	5	0	1	4	85	1	35	49
TEENAGE IMMATURE BIRTHS	26	0	10	16	2	0	1	1	24	0	9	15
TEENAGE PREMATURE BIRTHS	28	0	13	15	2	0	1	1	26	0	12	14
TEENAGE ILLEGITIMATE BIRTHS	87	1	36	50	3	0	1	2	84	1	35	48
TEENS WHO HAD PREVIOUS LIVE BIRTHS	25	0	6	19	0	0	0	0	25	0	6	19
TEENS WHO HAD PREVIOUS PREGNANCIES	28	0	7	21	0	0	0	0	28	0	7	21
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	41.7	0.9	81.3	(15-19)	16.5	0.0	31.6	(15-19)	45.8	1.1	89.6	(15-19)
TEENAGE FETAL DEATHS**	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE FETAL DEATH RATIO	33.3	0.0	27.8	37.7	0.0	0.0	0.0	0.0	35.3	0.0	28.6	40.8
TEENAGE INDUCED TERMINATIONS#	14	1	7	6	2	0	0	2	11	1	6	4
TEENAGE INDUCED TERMINATION RATIO	155.6	1000.0	194.4	113.2	400.0	0.0	0.0	500.0	129.4	1000.0	171.4	81.6
TEENAGE PREGNANCIES#	107	2	44	61	7	0	1	6	99	2	42	55
TEENAGE PREGNANCY RATE	49.6	1.9	95.9	(15-19)	23.1	0.0	44.3	(15-19)	53.4	2.2	103.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	11.1	0.0	27.8	0.0	0.0	0.0	0.0	0.0	11.8	0.0	28.6	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: COPIAH

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	29,247	2,069	918	1,151	445
WHITE	13,878	814	356	458	198
NONWHITE	15,369	1,255	562	693	247

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	76	2	21	53	25	1	7	17	51	1	14	36
TEENAGE IMMATURE BIRTHS	18	1	4	13	3	1	1	1	15	0	3	12
TEENAGE PREMATURE BIRTHS	18	0	7	11	3	0	2	1	15	0	5	10
TEENAGE ILLEGITIMATE BIRTHS	72	2	21	49	21	1	7	13	51	1	14	36
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	1	15	5	0	1	4	11	0	0	11
TEENS WHO HAD PREVIOUS PREGNANCIES	19	0	1	18	7	0	1	6	12	0	0	12
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	1	3	1	0	1	0	3	0	0	3
TEENAGE FERTILITY RATE	36.7	2.2	64.3	(15-19)	30.7	2.8	52.4	(15-19)	40.6	1.8	72.2	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	6	0	3	3	0	0	0	0	6	0	3	3
TEENAGE INDUCED TERMINATION RATIO	78.9	0.0	142.8	56.6	0.0	0.0	0.0	0.0	117.6	0.0	214.3	83.3
TEENAGE PREGNANCIES#	82	2	24	56	25	1	7	17	57	1	17	39
TEENAGE PREGNANCY RATE	39.6	2.2	69.5	(15-19)	30.7	2.8	52.4	(15-19)	45.4	1.8	80.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	13.2	0.0	0.0	18.9	0.0	0.0	0.0	0.0	19.6	0.0	0.0	27.8

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: COVINGTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,629	1,391	662	729	258
WHITE	12,375	732	358	374	148
NONWHITE	7,254	659	304	355	110

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	44	0	14	30	19	0	5	14	25	0	9	16
TEENAGE IMMATURE BIRTHS	6	0	1	5	0	0	0	0	6	0	1	5
TEENAGE PREMATURE BIRTHS	9	0	3	6	1	0	0	1	8	0	3	5
TEENAGE ILLEGITIMATE BIRTHS	39	0	13	26	14	0	4	10	25	0	9	16
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	0	4	3	0	0	3	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	0	6	3	0	0	3	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE FERTILITY RATE	31.6	0.0	60.4 (15-19)		26.0	0.0	50.8 (15-19)		37.9	0.0	70.4 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	22.7	0.0	71.4	0.0	0.0	0.0	0.0	0.0	40.0	0.0	111.1	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	45	0	15	30	19	0	5	14	26	0	10	16
TEENAGE PREGNANCY RATE	32.4	0.0	61.7 (15-19)		26.0	0.0	50.8 (15-19)		39.4	0.0	73.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: DESOTO

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	164,053	12,416	6,782	5,634	2,049
WHITE	121,513	8,248	4,468	3,780	1,532
NONWHITE	42,540	4,168	2,314	1,854	517

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	194	1	55	138	135	0	28	107	59	1	27	31
TEENAGE IMMATURE BIRTHS	22	0	6	16	14	0	1	13	8	0	5	3
TEENAGE PREMATURE BIRTHS	22	0	5	17	16	0	2	14	6	0	3	3
TEENAGE ILLEGITIMATE BIRTHS	169	1	52	116	111	0	25	86	58	1	27	30
TEENS WHO HAD PREVIOUS LIVE BIRTHS	34	0	5	29	18	0	1	17	16	0	4	12
TEENS WHO HAD PREVIOUS PREGNANCIES	37	0	6	31	20	0	2	18	17	0	4	13
TEENS WITH INADEQUATE* PRENATAL CARE	19	0	9	10	9	0	3	6	10	0	6	4
TEENAGE FERTILITY RATE	15.6	0.1	34.2	(15-19)	16.4	0.0	35.7	(15-19)	14.2	0.4	31.3	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	5.2	0.0	0.0	7.2	0.0	0.0	0.0	0.0	16.9	0.0	0.0	32.2
TEENAGE INDUCED TERMINATIONS#	85	4	30	51	36	1	10	25	49	3	20	26
TEENAGE INDUCED TERMINATION RATIO	438.1	4000.0	545.4	369.6	266.7	-	357.1	233.6	830.5	3000.0	740.7	838.7
TEENAGE PREGNANCIES#	280	5	85	190	171	1	38	132	109	4	47	58
TEENAGE PREGNANCY RATE	22.6	0.7	48.8	(15-19)	20.7	0.2	45.0	(15-19)	26.2	1.7	56.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	2	0	0	2	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	10.3	0.0	0.0	14.5	14.8	0.0	0.0	18.7	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: FORREST

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	75,842	5,827	2,330	3,497	1,077
WHITE	46,278	3,062	1,236	1,826	585
NONWHITE	29,564	2,765	1,094	1,671	492

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	129	3	33	93	46	1	13	32	83	2	20	61
TEENAGE IMMATURE BIRTHS	19	0	4	15	4	0	1	3	15	0	3	12
TEENAGE PREMATURE BIRTHS	21	1	4	16	7	0	1	6	14	1	3	10
TEENAGE ILLEGITIMATE BIRTHS	125	3	33	89	42	1	13	28	83	2	20	61
TEENS WHO HAD PREVIOUS LIVE BIRTHS	34	0	3	31	10	0	1	9	24	0	2	22
TEENS WHO HAD PREVIOUS PREGNANCIES	44	0	4	40	15	0	2	13	29	0	2	27
TEENS WITH INADEQUATE* PRENATAL CARE	10	1	2	7	4	1	1	2	6	0	1	5
TEENAGE FERTILITY RATE	22.1	1.3	36.0	(15-19)	15.0	0.8	24.6	(15-19)	30.0	1.8	48.5	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	18	0	3	15	5	0	0	5	12	0	3	9
TEENAGE INDUCED TERMINATION RATIO	139.5	0.0	90.9	161.3	108.7	0.0	0.0	156.2	144.6	0.0	150.0	147.5
TEENAGE PREGNANCIES#	147	3	36	108	51	1	13	37	95	2	23	70
TEENAGE PREGNANCY RATE	25.2	1.3	41.2	(15-19)	16.6	0.8	27.4	(15-19)	34.4	1.8	55.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	7.8	0.0	0.0	10.8	0.0	0.0	0.0	0.0	12.0	0.0	0.0	16.4

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: FRANKLIN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	8,017	523	276	247	98
WHITE	5,134	274	142	132	61
NONWHITE	2,883	249	134	115	37

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	12	0	5	7	5	0	2	3	7	0	3	4
TEENAGE IMMATURE BIRTHS	2	0	1	1	2	0	1	1	0	0	0	0
TEENAGE PREMATURE BIRTHS	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	12	0	5	7	5	0	2	3	7	0	3	4
TEENS WHO HAD PREVIOUS LIVE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	1	0	0	1	0	0	0	0	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FERTILITY RATE	22.9	0.0	48.6 (15-19)		18.2	0.0	37.9 (15-19)		28.1	0.0	60.9 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	250.0	0.0	200.0	285.7	200.0	0.0	0.0	333.3	285.7	0.0	333.3	250.0
TEENAGE PREGNANCIES#	15	0	6	9	6	0	2	4	9	0	4	5
TEENAGE PREGNANCY RATE	28.7	0.0	60.7 (15-19)		21.9	0.0	45.4 (15-19)		36.1	0.0	78.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: GEORGE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	22,889	1,652	871	781	365
WHITE	20,580	1,471	777	694	330
NONWHITE	2,309	181	94	87	35

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	65	1	16	48	58	0	15	43	7	1	1	5
TEENAGE IMMATURE BIRTHS	9	0	2	7	8	0	2	6	1	0	0	1
TEENAGE PREMATURE BIRTHS	7	0	3	4	7	0	3	4	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	49	1	14	34	42	0	13	29	7	1	1	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	12	0	0	12	11	0	0	11	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	13	0	0	13	12	0	0	12	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	0	4	4	0	0	4	0	0	0	0
TEENAGE FERTILITY RATE	39.3	1.1	81.9	(15-19)	39.4	0.0	83.6	(15-19)	38.7	10.6	69.0	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	1	2	2	0	0	2	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	46.2	0.0	62.5	41.7	34.5	0.0	0.0	46.5	142.8	0.0	1000.0	0.0
TEENAGE PREGNANCIES#	68	1	17	50	60	0	15	45	8	1	2	5
TEENAGE PREGNANCY RATE	41.2	1.1	85.8	(15-19)	40.8	0.0	86.4	(15-19)	44.2	10.6	80.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	15.4	0.0	0.0	20.8	17.2	0.0	0.0	23.3	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: GREENE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	14,338	861	441	420	125
WHITE	10,311	687	346	341	101
NONWHITE	4,027	174	95	79	24

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	17	0	5	12	15	0	4	11	2	0	1	1
TEENAGE IMMATURE BIRTHS	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE PREMATURE BIRTHS	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE ILLEGITIMATE BIRTHS	13	0	5	8	11	0	4	7	2	0	1	1
TEENS WHO HAD PREVIOUS LIVE BIRTHS	2	0	0	2	2	0	0	2	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	4	0	2	2	4	0	2	2	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	2	0	1	0	1	0	1	0	1	0
TEENAGE FERTILITY RATE	19.7	0.0	40.5	(15-19)	21.8	0.0	44.0	(15-19)	11.5	0.0	25.3	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	1	2	1	0	1	0	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	176.5	0.0	200.0	166.7	66.7	0.0	250.0	0.0	1000.0	0.0	0.0	2000.0
TEENAGE PREGNANCIES#	20	0	6	14	16	0	5	11	4	0	1	3
TEENAGE PREGNANCY RATE	23.2	0.0	47.6	(15-19)	23.3	0.0	46.9	(15-19)	23.0	0.0	50.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	58.8	0.0	200.0	0.0	0.0	0.0	0.0	0.0	500.0	0.0	1000.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: GRENADA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,706	1,485	724	761	305
WHITE	12,324	767	395	372	151
NONWHITE	9,382	718	329	389	154

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	45	1	18	26	13	0	4	9	32	1	14	17
TEENAGE IMMATURE BIRTHS	7	0	4	3	1	0	0	1	6	0	4	2
TEENAGE PREMATURE BIRTHS	11	0	5	6	1	0	0	1	10	0	5	5
TEENAGE ILLEGITIMATE BIRTHS	43	1	18	24	12	0	4	8	31	1	14	16
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	3	4	1	0	0	1	6	0	3	3
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	3	7	2	0	0	2	8	0	3	5
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE FERTILITY RATE	30.3	1.4	57.8 (15-19)		16.9	0.0	34.9 (15-19)		44.6	3.0	79.7 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	11	1	1	9	4	0	0	4	7	1	1	5
TEENAGE INDUCED TERMINATION RATIO	244.4	1000.0	55.6	346.2	307.7	0.0	0.0	444.4	218.8	1000.0	71.4	294.1
TEENAGE PREGNANCIES#	56	2	19	35	17	0	4	13	39	2	15	22
TEENAGE PREGNANCY RATE	37.7	2.8	71.0 (15-19)		22.2	0.0	45.7 (15-19)		54.3	6.1	95.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: HANCOCK

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	44,649	2,902	1,465	1,437	472
WHITE	39,440	2,429	1,204	1,225	428
NONWHITE	5,209	473	261	212	44

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	49	0	15	34	43	0	13	30	6	0	2	4
TEENAGE IMMATURE BIRTHS	4	0	2	2	3	0	1	2	1	0	1	0
TEENAGE PREMATURE BIRTHS	7	0	3	4	5	0	1	4	2	0	2	0
TEENAGE ILLEGITIMATE BIRTHS	41	0	14	27	35	0	12	23	6	0	2	4
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	0	4	4	0	0	4	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	5	0	0	5	5	0	0	5	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FERTILITY RATE	16.9	0.0	34.1	(15-19)	17.7	0.0	35.1	(15-19)	12.7	0.0	28.3	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	20.4	0.0	0.0	29.4	23.2	0.0	0.0	33.3	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	61.2	0.0	66.7	58.8	23.2	0.0	0.0	33.3	333.3	0.0	500.0	250.0
TEENAGE PREGNANCIES#	53	0	16	37	45	0	13	32	8	0	3	5
TEENAGE PREGNANCY RATE	18.3	0.0	36.9	(15-19)	18.5	0.0	36.7	(15-19)	16.9	0.0	37.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: HARRISON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	191,040	12,040	5,949	6,091	2,836
WHITE	135,597	7,621	3,786	3,835	1,924
NONWHITE	55,443	4,419	2,163	2,256	912

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	324	3	89	232	187	1	44	142	137	2	45	90
TEENAGE IMMATURE BIRTHS	31	1	4	26	16	0	3	13	15	1	1	13
TEENAGE PREMATURE BIRTHS	43	0	12	31	20	0	5	15	23	0	7	16
TEENAGE ILLEGITIMATE BIRTHS	279	3	82	194	148	1	37	110	131	2	45	84
TEENS WHO HAD PREVIOUS LIVE BIRTHS	66	0	6	60	36	0	2	34	30	0	4	26
TEENS WHO HAD PREVIOUS PREGNANCIES	85	0	10	75	47	0	3	44	38	0	7	31
TEENS WITH INADEQUATE* PRENATAL CARE	16	0	6	10	9	0	5	4	7	0	1	6
TEENAGE FERTILITY RATE	26.9	0.5	52.7	(15-19)	24.5	0.3	48.5	(15-19)	31.0	0.9	59.8	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	3.1	0.0	0.0	4.3	5.3	0.0	0.0	7.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	17	0	3	14	9	0	2	7	6	0	1	5
TEENAGE INDUCED TERMINATION RATIO	52.5	0.0	33.7	60.3	48.1	0.0	45.4	49.3	43.8	0.0	22.2	55.6
TEENAGE PREGNANCIES#	342	3	92	247	197	1	46	150	143	2	46	95
TEENAGE PREGNANCY RATE	28.4	0.5	55.6	(15-19)	25.8	0.3	51.1	(15-19)	32.4	0.9	62.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	3	0	0	3	2	0	0	2	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	9.3	0.0	0.0	12.9	10.7	0.0	0.0	14.1	7.3	0.0	0.0	11.1

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: HINDS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	248,184	18,996	8,759	10,237	3,433
WHITE	71,959	3,865	1,681	2,184	706
NONWHITE	176,225	15,131	7,078	8,053	2,727

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	514	18	168	328	47	0	15	32	467	18	153	296
TEENAGE IMMATURE BIRTHS	82	5	31	46	6	0	1	5	76	5	30	41
TEENAGE PREMATURE BIRTHS	117	4	46	67	13	0	4	9	104	4	42	58
TEENAGE ILLEGITIMATE BIRTHS	502	18	167	317	38	0	14	24	464	18	153	293
TEENS WHO HAD PREVIOUS LIVE BIRTHS	109	2	19	88	7	0	1	6	102	2	18	82
TEENS WHO HAD PREVIOUS PREGNANCIES	141	2	26	113	13	0	3	10	128	2	23	103
TEENS WITH INADEQUATE* PRENATAL CARE	42	5	20	17	0	0	0	0	42	5	20	17
TEENAGE FERTILITY RATE	27.0	2.0	48.4 (15-19)		12.2	0.0	21.5 (15-19)		30.9	2.5	55.8 (15-19)	
TEENAGE FETAL DEATHS**	6	0	2	4	0	0	0	0	6	0	2	4
TEENAGE FETAL DEATH RATIO	11.7	0.0	11.9	12.2	0.0	0.0	0.0	0.0	12.8	0.0	13.1	13.5
TEENAGE INDUCED TERMINATIONS#	123	7	38	78	4	0	3	1	117	7	34	76
TEENAGE INDUCED TERMINATION RATIO	239.3	388.9	226.2	237.8	85.1	0.0	200.0	31.2	250.5	388.9	222.2	256.8
TEENAGE PREGNANCIES#	643	25	208	410	51	0	18	33	590	25	189	376
TEENAGE PREGNANCY RATE	33.8	2.8	60.4 (15-19)		13.2	0.0	23.4 (15-19)		39.0	3.5	70.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	14	2	4	8	0	0	0	0	14	2	4	8
INFANT MORTALITY RATE, TEEN MOMS	27.2	111.1	23.8	24.4	0.0	0.0	0.0	0.0	30.0	111.1	26.1	27.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: HOLMES

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	18,818	1,597	722	875	305
WHITE	3,092	212	82	130	17
NONWHITE	15,726	1,385	640	745	288

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	56	0	25	31	1	0	0	1	55	0	25	30
TEENAGE IMMATURE BIRTHS	8	0	3	5	0	0	0	0	8	0	3	5
TEENAGE PREMATURE BIRTHS	8	0	4	4	0	0	0	0	8	0	4	4
TEENAGE ILLEGITIMATE BIRTHS	56	0	25	31	1	0	0	1	55	0	25	30
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	1	10	0	0	0	0	11	0	1	10
TEENS WHO HAD PREVIOUS PREGNANCIES	13	0	1	12	0	0	0	0	13	0	1	12
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE FERTILITY RATE	35.1	0.0	64.0	(15-19)	4.7	0.0	7.7	(15-19)	39.7	0.0	73.8	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	17.8	0.0	0.0	32.2	0.0	0.0	0.0	0.0	18.2	0.0	0.0	33.3
TEENAGE INDUCED TERMINATIONS#	9	0	2	7	0	0	0	0	9	0	2	7
TEENAGE INDUCED TERMINATION RATIO	160.7	0.0	80.0	225.8	0.0	0.0	0.0	0.0	163.6	0.0	80.0	233.3
TEENAGE PREGNANCIES#	66	0	27	39	1	0	0	1	65	0	27	38
TEENAGE PREGNANCY RATE	41.3	0.0	75.4	(15-19)	4.7	0.0	7.7	(15-19)	46.9	0.0	87.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	17.9	0.0	0.0	32.3	0.0	0.0	0.0	0.0	18.2	0.0	0.0	33.3

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: HUMPHREYS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,312	646	299	347	141
WHITE	2,260	115	54	61	14
NONWHITE	7,052	531	245	286	127

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	27	0	4	23	1	0	0	1	26	0	4	22
TEENAGE IMMATURE BIRTHS	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE PREMATURE BIRTHS	4	0	0	4	1	0	0	1	3	0	0	3
TEENAGE ILLEGITIMATE BIRTHS	26	0	4	22	0	0	0	0	26	0	4	22
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	2	7	1	0	0	1	8	0	2	6
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	2	8	1	0	0	1	9	0	2	7
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE FERTILITY RATE	41.8	0.0	77.8	(15-19)	8.7	0.0	16.4	(15-19)	49.0	0.0	90.9	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	37.0	0.0	0.0	43.5	0.0	0.0	0.0	0.0	38.5	0.0	0.0	45.4
TEENAGE INDUCED TERMINATIONS#	4	0	0	4	0	0	0	0	3	0	0	3
TEENAGE INDUCED TERMINATION RATIO	148.1	0.0	0.0	173.9	0.0	0.0	0.0	0.0	115.4	0.0	0.0	136.4
TEENAGE PREGNANCIES#	32	0	4	28	1	0	0	1	30	0	4	26
TEENAGE PREGNANCY RATE	49.5	0.0	92.2	(15-19)	8.7	0.0	16.4	(15-19)	56.5	0.0	104.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: ISSAQUENA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	1,392	70	26	44	14
WHITE	489	16	8	8	1
NONWHITE	903	54	18	36	13

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	5	0	2	3	0	0	0	0	5	0	2	3
TEENAGE IMMATURE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE PREMATURE BIRTHS	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	5	0	2	3	0	0	0	0	5	0	2	3
TEENS WHO HAD PREVIOUS LIVE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	0	0	0	0	0	0	0	0	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE FERTILITY RATE	71.4	0.0	113.6	(15-19)	0.0	0.0	0.0	(15-19)	92.6	0.0	138.9	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	5	0	2	3	0	0	0	0	5	0	2	3
TEENAGE PREGNANCY RATE	71.4	0.0	113.6	(15-19)	0.0	0.0	0.0	(15-19)	92.6	0.0	138.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: ITAWAMBA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	23,332	1,684	753	931	273
WHITE	21,458	1,483	684	799	255
NONWHITE	1,874	201	69	132	18

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	49	2	16	31	44	1	14	29	5	1	2	2
TEENAGE IMMATURE BIRTHS	2	0	0	2	2	0	0	2	0	0	0	0
TEENAGE PREMATURE BIRTHS	3	0	1	2	2	0	0	2	1	0	1	0
TEENAGE ILLEGITIMATE BIRTHS	41	2	14	25	36	1	12	23	5	1	2	2
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	2	5	6	0	1	5	1	0	1	0
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	2	8	9	0	1	8	1	0	1	0
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	29.1	2.6	50.5 (15-19)		29.7	1.5	53.8 (15-19)		24.9	14.5	30.3 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	2	0	0	2	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	40.8	0.0	0.0	64.5	45.4	0.0	0.0	69.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	51	2	16	33	46	1	14	31	5	1	2	2
TEENAGE PREGNANCY RATE	30.3	2.6	52.6 (15-19)		31.0	1.5	56.3 (15-19)		24.9	14.5	30.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	2	0	2	0	2	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	40.8	0.0	125.0	0.0	45.5	0.0	142.9	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: JACKSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	139,901	9,539	4,878	4,661	1,670
WHITE	102,900	6,373	3,219	3,154	1,222
NONWHITE	37,001	3,166	1,659	1,507	448

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	213	3	62	148	135	0	41	94	78	3	21	54
TEENAGE IMMATURE BIRTHS	19	0	5	14	15	0	4	11	4	0	1	3
TEENAGE PREMATURE BIRTHS	27	0	10	17	13	0	4	9	14	0	6	8
TEENAGE ILLEGITIMATE BIRTHS	186	3	56	127	110	0	35	75	76	3	21	52
TEENS WHO HAD PREVIOUS LIVE BIRTHS	37	0	7	30	24	0	4	20	13	0	3	10
TEENS WHO HAD PREVIOUS PREGNANCIES	46	0	11	35	29	0	6	23	17	0	5	12
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	3	2	4	0	2	2	1	0	1	0
TEENAGE FERTILITY RATE	22.3	0.6	45.0	(15-19)	21.2	0.0	42.8	(15-19)	24.6	1.8	49.8	(15-19)
TEENAGE FETAL DEATHS**	2	1	0	1	0	0	0	0	2	1	0	1
TEENAGE FETAL DEATH RATIO	9.4	333.3	0.0	6.8	0.0	0.0	0.0	0.0	25.6	333.3	0.0	18.5
TEENAGE INDUCED TERMINATIONS#	23	0	6	17	11	0	4	7	12	0	2	10
TEENAGE INDUCED TERMINATION RATIO	108.0	0.0	96.8	114.9	81.5	0.0	97.6	74.5	153.8	0.0	95.2	185.2
TEENAGE PREGNANCIES#	238	4	68	166	146	0	45	101	92	4	23	65
TEENAGE PREGNANCY RATE	25.0	0.8	50.2	(15-19)	22.9	0.0	46.3	(15-19)	29.0	2.4	58.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: JASPER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	16,777	1,164	627	537	229
WHITE	7,733	404	224	180	93
NONWHITE	9,044	760	403	357	136

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	37	0	9	28	16	0	3	13	21	0	6	15
TEENAGE IMMATURE BIRTHS	4	0	0	4	1	0	0	1	3	0	0	3
TEENAGE PREMATURE BIRTHS	4	0	0	4	2	0	0	2	2	0	0	2
TEENAGE ILLEGITIMATE BIRTHS	33	0	9	24	12	0	3	9	21	0	6	15
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	0	9	5	0	0	5	4	0	0	4
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	0	10	6	0	0	6	4	0	0	4
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	2	0	2	0	2	0	0	0	0	0
TEENAGE FERTILITY RATE	31.8	0.0	68.9	(15-19)	39.6	0.0	88.9	(15-19)	27.6	0.0	58.8	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	27.0	0.0	0.0	35.7	0.0	0.0	0.0	0.0	47.6	0.0	0.0	66.7
TEENAGE INDUCED TERMINATIONS#	8	1	1	6	0	0	0	0	6	0	1	5
TEENAGE INDUCED TERMINATION RATIO	216.2	-	111.1	214.3	0.0	0.0	0.0	0.0	285.7	0.0	166.7	333.3
TEENAGE PREGNANCIES#	46	1	10	35	16	0	3	13	28	0	7	21
TEENAGE PREGNANCY RATE	39.5	1.6	83.8	(15-19)	39.6	0.0	88.9	(15-19)	36.8	0.0	78.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: JEFFERSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	7,605	488	229	259	112
WHITE	1,101	44	25	19	5
NONWHITE	6,504	444	204	240	107

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	17	1	2	14	0	0	0	0	17	1	2	14
TEENAGE IMMATURE BIRTHS	4	0	0	4	0	0	0	0	4	0	0	4
TEENAGE PREMATURE BIRTHS	3	0	0	3	0	0	0	0	3	0	0	3
TEENAGE ILLEGITIMATE BIRTHS	17	1	2	14	0	0	0	0	17	1	2	14
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	1	2	0	0	0	0	3	0	1	2
TEENS WHO HAD PREVIOUS PREGNANCIES	5	0	1	4	0	0	0	0	5	0	1	4
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	34.8	4.4	61.8 (15-19)		0.0	0.0	0.0 (15-19)		38.3	4.9	66.7 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	117.6	0.0	500.0	71.4	0.0	0.0	0.0	0.0	117.6	0.0	500.0	71.4
TEENAGE PREGNANCIES#	19	1	3	15	0	0	0	0	19	1	3	15
TEENAGE PREGNANCY RATE	38.9	4.4	69.5 (15-19)		0.0	0.0	0.0 (15-19)		42.8	4.9	75.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	58.8	0.0	0.0	71.4	0.0	0.0	0.0	0.0	58.8	0.0	0.0	71.4

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: JEFF DAVIS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,118	794	380	414	145
WHITE	4,768	194	97	97	44
NONWHITE	7,350	600	283	317	101

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	24	0	5	19	9	0	2	7	15	0	3	12
TEENAGE IMMATURE BIRTHS	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE PREMATURE BIRTHS	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	19	0	3	16	4	0	0	4	15	0	3	12
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	1	4	1	0	0	1	4	0	1	3
TEENS WHO HAD PREVIOUS PREGNANCIES	5	0	1	4	1	0	0	1	4	0	1	3
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE	30.2	0.0	58.0	(15-19)	46.4	0.0	92.8	(15-19)	25.0	0.0	47.3	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	0	3	0	0	0	0	3	0	0	3
TEENAGE INDUCED TERMINATION RATIO	125.0	0.0	0.0	157.9	0.0	0.0	0.0	0.0	200.0	0.0	0.0	250.0
TEENAGE PREGNANCIES#	27	0	5	22	9	0	2	7	18	0	3	15
TEENAGE PREGNANCY RATE	34.0	0.0	65.2	(15-19)	46.4	0.0	92.8	(15-19)	30.0	0.0	56.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: JONES

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	68,075	4,671	2,377	2,294	969
WHITE	47,282	2,842	1,438	1,404	628
NONWHITE	20,793	1,829	939	890	341

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	137	4	46	87	71	2	24	45	66	2	22	42
TEENAGE IMMATURE BIRTHS	18	0	7	11	7	0	1	6	11	0	6	5
TEENAGE PREMATURE BIRTHS	13	0	5	8	7	0	2	5	6	0	3	3
TEENAGE ILLEGITIMATE BIRTHS	124	4	43	77	58	2	21	35	66	2	22	42
TEENS WHO HAD PREVIOUS LIVE BIRTHS	33	0	6	27	13	0	2	11	20	0	4	16
TEENS WHO HAD PREVIOUS PREGNANCIES	42	0	8	34	17	0	3	14	25	0	5	20
TEENS WITH INADEQUATE* PRENATAL CARE	14	1	7	6	6	0	3	3	8	1	4	3
TEENAGE FERTILITY RATE	29.3	1.7	58.0	(15-19)	25.0	1.4	49.1	(15-19)	36.1	2.1	71.9	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	5	0	2	3	1	0	0	1	4	0	2	2
TEENAGE INDUCED TERMINATION RATIO	36.5	0.0	43.5	34.5	14.1	0.0	0.0	22.2	60.6	0.0	90.9	47.6
TEENAGE PREGNANCIES#	142	4	48	90	72	2	24	46	70	2	24	44
TEENAGE PREGNANCY RATE	30.4	1.7	60.2	(15-19)	25.3	1.4	49.8	(15-19)	38.3	2.1	76.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	3	0	1	2	2	0	1	1	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	21.9	0.0	21.7	23.0	28.2	0.0	41.7	22.2	15.2	0.0	0.0	23.8

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: KEMPER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,146	708	329	379	105
WHITE	3,596	162	74	88	34
NONWHITE	6,550	546	255	291	71

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	8	0	0	8	0	0	0	0	8	0	0	8
TEENAGE IMMATURE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE PREMATURE BIRTHS	3	0	0	3	0	0	0	0	3	0	0	3
TEENAGE ILLEGITIMATE BIRTHS	8	0	0	8	0	0	0	0	8	0	0	8
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	0	3	0	0	0	0	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	3	0	0	3	0	0	0	0	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	11.3	0.0	21.1 (15-19)		0.0	0.0	0.0 (15-19)		14.6	0.0	27.5 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	250.0	0.0	0.0	250.0	0.0	0.0	0.0	0.0	250.0	0.0	0.0	250.0
TEENAGE PREGNANCIES#	10	0	0	10	0	0	0	0	10	0	0	10
TEENAGE PREGNANCY RATE	14.1	0.0	26.4 (15-19)		0.0	0.0	0.0 (15-19)		18.3	0.0	34.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: LAFAYETTE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	48,472	3,930	1,186	2,744	547
WHITE	34,995	2,737	728	2,009	343
NONWHITE	13,477	1,193	458	735	204

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	48	2	14	32	21	1	7	13	27	1	7	19
TEENAGE IMMATURE BIRTHS	6	0	0	6	4	0	0	4	2	0	0	2
TEENAGE PREMATURE BIRTHS	8	0	2	6	3	0	1	2	5	0	1	4
TEENAGE ILLEGITIMATE BIRTHS	45	2	13	30	18	1	6	11	27	1	7	19
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	0	4	0	0	0	0	4	0	0	4
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	0	6	0	0	0	0	6	0	0	6
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	0	3	0	0	0	0	3	0	0	3
TEENAGE FERTILITY RATE	12.2	1.7	16.8	(15-19)	7.7	1.4	10.0	(15-19)	22.6	2.2	35.4	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	20.8	0.0	0.0	31.2	0.0	0.0	0.0	0.0	37.0	0.0	0.0	52.6
TEENAGE INDUCED TERMINATIONS#	16	0	3	13	7	0	1	6	9	0	2	7
TEENAGE INDUCED TERMINATION RATIO	333.3	0.0	214.3	406.2	333.3	0.0	142.8	461.5	333.3	0.0	285.7	368.4
TEENAGE PREGNANCIES#	65	2	17	46	28	1	8	19	37	1	9	27
TEENAGE PREGNANCY RATE	16.5	1.7	23.0	(15-19)	10.2	1.4	13.4	(15-19)	31.0	2.2	49.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	1	0	0	1	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	41.7	0.0	0.0	62.5	47.6	0.0	0.0	76.9	37.0	0.0	0.0	52.6

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: LAMAR

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	57,422	4,020	1,989	2,031	763
WHITE	44,123	2,872	1,440	1,432	544
NONWHITE	13,299	1,148	549	599	219

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	57	1	16	40	37	0	8	29	20	1	8	11
TEENAGE IMMATURE BIRTHS	11	0	3	8	8	0	2	6	3	0	1	2
TEENAGE PREMATURE BIRTHS	10	0	3	7	5	0	1	4	5	0	2	3
TEENAGE ILLEGITIMATE BIRTHS	47	1	14	32	27	0	6	21	20	1	8	11
TEENS WHO HAD PREVIOUS LIVE BIRTHS	12	0	2	10	6	0	0	6	6	0	2	4
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	2	10	6	0	0	6	6	0	2	4
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FERTILITY RATE	14.2	0.5	27.6	(15-19)	12.9	0.0	25.8	(15-19)	17.4	1.8	31.7	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	17.5	0.0	0.0	25.0	0.0	0.0	0.0	0.0	50.0	0.0	0.0	90.9
TEENAGE INDUCED TERMINATIONS#	6	0	2	4	3	0	1	2	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	105.3	0.0	125.0	100.0	81.1	0.0	125.0	69.0	150.0	0.0	125.0	181.8
TEENAGE PREGNANCIES#	64	1	18	45	40	0	9	31	24	1	9	14
TEENAGE PREGNANCY RATE	15.9	0.5	31.0	(15-19)	13.9	0.0	27.9	(15-19)	20.9	1.8	38.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	1	0	0	1	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	35.1	0.0	0.0	50.0	27.0	0.0	0.0	34.5	50.0	0.0	0.0	90.9

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: LAUDERDALE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	80,475	5,500	2,640	2,860	1,040
WHITE	44,286	2,443	1,221	1,222	499
NONWHITE	36,189	3,057	1,419	1,638	541

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	146	2	43	101	44	0	13	31	102	2	30	70
TEENAGE IMMATURE BIRTHS	18	0	7	11	6	0	3	3	12	0	4	8
TEENAGE PREMATURE BIRTHS	23	1	9	13	7	0	4	3	16	1	5	10
TEENAGE ILLEGITIMATE BIRTHS	131	2	41	88	31	0	11	20	100	2	30	68
TEENS WHO HAD PREVIOUS LIVE BIRTHS	21	0	4	17	4	0	0	4	17	0	4	13
TEENS WHO HAD PREVIOUS PREGNANCIES	26	0	4	22	7	0	0	7	19	0	4	15
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	2	3	1	0	0	1	4	0	2	2
TEENAGE FERTILITY RATE	26.5	0.8	50.4	(15-19)	18.0	0.0	36.0	(15-19)	33.4	1.4	61.0	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	22	1	6	15	4	0	1	3	18	1	5	12
TEENAGE INDUCED TERMINATION RATIO	150.7	500.0	139.5	148.5	90.9	0.0	76.9	96.8	176.5	500.0	166.7	171.4
TEENAGE PREGNANCIES#	168	3	49	116	48	0	14	34	120	3	35	82
TEENAGE PREGNANCY RATE	30.5	1.1	57.7	(15-19)	19.6	0.0	39.3	(15-19)	39.2	2.1	71.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	6.8	0.0	0.0	9.9	0.0	0.0	0.0	0.0	9.8	0.0	0.0	14.3

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: LAWRENCE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,687	826	409	417	171
WHITE	8,543	476	238	238	103
NONWHITE	4,144	350	171	179	68

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	23	1	8	14	10	0	3	7	13	1	5	7
TEENAGE IMMATURE BIRTHS	5	0	1	4	4	0	1	3	1	0	0	1
TEENAGE PREMATURE BIRTHS	6	0	2	4	3	0	1	2	3	0	1	2
TEENAGE ILLEGITIMATE BIRTHS	19	1	8	10	6	0	3	3	13	1	5	7
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	0	5	2	0	0	2	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	5	0	0	5	2	0	0	2	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	2	1	0	1	0	0	0	0	2	1	0	1
TEENAGE FERTILITY RATE	27.8	2.4	52.8	(15-19)	21.0	0.0	42.0	(15-19)	37.1	5.8	67.0	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	43.5	0.0	125.0	0.0	0.0	0.0	0.0	0.0	76.9	0.0	200.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	43.5	0.0	0.0	71.4	0.0	0.0	0.0	0.0	76.9	0.0	0.0	142.8
TEENAGE PREGNANCIES#	25	1	9	15	10	0	3	7	15	1	6	8
TEENAGE PREGNANCY RATE	30.3	2.4	57.6	(15-19)	21.0	0.0	42.0	(15-19)	42.8	5.8	78.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	43.5	0.0	0.0	71.4	0.0	0.0	0.0	0.0	76.9	0.0	0.0	142.9

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: LEAKE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	23,572	1,508	770	738	296
WHITE	12,022	666	358	308	142
NONWHITE	11,550	842	412	430	154

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	43	1	15	27	21	0	6	15	22	1	9	12
TEENAGE IMMATURE BIRTHS	6	0	2	4	1	0	1	0	5	0	1	4
TEENAGE PREMATURE BIRTHS	8	0	4	4	4	0	3	1	4	0	1	3
TEENAGE ILLEGITIMATE BIRTHS	38	1	15	22	16	0	6	10	22	1	9	12
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	1	6	2	0	0	2	5	0	1	4
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	1	6	2	0	0	2	5	0	1	4
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	2	1	1	0	0	1	2	0	2	0
TEENAGE FERTILITY RATE	28.5	1.3	56.9	(15-19)	31.5	0.0	68.2	(15-19)	26.1	2.4	48.8	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	46.5	0.0	66.7	37.0	0.0	0.0	0.0	0.0	90.9	0.0	111.1	83.3
TEENAGE PREGNANCIES#	45	1	16	28	21	0	6	15	24	1	10	13
TEENAGE PREGNANCY RATE	29.8	1.3	59.6	(15-19)	31.5	0.0	68.2	(15-19)	28.5	2.4	53.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	23.3	0.0	0.0	37.0	47.6	0.0	0.0	66.7	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: LEE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	84,156	5,918	3,105	2,813	1,176
WHITE	58,913	3,652	1,936	1,716	759
NONWHITE	25,243	2,266	1,169	1,097	417

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	172	3	59	110	89	2	27	60	83	1	32	50
TEENAGE IMMATURE BIRTHS	23	0	8	15	10	0	4	6	13	0	4	9
TEENAGE PREMATURE BIRTHS	31	1	11	19	16	1	8	7	15	0	3	12
TEENAGE ILLEGITIMATE BIRTHS	154	3	57	94	74	2	26	46	80	1	31	48
TEENS WHO HAD PREVIOUS LIVE BIRTHS	40	0	6	34	21	0	5	16	19	0	1	18
TEENS WHO HAD PREVIOUS PREGNANCIES	56	0	8	48	34	0	7	27	22	0	1	21
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	5	2	3	0	3	0	4	0	2	2
TEENAGE FERTILITY RATE	29.1	1.0	60.1	(15-19)	24.4	1.0	50.7	(15-19)	36.6	0.8	74.7	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	25	1	10	14	12	0	4	8	12	1	6	5
TEENAGE INDUCED TERMINATION RATIO	145.3	333.3	169.5	127.3	134.8	0.0	148.1	133.3	144.6	1000.0	187.5	100.0
TEENAGE PREGNANCIES#	197	4	69	124	101	2	31	68	95	2	38	55
TEENAGE PREGNANCY RATE	33.3	1.3	68.6	(15-19)	27.6	1.0	57.7	(15-19)	41.9	1.7	84.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	1	0	0	1	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	11.6	0.0	0.0	18.2	11.2	0.0	0.0	16.7	12.0	0.0	0.0	20.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: LEFLORE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	31,861	2,378	1,114	1,264	541
WHITE	8,224	352	203	149	107
NONWHITE	23,637	2,026	911	1,115	434

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	85	3	24	58	3	0	1	2	82	3	23	56
TEENAGE IMMATURE BIRTHS	18	0	7	11	0	0	0	0	18	0	7	11
TEENAGE PREMATURE BIRTHS	18	0	6	12	0	0	0	0	18	0	6	12
TEENAGE ILLEGITIMATE BIRTHS	83	3	23	57	1	0	0	1	82	3	23	56
TEENS WHO HAD PREVIOUS LIVE BIRTHS	25	0	5	20	1	0	0	1	24	0	5	19
TEENS WHO HAD PREVIOUS PREGNANCIES	28	0	6	22	1	0	0	1	27	0	6	21
TEENS WITH INADEQUATE* PRENATAL CARE	8	0	3	5	2	0	1	1	6	0	2	4
TEENAGE FERTILITY RATE	35.7	2.7	64.9	(15-19)	8.5	0.0	20.1	(15-19)	40.5	3.3	70.8	(15-19)
TEENAGE FETAL DEATHS**	4	0	0	4	0	0	0	0	4	0	0	4
TEENAGE FETAL DEATH RATIO	47.0	0.0	0.0	69.0	0.0	0.0	0.0	0.0	48.8	0.0	0.0	71.4
TEENAGE INDUCED TERMINATIONS#	13	1	6	6	0	0	0	0	13	1	6	6
TEENAGE INDUCED TERMINATION RATIO	152.9	333.3	250.0	103.4	0.0	0.0	0.0	0.0	158.5	333.3	260.9	107.1
TEENAGE PREGNANCIES#	102	4	30	68	3	0	1	2	99	4	29	66
TEENAGE PREGNANCY RATE	42.9	3.6	77.5	(15-19)	8.5	0.0	20.1	(15-19)	48.9	4.4	85.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1
INFANT MORTALITY RATE, TEEN MOMS	23.5	0.0	41.7	17.2	0.0	0.0	0.0	0.0	24.4	0.0	43.5	17.9

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: LINCOLN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	34,889	2,511	1,306	1,205	464
WHITE	23,774	1,580	837	743	299
NONWHITE	11,115	931	469	462	165

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	56	2	8	46	27	0	4	23	29	2	4	23
TEENAGE IMMATURE BIRTHS	12	1	1	10	5	0	0	5	7	1	1	5
TEENAGE PREMATURE BIRTHS	14	1	1	12	7	0	0	7	7	1	1	5
TEENAGE ILLEGITIMATE BIRTHS	47	2	7	38	18	0	3	15	29	2	4	23
TEENS WHO HAD PREVIOUS LIVE BIRTHS	10	0	0	10	5	0	0	5	5	0	0	5
TEENS WHO HAD PREVIOUS PREGNANCIES	14	0	0	14	8	0	0	8	6	0	0	6
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	2	0	0	2	0	0	0	0
TEENAGE FERTILITY RATE	22.3	1.5	44.8	(15-19)	17.1	0.0	36.3	(15-19)	31.1	4.3	58.4	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	6	0	1	5	2	0	0	2	4	0	1	3
TEENAGE INDUCED TERMINATION RATIO	107.1	0.0	125.0	108.7	74.1	0.0	0.0	87.0	137.9	0.0	250.0	130.4
TEENAGE PREGNANCIES#	62	2	9	51	29	0	4	25	33	2	5	26
TEENAGE PREGNANCY RATE	24.7	1.5	49.8	(15-19)	18.4	0.0	39.0	(15-19)	35.4	4.3	67.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	0	0	0	0	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	35.7	0.0	0.0	43.5	0.0	0.0	0.0	0.0	69.0	0.0	0.0	87.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: LOWNDES

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	59,671	4,241	2,090	2,151	775
WHITE	32,386	1,858	950	908	414
NONWHITE	27,285	2,383	1,140	1,243	361

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	106	1	27	78	39	0	8	31	67	1	19	47
TEENAGE IMMATURE BIRTHS	13	0	1	12	7	0	1	6	6	0	0	6
TEENAGE PREMATURE BIRTHS	17	0	6	11	4	0	1	3	13	0	5	8
TEENAGE ILLEGITIMATE BIRTHS	97	1	27	69	32	0	8	24	65	1	19	45
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	1	14	6	0	0	6	9	0	1	8
TEENS WHO HAD PREVIOUS PREGNANCIES	24	0	3	21	9	0	1	8	15	0	2	13
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	25.0	0.5	48.8 (15-19)		21.0	0.0	43.0 (15-19)		28.1	0.9	53.1 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	25	3	9	13	5	0	0	5	20	3	9	8
TEENAGE INDUCED TERMINATION RATIO	235.8	3000.0	333.3	166.7	128.2	0.0	0.0	161.3	298.5	3000.0	473.7	170.2
TEENAGE PREGNANCIES#	131	4	36	91	44	0	8	36	87	4	28	55
TEENAGE PREGNANCY RATE	30.9	1.9	59.0 (15-19)		23.7	0.0	48.4 (15-19)		36.5	3.5	66.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: MADISON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	96,941	7,038	3,613	3,425	1,269
WHITE	56,259	3,557	1,900	1,657	705
NONWHITE	40,682	3,481	1,713	1,768	564

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	87	1	24	62	20	0	6	14	67	1	18	48
TEENAGE IMMATURE BIRTHS	12	0	3	9	1	0	1	0	11	0	2	9
TEENAGE PREMATURE BIRTHS	13	0	3	10	2	0	1	1	11	0	2	9
TEENAGE ILLEGITIMATE BIRTHS	83	1	24	58	16	0	6	10	67	1	18	48
TEENS WHO HAD PREVIOUS LIVE BIRTHS	19	0	3	16	4	0	0	4	15	0	3	12
TEENS WHO HAD PREVIOUS PREGNANCIES	24	0	3	21	5	0	0	5	19	0	3	16
TEENS WITH INADEQUATE* PRENATAL CARE	10	0	5	5	3	0	3	0	7	0	2	5
TEENAGE FERTILITY RATE	12.4	0.3	25.1 (15-19)		5.6	0.0	12.1 (15-19)		19.2	0.6	37.3 (15-19)	
TEENAGE FETAL DEATHS**	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE FETAL DEATH RATIO	34.5	0.0	41.7	32.2	0.0	0.0	0.0	0.0	44.8	0.0	55.6	41.7
TEENAGE INDUCED TERMINATIONS#	36	1	15	20	6	0	3	3	29	1	11	17
TEENAGE INDUCED TERMINATION RATIO	413.8	1000.0	625.0	322.6	300.0	0.0	500.0	214.3	432.8	1000.0	611.1	354.2
TEENAGE PREGNANCIES#	126	2	40	84	26	0	9	17	99	2	30	67
TEENAGE PREGNANCY RATE	17.9	0.6	36.2 (15-19)		7.3	0.0	15.7 (15-19)		28.4	1.2	54.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	0	0	0	0	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	23.0	0.0	0.0	32.3	0.0	0.0	0.0	0.0	29.9	0.0	0.0	41.7

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: MARION

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	26,809	1,753	890	863	339
WHITE	17,658	1,023	538	485	220
NONWHITE	9,151	730	352	378	119

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	50	0	14	36	31	0	8	23	19	0	6	13
TEENAGE IMMATURE BIRTHS	5	0	1	4	3	0	1	2	2	0	0	2
TEENAGE PREMATURE BIRTHS	8	0	2	6	6	0	2	4	2	0	0	2
TEENAGE ILLEGITIMATE BIRTHS	46	0	14	32	27	0	8	19	19	0	6	13
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	0	9	5	0	0	5	4	0	0	4
TEENS WHO HAD PREVIOUS PREGNANCIES	13	0	1	12	8	0	1	7	5	0	0	5
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	28.5	0.0	57.9 (15-19)		30.3	0.0	63.9 (15-19)		26.0	0.0	50.3 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	20.0	0.0	0.0	27.8	32.2	0.0	0.0	43.5	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	51	0	14	37	32	0	8	24	19	0	6	13
TEENAGE PREGNANCY RATE	29.1	0.0	59.1 (15-19)		31.3	0.0	66.0 (15-19)		26.0	0.0	50.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	3	0	0	3	2	0	0	2	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	60.0	0.0	0.0	83.3	64.5	0.0	0.0	87.0	52.6	0.0	0.0	76.9

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: MARSHALL

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	36,786	2,558	1,225	1,333	457
WHITE	18,890	977	517	460	211
NONWHITE	17,896	1,581	708	873	246

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	73	0	17	56	30	0	9	21	43	0	8	35
TEENAGE IMMATURE BIRTHS	8	0	2	6	3	0	1	2	5	0	1	4
TEENAGE PREMATURE BIRTHS	12	0	1	11	2	0	0	2	10	0	1	9
TEENAGE ILLEGITIMATE BIRTHS	66	0	14	52	23	0	6	17	43	0	8	35
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	1	8	5	0	1	4	4	0	0	4
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	1	8	5	0	1	4	4	0	0	4
TEENS WITH INADEQUATE* PRENATAL CARE	8	0	3	5	0	0	0	0	8	0	3	5
TEENAGE FERTILITY RATE	28.5	0.0	54.8	(15-19)	30.7	0.0	65.2	(15-19)	27.2	0.0	49.2	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	28	1	9	18	5	1	1	3	23	0	8	15
TEENAGE INDUCED TERMINATION RATIO	383.6	-	529.4	321.4	166.7	-	111.1	142.8	534.9	0.0	1000.0	428.6
TEENAGE PREGNANCIES#	101	1	26	74	35	1	10	24	66	0	16	50
TEENAGE PREGNANCY RATE	39.5	0.8	75.0	(15-19)	35.8	1.9	73.9	(15-19)	41.7	0.0	75.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: MONROE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	36,626	2,384	1,168	1,216	413
WHITE	24,879	1,493	745	748	277
NONWHITE	11,747	891	423	468	136

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	62	1	17	44	40	1	11	28	22	0	6	16
TEENAGE IMMATURE BIRTHS	6	0	2	4	4	0	1	3	2	0	1	1
TEENAGE PREMATURE BIRTHS	11	0	3	8	8	0	2	6	3	0	1	2
TEENAGE ILLEGITIMATE BIRTHS	54	1	16	37	32	1	10	21	22	0	6	16
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	0	6	3	0	0	3	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	0	9	6	0	0	6	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	3	4	3	0	2	1	4	0	1	3
TEENAGE FERTILITY RATE	26.0	0.8	50.2 (15-19)		26.8	1.3	52.1 (15-19)		24.7	0.0	47.0 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	9	0	3	6	2	0	0	2	7	0	3	4
TEENAGE INDUCED TERMINATION RATIO	145.2	0.0	176.5	136.4	50.0	0.0	0.0	71.4	318.2	0.0	500.0	250.0
TEENAGE PREGNANCIES#	71	1	20	50	42	1	11	30	29	0	9	20
TEENAGE PREGNANCY RATE	29.8	0.8	57.6 (15-19)		28.1	1.3	54.8 (15-19)		32.5	0.0	62.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	16.1	0.0	0.0	22.7	25.0	0.0	0.0	35.7	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: MONTGOMERY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,872	709	344	365	118
WHITE	5,763	313	147	166	51
NONWHITE	5,109	396	197	199	67

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	9	0	3	6	4	0	1	3	5	0	2	3
TEENAGE IMMATURE BIRTHS	3	0	2	1	1	0	1	0	2	0	1	1
TEENAGE PREMATURE BIRTHS	5	0	2	3	2	0	0	2	3	0	2	1
TEENAGE ILLEGITIMATE BIRTHS	7	0	2	5	2	0	0	2	5	0	2	3
TEENS WHO HAD PREVIOUS LIVE BIRTHS	2	0	0	2	1	0	0	1	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	2	0	0	2	1	0	0	1	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	12.7	0.0	24.6	(15-19)	12.8	0.0	24.1	(15-19)	12.6	0.0	25.1	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	9	0	3	6	4	0	1	3	5	0	2	3
TEENAGE PREGNANCY RATE	12.7	0.0	24.6	(15-19)	12.8	0.0	24.1	(15-19)	12.6	0.0	25.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	111.1	0.0	0.0	166.7	0.0	0.0	0.0	0.0	200.0	0.0	0.0	333.3

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: NESHABA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	29,818	2,214	1,158	1,056	427
WHITE	18,176	1,152	589	563	183
NONWHITE	11,642	1,062	569	493	244

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	80	5	23	52	29	1	11	17	51	4	12	35
TEENAGE IMMATURE BIRTHS	7	0	2	5	4	0	1	3	3	0	1	2
TEENAGE PREMATURE BIRTHS	8	0	2	6	4	0	1	3	4	0	1	3
TEENAGE ILLEGITIMATE BIRTHS	72	5	22	45	22	1	10	11	50	4	12	34
TEENS WHO HAD PREVIOUS LIVE BIRTHS	14	0	3	11	8	0	2	6	6	0	1	5
TEENS WHO HAD PREVIOUS PREGNANCIES	17	0	4	13	8	0	2	6	9	0	2	7
TEENS WITH INADEQUATE* PRENATAL CARE	4	1	1	2	0	0	0	0	4	1	1	2
TEENAGE FERTILITY RATE	36.1	4.3	71.0 (15-19)		25.2	1.7	49.7 (15-19)		48.0	7.0	95.3 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	1	2	1	0	1	0	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	37.5	0.0	43.5	38.5	34.5	0.0	90.9	0.0	39.2	0.0	0.0	57.1
TEENAGE PREGNANCIES#	83	5	24	54	30	1	12	17	53	4	12	37
TEENAGE PREGNANCY RATE	37.5	4.3	73.9 (15-19)		26.0	1.7	51.5 (15-19)		49.9	7.0	99.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: NEWTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,499	1,547	706	841	314
WHITE	13,550	837	393	444	174
NONWHITE	7,949	710	313	397	140

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	51	0	22	29	24	0	7	17	27	0	15	12
TEENAGE IMMATURE BIRTHS	8	0	5	3	3	0	2	1	5	0	3	2
TEENAGE PREMATURE BIRTHS	7	0	3	4	1	0	0	1	6	0	3	3
TEENAGE ILLEGITIMATE BIRTHS	50	0	21	29	23	0	6	17	27	0	15	12
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	3	3	1	0	0	1	5	0	3	2
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	3	3	1	0	0	1	5	0	3	2
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	33.0	0.0	60.6	(15-19)	28.7	0.0	54.0	(15-19)	38.0	0.0	68.0	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	58.8	0.0	45.4	69.0	0.0	0.0	0.0	0.0	111.1	0.0	66.7	166.7
TEENAGE PREGNANCIES#	54	0	23	31	24	0	7	17	30	0	16	14
TEENAGE PREGNANCY RATE	34.9	0.0	64.2	(15-19)	28.7	0.0	54.0	(15-19)	42.2	0.0	75.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: NOXUBEE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	11,351	831	429	402	140
WHITE	3,115	178	93	85	36
NONWHITE	8,236	653	336	317	104

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	23	0	6	17	1	0	0	1	22	0	6	16
TEENAGE IMMATURE BIRTHS	3	0	0	3	0	0	0	0	3	0	0	3
TEENAGE PREMATURE BIRTHS	6	0	2	4	0	0	0	0	6	0	2	4
TEENAGE ILLEGITIMATE BIRTHS	23	0	6	17	1	0	0	1	22	0	6	16
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	1	2	0	0	0	0	3	0	1	2
TEENS WHO HAD PREVIOUS PREGNANCIES	3	0	1	2	0	0	0	0	3	0	1	2
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	27.7	0.0	57.2 (15-19)		5.6	0.0	11.8 (15-19)		33.7	0.0	69.4 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	7	0	3	4	0	0	0	0	7	0	3	4
TEENAGE INDUCED TERMINATION RATIO	304.3	0.0	500.0	235.3	0.0	0.0	0.0	0.0	318.2	0.0	500.0	250.0
TEENAGE PREGNANCIES#	30	0	9	21	1	0	0	1	29	0	9	20
TEENAGE PREGNANCY RATE	36.1	0.0	74.6 (15-19)		5.6	0.0	11.8 (15-19)		44.4	0.0	91.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: OKTIBBEHA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	47,741	3,742	1,112	2,630	575
WHITE	28,224	2,055	433	1,622	282
NONWHITE	19,517	1,687	679	1,008	293

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	48	1	11	36	10	0	3	7	38	1	8	29
TEENAGE IMMATURE BIRTHS	6	1	3	2	1	0	0	1	5	1	3	1
TEENAGE PREMATURE BIRTHS	11	0	5	6	1	0	0	1	10	0	5	5
TEENAGE ILLEGITIMATE BIRTHS	47	1	11	35	9	0	3	6	38	1	8	29
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	0	4	1	0	0	1	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	5	0	0	5	1	0	0	1	4	0	0	4
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FERTILITY RATE	12.8	0.9	17.9	(15-19)	4.9	0.0	6.2	(15-19)	22.5	1.5	36.7	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	20.8	0.0	0.0	27.8	0.0	0.0	0.0	0.0	26.3	0.0	0.0	34.5
TEENAGE INDUCED TERMINATIONS#	16	0	2	14	4	0	1	3	12	0	1	11
TEENAGE INDUCED TERMINATION RATIO	333.3	0.0	181.8	388.9	400.0	0.0	333.3	428.6	315.8	0.0	125.0	379.3
TEENAGE PREGNANCIES#	65	1	13	51	14	0	4	10	51	1	9	41
TEENAGE PREGNANCY RATE	17.4	0.9	24.3	(15-19)	6.8	0.0	8.6	(15-19)	30.2	1.5	49.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1
INFANT MORTALITY RATE, TEEN MOMS	41.7	0.0	90.9	27.8	0.0	0.0	0.0	0.0	52.6	0.0	125.0	34.5

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: PANOLA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	34,602	2,541	1,252	1,289	495
WHITE	17,188	940	483	457	198
NONWHITE	17,414	1,601	769	832	297

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	94	4	29	61	32	0	11	21	62	4	18	40
TEENAGE IMMATURE BIRTHS	13	0	3	10	4	0	2	2	9	0	1	8
TEENAGE PREMATURE BIRTHS	15	1	3	11	4	0	2	2	11	1	1	9
TEENAGE ILLEGITIMATE BIRTHS	85	4	29	52	24	0	11	13	61	4	18	39
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	0	0	17	7	0	0	7	10	0	0	10
TEENS WHO HAD PREVIOUS PREGNANCIES	22	0	1	21	8	0	0	8	14	0	1	13
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	1	4	0	0	0	0	5	0	1	4
TEENAGE FERTILITY RATE	37.0	3.2	69.8	(15-19)	34.0	0.0	70.0	(15-19)	38.7	5.2	69.7	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	10.6	0.0	0.0	16.4	0.0	0.0	0.0	0.0	16.1	0.0	0.0	25.0
TEENAGE INDUCED TERMINATIONS#	10	1	3	6	3	0	1	2	7	1	2	4
TEENAGE INDUCED TERMINATION RATIO	106.4	250.0	103.4	98.4	93.8	0.0	90.9	95.2	112.9	250.0	111.1	100.0
TEENAGE PREGNANCIES#	105	5	32	68	35	0	12	23	70	5	20	45
TEENAGE PREGNANCY RATE	41.3	4.0	77.6	(15-19)	37.2	0.0	76.6	(15-19)	43.7	6.5	78.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	0	0	0	0	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	21.3	0.0	0.0	32.8	0.0	0.0	0.0	0.0	32.3	0.0	0.0	50.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: PEARL RIVER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	55,718	3,707	1,812	1,895	706
WHITE	47,032	2,953	1,467	1,486	611
NONWHITE	8,686	754	345	409	95

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	97	0	42	55	82	0	31	51	15	0	11	4
TEENAGE IMMATURE BIRTHS	14	0	10	4	11	0	8	3	3	0	2	1
TEENAGE PREMATURE BIRTHS	14	0	8	6	11	0	6	5	3	0	2	1
TEENAGE ILLEGITIMATE BIRTHS	83	0	41	42	68	0	30	38	15	0	11	4
TEENS WHO HAD PREVIOUS LIVE BIRTHS	19	0	3	16	18	0	3	15	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	22	0	4	18	21	0	4	17	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	4	2	5	0	3	2	1	0	1	0
TEENAGE FERTILITY RATE	26.2	0.0	51.2	(15-19)	27.8	0.0	55.2	(15-19)	19.9	0.0	36.7	(15-19)
TEENAGE FETAL DEATHS**	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE FETAL DEATH RATIO	20.6	0.0	23.8	18.2	12.2	0.0	0.0	19.6	66.7	0.0	90.9	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	20.6	0.0	0.0	36.4	12.2	0.0	0.0	19.6	66.7	0.0	0.0	250.0
TEENAGE PREGNANCIES#	101	0	43	58	84	0	31	53	17	0	12	5
TEENAGE PREGNANCY RATE	27.2	0.0	53.3	(15-19)	28.4	0.0	56.5	(15-19)	22.5	0.0	41.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	3	1	2	0	3	1	2	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	30.9	-	47.6	0.0	36.6	-	64.5	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: PERRY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,164	807	404	403	163
WHITE	9,475	585	293	292	135
NONWHITE	2,689	222	111	111	28

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	25	0	5	20	21	0	5	16	4	0	0	4
TEENAGE IMMATURE BIRTHS	4	0	1	3	3	0	1	2	1	0	0	1
TEENAGE PREMATURE BIRTHS	4	0	2	2	4	0	2	2	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	18	0	5	13	14	0	5	9	4	0	0	4
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	0	6	4	0	0	4	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	1	6	5	0	1	4	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	31.0	0.0	62.0	(15-19)	35.9	0.0	71.9	(15-19)	18.0	0.0	36.0	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	80.0	0.0	0.0	100.0	0.0	0.0	0.0	0.0	500.0	0.0	0.0	500.0
TEENAGE PREGNANCIES#	27	0	5	22	21	0	5	16	6	0	0	6
TEENAGE PREGNANCY RATE	33.4	0.0	67.0	(15-19)	35.9	0.0	71.9	(15-19)	27.0	0.0	54.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: PIKE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	40,406	2,917	1,440	1,477	604
WHITE	18,757	1,109	564	545	220
NONWHITE	21,649	1,808	876	932	384

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	101	2	29	70	27	1	7	19	74	1	22	51
TEENAGE IMMATURE BIRTHS	13	0	1	12	2	0	0	2	11	0	1	10
TEENAGE PREMATURE BIRTHS	12	0	4	8	1	0	1	0	11	0	3	8
TEENAGE ILLEGITIMATE BIRTHS	98	2	29	67	24	1	7	16	74	1	22	51
TEENS WHO HAD PREVIOUS LIVE BIRTHS	22	0	1	21	5	0	0	5	17	0	1	16
TEENS WHO HAD PREVIOUS PREGNANCIES	29	0	1	28	6	0	0	6	23	0	1	22
TEENS WITH INADEQUATE* PRENATAL CARE	8	1	0	7	2	0	0	2	6	1	0	5
TEENAGE FERTILITY RATE	34.6	1.4	67.0	(15-19)	24.3	1.8	47.7	(15-19)	40.9	1.1	78.3	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	9.9	0.0	0.0	14.3	0.0	0.0	0.0	0.0	13.5	0.0	0.0	19.6
TEENAGE INDUCED TERMINATIONS#	6	0	2	4	1	0	1	0	4	0	1	3
TEENAGE INDUCED TERMINATION RATIO	59.4	0.0	69.0	57.1	37.0	0.0	142.8	0.0	54.0	0.0	45.4	58.8
TEENAGE PREGNANCIES#	108	2	31	75	28	1	8	19	79	1	23	55
TEENAGE PREGNANCY RATE	37.0	1.4	71.8	(15-19)	25.2	1.8	49.5	(15-19)	43.7	1.1	83.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	3	0	0	3	1	0	0	1	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	29.7	0.0	0.0	42.9	37.0	0.0	0.0	52.6	27.0	0.0	0.0	39.2

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: PONTOTOC

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	29,900	2,088	1,080	1,008	407
WHITE	24,839	1,679	874	805	352
NONWHITE	5,061	409	206	203	55

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	64	0	18	46	58	0	16	42	6	0	2	4
TEENAGE IMMATURE BIRTHS	11	0	5	6	11	0	5	6	0	0	0	0
TEENAGE PREMATURE BIRTHS	9	0	4	5	9	0	4	5	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	54	0	16	38	48	0	14	34	6	0	2	4
TEENS WHO HAD PREVIOUS LIVE BIRTHS	20	0	5	15	18	0	5	13	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	25	0	5	20	23	0	5	18	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	2	0	0	2	0	0	0	0
TEENAGE FERTILITY RATE	30.6	0.0	63.5 (15-19)		34.5	0.0	72.0 (15-19)		14.7	0.0	29.6 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	15.6	0.0	55.6	0.0	0.0	0.0	0.0	0.0	166.7	0.0	500.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	2	1	2	0	2	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	46.9	0.0	111.1	21.7	34.5	0.0	125.0	0.0	166.7	0.0	0.0	250.0
TEENAGE PREGNANCIES#	68	0	21	47	60	0	18	42	8	0	3	5
TEENAGE PREGNANCY RATE	32.6	0.0	67.5 (15-19)		35.7	0.0	74.5 (15-19)		19.6	0.0	39.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: PRENTISS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	25,330	1,681	810	871	354
WHITE	21,308	1,328	661	667	307
NONWHITE	4,022	353	149	204	47

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	51	0	16	35	38	0	11	27	13	0	5	8
TEENAGE IMMATURE BIRTHS	11	0	2	9	9	0	1	8	2	0	1	1
TEENAGE PREMATURE BIRTHS	6	0	2	4	5	0	1	4	1	0	1	0
TEENAGE ILLEGITIMATE BIRTHS	42	0	14	28	31	0	9	22	11	0	5	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	10	0	1	9	8	0	1	7	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	1	10	9	0	1	8	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	30.3	0.0	58.6	(15-19)	28.6	0.0	57.0	(15-19)	36.8	0.0	63.7	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	19.6	0.0	0.0	28.6	26.3	0.0	0.0	37.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	52	0	16	36	39	0	11	28	13	0	5	8
TEENAGE PREGNANCY RATE	30.9	0.0	59.7	(15-19)	29.4	0.0	58.5	(15-19)	36.8	0.0	63.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: QUITMAN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	8,134	603	299	304	112
WHITE	2,372	95	50	45	19
NONWHITE	5,762	508	249	259	93

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	26	0	9	17	3	0	0	3	23	0	9	14
TEENAGE IMMATURE BIRTHS	4	0	1	3	1	0	0	1	3	0	1	2
TEENAGE PREMATURE BIRTHS	8	0	1	7	1	0	0	1	7	0	1	6
TEENAGE ILLEGITIMATE BIRTHS	26	0	9	17	3	0	0	3	23	0	9	14
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	0	4	0	0	0	0	4	0	0	4
TEENS WHO HAD PREVIOUS PREGNANCIES	5	0	0	5	0	0	0	0	5	0	0	5
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	43.1	0.0	85.5	(15-19)	31.6	0.0	66.7	(15-19)	45.3	0.0	88.8	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	1	3	0	0	0	0	4	0	1	3
TEENAGE INDUCED TERMINATION RATIO	153.8	0.0	111.1	176.5	0.0	0.0	0.0	0.0	173.9	0.0	111.1	214.3
TEENAGE PREGNANCIES#	30	0	10	20	3	0	0	3	27	0	10	17
TEENAGE PREGNANCY RATE	49.8	0.0	98.7	(15-19)	31.6	0.0	66.7	(15-19)	53.2	0.0	104.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	38.5	0.0	0.0	58.8	0.0	0.0	0.0	0.0	43.5	0.0	0.0	71.4

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: RANKIN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	143,702	9,254	4,905	4,349	2,012
WHITE	111,787	6,744	3,609	3,135	1,616
NONWHITE	31,915	2,510	1,296	1,214	396

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	166	1	50	115	119	0	36	83	47	1	14	32
TEENAGE IMMATURE BIRTHS	25	0	11	14	18	0	8	10	7	0	3	4
TEENAGE PREMATURE BIRTHS	27	0	8	19	19	0	5	14	8	0	3	5
TEENAGE ILLEGITIMATE BIRTHS	138	1	45	92	92	0	31	61	46	1	14	31
TEENS WHO HAD PREVIOUS LIVE BIRTHS	27	0	5	22	21	0	5	16	6	0	0	6
TEENS WHO HAD PREVIOUS PREGNANCIES	35	0	6	29	25	0	5	20	10	0	1	9
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	2	5	5	0	1	4	2	0	1	1
TEENAGE FERTILITY RATE	17.9	0.2	37.9	(15-19)	17.6	0.0	38.0	(15-19)	18.7	0.8	37.9	(15-19)
TEENAGE FETAL DEATHS**	3	1	1	1	1	1	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	18.1	1000.0	20.0	8.7	8.4	-	0.0	0.0	42.6	0.0	71.4	31.2
TEENAGE INDUCED TERMINATIONS#	26	2	10	14	9	0	6	3	16	2	4	10
TEENAGE INDUCED TERMINATION RATIO	156.6	2000.0	200.0	121.7	75.6	0.0	166.7	36.1	340.4	2000.0	285.7	312.5
TEENAGE PREGNANCIES#	195	4	61	130	129	1	42	86	65	3	19	43
TEENAGE PREGNANCY RATE	21.1	0.8	43.9	(15-19)	19.1	0.3	40.8	(15-19)	25.9	2.3	51.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	1	0	1	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	6.0	0.0	20.0	0.0	8.4	0.0	27.8	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: SCOTT

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	28,388	1,947	980	967	458
WHITE	16,746	948	500	448	267
NONWHITE	11,642	999	480	519	191

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	69	2	22	45	37	0	9	28	32	2	13	17
TEENAGE IMMATURE BIRTHS	7	1	2	4	1	0	0	1	6	1	2	3
TEENAGE PREMATURE BIRTHS	8	0	3	5	2	0	0	2	6	0	3	3
TEENAGE ILLEGITIMATE BIRTHS	61	2	22	37	29	0	9	20	32	2	13	17
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	3	12	9	0	1	8	6	0	2	4
TEENS WHO HAD PREVIOUS PREGNANCIES	16	0	3	13	10	0	1	9	6	0	2	4
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE FERTILITY RATE	35.4	2.0	69.3 (15-19)		39.0	0.0	82.6 (15-19)		32.0	4.2	57.8 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	5	1	0	4	1	0	0	1	4	1	0	3
TEENAGE INDUCED TERMINATION RATIO	72.5	500.0	0.0	88.9	27.0	0.0	0.0	35.7	125.0	500.0	0.0	176.5
TEENAGE PREGNANCIES#	74	3	22	49	38	0	9	29	36	3	13	20
TEENAGE PREGNANCY RATE	38.0	3.1	73.4 (15-19)		40.1	0.0	84.8 (15-19)		36.0	6.2	63.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	1	0	0	1	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	29.0	0.0	0.0	44.4	27.0	0.0	0.0	35.7	31.3	0.0	0.0	58.8

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: SHARKEY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	4,892	358	181	177	91
WHITE	1,383	61	38	23	7
NONWHITE	3,509	297	143	154	84

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	16	1	7	8	0	0	0	0	16	1	7	8
TEENAGE IMMATURE BIRTHS	2	1	0	1	0	0	0	0	2	1	0	1
TEENAGE PREMATURE BIRTHS	6	0	3	3	0	0	0	0	6	0	3	3
TEENAGE ILLEGITIMATE BIRTHS	16	1	7	8	0	0	0	0	16	1	7	8
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	0	3	0	0	0	0	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	3	0	0	3	0	0	0	0	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	3	0	0	0	0	0	3	0	3	0
TEENAGE FERTILITY RATE	44.7	5.5	84.7	(15-19)	0.0	0.0	0.0	(15-19)	53.9	7.0	97.4	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	62.5	0.0	142.8	0.0	0.0	0.0	0.0	0.0	62.5	0.0	142.8	0.0
TEENAGE PREGNANCIES#	17	1	8	8	0	0	0	0	17	1	8	8
TEENAGE PREGNANCY RATE	47.5	5.5	90.4	(15-19)	0.0	0.0	0.0	(15-19)	57.2	7.0	103.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: SIMPSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	27,320	1,807	936	871	355
WHITE	17,201	978	521	457	210
NONWHITE	10,119	829	415	414	145

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	67	1	17	49	34	0	9	25	33	1	8	24
TEENAGE IMMATURE BIRTHS	9	0	3	6	3	0	1	2	6	0	2	4
TEENAGE PREMATURE BIRTHS	9	0	4	5	3	0	1	2	6	0	3	3
TEENAGE ILLEGITIMATE BIRTHS	50	1	16	33	18	0	8	10	32	1	8	23
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	1	12	6	0	1	5	7	0	0	7
TEENS WHO HAD PREVIOUS PREGNANCIES	16	0	2	14	7	0	1	6	9	0	1	8
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FERTILITY RATE	37.1	1.1	75.8 (15-19)		34.8	0.0	74.4 (15-19)		39.8	2.4	77.3 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	2	2	2	0	1	1	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	59.7	0.0	117.6	40.8	58.8	0.0	111.1	40.0	60.6	0.0	125.0	41.7
TEENAGE PREGNANCIES#	71	1	19	51	36	0	10	26	35	1	9	25
TEENAGE PREGNANCY RATE	39.3	1.1	80.4 (15-19)		36.8	0.0	78.8 (15-19)		42.2	2.4	82.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	2	0	0	2	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	29.9	0.0	0.0	40.8	58.8	0.0	0.0	80.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: SMITH

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	16,442	1,117	577	540	183
WHITE	12,430	733	390	343	128
NONWHITE	4,012	384	187	197	55

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	37	0	12	25	25	0	6	19	12	0	6	6
TEENAGE IMMATURE BIRTHS	3	0	2	1	2	0	1	1	1	0	1	0
TEENAGE PREMATURE BIRTHS	6	0	3	3	5	0	2	3	1	0	1	0
TEENAGE ILLEGITIMATE BIRTHS	29	0	12	17	17	0	6	11	12	0	6	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	1	5	3	0	0	3	3	0	1	2
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	1	7	5	0	0	5	3	0	1	2
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	2	0	0	2	1	0	1	0
TEENAGE FERTILITY RATE	33.1	0.0	68.5 (15-19)		34.1	0.0	72.9 (15-19)		31.2	0.0	60.9 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	1	0	1	1	1	0	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	54.0	-	0.0	40.0	40.0	-	0.0	0.0	83.3	0.0	0.0	166.7
TEENAGE PREGNANCIES#	39	1	12	26	26	1	6	19	13	0	6	7
TEENAGE PREGNANCY RATE	34.9	1.7	70.4 (15-19)		35.5	2.6	72.9 (15-19)		33.8	0.0	66.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	1	0	1	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	27.0	0.0	83.3	0.0	40.0	0.0	166.7	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: STONE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	17,822	1,406	624	782	227
WHITE	13,948	1,004	459	545	183
NONWHITE	3,874	402	165	237	44

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	29	1	10	18	19	1	4	14	10	0	6	4
TEENAGE IMMATURE BIRTHS	4	0	4	0	1	0	1	0	3	0	3	0
TEENAGE PREMATURE BIRTHS	6	1	3	2	4	1	1	2	2	0	2	0
TEENAGE ILLEGITIMATE BIRTHS	25	1	9	15	15	1	3	11	10	0	6	4
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	1	4	3	0	0	3	2	0	1	1
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	2	6	5	0	0	5	3	0	2	1
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FERTILITY RATE	20.6	1.6	35.8	(15-19)	18.9	2.2	33.0	(15-19)	24.9	0.0	42.2	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	34.5	0.0	0.0	55.6	0.0	0.0	0.0	0.0	100.0	0.0	0.0	250.0
TEENAGE PREGNANCIES#	30	1	10	19	19	1	4	14	11	0	6	5
TEENAGE PREGNANCY RATE	21.3	1.6	37.1	(15-19)	18.9	2.2	33.0	(15-19)	27.4	0.0	46.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	34.5	0.0	100.0	0.0	0.0	0.0	0.0	0.0	100.0	0.0	166.7	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: SUNFLOWER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	29,296	1,894	895	999	361
WHITE	7,735	368	150	218	58
NONWHITE	21,561	1,526	745	781	303

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	67	3	22	42	4	0	1	3	63	3	21	39
TEENAGE IMMATURE BIRTHS	12	0	5	7	0	0	0	0	12	0	5	7
TEENAGE PREMATURE BIRTHS	16	0	3	13	0	0	0	0	16	0	3	13
TEENAGE ILLEGITIMATE BIRTHS	65	3	22	40	3	0	1	2	62	3	21	38
TEENS WHO HAD PREVIOUS LIVE BIRTHS	10	0	1	9	0	0	0	0	10	0	1	9
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	1	11	0	0	0	0	12	0	1	11
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE FERTILITY RATE	35.4	3.4	64.1	(15-19)	10.9	0.0	18.3	(15-19)	41.3	4.0	76.8	(15-19)
TEENAGE FETAL DEATHS**	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE FETAL DEATH RATIO	29.8	0.0	90.9	0.0	0.0	0.0	0.0	0.0	31.7	0.0	95.2	0.0
TEENAGE INDUCED TERMINATIONS#	9	1	2	6	0	0	0	0	9	1	2	6
TEENAGE INDUCED TERMINATION RATIO	134.3	333.3	90.9	142.8	0.0	0.0	0.0	0.0	142.8	333.3	95.2	153.8
TEENAGE PREGNANCIES#	78	4	26	48	4	0	1	3	74	4	25	45
TEENAGE PREGNANCY RATE	41.2	4.5	74.1	(15-19)	10.9	0.0	18.3	(15-19)	48.5	5.4	89.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	14.9	0.0	45.5	0.0	0.0	0.0	0.0	0.0	15.9	0.0	47.6	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: TALLAHATCHIE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	15,318	952	435	517	162
WHITE	6,295	257	125	132	37
NONWHITE	9,023	695	310	385	125

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	31	0	9	22	8	0	2	6	23	0	7	16
TEENAGE IMMATURE BIRTHS	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE PREMATURE BIRTHS	4	0	2	2	0	0	0	0	4	0	2	2
TEENAGE ILLEGITIMATE BIRTHS	30	0	9	21	7	0	2	5	23	0	7	16
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	0	7	1	0	0	1	6	0	0	6
TEENS WHO HAD PREVIOUS PREGNANCIES	13	0	0	13	3	0	0	3	10	0	0	10
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	32.6	0.0	60.0	(15-19)	31.1	0.0	60.6	(15-19)	33.1	0.0	59.7	(15-19)
TEENAGE FETAL DEATHS**	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE FETAL DEATH RATIO	96.8	0.0	111.1	90.9	0.0	0.0	0.0	0.0	130.4	0.0	142.8	125.0
TEENAGE INDUCED TERMINATIONS#	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE INDUCED TERMINATION RATIO	64.5	0.0	222.2	0.0	0.0	0.0	0.0	0.0	87.0	0.0	285.7	0.0
TEENAGE PREGNANCIES#	36	0	12	24	8	0	2	6	28	0	10	18
TEENAGE PREGNANCY RATE	37.8	0.0	69.6	(15-19)	31.1	0.0	60.6	(15-19)	40.3	0.0	72.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: TATE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	28,719	2,262	1,042	1,220	348
WHITE	19,440	1,360	633	727	220
NONWHITE	9,279	902	409	493	128

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	45	0	9	36	22	0	5	17	23	0	4	19
TEENAGE IMMATURE BIRTHS	8	0	0	8	1	0	0	1	7	0	0	7
TEENAGE PREMATURE BIRTHS	6	0	0	6	3	0	0	3	3	0	0	3
TEENAGE ILLEGITIMATE BIRTHS	42	0	8	34	19	0	4	15	23	0	4	19
TEENS WHO HAD PREVIOUS LIVE BIRTHS	10	0	2	8	5	0	1	4	5	0	1	4
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	2	10	7	0	1	6	5	0	1	4
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	0	3	2	0	0	2	1	0	0	1
TEENAGE FERTILITY RATE	19.9	0.0	36.9 (15-19)		16.2	0.0	30.3 (15-19)		25.5	0.0	46.6 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	22.2	0.0	0.0	27.8	0.0	0.0	0.0	0.0	43.5	0.0	0.0	52.6
TEENAGE INDUCED TERMINATIONS#	8	0	2	6	3	0	0	3	5	0	2	3
TEENAGE INDUCED TERMINATION RATIO	177.8	0.0	222.2	166.7	136.4	0.0	0.0	176.5	217.4	0.0	500.0	157.9
TEENAGE PREGNANCIES#	54	0	11	43	25	0	5	20	29	0	6	23
TEENAGE PREGNANCY RATE	23.9	0.0	44.3 (15-19)		18.4	0.0	34.4 (15-19)		32.2	0.0	58.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: TIPPAAH

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	22,143	1,504	781	723	284
WHITE	18,116	1,159	604	555	225
NONWHITE	4,027	345	177	168	59

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	39	3	11	25	29	2	5	22	10	1	6	3
TEENAGE IMMATURE BIRTHS	7	2	1	4	5	1	0	4	2	1	1	0
TEENAGE PREMATURE BIRTHS	7	0	4	3	6	0	3	3	1	0	1	0
TEENAGE ILLEGITIMATE BIRTHS	31	3	9	19	21	2	3	16	10	1	6	3
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	1	7	7	0	0	7	1	0	1	0
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	1	8	8	0	0	8	1	0	1	0
TEENS WITH INADEQUATE* PRENATAL CARE	4	2	2	0	2	1	1	0	2	1	1	0
TEENAGE FERTILITY RATE	25.9	3.8	49.8 (15-19)		25.0	3.3	48.6 (15-19)		29.0	5.6	53.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	3	1	1	0	1	0	3	0	2	1
TEENAGE INDUCED TERMINATION RATIO	102.6	0.0	272.7	40.0	34.5	0.0	200.0	0.0	300.0	0.0	333.3	333.3
TEENAGE PREGNANCIES#	43	3	14	26	30	2	6	22	13	1	8	4
TEENAGE PREGNANCY RATE	28.6	3.8	55.3 (15-19)		25.9	3.3	50.4 (15-19)		37.7	5.6	71.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	2	0	1	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	51.3	0.0	90.9	40.0	69.0	0.0	200.0	45.5	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: TISHOMINGO

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,603	1,273	637	636	211
WHITE	18,712	1,224	617	607	207
NONWHITE	891	49	20	29	4

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	34	0	4	30	33	0	3	30	1	0	1	0
TEENAGE IMMATURE BIRTHS	3	0	0	3	3	0	0	3	0	0	0	0
TEENAGE PREMATURE BIRTHS	8	0	2	6	7	0	1	6	1	0	1	0
TEENAGE ILLEGITIMATE BIRTHS	19	0	4	15	18	0	3	15	1	0	1	0
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	1	12	13	0	1	12	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	16	0	1	15	16	0	1	15	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FERTILITY RATE	26.7	0.0	53.4	(15-19)	27.0	0.0	54.4	(15-19)	20.4	0.0	34.5	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	29.4	0.0	0.0	33.3	30.3	0.0	0.0	33.3	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	35	0	4	31	34	0	3	31	1	0	1	0
TEENAGE PREGNANCY RATE	27.5	0.0	55.0	(15-19)	27.8	0.0	56.0	(15-19)	20.4	0.0	34.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: TUNICA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,628	804	460	344	188
WHITE	2,694	121	73	48	31
NONWHITE	7,934	683	387	296	157

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	37	0	12	25	3	0	0	3	34	0	12	22
TEENAGE IMMATURE BIRTHS	5	0	0	5	0	0	0	0	5	0	0	5
TEENAGE PREMATURE BIRTHS	3	0	0	3	0	0	0	0	3	0	0	3
TEENAGE ILLEGITIMATE BIRTHS	36	0	12	24	2	0	0	2	34	0	12	22
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	1	10	0	0	0	0	11	0	1	10
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	1	10	0	0	0	0	11	0	1	10
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FERTILITY RATE	46.0	0.0	107.6	(15-19)	24.8	0.0	62.5	(15-19)	49.8	0.0	114.9	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	5	0	3	2	1	0	1	0	4	0	2	2
TEENAGE INDUCED TERMINATION RATIO	135.1	0.0	250.0	80.0	333.3	0.0	-	0.0	117.6	0.0	166.7	90.9
TEENAGE PREGNANCIES#	42	0	15	27	4	0	1	3	38	0	14	24
TEENAGE PREGNANCY RATE	52.2	0.0	122.1	(15-19)	33.0	0.0	83.3	(15-19)	55.6	0.0	128.4	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: UNION

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	27,340	1,812	942	870	346
WHITE	22,752	1,440	759	681	286
NONWHITE	4,588	372	183	189	60

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	40	0	10	30	28	0	7	21	12	0	3	9
TEENAGE IMMATURE BIRTHS	8	0	2	6	5	0	1	4	3	0	1	2
TEENAGE PREMATURE BIRTHS	7	0	3	4	3	0	2	1	4	0	1	3
TEENAGE ILLEGITIMATE BIRTHS	30	0	8	22	19	0	5	14	11	0	3	8
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	0	6	3	0	0	3	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	0	8	5	0	0	5	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	22.1	0.0	46.0	(15-19)	19.4	0.0	41.1	(15-19)	32.2	0.0	63.5	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	2	2	2	0	1	1	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	100.0	0.0	200.0	66.7	71.4	0.0	142.8	47.6	83.3	0.0	333.3	0.0
TEENAGE PREGNANCIES#	44	0	12	32	30	0	8	22	13	0	4	9
TEENAGE PREGNANCY RATE	24.3	0.0	50.6	(15-19)	20.8	0.0	44.0	(15-19)	34.9	0.0	68.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	25.0	0.0	0.0	33.3	0.0	0.0	0.0	0.0	83.3	0.0	0.0	111.1

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: WALTHALL

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	15,406	1,040	553	487	207
WHITE	8,240	449	255	194	98
NONWHITE	7,166	591	298	293	109

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	28	0	10	18	7	0	3	4	21	0	7	14
TEENAGE IMMATURE BIRTHS	5	0	3	2	2	0	1	1	3	0	2	1
TEENAGE PREMATURE BIRTHS	4	0	3	1	1	0	1	0	3	0	2	1
TEENAGE ILLEGITIMATE BIRTHS	25	0	10	15	4	0	3	1	21	0	7	14
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	0	6	2	0	0	2	4	0	0	4
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	0	9	3	0	0	3	6	0	0	6
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE	26.9	0.0	57.5 (15-19)		15.6	0.0	36.1 (15-19)		35.5	0.0	71.7 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	71.4	0.0	100.0	55.6	142.8	0.0	0.0	250.0	47.6	0.0	142.8	0.0
TEENAGE PREGNANCIES#	30	0	11	19	8	0	3	5	22	0	8	14
TEENAGE PREGNANCY RATE	28.8	0.0	61.6 (15-19)		17.8	0.0	41.2 (15-19)		37.2	0.0	75.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: WARREN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	48,346	3,400	1,759	1,641	608
WHITE	24,672	1,392	725	667	268
NONWHITE	23,674	2,008	1,034	974	340

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	105	3	35	67	29	0	5	24	76	3	30	43
TEENAGE IMMATURE BIRTHS	15	0	6	9	6	0	2	4	9	0	4	5
TEENAGE PREMATURE BIRTHS	17	0	6	11	4	0	1	3	13	0	5	8
TEENAGE ILLEGITIMATE BIRTHS	101	3	35	63	25	0	5	20	76	3	30	43
TEENS WHO HAD PREVIOUS LIVE BIRTHS	24	0	5	19	4	0	0	4	20	0	5	15
TEENS WHO HAD PREVIOUS PREGNANCIES	26	0	5	21	5	0	0	5	21	0	5	16
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	1	3	0	0	0	0	4	0	1	3
TEENAGE FERTILITY RATE	30.9	1.7	62.2	(15-19)	20.8	0.0	43.5	(15-19)	37.8	2.9	74.9	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	9.5	0.0	0.0	14.9	34.5	0.0	0.0	41.7	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	15	2	4	9	5	1	3	1	10	1	1	8
TEENAGE INDUCED TERMINATION RATIO	142.8	666.7	114.3	134.3	172.4	-	600.0	41.7	131.6	333.3	33.3	186.0
TEENAGE PREGNANCIES#	121	5	39	77	35	1	8	26	86	4	31	51
TEENAGE PREGNANCY RATE	35.6	2.8	70.7	(15-19)	25.1	1.4	51.0	(15-19)	42.8	3.9	84.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	9.5	0.0	0.0	14.9	0.0	0.0	0.0	0.0	13.2	0.0	0.0	23.3

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: WASHINGTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	50,406	3,855	1,934	1,921	839
WHITE	13,882	649	346	303	148
NONWHITE	36,524	3,206	1,588	1,618	691

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	145	2	48	95	14	0	2	12	131	2	46	83
TEENAGE IMMATURE BIRTHS	25	0	9	16	1	0	0	1	24	0	9	15
TEENAGE PREMATURE BIRTHS	43	0	21	22	1	0	0	1	42	0	21	21
TEENAGE ILLEGITIMATE BIRTHS	140	2	47	91	9	0	1	8	131	2	46	83
TEENS WHO HAD PREVIOUS LIVE BIRTHS	42	0	5	37	5	0	0	5	37	0	5	32
TEENS WHO HAD PREVIOUS PREGNANCIES	48	0	6	42	5	0	0	5	43	0	6	37
TEENS WITH INADEQUATE* PRENATAL CARE	12	1	5	6	0	0	0	0	12	1	5	6
TEENAGE FERTILITY RATE	37.6	1.0	74.4	(15-19)	21.6	0.0	46.2	(15-19)	40.9	1.2	79.7	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	6.9	0.0	20.8	0.0	0.0	0.0	0.0	0.0	7.6	0.0	21.7	0.0
TEENAGE INDUCED TERMINATIONS#	29	2	14	13	0	0	0	0	29	2	14	13
TEENAGE INDUCED TERMINATION RATIO	200.0	1000.0	291.7	136.8	0.0	0.0	0.0	0.0	221.4	1000.0	304.3	156.6
TEENAGE PREGNANCIES#	175	4	63	108	14	0	2	12	161	4	61	96
TEENAGE PREGNANCY RATE	45.4	2.1	89.0	(15-19)	21.6	0.0	46.2	(15-19)	50.2	2.5	97.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	3	0	2	1	0	0	0	0	3	0	2	1
INFANT MORTALITY RATE, TEEN MOMS	20.7	0.0	41.7	10.5	0.0	0.0	0.0	0.0	22.9	0.0	43.5	12.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: WAYNE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	20,589	1,479	730	749	297
WHITE	12,280	756	363	393	158
NONWHITE	8,309	723	367	356	139

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	60	1	17	42	29	0	9	20	31	1	8	22
TEENAGE IMMATURE BIRTHS	7	1	2	4	4	0	0	4	3	1	2	0
TEENAGE PREMATURE BIRTHS	10	1	3	6	5	0	1	4	5	1	2	2
TEENAGE ILLEGITIMATE BIRTHS	45	1	15	29	15	0	7	8	30	1	8	21
TEENS WHO HAD PREVIOUS LIVE BIRTHS	14	0	1	13	11	0	1	10	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	17	0	1	16	12	0	1	11	5	0	0	5
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FERTILITY RATE	40.6	1.4	78.8 (15-19)		38.4	0.0	73.8 (15-19)		42.9	2.7	84.3 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	6	0	4	2	2	0	0	2	4	0	4	0
TEENAGE INDUCED TERMINATION RATIO	100.0	0.0	235.3	47.6	69.0	0.0	0.0	100.0	129.0	0.0	500.0	0.0
TEENAGE PREGNANCIES#	66	1	21	44	31	0	9	22	35	1	12	22
TEENAGE PREGNANCY RATE	44.6	1.4	86.8 (15-19)		41.0	0.0	78.9 (15-19)		48.4	2.7	95.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: WEBSTER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,319	645	358	287	118
WHITE	8,081	482	275	207	87
NONWHITE	2,238	163	83	80	31

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	11	0	4	7	8	0	3	5	3	0	1	2
TEENAGE IMMATURE BIRTHS	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE PREMATURE BIRTHS	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE ILLEGITIMATE BIRTHS	7	0	2	5	4	0	1	3	3	0	1	2
TEENS WHO HAD PREVIOUS LIVE BIRTHS	2	0	1	1	2	0	1	1	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	3	0	1	2	3	0	1	2	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	17.0	0.0	38.3 (15-19)		16.6	0.0	38.6 (15-19)		18.4	0.0	37.5 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	90.9	0.0	0.0	142.8	125.0	0.0	0.0	200.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	12	0	4	8	9	0	3	6	3	0	1	2
TEENAGE PREGNANCY RATE	18.6	0.0	41.8 (15-19)		18.7	0.0	43.5 (15-19)		18.4	0.0	37.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: WILKINSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,679	550	285	265	122
WHITE	2,841	120	59	61	25
NONWHITE	6,838	430	226	204	97

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	20	0	4	16	2	0	0	2	18	0	4	14
TEENAGE IMMATURE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE PREMATURE BIRTHS	5	0	2	3	0	0	0	0	5	0	2	3
TEENAGE ILLEGITIMATE BIRTHS	20	0	4	16	2	0	0	2	18	0	4	14
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	1	2	0	0	0	0	3	0	1	2
TEENS WHO HAD PREVIOUS PREGNANCIES	4	0	1	3	0	0	0	0	4	0	1	3
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE FERTILITY RATE	36.4	0.0	75.5 (15-19)		16.7	0.0	32.8 (15-19)		41.9	0.0	88.2 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	50.0	0.0	0.0	62.5	0.0	0.0	0.0	0.0	55.6	0.0	0.0	71.4
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	21	0	4	17	2	0	0	2	19	0	4	15
TEENAGE PREGNANCY RATE	38.2	0.0	79.2 (15-19)		16.7	0.0	32.8 (15-19)		44.2	0.0	93.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: WINSTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,069	1,214	610	604	227
WHITE	9,977	527	264	263	103
NONWHITE	9,092	687	346	341	124

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	28	0	12	16	15	0	6	9	13	0	6	7
TEENAGE IMMATURE BIRTHS	4	0	3	1	2	0	2	0	2	0	1	1
TEENAGE PREMATURE BIRTHS	9	0	5	4	3	0	1	2	6	0	4	2
TEENAGE ILLEGITIMATE BIRTHS	23	0	10	13	10	0	4	6	13	0	6	7
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	1	5	4	0	1	3	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	1	5	4	0	1	3	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	2	0	1	0	1	0	1	0	1	0
TEENAGE FERTILITY RATE	23.1	0.0	46.4	(15-19)	28.5	0.0	57.0	(15-19)	18.9	0.0	38.1	(15-19)
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	35.7	0.0	0.0	62.5	0.0	0.0	0.0	0.0	76.9	0.0	0.0	142.8
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	71.4	0.0	83.3	62.5	0.0	0.0	0.0	0.0	153.8	0.0	166.7	142.8
TEENAGE PREGNANCIES#	31	0	13	18	15	0	6	9	16	0	7	9
TEENAGE PREGNANCY RATE	25.5	0.0	51.3	(15-19)	28.5	0.0	57.0	(15-19)	23.3	0.0	46.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	35.7	0.0	83.3	0.0	0.0	0.0	0.0	0.0	76.9	0.0	166.7	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: YALOBUSHA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,552	783	387	396	147
WHITE	7,623	400	202	198	72
NONWHITE	4,929	383	185	198	75

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	26	0	6	20	12	0	2	10	14	0	4	10
TEENAGE IMMATURE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE PREMATURE BIRTHS	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	22	0	6	16	8	0	2	6	14	0	4	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	1	4	3	0	0	3	2	0	1	1
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	1	5	3	0	0	3	3	0	1	2
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FERTILITY RATE	33.2	0.0	65.6	(15-19)	30.0	0.0	60.6	(15-19)	36.6	0.0	70.7	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	76.9	0.0	0.0	100.0	0.0	0.0	0.0	0.0	142.8	0.0	0.0	200.0
TEENAGE PREGNANCIES#	28	0	6	22	12	0	2	10	16	0	4	12
TEENAGE PREGNANCY RATE	35.8	0.0	70.7	(15-19)	30.0	0.0	60.6	(15-19)	41.8	0.0	80.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2011

COUNTY: YAZOO

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	27,886	1,773	903	870	393
WHITE	11,480	510	290	220	106
NONWHITE	16,406	1,263	613	650	287

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	79	3	27	49	13	0	2	11	66	3	25	38
TEENAGE IMMATURE BIRTHS	12	2	5	5	1	0	1	0	11	2	4	5
TEENAGE PREMATURE BIRTHS	18	2	9	7	1	0	1	0	17	2	8	7
TEENAGE ILLEGITIMATE BIRTHS	76	3	27	46	11	0	2	9	65	3	25	37
TEENS WHO HAD PREVIOUS LIVE BIRTHS	19	0	4	15	0	0	0	0	19	0	4	15
TEENS WHO HAD PREVIOUS PREGNANCIES	19	0	4	15	0	0	0	0	19	0	4	15
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE	44.6	3.3	87.4	(15-19)	25.5	0.0	59.1	(15-19)	52.2	4.9	96.9	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	10	1	4	5	0	0	0	0	7	0	4	3
TEENAGE INDUCED TERMINATION RATIO	126.6	333.3	148.1	102.0	0.0	0.0	0.0	0.0	106.1	0.0	160.0	78.9
TEENAGE PREGNANCIES#	89	4	31	54	13	0	2	11	73	3	29	41
TEENAGE PREGNANCY RATE	50.2	4.4	97.7	(15-19)	25.5	0.0	59.1	(15-19)	57.8	4.9	107.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	12.7	0.0	37.0	0.0	0.0	0.0	0.0	0.0	15.2	0.0	40.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.