

COUNTY: ADAMS

SELECTED DEATH STATISTICS, RESIDENTS OF ADAMS COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	413	211	202	12.8	14.8	11.3
MALIGNANT NEOPLASMS	95	39	56	295.7	273.0	314.0
HEART DISEASES	89	49	40	277.1	343.0	224.2
ALZHEIMERS DISEASE	28	21	7	87.2	147.0	39.2
CEREBROVASCULAR DISEASE	22	10	12	68.5	70.0	67.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	20	14	6	62.3	98.0	33.6
DIABETES MELLITUS	17	3	14	52.9	21.0	78.5
SEPTICEMIA	16	8	8	49.8	56.0	44.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	10	4	6	31.1	28.0	33.6
INFLUENZA AND PNEUMONIA	8	4	4	24.9	28.0	22.4
ACCIDENTS	7	4	3	21.8	28.0	16.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	3	2	15.6	21.0	11.2
HOMICIDE	5	0	5	15.6	0.0	28.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	4	2	2	12.4	14.0	11.2
SUICIDE	4	2	2	12.4	14.0	11.2
HIV DISEASE	3	0	3	9.3	0.0	16.8
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	0	2	6.2	0.0	11.2
PARKINSONS DISEASE	2	0	2	6.2	0.0	11.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	0	2	6.2	0.0	11.2
AORTIC ANEURYSM AND DISSECTION	2	2	0	6.2	14.0	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	6.2	7.0	5.6
ANEMIAS	1	0	1	3.1	0.0	5.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	3.1	7.0	0.0
HYPERPLASIA OF PROSTATE	1	1	0	3.1	7.0	0.0
LEGAL INTERVENTION	1	0	1	3.1	0.0	5.6
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	3.1	0.0	5.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	22	17	5	68.5	119.0	28.0
ALL OTHER CAUSES	43	26	17	133.9	182.0	95.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	413	211	202	198	98	100	215	113	102
UNDER 1	1	1	0	1	1	0	0	0	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	2	1	1	0	0	0
15-24	2	0	2	2	0	2	0	0	0
25-34	6	2	4	4	2	2	2	0	2
35-44	5	1	4	5	1	4	0	0	0
45-54	34	11	23	19	4	15	15	7	8
55-64	71	28	43	39	15	24	32	13	19
65-74	67	33	34	33	15	18	34	18	16
75-84	117	69	48	60	38	22	57	31	26
85 AND OVER	107	65	42	32	21	11	75	44	31
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL 32,122
 WHITE 14,285
 NONWHITE 17,837

COUNTY: ALCORN

SELECTED DEATH STATISTICS, RESIDENTS OF ALCORN COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	458	417	41	12.3	13.0	8.0
HEART DISEASES	111	98	13	298.7	305.5	255.5
MALIGNANT NEOPLASMS	84	79	5	226.0	246.3	98.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	49	43	6	131.8	134.0	117.9
ACCIDENTS	23	23	0	61.9	71.7	0.0
CEREBROVASCULAR DISEASE	20	18	2	53.8	56.1	39.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	20	19	1	53.8	59.2	19.6
SEPTICEMIA	14	14	0	37.7	43.6	0.0
ALZHEIMERS DISEASE	14	12	2	37.7	37.4	39.3
INFLUENZA AND PNEUMONIA	11	9	2	29.6	28.0	39.3
DIABETES MELLITUS	6	5	1	16.1	15.6	19.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	6	6	0	16.1	18.7	0.0
SUICIDE	6	5	1	16.1	15.6	19.6
PARKINSONS DISEASE	4	4	0	10.8	12.5	0.0
HOMICIDE	4	3	1	10.8	9.4	19.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	3	0	8.1	9.4	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	3	3	0	8.1	9.4	0.0
AORTIC ANEURYSM AND DISSECTION	2	2	0	5.4	6.2	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	5.4	6.2	0.0
CONDITIONS ORIG IN PERINATAL PERIOD IN SITU, BENIGN & UNSPECIFIED	2	2	0	4.5	5.4	0.0
NEOPLASMS	1	1	0	2.7	3.1	0.0
ANEMIAS	1	1	0	2.7	3.1	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	2.7	3.1	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	2.7	3.1	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	2.7	3.1	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	26	21	5	70.0	65.5	98.3
ALL OTHER CAUSES	43	41	2	115.7	127.8	39.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	458	417	41	226	204	22	232	213	19
UNDER 1	7	5	2	4	3	1	3	2	1
(NEONATAL)	3	3	0	2	2	0	1	1	0
(POSTNEONATAL)	4	2	2	2	1	1	2	1	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	2	2	0	0	0	0	2	2	0
25-34	8	7	1	4	3	1	4	4	0
35-44	8	8	0	4	4	0	4	4	0
45-54	35	28	7	21	15	6	14	13	1
55-64	69	60	9	45	38	7	24	22	2
65-74	103	97	6	55	53	2	48	44	4
75-84	119	111	8	53	50	3	66	61	5
85 AND OVER	106	98	8	39	37	2	67	61	6
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	37,164
WHITE	32,076
NONWHITE	5,088

COUNTY: AMITE

SELECTED DEATH STATISTICS, RESIDENTS OF AMITE COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	142	80	62	11.0	10.7	11.3
HEART DISEASES	44	26	18	339.6	348.8	327.1
MALIGNANT NEOPLASMS	33	19	14	254.7	254.9	254.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	6	2	61.7	80.5	36.3
DIABETES MELLITUS	6	2	4	46.3	26.8	72.7
ALZHEIMERS DISEASE	6	5	1	46.3	67.1	18.2
CEREBROVASCULAR DISEASE	6	2	4	46.3	26.8	72.7
ACCIDENTS	6	5	1	46.3	67.1	18.2
INFLUENZA AND PNEUMONIA	4	2	2	30.9	26.8	36.3
HOMICIDE	3	0	3	23.2	0.0	54.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	0	2	15.4	0.0	36.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	15.4	26.8	0.0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	2	1	1	15.4	13.4	18.2
SEPTICEMIA	1	1	0	7.7	13.4	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	7.7	13.4	0.0
ANEMIAS	1	1	0	7.7	13.4	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	7.7	0.0	18.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	16	7	9	123.5	93.9	163.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	142	80	62	67	36	31	75	44	31
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	3	3	0	1	1	0	2	2	0
35-44	5	3	2	3	2	1	2	1	1
45-54	9	5	4	8	4	4	1	1	0
55-64	29	11	18	14	5	9	15	6	9
65-74	23	16	7	13	8	5	10	8	2
75-84	32	19	13	13	8	5	19	11	8
85 AND OVER	37	23	14	14	8	6	23	15	8
UNKNOWN	2	0	2	0	0	0	2	0	2

2012 POPULATION:

TOTAL	12,957
WHITE	7,454
NONWHITE	5,503

COUNTY: ATTALA

SELECTED DEATH STATISTICS, RESIDENTS OF ATTALA COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	258	164	94	13.5	15.1	11.3
HEART DISEASES	63	45	18	328.9	414.6	216.8
MALIGNANT NEOPLASMS	52	34	18	271.4	313.2	216.8
ALZHEIMERS DISEASE	16	14	2	83.5	129.0	24.1
CEREBROVASCULAR DISEASE	13	7	6	67.9	64.5	72.3
ACCIDENTS	10	4	6	52.2	36.8	72.3
SEPTICEMIA	8	7	1	41.8	64.5	12.0
DIABETES MELLITUS	8	2	6	41.8	18.4	72.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	8	4	4	41.8	36.8	48.2
INFLUENZA AND PNEUMONIA	7	5	2	36.5	46.1	24.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	5	2	36.5	46.1	24.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	4	3	36.5	36.8	36.1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	3	1	20.9	27.6	12.0
HOMICIDE	4	0	4	20.9	0.0	48.2
VIRAL HEPATITIS	2	0	2	10.4	0.0	24.1
ANEMIAS	2	1	1	10.4	9.2	12.0
SUICIDE	2	1	1	10.4	9.2	12.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	5.2	0.0	12.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	5.2	9.2	0.0
PARKINSONS DISEASE	1	1	0	5.2	9.2	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	5.2	0.0	12.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	4.0	0.0	7.3
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	5.2	0.0	12.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	5.2	9.2	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	5	0	26.1	46.1	0.0
ALL OTHER CAUSES	33	20	13	172.3	184.3	156.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	258	164	94	151	109	42	107	55	52
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	2	1	1	1	0	1	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	0	5	4	0	4	1	0	1
25-34	7	3	4	6	3	3	1	0	1
35-44	6	2	4	3	1	2	3	1	2
45-54	13	3	10	6	3	3	7	0	7
55-64	27	15	12	21	12	9	6	3	3
65-74	45	30	15	30	22	8	15	8	7
75-84	83	57	26	47	40	7	36	17	19
85 AND OVER	69	53	16	33	28	5	36	25	11
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	19,157
WHITE	10,854
NONWHITE	8,303

COUNTY: BENTON

SELECTED DEATH STATISTICS, RESIDENTS OF BENTON COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	99	78	21	11.3	14.6	6.2
HEART DISEASES	31	27	4	355.1	504.5	118.4
MALIGNANT NEOPLASMS	23	16	7	263.4	299.0	207.2
CEREBROVASCULAR DISEASE	8	6	2	91.6	112.1	59.2
ACCIDENTS	4	4	0	45.8	74.7	0.0
SEPTICEMIA	3	3	0	34.4	56.0	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	2	1	34.4	37.4	29.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	3	0	34.4	56.0	0.0
DIABETES MELLITUS	2	1	1	22.9	18.7	29.6
ALZHEIMERS DISEASE	2	2	0	22.9	37.4	0.0
INFLUENZA AND PNEUMONIA	2	2	0	22.9	37.4	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	0	2	22.9	0.0	59.2
SUICIDE	2	2	0	22.9	37.4	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	11.4	0.0	29.6
AORTIC ANEURYSM AND DISSECTION	1	1	0	11.4	18.7	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	11.4	18.7	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	12.5	0.0	26.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	10	8	2	114.5	149.5	59.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	99	78	21	52	41	11	47	37	10
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	1	0	0	0	0	1	1	0
35-44	6	5	1	3	2	1	3	3	0
45-54	10	7	3	5	3	2	5	4	1
55-64	12	10	2	4	4	0	8	6	2
65-74	24	19	5	15	12	3	9	7	2
75-84	25	20	5	15	12	3	10	8	2
85 AND OVER	20	16	4	10	8	2	10	8	2
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	8,730
WHITE	5,352
NONWHITE	3,378

COUNTY: BOLIVAR

SELECTED DEATH STATISTICS, RESIDENTS OF BOLIVAR COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	392	140	252	11.6	12.2	11.2
MALIGNANT NEOPLASMS	84	33	51	247.8	288.6	227.0
HEART DISEASES	67	27	40	197.6	236.2	178.0
DIABETES MELLITUS	34	9	25	100.3	78.7	111.2
CEREBROVASCULAR DISEASE	22	6	16	64.9	52.5	71.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	14	3	11	41.3	26.2	49.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	13	7	6	38.3	61.2	26.7
ACCIDENTS	13	3	10	38.3	26.2	44.5
SEPTICEMIA	12	6	6	35.4	52.5	26.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	11	1	10	32.4	8.7	44.5
INFLUENZA AND PNEUMONIA	10	6	4	29.5	52.5	17.8
ALZHEIMERS DISEASE	9	6	3	26.5	52.5	13.4
SUICIDE	6	5	1	17.7	43.7	4.4
HOMICIDE	6	1	5	17.7	8.7	22.2
HIV DISEASE	3	0	3	8.8	0.0	13.4
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	5.3	0.0	7.4
ATHEROSCLEROSIS	2	0	2	5.9	0.0	8.9
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	0	2	5.9	0.0	8.9
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	0	2	5.9	0.0	8.9
VIRAL HEPATITIS	1	0	1	3.0	0.0	4.4
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	3.0	0.0	4.4
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	3.0	0.0	4.4
AORTIC ANEURYSM AND DISSECTION	1	1	0	3.0	8.7	0.0
PEPTIC ULCER	1	0	1	3.0	0.0	4.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	3.0	8.7	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	3.0	0.0	4.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	7	2	5	20.6	17.5	22.2
ALL OTHER CAUSES	65	23	42	191.7	201.2	186.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	392	140	252	193	69	124	199	71	128
UNDER 1	5	0	5	1	0	1	4	0	4
(NEONATAL)	3	0	3	0	0	0	3	0	3
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	3	2	1	2	2	0	1	0	1
5-9	1	0	1	1	0	1	0	0	0
10-14	2	1	1	1	0	1	1	1	0
15-24	4	2	2	3	1	2	1	1	0
25-34	6	2	4	5	2	3	1	0	1
35-44	10	4	6	6	0	6	4	4	0
45-54	45	4	41	27	3	24	18	1	17
55-64	64	14	50	37	7	30	27	7	20
65-74	85	30	55	49	19	30	36	11	25
75-84	71	37	34	39	22	17	32	15	17
85 AND OVER	96	44	52	22	13	9	74	31	43
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	33,904
WHITE	11,433
NONWHITE	22,471

COUNTY: CALHOUN

SELECTED DEATH STATISTICS, RESIDENTS OF CALHOUN COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	189	141	48	12.7	13.5	10.8
MALIGNANT NEOPLASMS	54	42	12	363.8	403.5	270.6
HEART DISEASES	51	33	18	343.6	317.1	405.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	18	18	0	121.3	172.9	0.0
CEREBROVASCULAR DISEASE	15	11	4	101.0	105.7	90.2
ACCIDENTS	11	6	5	74.1	57.6	112.7
ALZHEIMERS DISEASE	6	5	1	40.4	48.0	22.5
HOMICIDE	3	1	2	20.2	9.6	45.1
SEPTICEMIA	2	2	0	13.5	19.2	0.0
INFLUENZA AND PNEUMONIA	2	2	0	13.5	19.2	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	13.5	19.2	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	1	1	13.5	9.6	22.5
SUICIDE	2	0	2	13.5	0.0	45.1
VIRAL HEPATITIS	1	1	0	6.7	9.6	0.0
PARKINSONS DISEASE	1	1	0	6.7	9.6	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	5.8	8.1	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	18	15	3	121.3	144.1	67.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	189	141	48	101	76	25	88	65	23
UNDER 1	1	1	0	1	1	0	0	0	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	2	1	1	0	0	0	2	1	1
5-9	1	1	0	0	0	0	1	1	0
10-14	1	0	1	1	0	1	0	0	0
15-24	3	0	3	2	0	2	1	0	1
25-34	3	1	2	3	1	2	0	0	0
35-44	1	1	0	1	1	0	0	0	0
45-54	20	14	6	7	4	3	13	10	3
55-64	21	14	7	15	11	4	6	3	3
65-74	45	36	9	33	26	7	12	10	2
75-84	50	41	9	27	22	5	23	19	4
85 AND OVER	41	31	10	11	10	1	30	21	9
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL 14,843
 WHITE 10,408
 NONWHITE 4,435

COUNTY: CARROLL

SELECTED DEATH STATISTICS, RESIDENTS OF CARROLL COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	117	79	38	11.2	11.6	10.5
HEART DISEASES	40	28	12	383.8	411.5	331.7
MALIGNANT NEOPLASMS	25	22	3	239.8	323.3	82.9
CEREBROVASCULAR DISEASE	9	5	4	86.3	73.5	110.6
ACCIDENTS	9	7	2	86.3	102.9	55.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	4	2	2	38.4	29.4	55.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	1	2	28.8	14.7	55.3
ANEMIAS	2	1	1	19.2	14.7	27.6
DIABETES MELLITUS	2	1	1	19.2	14.7	27.6
SEPTICEMIA	1	0	1	9.6	0.0	27.6
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	9.6	14.7	0.0
PARKINSONS DISEASE	1	1	0	9.6	14.7	0.0
ALZHEIMERS DISEASE	1	1	0	9.6	14.7	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	9.6	14.7	0.0
AORTIC ANEURYSM AND DISSECTION	1	0	1	9.6	0.0	27.6
INFLUENZA AND PNEUMONIA	1	1	0	9.6	14.7	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	9.6	0.0	27.6
SUICIDE	1	1	0	9.6	14.7	0.0
HOMICIDE	1	0	1	9.6	0.0	27.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	13	6	7	124.7	88.2	193.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	117	79	38	64	46	18	53	33	20
UNDER 1	1	1	0	1	1	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	4	2	2	3	2	1	1	0	1
25-34	2	0	2	1	0	1	1	0	1
35-44	3	3	0	3	3	0	0	0	0
45-54	12	8	4	6	5	1	6	3	3
55-64	14	8	6	8	4	4	6	4	2
65-74	20	16	4	16	13	3	4	3	1
75-84	35	24	11	20	13	7	15	11	4
85 AND OVER	24	16	8	6	5	1	18	11	7
UNKNOWN	1	1	0	0	0	0	1	1	0

2012 POPULATION:

TOTAL	10,423
WHITE	6,805
NONWHITE	3,618

COUNTY: CHICKASAW

SELECTED DEATH STATISTICS, RESIDENTS OF CHICKASAW COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	155	109	46	8.9	11.3	5.9
HEART DISEASES	41	31	10	235.4	322.6	128.1
MALIGNANT NEOPLASMS	35	21	14	201.0	218.5	179.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	7	0	40.2	72.8	0.0
ACCIDENTS	7	4	3	40.2	41.6	38.4
ALZHEIMERS DISEASE	5	5	0	28.7	52.0	0.0
INFLUENZA AND PNEUMONIA	5	3	2	28.7	31.2	25.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	5	2	3	28.7	20.8	38.4
CEREBROVASCULAR DISEASE	4	2	2	23.0	20.8	25.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	3	1	23.0	31.2	12.8
SUICIDE	3	3	0	17.2	31.2	0.0
SEPTICEMIA	2	1	1	11.5	10.4	12.8
DIABETES MELLITUS	2	2	0	11.5	20.8	0.0
AORTIC ANEURYSM AND DISSECTION	2	2	0	11.5	20.8	0.0
VIRAL HEPATITIS	1	0	1	5.7	0.0	12.8
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	5.7	10.4	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	5.7	10.4	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	5.7	10.4	0.0
MATERNAL CAUSES	1	0	1	403.2	0.0	800.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	4.0	0.0	8.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	5.7	10.4	0.0
ALL OTHER CAUSES	26	19	7	149.3	197.7	89.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	155	109	46	59	43	16	96	66	30
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	0	0	0	3	1	2
25-34	4	2	2	2	2	0	2	0	2
35-44	4	2	2	1	1	0	3	1	2
45-54	17	10	7	8	5	3	9	5	4
55-64	12	6	6	5	4	1	7	2	5
65-74	22	14	8	11	4	7	11	10	1
75-84	41	32	9	18	16	2	23	16	7
85 AND OVER	50	42	8	14	11	3	36	31	5
UNKNOWN	1	0	1	0	0	0	1	0	1

2012 POPULATION:

TOTAL	17,416
WHITE	9,610
NONWHITE	7,806

COUNTY: CHOCTAW

SELECTED DEATH STATISTICS, RESIDENTS OF CHOCTAW COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	93	66	27	11.1	11.6	10.1
HEART DISEASES	30	22	8	359.4	387.2	300.2
MALIGNANT NEOPLASMS	17	8	9	203.7	140.8	337.7
ALZHEIMERS DISEASE	8	8	0	95.8	140.8	0.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	6	1	83.9	105.6	37.5
INFLUENZA AND PNEUMONIA	4	3	1	47.9	52.8	37.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	3	1	47.9	52.8	37.5
ACCIDENTS	4	2	2	47.9	35.2	75.0
CEREBROVASCULAR DISEASE	3	3	0	35.9	52.8	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	2	1	35.9	35.2	37.5
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	0	3	35.9	0.0	112.6
SUICIDE	2	1	1	24.0	17.6	37.5
PARKINSONS DISEASE	1	1	0	12.0	17.6	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	12.0	17.6	0.0

NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	24.0	35.2	0.0
ALL OTHER CAUSES	4	4	0	47.9	70.4	0.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	93	66	27	48	31	17	45	35	10
UNDER 1	3	1	2	2	0	2	1	1	0
(NEONATAL)	2	0	2	2	0	2	0	0	0
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	1	1	2	1	1	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	4	0	4	1	0	1	3	0	3
55-64	11	7	4	9	5	4	2	2	0
65-74	18	11	7	9	5	4	9	6	3
75-84	32	25	7	15	12	3	17	13	4
85 AND OVER	23	21	2	10	8	2	13	13	0
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	8,346
WHITE	5,681
NONWHITE	2,665

COUNTY: CLAIBORNE

SELECTED DEATH STATISTICS, RESIDENTS OF CLAIBORNE COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	93	20	73	9.9	14.6	9.2
HEART DISEASES	27	5	22	288.8	363.9	275.9
MALIGNANT NEOPLASMS	21	2	19	224.6	145.6	238.2
CEREBROVASCULAR DISEASE	6	2	4	64.2	145.6	50.2
SEPTICEMIA	5	3	2	53.5	218.3	25.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	5	1	4	53.5	72.8	50.2
INFLUENZA AND PNEUMONIA	4	1	3	42.8	72.8	37.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	1	2	32.1	72.8	25.1
ACCIDENTS	3	0	3	32.1	0.0	37.6
DIABETES MELLITUS	2	1	1	21.4	72.8	12.5
ANEMIAS	1	0	1	10.7	0.0	12.5
MENINGITIS	1	0	1	10.7	0.0	12.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	10.7	0.0	12.5
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	9.2	0.0	9.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	0	4	42.8	0.0	50.2
ALL OTHER CAUSES	9	4	5	96.3	291.1	62.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	93	20	73	48	10	38	45	10	35
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	3	0	3	0	0	0	3	0	3
45-54	8	1	7	4	0	4	4	1	3
55-64	10	0	10	6	0	6	4	0	4
65-74	26	8	18	18	4	14	8	4	4
75-84	15	5	10	9	3	6	6	2	4
85 AND OVER	28	6	22	9	3	6	19	3	16
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	9,349
WHITE	1,374
NONWHITE	7,975

COUNTY: CLARKE

SELECTED DEATH STATISTICS, RESIDENTS OF CLARKE COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	195	127	68	11.8	11.9	11.5
HEART DISEASES	57	38	19	344.3	357.0	321.3
MALIGNANT NEOPLASMS	43	29	14	259.7	272.5	236.8
ALZHEIMERS DISEASE	12	9	3	72.5	84.6	50.7
CEREBROVASCULAR DISEASE	11	6	5	66.4	56.4	84.6
INFLUENZA AND PNEUMONIA	9	7	2	54.4	65.8	33.8
ACCIDENTS	9	7	2	54.4	65.8	33.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	8	0	48.3	75.2	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	0	5	30.2	0.0	84.6
HOMICIDE	4	1	3	24.2	9.4	50.7
ANEMIAS	3	1	2	18.1	9.4	33.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	1	2	18.1	9.4	33.8
AORTIC ANEURYSM AND DISSECTION	3	3	0	18.1	28.2	0.0
SUICIDE	3	3	0	18.1	28.2	0.0
SEPTICEMIA	2	1	1	12.1	9.4	16.9
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	0	2	12.1	0.0	33.8
VIRAL HEPATITIS	1	0	1	6.0	0.0	16.9
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	6.0	0.0	16.9
DIABETES MELLITUS	1	1	0	6.0	9.4	0.0
PARKINSONS DISEASE	1	1	0	6.0	9.4	0.0
PEPTIC ULCER	1	0	1	6.0	0.0	16.9
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	6.0	0.0	16.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	18.1	18.8	16.9
ALL OTHER CAUSES	12	9	3	72.5	84.6	50.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	195	127	68	107	64	43	88	63	25
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	3	0	2	2	0	1	1	0
25-34	4	2	2	2	0	2	2	2	0
35-44	9	8	1	9	8	1	0	0	0
45-54	14	6	8	10	3	7	4	3	1
55-64	26	15	11	19	9	10	7	6	1
65-74	30	18	12	20	12	8	10	6	4
75-84	46	35	11	23	15	8	23	20	3
85 AND OVER	61	40	21	21	15	6	40	25	15
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	16,556
WHITE	10,643
NONWHITE	5,913

COUNTY: CLAY

SELECTED DEATH STATISTICS, RESIDENTS OF CLAY COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	216	102	114	10.6	12.4	9.3
HEART DISEASES	63	26	37	308.4	317.5	302.4
MALIGNANT NEOPLASMS	44	23	21	215.4	280.8	171.6
CEREBROVASCULAR DISEASE	17	9	8	83.2	109.9	65.4
ACCIDENTS	11	7	4	53.8	85.5	32.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	10	6	4	49.0	73.3	32.7
DIABETES MELLITUS	8	3	5	39.2	36.6	40.9
INFLUENZA AND PNEUMONIA	8	6	2	39.2	73.3	16.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	8	2	6	39.2	24.4	49.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	7	3	4	34.3	36.6	32.7
ALZHEIMERS DISEASE	6	4	2	29.4	48.8	16.3
SEPTICEMIA	3	1	2	14.7	12.2	16.3
SUICIDE	2	2	0	9.8	24.4	0.0
HOMICIDE	2	0	2	9.8	0.0	16.3
HIV DISEASE	1	1	0	4.9	12.2	0.0
MENINGITIS	1	0	1	4.9	0.0	8.2
PARKINSONS DISEASE	1	0	1	4.9	0.0	8.2
AORTIC ANEURYSM AND DISSECTION	1	1	0	4.9	12.2	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	4.9	0.0	8.2
MATERNAL CAUSES	1	0	1	425.5	0.0	645.2
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	4.2	0.0	6.4
LEGAL INTERVENTION	1	0	1	4.9	0.0	8.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	9.8	0.0	16.3
ALL OTHER CAUSES	17	8	9	83.2	97.7	73.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	216	102	114	103	47	56	113	55	58
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	3	1	2	0	0	0	3	1	2
35-44	6	0	6	4	0	4	2	0	2
45-54	16	5	11	11	4	7	5	1	4
55-64	45	16	29	31	11	20	14	5	9
65-74	40	19	21	16	8	8	24	11	13
75-84	46	27	19	24	14	10	22	13	9
85 AND OVER	58	34	24	17	10	7	41	24	17
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	20,427
WHITE	8,190
NONWHITE	12,237

COUNTY: COAHOMA

SELECTED DEATH STATISTICS, RESIDENTS OF COAHOMA COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	305	100	205	11.9	16.6	10.4
MALIGNANT NEOPLASMS	77	25	52	299.5	414.3	264.3
HEART DISEASES	74	25	49	287.8	414.3	249.0
CEREBROVASCULAR DISEASE	18	4	14	70.0	66.3	71.2
DIABETES MELLITUS	16	1	15	62.2	16.6	76.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	16	9	7	62.2	149.2	35.6
ACCIDENTS	16	8	8	62.2	132.6	40.7
ALZHEIMERS DISEASE	11	4	7	42.8	66.3	35.6
HOMICIDE	8	1	7	31.1	16.6	35.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	1	5	23.3	16.6	25.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	3	2	19.4	49.7	10.2
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	7.2	0.0	8.6
VIRAL HEPATITIS	2	0	2	7.8	0.0	10.2
PARKINSONS DISEASE	2	1	1	7.8	16.6	5.1
INFLUENZA AND PNEUMONIA	2	1	1	7.8	16.6	5.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	7.8	16.6	5.1
SUICIDE	2	2	0	7.8	33.1	0.0
SEPTICEMIA	1	0	1	3.9	0.0	5.1
HIV DISEASE	1	0	1	3.9	0.0	5.1
AORTIC ANEURYSM AND DISSECTION	1	0	1	3.9	0.0	5.1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	3.9	0.0	5.1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	3.9	16.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	2	2	15.6	33.1	10.2
ALL OTHER CAUSES	36	11	25	140.0	182.3	127.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	305	100	205	155	45	110	150	55	95
UNDER 1	4	0	4	3	0	3	1	0	1
(NEONATAL)	3	0	3	2	0	2	1	0	1
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	3	0	3	3	0	3	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	1	1	0	1	0	1
15-24	7	1	6	3	0	3	4	1	3
25-34	10	3	7	7	2	5	3	1	2
35-44	15	3	12	10	2	8	5	1	4
45-54	46	12	34	21	5	16	25	7	18
55-64	51	14	37	32	9	23	19	5	14
65-74	48	20	28	28	8	20	20	12	8
75-84	61	22	39	28	10	18	33	12	21
85 AND OVER	58	24	34	19	8	11	39	16	23
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	25,709
WHITE	6,034
NONWHITE	19,675

COUNTY: COPIAH

SELECTED DEATH STATISTICS, RESIDENTS OF COPIAH COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	325	170	155	11.2	12.4	10.2
HEART DISEASES	87	41	46	300.5	298.4	302.3
MALIGNANT NEOPLASMS	72	42	30	248.7	305.7	197.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	18	10	8	62.2	72.8	52.6
ACCIDENTS	18	10	8	62.2	72.8	52.6
ALZHEIMERS DISEASE	12	8	4	41.4	58.2	26.3
CEREBROVASCULAR DISEASE	11	7	4	38.0	51.0	26.3
DIABETES MELLITUS	9	2	7	31.1	14.6	46.0
SEPTICEMIA	8	3	5	27.6	21.8	32.9
INFLUENZA AND PNEUMONIA	8	5	3	27.6	36.4	19.7
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	4	3	24.2	29.1	19.7
CONDITIONS ORIG IN PERINATAL PERIOD	5	1	4	14.1	6.5	19.9
HOMICIDE	4	0	4	13.8	0.0	26.3
HIV DISEASE	3	1	2	10.4	7.3	13.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	1	2	10.4	7.3	13.1
SUICIDE	3	2	1	10.4	14.6	6.6
AORTIC ANEURYSM AND DISSECTION	2	1	1	6.9	7.3	6.6
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	2	0	6.9	14.6	0.0
VIRAL HEPATITIS	1	0	1	3.4	0.0	6.6
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	3.4	0.0	6.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	3.4	7.3	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	3.4	7.3	0.0

--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	0	5	17.3	0.0	32.9
ALL OTHER CAUSES	44	28	16	152.0	203.8	105.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	325	170	155	176	96	80	149	74	75
UNDER 1	11	3	8	5	1	4	6	2	4
(NEONATAL)	7	2	5	3	1	2	4	1	3
(POSTNEONATAL)	4	1	3	2	0	2	2	1	1
1-4	2	2	0	1	1	0	1	1	0
5-9	2	1	1	2	1	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	2	0	2	0	0	0
25-34	5	1	4	4	1	3	1	0	1
35-44	11	6	5	8	4	4	3	2	1
45-54	31	13	18	17	7	10	14	6	8
55-64	56	22	34	34	16	18	22	6	16
65-74	59	26	33	36	20	16	23	6	17
75-84	68	49	19	36	30	6	32	19	13
85 AND OVER	77	47	30	30	15	15	47	32	15
UNKNOWN	1	0	1	1	0	1	0	0	0

2012 POPULATION:

TOTAL	28,955
WHITE	13,739
NONWHITE	15,216

COUNTY: COVINGTON

SELECTED DEATH STATISTICS, RESIDENTS OF COVINGTON COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	258	183	75	13.2	14.8	10.3
HEART DISEASES	69	44	25	351.9	356.4	344.2
MALIGNANT NEOPLASMS	48	35	13	244.8	283.5	179.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	23	18	5	117.3	145.8	68.8
ACCIDENTS	15	13	2	76.5	105.3	27.5
CEREBROVASCULAR DISEASE	12	7	5	61.2	56.7	68.8
ALZHEIMERS DISEASE	9	9	0	45.9	72.9	0.0
SEPTICEMIA	6	3	3	30.6	24.3	41.3
INFLUENZA AND PNEUMONIA	6	3	3	30.6	24.3	41.3
DIABETES MELLITUS	4	4	0	20.4	32.4	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	4	0	20.4	32.4	0.0
HOMICIDE	3	1	2	15.3	8.1	27.5
PARKINSONS DISEASE	2	2	0	10.2	16.2	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1	10.2	8.1	13.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	10.2	8.1	13.8
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	6.9	0.0	16.5
HIV DISEASE	1	0	1	5.1	0.0	13.8
AORTIC ANEURYSM AND DISSECTION	1	1	0	5.1	8.1	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	5.1	0.0	13.8
MATERNAL CAUSES	1	1	0	344.8	591.7	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	5.1	0.0	13.8
SUICIDE	1	1	0	5.1	8.1	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	5.1	8.1	0.0

NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	15.3	8.1	27.5
ALL OTHER CAUSES	41	33	8	209.1	267.3	110.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	258	183	75	159	112	47	99	71	28
UNDER 1	5	0	5	4	0	4	1	0	1
(NEONATAL)	3	0	3	3	0	3	0	0	0
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	2	1	1	0	0	0
25-34	5	2	3	3	0	3	2	2	0
35-44	13	10	3	8	8	0	5	2	3
45-54	17	8	9	14	7	7	3	1	2
55-64	27	15	12	12	5	7	15	10	5
65-74	46	33	13	31	21	10	15	12	3
75-84	58	43	15	37	28	9	21	15	6
85 AND OVER	85	71	14	48	42	6	37	29	8
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	19,607
WHITE	12,345
NONWHITE	7,262

COUNTY: DESOTO

SELECTED DEATH STATISTICS, RESIDENTS OF DESOTO COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	1,195	1,013	182	7.2	8.3	4.1
HEART DISEASES	304	256	48	182.9	209.7	108.7
MALIGNANT NEOPLASMS	294	247	47	176.8	202.3	106.4
DIABETES MELLITUS	91	72	19	54.7	59.0	43.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	70	68	2	42.1	55.7	4.5
CEREBROVASCULAR DISEASE	47	41	6	28.3	33.6	13.6
ACCIDENTS	40	35	5	24.1	28.7	11.3
ALZHEIMERS DISEASE	37	34	3	22.2	27.8	6.8
SEPTICEMIA	30	21	9	18.0	17.2	20.4
SUICIDE	26	25	1	15.6	20.5	2.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	25	24	1	15.0	19.7	2.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	21	18	3	12.6	14.7	6.8
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	9	9	0	5.4	7.4	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	8	1	7	3.9	0.7	12.1
INFLUENZA AND PNEUMONIA	7	6	1	4.2	4.9	2.3
HOMICIDE	7	4	3	4.2	3.3	6.8
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	5	5	0	3.0	4.1	0.0
VIRAL HEPATITIS	4	3	1	2.4	2.4	2.3
HIV DISEASE	4	2	2	2.4	1.6	4.5
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	4	0	2.4	3.3	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	4	2	2	2.4	1.6	4.5
PARKINSONS DISEASE	3	3	0	1.8	2.4	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	3	2	1	1.8	1.6	2.3
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	1	1	1.2	0.8	2.3
AORTIC ANEURYSM AND DISSECTION	2	1	1	1.2	0.8	2.3
MATERNAL CAUSES	2	1	1	96.8	67.2	173.0
ANEMIAS	1	0	1	0.6	0.0	2.3
MENINGITIS	1	1	0	0.6	0.8	0.0
HERNIA	1	1	0	0.6	0.8	0.0
INFECTIONS OF KIDNEY	1	1	0	0.6	0.8	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	25	21	4	15.0	17.2	9.0
ALL OTHER CAUSES	117	104	13	70.4	85.2	29.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	1,195	1,013	182	596	508	88	599	505	94
UNDER 1	17	4	13	11	3	8	6	1	5
(NEONATAL)	10	1	9	5	0	5	5	1	4
(POSTNEONATAL)	7	3	4	6	3	3	1	0	1
1-4	1	1	0	0	0	0	1	1	0
5-9	4	2	2	2	1	1	2	1	1
10-14	1	0	1	0	0	0	1	0	1
15-24	15	11	4	11	7	4	4	4	0
25-34	17	12	5	12	8	4	5	4	1
35-44	57	41	16	41	29	12	16	12	4
45-54	99	85	14	47	41	6	52	44	8
55-64	209	168	41	125	105	20	84	63	21
65-74	247	216	31	141	126	15	106	90	16
75-84	308	275	33	143	129	14	165	146	19
85 AND OVER	220	198	22	63	59	4	157	139	18
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	166,234
WHITE	122,077
NONWHITE	44,157

COUNTY: FORREST

SELECTED DEATH STATISTICS, RESIDENTS OF FORREST COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	755	530	225	9.8	11.4	7.4
MALIGNANT NEOPLASMS	165	111	54	214.6	238.0	178.5
HEART DISEASES	162	111	51	210.7	238.0	168.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	54	48	6	70.2	102.9	19.8
ACCIDENTS	42	27	15	54.6	57.9	49.6
ALZHEIMERS DISEASE	41	36	5	53.3	77.2	16.5
CEREBROVASCULAR DISEASE	27	20	7	35.1	42.9	23.1
SEPTICEMIA	21	13	8	27.3	27.9	26.4
DIABETES MELLITUS	21	11	10	27.3	23.6	33.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	18	10	8	23.4	21.4	26.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	15	12	3	19.5	25.7	9.9
INFLUENZA AND PNEUMONIA	15	11	4	19.5	23.6	13.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	10	6	4	13.0	12.9	13.2
CONDITIONS ORIG IN PERINATAL PERIOD	9	2	7	8.5	3.4	14.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	8	7	1	10.4	15.0	3.3
SUICIDE	8	6	2	10.4	12.9	6.6
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	7	4	3	9.1	8.6	9.9
PARKINSONS DISEASE	6	6	0	7.8	12.9	0.0
HOMICIDE	6	2	4	7.8	4.3	13.2
HIV DISEASE	4	2	2	5.2	4.3	6.6
VIRAL HEPATITIS	3	1	2	3.9	2.1	6.6
ANEMIAS	2	1	1	2.6	2.1	3.3
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	1.3	2.1	0.0
ATHEROSCLEROSIS	1	0	1	1.3	0.0	3.3
AORTIC ANEURYSM AND DISSECTION	1	1	0	1.3	2.1	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	1.3	2.1	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	9	8	1	11.7	17.2	3.3
ALL OTHER CAUSES	98	72	26	127.4	154.4	86.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	755	530	225	368	246	122	387	284	103
UNDER 1	18	8	10	9	4	5	9	4	5
(NEONATAL)	14	5	9	7	2	5	7	3	4
(POSTNEONATAL)	4	3	1	2	2	0	2	1	1
1-4	4	3	1	3	2	1	1	1	0
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	9	6	3	7	5	2	2	1	1
25-34	20	8	12	15	5	10	5	3	2
35-44	29	15	14	18	8	10	11	7	4
45-54	60	37	23	35	21	14	25	16	9
55-64	88	54	34	53	35	18	35	19	16
65-74	155	100	55	85	55	30	70	45	25
75-84	179	140	39	83	64	19	96	76	20
85 AND OVER	192	159	33	60	47	13	132	112	20
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL 76,894
 WHITE 46,645
 NONWHITE 30,249

COUNTY: FRANKLIN

SELECTED DEATH STATISTICS, RESIDENTS OF FRANKLIN COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	108	66	42	13.6	13.1	14.6
HEART DISEASES	39	24	15	492.5	475.3	522.8
MALIGNANT NEOPLASMS	21	14	7	265.2	277.3	244.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	9	6	3	113.7	118.8	104.6
CEREBROVASCULAR DISEASE	6	2	4	75.8	39.6	139.4
ACCIDENTS	6	3	3	75.8	59.4	104.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	2	2	50.5	39.6	69.7
SEPTICEMIA	3	2	1	37.9	39.6	34.8
ALZHEIMERS DISEASE	2	2	0	25.2	39.6	0.0
SUICIDE	2	2	0	25.2	39.6	0.0
HOMICIDE	2	1	1	25.2	19.8	34.8
INFLUENZA AND PNEUMONIA	1	1	0	12.6	19.8	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	13	7	6	164.2	138.6	209.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	108	66	42	51	33	18	57	33	24
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	1	1	0	1	1	0	0	0	0
35-44	4	0	4	1	0	1	3	0	3
45-54	12	8	4	7	5	2	5	3	2
55-64	15	5	10	9	3	6	6	2	4
65-74	22	14	8	11	7	4	11	7	4
75-84	23	14	9	11	8	3	12	6	6
85 AND OVER	30	23	7	10	8	2	20	15	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	7,918
WHITE	5,049
NONWHITE	2,869

COUNTY: GEORGE

SELECTED DEATH STATISTICS, RESIDENTS OF GEORGE COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	244	220	24	10.6	10.6	10.6
HEART DISEASES	58	52	6	252.9	251.6	264.8
MALIGNANT NEOPLASMS	47	41	6	205.0	198.4	264.8
DIABETES MELLITUS	23	20	3	100.3	96.8	132.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	20	19	1	87.2	91.9	44.1
CEREBROVASCULAR DISEASE	19	17	2	82.9	82.3	88.3
ACCIDENTS	17	15	2	74.1	72.6	88.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	8	8	0	34.9	38.7	0.0
SEPTICEMIA	4	4	0	17.4	19.4	0.0
INFLUENZA AND PNEUMONIA	3	2	1	13.1	9.7	44.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	13.1	14.5	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	3	0	13.1	14.5	0.0
ALZHEIMERS DISEASE	2	2	0	8.7	9.7	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	8.7	4.8	44.1
VIRAL HEPATITIS	1	1	0	4.4	4.8	0.0
ANEMIAS	1	1	0	4.4	4.8	0.0
PARKINSONS DISEASE	1	1	0	4.4	4.8	0.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	4.4	4.8	0.0
SUICIDE	1	1	0	4.4	4.8	0.0
HOMICIDE	1	1	0	4.4	4.8	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	5	0	21.8	24.2	0.0
ALL OTHER CAUSES	24	22	2	104.7	106.5	88.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	244	220	24	134	120	14	110	100	10
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	4	4	0	4	4	0	0	0	0
25-34	5	3	2	4	2	2	1	1	0
35-44	3	2	1	2	2	0	1	0	1
45-54	22	21	1	12	11	1	10	10	0
55-64	25	23	2	12	11	1	13	12	1
65-74	64	58	6	38	35	3	26	23	3
75-84	66	58	8	36	31	5	30	27	3
85 AND OVER	54	50	4	26	24	2	28	26	2
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL 22,930
 WHITE 20,664
 NONWHITE 2,266

COUNTY: GREENE

SELECTED DEATH STATISTICS, RESIDENTS OF GREENE COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	126	110	16	8.8	10.7	4.0
HEART DISEASES	39	35	4	272.5	341.0	98.8
MALIGNANT NEOPLASMS	20	18	2	139.8	175.4	49.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	16	15	1	111.8	146.1	24.7
ACCIDENTS	10	10	0	69.9	97.4	0.0
CEREBROVASCULAR DISEASE	6	5	1	41.9	48.7	24.7
SEPTICEMIA	5	2	3	34.9	19.5	74.1
ALZHEIMERS DISEASE	3	3	0	21.0	29.2	0.0
INFLUENZA AND PNEUMONIA	3	3	0	21.0	29.2	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	3	0	21.0	29.2	0.0
DIABETES MELLITUS	2	1	1	14.0	9.7	24.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	2	0	14.0	19.5	0.0
SUICIDE	2	2	0	14.0	19.5	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	7.0	9.7	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	7.0	0.0	24.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	7.0	9.7	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	7.0	0.0	24.7
HOMICIDE	1	1	0	7.0	9.7	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	10	8	2	69.9	77.9	49.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	126	110	16	66	57	9	60	53	7
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	5	4	1	4	4	0	1	0	1
25-34	3	2	1	1	1	0	2	1	1
35-44	3	2	1	2	1	1	1	1	0
45-54	7	7	0	4	4	0	3	3	0
55-64	19	17	2	14	12	2	5	5	0
65-74	32	27	5	19	16	3	13	11	2
75-84	31	25	6	14	11	3	17	14	3
85 AND OVER	25	25	0	8	8	0	17	17	0
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	14,311
WHITE	10,264
NONWHITE	4,047

COUNTY: GRENADA

SELECTED DEATH STATISTICS, RESIDENTS OF GRENADA COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	299	180	119	13.8	14.7	12.6
HEART DISEASES	86	53	33	396.6	433.2	349.3
MALIGNANT NEOPLASMS	60	34	26	276.7	277.9	275.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	19	11	8	87.6	89.9	84.7
ALZHEIMERS DISEASE	14	10	4	64.6	81.7	42.3
CEREBROVASCULAR DISEASE	14	7	7	64.6	57.2	74.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	13	7	6	60.0	57.2	63.5
SEPTICEMIA	9	4	5	41.5	32.7	52.9
INFLUENZA AND PNEUMONIA	8	4	4	36.9	32.7	42.3
ACCIDENTS	8	7	1	36.9	57.2	10.6
SUICIDE	5	2	3	23.1	16.3	31.8
HIV DISEASE	4	0	4	18.4	0.0	42.3
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	2	2	18.4	16.3	21.2
HOMICIDE	4	1	3	18.4	8.2	31.8
PARKINSONS DISEASE	3	3	0	13.8	24.5	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS IN SITU, BENIGN & UNSPECIFIED	3	2	1	13.8	16.3	10.6
NEOPLASMS	2	2	0	9.2	16.3	0.0
DIABETES MELLITUS	2	0	2	9.2	0.0	21.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1	9.2	8.2	10.6
CONDITIONS ORIG IN PERINATAL PERIOD	2	2	0	8.1	15.3	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	2	1	1	9.2	8.2	10.6
VIRAL HEPATITIS	1	1	0	4.6	8.2	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	4.6	8.2	0.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	4.6	8.2	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	4.6	8.2	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	7	5	2	32.3	40.9	21.2
ALL OTHER CAUSES	24	18	6	110.7	147.1	63.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	299	180	119	146	85	61	153	95	58
UNDER 1	3	3	0	2	2	0	1	1	0
(NEONATAL)	3	3	0	2	2	0	1	1	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	1	3	3	0	3	1	1	0
25-34	9	2	7	7	1	6	2	1	1
35-44	10	6	4	5	3	2	5	3	2
45-54	29	13	16	14	7	7	15	6	9
55-64	37	24	13	25	18	7	12	6	6
65-74	62	31	31	37	17	20	25	14	11
75-84	75	47	28	28	16	12	47	31	16
85 AND OVER	69	52	17	25	21	4	44	31	13
UNKNOWN	1	1	0	0	0	0	1	1	0

2012 POPULATION:

TOTAL	21,682
WHITE	12,234
NONWHITE	9,448

COUNTY: HANCOCK

SELECTED DEATH STATISTICS, RESIDENTS OF HANCOCK COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	407	372	35	9.0	9.3	6.7
HEART DISEASES	113	101	12	249.7	252.1	231.1
MALIGNANT NEOPLASMS	94	87	7	207.7	217.2	134.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	33	32	1	72.9	79.9	19.3
ACCIDENTS	19	19	0	42.0	47.4	0.0
CEREBROVASCULAR DISEASE	12	9	3	26.5	22.5	57.8
DIABETES MELLITUS	10	8	2	22.1	20.0	38.5
SUICIDE	10	9	1	22.1	22.5	19.3
ALZHEIMERS DISEASE	9	9	0	19.9	22.5	0.0
SEPTICEMIA	7	6	1	15.5	15.0	19.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	6	1	15.5	15.0	19.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	5	0	11.0	12.5	0.0
HOMICIDE	5	5	0	11.0	12.5	0.0
AORTIC ANEURYSM AND DISSECTION	4	3	1	8.8	7.5	19.3
PARKINSONS DISEASE	3	3	0	6.6	7.5	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	3	0	6.6	7.5	0.0
INFLUENZA AND PNEUMONIA	3	3	0	6.6	7.5	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	4.4	5.0	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	1	1	4.4	2.5	19.3
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	4.4	2.5	19.3
COMPLICATIONS MEDICAL/SURGICAL CARE	2	2	0	4.4	5.0	0.0
PEPTIC ULCER	1	1	0	2.2	2.5	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	2.2	2.4	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	2.2	2.5	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	4.4	2.5	19.3
ALL OTHER CAUSES	57	54	3	126.0	134.8	57.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	407	372	35	234	216	18	173	156	17
UNDER 1	4	4	0	2	2	0	2	2	0
(NEONATAL)	2	2	0	2	2	0	0	0	0
(POSTNEONATAL)	2	2	0	0	0	0	2	2	0
1-4	2	2	0	2	2	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	4	4	0	2	2	0	2	2	0
35-44	16	12	4	12	9	3	4	3	1
45-54	44	42	2	28	27	1	16	15	1
55-64	52	46	6	26	23	3	26	23	3
65-74	79	74	5	49	46	3	30	28	2
75-84	101	90	11	60	55	5	41	35	6
85 AND OVER	104	97	7	52	49	3	52	48	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	45,255
WHITE	40,063
NONWHITE	5,192

COUNTY: HARRISON

SELECTED DEATH STATISTICS, RESIDENTS OF HARRISON COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	1,858	1,490	368	9.6	10.9	6.4
HEART DISEASES	470	382	88	242.2	278.8	154.3
MALIGNANT NEOPLASMS	453	361	92	233.5	263.5	161.4
ACCIDENTS	111	89	22	57.2	65.0	38.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	95	86	9	49.0	62.8	15.8
CEREBROVASCULAR DISEASE	83	67	16	42.8	48.9	28.1
SEPTICEMIA	50	32	18	25.8	23.4	31.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	37	24	13	19.1	17.5	22.8
INFLUENZA AND PNEUMONIA	34	25	9	17.5	18.2	15.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	33	29	4	17.0	21.2	7.0
ALZHEIMERS DISEASE	30	27	3	15.5	19.7	5.3
SUICIDE	29	27	2	14.9	19.7	3.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	18	16	2	9.3	11.7	3.5
DIABETES MELLITUS	15	10	5	7.7	7.3	8.8
HOMICIDE	13	8	5	6.7	5.8	8.8
COMPLICATIONS MEDICAL/SURGICAL CARE	13	10	3	6.7	7.3	5.3
PARKINSONS DISEASE	12	11	1	6.2	8.0	1.8
AORTIC ANEURYSM AND DISSECTION	12	12	0	6.2	8.8	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	11	1	10	4.0	0.5	11.3
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	6	3	3	3.1	2.2	5.3
VIRAL HEPATITIS	4	3	1	2.1	2.2	1.8
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	4	3	1	2.1	2.2	1.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	4	0	2.1	2.9	0.0
HIV DISEASE	2	1	1	1.0	0.7	1.8
ANEMIAS	2	1	1	1.0	0.7	1.8
ATHEROSCLEROSIS	2	2	0	1.0	1.5	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	2	2	0	1.0	1.5	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	0.5	0.7	0.0
HERNIA	1	1	0	0.5	0.7	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	73	62	11	37.6	45.2	19.3
ALL OTHER CAUSES	238	190	48	122.7	138.7	84.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	1,858	1,490	368	963	769	194	895	721	174
UNDER 1	24	5	19	16	4	12	8	1	7
(NEONATAL)	12	3	9	7	2	5	5	1	4
(POSTNEONATAL)	12	2	10	9	2	7	3	0	3
1-4	3	1	2	2	1	1	1	0	1
5-9	3	1	2	3	1	2	0	0	0
10-14	2	2	0	1	1	0	1	1	0
15-24	18	10	8	14	9	5	4	1	3
25-34	43	28	15	28	18	10	15	10	5
35-44	64	39	25	39	24	15	25	15	10
45-54	181	138	43	97	69	28	84	69	15
55-64	310	237	73	188	144	44	122	93	29
65-74	352	283	69	202	171	31	150	112	38
75-84	464	396	68	240	206	34	224	190	34
85 AND OVER	393	349	44	133	121	12	260	228	32
UNKNOWN	1	1	0	0	0	0	1	1	0

2012 POPULATION:

TOTAL	194,029
WHITE	137,013
NONWHITE	57,016

COUNTY: HINDS

SELECTED DEATH STATISTICS, RESIDENTS OF HINDS COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	2,029	855	1,174	8.2	12.2	6.6
HEART DISEASES	493	210	283	198.3	299.1	158.6
MALIGNANT NEOPLASMS	405	163	242	162.9	232.2	135.6
CEREBROVASCULAR DISEASE	119	55	64	47.9	78.3	35.9
ACCIDENTS	86	37	49	34.6	52.7	27.5
DIABETES MELLITUS	81	16	65	32.6	22.8	36.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	67	46	21	26.9	65.5	11.8
HOMICIDE	60	4	56	24.1	5.7	31.4
ALZHEIMERS DISEASE	52	30	22	20.9	42.7	12.3
SEPTICEMIA	48	26	22	19.3	37.0	12.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	44	12	32	17.7	17.1	17.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	41	11	30	16.5	15.7	16.8
INFLUENZA AND PNEUMONIA	39	21	18	15.7	29.9	10.1
HIV DISEASE	26	0	26	10.4	0.0	14.6
SUICIDE	24	15	9	9.6	21.4	5.0
CONDITIONS ORIG IN PERINATAL PERIOD	17	1	16	5.1	1.3	6.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	16	6	10	6.4	8.5	5.6
PARKINSONS DISEASE	13	11	2	5.2	15.7	1.1
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	12	7	5	4.8	10.0	2.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	7	3	4	2.8	4.3	2.2
VIRAL HEPATITIS	6	5	1	2.4	7.1	0.6
AORTIC ANEURYSM AND DISSECTION	6	4	2	2.4	5.7	1.1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	6	2	4	2.4	2.8	2.2
ANEMIAS	5	1	4	2.0	1.4	2.2
ATHEROSCLEROSIS	3	2	1	1.2	2.8	0.6
MATERNAL CAUSES	3	1	2	89.7	134.4	76.9
COMPLICATIONS MEDICAL/SURGICAL CARE	3	1	2	1.2	1.4	1.1
TUBERCULOSIS	2	1	1	0.8	1.4	0.6
HERNIA	2	1	1	0.8	1.4	0.6
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	0.4	0.0	0.6
MENINGITIS	1	0	1	0.4	0.0	0.6
PEPTIC ULCER	1	0	1	0.4	0.0	0.6
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	0.4	1.4	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	32	14	18	12.9	19.9	10.1
ALL OTHER CAUSES	307	148	159	123.5	210.8	89.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	2,029	855	1,174	1,077	443	634	952	412	540
UNDER 1	34	4	30	18	2	16	16	2	14
(NEONATAL)	25	3	22	13	1	12	12	2	10
(POSTNEONATAL)	9	1	8	5	1	4	4	0	4
1-4	5	1	4	2	0	2	3	1	2
5-9	1	0	1	0	0	0	1	0	1
10-14	4	1	3	2	0	2	2	1	1
15-24	30	5	25	26	3	23	4	2	2
25-34	64	8	56	43	6	37	21	2	19
35-44	88	25	63	55	14	41	33	11	22
45-54	201	51	150	138	28	110	63	23	40
55-64	315	106	209	185	75	110	130	31	99
65-74	369	150	219	216	85	131	153	65	88
75-84	450	254	196	227	137	90	223	117	106
85 AND OVER	464	250	214	162	93	69	302	157	145
UNKNOWN	4	0	4	3	0	3	1	0	1

2012 POPULATION:

TOTAL	248,643
WHITE	70,212
NONWHITE	178,431

COUNTY: HOLMES

SELECTED DEATH STATISTICS, RESIDENTS OF HOLMES COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	219	59	160	11.6	19.4	10.2
MALIGNANT NEOPLASMS	54	13	41	287.3	427.2	260.3
HEART DISEASES	49	14	35	260.7	460.1	222.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	19	7	12	101.1	230.0	76.2
ACCIDENTS	14	2	12	74.5	65.7	76.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	9	5	4	47.9	164.3	25.4
DIABETES MELLITUS	8	2	6	42.6	65.7	38.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	0	6	31.9	0.0	38.1
CEREBROVASCULAR DISEASE	5	2	3	26.6	65.7	19.0
HOMICIDE	5	1	4	26.6	32.9	25.4
SEPTICEMIA	4	0	4	21.3	0.0	25.4
ALZHEIMERS DISEASE	3	1	2	16.0	32.9	12.7
INFLUENZA AND PNEUMONIA	3	2	1	16.0	65.7	6.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	1	2	16.0	32.9	12.7
VIRAL HEPATITIS	2	1	1	10.6	32.9	6.3
HIV DISEASE	2	0	2	10.6	0.0	12.7
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	5.3	0.0	6.3
ANEMIAS	1	0	1	5.3	0.0	6.3
AORTIC ANEURYSM AND DISSECTION	1	0	1	5.3	0.0	6.3
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	5.3	0.0	6.3
HERNIA	1	0	1	5.3	0.0	6.3
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	3.7	0.0	4.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	5.3	0.0	6.3
SUICIDE	1	0	1	5.3	0.0	6.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	7	1	6	37.2	32.9	38.1
ALL OTHER CAUSES	18	7	11	95.8	230.0	69.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	219	59	160	116	31	85	103	28	75
UNDER 1	3	0	3	0	0	0	3	0	3
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	2	0	2	0	0	0	2	0	2
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	2	0	2	2	0	2	0	0	0
15-24	3	0	3	2	0	2	1	0	1
25-34	7	1	6	6	0	6	1	1	0
35-44	6	0	6	4	0	4	2	0	2
45-54	25	6	19	17	4	13	8	2	6
55-64	36	7	29	21	5	16	15	2	13
65-74	46	16	30	30	12	18	16	4	12
75-84	42	10	32	19	5	14	23	5	18
85 AND OVER	48	19	29	14	5	9	34	14	20
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	18,796
WHITE	3,043
NONWHITE	15,753

COUNTY: HUMPHREYS

SELECTED DEATH STATISTICS, RESIDENTS OF HUMPHREYS COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	103	30	73	11.2	13.7	10.4
HEART DISEASES	30	8	22	326.5	364.6	314.5
MALIGNANT NEOPLASMS	19	7	12	206.8	319.0	171.6
SEPTICEMIA	6	2	4	65.3	91.2	57.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	5	3	2	54.4	136.7	28.6
CONDITIONS ORIG IN PERINATAL PERIOD	4	0	4	30.5	0.0	35.4
ACCIDENTS	4	0	4	43.5	0.0	57.2
ALZHEIMERS DISEASE	3	1	2	32.6	45.6	28.6
CEREBROVASCULAR DISEASE	3	2	1	32.6	91.2	14.3
INFLUENZA AND PNEUMONIA	3	1	2	32.6	45.6	28.6
HIV DISEASE	2	0	2	21.8	0.0	28.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	1	1	21.8	45.6	14.3
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	0	2	21.8	0.0	28.6
VIRAL HEPATITIS	1	0	1	10.9	0.0	14.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	10.9	0.0	14.3
AORTIC ANEURYSM AND DISSECTION	1	0	1	10.9	0.0	14.3
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	10.9	0.0	14.3
LEGAL INTERVENTION	1	0	1	10.9	0.0	14.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	15	5	10	163.2	227.9	143.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	103	30	73	45	16	29	58	14	44
UNDER 1	5	0	5	2	0	2	3	0	3
(NEONATAL)	4	0	4	2	0	2	2	0	2
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	1	0	1	0	0	0	1	0	1
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	1	0	1	1	0	1
25-34	0	0	0	0	0	0	0	0	0
35-44	4	0	4	1	0	1	3	0	3
45-54	6	2	4	4	1	3	2	1	1
55-64	19	3	16	10	3	7	9	0	9
65-74	17	6	11	6	3	3	11	3	8
75-84	23	7	16	13	3	10	10	4	6
85 AND OVER	25	12	13	8	6	2	17	6	11
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	9,189
WHITE	2,194
NONWHITE	6,995

COUNTY: ISSAQUENA

SELECTED DEATH STATISTICS, RESIDENTS OF ISSAQUENA COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	12	5	7	8.6	10.4	7.7
MALIGNANT NEOPLASMS	2	0	2	144.3	0.0	220.8
ACCIDENTS	2	1	1	144.3	208.3	110.4
HEART DISEASES	1	0	1	72.2	0.0	110.4
AORTIC ANEURYSM AND DISSECTION	1	1	0	72.2	208.3	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	72.2	0.0	110.4
SUICIDE	1	1	0	72.2	208.3	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	72.2	0.0	110.4
ALL OTHER CAUSES	3	2	1	216.4	416.7	110.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	12	5	7	6	4	2	6	1	5
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	1	1	0	0	0	0	1	1	0
45-54	0	0	0	0	0	0	0	0	0
55-64	4	0	4	1	0	1	3	0	3
65-74	3	3	0	3	3	0	0	0	0
75-84	0	0	0	0	0	0	0	0	0
85 AND OVER	3	1	2	1	1	0	2	0	2
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	1,386
WHITE	480
NONWHITE	906

COUNTY: ITAWAMBA

SELECTED DEATH STATISTICS, RESIDENTS OF ITAWAMBA COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	244	232	12	10.4	10.7	6.8
HEART DISEASES	56	53	3	239.9	245.6	170.7
MALIGNANT NEOPLASMS	49	46	3	209.9	213.1	170.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	23	22	1	98.5	101.9	56.9
CEREBROVASCULAR DISEASE	20	18	2	85.7	83.4	113.8
ACCIDENTS	16	15	1	68.6	69.5	56.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	10	10	0	42.8	46.3	0.0
DIABETES MELLITUS	8	8	0	34.3	37.1	0.0
ALZHEIMERS DISEASE	6	6	0	25.7	27.8	0.0
INFLUENZA AND PNEUMONIA	3	2	1	12.8	9.3	56.9
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	3	0	12.8	13.9	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	12.8	13.9	0.0
SUICIDE	3	3	0	12.8	13.9	0.0
SEPTICEMIA	2	2	0	8.6	9.3	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	2	0	8.6	9.3	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	4.3	4.6	0.0
HERNIA	1	1	0	4.3	4.6	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	4.3	4.6	0.0
HOMICIDE	1	1	0	4.3	4.6	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	4.3	4.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	5	0	21.4	23.2	0.0
ALL OTHER CAUSES	30	29	1	128.5	134.4	56.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	244	232	12	119	116	3	125	116	9
UNDER 1	2	2	0	2	2	0	0	0	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	0	0	0	2	2	0
25-34	5	5	0	1	1	0	4	4	0
35-44	13	10	3	11	10	1	2	0	2
45-54	16	16	0	8	8	0	8	8	0
55-64	25	24	1	16	16	0	9	8	1
65-74	45	40	5	26	25	1	19	15	4
75-84	70	69	1	38	38	0	32	31	1
85 AND OVER	66	64	2	17	16	1	49	48	1
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	23,340
WHITE	21,583
NONWHITE	1,757

COUNTY: JACKSON

SELECTED DEATH STATISTICS, RESIDENTS OF JACKSON COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	1,271	1,035	236	9.0	10.0	6.4
HEART DISEASES	295	239	56	210.3	231.7	150.7
MALIGNANT NEOPLASMS	275	220	55	196.0	213.3	148.0
ACCIDENTS	88	69	19	62.7	66.9	51.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	84	78	6	59.9	75.6	16.2
CEREBROVASCULAR DISEASE	61	48	13	43.5	46.5	35.0
ALZHEIMERS DISEASE	45	37	8	32.1	35.9	21.5
SEPTICEMIA	30	23	7	21.4	22.3	18.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	25	15	10	17.8	14.5	26.9
SUICIDE	25	22	3	17.8	21.3	8.1
DIABETES MELLITUS	24	17	7	17.1	16.5	18.8
INFLUENZA AND PNEUMONIA	23	22	1	16.4	21.3	2.7
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	19	14	5	13.5	13.6	13.4
CHRONIC LIVER DISEASE AND CIRRHOSIS IN SITU, BENIGN & UNSPECIFIED	18	15	3	12.8	14.5	8.1
NEOPLASMS	9	8	1	6.4	7.8	2.7
COMPLICATIONS MEDICAL/SURGICAL CARE	8	6	2	5.7	5.8	5.4
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	7	5	2	5.0	4.8	5.4
PARKINSONS DISEASE	6	4	2	4.3	3.9	5.4
HOMICIDE	5	4	1	3.6	3.9	2.7
ANEMIAS	4	3	1	2.8	2.9	2.7
AORTIC ANEURYSM AND DISSECTION	4	2	2	2.8	1.9	5.4
HIV DISEASE	3	1	2	2.1	1.0	5.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	3	0	2.1	2.9	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	3	3	0	2.0	2.7	0.0
VIRAL HEPATITIS	2	2	0	1.4	1.9	0.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	2	2	0	1.4	1.9	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	0.7	1.0	0.0
HERNIA	1	1	0	0.7	1.0	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	0.7	1.0	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	13	12	1	9.3	11.6	2.7
ALL OTHER CAUSES	187	158	29	133.3	153.2	78.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	1,271	1,035	236	638	509	129	633	526	107
UNDER 1	16	11	5	6	5	1	10	6	4
(NEONATAL)	4	4	0	1	1	0	3	3	0
(POSTNEONATAL)	12	7	5	5	4	1	7	3	4
1-4	4	2	2	3	2	1	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	2	2	0	0	0	0	2	2	0
15-24	19	15	4	15	11	4	4	4	0
25-34	26	19	7	17	13	4	9	6	3
35-44	47	38	9	30	23	7	17	15	2
45-54	96	66	30	53	33	20	43	33	10
55-64	209	156	53	120	92	28	89	64	25
65-74	250	202	48	149	119	30	101	83	18
75-84	339	291	48	154	132	22	185	159	26
85 AND OVER	263	233	30	91	79	12	172	154	18
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	140,298
WHITE	103,149
NONWHITE	37,149

COUNTY: JASPER

SELECTED DEATH STATISTICS, RESIDENTS OF JASPER COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	230	133	97	13.9	17.3	11.0
HEART DISEASES	63	37	26	381.3	481.0	294.4
MALIGNANT NEOPLASMS	48	30	18	290.5	390.0	203.8
ACCIDENTS	21	9	12	127.1	117.0	135.9
CEREBROVASCULAR DISEASE	14	8	6	84.7	104.0	68.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	14	10	4	84.7	130.0	45.3
DIABETES MELLITUS	7	4	3	42.4	52.0	34.0
INFLUENZA AND PNEUMONIA	7	3	4	42.4	39.0	45.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	2	5	42.4	26.0	56.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	3	2	30.3	39.0	22.6
SEPTICEMIA	4	2	2	24.2	26.0	22.6
HOMICIDE	4	1	3	24.2	13.0	34.0
PARKINSONS DISEASE	2	2	0	12.1	26.0	0.0
ALZHEIMERS DISEASE	2	2	0	12.1	26.0	0.0
SUICIDE	2	2	0	12.1	26.0	0.0
VIRAL HEPATITIS	1	1	0	6.0	13.0	0.0
ANEMIAS	1	0	1	6.0	0.0	11.3
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	6.0	13.0	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	3	1	24.2	39.0	11.3
ALL OTHER CAUSES	23	13	10	139.2	169.0	113.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	230	133	97	127	68	59	103	65	38
UNDER 1	1	1	0	1	1	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	2	1	1	0	0	0
15-24	3	0	3	2	0	2	1	0	1
25-34	6	4	2	5	3	2	1	1	0
35-44	10	4	6	7	2	5	3	2	1
45-54	15	4	11	9	3	6	6	1	5
55-64	39	23	16	22	14	8	17	9	8
65-74	51	28	23	34	19	15	17	9	8
75-84	49	34	15	26	16	10	23	18	5
85 AND OVER	52	34	18	18	9	9	34	25	9
UNKNOWN	1	0	1	1	0	1	0	0	0

2012 POPULATION:

TOTAL	16,523
WHITE	7,693
NONWHITE	8,830

COUNTY: JEFFERSON

SELECTED DEATH STATISTICS, RESIDENTS OF JEFFERSON COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	85	15	70	11.1	14.2	10.6
HEART DISEASES	27	5	22	353.5	472.6	334.3
MALIGNANT NEOPLASMS	22	3	19	288.0	283.6	288.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	2	4	78.6	189.0	60.8
ACCIDENTS	4	0	4	52.4	0.0	60.8
DIABETES MELLITUS	3	0	3	39.3	0.0	45.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	1	2	39.3	94.5	30.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	2	1	39.3	189.0	15.2
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	23.1	0.0	24.8
ALZHEIMERS DISEASE	2	0	2	26.2	0.0	30.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	26.2	94.5	15.2
ANEMIAS	1	0	1	13.1	0.0	15.2
CEREBROVASCULAR DISEASE	1	0	1	13.1	0.0	15.2
INFLUENZA AND PNEUMONIA	1	0	1	13.1	0.0	15.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	13.1	0.0	15.2
SUICIDE	1	1	0	13.1	94.5	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	5	0	5	65.5	0.0	76.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	85	15	70	41	7	34	44	8	36
UNDER 1	4	0	4	3	0	3	1	0	1
(NEONATAL)	3	0	3	3	0	3	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	1	0	1	0	0	0	1	0	1
25-34	0	0	0	0	0	0	0	0	0
35-44	4	0	4	2	0	2	2	0	2
45-54	10	2	8	5	1	4	5	1	4
55-64	15	1	14	11	1	10	4	0	4
65-74	15	3	12	8	2	6	7	1	6
75-84	16	4	12	5	2	3	11	2	9
85 AND OVER	18	5	13	6	1	5	12	4	8
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	7,638
WHITE	1,058
NONWHITE	6,580

COUNTY: JEFF DAVIS

SELECTED DEATH STATISTICS, RESIDENTS OF JEFF DAVIS COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	156	82	74	13.0	17.4	10.1
HEART DISEASES	36	19	17	299.2	403.1	232.3
MALIGNANT NEOPLASMS	33	20	13	274.3	424.4	177.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	15	15	0	124.7	318.3	0.0
CEREBROVASCULAR DISEASE	8	4	4	66.5	84.9	54.6
ACCIDENTS	8	5	3	66.5	106.1	41.0
DIABETES MELLITUS	7	1	6	58.2	21.2	82.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	7	1	6	58.2	21.2	82.0
ALZHEIMERS DISEASE	6	3	3	49.9	63.6	41.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	1	4	41.6	21.2	54.6
INFLUENZA AND PNEUMONIA	4	2	2	33.2	42.4	27.3
HOMICIDE	4	3	1	33.2	63.6	13.7
ANEMIAS	1	0	1	8.3	0.0	13.7
PARKINSONS DISEASE	1	1	0	8.3	21.2	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	8.3	21.2	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	8.3	0.0	13.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	19	6	13	157.9	127.3	177.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	156	82	74	70	35	35	86	47	39
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	0	2	2	0	2	0	0	0
15-24	2	1	1	1	1	0	1	0	1
25-34	3	2	1	2	1	1	1	1	0
35-44	6	2	4	4	2	2	2	0	2
45-54	9	6	3	5	3	2	4	3	1
55-64	17	8	9	9	4	5	8	4	4
65-74	28	14	14	11	4	7	17	10	7
75-84	54	27	27	25	13	12	29	14	15
85 AND OVER	35	22	13	11	7	4	24	15	9
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	12,032
WHITE	4,713
NONWHITE	7,319

COUNTY: JONES

SELECTED DEATH STATISTICS, RESIDENTS OF JONES COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	689	510	179	10.0	10.7	8.4
HEART DISEASES	172	123	49	250.6	259.1	231.4
MALIGNANT NEOPLASMS	138	105	33	201.0	221.2	155.8
ACCIDENTS	43	35	8	62.6	73.7	37.8
CEREBROVASCULAR DISEASE	35	28	7	51.0	59.0	33.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	33	31	2	48.1	65.3	9.4
INFLUENZA AND PNEUMONIA	24	17	7	35.0	35.8	33.0
SEPTICEMIA	19	13	6	27.7	27.4	28.3
DIABETES MELLITUS	19	11	8	27.7	23.2	37.8
ALZHEIMERS DISEASE	18	17	1	26.2	35.8	4.7
SUICIDE	13	10	3	18.9	21.1	14.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	10	8	2	14.6	16.8	9.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	9	5	4	13.1	10.5	18.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	9	4	5	13.1	8.4	23.6
HOMICIDE	6	4	2	8.7	8.4	9.4
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	5	3	2	7.3	6.3	9.4
COMPLICATIONS MEDICAL/SURGICAL CARE	5	2	3	7.3	4.2	14.2
PARKINSONS DISEASE	4	4	0	5.8	8.4	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	3	1	5.8	6.3	4.7
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	3.0	0.0	8.5
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	2	0	2.9	4.2	0.0
VIRAL HEPATITIS	1	0	1	1.4	0.0	4.7
HIV DISEASE	1	0	1	1.4	0.0	4.7
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	1.4	0.0	4.7
AORTIC ANEURYSM AND DISSECTION	1	1	0	1.4	2.1	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	1.4	0.0	4.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	27	22	5	39.3	46.4	23.6
ALL OTHER CAUSES	86	62	24	125.3	130.6	113.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	689	510	179	347	249	98	342	261	81
UNDER 1	8	5	3	5	4	1	3	1	2
(NEONATAL)	4	1	3	2	1	1	2	0	2
(POSTNEONATAL)	4	4	0	3	3	0	1	1	0
1-4	2	1	1	0	0	0	2	1	1
5-9	2	1	1	0	0	0	2	1	1
10-14	1	1	0	1	1	0	0	0	0
15-24	7	5	2	5	4	1	2	1	1
25-34	18	9	9	12	6	6	6	3	3
35-44	34	22	12	17	10	7	17	12	5
45-54	42	35	7	20	16	4	22	19	3
55-64	101	65	36	71	43	28	30	22	8
65-74	138	100	38	82	60	22	56	40	16
75-84	162	133	29	83	68	15	79	65	14
85 AND OVER	172	132	40	49	36	13	123	96	27
UNKNOWN	2	1	1	2	1	1	0	0	0

2012 POPULATION:

TOTAL	68,641
WHITE	47,463
NONWHITE	21,178

COUNTY: KEMPER

SELECTED DEATH STATISTICS, RESIDENTS OF KEMPER COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	100	49	51	9.7	13.5	7.6
HEART DISEASES	29	13	16	280.6	358.0	238.7
MALIGNANT NEOPLASMS	19	8	11	183.8	220.3	164.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	10	10	0	96.8	275.4	0.0
CEREBROVASCULAR DISEASE	6	3	3	58.0	82.6	44.7
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	0	5	48.4	0.0	74.6
ACCIDENTS	4	3	1	38.7	82.6	14.9
SUICIDE	4	3	1	38.7	82.6	14.9
INFLUENZA AND PNEUMONIA	3	2	1	29.0	55.1	14.9
DIABETES MELLITUS	2	0	2	19.4	0.0	29.8
ALZHEIMERS DISEASE	2	2	0	19.4	55.1	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	19.4	27.5	14.9
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	9.7	0.0	14.9
PARKINSONS DISEASE	1	0	1	9.7	0.0	14.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	9.7	0.0	14.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	9.7	27.5	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	9.7	0.0	14.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	9	3	6	87.1	82.6	89.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	100	49	51	43	23	20	57	26	31
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	2	1	1	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	8	2	6	4	2	2	4	0	4
55-64	14	5	9	5	0	5	9	5	4
65-74	19	9	10	9	5	4	10	4	6
75-84	16	10	6	10	6	4	6	4	2
85 AND OVER	38	22	16	11	9	2	27	13	14
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	10,335
WHITE	3,631
NONWHITE	6,704

COUNTY: LAFAYETTE

SELECTED DEATH STATISTICS, RESIDENTS OF LAFAYETTE COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	393	297	96	7.9	8.3	6.9
HEART DISEASES	79	61	18	159.6	171.0	130.3
MALIGNANT NEOPLASMS	76	52	24	153.6	145.7	173.7
CEREBROVASCULAR DISEASE	36	26	10	72.7	72.9	72.4
ALZHEIMERS DISEASE	35	26	9	70.7	72.9	65.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	27	23	4	54.6	64.5	29.0
ACCIDENTS	18	14	4	36.4	39.2	29.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	11	6	5	22.2	16.8	36.2
DIABETES MELLITUS	8	5	3	16.2	14.0	21.7
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	7	5	2	14.1	14.0	14.5
SEPTICEMIA	6	5	1	12.1	14.0	7.2
INFLUENZA AND PNEUMONIA	5	4	1	10.1	11.2	7.2
SUICIDE	4	3	1	8.1	8.4	7.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	6.1	8.4	0.0
HIV DISEASE	2	0	2	4.0	0.0	14.5
PARKINSONS DISEASE	2	2	0	4.0	5.6	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	2	0	4.0	5.6	0.0
AORTIC ANEURYSM AND DISSECTION	2	2	0	4.0	5.6	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	2	2	0	3.4	5.1	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	2.0	2.8	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	2.0	2.8	0.0
HOMICIDE	1	1	0	2.0	2.8	0.0

--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	3	0	6.1	8.4	0.0
ALL OTHER CAUSES	62	50	12	125.3	140.1	86.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	393	297	96	223	168	55	170	129	41
UNDER 1	2	2	0	0	0	0	2	2	0
(NEONATAL)	2	2	0	0	0	0	2	2	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	1	1	0	1	1	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	8	6	2	5	4	1	3	2	1
25-34	10	6	4	7	4	3	3	2	1
35-44	7	4	3	3	0	3	4	4	0
45-54	24	13	11	15	8	7	9	5	4
55-64	44	26	18	29	15	14	15	11	4
65-74	63	48	15	34	28	6	29	20	9
75-84	102	84	18	57	49	8	45	35	10
85 AND OVER	130	106	24	71	58	13	59	48	11
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	49,495
WHITE	35,680
NONWHITE	13,815

COUNTY: LAMAR

SELECTED DEATH STATISTICS, RESIDENTS OF LAMAR COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	400	351	49	6.9	7.9	3.7
HEART DISEASES	106	93	13	183.4	208.5	98.6
MALIGNANT NEOPLASMS	84	76	8	145.4	170.4	60.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	27	26	1	46.7	58.3	7.6
ACCIDENTS	27	26	1	46.7	58.3	7.6
CEREBROVASCULAR DISEASE	23	16	7	39.8	35.9	53.1
DIABETES MELLITUS	11	9	2	19.0	20.2	15.2
ALZHEIMERS DISEASE	11	10	1	19.0	22.4	7.6
SEPTICEMIA	8	6	2	13.8	13.4	15.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	7	0	12.1	15.7	0.0
INFLUENZA AND PNEUMONIA	6	4	2	10.4	9.0	15.2
SUICIDE	6	5	1	10.4	11.2	7.6
PARKINSONS DISEASE	5	5	0	8.6	11.2	0.0
HOMICIDE	5	3	2	8.6	6.7	15.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	4	0	6.9	9.0	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	4	2	2	4.8	3.3	8.5
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	3	0	5.2	6.7	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	2	0	3.5	4.5	0.0
AORTIC ANEURYSM AND DISSECTION	2	2	0	3.5	4.5	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	2	0	3.5	4.5	0.0
VIRAL HEPATITIS	1	1	0	1.7	2.2	0.0
HIV DISEASE	1	0	1	1.7	0.0	7.6
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	1.7	2.2	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	1.7	2.2	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	4	0	6.9	9.0	0.0
ALL OTHER CAUSES	49	43	6	84.8	96.4	45.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	400	351	49	209	180	29	191	171	20
UNDER 1	7	4	3	5	4	1	2	0	2
(NEONATAL)	5	3	2	4	3	1	1	0	1
(POSTNEONATAL)	2	1	1	1	1	0	1	0	1
1-4	2	1	1	1	0	1	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	3	1	2	2	1	1	1	0	1
25-34	13	10	3	10	8	2	3	2	1
35-44	11	8	3	5	4	1	6	4	2
45-54	37	33	4	28	25	3	9	8	1
55-64	57	49	8	27	21	6	30	28	2
65-74	73	63	10	47	40	7	26	23	3
75-84	108	100	8	55	50	5	53	50	3
85 AND OVER	87	80	7	27	25	2	60	55	5
UNKNOWN	1	1	0	1	1	0	0	0	0

2012 POPULATION:

TOTAL	57,786
WHITE	44,601
NONWHITE	13,185

COUNTY: LAUDERDALE

SELECTED DEATH STATISTICS, RESIDENTS OF LAUDERDALE COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	851	549	302	10.6	12.4	8.4
HEART DISEASES	240	157	83	299.2	356.1	229.7
MALIGNANT NEOPLASMS	160	104	56	199.4	235.9	155.0
CEREBROVASCULAR DISEASE	41	24	17	51.1	54.4	47.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	37	28	9	46.1	63.5	24.9
ACCIDENTS	37	24	13	46.1	54.4	36.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	30	12	18	37.4	27.2	49.8
ALZHEIMERS DISEASE	28	23	5	34.9	52.2	13.8
INFLUENZA AND PNEUMONIA	20	13	7	24.9	29.5	19.4
SEPTICEMIA	16	8	8	19.9	18.1	22.1
HOMICIDE	15	3	12	18.7	6.8	33.2
DIABETES MELLITUS	12	7	5	15.0	15.9	13.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	8	5	3	10.0	11.3	8.3
PARKINSONS DISEASE	6	5	1	7.5	11.3	2.8
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	5	3	2	6.2	6.8	5.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	3	2	6.2	6.8	5.5
SUICIDE	5	3	2	6.2	6.8	5.5
ANEMIAS	4	1	3	5.0	2.3	8.3
HIV DISEASE	3	1	2	3.7	2.3	5.5
CONDITIONS ORIG IN PERINATAL PERIOD	3	1	2	2.9	1.9	3.9
VIRAL HEPATITIS	2	1	1	2.5	2.3	2.8
PNEUMOCONIOSES & CHEMICAL EFFECTS	2	1	1	2.5	2.3	2.8
COMPLICATIONS MEDICAL/SURGICAL CARE	2	0	2	2.5	0.0	5.5
MENINGITIS	1	1	0	1.2	2.3	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	1.2	0.0	2.8
DISEASES OF APPENDIX	1	0	1	1.2	0.0	2.8
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	1.2	0.0	2.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	71	53	18	88.5	120.2	49.8
ALL OTHER CAUSES	95	68	27	118.4	154.2	74.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	851	549	302	427	267	160	424	282	142
UNDER 1	9	3	6	3	1	2	6	2	4
(NEONATAL)	4	1	3	2	0	2	2	1	1
(POSTNEONATAL)	5	2	3	1	1	0	4	1	3
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	2	1	1	1	0	1	1	1	0
15-24	20	11	9	18	9	9	2	2	0
25-34	15	3	12	11	3	8	4	0	4
35-44	30	13	17	13	5	8	17	8	9
45-54	63	32	31	38	20	18	25	12	13
55-64	136	73	63	84	44	40	52	29	23
65-74	147	103	44	81	57	24	66	46	20
75-84	205	145	60	101	73	28	104	72	32
85 AND OVER	221	163	58	76	54	22	145	109	36
UNKNOWN	2	2	0	1	1	0	1	1	0

2012 POPULATION:

TOTAL	80,220
WHITE	44,086
NONWHITE	36,134

COUNTY: LAWRENCE

SELECTED DEATH STATISTICS, RESIDENTS OF LAWRENCE COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	153	113	40	12.2	13.3	9.8
HEART DISEASES	56	43	13	446.2	506.4	320.2
MALIGNANT NEOPLASMS	28	16	12	223.1	188.4	295.6
CEREBROVASCULAR DISEASE	9	7	2	71.7	82.4	49.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	8	0	63.7	94.2	0.0
ACCIDENTS	8	6	2	63.7	70.7	49.3
DIABETES MELLITUS	5	3	2	39.8	35.3	49.3
ALZHEIMERS DISEASE	3	2	1	23.9	23.6	24.6
SEPTICEMIA	2	1	1	15.9	11.8	24.6
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	15.9	23.6	0.0
INFLUENZA AND PNEUMONIA	2	2	0	15.9	23.6	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	15.9	23.6	0.0
SUICIDE	2	2	0	15.9	23.6	0.0
PARKINSONS DISEASE	1	1	0	8.0	11.8	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	8.0	11.8	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	8.0	11.8	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	1	0	1	8.0	0.0	24.6
MATERNAL CAUSES	1	1	0	709.2	1075.3	0.0
HOMICIDE	1	1	0	8.0	11.8	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	23.9	11.8	49.3
ALL OTHER CAUSES	17	13	4	135.4	153.1	98.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	153	113	40	71	50	21	82	63	19
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	2	2	0	0	0	0
25-34	1	1	0	0	0	0	1	1	0
35-44	5	3	2	3	2	1	2	1	1
45-54	11	8	3	7	4	3	4	4	0
55-64	15	9	6	9	3	6	6	6	0
65-74	34	25	9	16	13	3	18	12	6
75-84	43	33	10	18	14	4	25	19	6
85 AND OVER	42	32	10	16	12	4	26	20	6
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	12,551
WHITE	8,491
NONWHITE	4,060

COUNTY: LEAKE

SELECTED DEATH STATISTICS, RESIDENTS OF LEAKE COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	230	137	93	9.9	11.5	8.1
MALIGNANT NEOPLASMS	64	32	32	274.7	269.8	279.8
HEART DISEASES	60	40	20	257.5	337.2	174.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	18	14	4	77.3	118.0	35.0
ACCIDENTS	13	6	7	55.8	50.6	61.2
ALZHEIMERS DISEASE	9	6	3	38.6	50.6	26.2
CEREBROVASCULAR DISEASE	9	6	3	38.6	50.6	26.2
DIABETES MELLITUS	8	2	6	34.3	16.9	52.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	3	4	30.0	25.3	35.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	6	2	4	25.8	16.9	35.0
SEPTICEMIA	5	3	2	21.5	25.3	17.5
INFLUENZA AND PNEUMONIA	4	2	2	17.2	16.9	17.5
SUICIDE	3	3	0	12.9	25.3	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	8.6	8.4	8.7
PARKINSONS DISEASE	1	1	0	4.3	8.4	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	4.3	8.4	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	4.3	0.0	8.7
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	3.5	6.9	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	4.3	8.4	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	4	1	21.5	33.7	8.7
ALL OTHER CAUSES	12	9	3	51.5	75.9	26.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	230	137	93	116	66	50	114	71	43
UNDER 1	4	2	2	1	0	1	3	2	1
(NEONATAL)	3	2	1	0	0	0	3	2	1
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	3	2	4	2	2	1	1	0
25-34	3	2	1	3	2	1	0	0	0
35-44	9	2	7	5	1	4	4	1	3
45-54	20	10	10	11	6	5	9	4	5
55-64	38	16	22	19	11	8	19	5	14
65-74	41	23	18	28	14	14	13	9	4
75-84	65	44	21	37	24	13	28	20	8
85 AND OVER	45	35	10	8	6	2	37	29	8
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	23,297
WHITE	11,862
NONWHITE	11,435

COUNTY: LEE

SELECTED DEATH STATISTICS, RESIDENTS OF LEE COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	873	684	189	10.3	11.6	7.3
MALIGNANT NEOPLASMS	206	163	43	242.2	275.2	166.5
HEART DISEASES	181	148	33	212.8	249.9	127.8
ACCIDENTS	57	47	10	67.0	79.4	38.7
CEREBROVASCULAR DISEASE	49	33	16	57.6	55.7	62.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	48	42	6	56.4	70.9	23.2
SEPTICEMIA	25	16	9	29.4	27.0	34.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	22	14	8	25.9	23.6	31.0
DIABETES MELLITUS	19	8	11	22.3	13.5	42.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	19	14	5	22.3	23.6	19.4
ALZHEIMERS DISEASE	18	13	5	21.2	22.0	19.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	17	13	4	20.0	22.0	15.5
INFLUENZA AND PNEUMONIA	7	7	0	8.2	11.8	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	7	7	0	8.2	11.8	0.0
SUICIDE	6	5	1	7.0	8.4	3.9
PARKINSONS DISEASE	5	5	0	5.9	8.4	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	5	3	2	4.4	4.1	4.8
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	5	2	3	5.9	3.4	11.6
COMPLICATIONS MEDICAL/SURGICAL CARE IN SITU, BENIGN & UNSPECIFIED	5	3	2	5.9	5.1	7.7
NEOPLASMS	4	4	0	4.7	6.8	0.0
HIV DISEASE	3	1	2	3.5	1.7	7.7
ANEMIAS	3	3	0	3.5	5.1	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	3	2	1	3.5	3.4	3.9
HOMICIDE	3	1	2	3.5	1.7	7.7
AORTIC ANEURYSM AND DISSECTION	2	1	1	2.4	1.7	3.9
LEGAL INTERVENTION	2	2	0	2.4	3.4	0.0
VIRAL HEPATITIS	1	1	0	1.2	1.7	0.0
MENINGITIS	1	0	1	1.2	0.0	3.9
MATERNAL CAUSES	1	0	1	87.9	0.0	242.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	11	10	1	12.9	16.9	3.9
ALL OTHER CAUSES	138	116	22	162.3	195.9	85.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	873	684	189	439	350	89	434	334	100
UNDER 1	11	5	6	7	4	3	4	1	3
(NEONATAL)	7	4	3	4	3	1	3	1	2
(POSTNEONATAL)	4	1	3	3	1	2	1	0	1
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	1	0	1	1	1	0
15-24	10	7	3	7	5	2	3	2	1
25-34	19	17	2	8	8	0	11	9	2
35-44	29	20	9	20	16	4	9	4	5
45-54	68	44	24	38	28	10	30	16	14
55-64	112	80	32	76	55	21	36	25	11
65-74	161	128	33	98	81	17	63	47	16
75-84	219	176	43	105	83	22	114	93	21
85 AND OVER	237	204	33	74	68	6	163	136	27
UNKNOWN	4	1	3	4	1	3	0	0	0

2012 POPULATION:

TOTAL 85,042
 WHITE 59,222
 NONWHITE 25,820

COUNTY: LEFLORE

SELECTED DEATH STATISTICS, RESIDENTS OF LEFLORE COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	362	148	214	11.7	18.6	9.3
HEART DISEASES	106	48	58	342.5	603.2	252.3
MALIGNANT NEOPLASMS	80	22	58	258.5	276.5	252.3
CEREBROVASCULAR DISEASE	26	14	12	84.0	175.9	52.2
DIABETES MELLITUS	22	3	19	71.1	37.7	82.6
ACCIDENTS	22	11	11	71.1	138.2	47.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	21	12	9	67.8	150.8	39.1
ALZHEIMERS DISEASE	7	7	0	22.6	88.0	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	2	4	19.4	25.1	17.4
SEPTICEMIA	5	2	3	16.2	25.1	13.0
HIV DISEASE	3	0	3	9.7	0.0	13.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	1	2	9.7	12.6	8.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	2	1	9.7	25.1	4.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	2	1	9.7	25.1	4.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	2	1	9.7	25.1	4.4
INFLUENZA AND PNEUMONIA	2	2	0	6.5	25.1	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	4.3	0.0	5.8
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	6.5	12.6	4.4
HOMICIDE	2	0	2	6.5	0.0	8.7
TUBERCULOSIS	1	0	1	3.2	0.0	4.4
VIRAL HEPATITIS	1	0	1	3.2	0.0	4.4
MENINGITIS	1	0	1	3.2	0.0	4.4
AORTIC ANEURYSM AND DISSECTION	1	1	0	3.2	12.6	0.0
DISEASES OF APPENDIX	1	1	0	3.2	12.6	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	3.2	12.6	0.0
SUICIDE	1	1	0	3.2	12.6	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	3.2	0.0	4.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	36	13	23	116.3	163.4	100.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	362	148	214	183	76	107	179	72	107
UNDER 1	3	0	3	1	0	1	2	0	2
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	2	0	2	0	0	0	2	0	2
1-4	2	0	2	2	0	2	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	9	0	9	5	0	5	4	0	4
35-44	12	3	9	9	3	6	3	0	3
45-54	21	3	18	12	2	10	9	1	8
55-64	63	12	51	38	10	28	25	2	23
65-74	64	20	44	38	14	24	26	6	20
75-84	82	43	39	36	19	17	46	24	22
85 AND OVER	103	66	37	39	27	12	64	39	25
UNKNOWN	1	0	1	1	0	1	0	0	0

2012 POPULATION:

TOTAL	30,948
WHITE	7,957
NONWHITE	22,991

COUNTY: LINCOLN

SELECTED DEATH STATISTICS, RESIDENTS OF LINCOLN COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	415	298	117	11.9	12.6	10.5
HEART DISEASES	98	76	22	280.8	320.1	197.1
MALIGNANT NEOPLASMS	93	61	32	266.5	257.0	286.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	38	32	6	108.9	134.8	53.8
CEREBROVASCULAR DISEASE	19	10	9	54.4	42.1	80.6
INFLUENZA AND PNEUMONIA	15	10	5	43.0	42.1	44.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	15	10	5	43.0	42.1	44.8
DIABETES MELLITUS	12	7	5	34.4	29.5	44.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	11	8	3	31.5	33.7	26.9
SEPTICEMIA	10	7	3	28.6	29.5	26.9
ALZHEIMERS DISEASE	10	8	2	28.6	33.7	17.9
ACCIDENTS	7	5	2	20.0	21.1	17.9
SUICIDE	4	4	0	11.5	16.8	0.0
HOMICIDE	3	0	3	8.6	0.0	26.9
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	1	1	5.7	4.2	9.0
PARKINSONS DISEASE	1	1	0	2.9	4.2	0.0
ATHEROSCLEROSIS	1	1	0	2.9	4.2	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	2.9	4.2	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	2.9	0.0	9.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	2.9	4.2	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.2	0.0	5.8
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	2.9	4.2	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	2	2	11.5	8.4	17.9
ALL OTHER CAUSES	67	52	15	192.0	219.0	134.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	415	298	117	191	131	60	224	167	57
UNDER 1	2	1	1	0	0	0	2	1	1
(NEONATAL)	2	1	1	0	0	0	2	1	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	3	1	2	2	1	1	1	0	1
25-34	6	2	4	5	1	4	1	1	0
35-44	19	10	9	11	7	4	8	3	5
45-54	28	17	11	19	11	8	9	6	3
55-64	60	37	23	38	24	14	22	13	9
65-74	75	54	21	41	28	13	34	26	8
75-84	115	86	29	45	33	12	70	53	17
85 AND OVER	105	88	17	29	25	4	76	63	13
UNKNOWN	1	1	0	0	0	0	1	1	0

2012 POPULATION:

TOTAL	34,900
WHITE	23,739
NONWHITE	11,161

COUNTY: LOWNDES

SELECTED DEATH STATISTICS, RESIDENTS OF LOWNDES COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	522	328	194	8.7	10.2	7.1
MALIGNANT NEOPLASMS	117	71	46	196.1	220.3	167.6
HEART DISEASES	110	64	46	184.3	198.6	167.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	38	25	13	63.7	77.6	47.4
CEREBROVASCULAR DISEASE	36	23	13	60.3	71.4	47.4
ACCIDENTS	27	21	6	45.2	65.2	21.9
ALZHEIMERS DISEASE	21	15	6	35.2	46.6	21.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	12	7	5	20.1	21.7	18.2
SEPTICEMIA	11	4	7	18.4	12.4	25.5
DIABETES MELLITUS	11	2	9	18.4	6.2	32.8
INFLUENZA AND PNEUMONIA	10	8	2	16.8	24.8	7.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	3	3	10.0	9.3	10.9
SUICIDE	5	5	0	8.4	15.5	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	4	4	0	6.7	12.4	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	4	0	6.7	12.4	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	4	2	2	6.7	6.2	7.3
HIV DISEASE	3	1	2	5.0	3.1	7.3
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	3.4	6.2	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	2	2	0	3.4	6.2	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	2.4	0.0	5.1
VIRAL HEPATITIS	1	1	0	1.7	3.1	0.0
PARKINSONS DISEASE	1	1	0	1.7	3.1	0.0
ATHEROSCLEROSIS	1	1	0	1.7	3.1	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	1.7	3.1	0.0
HOMICIDE	1	0	1	1.7	0.0	3.6
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	1.7	0.0	3.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	5.0	6.2	3.6
ALL OTHER CAUSES	88	59	29	147.5	183.1	105.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	522	328	194	238	151	87	284	177	107
UNDER 1	3	0	3	1	0	1	2	0	2
(NEONATAL)	3	0	3	1	0	1	2	0	2
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	4	2	4	3	1	2	1	1
25-34	5	2	3	5	2	3	0	0	0
35-44	15	8	7	6	4	2	9	4	5
45-54	39	17	22	21	10	11	18	7	11
55-64	61	26	35	36	15	21	25	11	14
65-74	94	62	32	47	32	15	47	30	17
75-84	131	82	49	68	41	27	63	41	22
85 AND OVER	165	126	39	48	43	5	117	83	34
UNKNOWN	1	0	1	0	0	0	1	0	1

2012 POPULATION:

TOTAL 59,670
 WHITE 32,223
 NONWHITE 27,447

COUNTY: MADISON

SELECTED DEATH STATISTICS, RESIDENTS OF MADISON COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	1,003	675	328	10.2	11.8	7.9
MALIGNANT NEOPLASMS	293	189	104	297.6	331.2	251.1
HEART DISEASES	190	131	59	193.0	229.6	142.5
CEREBROVASCULAR DISEASE	62	47	15	63.0	82.4	36.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	47	35	12	47.7	61.3	29.0
ACCIDENTS	40	24	16	40.6	42.1	38.6
DIABETES MELLITUS	32	11	21	32.5	19.3	50.7
ALZHEIMERS DISEASE	30	27	3	30.5	47.3	7.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	24	13	11	24.4	22.8	26.6
INFLUENZA AND PNEUMONIA	19	15	4	19.3	26.3	9.6
SEPTICEMIA	18	9	9	18.3	15.8	21.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	13	11	2	13.2	19.3	4.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	10	6	4	10.2	10.5	9.6
SUICIDE	10	10	0	10.2	17.5	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	9	5	4	9.1	8.8	9.6
PARKINSONS DISEASE	7	7	0	7.1	12.3	0.0
HIV DISEASE	6	0	6	6.1	0.0	14.5
CONDITIONS ORIG IN PERINATAL PERIOD	6	0	6	4.7	0.0	10.8
AORTIC ANEURYSM AND DISSECTION	5	1	4	5.1	1.8	9.6
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	4	3	1	4.1	5.2	2.4
HOMICIDE	4	2	2	4.1	3.5	4.8
VIRAL HEPATITIS	2	2	0	2.0	3.5	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	1	1	2.0	1.8	2.4
COMPLICATIONS MEDICAL/SURGICAL CARE	2	1	1	2.0	1.8	2.4
ANEMIAS	1	1	0	1.0	1.8	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	1.0	0.0	2.4
ATHEROSCLEROSIS	1	1	0	1.0	1.8	0.0
PEPTIC ULCER	1	1	0	1.0	1.8	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	1.0	0.0	2.4
MATERNAL CAUSES	1	0	1	78.0	0.0	179.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	14	8	6	14.2	14.0	14.5
ALL OTHER CAUSES	148	114	34	150.3	199.8	82.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	1,003	675	328	441	289	152	562	386	176
UNDER 1	9	2	7	7	2	5	2	0	2
(NEONATAL)	8	1	7	6	1	5	2	0	2
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	2	1	1	1	0	1	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	10	6	4	6	4	2	4	2	2
25-34	15	9	6	9	7	2	6	2	4
35-44	34	15	19	18	9	9	16	6	10
45-54	62	27	35	39	17	22	23	10	13
55-64	144	71	73	85	43	42	59	28	31
65-74	157	101	56	80	54	26	77	47	30
75-84	228	168	60	112	85	27	116	83	33
85 AND OVER	339	273	66	84	68	16	255	205	50
UNKNOWN	2	2	0	0	0	0	2	2	0

2012 POPULATION:

TOTAL 98,468
 WHITE 57,056
 NONWHITE 41,412

COUNTY: MARION

SELECTED DEATH STATISTICS, RESIDENTS OF MARION COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	359	271	88	13.6	15.5	9.8
HEART DISEASES	91	72	19	344.1	413.0	210.9
MALIGNANT NEOPLASMS	64	42	22	242.0	240.9	244.2
ACCIDENTS	26	24	2	98.3	137.7	22.2
ALZHEIMERS DISEASE	20	15	5	75.6	86.0	55.5
CEREBROVASCULAR DISEASE	18	14	4	68.1	80.3	44.4
INFLUENZA AND PNEUMONIA	14	11	3	52.9	63.1	33.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	13	13	0	49.2	74.6	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	11	6	5	41.6	34.4	55.5
DIABETES MELLITUS	10	6	4	37.8	34.4	44.4
SEPTICEMIA	8	5	3	30.2	28.7	33.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	6	3	3	22.7	17.2	33.3
SUICIDE	4	4	0	15.1	22.9	0.0
HOMICIDE	3	2	1	11.3	11.5	11.1
ANEMIAS	2	1	1	7.6	5.7	11.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	7.6	11.5	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	7.6	5.7	11.1
VIRAL HEPATITIS	1	1	0	3.8	5.7	0.0
HIV DISEASE	1	1	0	3.8	5.7	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	3.8	0.0	11.1
MENINGITIS	1	0	1	3.8	0.0	11.1
PARKINSONS DISEASE	1	1	0	3.8	5.7	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	3.8	5.7	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	3.8	0.0	11.1
HERNIA	1	1	0	3.8	5.7	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	3.8	5.7	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	3.0	0.0	8.5
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	3.8	5.7	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	11	8	3	41.6	45.9	33.3
ALL OTHER CAUSES	43	35	8	162.6	200.8	88.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	359	271	88	169	130	39	190	141	49
UNDER 1	4	1	3	1	0	1	3	1	2
(NEONATAL)	2	0	2	0	0	0	2	0	2
(POSTNEONATAL)	2	1	1	1	0	1	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	9	7	2	5	4	1	4	3	1
25-34	9	7	2	4	3	1	5	4	1
35-44	14	10	4	10	8	2	4	2	2
45-54	42	30	12	24	19	5	18	11	7
55-64	48	32	16	28	21	7	20	11	9
65-74	69	50	19	33	24	9	36	26	10
75-84	67	56	11	35	30	5	32	26	6
85 AND OVER	95	76	19	27	19	8	68	57	11
UNKNOWN	1	1	0	1	1	0	0	0	0

2012 POPULATION:

TOTAL 26,442
WHITE 17,433
NONWHITE 9,009

COUNTY: MARSHALL

SELECTED DEATH STATISTICS, RESIDENTS OF MARSHALL COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	383	243	140	10.5	13.0	7.8
MALIGNANT NEOPLASMS	78	51	27	213.0	272.5	150.9
HEART DISEASES	59	39	20	161.1	208.4	111.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	43	26	17	117.4	138.9	95.0
DIABETES MELLITUS	41	20	21	112.0	106.8	117.4
ACCIDENTS	21	11	10	57.4	58.8	55.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	19	18	1	51.9	96.2	5.6
CEREBROVASCULAR DISEASE	14	8	6	38.2	42.7	33.5
ALZHEIMERS DISEASE	9	6	3	24.6	32.0	16.8
SEPTICEMIA	8	6	2	21.8	32.0	11.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	3	4	19.1	16.0	22.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	6	4	2	16.4	21.4	11.2
SUICIDE	6	5	1	16.4	26.7	5.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	8.2	16.0	0.0
HOMICIDE	3	0	3	8.2	0.0	16.8
PARKINSONS DISEASE	2	1	1	5.5	5.3	5.6
INFLUENZA AND PNEUMONIA	2	1	1	5.5	5.3	5.6
HIV DISEASE	1	0	1	2.7	0.0	5.6
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	2.7	5.3	0.0
ANEMIAS	1	0	1	2.7	0.0	5.6
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	2.7	0.0	5.6
AORTIC ANEURYSM AND DISSECTION	1	1	0	2.7	5.3	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.2	0.0	4.5
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	2.7	5.3	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	17	13	4	46.4	69.4	22.4
ALL OTHER CAUSES	38	25	13	103.8	133.6	72.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	383	243	140	192	116	76	191	127	64
UNDER 1	4	2	2	3	2	1	1	0	1
(NEONATAL)	2	1	1	2	1	1	0	0	0
(POSTNEONATAL)	2	1	1	1	1	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	1	0	1	0	0	0	1	0	1
15-24	6	0	6	3	0	3	3	0	3
25-34	12	6	6	10	6	4	2	0	2
35-44	11	6	5	2	0	2	9	6	3
45-54	35	15	20	24	12	12	11	3	8
55-64	67	41	26	43	25	18	24	16	8
65-74	69	50	19	39	28	11	30	22	8
75-84	93	66	27	40	25	15	53	41	12
85 AND OVER	84	57	27	28	18	10	56	39	17
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	36,612
WHITE	18,718
NONWHITE	17,894

COUNTY: MONROE

SELECTED DEATH STATISTICS, RESIDENTS OF MONROE COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	406	313	93	11.1	12.6	8.0
HEART DISEASES	101	78	23	277.3	315.2	197.1
MALIGNANT NEOPLASMS	68	48	20	186.7	193.9	171.4
ALZHEIMERS DISEASE	31	30	1	85.1	121.2	8.6
ACCIDENTS	23	18	5	63.2	72.7	42.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	22	18	4	60.4	72.7	34.3
DIABETES MELLITUS	20	13	7	54.9	52.5	60.0
CEREBROVASCULAR DISEASE	16	10	6	43.9	40.4	51.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	11	7	4	30.2	28.3	34.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	10	9	1	27.4	36.4	8.6
SEPTICEMIA	9	5	4	24.7	20.2	34.3
SUICIDE	8	8	0	22.0	32.3	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS IN SITU, BENIGN & UNSPECIFIED	6	3	3	16.5	12.1	25.7
NEOPLASMS	5	4	1	13.7	16.2	8.6
PARKINSONS DISEASE	4	4	0	11.0	16.2	0.0
INFLUENZA AND PNEUMONIA	4	3	1	11.0	12.1	8.6
AORTIC ANEURYSM AND DISSECTION	3	3	0	8.2	12.1	0.0
ANEMIAS	2	2	0	5.5	8.1	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	5.5	8.1	0.0
HOMICIDE	2	1	1	5.5	4.0	8.6
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	2.7	4.0	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	2.7	4.0	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	2.7	4.0	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	2.7	0.0	8.6
ALL OTHER CAUSES	55	44	11	151.0	177.8	94.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	406	313	93	187	137	50	219	176	43
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	2	1	2	1	1	1	1	0
25-34	9	6	3	5	4	1	4	2	2
35-44	12	7	5	8	3	5	4	4	0
45-54	31	22	9	24	16	8	7	6	1
55-64	46	33	13	27	19	8	19	14	5
65-74	82	58	24	38	23	15	44	35	9
75-84	103	86	17	52	46	6	51	40	11
85 AND OVER	120	99	21	31	25	6	89	74	15
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	36,421
WHITE	24,750
NONWHITE	11,671

COUNTY: MONTGOMERY

SELECTED DEATH STATISTICS, RESIDENTS OF MONTGOMERY COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	155	101	54	14.6	17.9	10.8
MALIGNANT NEOPLASMS	38	27	11	358.0	479.0	221.0
HEART DISEASES	38	24	14	358.0	425.8	281.3
ALZHEIMERS DISEASE	7	7	0	66.0	124.2	0.0
ACCIDENTS	7	6	1	66.0	106.4	20.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	6	1	5	56.5	17.7	100.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	5	4	1	47.1	71.0	20.1
SEPTICEMIA	4	3	1	37.7	53.2	20.1
CEREBROVASCULAR DISEASE	4	3	1	37.7	53.2	20.1
INFLUENZA AND PNEUMONIA	4	4	0	37.7	71.0	0.0
HIV DISEASE	2	0	2	18.8	0.0	40.2
DIABETES MELLITUS	2	0	2	18.8	0.0	40.2
PARKINSONS DISEASE	2	2	0	18.8	35.5	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	1	1	18.8	17.7	20.1
VIRAL HEPATITIS	1	1	0	9.4	17.7	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	9.4	17.7	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	9.4	0.0	20.1
SUICIDE	1	0	1	9.4	0.0	20.1
HOMICIDE	1	0	1	9.4	0.0	20.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	10	5	5	94.2	88.7	100.5
ALL OTHER CAUSES	19	12	7	179.0	212.9	140.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	155	101	54	83	55	28	72	46	26
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	2	0	2	1	0	1	1	0	1
35-44	5	4	1	3	3	0	2	1	1
45-54	11	7	4	8	5	3	3	2	1
55-64	20	10	10	10	5	5	10	5	5
65-74	26	15	11	16	10	6	10	5	5
75-84	43	35	8	27	22	5	16	13	3
85 AND OVER	47	29	18	17	9	8	30	20	10
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	10,614
WHITE	5,637
NONWHITE	4,977

COUNTY: NESHOPA

SELECTED DEATH STATISTICS, RESIDENTS OF NESHOPA COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	342	233	109	11.5	12.9	9.3
HEART DISEASES	92	67	25	308.9	370.7	213.5
MALIGNANT NEOPLASMS	64	43	21	214.9	237.9	179.3
ACCIDENTS	32	17	15	107.4	94.0	128.1
CEREBROVASCULAR DISEASE	17	15	2	57.1	83.0	17.1
ALZHEIMERS DISEASE	16	14	2	53.7	77.4	17.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	12	10	2	40.3	55.3	17.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	9	7	2	30.2	38.7	17.1
DIABETES MELLITUS	7	0	7	23.5	0.0	59.8
INFLUENZA AND PNEUMONIA	7	5	2	23.5	27.7	17.1
SUICIDE	6	5	1	20.1	27.7	8.5
SEPTICEMIA	5	4	1	16.8	22.1	8.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	2	3	16.8	11.1	25.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	1	3	13.4	5.5	25.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	2	1	10.1	11.1	8.5
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	0	2	6.7	0.0	17.1
HOMICIDE	2	0	2	6.7	0.0	17.1
HIV DISEASE	1	1	0	3.4	5.5	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	3.4	0.0	8.5
PARKINSONS DISEASE	1	1	0	3.4	5.5	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	3.4	5.5	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	3.4	5.5	0.0
MATERNAL CAUSES	1	0	1	234.7	0.0	409.8
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	3.4	5.5	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	17	16	1	57.1	88.5	8.5
ALL OTHER CAUSES	35	20	15	117.5	110.6	128.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	342	233	109	167	112	55	175	121	54
UNDER 1	5	0	5	2	0	2	3	0	3
(NEONATAL)	2	0	2	1	0	1	1	0	1
(POSTNEONATAL)	3	0	3	1	0	1	2	0	2
1-4	6	1	5	4	0	4	2	1	1
5-9	3	0	3	2	0	2	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	4	3	1	3	2	1	1	1	0
25-34	9	5	4	4	3	1	5	2	3
35-44	14	7	7	8	5	3	6	2	4
45-54	32	21	11	21	14	7	11	7	4
55-64	48	25	23	27	13	14	21	12	9
65-74	63	41	22	35	24	11	28	17	11
75-84	83	65	18	40	33	7	43	32	11
85 AND OVER	75	65	10	21	18	3	54	47	7
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	29,785
WHITE	18,074
NONWHITE	11,711

COUNTY: NEWTON

SELECTED DEATH STATISTICS, RESIDENTS OF NEWTON COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	253	177	76	11.7	12.9	9.6
HEART DISEASES	55	40	15	254.6	291.4	190.5
MALIGNANT NEOPLASMS	49	37	12	226.8	269.5	152.4
CEREBROVASCULAR DISEASE	18	12	6	83.3	87.4	76.2
DIABETES MELLITUS	17	8	9	78.7	58.3	114.3
ACCIDENTS	14	9	5	64.8	65.6	63.5
INFLUENZA AND PNEUMONIA	12	8	4	55.6	58.3	50.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	11	8	3	50.9	58.3	38.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	11	4	7	50.9	29.1	88.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	8	0	37.0	58.3	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	3	1	18.5	21.8	12.7
SUICIDE	4	4	0	18.5	29.1	0.0
SEPTICEMIA	3	2	1	13.9	14.6	12.7
ALZHEIMERS DISEASE	3	1	2	13.9	7.3	25.4
COMPLICATIONS MEDICAL/SURGICAL CARE	3	2	1	13.9	14.6	12.7
ANEMIAS	2	2	0	9.2	14.6	0.0
PARKINSONS DISEASE	2	2	0	9.2	14.6	0.0
HOMICIDE	2	1	1	9.2	7.3	12.7
VIRAL HEPATITIS	1	1	0	4.6	7.3	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	4.6	0.0	12.7
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	4.6	7.3	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	3	0	13.9	21.8	0.0
ALL OTHER CAUSES	29	21	8	134.2	153.0	101.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	253	177	76	124	86	38	129	91	38
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	1	3	1	1	0	3	0	3
25-34	4	2	2	3	1	2	1	1	0
35-44	2	1	1	0	0	0	2	1	1
45-54	23	10	13	15	8	7	8	2	6
55-64	37	22	15	24	12	12	13	10	3
65-74	48	37	11	25	19	6	23	18	5
75-84	62	45	17	31	24	7	31	21	10
85 AND OVER	72	59	13	24	21	3	48	38	10
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	21,601
WHITE	13,727
NONWHITE	7,874

COUNTY: NOXUBEE

SELECTED DEATH STATISTICS, RESIDENTS OF NOXUBEE COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	95	37	58	8.5	12.2	7.1
HEART DISEASES	28	9	19	249.6	297.2	232.0
MALIGNANT NEOPLASMS	22	7	15	196.1	231.2	183.2
CEREBROVASCULAR DISEASE	7	5	2	62.4	165.1	24.4
ALZHEIMERS DISEASE	5	1	4	44.6	33.0	48.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	5	3	2	44.6	99.1	24.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	0	4	35.6	0.0	48.8
ACCIDENTS	4	1	3	35.6	33.0	36.6
DIABETES MELLITUS	3	1	2	26.7	33.0	24.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	17.8	33.0	12.2
SEPTICEMIA	1	0	1	8.9	0.0	12.2
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	6.3	0.0	8.7
SUICIDE	1	1	0	8.9	33.0	0.0
HOMICIDE	1	0	1	8.9	0.0	12.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	26.7	66.0	12.2
ALL OTHER CAUSES	8	6	2	71.3	198.2	24.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	95	37	58	46	17	29	49	20	29
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	2	1	1	1	1	0	1	0	1
35-44	3	0	3	2	0	2	1	0	1
45-54	7	2	5	3	1	2	4	1	3
55-64	16	5	11	8	3	5	8	2	6
65-74	22	8	14	11	3	8	11	5	6
75-84	22	9	13	12	4	8	10	5	5
85 AND OVER	21	12	9	7	5	2	14	7	7
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	11,218
WHITE	3,028
NONWHITE	8,190

COUNTY: OKTIBBEHA

SELECTED DEATH STATISTICS, RESIDENTS OF OKTIBBEHA COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	277	163	114	5.7	5.7	5.8
MALIGNANT NEOPLASMS	61	32	29	126.6	112.5	146.8
HEART DISEASES	52	30	22	107.9	105.5	111.4
CEREBROVASCULAR DISEASE	22	12	10	45.6	42.2	50.6
DIABETES MELLITUS	21	7	14	43.6	24.6	70.9
ACCIDENTS	20	14	6	41.5	49.2	30.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	11	8	3	22.8	28.1	15.2
ALZHEIMERS DISEASE	7	5	2	14.5	17.6	10.1
SUICIDE	7	7	0	14.5	24.6	0.0
INFLUENZA AND PNEUMONIA	6	6	0	12.4	21.1	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	6	0	12.4	21.1	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	2	4	12.4	7.0	20.2
SEPTICEMIA	4	3	1	8.3	10.5	5.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	2	1	6.2	7.0	5.1
HOMICIDE	3	0	3	6.2	0.0	15.2
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	4.2	7.0	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	4.2	3.5	5.1
HIV DISEASE	1	0	1	2.1	0.0	5.1
ANEMIAS	1	1	0	2.1	3.5	0.0
PARKINSONS DISEASE	1	1	0	2.1	3.5	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	2.1	3.5	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	2.1	0.0	5.1
PEPTIC ULCER	1	1	0	2.1	3.5	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	1.8	0.0	3.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	6.2	7.0	5.1
ALL OTHER CAUSES	34	20	14	70.6	70.3	70.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	277	163	114	137	86	51	140	77	63
UNDER 1	5	2	3	3	1	2	2	1	1
(NEONATAL)	3	1	2	1	0	1	2	1	1
(POSTNEONATAL)	2	1	1	2	1	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	3	1	2	2	0	2	1	1	0
25-34	9	4	5	4	3	1	5	1	4
35-44	10	5	5	5	3	2	5	2	3
45-54	25	14	11	16	10	6	9	4	5
55-64	42	17	25	26	12	14	16	5	11
65-74	45	25	20	25	15	10	20	10	10
75-84	70	46	24	34	25	9	36	21	15
85 AND OVER	67	48	19	22	17	5	45	31	14
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	48,192
WHITE	28,438
NONWHITE	19,754

COUNTY: PANOLA

SELECTED DEATH STATISTICS, RESIDENTS OF PANOLA COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	359	224	135	10.4	13.2	7.7
HEART DISEASES	104	69	35	301.7	407.5	199.5
MALIGNANT NEOPLASMS	78	46	32	226.3	271.6	182.4
DIABETES MELLITUS	17	6	11	49.3	35.4	62.7
ALZHEIMERS DISEASE	17	10	7	49.3	59.0	39.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	16	12	4	46.4	70.9	22.8
CEREBROVASCULAR DISEASE	14	8	6	40.6	47.2	34.2
ACCIDENTS	14	11	3	40.6	65.0	17.1
SUICIDE	11	10	1	31.9	59.0	5.7
SEPTICEMIA	6	3	3	17.4	17.7	17.1
PARKINSONS DISEASE	5	5	0	14.5	29.5	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	2	3	14.5	11.8	17.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	4	1	14.5	23.6	5.7
INFLUENZA AND PNEUMONIA	4	1	3	11.6	5.9	17.1
CONDITIONS ORIG IN PERINATAL PERIOD	4	1	3	7.8	5.2	9.4
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	3	2	1	8.7	11.8	5.7
HOMICIDE	3	0	3	8.7	0.0	17.1
TUBERCULOSIS	1	0	1	2.9	0.0	5.7
HIV DISEASE	1	0	1	2.9	0.0	5.7
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	2.9	0.0	5.7
AORTIC ANEURYSM AND DISSECTION	1	1	0	2.9	5.9	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	2.9	5.9	0.0
PEPTIC ULCER	1	0	1	2.9	0.0	5.7
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	2.9	0.0	5.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	2	2	11.6	11.8	11.4
ALL OTHER CAUSES	42	30	12	121.8	177.2	68.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	359	224	135	155	105	50	204	119	85
UNDER 1	8	1	7	5	1	4	3	0	3
(NEONATAL)	5	1	4	4	1	3	1	0	1
(POSTNEONATAL)	3	0	3	1	0	1	2	0	2
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	2	0	2	2	0	2	0	0	0
25-34	9	5	4	5	3	2	4	2	2
35-44	15	11	4	6	3	3	9	8	1
45-54	38	19	19	25	17	8	13	2	11
55-64	60	33	27	28	15	13	32	18	14
65-74	75	50	25	42	32	10	33	18	15
75-84	71	55	16	26	21	5	45	34	11
85 AND OVER	80	50	30	16	13	3	64	37	27
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	34,473
WHITE	16,933
NONWHITE	17,540

COUNTY: PEARL RIVER

SELECTED DEATH STATISTICS, RESIDENTS OF PEARL RIVER COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	578	506	72	10.4	10.8	8.4
MALIGNANT NEOPLASMS	131	108	23	236.9	230.8	270.2
HEART DISEASES	128	112	16	231.5	239.4	188.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	46	41	5	83.2	87.6	58.7
ACCIDENTS	46	43	3	83.2	91.9	35.2
CEREBROVASCULAR DISEASE	26	24	2	47.0	51.3	23.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	17	14	3	30.7	29.9	35.2
ALZHEIMERS DISEASE	15	15	0	27.1	32.1	0.0
INFLUENZA AND PNEUMONIA	13	12	1	23.5	25.6	11.7
SUICIDE	13	13	0	23.5	27.8	0.0
SEPTICEMIA	12	9	3	21.7	19.2	35.2
DIABETES MELLITUS	6	5	1	10.8	10.7	11.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	6	5	1	10.8	10.7	11.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	5	1	10.8	10.7	11.7
CONDITIONS ORIG IN PERINATAL PERIOD IN SITU, BENIGN & UNSPECIFIED	4	2	2	6.3	3.6	26.3
NEOPLASMS	3	3	0	5.4	6.4	0.0
PARKINSONS DISEASE	3	3	0	5.4	6.4	0.0
AORTIC ANEURYSM AND DISSECTION	3	3	0	5.4	6.4	0.0
ANEMIAS	2	2	0	3.6	4.3	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	3.6	2.1	11.7
TUBERCULOSIS	1	1	0	1.8	2.1	0.0
VIRAL HEPATITIS	1	0	1	1.8	0.0	11.7
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	1.8	2.1	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	1.8	0.0	11.7
INFECTIONS OF KIDNEY	1	1	0	1.8	2.1	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	1.8	2.1	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	16	14	2	28.9	29.9	23.5
ALL OTHER CAUSES	74	68	6	133.8	145.4	70.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	578	506	72	304	265	39	274	241	33
UNDER 1	7	4	3	3	2	1	4	2	2
(NEONATAL)	6	3	3	2	1	1	4	2	2
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	2	2	0	0	0	0	2	2	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	3	1	2	1	1	2	2	0
25-34	11	10	1	8	8	0	3	2	1
35-44	20	19	1	10	9	1	10	10	0
45-54	52	47	5	30	27	3	22	20	2
55-64	96	79	17	62	49	13	34	30	4
65-74	116	102	14	70	63	7	46	39	7
75-84	160	141	19	86	77	9	74	64	10
85 AND OVER	110	99	11	33	29	4	77	70	7
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL 55,295
WHITE 46,783
NONWHITE 8,512

COUNTY: PERRY

SELECTED DEATH STATISTICS, RESIDENTS OF PERRY COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	115	95	20	9.5	10.0	7.6
MALIGNANT NEOPLASMS	28	24	4	231.7	253.4	152.8
HEART DISEASES	23	21	2	190.3	221.8	76.4
ALZHEIMERS DISEASE	8	5	3	66.2	52.8	114.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	7	1	66.2	73.9	38.2
CEREBROVASCULAR DISEASE	7	4	3	57.9	42.2	114.6
DIABETES MELLITUS	5	3	2	41.4	31.7	76.4
SEPTICEMIA	4	3	1	33.1	31.7	38.2
ACCIDENTS	4	4	0	33.1	42.2	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	2	1	24.8	21.1	38.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	3	0	24.8	31.7	0.0
HOMICIDE	3	3	0	24.8	31.7	0.0
HIV DISEASE	2	2	0	16.5	21.1	0.0
SUICIDE	2	2	0	16.5	21.1	0.0
PEPTIC ULCER	1	1	0	8.3	10.6	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	6.3	0.0	24.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	8.3	10.6	0.0
ALL OTHER CAUSES	12	10	2	99.3	105.6	76.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	115	95	20	70	60	10	45	35	10
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	2	2	0	0	0	0
25-34	3	1	2	1	0	1	2	1	1
35-44	6	5	1	3	2	1	3	3	0
45-54	7	7	0	6	6	0	1	1	0
55-64	16	13	3	13	10	3	3	3	0
65-74	23	20	3	15	12	3	8	8	0
75-84	30	25	5	18	16	2	12	9	3
85 AND OVER	26	21	5	12	12	0	14	9	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL 12,086
 WHITE 9,469
 NONWHITE 2,617

COUNTY: PIKE

SELECTED DEATH STATISTICS, RESIDENTS OF PIKE COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	466	246	220	11.6	13.4	10.1
HEART DISEASES	90	55	35	224.4	299.3	161.1
MALIGNANT NEOPLASMS	79	35	44	197.0	190.4	202.6
DIABETES MELLITUS	41	21	20	102.2	114.3	92.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	29	19	10	72.3	103.4	46.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	27	11	16	67.3	59.8	73.6
CEREBROVASCULAR DISEASE	27	11	16	67.3	59.8	73.6
ACCIDENTS	22	8	14	54.9	43.5	64.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	17	8	9	42.4	43.5	41.4
ALZHEIMERS DISEASE	8	6	2	20.0	32.6	9.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	8	3	5	20.0	16.3	23.0
SUICIDE	8	7	1	20.0	38.1	4.6
PARKINSONS DISEASE	6	4	2	15.0	21.8	9.2
SEPTICEMIA	4	2	2	10.0	10.9	9.2
HOMICIDE	4	1	3	10.0	5.4	13.8
HIV DISEASE	3	0	3	7.5	0.0	13.8
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	1	2	7.5	5.4	9.2
ANEMIAS	3	2	1	7.5	10.9	4.6
INFLUENZA AND PNEUMONIA	3	2	1	7.5	10.9	4.6
CHOLELITHIASIS/GALLBLADDER DISORDER	2	1	1	5.0	5.4	4.6
INFECTIONS OF KIDNEY	2	1	1	5.0	5.4	4.6
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	3.6	0.0	5.8
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	5.0	5.4	4.6
VIRAL HEPATITIS	1	1	0	2.5	5.4	0.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	2.5	5.4	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	2.5	0.0	4.6
HERNIA	1	1	0	2.5	5.4	0.0
MATERNAL CAUSES	1	0	1	179.2	0.0	292.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	7	5	2	17.4	27.2	9.2
ALL OTHER CAUSES	64	39	25	159.6	212.2	115.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	466	246	220	247	117	130	219	129	90
UNDER 1	7	1	6	7	1	6	0	0	0
(NEONATAL)	3	1	2	3	1	2	0	0	0
(POSTNEONATAL)	4	0	4	4	0	4	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	7	2	5	4	2	2	3	0	3
25-34	12	5	7	9	4	5	3	1	2
35-44	20	7	13	10	4	6	10	3	7
45-54	35	8	27	26	6	20	9	2	7
55-64	78	37	41	46	16	30	32	21	11
65-74	85	46	39	51	27	24	34	19	15
75-84	103	62	41	52	31	21	51	31	20
85 AND OVER	117	78	39	40	26	14	77	52	25
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL 40,100
 WHITE 18,377
 NONWHITE 21,723

COUNTY: PONTOTOC

SELECTED DEATH STATISTICS, RESIDENTS OF PONTOTOC COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	253	232	21	8.3	9.2	4.0
MALIGNANT NEOPLASMS	54	46	8	176.5	181.6	152.0
HEART DISEASES	43	41	2	140.6	161.8	38.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	36	33	3	117.7	130.3	57.0
ACCIDENTS	23	23	0	75.2	90.8	0.0
CEREBROVASCULAR DISEASE	14	14	0	45.8	55.3	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	14	12	2	45.8	47.4	38.0
DIABETES MELLITUS	8	7	1	26.1	27.6	19.0
SUICIDE	7	7	0	22.9	27.6	0.0
ALZHEIMERS DISEASE	5	5	0	16.3	19.7	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	5	5	0	16.3	19.7	0.0
PARKINSONS DISEASE	4	4	0	13.1	15.8	0.0
SEPTICEMIA	3	3	0	9.8	11.8	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	2	1	9.8	7.9	19.0
ANEMIAS	1	0	1	3.3	0.0	19.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	3.3	3.9	0.0
INFLUENZA AND PNEUMONIA	1	1	0	3.3	3.9	0.0
DISEASES OF APPENDIX	1	1	0	3.3	3.9	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	3.3	3.9	0.0
FEMALE PELVIC INFLAMMATORY DISEASE	1	0	1	3.3	0.0	19.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	2.2	2.4	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	3.3	3.9	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	3.3	0.0	19.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	6.5	7.9	0.0
ALL OTHER CAUSES	23	22	1	75.2	86.8	19.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	253	232	21	110	101	9	143	131	12
UNDER 1	3	2	1	3	2	1	0	0	0
(NEONATAL)	3	2	1	3	2	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	3	0	2	2	0	1	1	0
25-34	7	6	1	5	5	0	2	1	1
35-44	6	5	1	2	2	0	4	3	1
45-54	21	19	2	12	10	2	9	9	0
55-64	40	36	4	23	21	2	17	15	2
65-74	40	38	2	22	22	0	18	16	2
75-84	58	50	8	22	19	3	36	31	5
85 AND OVER	74	72	2	18	17	1	56	55	1
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	30,594
WHITE	25,332
NONWHITE	5,262

COUNTY: PRENTISS

SELECTED DEATH STATISTICS, RESIDENTS OF PRENTISS COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	288	249	39	11.3	11.6	9.7
HEART DISEASES	69	64	5	271.8	299.5	124.2
MALIGNANT NEOPLASMS	66	56	10	259.9	262.1	248.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	27	24	3	106.3	112.3	74.6
ACCIDENTS	18	17	1	70.9	79.6	24.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	12	9	3	47.3	42.1	74.6
DIABETES MELLITUS	11	7	4	43.3	32.8	99.4
INFLUENZA AND PNEUMONIA	10	10	0	39.4	46.8	0.0
ALZHEIMERS DISEASE	8	8	0	31.5	37.4	0.0
CEREBROVASCULAR DISEASE	8	6	2	31.5	28.1	49.7
SEPTICEMIA	3	3	0	11.8	14.0	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	2	1	11.8	9.4	24.8
CONDITIONS ORIG IN PERINATAL PERIOD	3	2	1	9.1	7.0	22.7
ANEMIAS	2	1	1	7.9	4.7	24.8
DISEASES OF APPENDIX	2	2	0	7.9	9.4	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	7.9	9.4	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	2	0	7.9	9.4	0.0
SUICIDE	2	1	1	7.9	4.7	24.8
HOMICIDE	2	2	0	7.9	9.4	0.0
VIRAL HEPATITIS	1	1	0	3.9	4.7	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	3.9	4.7	0.0
PARKINSONS DISEASE	1	1	0	3.9	4.7	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	3.9	4.7	0.0
MATERNAL CAUSES	1	0	1	304.9	0.0	2272.7
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	3.9	4.7	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	3	0	11.8	14.0	0.0
ALL OTHER CAUSES	29	23	6	114.2	107.6	149.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	288	249	39	144	122	22	144	127	17
UNDER 1	6	5	1	3	2	1	3	3	0
(NEONATAL)	5	4	1	3	2	1	2	2	0
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	2	1	1	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	4	3	1	2	1	1	2	2	0
35-44	10	8	2	5	4	1	5	4	1
45-54	29	25	4	19	17	2	10	8	2
55-64	47	38	9	31	23	8	16	15	1
65-74	58	49	9	35	30	5	23	19	4
75-84	68	61	7	34	32	2	34	29	5
85 AND OVER	63	58	5	13	12	1	50	46	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL 25,390
WHITE 21,366
NONWHITE 4,024

COUNTY: QUITMAN

SELECTED DEATH STATISTICS, RESIDENTS OF QUITMAN COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	96	41	55	12.3	17.9	10.0
MALIGNANT NEOPLASMS	23	11	12	294.9	480.1	217.9
HEART DISEASES	22	8	14	282.1	349.2	254.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	3	4	89.8	130.9	72.6
DIABETES MELLITUS	6	0	6	76.9	0.0	109.0
ACCIDENTS	6	2	4	76.9	87.3	72.6
ALZHEIMERS DISEASE	5	4	1	64.1	174.6	18.2
CEREBROVASCULAR DISEASE	3	2	1	38.5	87.3	18.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	1	2	38.5	43.6	36.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	0	3	38.5	0.0	54.5
INFLUENZA AND PNEUMONIA	2	1	1	25.6	43.6	18.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	0	2	25.6	0.0	36.3
SEPTICEMIA	1	1	0	12.8	43.6	0.0
VIRAL HEPATITIS	1	1	0	12.8	43.6	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	9.2	0.0	11.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	11	7	4	141.1	305.5	72.6

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	96	41	55	47	18	29	49	23	26
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	0	0	0	1	0	1
35-44	3	0	3	2	0	2	1	0	1
45-54	8	2	6	7	2	5	1	0	1
55-64	14	4	10	4	1	3	10	3	7
65-74	23	12	11	11	5	6	12	7	5
75-84	19	10	9	12	7	5	7	3	4
85 AND OVER	27	13	14	10	3	7	17	10	7
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	7,798
WHITE	2,291
NONWHITE	5,507

COUNTY: RANKIN

SELECTED DEATH STATISTICS, RESIDENTS OF RANKIN COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	1,037	874	163	7.1	7.7	5.1
HEART DISEASES	275	219	56	189.4	193.7	174.5
MALIGNANT NEOPLASMS	246	214	32	169.5	189.2	99.7
ACCIDENTS	71	62	9	48.9	54.8	28.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	61	59	2	42.0	52.2	6.2
CEREBROVASCULAR DISEASE	47	37	10	32.4	32.7	31.2
DIABETES MELLITUS	35	24	11	24.1	21.2	34.3
SUICIDE	22	22	0	15.2	19.4	0.0
INFLUENZA AND PNEUMONIA	20	17	3	13.8	15.0	9.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	18	14	4	12.4	12.4	12.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	17	16	1	11.7	14.1	3.1
ALZHEIMERS DISEASE	12	10	2	8.3	8.8	6.2
SEPTICEMIA	10	6	4	6.9	5.3	12.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	10	7	3	6.9	6.2	9.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	10	9	1	6.9	8.0	3.1
HOMICIDE	8	8	0	5.5	7.1	0.0
PARKINSONS DISEASE	6	6	0	4.1	5.3	0.0
HIV DISEASE	5	2	3	3.4	1.8	9.4
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	5	2	3	3.4	1.8	9.4
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	4	4	0	2.8	3.5	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	3	1	2	1.6	0.7	4.9
COMPLICATIONS MEDICAL/SURGICAL CARE	3	2	1	2.1	1.8	3.1
AORTIC ANEURYSM AND DISSECTION	2	2	0	1.4	1.8	0.0
HERNIA	2	2	0	1.4	1.8	0.0
VIRAL HEPATITIS	1	1	0	0.7	0.9	0.0
ATHEROSCLEROSIS	1	1	0	0.7	0.9	0.0
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	0.7	0.9	0.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	0.7	0.9	0.0
PEPTIC ULCER	1	1	0	0.7	0.9	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	21	20	1	14.5	17.7	3.1
ALL OTHER CAUSES	119	104	15	82.0	92.0	46.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	1,037	874	163	526	444	82	511	430	81
UNDER 1	9	6	3	5	3	2	4	3	1
(NEONATAL)	5	3	2	4	2	2	1	1	0
(POSTNEONATAL)	4	3	1	1	1	0	3	2	1
1-4	3	3	0	1	1	0	2	2	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	18	14	4	15	12	3	3	2	1
25-34	29	24	5	23	19	4	6	5	1
35-44	46	34	12	22	19	3	24	15	9
45-54	94	72	22	56	42	14	38	30	8
55-64	172	143	29	100	83	17	72	60	12
65-74	213	184	29	117	101	16	96	83	13
75-84	242	209	33	119	106	13	123	103	20
85 AND OVER	210	185	25	67	58	9	143	127	16
UNKNOWN	1	0	1	1	0	1	0	0	0

2012 POPULATION:

TOTAL 145,165
 WHITE 113,079
 NONWHITE 32,086

COUNTY: SCOTT

SELECTED DEATH STATISTICS, RESIDENTS OF SCOTT COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	277	177	100	9.8	10.6	8.7
HEART DISEASES	73	50	23	258.4	299.0	199.6
MALIGNANT NEOPLASMS	71	54	17	251.3	322.9	147.5
ACCIDENTS	22	10	12	77.9	59.8	104.1
CEREBROVASCULAR DISEASE	12	7	5	42.5	41.8	43.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	12	10	2	42.5	59.8	17.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	12	4	8	42.5	23.9	69.4
ALZHEIMERS DISEASE	5	4	1	17.7	23.9	8.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	1	3	14.2	6.0	26.0
INFLUENZA AND PNEUMONIA	4	2	2	14.2	12.0	17.4
DIABETES MELLITUS	3	2	1	10.6	12.0	8.7
SUICIDE	3	2	1	10.6	12.0	8.7
SEPTICEMIA	2	1	1	7.1	6.0	8.7
VIRAL HEPATITIS	2	0	2	7.1	0.0	17.4
ANEMIAS	2	2	0	7.1	12.0	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	7.1	12.0	0.0
HOMICIDE	2	0	2	7.1	0.0	17.4
HIV DISEASE	1	0	1	3.5	0.0	8.7
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	3.5	0.0	8.7
AORTIC ANEURYSM AND DISSECTION	1	1	0	3.5	6.0	0.0
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	3.5	6.0	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	3.5	0.0	8.7
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.2	0.0	5.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	17	13	4	60.2	77.7	34.7
ALL OTHER CAUSES	23	11	12	81.4	65.8	104.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	277	177	100	145	89	56	132	88	44
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	2	4	4	1	3	2	1	1
25-34	4	2	2	3	2	1	1	0	1
35-44	7	2	5	4	1	3	3	1	2
45-54	26	12	14	17	7	10	9	5	4
55-64	50	30	20	33	23	10	17	7	10
65-74	55	36	19	34	21	13	21	15	6
75-84	63	48	15	32	24	8	31	24	7
85 AND OVER	64	45	19	16	10	6	48	35	13
UNKNOWN	1	0	1	1	0	1	0	0	0

2012 POPULATION:

TOTAL	28,250
WHITE	16,725
NONWHITE	11,525

COUNTY: SHARKEY

SELECTED DEATH STATISTICS, RESIDENTS OF SHARKEY COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	65	21	44	13.5	15.4	12.8
HEART DISEASES	13	6	7	270.9	439.9	203.8
MALIGNANT NEOPLASMS	11	4	7	229.2	293.2	203.8
ACCIDENTS	6	1	5	125.0	73.3	145.6
CEREBROVASCULAR DISEASE	5	0	5	104.2	0.0	145.6
DIABETES MELLITUS	3	1	2	62.5	73.3	58.2
ALZHEIMERS DISEASE	2	0	2	41.7	0.0	58.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	0	2	41.7	0.0	58.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	1	1	41.7	73.3	29.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	1	1	41.7	73.3	29.1
PARKINSONS DISEASE	1	1	0	20.8	73.3	0.0
AORTIC ANEURYSM AND DISSECTION	1	0	1	20.8	0.0	29.1
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	20.8	73.3	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	20.8	0.0	29.1
HOMICIDE	1	0	1	20.8	0.0	29.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	14	5	9	291.7	366.6	262.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	65	21	44	35	7	28	30	14	16
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	2	0	2	2	0	2	0	0	0
35-44	2	1	1	1	1	0	1	0	1
45-54	5	0	5	2	0	2	3	0	3
55-64	9	2	7	6	1	5	3	1	2
65-74	19	6	13	13	2	11	6	4	2
75-84	20	6	14	9	2	7	11	4	7
85 AND OVER	7	6	1	2	1	1	5	5	0
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	4,799
WHITE	1,364
NONWHITE	3,435

COUNTY: SIMPSON

SELECTED DEATH STATISTICS, RESIDENTS OF SIMPSON COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	281	203	78	10.3	11.8	7.7
HEART DISEASES	77	55	22	281.3	319.6	216.5
MALIGNANT NEOPLASMS	63	47	16	230.1	273.1	157.4
CEREBROVASCULAR DISEASE	21	18	3	76.7	104.6	29.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	16	16	0	58.4	93.0	0.0
ACCIDENTS	14	10	4	51.1	58.1	39.4
INFLUENZA AND PNEUMONIA	13	7	6	47.5	40.7	59.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	3	3	21.9	17.4	29.5
SEPTICEMIA	5	0	5	18.3	0.0	49.2
DIABETES MELLITUS	4	2	2	14.6	11.6	19.7
ALZHEIMERS DISEASE	3	3	0	11.0	17.4	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	3	0	11.0	17.4	0.0
VIRAL HEPATITIS	2	2	0	7.3	11.6	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	7.3	11.6	0.0
SUICIDE	2	2	0	7.3	11.6	0.0
HIV DISEASE	1	0	1	3.6	0.0	9.8
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	3.6	5.8	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	3.6	5.8	0.0
PARKINSONS DISEASE	1	1	0	3.6	5.8	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	3.6	5.8	0.0
HERNIA	1	1	0	3.6	5.8	0.0
MATERNAL CAUSES	1	1	0	308.6	502.5	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	3.1	0.0	8.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	3.6	0.0	9.8
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	3.6	0.0	9.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	7	7	0	25.6	40.7	0.0
ALL OTHER CAUSES	33	20	13	120.6	116.2	127.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	281	203	78	142	95	47	139	108	31
UNDER 1	4	2	2	2	1	1	2	1	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	3	2	1	2	1	1	1	1	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	8	5	3	6	3	3	2	2	0
25-34	3	1	2	3	1	2	0	0	0
35-44	7	4	3	5	3	2	2	1	1
45-54	27	18	9	14	8	6	13	10	3
55-64	42	30	12	30	19	11	12	11	1
65-74	56	33	23	25	14	11	31	19	12
75-84	70	60	10	35	30	5	35	30	5
85 AND OVER	63	49	14	21	15	6	42	34	8
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL 27,374
WHITE 17,211
NONWHITE 10,163

COUNTY: SMITH

SELECTED DEATH STATISTICS, RESIDENTS OF SMITH COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	163	128	35	10.0	10.4	8.8
MALIGNANT NEOPLASMS	46	34	12	281.4	275.0	301.4
HEART DISEASES	37	29	8	226.4	234.6	200.9
ACCIDENTS	12	9	3	73.4	72.8	75.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	11	9	2	67.3	72.8	50.2
ALZHEIMERS DISEASE	8	7	1	48.9	56.6	25.1
CEREBROVASCULAR DISEASE	8	5	3	48.9	40.4	75.3
INFLUENZA AND PNEUMONIA	4	4	0	24.5	32.4	0.0
SEPTICEMIA	3	1	2	18.4	8.1	50.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	2	0	12.2	16.2	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	12.2	8.1	25.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	12.2	16.2	0.0
SUICIDE	2	2	0	12.2	16.2	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	6.1	8.1	0.0
ANEMIAS	1	1	0	6.1	8.1	0.0
DIABETES MELLITUS	1	1	0	6.1	8.1	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	6.1	8.1	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	1	1	0	6.1	8.1	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	5.2	7.4	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	6.1	8.1	0.0
HOMICIDE	1	0	1	6.1	0.0	25.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	18	16	2	110.1	129.4	50.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	163	128	35	84	62	22	79	66	13
UNDER 1	2	2	0	2	2	0	0	0	0
(NEONATAL)	2	2	0	2	2	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	1	1	0	1	1	0
25-34	5	1	4	2	0	2	3	1	2
35-44	7	4	3	3	1	2	4	3	1
45-54	7	6	1	3	2	1	4	4	0
55-64	19	12	7	13	8	5	6	4	2
65-74	39	34	5	25	20	5	14	14	0
75-84	45	36	9	26	22	4	19	14	5
85 AND OVER	34	30	4	7	5	2	27	25	2
UNKNOWN	3	1	2	2	1	1	1	0	1

2012 POPULATION:

TOTAL 16,345
 WHITE 12,363
 NONWHITE 3,982

COUNTY: STONE

SELECTED DEATH STATISTICS, RESIDENTS OF STONE COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	195	167	28	10.8	11.8	7.2
HEART DISEASES	51	44	7	282.9	311.8	178.8
MALIGNANT NEOPLASMS	42	34	8	233.0	240.9	204.3
ALZHEIMERS DISEASE	11	8	3	61.0	56.7	76.6
CEREBROVASCULAR DISEASE	11	10	1	61.0	70.9	25.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	11	11	0	61.0	77.9	0.0
ACCIDENTS	10	8	2	55.5	56.7	51.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	5	1	33.3	35.4	25.5
SEPTICEMIA	3	3	0	16.6	21.2	0.0
DIABETES MELLITUS	3	3	0	16.6	21.2	0.0
AORTIC ANEURYSM AND DISSECTION	3	3	0	16.6	21.2	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	2	1	16.6	14.2	25.5
SUICIDE	3	2	1	16.6	14.2	25.5
INFLUENZA AND PNEUMONIA	2	1	1	11.1	7.1	25.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	11.1	14.2	0.0
VIRAL HEPATITIS	1	0	1	5.5	0.0	25.5
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	5.5	7.1	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	5.5	7.1	0.0
HERNIA	1	1	0	5.5	7.1	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	3	0	16.6	21.2	0.0
ALL OTHER CAUSES	27	25	2	149.8	177.2	51.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	195	167	28	96	78	18	99	89	10
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	2	2	0	0	0	0
25-34	1	1	0	0	0	0	1	1	0
35-44	2	1	1	0	0	0	2	1	1
45-54	22	14	8	14	7	7	8	7	1
55-64	32	28	4	16	13	3	16	15	1
65-74	48	40	8	26	23	3	22	17	5
75-84	52	47	5	27	24	3	25	23	2
85 AND OVER	35	34	1	10	9	1	25	25	0
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL 18,028
WHITE 14,112
NONWHITE 3,916

COUNTY: SUNFLOWER

SELECTED DEATH STATISTICS, RESIDENTS OF SUNFLOWER COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	309	115	194	10.9	15.4	9.2
MALIGNANT NEOPLASMS	73	29	44	256.8	389.3	209.7
HEART DISEASES	72	24	48	253.2	322.2	228.8
DIABETES MELLITUS	25	8	17	87.9	107.4	81.0
CEREBROVASCULAR DISEASE	15	7	8	52.8	94.0	38.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	15	6	9	52.8	80.5	42.9
ACCIDENTS	14	8	6	49.2	107.4	28.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	13	5	8	45.7	67.1	38.1
HOMICIDE	5	0	5	17.6	0.0	23.8
SEPTICEMIA	4	1	3	14.1	13.4	14.3
ALZHEIMERS DISEASE	4	2	2	14.1	26.8	9.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	1	3	14.1	13.4	14.3
INFLUENZA AND PNEUMONIA	4	3	1	14.1	40.3	4.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	3	1	14.1	40.3	4.8
LEGAL INTERVENTION	4	3	1	14.1	40.3	4.8
VIRAL HEPATITIS	3	2	1	10.6	26.8	4.8
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	9.0	0.0	10.7
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	0	3	10.6	0.0	14.3
HIV DISEASE	2	1	1	7.0	13.4	4.8
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	0	2	7.0	0.0	9.5
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	0	2	7.0	0.0	9.5
ANEMIAS	1	0	1	3.5	0.0	4.8
PARKINSONS DISEASE	1	1	0	3.5	13.4	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	3.5	13.4	0.0
DISEASES OF APPENDIX	1	0	1	3.5	0.0	4.8
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	3.5	0.0	4.8
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	3.5	13.4	0.0

NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	7.0	0.0	9.5
ALL OTHER CAUSES	30	9	21	105.5	120.8	100.1

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	309	115	194	156	62	94	153	53	100
UNDER 1	6	0	6	2	0	2	4	0	4
(NEONATAL)	4	0	4	2	0	2	2	0	2
(POSTNEONATAL)	2	0	2	0	0	0	2	0	2
1-4	1	1	0	1	1	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	0	3	1	0	1	2	0	2
25-34	6	0	6	5	0	5	1	0	1
35-44	22	7	15	15	5	10	7	2	5
45-54	33	9	24	19	7	12	14	2	12
55-64	59	17	42	38	13	25	21	4	17
65-74	58	25	33	28	14	14	30	11	19
75-84	63	30	33	32	17	15	31	13	18
85 AND OVER	56	25	31	14	5	9	42	20	22
UNKNOWN	1	1	0	0	0	0	1	1	0

2012 POPULATION:

TOTAL	28,431
WHITE	7,449
NONWHITE	20,982

COUNTY: TALLAHATCHIE

SELECTED DEATH STATISTICS, RESIDENTS OF TALLAHATCHIE COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	162	85	77	10.7	13.6	8.7
MALIGNANT NEOPLASMS	39	23	16	258.1	368.0	180.6
HEART DISEASES	34	16	18	225.0	256.0	203.1
CEREBROVASCULAR DISEASE	10	5	5	66.2	80.0	56.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	10	9	1	66.2	144.0	11.3
DIABETES MELLITUS	9	2	7	59.6	32.0	79.0
ACCIDENTS	8	4	4	52.9	64.0	45.1
SEPTICEMIA	6	2	4	39.7	32.0	45.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	6	4	2	39.7	64.0	22.6
INFLUENZA AND PNEUMONIA	5	3	2	33.1	48.0	22.6
HOMICIDE	4	1	3	26.5	16.0	33.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	0	3	19.8	0.0	33.8
PARKINSONS DISEASE	2	2	0	13.2	32.0	0.0
ALZHEIMERS DISEASE	2	2	0	13.2	32.0	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS IN SITU, BENIGN & UNSPECIFIED	2	2	0	13.2	32.0	0.0
NEOPLASMS	1	1	0	6.6	16.0	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	6.6	0.0	11.3
AORTIC ANEURYSM AND DISSECTION	1	0	1	6.6	0.0	11.3
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	7.2	0.0	9.8
SUICIDE	1	0	1	6.6	0.0	11.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	19.8	16.0	22.6
ALL OTHER CAUSES	14	8	6	92.6	128.0	67.7

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	162	85	77	91	48	43	71	37	34
UNDER 1	2	0	2	2	0	2	0	0	0
(NEONATAL)	2	0	2	2	0	2	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	0	0	0	2	1	1
25-34	3	1	2	2	0	2	1	1	0
35-44	13	4	9	10	2	8	3	2	1
45-54	14	7	7	10	4	6	4	3	1
55-64	30	15	15	18	10	8	12	5	7
65-74	32	14	18	17	9	8	15	5	10
75-84	33	21	12	17	13	4	16	8	8
85 AND OVER	32	21	11	14	9	5	18	12	6
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	15,111
WHITE	6,250
NONWHITE	8,861

COUNTY: TATE

SELECTED DEATH STATISTICS, RESIDENTS OF TATE COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	272	202	70	9.5	10.5	7.6
HEART DISEASES	79	61	18	277.3	316.7	195.0
MALIGNANT NEOPLASMS	64	43	21	224.6	223.3	227.5
DIABETES MELLITUS	21	13	8	73.7	67.5	86.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	17	16	1	59.7	83.1	10.8
ACCIDENTS	15	9	6	52.6	46.7	65.0
ALZHEIMERS DISEASE	14	14	0	49.1	72.7	0.0
CEREBROVASCULAR DISEASE	9	5	4	31.6	26.0	43.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	4	3	24.6	20.8	32.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	3	2	17.6	15.6	21.7
SUICIDE	4	4	0	14.0	20.8	0.0
PARKINSONS DISEASE	3	3	0	10.5	15.6	0.0
INFLUENZA AND PNEUMONIA	3	3	0	10.5	15.6	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	10.5	15.6	0.0
SEPTICEMIA	2	2	0	7.0	10.4	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	6.1	0.0	15.7
HOMICIDE	2	1	1	7.0	5.2	10.8
VIRAL HEPATITIS	1	1	0	3.5	5.2	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	3.5	5.2	0.0
ANEMIAS	1	1	0	3.5	5.2	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	3.5	0.0	10.8
MATERNAL CAUSES	1	1	0	303.0	492.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	3.5	5.2	0.0
ALL OTHER CAUSES	16	13	3	56.2	67.5	32.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	272	202	70	136	98	38	136	104	32
UNDER 1	2	0	2	2	0	2	0	0	0
(NEONATAL)	2	0	2	2	0	2	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	4	1	3	3	0	3	1	1	0
25-34	3	0	3	2	0	2	1	0	1
35-44	13	7	6	9	6	3	4	1	3
45-54	27	18	9	16	10	6	11	8	3
55-64	39	27	12	25	17	8	14	10	4
65-74	54	41	13	25	18	7	29	23	6
75-84	59	50	9	32	28	4	27	22	5
85 AND OVER	69	57	12	21	18	3	48	39	9
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL 28,490
 WHITE 19,260
 NONWHITE 9,230

COUNTY: TIPPAAH

SELECTED DEATH STATISTICS, RESIDENTS OF TIPPAAH COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	242	205	37	11.0	11.3	9.3
HEART DISEASES	61	48	13	277.0	265.7	328.4
MALIGNANT NEOPLASMS	53	44	9	240.6	243.6	227.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	19	18	1	86.3	99.6	25.2
CEREBROVASCULAR DISEASE	15	11	4	68.1	60.9	101.0
ACCIDENTS	13	12	1	59.0	66.4	25.2
DIABETES MELLITUS	12	11	1	54.5	60.9	25.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	7	6	1	31.8	33.2	25.2
SEPTICEMIA	6	4	2	27.2	22.1	50.5
SUICIDE	6	6	0	27.2	33.2	0.0
ALZHEIMERS DISEASE	5	5	0	22.7	27.7	0.0
INFLUENZA AND PNEUMONIA	5	5	0	22.7	27.7	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	9.1	5.5	25.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	1	1	9.1	5.5	25.2
ANEMIAS	1	1	0	4.5	5.5	0.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	4.5	5.5	0.0
PEPTIC ULCER	1	0	1	4.5	0.0	25.2
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	4.1	4.8	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	4.5	5.5	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	6	0	27.2	33.2	0.0
ALL OTHER CAUSES	25	23	2	113.5	127.3	50.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	242	205	37	119	98	21	123	107	16
UNDER 1	1	1	0	1	1	0	0	0	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	2	1	1	0	0	0	2	1	1
25-34	4	4	0	1	1	0	3	3	0
35-44	4	3	1	3	3	0	1	0	1
45-54	14	10	4	9	7	2	5	3	2
55-64	41	32	9	30	23	7	11	9	2
65-74	56	50	6	34	30	4	22	20	2
75-84	54	49	5	24	20	4	30	29	1
85 AND OVER	65	54	11	17	13	4	48	41	7
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	22,025
WHITE	18,066
NONWHITE	3,959

COUNTY: TISHOMINGO

SELECTED DEATH STATISTICS, RESIDENTS OF TISHOMINGO COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	283	272	11	14.4	14.5	13.3
HEART DISEASES	80	76	4	408.4	405.0	484.8
MALIGNANT NEOPLASMS	44	43	1	224.6	229.1	121.2
ACCIDENTS	22	22	0	112.3	117.2	0.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	21	21	0	107.2	111.9	0.0
CEREBROVASCULAR DISEASE	16	15	1	81.7	79.9	121.2
DIABETES MELLITUS	11	11	0	56.1	58.6	0.0
ALZHEIMERS DISEASE	10	10	0	51.0	53.3	0.0
SUICIDE	9	9	0	45.9	48.0	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	6	6	0	30.6	32.0	0.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	5	1	30.6	26.6	121.2
INFLUENZA AND PNEUMONIA	5	5	0	25.5	26.6	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	4	0	20.4	21.3	0.0
SEPTICEMIA	3	3	0	15.3	16.0	0.0
AORTIC ANEURYSM AND DISSECTION	2	2	0	10.2	10.6	0.0
VIRAL HEPATITIS	1	1	0	5.1	5.3	0.0
ANEMIAS	1	1	0	5.1	5.3	0.0
PARKINSONS DISEASE	1	1	0	5.1	5.3	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	5.1	5.3	0.0
ATHEROSCLEROSIS	1	1	0	5.1	5.3	0.0
DISEASES OF APPENDIX	1	0	1	5.1	0.0	121.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	5.1	5.3	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	5.1	5.3	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	15.3	10.6	121.2
ALL OTHER CAUSES	33	31	2	168.4	165.2	242.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	283	272	11	132	129	3	151	143	8
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	3	0	2	2	0	1	1	0
25-34	3	3	0	2	2	0	1	1	0
35-44	8	7	1	3	3	0	5	4	1
45-54	27	26	1	18	17	1	9	9	0
55-64	30	30	0	18	18	0	12	12	0
65-74	59	59	0	34	34	0	25	25	0
75-84	80	77	3	32	32	0	48	45	3
85 AND OVER	72	66	6	23	21	2	49	45	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	19,591
WHITE	18,766
NONWHITE	825

COUNTY: TUNICA

SELECTED DEATH STATISTICS, RESIDENTS OF TUNICA COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	100	29	71	9.5	11.6	8.9
HEART DISEASES	34	9	25	324.6	360.9	313.2
MALIGNANT NEOPLASMS	23	8	15	219.6	320.8	187.9
DIABETES MELLITUS	8	0	8	76.4	0.0	100.2
ACCIDENTS	5	2	3	47.7	80.2	37.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	0	4	38.2	0.0	50.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	1	2	28.6	40.1	25.1
HOMICIDE	3	1	2	28.6	40.1	25.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	2	0	19.1	80.2	0.0
SUICIDE	2	2	0	19.1	80.2	0.0
SEPTICEMIA	1	0	1	9.5	0.0	12.5
ALZHEIMERS DISEASE	1	1	0	9.5	40.1	0.0
CEREBROVASCULAR DISEASE	1	1	0	9.5	40.1	0.0
INFLUENZA AND PNEUMONIA	1	0	1	9.5	0.0	12.5
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	9.5	0.0	12.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	9.5	0.0	12.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	28.6	40.1	25.1
ALL OTHER CAUSES	7	1	6	66.8	40.1	75.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	100	29	71	54	15	39	46	14	32
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	0	3	1	0	1	2	0	2
25-34	3	1	2	2	1	1	1	0	1
35-44	6	2	4	4	1	3	2	1	1
45-54	12	2	10	10	2	8	2	0	2
55-64	21	6	15	13	2	11	8	4	4
65-74	14	3	11	7	3	4	7	0	7
75-84	24	10	14	12	4	8	12	6	6
85 AND OVER	16	5	11	5	2	3	11	3	8
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	10,475
WHITE	2,494
NONWHITE	7,981

COUNTY: UNION

SELECTED DEATH STATISTICS, RESIDENTS OF UNION COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	277	232	45	10.1	10.2	9.9
HEART DISEASES	85	71	14	310.1	310.7	306.9
MALIGNANT NEOPLASMS	47	41	6	171.4	179.4	131.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	20	19	1	73.0	83.1	21.9
CEREBROVASCULAR DISEASE	13	11	2	47.4	48.1	43.8
ACCIDENTS	13	9	4	47.4	39.4	87.7
INFLUENZA AND PNEUMONIA	6	5	1	21.9	21.9	21.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	3	2	18.2	13.1	43.8
SEPTICEMIA	4	3	1	14.6	13.1	21.9
SUICIDE	4	3	1	14.6	13.1	21.9
ALZHEIMERS DISEASE	3	3	0	10.9	13.1	0.0
DIABETES MELLITUS	2	1	1	7.3	4.4	21.9
PARKINSONS DISEASE	2	2	0	7.3	8.8	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	2	0	7.3	8.8	0.0
AORTIC ANEURYSM AND DISSECTION	2	1	1	7.3	4.4	21.9
HOMICIDE	2	1	1	7.3	4.4	21.9
VIRAL HEPATITIS	1	1	0	3.6	4.4	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	3.6	4.4	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	3.6	4.4	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	3.6	4.4	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.7	0.0	15.6
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	3.6	4.4	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	16	15	1	58.4	65.6	21.9
ALL OTHER CAUSES	45	37	8	164.2	161.9	175.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	277	232	45	141	116	25	136	116	20
UNDER 1	2	1	1	2	1	1	0	0	0
(NEONATAL)	2	1	1	2	1	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	2	0	2	2	0	2	0	0	0
25-34	4	3	1	3	2	1	1	1	0
35-44	6	4	2	5	4	1	1	0	1
45-54	14	9	5	5	3	2	9	6	3
55-64	40	30	10	27	21	6	13	9	4
65-74	47	40	7	31	27	4	16	13	3
75-84	83	74	9	38	33	5	45	41	4
85 AND OVER	76	68	8	25	22	3	51	46	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	27,414
WHITE	22,852
NONWHITE	4,562

COUNTY: WALTHALL

SELECTED DEATH STATISTICS, RESIDENTS OF WALTHALL COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	152	94	58	10.1	11.6	8.3
HEART DISEASES	49	27	22	324.5	332.9	314.7
MALIGNANT NEOPLASMS	32	23	9	211.9	283.6	128.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	10	7	3	66.2	86.3	42.9
ALZHEIMERS DISEASE	9	8	1	59.6	98.6	14.3
CEREBROVASCULAR DISEASE	6	3	3	39.7	37.0	42.9
ACCIDENTS	6	3	3	39.7	37.0	42.9
DIABETES MELLITUS	4	1	3	26.5	12.3	42.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	0	4	26.5	0.0	57.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	3	1	26.5	37.0	14.3
INFLUENZA AND PNEUMONIA	3	3	0	19.9	37.0	0.0
SUICIDE	3	2	1	19.9	24.7	14.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS IN SITU, BENIGN & UNSPECIFIED	2	0	2	13.2	0.0	28.6
NEOPLASMS	1	1	0	6.6	12.3	0.0
ANEMIAS	1	1	0	6.6	12.3	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	6.6	0.0	14.3
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	6.6	12.3	0.0
INFECTIONS OF KIDNEY	1	1	0	6.6	12.3	0.0
HOMICIDE	1	0	1	6.6	0.0	14.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	14	10	4	92.7	123.3	57.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	152	94	58	79	48	31	73	46	27
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	0	0	0	1	1	0
25-34	2	1	1	0	0	0	2	1	1
35-44	6	1	5	2	0	2	4	1	3
45-54	10	4	6	5	3	2	5	1	4
55-64	29	11	18	19	7	12	10	4	6
65-74	30	19	11	18	10	8	12	9	3
75-84	35	27	8	21	17	4	14	10	4
85 AND OVER	39	30	9	14	11	3	25	19	6
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	15,100
WHITE	8,110
NONWHITE	6,990

COUNTY: WARREN

SELECTED DEATH STATISTICS, RESIDENTS OF WARREN COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	505	292	213	10.5	12.0	8.9
HEART DISEASES	135	75	60	280.8	309.7	251.4
MALIGNANT NEOPLASMS	104	57	47	216.3	235.4	196.9
CEREBROVASCULAR DISEASE	44	25	19	91.5	103.2	79.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	38	29	9	79.0	119.8	37.7
ACCIDENTS	22	19	3	45.8	78.5	12.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	20	7	13	41.6	28.9	54.5
SEPTICEMIA	18	10	8	37.4	41.3	33.5
ALZHEIMERS DISEASE	16	12	4	33.3	49.6	16.8
DIABETES MELLITUS	11	7	4	22.9	28.9	16.8
PARKINSONS DISEASE	7	4	3	14.6	16.5	12.6
INFLUENZA AND PNEUMONIA	7	4	3	14.6	16.5	12.6
HIV DISEASE	6	0	6	12.5	0.0	25.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	3	3	12.5	12.4	12.6
SUICIDE	6	2	4	12.5	8.2	16.8
CHRONIC LIVER DISEASE AND CIRRHOSIS IN SITU, BENIGN & UNSPECIFIED	4	2	2	8.3	8.2	8.4
NEOPLASMS	3	2	1	6.2	8.2	4.2
CONDITIONS ORIG IN PERINATAL PERIOD	3	1	2	4.7	3.7	5.5
HOMICIDE	3	1	2	6.2	4.1	8.4
VIRAL HEPATITIS	2	0	2	4.2	0.0	8.4
PEPTIC ULCER	2	1	1	4.2	4.1	4.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	4.2	4.1	4.2
AORTIC ANEURYSM AND DISSECTION	1	1	0	2.1	4.1	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	2.1	4.1	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	44	28	16	91.5	115.6	67.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	505	292	213	238	138	100	267	154	113
UNDER 1	4	1	3	2	0	2	2	1	1
(NEONATAL)	3	1	2	2	0	2	1	1	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	4	1	2	2	0	3	2	1
25-34	9	2	7	7	2	5	2	0	2
35-44	19	6	13	11	5	6	8	1	7
45-54	39	24	15	24	15	9	15	9	6
55-64	82	46	36	49	25	24	33	21	12
65-74	108	52	56	56	27	29	52	25	27
75-84	115	82	33	46	32	14	69	50	19
85 AND OVER	123	75	48	41	30	11	82	45	37
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	48,084
WHITE	24,215
NONWHITE	23,869

COUNTY: WASHINGTON

SELECTED DEATH STATISTICS, RESIDENTS OF WASHINGTON COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	580	228	352	11.6	16.8	9.7
MALIGNANT NEOPLASMS	133	49	84	267.3	361.7	232.0
HEART DISEASES	112	48	64	225.1	354.3	176.8
DIABETES MELLITUS	40	10	30	80.4	73.8	82.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	38	26	12	76.4	191.9	33.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	34	11	23	68.3	81.2	63.5
ACCIDENTS	32	14	18	64.3	103.4	49.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	19	3	16	38.2	22.1	44.2
CEREBROVASCULAR DISEASE	18	5	13	36.2	36.9	35.9
HOMICIDE	13	3	10	26.1	22.1	27.6
INFLUENZA AND PNEUMONIA	8	5	3	16.1	36.9	8.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	7	4	3	14.1	29.5	8.3
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	7	4	3	14.1	29.5	8.3
SEPTICEMIA	5	1	4	10.0	7.4	11.0
ALZHEIMERS DISEASE	5	2	3	10.0	14.8	8.3
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	4	3	1	8.0	22.1	2.8
SUICIDE	4	2	2	8.0	14.8	5.5
HIV DISEASE	3	0	3	6.0	0.0	8.3
MALNUTRITION/NUTRITIONAL DEFICIENCY	3	1	2	6.0	7.4	5.5
AORTIC ANEURYSM AND DISSECTION	3	0	3	6.0	0.0	8.3
PARKINSONS DISEASE	2	2	0	4.0	14.8	0.0
HERNIA	2	1	1	4.0	7.4	2.8
VIRAL HEPATITIS	1	1	0	2.0	7.4	0.0
ANEMIAS	1	0	1	2.0	0.0	2.8
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	2.0	7.4	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	1.3	0.0	1.6
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	2.0	0.0	2.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	9	2	7	18.1	14.8	19.3
ALL OTHER CAUSES	74	30	44	148.7	221.5	121.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	580	228	352	313	124	189	267	104	163
UNDER 1	12	3	9	4	1	3	8	2	6
(NEONATAL)	3	2	1	2	1	1	1	1	0
(POSTNEONATAL)	9	1	8	2	0	2	7	1	6
1-4	2	0	2	2	0	2	0	0	0
5-9	2	0	2	2	0	2	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	7	2	5	6	1	5	1	1	0
25-34	15	5	10	8	0	8	7	5	2
35-44	26	8	18	16	4	12	10	4	6
45-54	51	12	39	30	9	21	21	3	18
55-64	97	25	72	58	17	41	39	8	31
65-74	120	43	77	69	28	41	51	15	36
75-84	127	64	63	69	35	34	58	29	29
85 AND OVER	121	66	55	49	29	20	72	37	35
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	49,750
WHITE	13,546
NONWHITE	36,204

COUNTY: WAYNE

SELECTED DEATH STATISTICS, RESIDENTS OF WAYNE COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	225	161	64	10.9	13.0	7.7
HEART DISEASES	65	39	26	314.6	315.5	313.2
MALIGNANT NEOPLASMS	57	45	12	275.9	364.1	144.6
ACCIDENTS	14	8	6	67.8	64.7	72.3
ALZHEIMERS DISEASE	9	7	2	43.6	56.6	24.1
CEREBROVASCULAR DISEASE	7	6	1	33.9	48.5	12.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	6	1	33.9	48.5	12.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	1	4	24.2	8.1	48.2
HOMICIDE	5	3	2	24.2	24.3	24.1
PARKINSONS DISEASE	4	3	1	19.4	24.3	12.0
DIABETES MELLITUS	3	3	0	14.5	24.3	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	3	0	14.5	24.3	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	14.5	24.3	0.0
SUICIDE	3	3	0	14.5	24.3	0.0
SEPTICEMIA	2	2	0	9.7	16.2	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	2	0	9.7	16.2	0.0
AORTIC ANEURYSM AND DISSECTION	2	1	1	9.7	8.1	12.0
INFLUENZA AND PNEUMONIA	2	2	0	9.7	16.2	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	2	0	9.7	16.2	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	4.8	8.1	0.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	4.8	8.1	0.0
INFECTIONS OF KIDNEY	1	1	0	4.8	8.1	0.0

NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	0.0	0.0	0.0
ALL OTHER CAUSES	27	19	8	130.7	153.7	96.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	225	161	64	106	72	34	119	89	30
UNDER 1	2	2	0	1	1	0	1	1	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	2	2	0	1	1	0	1	1	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	6	4	2	5	4	1	1	0	1
25-34	4	3	1	3	2	1	1	1	0
35-44	10	7	3	7	5	2	3	2	1
45-54	30	18	12	16	8	8	14	10	4
55-64	24	18	6	11	7	4	13	11	2
65-74	42	33	9	18	14	4	24	19	5
75-84	59	38	21	29	19	10	30	19	11
85 AND OVER	46	38	8	16	12	4	30	26	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	20,661
WHITE	12,360
NONWHITE	8,301

COUNTY: WEBSTER

SELECTED DEATH STATISTICS, RESIDENTS OF WEBSTER COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	127	98	29	12.6	12.4	13.6
HEART DISEASES	48	34	14	478.1	430.4	654.5
MALIGNANT NEOPLASMS	26	23	3	259.0	291.1	140.2
ALZHEIMERS DISEASE	7	6	1	69.7	75.9	46.8
INFLUENZA AND PNEUMONIA	6	5	1	59.8	63.3	46.8
CEREBROVASCULAR DISEASE	5	4	1	49.8	50.6	46.8
SEPTICEMIA	4	3	1	39.8	38.0	46.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	3	1	39.8	38.0	46.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	3	1	39.8	38.0	46.8
DIABETES MELLITUS	2	1	1	19.9	12.6	46.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	2	0	19.9	25.3	0.0
ACCIDENTS	2	2	0	19.9	25.3	0.0
VIRAL HEPATITIS	1	1	0	10.0	12.6	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	10.0	12.6	0.0
ANEMIAS	1	1	0	10.0	12.6	0.0
PARKINSONS DISEASE	1	1	0	10.0	12.6	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	10.0	0.0	46.8
AORTIC ANEURYSM AND DISSECTION	1	1	0	10.0	12.6	0.0
PEPTIC ULCER	1	1	0	10.0	12.6	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	10.0	12.6	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	19.9	12.6	46.8
ALL OTHER CAUSES	7	4	3	69.7	50.6	140.2

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	127	98	29	71	54	17	56	44	12
UNDER 1	1	1	0	1	1	0	0	0	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	1	0	1	0	0	0	1	0	1
35-44	3	1	2	3	1	2	0	0	0
45-54	10	7	3	9	6	3	1	1	0
55-64	21	17	4	13	11	2	8	6	2
65-74	21	15	6	13	10	3	8	5	3
75-84	33	27	6	17	13	4	16	14	2
85 AND OVER	36	29	7	14	11	3	22	18	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	10,039
WHITE	7,900
NONWHITE	2,139

COUNTY: WILKINSON

SELECTED DEATH STATISTICS, RESIDENTS OF WILKINSON COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	99	38	61	10.5	13.7	9.2
HEART DISEASES	23	8	15	243.8	289.2	225.0
MALIGNANT NEOPLASMS	14	3	11	148.4	108.5	165.0
DIABETES MELLITUS	9	1	8	95.4	36.2	120.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	4	3	74.2	144.6	45.0
CEREBROVASCULAR DISEASE	6	4	2	63.6	144.6	30.0
ACCIDENTS	6	1	5	63.6	36.2	75.0
ALZHEIMERS DISEASE	5	3	2	53.0	108.5	30.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	1	2	31.8	36.2	30.0
SUICIDE	3	2	1	31.8	72.3	15.0
PARKINSONS DISEASE	2	2	0	21.2	72.3	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1	21.2	36.2	15.0
AORTIC ANEURYSM AND DISSECTION	1	0	1	10.6	0.0	15.0
INFLUENZA AND PNEUMONIA	1	0	1	10.6	0.0	15.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	10.6	36.2	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	8.6	0.0	9.8
HOMICIDE	1	0	1	10.6	0.0	15.0

--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	21.2	36.2	15.0
ALL OTHER CAUSES	12	6	6	127.2	216.9	90.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	99	38	61	56	15	41	43	23	20
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	1	0	1	1	0	1
25-34	5	1	4	5	1	4	0	0	0
35-44	4	2	2	2	0	2	2	2	0
45-54	11	1	10	4	0	4	7	1	6
55-64	14	5	9	11	3	8	3	2	1
65-74	17	4	13	12	2	10	5	2	3
75-84	27	14	13	16	7	9	11	7	4
85 AND OVER	18	11	7	4	2	2	14	9	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	9,432
WHITE	2,766
NONWHITE	6,666

COUNTY: WINSTON

SELECTED DEATH STATISTICS, RESIDENTS OF WINSTON COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	233	158	75	12.2	16.0	8.2
HEART DISEASES	57	33	24	299.5	334.3	262.1
MALIGNANT NEOPLASMS	45	34	11	236.5	344.4	120.1
ALZHEIMERS DISEASE	19	17	2	99.8	172.2	21.8
ACCIDENTS	18	11	7	94.6	111.4	76.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	15	12	3	78.8	121.6	32.8
DIABETES MELLITUS	8	4	4	42.0	40.5	43.7
CEREBROVASCULAR DISEASE	7	6	1	36.8	60.8	10.9
INFLUENZA AND PNEUMONIA	4	2	2	21.0	20.3	21.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	0	4	21.0	0.0	43.7
SEPTICEMIA	3	2	1	15.8	20.3	10.9
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	3	0	15.8	30.4	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	10.5	20.3	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	10.5	10.1	10.9
HOMICIDE	2	0	2	10.5	0.0	21.8
VIRAL HEPATITIS	1	1	0	5.2	10.1	0.0
PARKINSONS DISEASE	1	1	0	5.2	10.1	0.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	5.2	0.0	10.9
ATHEROSCLEROSIS	1	1	0	5.2	10.1	0.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	5.2	10.1	0.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	5.6	0.0	10.1
SUICIDE	1	1	0	5.2	10.1	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	5.2	0.0	10.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	7	3	4	36.8	30.4	43.7
ALL OTHER CAUSES	29	23	6	152.4	233.0	65.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	233	158	75	110	77	33	123	81	42
UNDER 1	3	1	2	2	1	1	1	0	1
(NEONATAL)	3	1	2	2	1	1	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	2	2	0	2	2	0	0	0	0
25-34	4	2	2	4	2	2	0	0	0
35-44	9	4	5	8	4	4	1	0	1
45-54	18	11	7	7	5	2	11	6	5
55-64	28	11	17	19	9	10	9	2	7
65-74	32	20	12	17	10	7	15	10	5
75-84	61	48	13	30	26	4	31	22	9
85 AND OVER	74	59	15	21	18	3	53	41	12
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	19,029
WHITE	9,871
NONWHITE	9,158

COUNTY: YALOBUSHA

SELECTED DEATH STATISTICS, RESIDENTS OF YALOBUSHA COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	161	110	51	13.0	14.6	10.4
HEART DISEASES	52	36	16	419.3	479.1	327.4
MALIGNANT NEOPLASMS	42	28	14	338.7	372.6	286.5
ACCIDENTS	9	6	3	72.6	79.8	61.4
CEREBROVASCULAR DISEASE	8	6	2	64.5	79.8	40.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	5	1	48.4	66.5	20.5
DIABETES MELLITUS	4	1	3	32.2	13.3	61.4
ALZHEIMERS DISEASE	4	4	0	32.2	53.2	0.0
AORTIC ANEURYSM AND DISSECTION	3	2	1	24.2	26.6	20.5
HOMICIDE	3	2	1	24.2	26.6	20.5
SEPTICEMIA	2	1	1	16.1	13.3	20.5
INFLUENZA AND PNEUMONIA	2	1	1	16.1	13.3	20.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	2	0	16.1	26.6	0.0
COMPLICATIONS MEDICAL/SURGICAL CARE	2	2	0	16.1	26.6	0.0
ANEMIAS	1	0	1	8.1	0.0	20.5
PARKINSONS DISEASE	1	1	0	8.1	13.3	0.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	8.1	0.0	20.5
SUICIDE	1	1	0	8.1	13.3	0.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	16.1	26.6	0.0
ALL OTHER CAUSES	16	10	6	129.0	133.1	122.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	161	110	51	81	49	32	80	61	19
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	4	2	2	3	2	1	1	0	1
25-34	2	0	2	1	0	1	1	0	1
35-44	7	3	4	6	2	4	1	1	0
45-54	14	9	5	11	6	5	3	3	0
55-64	21	8	13	15	6	9	6	2	4
65-74	38	30	8	23	19	4	15	11	4
75-84	38	29	9	14	8	6	24	21	3
85 AND OVER	35	27	8	7	5	2	28	22	6
UNKNOWN	0	0	0	0	0	0	0	0	0

2012 POPULATION:

TOTAL	12,401
WHITE	7,514
NONWHITE	4,887

COUNTY: YAZOO

SELECTED DEATH STATISTICS, RESIDENTS OF YAZOO COUNTY, 2012

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	284	137	147	10.1	11.8	8.9
MALIGNANT NEOPLASMS	64	26	38	227.0	224.0	229.1
HEART DISEASES	49	24	25	173.8	206.8	150.7
DIABETES MELLITUS	26	13	13	92.2	112.0	78.4
CEREBROVASCULAR DISEASE	17	8	9	60.3	68.9	54.2
ACCIDENTS	17	8	9	60.3	68.9	54.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	14	12	2	49.6	103.4	12.0
ALZHEIMERS DISEASE	8	5	3	28.4	43.1	18.1
INFLUENZA AND PNEUMONIA	7	6	1	24.8	51.7	6.0
SEPTICEMIA	6	3	3	21.3	25.8	18.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	3	3	21.3	25.8	18.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	2	3	17.7	17.2	18.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	1	4	17.7	8.6	24.1
HOMICIDE	5	1	4	17.7	8.6	24.1
HIV DISEASE	3	0	3	10.6	0.0	18.1
AORTIC ANEURYSM AND DISSECTION	3	2	1	10.6	17.2	6.0
PARKINSONS DISEASE	2	1	1	7.1	8.6	6.0
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	5.2	0.0	7.4
VIRAL HEPATITIS	1	1	0	3.5	8.6	0.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	3.5	8.6	0.0
ANEMIAS	1	1	0	3.5	8.6	0.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	3.5	0.0	6.0
MENINGITIS	1	0	1	3.5	0.0	6.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	3.5	8.6	0.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	3.5	8.6	0.0
SUICIDE	1	0	1	3.5	0.0	6.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	10.6	8.6	12.0
ALL OTHER CAUSES	34	16	18	120.6	137.8	108.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 2012 ESTIMATES.

LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	284	137	147	159	79	80	125	58	67
UNDER 1	3	0	3	2	0	2	1	0	1
(NEONATAL)	2	0	2	2	0	2	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	6	0	6	5	0	5	1	0	1
35-44	10	2	8	6	2	4	4	0	4
45-54	22	9	13	12	6	6	10	3	7
55-64	45	18	27	35	15	20	10	3	7
65-74	59	27	32	31	16	15	28	11	17
75-84	62	34	28	42	23	19	20	11	9
85 AND OVER	73	46	27	24	17	7	49	29	20
UNKNOWN	2	0	2	1	0	1	1	0	1

2012 POPULATION:

TOTAL	28,195
WHITE	11,607
NONWHITE	16,588