TABLE OF CONTENTS

Page

INTRODUCTION

Description of Bulletin 1
Definitions of Live Birth, Fetal Death, Induced Termination, and Death 1
Occurrence and Residence Allocation 2
Population 2
Race 3
Rates 3
Classification of Cause of Death 3

SUMMARY TABLES, 2012

POPULATION

Table P1. 2012 Estimated Population, by Age, Race, and Sex, Residents of Mississippi 7

LIVE BIRTHS

Table A1. Live Births and Average per Day, by Month 8
Table A2. Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1940, 1950, 1960, 1970-2012 8
Table A3. Live Births and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother 9
Table A4. Live Births, Percentage Distribution, and Fertility Rates, by Age and Race of Mother 10
Table A5. Live Births and Percentage Distribution, by Years of School Completed by Mother and Race of Mother 10
Table A6. Live Births to Unmarried Mothers and Percent of Total Live Births in Specified Group, by Age and Race of Mother 11
Table A7. Live Births, Percentage Distribution, Fertility Rates, and Median Age of Mother, by Total-Birth Order and Race of Mother 11
Table A8. Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time during Pregnancy Care Began, and Race of Mother 12
Table A9. Live Births and Percentage Distribution, by Maturity and Race of Mother 12
Table A10. Congenital Anomalies Reported on Live Birth Certificates, by Anomaly and Race of Mother 13
Table A11. Medical Risk Factors Reported on Live Birth Certificates, by Risk Factor and Race of Mother 14
Table A12. Other Risk Factors Reported on Live Birth Certificates and Percentage Distribution, by Risk Factor and Race of Mother 15
Table A13. Complications of Labor and Delivery Reported on Live Birth Certificates, by Complication and Race of Mother 16

Page

Table A14. Methods of Delivery Reported on Live Birth Certificates, by Method and Race of Mother 16
Table A15. Obstetric Procedures Reported on Live Birth Certificates, by Procedure and Race of Mother 17
Table A16. Abnormal Conditions of Newborn Reported on Live Birth Certificates, by Condition and Race of Mother 17

FETAL DEATHS
Table B1. Reportable Fetal Deaths and Percentage Distribution, by Place of Delivery, Attendant, and Race of Mother 18
Table B2. Reportable Fetal Deaths and Fetal Death Ratios, by Age and Race of Mother 19
Table B3. Percentage Distribution of Live Births and Reportable Fetal Deaths, by Whether Mother Received Prenatal Care and Race of Mother . . 19
Table B4. Reportable Fetal Deaths and Fetal Death Ratios, by Completed Weeks of Gestation and Race of Mother, 2010-2012 20

DEATHS
Table C1. Deaths and Average per Day, by Month 21
Table C2. Deaths, Percentage Distribution, and Rates, by Age and Race 21
Table C3A. Deaths by Age, Race, and Sex, and Male/Female Ratios by Age and Race 22
Table C3B. Death Rates, by Age, Race, and Sex 22
Table C4. Deaths, Mortality Rates, and Percent of Total Deaths from Ten Leading Causes, by Cause and Race 23
Table C5. Deaths, Percent of Total Deaths, and Rates for Five Leading Causes, by Age and Cause 24
Table C6. Deaths and Rates from Malignant Neoplasms, by Primary Site, Sex, and Race 25
Table C7. Deaths from Major Chronic Respiratory Diseases, 1987, 1992, 1997, 2002, 2007, 2012 25
Table C8. Deaths and Percent of Total Accidental Deaths from Five Leading Causes of Accidental Death, by Cause and Race 26
Table C9. Deaths from Selected Types of Accidents, by Sex, also by Age 27
Table C10. Motor Vehicle Accident Deaths Occurring in Mississippi and Rates, also Motor Vehicle Accident Deaths of Mississippi Residents and Rates, by Year, 1950, 1955, 1960, 1965, 1970-2012 28
Table C11. Infant Deaths, Percentage Distribution, and Mortality Rates by Age and Race 29
Table C12. Deaths and Mortality Rates for Ten Leading Causes of Infant Death, by Cause and Race 30
Table C13A. Years of Potential Life Lost Before Age 75, for Selected Causes of Death 31
Table C13B. Years of Potential Life Lost Before Age 75, for Selected Causes of Death, White Males and Females 32

Page

Table C13C. Years of Potential Life Lost Before Age 75, for Selected Causes of Death, Nonwhite Males and Females 33

MARRIAGES

Table D1. Marriages and Average per Day, by Month 34
Table D2. Brides and Grooms and Percentage Distribution, by Age and Race . . . 35
Table D3. Median Age of Bride and Groom, for All Marriages and First Marriages, by Race 36
Table D4. Brides and Grooms and Percentage Distribution, by Marriage Order and Race 37
Table D5. Brides and Grooms and Percentage Distribution, by Previous Marital Status and Race 38
Table D6. Marriages and Percentage Distribution, by Residence of Bride and Groom and Race of Bride 39

DIVORCES

Table E1. Divorces and Percentage Distribution, by Cause and Race 40
Table E2. Divorces and Percentage Distribution, by Number of Minor Children and Race 40
Table E3. Divorces and Percentage Distribution, by Number of Years Married and Race 41

INDUCED TERMINATIONS OF PREGNANCY

Table F1. Reported Induced Terminations of Pregnancy, Percentage Distribution, and Induced Termination Ratios, by Age and Race of Patient, Procedures Performed in Mississippi 42
Table F2. Reported Induced Terminations of Pregnancy and Percentage Distribution, by Characteristics of Patient and Race, Procedures Performed in Mississippi 43
Table F3. Reported Induced Terminations of Pregnancy and Percentage Distribution, by Medical Characteristics and Race, Procedures Performed in Mississippi 44
Table F4. Reported Complications Resulting from Induced Terminations of Pregnancy, Patients Treated in Mississippi 44

MAJOR TABLES, 2012

POPULATION

Table I. 2012 Estimated Population and Percent Change From 2010 Census Population, Mississippi 47

Page

LIVE BIRTHS

Table 1A. Live Births, by Place of Occurrence and Race of Mother, also Live Births and Rates, by Place of Residence and Race of Mother, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 2012 49

Table 1B. Fertility Rates, by County of Residence and Race of Mother, Mississippi, 2012 52

Table 2. Live Births, by County of Residence, Race of Mother, and Attendant, also by County of Residence and Sex, Mississippi, 2012 53

Table 3A. Total Live Births, by County of Residence and Age of Mother, Mississippi, 2012 56

Table 3B. Live Births to White Mothers, by County of Residence and Age of Mother, Mississippi, 2012 58

Table 3C. Live Births to Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 2012 60

Table 4. Live Births to Unmarried Mothers and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2012 62

Table 5A. Total Live Births to Unmarried Mothers, by County of Residence and Age of Mother, Mississippi, 2012 64

Table 5B. Live Births to Unmarried White Mothers, by County of Residence and Age of Mother, Mississippi, 2012 66

Table 5C. Live Births to Unmarried Nonwhite Mothers, by County of Residence and Age of Mother, Mississippi, 2012 68

Table 6A. Live Births Weighing Less Than 2,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2012 70

Table 6B. Live Births Weighing Less Than 1,500 Grams at Birth and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2012 72

Table 7. Premature Live Births and Percent of Total Live Births, by County of Residence and Race of Mother, Mississippi, 2012 74

FETAL DEATHS

Table 8. Reportable Fetal Deaths, by County of Occurrence and Race of Mother, also Reportable Fetal Deaths and Fetal Death Ratios, by County of Residence and Race of Mother, Mississippi, 2012 76

DEATHS

Table 9. Deaths, by Place of Occurrence and Race, also Deaths and Rates, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 2012 78

Table 10A. Deaths, by Cause and Race, (Cause Groupings Based on NCHS List of 358 Selected Causes), Mississippi Residents, 2012 81

Table 10B. Deaths, by Cause and Race, Mississippi Residents, 2012 91

Page

Table 11. Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 2012 113
Table 12A. Infant, Neonatal, and Postneonatal Deaths, by County of Residence and Race, Mississippi, 2012 120
Table 12B. Infant, Neonatal, and Postneonatal Mortality Rates, by County of Residence and Race, Mississippi, 2008-2012 (5-Year Average) . . 122
Table 13. Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 2012 124
Table 14. Accidental Deaths, by County of Occurrence and Type of Accident, Mississippi, 2012 127

MARRIAGES
Table 15. Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 2012 129

DIVORCES
Table 16. Divorces, by County of Occurrence and Race, Mississippi, 2012 131

INDUCED TERMINATIONS
Table 17. Reported Induced Terminations of Pregnancy Performed in Mississippi on Mississippi Residents, by County of Residence and Race, 2012 132

TEENAGE PREGNANCY
Table 18A. Teenage Pregnancies, by County of Residence, Race, and Age Group of Mother, Mississippi, 2012 133
Table 18B. Teenage Pregnancy Rates, by County of Residence, Race, and Age Group of Mother, Mississippi Residents, 2012 135

DEATHS (COUNTY AND STATE SUMMARIES)
Table 19. Deaths from Selected Causes Used for Ranking Leading Causes, by Race, Mississippi Residents
The Counties (in alphabetical order) 138
The State 158

Page

TIME SERIES TABLES

Table 20. Live Births and Rates, by Year and Race, Mississippi, 1913-2012, (Occurrence Data 1913-1943, Residence Data 1944-2012) 161
Table 21. Deaths and Rates, by Year and Race, Mississippi, 1913-2012, (Occurrence Data 1913-1943, Residence Data 1944-2012) 163
Table 22. Maternal Deaths and Mortality Rates, by Year and Race, Mississippi, 1913-2012, (Occurrence Data 1913-1943, Residence Data 1944-2012) 165
Table 23. Infant Deaths and Mortality Rates, by Year and Race, Mississippi, 1917-2012, (Occurrence Data 1917-1943, Residence Data 1944-2012) 167
Table 24. Neonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-2012, (Occurrence Data 1924-1944, Residence Data 1945-2012) 169
Table 25. Postneonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-2012, (Occurrence Data 1924-1943, Residence Data 1944-2012) 171
Table 26. Marriages and Divorces, by Year and Race, Occurrence Data, Mississippi, 1926-2012 173
Table 27. Reported Induced Terminations of Pregnancy and Induced Termination Ratios, by Year and Race, Procedures Performed in Mississippi, 1976-2012 175
Table 28. Teenage Pregnancies and Pregnancy Rates, by Year and Race, Residence Data, Mississippi, 1979-2012 176

APPENDICES

Appendix A. List of 358 Selected Causes of Death Used for Tabulating Mortality Statistics, Showing Group Number, Cause of Death, and ICD-10 Codes Included 179
Appendix B. List of 50 Selected Categories of Causes of Death Used for Ranking Leading Causes, Showing Group Numbers, Causes of Death, and ICD-10 Codes Included in Each Category 193
Appendix C. List of 130 Selected Causes of Infant Death Used for Tabulating Infant Mortality Statistics, Showing Group Number, Cause of Death, and ICD-10 Codes Included 195
Appendix D. Finalized Adoptions by Chancery Court District as Reported to the Administrative Office of Courts by the Chancery Clerks, 2012 202

VITAL STATISTICS
MISSISSIPPI, 2012

INTRODUCTION

Description of Bulletin

The information on live births, fetal deaths, induced terminations of pregnancy, deaths, marriages, and divorces which is presented in this bulletin was obtained from official records submitted to the Mississippi State Department of Health as required by statute and regulation. Live birth and fetal death records were prepared by hospitals, clinics, physicians, and midwives. Reports of induced terminations of pregnancy were prepared by hospitals, clinic staff, and physicians. Reports of complications from induced terminations of pregnancy were made by the clinic or physician who treated the patient for the complication. Responsibility for the preparation of death certificates was shared by hospitals, nursing homes and other institutions which provide care or custody, funeral homes, physicians, medical examiners, and medical examiner investigators. Marriage records were completed partly by brides and grooms, partly by persons who performed marriage ceremonies, and partly by circuit clerks. Chancery clerks prepared the statistical records of divorce.

This publication consists of three parts. The first part includes summary tables for the state as a whole for 2012; the second part contains major statistical tables for 2012. Time series tables numbered 20 through 28 are presented in the third part.

Definitions of Live Birth, Fetal Death, Induced Termination, and Death

The definitions of live birth, fetal death, and induced termination of pregnancy adopted by the Mississippi State Department of Health for use in Mississippi are those formulated by the World Health Organization and recommended by the National Center for Health Statistics. The definition of death was adopted by the Mississippi Legislature in 1982, statute number 41-36-3.

Live Birth - the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

Fetal Death - death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Induced Termination of Pregnancy - the intentional termination of pregnancy with the intention other than to produce a live-born infant or to remove a dead fetus.

Death - an individual who has sustained either (a) irreversible cessation of circulatory and respiratory functions or (b) irreversible cessation of all functions of

the entire brain, including the brain stem, is dead. A determination of death must be made in accordance with accepted medical standards.

Even though the definition of fetal death is all-inclusive, the State Department of Health does not require the reporting of all fetal deaths. Since January 1, 1976, fetal death reports have been required only for spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more. There is a separate reporting system (with no names or addresses) for all induced terminations of pregnancy.

Occurrence and Residence Allocation

Live births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for live births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent except that deaths of inmates of institutions were reallocated to the location of the institution regardless of length of stay.

Figures on induced terminations of pregnancy in Tables F1, F2, F3, and 17 refer only to procedures performed in Mississippi, and do not include transcripts of records of events that occurred in other states to Mississippi residents. Residence assignment was determined by the usual residence of the patient. However, the teenage pregnancy figures in Tables 18A, 18B, and 28, which include induced termination figures, refer to induced terminations of all Mississippi resident teens, regardless of where the induced termination was actually performed.

Marriages were classified according to place of issuance of the marriage license, place of occurrence of marriage, and place of residence of the bride. However, the figures on brides who were Mississippi residents are incomplete since there is no exchange among the states of transcripts of marriage records for nonresidents and the out-of-state marriages of Mississippi brides could not be included. Divorces were classified only according to place where the decree was granted, as there is no information regarding place of residence on the record.

Population

The population figures used in this publication are 2012 population estimates which were prepared by the United States Census Bureau. Estimates for small counties and small categories such as age/race/sex groups should be used with caution. Any slight discrepancies in the figures are due to rounding.

Race

The two categories for race used in this publication are white and nonwhite. White includes such groups as Caucasian, Anglo-American, Canadian, Cuban, French, Greek, Hispanic, Latin American, Mexican, Puerto Rican, Swedish, etc. Nonwhite includes such groups as Black, African-American, American Indian, Chinese, Japanese, Hawaiian, Filipino, and all other groups not considered as white. Beginning in 2012 informants providing information on death certificates were allowed to specify more than one race for the decedent. For statistical purposes, records with more than one race are classified as nonwhite.

Prior to 1989, all statistics regarding live births and fetal deaths were broken down by race of the child or fetus; however, beginning with 1989 and continuing with subsequent years all statistics on live births and fetal deaths will be reported by race of the mother. This includes any rates or ratios that involve figures for live births or fetal deaths. For example, the infant mortality rate for white infants will now be calculated using the number of live births to white mothers as the denominator.

Rates

Population-based rates for the state include those for live births, total deaths, and deaths from specific causes, except maternal deaths and deaths from certain conditions originating in the perinatal period. Figures on live births were used as the base for calculating fetal death ratios as well as rates for maternal deaths, infant, neonatal, and postneonatal deaths, and deaths from certain conditions originating in the perinatal period, as the birth counts represent the groups at risk more accurately than do general population figures.

Classification of Cause of Death

Causes of death were assigned according to the Tenth Revision International Statistical Classification of Diseases and Related Health Problems (ICD-10). The Tenth Revision was used for the first time in 1999, and is markedly different from the Ninth Revision. Because of this, and also because periodic changes in the classification system occurring throughout the years have resulted in an unavoidable lack of comparability for some causes, caution should be used in analyzing trends which span classification revisions.

With the exception of Table 10B, all tables which show cause of death are based on the National Center for Health Statistics' List of 358 Selected Causes of Death (see Appendix A), and appear with group numbers instead of the actual ICD-10 codes. These groupings were developed to preserve traditional categories of causes of death not found in continuous ranges of codes in ICD-10 as they were in ICD-9, to maintain continuity with prior coding revisions to facilitate trend analysis, and to separately identify causes of death that are of public health and medical importance. In Table 10B, however, the cause-of-death titles shown do follow the actual coding structure of the Tenth revision, and the causes are shown with their corresponding ICD-10 codes.

Adoptions

In 2005, Section 93-17-205, MS Code 1972 was amended to require the number of adoptions finalized in each Chancery Court be reported to the Bureau by the Administrative Office of Courts. This law became effective on July 1, 2005. It is important to note that the birth certificate is not automatically changed after the adoption process is complete, but requires the petitioner to present Vital Records with a copy of the adoption decree. This may not happen immediately and, in fact, may never happen. For this reason, birth records are a poor source for determining the number of adoptions that occur in a given year. Information on adoptions for calendar year 2012 is presented in Appendix D.

Internet site

This publication and additional tabulations can be found on the Internet at:
www.msdh.state.ms.us/phs

SUMMARY TABLES

In this section, all tables on live births, fetal deaths, and deaths represent residence data unless otherwise specified; all information on induced terminations of pregnancy, marriages, and divorces is occurrence data.

TABLE P1. 2012 ESTIMATED POPULATION*, BY AGE, RACE, AND SEX
RESIDENTS OF MISSISSIPPI

	TOTAL			WHITE			NONWHITE		
AGE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE	TOTAL	MALE	FEMALE
TOTAL	2,984,926	1,449,291	1,535,635	1,788,664	884,318	904,346	1,196,262	564,973	631,289
0-4	203,828	104,100	99,728	104,250	53,562	50,688	99,578	50,538	49,040
(Under 1)	39,651	20,302	19,349	19,741	10,143	9,598	19,910	10,159	9,751
(1-4)	164,177	83,798	80,379	84,509	43,419	41,090	79,668	40,379	39,289
5-9	208,598	106,932	101,666	109,801	56,536	53,265	98,797	50,396	48,401
10-14	208,778	106,562	102,216	110,521	56,844	53,677	98,257	49,718	48,539
15-19	211,793	108,000	103,793	110,378	56,976	53,402	101,415	51,024	50,391
20-24	223,457	112,035	111,422	122,119	62,561	59,558	101,338	49,474	51,864
25-29	193,621	95,517	98,104	109,150	55,632	53,518	84,471	39,885	44,586
30-34	194,988	95,908	99,080	111,044	56,983	54,061	83,944	38,925	45,019
35-39	180,301	87,794	92,507	106,080	53,948	52,132	74,221	33,846	40,375
40-44	189,646	92,247	97,399	116,338	59,168	57,170	73,308	33,079	40,229
45-49	195,238	94,723	100,515	120,886	60,822	60,064	74,352	33,901	40,451
50-54	207,331	99,955	107,376	130,138	64,688	65,450	77,193	35,267	41,926
55-59	194,965	93,227	101,738	124,149	60,799	63,350	70,816	32,428	38,388
60-64	168,307	80,150	88,157	113,341	55,038	58,303	54,966	25,112	29,854
65-69	132,965	62,649	70,316	96,879	46,303	50,576	36,086	16,346	19,740
70-74	99,246	44,631	54,615	73,663	33,868	39,795	25,583	10,763	14,820
75-79	72,539	30,676	41,863	54,723	23,887	30,836	17,816	6,789	11,027
80-84	52,096	19,875	32,221	40,025	15,808	24,217	12,071	4,067	8,004
85+	47,229	14,310	32,919	35,179	10,895	24,284	12,050	3,415	8,635
UNDER 15	621,204	317,594	303,610	324,572	166,942	157,630	296,632	150,652	145,980
15-64	1,959,647	959,556	1,000,091	1,163,623	586,615	577,008	796,024	372,941	423,083
65 & OVER	404,075	172,141	231,934	300,469	130,761	169,708	103,606	41,380	62,226
MEDIAN AGE	36.3	34.8	37.8	40.5	39.0	41.9	30.9	28.9	32.5

* POPULATION WAS OBTAINED FROM THE U.S. BUREAU OF THE CENSUS.

TABLE A1. LIVE BIRTHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 2012

MONTH	BIRTHS	AVERAGE PER DAY	MONTH	BIRTHS	AVERAGE PER DAY
TOTAL	38,618	106			
JANUARY	3,231	104	JULY	3,475	112
FEBRUARY	3,077	106	AUGUST	3,419	110
MARCH	3,007	97	SEPTEMBER	3,250	108
APRIL	2,877	96	OCTOBER	3,437	111
MAY	3,089	100	NOVEMBER	3,313	110
JUNE	3,188	106	DECEMBER	3,255	105

TABLE A2. PERCENTAGE OF LIVE BIRTHS IN HOSPITALS OR CLINICS,
BY YEAR AND RACE*
MISSISSIPPI, 1940, 1950, 1960, 1970-2012

YEAR	TOTAL	WHITE	NON-WHITE	YEAR	TOTAL	WHITE	NON-WHITE
1940	14.1	27.1	3.9	1990#	99.6	99.6	99.6
1950	46.1	83.3	18.9	1991#	99.6	99.6	99.6
1960	73.2	99.0	51.3	1992#	99.7	99.7	99.7
				1993#	99.7	99.7	99.6
1970#	90.0	99.7	79.7	1994#	99.7	99.7	99.7
1971#	92.2	99.6	84.2	1995#	99.7	99.7	99.6
1972#	95.2	99.8	90.4	1996#	99.7	99.7	99.7
1973#	96.4	99.7	92.8	1997#	99.7	99.8	99.7
1974#	97.4	99.7	94.8	1998#	99.6	99.7	99.6
1975#	97.9	99.6	96.0	1999#	99.7	99.7	99.7
1976#	98.5	99.7	97.3				
1977#	98.9	99.7	98.1	2000#	99.7	99.7	99.7
1978#	99.1	99.7	98.4	2001#	99.7	99.7	99.7
1979#	99.3	99.7	98.9	2002#	99.7	99.7	99.8
				2003#	99.7	99.7	99.7
1980#	99.4	99.7	99.1	2004#	99.7	99.7	99.8
1981#	99.3	99.6	99.0	2005#	99.7	99.7	99.8
1982#	99.4	99.6	99.2	2006#	99.7	99.7	99.8
1983#	99.5	99.6	99.4	2007#	99.7	99.7	99.8
1984#	99.5	99.6	99.4	2008#	99.8	99.7	99.8
1985#	99.6	99.7	99.4	2009#	99.7	99.6	99.8
1986#	99.6	99.7	99.5				
1987#	99.6	99.8	99.5	2010#	99.7	99.6	99.8
1988#	99.6	99.7	99.6	2011#	99.7	99.6	99.8
1989#	99.6	99.8	99.5	2012#	99.6	99.5	99.8

* FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD; BEGINNING IN 1989 FIGURES SHOWN ARE BY RACE OF MOTHER.

INCLUDES BIRTHS IN ANY FACILITY WHICH PROVIDES MEDICAL CARE; PRIOR TO 1970 ONLY BIRTHS IN FACILITIES PROVIDING INPATIENT CARE WERE INCLUDED.

TABLE A3. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER
MISSISSIPPI, 2012

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSI-CIAN	CERTI-FIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UN-KNOWN	TOTAL	PHYSI-CIAN	CERTI-FIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UN-KNOWN
TOTAL	38,618	37,569	811	69	159	10	100.0	97.3	2.1	0.2	0.4	*
HOSPITAL	38,473	37,568	809	1	87	8	99.6	97.3	2.1	*	0.2	*
CLINIC/DOCTOR'S OFFICE	0	0	0	0	0	0	-	-	-	-	-	-
HOME	132	1	2	66	61	2	0.3	*	*	0.2	0.2	*
OTHER PLACE	13	0	0	2	11	0	*	-	-	*	*	-
UNKNOWN PLACE	0	0	0	0	0	0	-	-	-	-	-	-
WHITE	21,337	20,789	394	65	83	6	100.0	97.4	1.8	0.3	0.4	*
HOSPITAL	21,228	20,788	392	1	43	4	99.5	97.4	1.8	*	0.2	*
CLINIC/DOCTOR'S OFFICE	0	0	0	0	0	0	-	-	-	-	-	-
HOME	104	1	2	62	37	2	0.5	*	*	0.3	0.2	*
OTHER PLACE	5	0	0	2	3	0	*	-	-	*	*	-
UNKNOWN PLACE	0	0	0	0	0	0	-	-	-	-	-	-
NONWHITE	17,281	16,780	417	4	76	4	100.0	97.1	2.4	*	0.4	*
HOSPITAL	17,245	16,780	417	0	44	4	99.8	97.1	2.4	-	0.2	*
CLINIC/DOCTOR'S OFFICE	0	0	0	0	0	0	-	-	-	-	-	-
HOME	28	0	0	4	24	0	0.2	-	-	*	0.1	-
OTHER PLACE	8	0	0	0	8	0	*	-	-	-	*	-
UNKNOWN PLACE	0	0	0	0	0	0	-	-	-	-	-	-

* LESS THAN 0.06 PERCENT.

TABLE A4. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, AND FERTILITY RATES, BY AGE AND RACE OF MOTHER MISSISSIPPI, 2012

AGE OF MOTHER	NUMBER			PERCENT			FERTILITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	38,618	21,337	17,281	100.0	100.0	100.0	64.1	64.7	63.4
UNDER 15	90	28	62	0.2	0.1	0.4	0.9	0.5	1.3
15-19	4,778	2,126	2,652	12.4	10.0	15.3	46.0	39.8	52.6
20-24	12,632	6,214	6,418	32.7	29.1	37.1	113.4	104.3	123.7
25-29	10,946	6,602	4,344	28.3	30.9	25.1	111.6	123.4	97.4
30-34	7,004	4,407	2,597	18.1	20.6	15.0	70.7	81.5	57.7
35-39	2,594	1,626	968	6.7	7.6	5.6	28.0	31.2	24.0
40-44	545	313	232	1.4	1.5	1.3	5.6	5.5	5.8
45-49	25	17	8	0.1	0.1	**	0.2	0.3	0.2
UNKNOWN	4	4	0	**	**	-			

* FOR TOTAL GROUP- LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE; FOR SPECIFIC AGE GROUPS - LIVE BIRTHS PER 1,000 FEMALES IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

TABLE A5. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY YEARS OF SCHOOL COMPLETED BY MOTHER AND RACE OF MOTHER MISSISSIPPI, 2012

YEARS OF SCHOOL COMPLETED BY MOTHER	NUMBER			PERCENT*			CUMULATIVE PERCENT*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL BIRTHS	38,618	21,337	17,281	100.0	100.0	100.0			
0-6 YEARS	514	428	86	1.4	2.1	0.5	1.4	2.1	0.5
7-9 YEARS	2,037	1,217	820	5.4	5.9	4.8	6.8	7.9	5.3
10,11 YEARS	4,503	1,922	2,581	11.9	9.3	15.1	18.7	17.2	20.4
12 YEARS	11,368	5,376	5,992	30.1	26.0	35.1	48.8	43.2	55.6
1-3 YEARS COLLEGE	10,940	5,731	5,209	29.0	27.7	30.5	77.8	70.9	86.1
4 OR MORE YEARS OF COLLEGE	8,394	6,025	2,369	22.2	29.1	13.9	100.0	100.0	100.0
UNKNOWN	862	638	224						
MEDIAN YEARS COMPLETED*	13	13	12						

* CALCULATIONS EXCLUDE BIRTHS TO MOTHERS WITH EDUCATION UNKNOWN.

TABLE A6. LIVE BIRTHS TO UNMARRIED MOTHERS AND PERCENT OF TOTAL LIVE BIRTHS IN SPECIFIED GROUP, BY AGE AND RACE OF MOTHER MISSISSIPPI, 2012

AGE OF MOTHER	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	21,128	7,385	13,743	54.7	34.6	79.5
UNDER 15	90	28	62	100.0	100.0	100.0
15-19	4,302	1,686	2,616	90.0	79.3	98.6
20-24	8,933	3,047	5,886	70.7	49.0	91.7
25-29	4,759	1597	3,162	43.5	24.2	72.8
30-34	2,152	709	1443	30.7	16.1	55.6
35-39	712	255	457	27.4	15.7	47.2
40-44	171	58	113	31.4	18.5	48.7
45-49	7	3	4	28.0	17.6	50.0
UNKNOWN	2	2	0			

TABLE A7. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, FERTILITY RATES, AND MEDIAN AGE OF MOTHER, BY TOTAL-BIRTH ORDER AND RACE OF MOTHER MISSISSIPPI, 2012

TOTAL BIRTH ORDER*	NUMBER			PERCENT			FERTILITY RATE**			MEDIAN AGE OF MOTHER		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	38,618	21,337	17,281	100.0	100.0	100.0	64.1	64.7	63.4	25	26	24
FIRST	13,275	7,540	5,735	34.4	35.3	33.2	22.0	22.8	21.0	22	23	21
SECOND	11,091	6,445	4,646	28.7	30.2	26.9	18.4	19.5	17.0	25	26	24
THIRD	7,156	3,913	3,243	18.5	18.3	18.8	11.9	11.9	11.9	27	28	26
FOURTH	3,750	1,880	1,870	9.7	8.8	10.8	6.2	5.7	6.9	28	29	27
FIFTH	1,772	861	911	4.6	4.0	5.3	2.9	2.6	3.3	29	30	28
SIXTH	816	376	440	2.1	1.8	2.5	1.4	1.1	1.6	30	31	30
SEVENTH	374	161	213	1.0	0.8	1.2	0.6	0.5	0.8	31	32	30
EIGHTH	183	79	104	0.5	0.4	0.6	0.3	0.2	0.4	31	32	30
NINTH	78	34	44	0.2	0.2	0.2	0.1	0.1	0.2	34	35	34
TENTH & OVER	112	43	69	0.3	0.2	0.4	0.2	0.1	0.2	35	38	33
UNKNOWN	11	5	6	#	#	#	#	#	#			

* INCLUDES ALL LIVE BIRTHS PLUS ALL FETAL DEATHS REGARDLESS OF LENGTH OF GESTATION.

** LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE.

LESS THAN 0.06.

TABLE A8. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY WHETHER MOTHER RECEIVED PRENATAL CARE, TIME DURING PREGNANCY CARE BEGAN, AND RACE OF MOTHER MISSISSIPPI, 2012

PRENATAL CARE AND TIME CARE BEGAN	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	38,618	21,337	17,281	100.0	100.0	100.0
NO PRENATAL CARE	382	149	233	1.0	0.7	1.3
SOME PRENATAL CARE	38,095	21,090	17,005	98.6	98.8	98.4
FIRST TRIMESTER	32,706	18,817	13,889	84.7	88.2	80.4
SECOND TRIMESTER	4,532	1,871	2,661	11.7	8.8	15.4
THIRD TRIMESTER	678	273	405	1.8	1.3	2.3
UNKNOWN MONTH	179	129	50	0.5	0.6	0.3
UNKNOWN WHETHER ANY PRENATAL CARE	141	98	43	0.4	0.4	0.2

TABLE A9. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY MATURITY AND RACE OF MOTHER MISSISSIPPI, 2012

MATURITY*	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	38,618	21,337	17,281	100.0	100.0	100.0
IMMATURE ONLY**	1,756	672	1,084	4.5	3.1	6.3
PREMATURE ONLY**	3,785	1,931	1,854	9.8	9.0	10.7
BOTH IMMATURE AND PREMATURE	2,730	1,073	1,657	7.1	5.0	9.6
TOTAL IMMATURE	4,486	1,745	2,741	11.6	8.2	15.9
TOTAL PREMATURE	6,515	3,004	3,511	16.9	14.1	20.3
TOTAL IMMATURE AND/OR PREMATURE	8,271	3,676	4,595	21.4	17.2	26.6
NEITHER IMMATURE NOR PREMATURE**	30,347	17,661	12,686	78.6	82.8	73.4

* IMMATURE - BIRTHWEIGHT LESS THAN 5 1/2 POUNDS (2,500 GRAMS); PREMATURE - GESTATION LESS THAN 37 WEEKS (CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF BIRTH).

** BIRTHS CLASSIFIED AS IMMATURE ONLY OR AS PREMATURE ONLY INCLUDE SOME FOR WHICH THE OTHER MEASUREMENT WAS UNKNOWN. THOSE CLASSIFIED AS NEITHER IMMATURE NOR PREMATURE INCLUDE SOME FOR WHICH ONE OR BOTH MEASUREMENTS WERE UNKNOWN.

TABLE A10. CONGENITAL ANOMALIES REPORTED ON LIVE BIRTH CERTIFICATES, BY ANOMALY AND RACE OF MOTHER MISSISSIPPI, 2012

CONGENITAL ANOMALY	TOTAL	WHITE	NON-WHITE
TOTAL ANOMALIES REPORTED	401	225	176
ANENCEPHALUS	4	1	3
SPINA BIFIDA / MENINGOCELE	3	0	3
HYDROCEPHALUS	11	5	6
MICROCEPHALUS	5	2	3
OTHER CENTRAL NERVOUS SYSTEM ANOMALIES	5	2	3
HEART MALFORMATIONS	41	19	22
OTHER CIRCULATORY / RESPIRATORY ANOMALIES	20	6	14
RECTAL ATRESIA / STENOSIS	8	7	1
TRACHEO-ESOPHAGEAL FISTULA / ESOPHAGEAL ATRESIA	2	2	0
OMPHALOCELE / GASTROSCHISIS	15	8	7
OTHER GASTROINTESTINAL ANOMALIES	7	6	1
MALFORMED GENITALIA	32	22	10
RENAL AGENESIS	5	1	4
OTHER UROGENITAL ANOMALIES	25	20	5
CLEFT LIP / PALATE	29	19	10
POLYDACTYLY / SYNDACTYLY / ADACTYLY	58	17	41
CLUB FOOT	22	14	8
DIAPHRAGMATIC HERNIA	5	4	1
OTHER MUSCULOSKELETAL / INTEGUMENTAL ANOMALIES	47	35	12
DOWN'S SYNDROME	18	11	7
OTHER CHROMOSOMAL ANOMALIES	10	9	1
OTHER	29	15	14

TABLE A11. MEDICAL RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES, BY RISK FACTOR AND RACE OF MOTHER MISSISSIPPI, 2012

MEDICAL RISK FACTOR	TOTAL	WHITE	NON-WHITE
TOTAL RISK FACTORS REPORTED	13,379	6,583	6,796
ANEMIA (HCT. < 30/HGB. < 10)	1,014	439	575
CARDIAC DISEASE	91	59	32
ACUTE OR CHRONIC LUNG DISEASE	385	158	227
DIABETES	1,500	834	666
GENITAL HERPES	301	160	141
HYDRAMNIOS/OLIGOHYDRAMNIOS	511	304	207
HEMOGLOBINOPATHY	130	8	122
HYPERTENSION, CHRONIC	1,143	372	771
HYPERTENSION, PREGNANCY-ASSOCIATED	2,009	1,031	978
ECLAMPSIA	164	105	59
INCOMPETENT CERVIX	96	40	56
PREVIOUS INFANT 4000+ GRAMS	61	49	12
PREVIOUS PRETERM OR SMALL-FOR-GESTATIONAL-AGE INFANT	424	204	220
RENAL DISEASE	58	46	12
RH SENSITIZATION	435	331	104
UTERINE BLEEDING	80	50	30
OTHER	4,977	2,393	2,584

TABLE A12. OTHER RISK FACTORS REPORTED ON LIVE BIRTH CERTIFICATES AND PERCENTAGE DISTRIBUTION, BY RISK FACTOR AND RACE OF MOTHER, MISSISSIPPI, 2012

	NUMBER			PERCENT		
RISK FACTOR	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL LIVE BIRTHS	38,618	21,337	17,281	100.0	100.0	100.0
TOBACCO USE DURING PREGNANCY						
NONE	34,543	18,307	16,236	89.4	85.8	94.0
SOME	4,045	3,018	1,027	10.5	14.1	5.9
1-9 CIGARETTES PER DAY	2,044	1,330	714	5.3	6.2	4.1
10-19 CIGARETTES PER DAY	1,568	1,335	233	4.1	6.2	1.3
20-29 CIGARETTES PER DAY	337	283	54	0.9	1.3	0.3
30-39 CIGARETTES PER DAY	17	13	4	*	0.1	*
40-49 CIGARETTES PER DAY	7	5	2	*	*	*
50-59 CIGARETTES PER DAY	1	1	0	*	*	-
60 OR MORE PER DAY	7	6	1	*	*	*
UNKNOWN AMOUNT	64	45	19	0.2	0.2	0.1
NOT STATED	30	12	18	0.1	*	0.1
ALCOHOL USE DURING PREGNANCY						
NONE	36,818	19,988	16,830	95.3	93.7	97.4
SOME	100	51	49	0.2	0.2	0.3
1 DRINK PER WEEK	48	25	23	0.1	0.1	0.1
2 DRINKS PER WEEK	24	11	13	0.1	*	0.1
3 DRINKS PER WEEK	6	1	5	*	*	*
4 DRINKS PER WEEK	3	3	0	*	*	-
5 DRINKS PER WEEK	4	2	2	*	*	*
6 OR MORE PER WEEK	11	6	5	*	*	*
UNKNOWN AMOUNT	4	3	1	*	*	*
NOT STATED	1,700	1,298	402	4.4	6.1	2.3
WEIGHT GAINED DURING PREGNANCY						
NONE OR LOST WEIGHT	1,944	855	1,089	5.0	4.0	6.3
1-4 POUNDS	417	215	202	1.1	1.0	1.2
5-9 POUNDS	1,186	533	653	3.1	2.5	3.8
10-14 POUNDS	2,680	1,204	1,476	6.9	5.6	8.5
15-19 POUNDS	2,971	1,487	1,484	7.7	7.0	8.6
20-24 POUNDS	5,118	2,585	2,533	13.2	12.1	14.6
25-29 POUNDS	4,610	2,679	1,931	11.9	12.6	11.2
30-34 POUNDS	5,898	3,489	2,409	15.3	16.4	13.9
35-39 POUNDS	3,676	2,327	1,349	9.5	10.9	7.8
40-44 POUNDS	3,704	2,286	1,418	9.6	10.7	8.2
45 OR MORE POUNDS	5,350	3,327	2,023	13.8	15.6	11.7
UNKNOWN AMOUNT	1,064	350	714	2.8	1.6	4.1
MEDIAN WEIGHT GAIN (LBS)**	29	30	25			

* LESS THAN 0.06 PERCENT.

** EXCLUDES MOTHERS WHOSE WEIGHT GAIN WAS UNKNOWN.

TABLE A13. COMPLICATIONS OF LABOR AND DELIVERY REPORTED ON LIVE BIRTH CERTIFICATES, BY COMPLICATION AND RACE OF MOTHER MISSISSIPPI, 2012

COMPLICATION	TOTAL	WHITE	NON-WHITE
TOTAL COMPLICATIONS REPORTED	9,109	5,139	3,970
FEBRILE (> 100 DEGREES F. OR 38 DEGREES C.)	157	85	72
MECONIUM, MODERATE / HEAVY	823	422	401
PREMATURE RUPTURE OF MEMBRANE (> 12 HOURS)	510	267	243
ABRUPTIO PLACENTA	182	91	91
PLACENTA PREVIA	76	42	34
OTHER EXCESSIVE BLEEDING	107	62	45
SEIZURES DURING LABOR	9	5	4
PRECIPITOUS LABOR (< 3 HOURS)	393	187	206
PROLONGED LABOR (> 20 HOURS)	83	54	29
DYSFUNCTIONAL LABOR	934	514	420
BREECH / MALPRESENTATION	1,302	770	532
CEPHALOPELVIC DISPROPORTION	419	247	172
CORD PROLAPSE	35	19	16
ANESTHETIC COMPLICATIONS	9	8	1
FETAL DISTRESS	1,885	980	905
OTHER	2,185	1,386	799

TABLE A14. METHOD OF DELIVERY REPORTED ON LIVE BIRTH CERTIFICATES, BY METHOD AND RACE OF MOTHER MISSISSIPPI, 2012

METHOD OF DELIVERY	TOTAL	WHITE	NON-WHITE
TOTAL METHODS OF DELIVERY REPORTED	39,944	22,140	17,804
VAGINAL	23,553	13,074	10,479
VAGINAL BIRTH AFTER PREVIOUS C-SECTION	199	105	94
PRIMARY C-SECTION	7,993	4,424	3,569
REPEAT C-SECTION	6,863	3,730	3,133
FORCEPS	291	188	103
VACUUM	1,045	619	426

TABLE A15. OBSTETRIC PROCEDURES REPORTED ON LIVE BIRTH CERTIFICATES, BY PROCEDURE AND RACE OF MOTHER MISSISSIPPI, 2012

OBSTETRIC PROCEDURE	TOTAL	WHITE	NON-WHITE
TOTAL OBSTETRIC PROCEDURES REPORTED	62,498	34,509	27,989
AMNIOCENTESIS	66	42	24
ELECTRONIC FETAL MONITORING	29,985	16,147	13,838
INDUCTION OF LABOR	8,189	4,852	3,337
STIMULATION OF LABOR	3,022	1,727	1,295
TOCOLYSIS	280	166	114
ULTRASOUND	20,855	11,508	9,347
OTHER	101	67	34

TABLE A16. ABNORMAL CONDITIONS OF NEWBORN REPORTED ON LIVE BIRTH CERTIFICATES, BY CONDITION AND RACE OF MOTHER MISSISSIPPI, 2012

ABNORMAL CONDITION OF NEWBORN	TOTAL	WHITE	NON-WHITE
TOTAL ABNORMAL CONDITIONS REPORTED	2,588	1,363	1,225
ANEMIA (HCT. < 39 / HGB. < 13)	22	9	13
BIRTH INJURY	112	83	29
FETAL ALCOHOL SYNDROME	0	0	0
HYALINE MEMBRANE DISEASE / RDS	405	197	208
MECONIUM ASPIRATION SYNDROME	26	13	13
ASSISTED VENTILATION < 30 MINUTES	131	66	65
ASSISTED VENTILATION 30 MINUTES OR MORE	354	194	160
SEIZURES	3	2	1
OTHER	1,535	799	736

FETAL DEATHS

TABLE B1. REPORTABLE* FETAL DEATHS AND PERCENTAGE DISTRIBUTION, BY PLACE OF DELIVERY, ATTENDANT, AND RACE OF MOTHER MISSISSIPPI, 2012

PLACE OF DELIVERY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSI-CIAN	CERTI-FIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UN-KNOWN	TOTAL	PHYSI-CIAN	CERTI-FIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UN-KNOWN
TOTAL	376	350	5	0	20	1	100.0	93.1	1.3	-	5.3	0.3
HOSPITAL	368	349	3	0	15	1	97.9	92.8	0.8	-	4.0	0.3
CLINIC / DOCTOR'S OFFICE	0	0	0	0	0	0	-	-	-	-	-	-
HOME	8	1	2	0	5	0	2.1	0.3	0.5	-	1.3	-
OTHER PLACE	0	0	0	0	0	0	-	-	-	-	-	-
WHITE	139	130	4	0	5	0	100.0	93.5	2.9	-	3.6	-
HOSPITAL	136	130	2	0	4	0	97.8	93.5	1.4	-	2.9	-
CLINIC / DOCTOR'S OFFICE	0	0	0	0	0	0	-	-	-	-	-	-
HOME	3	0	2	0	1	0	2.2	-	1.4	-	0.7	-
OTHER PLACE	0	0	0	0	0	0	-	-	-	-	-	-
NONWHITE	237	220	1	0	15	1	100.0	92.8	0.4	-	6.3	0.4
HOSPITAL	232	219	1	0	11	1	97.9	92.4	0.4	-	4.6	0.4
CLINIC / DOCTOR'S OFFICE	0	0	0	0	0	0	-	-	-	-	-	-
HOME	5	1	0	0	4	0	2.1	0.4	-	-	1.7	-
OTHER PLACE	0	0	0	0	0	0	-	-	-	-	-	-

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

TABLE B2. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS, BY AGE AND RACE OF MOTHER MISSISSIPPI, 2012

AGE OF MOTHER	NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	376	139	237	9.7	6.5	13.7
UNDER 15	2	0	2	#	-	#
15-19	53	16	37	11.1	7.5	14.0
20-24	105	32	73	8.3	5.2	11.4
25-29	112	43	69	10.2	6.5	15.9
30-34	60	25	35	8.6	5.7	13.5
35-39	38	18	20	14.6	11.1	20.7
40-44	3	2	1	5.5	6.4	4.3
45-49	0	0	0	-	-	-
50 & OVER	0	0	0	-	-	-
UNKNOWN	3	3	0	#	#	-

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS TO MOTHERS IN SPECIFIED GROUP.

RATIO NOT CALCULATED ON LESS THAN 100 LIVE BIRTHS.

TABLE B3. PERCENTAGE DISTRIBUTION OF LIVE BIRTHS AND REPORTABLE* FETAL DEATHS, BY WHETHER MOTHER RECEIVED PRENATAL CARE AND RACE OF MOTHER MISSISSIPPI, 2012

PRENATAL CARE	LIVE BIRTHS			REPORTABLE* FETAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	100.0	100.0	100.0	100.0	100.0	100.0
NO CARE	1.0	0.7	1.3	9.3	7.9	10.1
SOME CARE	98.2	98.2	98.1	77.1	81.3	74.7
UNKNOWN WHETHER ANY CARE	0.8	1.1	0.5	13.6	10.8	15.2

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

TABLE B4. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS, BY COMPLETED WEEKS OF GESTATION AND RACE OF MOTHER, MISSISSIPPI, 2010-2012

COMPLETED WEEKS OF GESTATION **	TOTAL			WHITE			NONWHITE		
	2010	2011	2012	2010	2011	2012	2010	2011	2012
REPORTABLE* FETAL DEATHS									
TOTAL	417	404	376	144	115	139	273	289	237
UNDER 20	7	9	11	3	0	3	4	9	8
20 AND OVER	292	261	267	110	87	98	182	174	169
20-22	74	65	63	21	23	15	53	42	48
23-27	58	66	69	18	19	23	40	47	46
28-36	104	91	94	46	29	41	58	62	53
37 AND OVER	56	39	41	25	16	19	31	23	22
UNKNOWN	118	134	98	31	28	38	87	106	60
FETAL DEATH RATIOS#									
TOTAL	10.4	10.1	9.7	6.6	5.3	6.5	14.9	16.0	13.7
UNDER 20	0.2	0.2	0.3	0.1	0.0	0.1	0.2	0.5	0.5
20 AND OVER	7.3	6.6	6.9	5.1	4.0	4.6	10.0	9.6	9.8
20-22	1.8	1.6	1.6	1.0	1.0	0.7	2.9	2.3	2.8
23-27	1.4	1.6	1.8	0.8	0.9	1.1	2.2	2.6	2.7
28-36	2.6	2.3	2.4	2.1	1.3	1.9	3.2	3.4	3.1
37 AND OVER	1.4	1.0	1.1	1.2	0.7	0.9	1.7	1.3	1.3
UNKNOWN	3.0	3.4	2.5	1.4	1.3	1.8	4.8	5.9	3.5

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF DELIVERY.

REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

DEATHS

TABLE C1. DEATHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 2012

MONTH	DEATHS	AVERAGE PER DAY	MONTH	DEATHS	AVERAGE PER DAY
TOTAL	29,494	81			
JANUARY	2,515	81	JULY	2,435	78
FEBRUARY	2,356	81	AUGUST	2,366	76
MARCH	2,422	78	SEPTEMBER	2,348	78
APRIL	2,433	81	OCTOBER	2,473	80
MAY	2,411	78	NOVEMBER	2,517	84
JUNE	2,396	80	DECEMBER	2,822	91

TABLE C2. DEATHS, PERCENTAGE DISTRIBUTION, AND RATES, BY AGE AND RACE
MISSISSIPPI, 2012

	NUMBER			PERCENT			RATE*		
AGE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	29,494	19,910	9,584	100.0	100.0	100.0	9.9	11.1	8.0
UNDER 1	342	116	226	1.2	0.6	2.4	8.6	5.9	11.4
1-4	72	34	38	0.2	0.2	0.4	0.4	0.4	0.5
5-9	37	12	25	0.1	0.1	0.3	0.2	0.1	0.2
10-14	49	25	24	0.2	0.1	0.2	0.2	0.2	0.2
15-24	368	192	176	1.2	1.0	1.8	0.8	0.8	0.9
25-34	620	307	313	2.1	1.5	3.3	1.6	1.4	1.8
35-44	1,064	570	494	3.6	2.9	5.2	2.9	2.6	3.3
45-54	2,509	1,426	1,083	8.5	7.2	11.3	6.2	5.7	7.1
55-64	4,444	2,612	1,832	15.1	13.1	19.1	12.2	11.0	14.6
65-74	5,665	3,836	1,829	19.2	19.3	19.1	24.4	22.5	29.6
75 AND OVER	14,289	10,766	3,523	48.4	54.1	36.8	83.1	82.9	84.0
UNKNOWN	35	14	21	0.1	0.1	0.2			

* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

TABLE C3A. DEATHS BY AGE, RACE, AND SEX,
AND MALE/FEMALE RATIOS BY AGE AND RACE
MISSISSIPPI, 2012

	TOTAL			WHITE			NONWHITE		
AGE	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE
TOTAL	14,884	14,610	1.02	9,914	9,996	0.99	4,970	4,614	1.08
UNDER 1	190	152	1.25	70	46	1.52	120	106	1.13
1-4	39	33	1.18	18	16	1.12	21	17	1.24
5-9	22	15	1.47	6	6	1.00	16	9	1.78
10-14	28	21	1.33	14	11	1.27	14	10	1.40
15-24	261	107	2.44	137	55	2.49	124	52	2.38
25-34	411	209	1.97	198	109	1.82	213	100	2.13
35-44	634	430	1.47	343	227	1.51	291	203	1.43
45-54	1,491	1,018	1.46	831	595	1.40	660	423	1.56
55-64	2,692	1,752	1.54	1,596	1,016	1.57	1,096	736	1.49
65-74	3,220	2,445	1.32	2,210	1,626	1.36	1,010	819	1.23
75-84	3,553	3,609	0.98	2,691	2,662	1.01	862	947	0.91
85 AND OVER	2,323	4,804	0.48	1,794	3,619	0.50	529	1,185	0.45
UNKNOWN	20	15		6	8		14	7	
MEDIAN AGE	70	78		73	80		64	73	

TABLE C3B. DEATH RATES* BY AGE, RACE, AND SEX
MISSISSIPPI, 2012

	TOTAL		WHITE		NONWHITE	
AGE	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
TOTAL	10.3	9.5	11.2	11.0	8.8	7.3
UNDER 1	9.4	7.8	6.9	4.8	11.8	10.9
1-4	0.5	0.4	0.4	0.4	0.5	0.4
5-9	0.2	0.1	0.1	0.1	0.3	0.2
10-14	0.3	0.2	0.2	0.2	0.3	0.2
15-24	1.2	0.5	1.1	0.5	1.2	0.5
25-34	2.1	1.1	1.8	1.0	2.7	1.1
35-44	3.5	2.3	3.0	2.1	4.3	2.5
45-54	7.6	4.9	6.6	4.7	9.5	5.1
55-64	15.5	9.2	13.8	8.4	19.0	10.8
65-74	30.0	19.6	27.6	18.0	37.2	23.7
75 AND OVER	90.6	78.6	88.6	79.2	97.5	77.1

* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

TABLE C4. DEATHS, MORTALITY RATES, AND PERCENT OF TOTAL DEATHS FROM TEN LEADING CAUSES, BY CAUSE AND RACE MISSISSIPPI, 2012

CAUSE AND GROUP NUMBER**	NUMBER			RATE*			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF TEN LEADING CAUSES	22,375	15,161	7,214	7.5	8.5	6.0	75.9	76.1	75.3
1. HEART DISEASES (156-160,162,164-181)	7,248	4,922	2,326	242.8	275.2	194.4	24.6	24.7	24.3
2. MALIGNANT NEOPLASMS (056-108)	6,468	4,302	2,166	216.7	240.5	181.1	21.9	21.6	22.6
3. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1,726	1,435	291	57.8	80.2	24.3	5.8	7.2	3.0
4. ACCIDENTS (295-330)	1,596	1,118	478	53.5	62.5	40.0	5.4	5.6	5.0
5. CEREBROVASCULAR DISEASE (182-186)	1,509	994	515	50.6	55.6	43.0	5.1	5.0	5.4
6. DIABETES MELLITUS (124)	1,039	499	540	34.8	27.9	45.1	3.5	2.5	5.6
7. ALZHEIMERS DISEASE (148)	920	737	183	30.8	41.2	15.3	3.1	3.7	1.9
8. NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (247-249,251,253)	714	386	328	23.9	21.6	27.4	2.4	1.9	3.4
9. SEPTICEMIA (018)	596	366	230	20.0	20.5	19.2	2.0	1.8	2.4
10. INFLUENZA AND PNEUMONIA (195-198)	559	402	157	18.7	22.5	13.1	1.9	2.0	1.6

* TOTAL DEATHS ARE PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION.

** SEE APPENDIX B FOR EXPLANATION OF GROUP NUMBERS.

TABLE C5. DEATHS, PERCENT OF TOTAL DEATHS, AND RATES FOR FIVE LEADING CAUSES, BY AGE AND CAUSE MISSISSIPPI, 2012

AGE	CAUSES AND GROUP NUMBER*	NUMBER	PERCENT	RATE**
1-4	ALL CAUSES	72	100.0	0.4
	1. ACCIDENTS (295-330)	40	55.6	24.4
	2. HOMICIDE (338-346)	6	8.3	3.6
	T3. HEART DISEASES (156-160,162,164-181)	5	6.9	3.0
	T3. CONGENITAL MALFORMATIONS AND DEFORMATIONS (282-290)	5	6.9	3.0
	5. MALIGNANT NEOPLASMS (056-108)	3	4.2	1.8
5-14	ALL CAUSES	86	100.0	0.2
	1. ACCIDENTS (295-330)	32	37.2	7.7
	2. MALIGNANT NEOPLASMS (056-108)	9	10.5	2.2
	3. CONGENITAL MALFORMATIONS AND DEFORMATIONS (282-290)	6	7.0	1.4
	T4. HEART DISEASES (156-160,162,164-181)	4	4.6	1.0
	T4. HOMICIDE (338-346)	4	4.6	1.0
15-24	ALL CAUSES	368	100.0	0.8
	1. ACCIDENTS (295-330)	170	46.2	39.0
	2. HOMICIDE (338-346)	55	14.9	12.6
	3. SUICIDE (331-337)	41	11.1	9.4
	4. MALIGNANT NEOPLASMS (056-108)	18	4.9	4.1
	5. HEART DISEASES (156-160,162,164-181)	17	4.6	3.9
25-44	ALL CAUSES	1,684	100.0	2.2
	1. ACCIDENTS (295-330)	401	23.8	52.9
	2. HEART DISEASES (156-160,162,164-181)	244	14.5	32.2
	3. MALIGNANT NEOPLASMS (056-108)	195	11.6	25.7
	4. SUICIDE (331-337)	147	8.7	19.4
	5. HOMICIDE (338-346)	145	8.6	19.1
45-64	ALL CAUSES	6,953	100.0	9.1
	1. MALIGNANT NEOPLASMS (056-108)	2,041	29.4	266.5
	2. HEART DISEASES (156-160,162,164-181)	1,656	23.8	216.2
	3. ACCIDENTS (295-330)	465	6.7	60.7
	4. DIABETES MELLITUS (124)	323	4.6	42.2
	5. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	300	4.3	39.2
65 & OVER	ALL CAUSES	19,954	100.0	49.4
	1. HEART DISEASES (156-160,162,164-181)	5,305	26.6	1,312.9
	2. MALIGNANT NEOPLASMS (056-108)	4,199	21.0	1,039.2
	3. EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1,398	7.0	346.0
	4. CEREBROVASCULAR DISEASE (182-186)	1,185	5.9	293.3
	5. ALZHEIMER'S DISEASE (148)	904	4.5	223.7

* SEE APPENDIX B FOR EXPLANATION OF CAUSE CATEGORIES AND GROUP NUMBERS.

** DEATHS FROM ALL CAUSES PER 1,000 POPULATION IN SPECIFIED GROUP AND DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION IN SPECIFIED GROUP.

TABLE C6. DEATHS AND RATES FROM MALIGNANT NEOPLASMS, BY PRIMARY SITE, SEX, AND RACE MISSISSIPPI, 2012

PRIMARY SITE (RANKED ACCORDING TO NUMBER OF DEATHS AMONG TOTAL POPULATION) AND GROUP NUMBER*	NUMBER				RATE**			
	MALE		FEMALE		MALE		FEMALE	
	WHITE	NON-WHITE	WHITE	NON-WHITE	WHITE	NON-WHITE	WHITE	NON-WHITE
TOTAL	2,380	1,173	1,922	993	269.1	207.6	212.5	157.3
1. RESPIRATORY AND INTRA-THORACIC ORGANS (071-075)	809	394	565	196	91.5	69.7	62.5	31.0
2. DIGESTIVE ORGANS (060-070)	615	329	436	273	69.5	58.2	48.2	43.2
3. GENITAL ORGANS (083-091)	176	162	167	113	19.9	28.7	18.5	17.9
4. LYMPHOID, HEMATOPOIETIC AND RELATED TISSUE (100-108)	210	72	157	70	23.7	12.7	17.4	11.1
5. BREAST (082)	1	0	257	194	0.1	-	28.4	30.7
6. URINARY TRACT (092-094)	144	45	68	30	16.3	8.0	7.5	4.8
7. BRAIN (096)	65	23	57	19	7.4	4.1	6.3	3.0
8. LIP, ORAL CAVITY, AND PHARYNX (056-059)	57	46	20	11	6.4	8.1	2.2	1.7
9. SKIN (077,078)	68	6	31	2	7.7	1.1	3.4	0.3
10. BONE AND ARTICULAR CARTILAGE (076)	15	4	6	4	1.7	0.7	0.7	0.6
OTHER AND UNSPECIFIED SITES (079-081,095,097-099)	220	92	158	81	24.9	16.3	17.5	12.8

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** DEATHS PER 100,000 POPULATION IN SPECIFIED GROUP.

TABLE C7. DEATHS FROM MAJOR CHRONIC RESPIRATORY DISEASES, 1987, 1992, 1997, 2002, 2007, 2012

DISEASE*	1987	1992	1997	2002	2007	2012
TUBERCULOSIS OF RESPIRATORY SYSTEM	19	17	27	9	8	4
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM	1,333	1,601	1,660	1,879	1,943	1,964
MALIGNANT NEOPLASMS OF TRACHEA, BRONCHUS, AND LUNG	1,268	1,555	1,615	1,834	1,899	1,904
CHRONIC AND UNQUALIFIED BRONCHITIS	18	43	44	51	17	13
EMPHYSEMA	82	104	134	133	115	59
ASTHMA	29	34	53	61	52	44

* PERIODIC CHANGES IN THE CLASSIFICATION SYSTEM WHICH HAVE OCCURRED THROUGH THE YEARS HAVE RESULTED IN AN UNAVOIDABLE LACK OF COMPARABLILITY FOR SOME CAUSES. CAUTION SHOULD BE USED WHEN ANALYZING LONG-TERM TRENDS.

TABLE C8. DEATHS AND PERCENT OF TOTAL ACCIDENTAL DEATHS FROM FIVE LEADING CAUSES OF ACCIDENTAL DEATH, BY CAUSE AND RACE MISSISSIPPI, 2012

TYPE OF ACCIDENT AND GROUP NUMBER*	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF FIVE LEADING CAUSES	1,360	968	392	85.2	86.6	82.0
1. MOTOR VEHICLE (296-306)	694	432	262	43.5	38.6	54.8
2. POISONING AND EXPOSURE TO NOXIOUS SUBSTANCES (327-329)	287	253	34	18.0	22.6	7.1
3. FALLS (312-314)	242	206	36	15.2	18.4	7.5
4. INHALATION AND INGESTION OF FOOD OR OTHER OBJECTS CAUSING OBSTRUCTION OF RESPIRATORY TRACT (318)	76	50	26	4.8	4.5	5.4
5. EXPOSURE TO SMOKE, FIRE AND FLAMES (322)	61	27	34	3.8	2.4	7.1

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

TABLE C9. DEATHS FROM SELECTED TYPES OF ACCIDENTS, BY SEX, ALSO BY AGE
MISSISSIPPI, 2012

TYPE OF ACCIDENT AND GROUP NUMBER*	TOTAL	SEX		AGE								
		MALE	FEMALE	UNDER 1	1-4	5-14	15-24	25-34	35-44	45-64	65 & OVER	UNK.
ALL ACCIDENTS	1,596	984	612	19	40	32	170	196	205	465	465	4
MOTOR VEHICLE (296-306)	694	485	209	1	20	21	121	108	98	184	138	3
OTHER LAND TRANSPORT (295,307-308)	14	11	3	0	0	1	3	2	2	6	0	0
WATER TRANSPORT (309)	10	10	0	0	0	0	1	1	2	6	0	0
AIR AND SPACE TRANSPORT (310)	4	4	0	0	0	0	0	0	0	1	3	0
FALLS (312-314)	242	104	138	0	0	0	2	6	9	38	187	0
DISCHARGE OF FIREARMS (315)	10	8	2	0	0	0	3	4	0	1	2	0
EXPLOSION (316)	3	3	0	0	0	0	0	1	1	1	0	0
DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (317)	54	47	7	0	7	5	12	3	7	15	4	1
INHALATION AND INGESTION OF FOOD OR OTHER OBJECTS CAUSING OBSTRUCTION OF RESPIRATORY TRACT (318)	76	43	33	0	1	0	2	3	3	16	51	0
OTHER AND UNSPECIFIED THREATS TO BREATHING (319)	25	13	12	16	3	0	2	3	0	1	0	0
EXPOSURE TO ELECTRIC CURRENT (320)	4	4	0	0	0	1	0	0	1	1	1	0
EXPOSURE TO SMOKE, FIRE AND FLAMES (322)	61	33	28	1	7	1	0	1	10	22	19	0
POISONING (327-329)	287	149	138	0	0	0	17	60	59	143	8	0
BY DRUGS AND OTHER BIOLOGICAL SUBSTANCES (327)	256	130	126	0	0	0	17	55	53	123	8	0
BY OTHER SOLID AND LIQUID SUBSTANCES, GASES AND VAPORS (328,329)	31	19	12	0	0	0	0	5	6	20	0	0
ALL OTHER ACCIDENTS (311,321,324-326,330)	112	70	42	1	2	3	7	4	13	30	52	0

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

TABLE C10. MOTOR VEHICLE ACCIDENT DEATHS OCCURRING IN MISSISSIPPI AND RATES, ALSO MOTOR VEHICLE ACCIDENT DEATHS OF MISSISSIPPI RESIDENTS AND RATES, BY YEAR, 1950,1955, 1960, 1965, 1970-2012

	OCCURRENCE DATA		RESIDENCE DATA			OCCURRENCE DATA		RESIDENCE DATA	
YEAR	NUMBER	RATE*	NUMBER	RATE*	YEAR	NUMBER	RATE*	NUMBER	RATE*
1950	530	**	515	23.6					
1955	568	**	541	24.8					
1960	676	9.3	620	28.5					
1965	748	8.4	742	31.8					
1970	960	8.2	937	42.3	2000	948	2.7	935	32.9
1971	1,011	8.2	984	44.4	2001	804	2.2	816	28.7
1972	1,019	7.8	989	43.8	2002	898	2.5	875	30.5
1973	956	7.0	954	41.2	2003	895	2.4	890	30.9
1974	711	5.2	717	30.7	2004	932	2.4	907	31.2
1975	671	4.7	681	29.1	2005	956	2.3	956	32.7
1976	725	4.7	696	29.4	2006	969	2.3	960	33.0
1977	763	4.8	771	32.3	2007	898	2.1	894	30.6
1978	884	5.2	877	36.5	2008	773	1.8	768	26.1
1979	801	4.7	783	32.5	2009	743	1.8	733	24.8
1980	796	4.8	743	29.5	2010	675	1.7	674	22.7
1981	792	4.7	793	31.5	2011	713	1.8	706	23.7
1982	777	4.5	755	29.6	2012	674	#	694	23.2
1983	744	4.2	725	28.0					
1984	707	3.8	697	26.9					
1985	691	4.0	683	25.7					
1986	785	5.7	782	29.4					
1987	802	4.0	804	29.6					
1988	791	3.6	776	28.2					
1989	806	3.5	797	28.7					
1990	863	3.5	854	33.2					
1991	811	3.3	810	31.5					
1992	838	3.2	826	32.1					
1993	897	3.3	868	33.7					
1994	854	3.0	844	32.8					
1995	904	3.0	898	33.3					
1996	851	2.8	868	32.2					
1997	896	2.9	868	32.2					
1998	983	2.9	957	34.8					
1999	943	2.7	954	34.4					

* DEATHS IN MISSISSIPPI PER 100,000,000 MILES OF VEHICLE TRAVEL; DEATHS OF RESIDENTS PER 100,000 POPULATION.

** NOT AVAILABLE.

MILES OF VEHICLE TRAVEL FOR 2012 NOT AVAILABLE AT THE TIME OF PUBLICATION.

TABLE C11. INFANT DEATHS, PERCENTAGE DISTRIBUTION, AND MORTALITY RATES BY AGE AND RACE MISSISSIPPI, 2012

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL UNDER 1 YEAR	342	116	226	100.0	100.0	100.0	8.8	5.4	13.1
NEONATAL (UNDER 28 DAYS)	213	69	144	62.3	59.5	63.7	5.5	3.2	8.3
HEBDOMADAL (UNDER 7 DAYS)	169	49	120	49.4	42.2	53.1	4.4	2.3	6.9
UNDER 1 DAY	129	35	94	37.7	30.2	41.6	3.3	1.6	5.4
1-6 DAYS	40	14	26	11.7	12.1	11.5	1.0	0.6	1.5
7-27 DAYS	44	20	24	12.9	17.2	10.6	1.1	0.9	1.4
POSTNEONATAL (28 DAYS TO 1 YEAR)	129	47	82	37.7	40.5	36.3	3.3	2.2	4.7

* DEATHS PER 1,000 LIVE BIRTHS.

TABLE C12. DEATHS AND MORTALITY RATES FOR TEN LEADING CAUSES OF INFANT DEATHS, BY CAUSE AND RACE MISSISSIPPI, 2012

CAUSE AND GROUP NUMBER**	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	342	116	226	8.8	5.4	13.1
1. CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES (096-110)	80	41	39	2.1	1.9	2.2
2. DISORDERS RELATED TO SHORT GESTATION AND LOW BIRTH WEIGHT, NOT ELSEWHERE CLASSIFIED (071,072)	62	11	51	1.6	0.5	3.0
3. SUDDEN INFANT DEATH SYNDROME (111)	21	9	12	0.5	0.4	0.7
4. ACCIDENTS (114-124)	19	8	11	0.5	0.4	0.6
5. NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (060-063)	12	3	9	0.3	0.1	0.5
6. BACTERIAL SEPSIS OF NEWBORN (085)	11	3	8	0.3	0.1	0.5
7. DISEASES OF THE CIRCULATORY SYSTEM (039-044)	9	2	7	0.2	0.1	0.4
T8. NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES (064-067)	7	2	5	0.2	0.1	0.3
T8. RESPIRATORY DISTRESS OF NEWBORN (077)	7	1	6	0.2	#	0.3
T8. NEONATAL HEMORRHAGE (088)	7	1	6	0.2	#	0.3

* DEATHS PER 1,000 LIVE BIRTHS.

** SEE APPENDIX C FOR EXPLANATION OF CAUSE CATEGORIES AND GROUP NUMBERS.

LESS THAN 0.06.

TABLE C13A. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
FOR SELECTED CAUSES OF DEATH
MISSISSIPPI, 2012

CAUSE AND GROUP NUMBER*	YEARS	RATE **
ALL RACES - ALL CAUSES	281,861	10,019.7
HEART DISEASES (156-160,162,164-181)	48,588	1,727.2
ISCHEMIC HEART DISEASE (165-168)	28,427	1,010.5
CEREBROVASCULAR DISEASES (182-186)	8,432	299.7
MALIGNANT NEOPLASMS (056-108)	56,111	1,994.6
RESPIRATORY SYSTEM (071-075)	14,851	527.9
COLORECTAL (063,064)	6,068	215.7
PROSTATE (089)#	1,206	87.1
BREAST (082)##	5,101	357.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	8,558	304.2
PNEMONIA AND INFLUENZA (195-198)	3,124	111.0
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4,935	175.4
DIABETES MELLITUS (124)	8,830	313.9
HIV INFECTION (039-043)	3,071	109.2
UNINTENTIONAL INJURIES (295-330)	42,766	1,520.3
MOTOR VEHICLE CRASHES (296-306)	22,262	791.4
SUICIDE (331-337)	11,612	412.8
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	11,618	413.0

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000 POPULATION UNDER AGE 75.

MALES ONLY.

FEMALES ONLY.

TABLE C13B. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
FOR SELECTED CAUSES OF DEATH
WHITE MALES AND FEMALES
MISSISSIPPI, 2012

CAUSE AND GROUP NUMBER*	YEARS	RATE **
WHITE MALES - ALL CAUSES	92,540	11,099.5
HEART DISEASES (156-160,162,164-181)	17,511	2,100.3
ISCHEMIC HEART DISEASE (165-168)	11,949	1,433.2
CEREBROVASCULAR DISEASES (182-186)	2,108	252.8
MALIGNANT NEOPLASMS (056-108)	17,803	2,135.3
RESPIRATORY SYSTEM (071-075)	5,255	630.3
COLORECTAL (063,064)	1,957	234.7
PROSTATE (089)	404	48.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	2,826	339.0
PNEMONIA AND INFLUENZA (195-198)	976	117.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2,455	294.5
DIABETES MELLITUS (124)	2,227	267.1
HIV INFECTION (039-043)	327	39.2
UNINTENTIONAL INJURIES (295-330)	17,619	2,113.3
MOTOR VEHICLE CRASHES (296-306)	8,695	1,042.9
SUICIDE (331-337)	7,590	910.4
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	1,722	206.5
WHITE FEMALES - ALL CAUSES	60,018	7,274.8
HEART DISEASES (156-160,162,164-181)	8,015	971.5
ISCHEMIC HEART DISEASE (165-168)	4,517	547.5
CEREBROVASCULAR DISEASES (182-186)	1,971	238.9
MALIGNANT NEOPLASMS (056-108)	14,858	1,801.0
RESPIRATORY SYSTEM (071-075)	4,132	500.8
COLORECTAL (063,064)	1,167	141.4
BREAST (082)	2,385	289.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	3,302	400.2
PNEMONIA AND INFLUENZA (195-198)	776	94.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1,142	138.4
DIABETES MELLITUS (124)	1,448	175.5
HIV INFECTION (039-043)	214	25.9
UNINTENTIONAL INJURIES (295-330)	9,459	1,146.5
MOTOR VEHICLE CRASHES (296-306)	3,885	470.9
SUICIDE (331-337)	2,053	248.8
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	1,254	152.0

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMERS.

** YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000 POPULATION UNDER AGE 75.

TABLE C13C. YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
FOR SELECTED CAUSES OF DEATH
NONWHITE MALES AND FEMALES
MISSISSIPPI, 2012

CAUSE AND GROUP NUMBER*	YEARS	RATE **
NONWHITE MALES - ALL CAUSES	78,318	14,221.5
HEART DISEASES (156-160,162,164-181)	14,329	2,602.0
ISCHEMIC HEART DISEASE (165-168)	7,837	1,423.1
CEREBROVASCULAR DISEASES (182-186)	2,580	468.5
MALIGNANT NEOPLASMS (056-108)	12,894	2,341.4
RESPIRATORY SYSTEM (071-075)	3,764	683.5
COLORECTAL (063,064)	1,536	278.9
PROSTATE (089)	802	145.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	1,438	261.1
PNEMONIA AND INFLUENZA (195-198)	777	141.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	960	174.3
DIABETES MELLITUS (124)	2,998	544.4
HIV INFECTION (039-043)	1,560	283.3
UNINTENTIONAL INJURIES (295-330)	11,186	2,031.2
MOTOR VEHICLE CRASHES (296-306)	6,909	1,254.6
SUICIDE (331-337)	1,528	277.5
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	7,574	1,375.3
NONWHITE FEMALES - ALL CAUSES	50,985	8,446.5
HEART DISEASES (156-160,162,164-181)	8,733	1,446.8
ISCHEMIC HEART DISEASE (165-168)	4,124	683.2
CEREBROVASCULAR DISEASES (182-186)	1,773	293.7
MALIGNANT NEOPLASMS (056-108)	10,556	1,748.8
RESPIRATORY SYSTEM (071-075)	1,700	281.6
COLORECTAL (063,064)	1,408	233.2
BREAST (082)	2,710	449.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (202-206)	992	164.3
PNEMONIA AND INFLUENZA (195-198)	595	98.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	378	62.6
DIABETES MELLITUS (124)	2,157	357.3
HIV INFECTION (039-043)	970	160.7
UNINTENTIONAL INJURIES (295-330)	4,502	745.8
MOTOR VEHICLE CRASHES (296-306)	2,773	459.4
SUICIDE (331-337)	441	73.0
HOMICIDE AND LEGAL INTERVENTION (338-346, 353,354)	1,068	176.9

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMERS.

** YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75 PER 100,000 POPULATION UNDER AGE 75.

MARRIAGES

TABLE D1. MARRIAGES AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 2012

MONTH	MARRIAGES	AVERAGE PER DAY	MONTH	MARRIAGES	AVERAGE PER DAY
TOTAL	17,425	48			
JANUARY	546	18	JULY	1,855	60
FEBRUARY	869	30	AUGUST	1,484	48
MARCH	1,404	45	SEPTEMBER	1,723	57
APRIL	1,316	44	OCTOBER	1,784	58
MAY	1,597	52	NOVEMBER	1,504	50
JUNE	1,701	57	DECEMBER	1,642	53

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

TABLE D2. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION, BY AGE AND RACE
MISSISSIPPI, 2012

	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
AGE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	17,425	11,888	5,537	17,425	11,744	5,681	100.0	100.0	100.0	100.0	100.0	100.0
UNDER 20	830	769	61	317	288	29	4.8	6.5	1.1	1.8	2.4	0.5
< 13	0	0	0	0	0	0	-	-	-	-	-	-
13	0	0	0	0	0	0	-	-	-	-	-	-
14	1	1	0	0	0	0	*	*	-	-	-	-
15	18	18	0	0	0	0	0.1	0.2	-	-	-	-
16	38	37	1	4	4	0	0.2	0.3	*	*	*	-
17	91	90	1	24	22	2	0.5	0.8	*	0.1	0.2	*
18	245	229	16	87	81	6	1.4	1.9	0.3	0.5	0.7	0.1
19	437	394	43	202	181	21	2.5	3.3	0.8	1.2	1.5	0.4
20-24	4,367	3,415	952	3,347	2,654	693	25.1	28.7	17.2	19.2	22.6	12.2
25-34	6,298	3,912	2,386	6,750	4,377	2,373	36.1	32.9	43.1	38.7	37.3	41.8
35-44	3,104	1,875	1,229	3,391	2,029	1,362	17.8	15.8	22.2	19.5	17.3	24.0
45-54	1,849	1208	641	2,123	1,373	750	10.6	10.2	11.6	12.2	11.7	13.2
55-64	673	466	207	973	637	336	3.9	3.9	3.7	5.6	5.4	5.9
65-74	239	185	54	374	268	106	1.4	1.6	1.0	2.1	2.3	1.9
75 & OVER	65	58	7	150	118	32	0.4	0.5	0.1	0.9	1.0	0.6
UNKNOWN	0	0	0	0	0	0	-	-	-	-	-	-

* LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

TABLE D3. MEDIAN AGE OF BRIDE AND GROOM
FOR ALL MARRIAGES AND FIRST MARRIAGES, BY RACE
MISSISSIPPI, 2012

ALL AND FIRST MARRIAGES	BRIDE			GROOM		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL MARRIAGES	29	28	31	31	30	33
FIRST MARRIAGES	25	24	28	27	25	29

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

TABLE D4. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION, BY MARRIAGE ORDER AND RACE MISSISSIPPI, 2012

MARRIAGE ORDER	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	17,425	11,888	5,537	17,425	11,744	5,681	100.0	100.0	100.0	100.0	100.0	100.0
FIRST	10,455	6,598	3,857	10,270	6,591	3,679	60.0	55.5	69.6	58.9	56.1	64.8
REMARRIAGE	6,970	5,290	1,680	7,155	5,153	2,002	40.0	44.5	30.3	41.1	43.9	35.2
SECOND	4,399	3,149	1,250	4,637	3,153	1,484	25.2	26.5	22.6	26.6	26.8	26.1
OVER TWO	2,571	2,141	430	2,518	2,000	518	14.8	18.0	7.8	14.4	17.0	9.1
THIRD	1,771	1,433	338	1,797	1,373	424	10.2	12.0	6.1	10.3	11.7	7.5
FOURTH	586	506	80	528	459	69	3.4	4.2	1.4	3.0	3.9	1.2
FIFTH	151	145	6	143	125	18	0.9	1.2	0.1	0.8	1.1	0.3
SIXTH	46	41	5	39	34	5	0.3	0.3	0.1	0.2	0.3	0.1
SEVENTH	12	11	1	8	6	2	0.1	0.1	#	#	#	#
EIGHTH	3	3	0	2	2	0	#	#	-	#	#	-
NINTH	1	1	0	1	1	0	#	#	-	#	#	-
TENTH	0	0	0	0	0	0	-	-	-	-	-	-
OVER TEN	1	1	0	0	0	0	#	#	-	-	-	-
UNKNOWN*	0	0	0	0	0	0	-	-	-	-	-	-
UNKNOWN**	0	0	0	0	0	0	-	-	-	-	-	-

* PREVIOUSLY MARRIED BUT NUMBER OF PREVIOUS MARRIAGES UNKNOWN.

** UNKNOWN WHETHER PREVIOUSLY MARRIED.

LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

TABLE D5. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION, BY PREVIOUS MARITAL STATUS AND RACE MISSISSIPPI, 2012

PREVIOUS MARITAL STATUS	BRIDE			GROOM		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
NUMBER						
TOTAL	17,425	11,888	5,537	17,425	11,744	5,681
NOT PREVIOUSLY MARRIED	10,455	6,598	3,857	10,270	6,591	3,679
REMARRIAGES	6,970	5,290	1,680	7,155	5,153	2,002
WIDOWED	653	534	119	659	483	176
DIVORCED*	6,316	4,755	1,561	6,496	4,670	1,826
UNKNOWN**	1	1	0	0	0	0
UNKNOWN#	0	0	0	0	0	0
PERCENT						
TOTAL	100.0	100.0	100.0	100.0	100.0	100.0
NOT PREVIOUSLY MARRIED	60.0	55.5	69.6	58.9	56.1	64.8
REMARRIAGES	40.0	44.5	30.3	41.1	43.9	35.2
WIDOWED	3.7	4.5	2.1	3.8	4.1	3.1
DIVORCED*	36.2	40.0	28.2	37.3	39.8	32.1
UNKNOWN**	##	##	-	-	-	-
UNKNOWN#	-	-	-	-	-	-

* INCLUDES THOSE WHOSE LAST MARRIAGE WAS ANNULLED.

** UNKNOWN WHETHER WIDOWED OR DIVORCED.

UNKNOWN WHETHER ANY PREVIOUS MARRIAGE.

LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

TABLE D6. MARRIAGES AND PERCENTAGE DISTRIBUTION,
BY RESIDENCE OF BRIDE AND GROOM AND RACE OF BRIDE
MISSISSIPPI, 2012

	RACE AND RESIDENCE OF BRIDE											
	TOTAL				WHITE				NONWHITE			
RESIDENCE OF GROOM	TOTAL	MISSIS-SIPPI	OTHER	UN-KNOWN	TOTAL	MISSIS-SIPPI	OTHER	UN-KNOWN	TOTAL	MISSIS-SIPPI	OTHER	UN-KNOWN
NUMBER												
TOTAL	17,425	16,178	1,225	22	11,888	10,961	913	14	5,537	5,217	312	8
MISSISSIPPI	16,033	15,706	313	14	10,839	10,611	220	8	5,194	5,095	93	6
OTHER	1,370	458	908	4	1,036	341	692	3	334	117	216	1
UNKNOWN	22	14	4	4	13	9	1	3	9	5	3	1
PERCENT												
TOTAL	100.0	92.8	7.0	0.1	100.0	92.2	7.7	0.1	100.0	94.2	5.6	0.1
MISSISSIPPI	92.0	90.1	1.8	0.1	91.2	89.2	1.8	0.1	93.8	92.0	1.7	0.1
OTHER	7.9	2.6	5.2	*	8.7	2.9	5.8	*	6.0	2.1	3.9	*
UNKNOWN	0.1	0.1	*	*	0.1	0.1	*	*	0.2	0.1	*	*

* LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

DIVORCES

TABLE E1. DIVORCES AND PERCENTAGE DISTRIBUTION, BY CAUSE AND RACE*
MISSISSIPPI, 2012

CAUSE	NUMBER				PERCENT			
	TOTAL	WHITE	NON-WHITE	UN-KNOWN	TOTAL	WHITE	NON-WHITE	UN-KNOWN
TOTAL	11,992	6,780	2,503	2,709	100.0	100.0	100.0	100.0
IRRECONCILABLE DIFFERENCES	11,129	6,396	2,260	2473	92.8	94.3	90.3	91.3
CRUEL AND INHUMAN TREATMENT	316	141	77	98	2.6	2.1	3.1	3.6
DESERTION	264	80	103	81	2.2	1.2	4.1	3.0
ADULTERY	166	100	31	35	1.4	1.5	1.2	1.3
DRUNKENNESS	36	23	6	7	0.3	0.3	0.2	0.2
PENITENTIARY	68	32	24	12	0.6	0.5	1.0	0.4
ANNULMENT	12	8	1	3	0.1	0.1	#	0.1
BIGAMY	0	0	0	0	-	-	-	-
MISCELLANEOUS AND OTHER	1	0	1	0	#	-	#	-
UNKNOWN	0	0	0	0	-	-	-	-

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

TABLE E2. DIVORCES AND PERCENTAGE DISTRIBUTION, BY NUMBER OF MINOR CHILDREN AND RACE*
MISSISSIPPI, 2012

NUMBER OF MINOR CHILDREN	NUMBER				PERCENT			
	TOTAL	WHITE	NON-WHITE	UN-KNOWN	TOTAL	WHITE	NON-WHITE	UN-KNOWN
TOTAL DIVORCES	11,992	6,780	2,503	2,709	100.0	100.0	100.0	100.0
NONE	6,413	3,475	1,405	1533	53.5	51.2	56.1	56.6
ONE	2,699	1,552	542	605	22.5	22.9	21.6	22.3
TWO	2,061	1,281	372	408	17.2	18.9	14.9	15.1
THREE OR MORE	819	472	184	163	6.8	7.0	7.4	6.0
UNKNOWN	0	0	0	0	-	-	-	-

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

TABLE E3. DIVORCES AND PERCENTAGE DISTRIBUTION,
BY NUMBER OF YEARS MARRIED AND RACE*
MISSISSIPPI, 2012

NUMBER OF YEARS MARRIED	NUMBER				PERCENT			
	TOTAL	WHITE	NON-WHITE	UN-KNOWN	TOTAL	WHITE	NON-WHITE	UN-KNOWN
TOTAL DIVORCES	11,992	6,780	2,503	2,709	100.0	100.0	100.0	100.0
UNDER FIVE	4,073	2,402	695	976	34.0	35.4	27.8	36.0
UNDER ONE	470	299	55	116	3.9	4.4	2.2	4.3
ONE	987	607	157	223	8.2	9.0	6.3	8.2
TWO	914	553	158	203	7.6	8.2	6.3	7.5
THREE	881	484	173	224	7.3	7.1	6.9	8.3
FOUR	821	459	152	210	6.8	6.8	6.1	7.8
FIVE-NINE	3,231	1,705	772	754	26.9	25.1	30.8	27.8
TEN-NINETEEN	3,201	1,772	751	678	26.7	26.1	30.0	25.0
TWENTY AND OVER	1,484	899	285	300	12.4	13.3	11.4	11.1
UNKNOWN	3	2	0	1	#	#	-	#

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

LESS THAN 0.06 PERCENT.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

INDUCED TERMINATIONS OF PREGNANCY

TABLE F1. REPORTED INDUCED TERMINATIONS OF PREGNANCY, PERCENTAGE DISTRIBUTION, AND INDUCED TERMINATION RATIOS, BY AGE AND RACE OF PATIENT PROCEDURES PERFORMED IN MISSISSIPPI, 2012

AGE OF PATIENT	NUMBER				PERCENT			INDUCED TERMINATION RATIO*		
	TOTAL	WHITE	NON-WHITE	UNK. RACE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,176	406	1,770	0	100.0	100.0	100.0	56.3	19.0	102.4
UNDER 15	17	0	17	0	0.8	-	1.0	188.9	-	274.2
15-19	267	44	223	0	12.3	10.8	12.6	55.9	20.7	84.1
20-24	765	127	638	0	35.2	31.3	36.0	60.6	20.4	99.4
25-29	586	106	480	0	26.9	26.1	27.1	53.5	16.0	110.5
30-34	339	78	261	0	15.6	19.2	14.7	48.4	17.7	100.5
35-39	161	38	123	0	7.4	9.4	6.9	62.1	23.4	127.1
40-44	31	11	20	0	1.4	2.7	1.1	56.9	35.1	86.2
45-49	6	1	5	0	0.3	0.2	0.3	240.0	58.8	625.0
UNKNOWN	4	1	3	0	0.2	0.2	0.2			

* INDUCED TERMINATIONS PER 1,000 LIVE BIRTHS IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

TABLE F2. REPORTED INDUCED TERMINATIONS OF PREGNANCY AND PERCENTAGE DISTRIBUTION. BY CHARACTERISTICS OF PATIENT AND RACE PROCEDURES PERFORMED IN MISSISSIPPI, 2012

	NUMBER				PERCENT		
CHARACTERISTICS OF PATIENT	TOTAL	WHITE	NON-WHITE	UNK. RACE	TOTAL	WHITE	NON-WHITE
TOTAL	2,176	406	1,770	0	100.0	100.0	100.0
MISSISSIPPI RESIDENT	2,112	385	1,727	0	97.0	94.8	97.6
NONRESIDENT	64	21	43	0	2.9	5.2	2.4
BORDER STATE	53	16	37	0	2.4	3.9	2.1
OTHER STATE	11	5	6	0	0.5	1.2	0.3
MARITAL STATUS							
MARRIED	187	63	124	0	8.6	15.5	7.0
NOT MARRIED	1,984	341	1,643	0	91.2	84.0	92.8
UNKNOWN	5	2	3	0	0.2	0.5	0.2
EDUCATION (COMPLETED YEARS)							
0-6 YEARS	10	5	5	0	0.5	1.2	0.3
7-9 YEARS	56	19	37	0	2.6	4.7	2.1
10, 11 YEARS	142	35	107	0	6.5	8.6	6.0
12 YEARS	549	94	455	0	25.2	23.2	25.7
1-3 YEARS COLLEGE	1,009	160	849	0	46.4	39.4	48.0
4 OR MORE YEARS COLLEGE	396	88	308	0	18.2	21.7	17.4
UNKNOWN	14	5	9	0	0.6	1.2	0.5
NUMBER OF LIVING CHILDREN							
NONE	717	163	554	0	33.0	40.1	31.3
ONE	673	125	548	0	30.9	30.8	31.0
TWO	472	78	394	0	21.7	19.2	22.3
THREE	221	31	190	0	10.2	7.6	10.7
FOUR	52	6	46	0	2.4	1.5	2.6
FIVE OR MORE	35	2	33	0	1.6	0.5	1.9
UNKNOWN	6	1	5	0	0.3	0.2	0.3
NUMBER OF PREVIOUS INDUCED TERMINATIONS							
NONE	1,377	280	1,097	0	63.3	69.0	62.0
ONE	508	87	421	0	23.3	21.4	23.8
TWO	193	30	163	0	8.9	7.4	9.2
THREE OR MORE	90	8	82	0	4.1	2.0	4.6
UNKNOWN	8	1	7	0	0.4	0.2	0.4

TABLE F3. REPORTED INDUCED TERMINATIONS OF PREGNANCY AND PERCENTAGE DISTRIBUTION BY MEDICAL CHARACTERISTICS AND RACE, PROCEDURES PERFORMED IN MISSISSIPPI, 2012

	NUMBER				PERCENT		
MEDICAL CHARACTERISTICS	TOTAL	WHITE	NON-WHITE	UNK. RACE	TOTAL	WHITE	NON-WHITE
TOTAL	2,176	406	1,770	0	100.0	100.0	100.0
COMPLETED WEEKS OF GESTATION*							
UNDER 9	1,121	222	899	0	51.5	54.7	50.8
9, 10	360	70	290	0	16.5	17.2	16.4
11, 12	193	30	163	0	8.9	7.4	9.2
13-15	107	16	91	0	4.9	3.9	5.1
16-20	11	2	9	0	0.5	0.5	0.5
21 OR MORE	2	0	2	0	0.1	-	0.1
UNKNOWN	382	66	316	0	17.6	16.2	17.8
PRIMARY PROCEDURE							
SUCTION CURETTAGE	2,074	389	1,685	0	95.3	95.8	95.2
MEDICAL (NONSURGICAL)	1	0	1	0	**	-	**
DILATION AND EVACUATION	1	0	1	0	**	-	**
INTRA-UTERINE INSTILLATION	0	0	0	0	-	-	-
SHARP CURETTAGE	100	17	83	0	4.6	4.2	4.7
HYSTEROTOMY OR HYSTERECTOMY	0	0	0	0	-	-	-
OTHER	0	0	0	0	-	-	-
UNKNOWN	0	0	0	0	-	-	-

* CALCULATED BY SUBTRACTING DATE OF LAST NORMAL MENSTRUAL PERIOD PRIOR TO TERMINATION FROM DATE OF TERMINATION.

** LESS THAN 0.06 PERCENT.

TABLE F4. REPORTED COMPLICATIONS RESULTING FROM INDUCED TERMINATIONS OF PREGNANCY PATIENTS TREATED IN MISSISSIPPI, 2012

DEMOGRAPHIC/MEDICAL CHARACTERISTICS	TOTAL	WHITE	NON-WHITE	UNK. RACE
TOTAL	2	0	2	0
AGE				
UNDER 20	0	0	0	0
20-29	2	0	2	0
30-39	0	0	0	0
40-49	0	0	0	0
50+	0	0	0	0
UNKNOWN	0	0	0	0
MARITAL STATUS				
MARRIED	0	0	0	0
NOT MARRIED	1	0	1	0
UNKNOWN	1	0	1	0
CONDITION(S) REQUIRING TREATMENT				
PELVIC INFECTION	0	0	0	0
HEMORRHAGE	1	0	1	0
DAMAGE TO PELVIC ORGANS	0	0	0	0
RENAL FAILURE	0	0	0	0
METABOLIC DISORDER	0	0	0	0
SHOCK	0	0	0	0
EMBOLISM	0	0	0	0
COMA	0	0	0	0
DEATH	0	0	0	0
OTHER	1	0	1	0
UNKNOWN	0	0	0	0

NOTE: PATIENTS TREATED MULTIPLE TIMES MAY RESULT IN MULTIPLE REPORTS. THESE REPORTS ARE COUNTED SEPARATELY.
COMPLICATIONS TABULATED HERE MAY BE THE RESULT OF INDUCED TERMINATIONS THAT OCCURRED OUTSIDE OF THE STATE.

MAJOR TABLES

TABLE I
2012 ESTIMATED POPULATION AND PERCENT CHANGE FROM 2010 CENSUS POPULATION
MISSISSIPPI

	POPULATION			PERCENT CHANGE SINCE 2010		
COUNTY	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	2,984,926	1,788,664	1,196,262	0.6	1.9	-1.4
ADAMS	32,122	14,285	17,837	-0.5	3.6	-3.6
ALCORN	37,164	32,076	5,088	0.3	1.3	-5.8
AMITE	12,957	7,454	5,503	-1.3	-1.6	-1.0
ATTALA	19,157	10,854	8,303	-2.1	-1.3	-3.1
BENTON	8,730	5,352	3,378	*	1.3	-1.9
BOLIVAR	33,904	11,433	22,471	-0.7	-0.1	-1.0
CALHOUN	14,843	10,408	4,435	-0.8	3.1	-8.9
CARROLL	10,423	6,805	3,618	-1.6	-2.2	-0.6
CHICKASAW	17,416	9,610	7,806	0.1	2.4	-2.5
CHOCTAW	8,346	5,681	2,665	-2.4	-2.8	-1.3
CLAIBORNE	9,349	1,374	7,975	-2.7	0.5	-3.2
CLARKE	16,556	10,643	5,913	-1.1	-0.9	-1.3
CLAY	20,427	8,190	12,237	-1.0	-1.9	-0.4
COAHOMA	25,709	6,034	19,675	-1.7	0.8	-2.4
COPIAH	28,955	13,739	15,216	-1.7	0.8	-3.8
COVINGTON	19,607	12,345	7,262	0.2	0.2	0.2
DESOTO	166,234	122,077	44,157	3.1	4.8	-1.5
FORREST	76,894	46,645	30,249	2.6	4.3	0.1
FRANKLIN	7,918	5,049	2,869	-2.5	-4.0	0.3
GEORGE	22,930	20,664	2,266	1.6	2.0	-2.0
GREENE	14,311	10,264	4,047	-0.6	-1.7	2.2
GRENADA	21,682	12,234	9,448	-1.0	-1.9	0.1
HANCOCK	45,255	40,063	5,192	3.0	3.1	2.1
HARRISON	194,029	137,013	57,016	3.7	5.1	0.5
HINDS	248,643	70,212	178,431	1.4	0.6	1.7
HOLMES	18,796	3,043	15,753	-2.1	1.4	-2.7
HUMPHREYS	9,189	2,194	6,995	-2.0	-0.4	-2.5
ISSAQUENA	1,386	480	906	-1.4	-1.2	-1.5
ITAWAMBA	23,340	21,583	1,757	-0.3	-0.2	-1.2
JACKSON	140,298	103,149	37,149	0.5	2.4	-4.6
JASPER	16,523	7,693	8,830	-3.2	-2.6	-3.7
JEFFERSON	7,638	1,058	6,580	-1.1	-0.2	-1.3
JEFF DAVIS	12,032	4,713	7,319	-3.6	-2.5	-4.4
JONES	68,641	47,463	21,178	1.3	4.2	-4.7
KEMPER	10,335	3,631	6,704	-1.2	-1.6	-0.9
LAFAYETTE	49,495	35,680	13,815	4.5	5.0	3.3
LAMAR	57,786	44,601	13,185	3.8	3.7	4.3
LAUDERDALE	80,220	44,086	36,134	*	0.3	-0.5
LAWRENCE	12,551	8,491	4,060	-2.9	-1.5	-5.7
LEAKE	23,297	11,862	11,435	-2.1	0.6	-4.8
LEE	85,042	59,222	25,820	2.6	3.0	1.6
LEFLORE	30,948	7,957	22,991	-4.2	-1.0	-5.3

TABLE I - PAGE 2
2012 ESTIMATED POPULATION - MISSISSIPPI

COUNTY	POPULATION			PERCENT CHANGE SINCE 2010		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	34,900	23,739	11,161	0.1	-0.5	1.4
LOWNDES	59,670	32,223	27,447	-0.2	-0.1	-0.3
MADISON	98,468	57,056	41,412	3.4	5.1	1.2
MARION	26,442	17,433	9,009	-2.4	-2.2	-2.8
MARSHALL	36,612	18,718	17,894	-1.4	0.6	-3.4
MONROE	36,421	24,750	11,671	-1.5	-1.1	-2.4
MONTGOMERY	10,614	5,637	4,977	-2.9	-2.6	-3.1
NESHOBA	29,785	18,074	11,711	0.4	0.6	0.1
NEWTON	21,601	13,727	7,874	-0.6	*	-1.4
NOXUBEE	11,218	3,028	8,190	-2.8	-3.4	-2.6
OKTIBBEHA	48,192	28,438	19,754	1.1	0.8	1.6
PANOLA	34,473	16,933	17,540	-0.7	-1.3	*
PEARL RIVER	55,295	46,783	8,512	-1.0	-0.3	-4.5
PERRY	12,086	9,469	2,617	-1.3	-1.1	-2.2
PIKE	40,100	18,377	21,723	-0.8	-2.0	0.3
PONTOTOC	30,594	25,332	5,262	2.1	5.6	-11.9
PRENTISS	25,390	21,366	4,024	0.5	0.3	1.5
QUITMAN	7,798	2,291	5,507	-5.2	-3.8	-5.7
RANKIN	145,165	113,079	32,086	2.5	3.3	*
SCOTT	28,250	16,725	11,525	*	11.1	-12.8
SHARKEY	4,799	1,364	3,435	-2.4	-0.4	-3.1
SIMPSON	27,374	17,211	10,163	-0.5	-0.3	-0.8
SMITH	16,345	12,363	3,982	-0.9	-1.1	-0.2
STONE	18,028	14,112	3,916	1.4	0.9	2.9
SUNFLOWER	28,431	7,449	20,982	-3.5	-0.6	-4.4
TALLAHATCHIE	15,111	6,250	8,861	-1.7	4.4	-5.6
TATE	28,490	19,260	9,230	-1.4	-0.3	-3.6
TIPPAH	22,025	18,066	3,959	-0.9	1.6	-11.1
TISHOMINGO	19,591	18,766	825	*	1.4	-23.9
TUNICA	10,475	2,494	7,981	-2.8	-2.3	-3.0
UNION	27,414	22,852	4,562	1.0	4.0	-11.6
WALTHALL	15,100	8,110	6,990	-2.2	-1.7	-2.8
WARREN	48,084	24,215	23,869	-1.4	-1.4	-1.5
WASHINGTON	49,750	13,546	36,204	-2.7	-1.7	-3.1
WAYNE	20,661	12,360	8,301	-0.4	0.5	-1.7
WEBSTER	10,039	7,900	2,139	-2.1	-2.1	-2.2
WILKINSON	9,432	2,766	6,666	-4.5	-2.4	-5.4
WINSTON	19,029	9,871	9,158	-0.9	-1.0	-0.7
YALOBUSHA	12,401	7,514	4,887	-2.2	-2.0	-2.5
YAZOO	28,195	11,607	16,588	0.5	3.5	-1.6

* LESS THAN 0.06 PERCENT CHANGE.

NOTE: POPULATION ESTIMATE WAS OBTAINED FROM THE U.S. BUREAU OF THE CENSUS.

TABLE 1A
LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE OF MOTHER,
ALSO LIVE BIRTHS AND RATES, BY PLACE OF RESIDENCE AND RACE OF MOTHER,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 2012

	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
COUNTY	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	37,787	20,446	17,341	38,618	21,337	17,281	12.9	11.9	14.4
ADAMS	932	317	615	343	116	227	10.7	8.1	12.7
ALCORN	558	456	102	447	369	78	12.0	11.5	15.3
AMITE	0	0	0	131	62	69	10.1	8.3	12.5
ATTALA	4	0	4	252	115	137	13.2	10.6	16.5
BENTON	1	0	1	80	42	38	9.2	7.8	11.2
BOLIVAR	449	101	348	561	153	408	16.5	13.4	18.2
CALHOUN	0	0	0	172	124	48	11.6	11.9	10.8
CARROLL	0	0	0	82	53	29	7.9	7.8	8.0
CHICKASAW	1	1	0	248	123	125	14.2	12.8	16.0
CHOCTAW	1	1	0	80	57	23	9.6	10.0	8.6
CLAIBORNE	2	0	2	108	1	107	11.6	0.7	13.4
CLARKE	0	0	0	187	115	72	11.3	10.8	12.2
CLAY	359	153	206	235	80	155	11.5	9.8	12.7
COAHOMA	832	163	669	416	68	348	16.2	11.3	17.7
COPIAH	1	0	1	355	154	201	12.3	11.2	13.2
COVINGTON	3	1	2	290	169	121	14.8	13.7	16.7
DESOTO	1,943	1,072	871	2,065	1,487	578	12.4	12.2	13.1
FORREST	2,247	1,605	642	1,061	583	478	13.8	12.5	15.8
FRANKLIN	0	0	0	93	58	35	11.7	11.5	12.2
GEORGE	174	147	27	349	323	26	15.2	15.6	11.5
GREENE	1	1	0	125	96	29	8.7	9.4	7.2
GRENADA	385	162	223	246	131	115	11.3	10.7	12.2
HANCOCK	191	160	31	452	408	44	10.0	10.2	8.5
HARRISON	3,093	2,188	905	2,744	1,857	887	14.1	13.6	15.6
HINDS	5,704	2,147	3,557	3,345	744	2,601	13.4	10.6	14.6
HOLMES	3	0	3	271	22	249	14.4	7.2	15.8
HUMPHREYS	1	0	1	131	18	113	14.2	8.2	16.2
ISSAQUENA	0	0	0	14	2	12	10.1	4.2	13.2
ITAWAMBA	0	0	0	288	273	15	12.3	12.6	8.5
JACKSON	1,428	1,049	379	1,520	1,107	413	10.8	10.7	11.1
JASPER	1	0	1	262	109	153	15.8	14.2	17.3
JEFFERSON	4	0	4	130	9	121	17.0	8.5	18.4
JEFF DAVIS	2	0	2	142	51	91	11.8	10.8	12.4
JONES	862	375	487	995	641	354	14.5	13.5	16.7
KEMPER	1	0	1	82	25	57	7.9	6.9	8.5
LAFAYETTE	921	571	350	583	393	190	11.8	11.0	13.8
LAMAR	1,470	936	534	838	602	236	14.5	13.5	17.9
LAUDERDALE	2,233	1,089	1,144	1,032	520	512	12.9	11.8	14.2
LAWRENCE	1	0	1	141	93	48	11.2	11.0	11.8
LEAKE	1	0	1	288	145	143	12.4	12.2	12.5
LEE	2,094	1,521	573	1,138	726	412	13.4	12.2	16.0
LEFLORE	584	116	468	460	113	347	14.9	14.2	15.1

TABLE 1A - Page 2
LIVE BIRTHS - MISSISSIPPI -2012

	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
COUNTY	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	652	374	278	457	284	173	13.1	12.0	15.5
LOWNDES	907	415	492	829	440	389	13.9	13.6	14.2
MADISON	424	44	380	1,282	725	557	13.0	12.7	13.4
MARION	2	1	1	337	219	118	12.7	12.6	13.1
MARSHALL	5	2	3	447	226	221	12.2	12.1	12.4
MONROE	578	438	140	442	287	155	12.1	11.6	13.3
MONTGOMERY	0	0	0	148	70	78	13.9	12.4	15.7
NESHOBA	3	1	2	426	182	244	14.3	10.1	20.8
NEWTON	2	1	1	258	138	120	11.9	10.0	15.2
NOXUBEE	1	1	0	158	43	115	14.1	14.2	14.0
OKTIBBEHA	948	477	471	567	290	277	11.8	10.2	14.0
PANOLA	208	66	142	512	193	319	14.8	11.4	18.2
PEARL RIVER	289	235	54	637	561	76	11.5	12.0	8.9
PERRY	0	0	0	158	117	41	13.1	12.4	15.7
PIKE	828	369	459	558	216	342	13.9	11.8	15.7
PONTOTOC	10	10	0	460	408	52	15.0	16.1	9.9
PRENTISS	1	1	0	328	284	44	12.9	13.3	10.9
QUITMAN	1	0	1	108	17	91	13.8	7.4	16.5
RANKIN	3,037	2,051	986	1,871	1,462	409	12.9	12.9	12.7
SCOTT	0	0	0	450	274	176	15.9	16.4	15.3
SHARKEY	0	0	0	69	16	53	14.4	11.7	15.4
SIMPSON	319	168	151	324	199	125	11.8	11.6	12.3
SMITH	0	0	0	194	135	59	11.9	10.9	14.8
STONE	0	0	0	193	152	41	10.7	10.8	10.5
SUNFLOWER	215	31	184	335	55	280	11.8	7.4	13.3
TALLAHATCHIE	1	0	1	139	37	102	9.2	5.9	11.5
TATE	2	2	0	330	203	127	11.6	10.5	13.8
TIPPAH	0	0	0	245	210	35	11.1	11.6	8.8
TISHOMINGO	0	0	0	191	188	3	9.7	10.0	3.6
TUNICA	1	0	1	211	41	170	20.1	16.4	21.3
UNION	1,135	946	189	374	310	64	13.6	13.6	14.0
WALTHALL	1	1	0	165	67	98	10.9	8.3	14.0
WARREN	703	229	474	632	270	362	13.1	11.2	15.2
WASHINGTON	812	165	647	780	168	612	15.7	12.4	16.9
WAYNE	205	83	122	266	132	134	12.9	10.7	16.1
WEBSTER	1	1	0	132	100	32	13.1	12.6	15.0
WILKINSON	0	0	0	116	14	102	12.3	5.1	15.3
WINSTON	1	0	1	178	79	99	9.4	8.0	10.8
YALOBUSHA	1	1	0	144	72	72	11.6	9.6	14.7
YAZOO	7	1	6	385	116	269	13.6	10.0	16.2
OUT OF STATE	1,971	1,517	454	1,140	626	514			

* LIVE BIRTHS PER 1,000 POPULATION.

TABLE 1A - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 2012

TOWN**	NUMBER		
	TOTAL	WHITE	NON-WHITE
BILOXI	702	463	239
BRANDON	428	328	100
BROOKHAVEN	202	65	137
BYRAM	173	49	124
CANTON	257	62	195
CLARKSDALE	310	47	263
CLEVELAND	258	87	171
CLINTON	305	174	131
COLUMBUS	426	162	264
CORINTH	198	137	61
GAUTIER	193	119	74
GREENVILLE	548	75	473
GREENWOOD	278	73	205
GRENADA	149	58	91
GULFPORT	1,130	632	498
HATTIESBURG	844	324	520
HERNANDO	223	181	42
HORN LAKE	355	212	143
INDIANOLA	155	21	134
JACKSON	2,523	362	2,161
LAUREL	392	147	245
LONG BEACH	168	151	17
MADISON	298	247	51
MCCOMB	205	37	168
MERIDIAN	577	189	388
MOSS POINT	194	81	113
NATCHEZ	214	57	157
OCEAN SPRINGS	298	247	51
OLIVE BRANCH	405	294	111
OXFORD	301	192	109
PASCAGOULA	230	131	99
PEARL	378	271	107
PETAL	172	150	22
PICAYUNE	180	134	46
RIDGELAND	297	166	131
SOUTHAVEN	667	482	185
STARKVILLE	420	201	219
TUPELO	537	261	276
VICKSBURG	378	104	274
WEST POINT	143	38	105
YAZOO CITY	241	31	210

** TOWNS OF 10,000 POPULATION OR MORE.

TABLE 1B
FERTILITY RATES*, BY COUNTY OF RESIDENCE AND RACE OF MOTHER, MISSISSIPPI, 2012

COUNTY	TOTAL	WHITE	NON-WHITE	COUNTY	TOTAL	WHITE	NON-WHITE
STATE	64.1	64.7	63.4				
ADAMS	63.7	63.2	64.0	LINCOLN	68.4	66.8	71.0
ALCORN	65.0	63.3	74.9	LOWNDES	66.6	72.9	60.7
AMITE	63.7	58.7	69.0	MADISON	62.7	69.9	55.3
ATTALA	73.6	68.0	78.9	MARION	68.2	70.8	63.9
BENTON	50.1	45.4	56.4	MARSHALL	65.3	75.4	57.5
BOLIVAR	77.7	70.0	81.0	MONROE	65.8	66.0	65.4
CALHOUN	62.7	69.2	50.5	MONTGOMERY	78.1	79.1	77.3
CARROLL	49.6	54.1	43.1	NESHOBA	74.2	57.7	94.3
CHICKASAW	75.7	75.9	75.6	NEWTON	61.1	55.9	68.4
CHOCTAW	55.1	61.5	43.8	NOXUBEE	73.3	96.4	67.2
CLAIBORNE	50.7	7.8	53.4	OKTIBBEHA	43.2	37.1	52.2
CLARKE	61.5	62.7	59.6	PANOLA	75.1	69.2	79.2
CLAY	59.6	64.7	57.2	PEARL RIVER	62.5	66.7	42.7
COAHOMA	77.0	76.6	77.1	PERRY	71.4	69.6	77.4
COPIAH	64.2	66.8	62.3	PIKE	72.6	71.8	73.2
COVINGTON	77.9	79.3	76.1	PONTOTOC	78.3	85.1	48.1
DESOTO	58.3	61.6	51.1	PRENTISS	67.9	72.1	49.2
FORREST	57.1	56.3	58.2	QUITMAN	71.4	51.7	76.9
FRANKLIN	68.1	71.6	63.0	RANKIN	60.8	64.1	51.6
GEORGE	82.9	83.6	74.5	SCOTT	81.1	91.2	69.1
GREENE	58.6	55.6	71.8	SHARKEY	80.7	101.9	75.9
GRENADA	58.1	59.4	56.7	SIMPSON	64.2	68.3	58.7
HANCOCK	56.0	57.8	43.2	SMITH	65.6	65.0	67.0
HARRISON	70.0	71.4	67.0	STONE	53.2	56.5	43.8
HINDS	59.3	59.0	59.4	SUNFLOWER	63.5	50.8	66.8
HOLMES	70.9	49.4	73.7	TALLAHATCHIE	55.1	47.5	58.4
HUMPHREYS	72.9	53.1	77.6	TATE	56.7	55.4	58.9
ISSAQUENA	81.9	33.3	108.1	TIPPAH	58.6	62.6	42.5
ITAWAMBA	63.2	65.9	36.3	TISHOMINGO	54.9	56.3	21.7
JACKSON	55.2	57.8	49.3	TUNICA	92.4	109.0	89.1
JASPER	88.8	91.9	86.7	UNION	71.9	73.4	65.5
JEFFERSON	91.5	73.8	93.1	WALTHALL	60.7	50.6	70.2
JEFF DAVIS	65.8	80.7	59.7	WARREN	67.8	67.3	68.1
JONES	75.8	75.8	75.7	WASHINGTON	77.5	81.9	76.4
KEMPER	42.2	47.1	40.3	WAYNE	66.0	61.4	71.3
LAFAYETTE	44.2	41.7	50.4	WEBSTER	75.3	75.1	75.8
LAMAR	64.0	65.1	61.6	WILKINSON	79.2	41.4	90.6
LAUDERDALE	65.6	68.6	62.9	WINSTON	53.8	52.1	55.3
LAWRENCE	61.5	63.4	58.2	YALOBUSHA	64.6	59.2	71.1
LEAKE	67.7	73.0	63.1	YAZOO	84.2	76.5	88.0
LEE	66.4	66.4	66.5				
LEFLORE	68.4	89.8	63.4				

* LIVE BIRTHS PER 1,000 FEMALE POPULATION 15-44 YEARS OF AGE.

TABLE 2
LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE OF MOTHER, AND ATTENDANT,
ALSO BY COUNTY OF RESIDENCE AND SEX,
MISSISSIPPI, 2012

		WHITE				NONWHITE				SEX	
COUNTY	TOTAL	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
STATE	38,618		21,228	1	108	17,281	17,245	0	36	19,550	19,068
ADAMS	343		116	0	0	227	227	0	0	174	169
ALCORN	447		369	0	0	78	78	0	0	224	223
AMITE	131		62	0	0	69	69	0	0	64	67
ATTALA	252		115	0	0	137	135	0	2	123	129
BENTON	80		42	0	0	38	37	0	1	30	50
BOLIVAR	561		153	0	0	408	407	0	1	273	288
CALHOUN	172		124	0	0	48	48	0	0	85	87
CARROLL	82		53	0	0	29	29	0	0	36	46
CHICKASAW	248		122	0	1	125	125	0	0	127	121
CHOCTAW	80		56	0	1	23	23	0	0	41	39
CLAIBORNE	108		1	0	0	107	105	0	2	52	56
CLARKE	187		115	0	0	72	72	0	0	83	104
CLAY	235		79	0	1	155	155	0	0	124	111
COAHOMA	416		68	0	0	348	348	0	0	201	215
COPIAH	355		154	0	0	201	201	0	0	186	169
COVINGTON	290		168	0	1	121	120	0	1	135	155
DESOTO	2,065		1,468	0	19	578	576	0	2	1,030	1,035
FORREST	1,061		579	0	4	478	477	0	1	546	515
FRANKLIN	93		58	0	0	35	35	0	0	47	46
GEORGE	349		322	0	1	26	26	0	0	178	171
GREENE	125		95	0	1	29	29	0	0	67	58
GRENADA	246		130	0	1	115	114	0	1	124	122
HANCOCK	452		406	0	2	44	44	0	0	229	223
HARRISON	2,744		1,846	0	11	887	886	0	1	1,416	1,328

TABLE 2 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 2012

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
HINDS	3,345		739	0	5	2,601	2,598	0	3	1,667	1,678
HOLMES	271		22	0	0	249	249	0	0	143	128
HUMPHREYS	131		18	0	0	113	113	0	0	69	62
ISSAQUENA	14		2	0	0	12	12	0	0	5	9
ITAWAMBA	288		273	0	0	15	15	0	0	145	143
JACKSON	1,520		1,102	1	4	413	413	0	0	778	742
JASPER	262		109	0	0	153	152	0	1	132	130
JEFFERSON	130		9	0	0	121	118	0	3	66	64
JEFF DAVIS	142		51	0	0	91	91	0	0	72	70
JONES	995		638	0	3	354	353	0	1	495	500
KEMPER	82		25	0	0	57	57	0	0	42	40
LAFAYETTE	583		392	0	1	190	189	0	1	290	293
LAMAR	838		602	0	0	236	234	0	2	434	404
LAUDERDALE	1,032		520	0	0	512	510	0	2	532	500
LAWRENCE	141		93	0	0	48	47	0	1	68	73
LEAKE	288		145	0	0	143	143	0	0	140	148
LEE	1,138		722	0	4	412	412	0	0	580	558
LEFLORE	460		113	0	0	347	347	0	0	237	223
LINCOLN	457		283	0	1	173	172	0	1	241	216
LOWNDES	829		439	0	1	389	389	0	0	426	403
MADISON	1,282		724	0	1	557	557	0	0	654	628
MARION	337		218	0	1	118	118	0	0	159	178
MARSHALL	447		224	0	2	221	221	0	0	226	221
MONROE	442		287	0	0	155	155	0	0	224	218
MONTGOMERY	148		70	0	0	78	77	0	1	66	82
NESHOBA	426		182	0	0	244	243	0	1	199	227
NEWTON	258		137	0	1	120	119	0	1	131	127
NOXUBEE	158		42	0	1	115	115	0	0	78	80
OKTIBBEHA	567		289	0	1	277	276	0	1	295	272
PANOLA	512		190	0	3	319	318	0	1	266	246

TABLE 2 - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 2012

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
PEARL RIVER	637		559	0	2	76	76	0	0	338	299
PERRY	158		117	0	0	41	41	0	0	85	73
PIKE	558		215	0	1	342	341	0	1	291	267
PONTOTOC	460		398	0	10	52	52	0	0	229	231
PRENTISS	328		284	0	0	44	44	0	0	155	173
QUITMAN	108		17	0	0	91	91	0	0	50	58
RANKIN	1,871		1,453	0	9	409	409	0	0	965	906
SCOTT	450		274	0	0	176	176	0	0	238	212
SHARKEY	69		16	0	0	53	53	0	0	45	24
SIMPSON	324		196	0	3	125	125	0	0	157	167
SMITH	194		135	0	0	59	59	0	0	102	92
STONE	193		152	0	0	41	41	0	0	88	105
SUNFLOWER	335		55	0	0	280	280	0	0	174	161
TALLAHATCHIE	139		37	0	0	102	101	0	1	66	73
TATE	330		201	0	2	127	127	0	0	175	155
TIPPAH	245		210	0	0	35	35	0	0	139	106
TISHOMINGO	191		188	0	0	3	3	0	0	101	90
TUNICA	211		41	0	0	170	169	0	1	108	103
UNION	374		308	0	2	64	64	0	0	192	182
WALTHALL	165		66	0	1	98	98	0	0	82	83
WARREN	632		267	0	3	362	362	0	0	314	318
WASHINGTON	780		168	0	0	612	612	0	0	392	388
WAYNE	266		132	0	0	134	134	0	0	121	145
WEBSTER	132		99	0	1	32	32	0	0	71	61
WILKINSON	116		14	0	0	102	102	0	0	58	58
WINSTON	178		79	0	0	99	98	0	1	92	86
YALOBUSHA	144		71	0	1	72	72	0	0	75	69
YAZOO	385		115	0	1	269	269	0	0	192	193

NOTE: "HOSP. OR CLINIC" INCLUDES DELIVERY BY PHYSICIAN, CNM, OR ANY OTHER NAMED PERSON. "OTHER" INCLUDES DELIVERY BY ANY PERSON OTHER THAN A PHYSICIAN, AT ANY PLACE OTHER THAN A HOSPITAL OR CLINIC.

TABLE 3A
TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2012

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	UN-KNOWN
STATE	38,618	90	4,778	12,632	10,946	7,004	2,594	545	25	4
ADAMS	343	1	48	124	99	48	21	2	0	0
ALCORN	447	3	64	164	115	70	27	3	0	1
AMITE	131	0	21	42	33	20	14	1	0	0
ATTALA	252	0	31	79	84	37	15	6	0	0
BENTON	80	0	8	32	24	14	2	0	0	0
BOLIVAR	561	0	76	198	170	88	23	6	0	0
CALHOUN	172	1	19	66	48	25	12	1	0	0
CARROLL	82	0	12	28	19	18	4	1	0	0
CHICKASAW	248	0	32	107	59	45	4	1	0	0
CHOCTAW	80	0	8	25	26	15	4	2	0	0
CLAIBORNE	108	0	18	41	26	18	3	2	0	0
CLARKE	187	3	17	68	46	41	10	2	0	0
CLAY	235	0	34	71	69	42	12	7	0	0
COAHOMA	416	4	84	146	118	47	13	4	0	0
COPIAH	355	1	35	134	107	53	22	3	0	0
COVINGTON	290	0	54	100	86	34	14	2	0	0
DESOTO	2,065	4	181	557	598	484	198	41	1	1
FORREST	1,061	0	116	354	337	190	52	11	1	0
FRANKLIN	93	0	13	25	30	18	6	1	0	0
GEORGE	349	2	50	138	86	55	12	5	1	0
GREENE	125	0	21	44	34	19	6	1	0	0
GRENADA	246	0	28	92	61	48	12	5	0	0
HANCOCK	452	1	44	180	122	84	18	3	0	0
HARRISON	2,744	6	287	874	849	502	181	44	0	1
HINDS	3,345	14	418	1,083	900	616	253	58	3	0
HOLMES	271	1	39	107	62	34	23	4	1	0
HUMPHREYS	131	0	28	44	40	15	4	0	0	0
ISSAQUENA	14	0	4	6	2	2	0	0	0	0
ITAWAMBA	288	2	48	95	78	46	18	1	0	0
JACKSON	1,520	2	162	486	417	307	120	21	5	0
JASPER	262	2	28	110	59	45	15	3	0	0
JEFFERSON	130	1	19	49	32	22	6	1	0	0
JEFF DAVIS	142	0	25	53	29	22	9	4	0	0
JONES	995	1	151	305	294	169	60	15	0	0
KEMPER	82	0	14	27	19	13	6	3	0	0
LAFAYETTE	583	1	44	161	159	149	60	8	1	0
LAMAR	838	0	89	201	265	205	65	13	0	0
LAUDERDALE	1,032	3	96	361	294	196	67	15	0	0
LAWRENCE	141	0	23	49	38	21	6	4	0	0
LEAKE	288	2	39	100	80	46	14	6	1	0
LEE	1,138	2	158	341	328	227	68	14	0	0
LEFLORE	460	4	52	169	119	96	15	5	0	0

TABLE 3A - PAGE 2
TOTAL LIVE BIRTHS - MISSISSIPPI - 2012

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	UN-KNOWN
LINCOLN	457	1	43	165	130	79	33	6	0	0
LOWNDES	829	1	86	257	266	148	56	15	0	0
MADISON	1,282	2	90	271	396	343	152	25	3	0
MARION	337	0	54	127	93	40	21	2	0	0
MARSHALL	447	0	63	164	124	63	27	5	1	0
MONROE	442	0	63	145	131	65	30	8	0	0
MONTGOMERY	148	1	20	55	45	17	8	2	0	0
NESHOBA	426	0	59	148	126	66	22	5	0	0
NEWTON	258	0	41	90	56	46	21	4	0	0
NOXUBEE	158	1	21	63	35	32	6	0	0	0
OKTIBBEHA	567	0	38	158	196	112	53	10	0	0
PANOLA	512	0	88	210	122	68	19	5	0	0
PEARL RIVER	637	0	85	210	186	104	42	6	4	0
PERRY	158	0	18	63	46	23	7	1	0	0
PIKE	558	3	93	202	149	73	32	6	0	0
PONTOTOC	460	2	61	155	138	75	22	7	0	0
PRENTISS	328	1	48	132	75	50	19	3	0	0
QUITMAN	108	1	23	43	25	12	3	1	0	0
RANKIN	1,871	2	176	422	587	454	193	35	1	1
SCOTT	450	0	71	157	119	71	20	11	1	0
SHARKEY	69	0	14	15	19	13	5	3	0	0
SIMPSON	324	1	51	125	85	47	15	0	0	0
SMITH	194	0	29	76	57	24	5	3	0	0
STONE	193	1	24	73	48	34	13	0	0	0
SUNFLOWER	335	2	50	145	86	39	13	0	0	0
TALLAHATCHIE	139	0	25	55	28	22	7	2	0	0
TATE	330	2	35	111	103	57	14	8	0	0
TIPPAH	245	0	30	94	71	32	15	3	0	0
TISHOMINGO	191	0	21	71	55	31	12	1	0	0
TUNICA	211	0	38	73	53	30	12	5	0	0
UNION	374	0	54	138	91	64	26	1	0	0
WALTHALL	165	0	22	58	37	35	10	3	0	0
WARREN	632	1	89	193	176	118	47	7	1	0
WASHINGTON	780	6	136	300	174	109	47	8	0	0
WAYNE	266	0	51	93	77	31	11	3	0	0
WEBSTER	132	0	10	46	51	21	3	1	0	0
WILKINSON	116	1	17	32	31	19	12	4	0	0
WINSTON	178	0	26	61	56	21	12	2	0	0
YALOBUSHA	144	0	27	55	32	19	9	2	0	0
YAZOO	385	0	50	145	110	51	26	3	0	0

TABLE 3B
LIVE BIRTHS TO WHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 2012

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	UN-KNOWN
STATE	21,337	28	2,126	6,214	6,602	4,407	1,626	313	17	4
ADAMS	116	0	13	35	37	22	8	1	0	0
ALCORN	369	1	54	125	107	53	26	2	0	1
AMITE	62	0	8	20	18	7	8	1	0	0
ATTALA	115	0	9	33	40	20	11	2	0	0
BENTON	42	0	4	17	13	7	1	0	0	0
BOLIVAR	153	0	5	50	58	30	6	4	0	0
CALHOUN	124	1	14	42	36	20	10	1	0	0
CARROLL	53	0	9	15	11	15	3	0	0	0
CHICKASAW	123	0	20	47	25	28	2	1	0	0
CHOCTAW	57	0	6	17	20	10	2	2	0	0
CLAIBORNE	1	0	0	0	1	0	0	0	0	0
CLARKE	115	3	12	39	30	24	6	1	0	0
CLAY	80	0	7	22	27	15	5	4	0	0
COAHOMA	68	0	8	20	26	12	1	1	0	0
COPIAH	154	0	11	41	54	32	15	1	0	0
COVINGTON	169	0	25	54	59	25	4	2	0	0
DESOTO	1,487	4	119	397	448	356	135	26	1	1
FORREST	583	0	50	169	193	125	38	7	1	0
FRANKLIN	58	0	9	11	20	12	5	1	0	0
GEORGE	323	1	46	126	81	52	11	5	1	0
GREENE	96	0	17	36	21	17	5	0	0	0
GRENADA	131	0	11	44	35	28	10	3	0	0
HANCOCK	408	1	37	158	112	80	17	3	0	0
HARRISON	1,857	2	170	566	607	345	140	26	0	1
HINDS	744	1	50	144	235	215	86	13	0	0
HOLMES	22	0	1	2	10	3	5	1	0	0
HUMPHREYS	18	0	3	5	6	2	2	0	0	0
ISSAQUENA	2	0	1	0	1	0	0	0	0	0
ITAWAMBA	273	2	45	92	73	42	18	1	0	0
JACKSON	1,107	2	99	330	334	232	89	16	5	0
JASPER	109	0	12	34	27	22	13	1	0	0
JEFFERSON	9	0	0	1	5	2	1	0	0	0
JEFF DAVIS	51	0	5	19	12	9	4	2	0	0
JONES	641	0	89	190	198	112	40	12	0	0
KEMPER	25	0	3	8	9	4	1	0	0	0
LAFAYETTE	393	1	26	77	114	123	45	6	1	0
LAMAR	602	0	61	133	204	147	50	7	0	0
LAUDERDALE	520	0	27	158	169	113	45	8	0	0
LAWRENCE	93	0	13	36	27	12	3	2	0	0
LEAKE	145	0	17	42	48	28	7	2	1	0
LEE	726	1	82	192	227	163	49	12	0	0
LEFLORE	113	0	6	27	30	42	6	2	0	0

TABLE 3B - PAGE 2
LIVE BIRTHS TO WHITE MOTHERS - MISSISSIPPI - 2012

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	UN-KNOWN
LINCOLN	284	0	20	96	92	54	19	3	0	0
LOWNDES	440	0	17	118	160	103	32	10	0	0
MADISON	725	0	29	88	254	239	100	13	2	0
MARION	219	0	34	87	62	26	9	1	0	0
MARSHALL	226	0	32	80	58	35	16	5	0	0
MONROE	287	0	43	86	90	42	20	6	0	0
MONTGOMERY	70	0	8	26	23	8	4	1	0	0
NESHOBA	182	0	24	57	59	31	7	4	0	0
NEWTON	138	0	18	42	36	30	10	2	0	0
NOXUBEE	43	0	2	11	13	14	3	0	0	0
OKTIBBEHA	290	0	11	62	114	64	34	5	0	0
PANOLA	193	0	27	69	54	29	11	3	0	0
PEARL RIVER	561	0	67	184	168	94	38	6	4	0
PERRY	117	0	14	48	35	15	4	1	0	0
PIKE	216	1	23	77	65	35	12	3	0	0
PONTOTOC	408	1	56	133	126	67	19	6	0	0
PRENTISS	284	1	40	113	67	46	15	2	0	0
QUITMAN	17	0	2	8	5	2	0	0	0	0
RANKIN	1,462	1	126	311	477	372	152	22	0	1
SCOTT	274	0	35	88	85	47	13	6	0	0
SHARKEY	16	0	0	4	4	4	1	3	0	0
SIMPSON	199	1	29	71	56	32	10	0	0	0
SMITH	135	0	20	52	42	14	4	3	0	0
STONE	152	0	18	58	40	27	9	0	0	0
SUNFLOWER	55	0	4	18	19	9	5	0	0	0
TALLAHATCHIE	37	0	7	10	6	10	3	1	0	0
TATE	203	2	21	60	70	37	8	5	0	0
TIPPAH	210	0	23	83	59	27	15	3	0	0
TISHOMINGO	188	0	21	70	54	31	11	1	0	0
TUNICA	41	0	4	12	10	8	4	3	0	0
UNION	310	0	43	115	74	55	22	1	0	0
WALTHALL	67	0	8	21	18	13	6	1	0	0
WARREN	270	1	24	67	87	66	20	4	1	0
WASHINGTON	168	0	11	48	50	37	20	2	0	0
WAYNE	132	0	20	50	37	16	8	1	0	0
WEBSTER	100	0	7	33	37	19	3	1	0	0
WILKINSON	14	0	2	1	5	3	1	2	0	0
WINSTON	79	0	12	20	27	13	5	2	0	0
YALOBUSHA	72	0	14	23	18	10	6	1	0	0
YAZOO	116	0	6	40	38	17	14	1	0	0

TABLE 3C
LIVE BIRTHS TO NONWHITE MOTHERS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 2012

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	UN-KNOWN
STATE	17,281	62	2,652	6,418	4,344	2,597	968	232	8	0
ADAMS	227	1	35	89	62	26	13	1	0	0
ALCORN	78	2	10	39	8	17	1	1	0	0
AMITE	69	0	13	22	15	13	6	0	0	0
ATTALA	137	0	22	46	44	17	4	4	0	0
BENTON	38	0	4	15	11	7	1	0	0	0
BOLIVAR	408	0	71	148	112	58	17	2	0	0
CALHOUN	48	0	5	24	12	5	2	0	0	0
CARROLL	29	0	3	13	8	3	1	1	0	0
CHICKASAW	125	0	12	60	34	17	2	0	0	0
CHOCTAW	23	0	2	8	6	5	2	0	0	0
CLAIBORNE	107	0	18	41	25	18	3	2	0	0
CLARKE	72	0	5	29	16	17	4	1	0	0
CLAY	155	0	27	49	42	27	7	3	0	0
COAHOMA	348	4	76	126	92	35	12	3	0	0
COPIAH	201	1	24	93	53	21	7	2	0	0
COVINGTON	121	0	29	46	27	9	10	0	0	0
DESOTO	578	0	62	160	150	128	63	15	0	0
FORREST	478	0	66	185	144	65	14	4	0	0
FRANKLIN	35	0	4	14	10	6	1	0	0	0
GEORGE	26	1	4	12	5	3	1	0	0	0
GREENE	29	0	4	8	13	2	1	1	0	0
GRENADA	115	0	17	48	26	20	2	2	0	0
HANCOCK	44	0	7	22	10	4	1	0	0	0
HARRISON	887	4	117	308	242	157	41	18	0	0
HINDS	2,601	13	368	939	665	401	167	45	3	0
HOLMES	249	1	38	105	52	31	18	3	1	0
HUMPHREYS	113	0	25	39	34	13	2	0	0	0
ISSAQUENA	12	0	3	6	1	2	0	0	0	0
ITAWAMBA	15	0	3	3	5	4	0	0	0	0
JACKSON	413	0	63	156	83	75	31	5	0	0
JASPER	153	2	16	76	32	23	2	2	0	0
JEFFERSON	121	1	19	48	27	20	5	1	0	0
JEFF DAVIS	91	0	20	34	17	13	5	2	0	0
JONES	354	1	62	115	96	57	20	3	0	0
KEMPER	57	0	11	19	10	9	5	3	0	0
LAFAYETTE	190	0	18	84	45	26	15	2	0	0
LAMAR	236	0	28	68	61	58	15	6	0	0
LAUDERDALE	512	3	69	203	125	83	22	7	0	0
LAWRENCE	48	0	10	13	11	9	3	2	0	0
LEAKE	143	2	22	58	32	18	7	4	0	0
LEE	412	1	76	149	101	64	19	2	0	0
LEFLORE	347	4	46	142	89	54	9	3	0	0

TABLE 3C - PAGE 2
LIVE BIRTHS TO NONWHITE MOTHERS - MISSISSIPPI - 2012

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	UN-KNOWN
LINCOLN	173	1	23	69	38	25	14	3	0	0
LOWNDES	389	1	69	139	106	45	24	5	0	0
MADISON	557	2	61	183	142	104	52	12	1	0
MARION	118	0	20	40	31	14	12	1	0	0
MARSHALL	221	0	31	84	66	28	11	0	1	0
MONROE	155	0	20	59	41	23	10	2	0	0
MONTGOMERY	78	1	12	29	22	9	4	1	0	0
NESHOBA	244	0	35	91	67	35	15	1	0	0
NEWTON	120	0	23	48	20	16	11	2	0	0
NOXUBEE	115	1	19	52	22	18	3	0	0	0
OKTIBBEHA	277	0	27	96	82	48	19	5	0	0
PANOLA	319	0	61	141	68	39	8	2	0	0
PEARL RIVER	76	0	18	26	18	10	4	0	0	0
PERRY	41	0	4	15	11	8	3	0	0	0
PIKE	342	2	70	125	84	38	20	3	0	0
PONTOTOC	52	1	5	22	12	8	3	1	0	0
PRENTISS	44	0	8	19	8	4	4	1	0	0
QUITMAN	91	1	21	35	20	10	3	1	0	0
RANKIN	409	1	50	111	110	82	41	13	1	0
SCOTT	176	0	36	69	34	24	7	5	1	0
SHARKEY	53	0	14	11	15	9	4	0	0	0
SIMPSON	125	0	22	54	29	15	5	0	0	0
SMITH	59	0	9	24	15	10	1	0	0	0
STONE	41	1	6	15	8	7	4	0	0	0
SUNFLOWER	280	2	46	127	67	30	8	0	0	0
TALLAHATCHIE	102	0	18	45	22	12	4	1	0	0
TATE	127	0	14	51	33	20	6	3	0	0
TIPPAH	35	0	7	11	12	5	0	0	0	0
TISHOMINGO	3	0	0	1	1	0	1	0	0	0
TUNICA	170	0	34	61	43	22	8	2	0	0
UNION	64	0	11	23	17	9	4	0	0	0
WALTHALL	98	0	14	37	19	22	4	2	0	0
WARREN	362	0	65	126	89	52	27	3	0	0
WASHINGTON	612	6	125	252	124	72	27	6	0	0
WAYNE	134	0	31	43	40	15	3	2	0	0
WEBSTER	32	0	3	13	14	2	0	0	0	0
WILKINSON	102	1	15	31	26	16	11	2	0	0
WINSTON	99	0	14	41	29	8	7	0	0	0
YALOBUSHA	72	0	13	32	14	9	3	1	0	0
YAZOO	269	0	44	105	72	34	12	2	0	0

TABLE 4
LIVE BIRTHS TO UNMARRIED MOTHERS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2012

	NUMBER			PERCENT		
COUNTY	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	21,128	7,385	13,743	54.7	34.6	79.5
ADAMS	250	56	194	72.9	48.3	85.5
ALCORN	217	150	67	48.5	40.6	85.9
AMITE	73	16	57	55.7	25.8	82.6
ATTALA	153	39	114	60.7	33.9	83.2
BENTON	51	18	33	63.8	42.8	86.8
BOLIVAR	387	43	344	69.0	28.1	84.3
CALHOUN	92	48	44	53.5	38.7	91.7
CARROLL	41	16	25	50.0	30.2	86.2
CHICKASAW	165	65	100	66.5	52.8	80.0
CHOCTAW	33	17	16	41.2	29.8	69.6
CLAIBORNE	92	0	92	85.2	-	86.0
CLARKE	96	42	54	51.3	36.5	75.0
CLAY	152	23	129	64.7	28.8	83.2
COAHOMA	346	28	318	83.2	41.2	91.4
COPIAH	226	58	168	63.7	37.7	83.6
COVINGTON	169	62	107	58.3	36.7	88.4
DESOTO	832	499	333	40.3	33.6	57.6
FORREST	606	216	390	57.1	37.0	81.6
FRANKLIN	48	19	29	51.6	32.8	82.8
GEORGE	141	118	23	40.4	36.5	88.5
GREENE	49	27	22	39.2	28.1	75.9
GRENADA	137	37	100	55.7	28.2	87.0
HANCOCK	237	203	34	52.4	49.8	77.3
HARRISON	1,377	771	606	50.2	41.5	68.3
HINDS	2,304	210	2,094	68.9	28.2	80.5
HOLMES	221	6	215	81.6	27.3	86.3
HUMPHREYS	108	6	102	82.4	33.3	90.3
ISSAQUENA	11	1	10	78.6	50.0	83.3
ITAWAMBA	120	110	10	41.7	40.3	66.7
JACKSON	751	437	314	49.4	39.5	76.0
JASPER	156	26	130	59.5	23.8	85.0
JEFFERSON	111	3	108	85.4	33.3	89.2
JEFF DAVIS	92	14	78	64.8	27.4	85.7
JONES	536	245	291	53.9	38.2	82.2
KEMPER	54	7	47	65.8	28.0	82.4
LAFAYETTE	228	91	137	39.1	23.2	72.1
LAMAR	296	148	148	35.3	24.6	62.7
LAUDERDALE	568	155	413	55.0	29.8	80.7
LAWRENCE	60	26	34	42.6	28.0	70.8
LEAKE	170	53	117	59.0	36.6	81.8
LEE	548	237	311	48.2	32.6	75.5
LEFLORE	335	34	301	72.8	30.1	86.7

TABLE 4 - PAGE 2
LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 2012

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	227	87	140	49.7	30.6	80.9
LOWNDES	404	97	307	48.7	22.0	78.9
MADISON	530	156	374	41.3	21.5	67.1
MARION	188	88	100	55.8	40.2	84.7
MARSHALL	279	97	182	62.4	42.9	82.4
MONROE	243	111	132	55.0	38.7	85.2
MONTGOMERY	91	24	67	61.5	34.3	85.9
NESHOBA	262	69	193	61.5	37.9	79.1
NEWTON	157	52	105	60.8	37.7	87.5
NOXUBEE	110	9	101	69.6	20.9	87.8
OKTIBBEHA	249	49	200	43.9	16.9	72.2
PANOLA	344	78	266	67.2	40.4	83.4
PEARL RIVER	296	234	62	46.5	41.7	81.6
PERRY	79	41	38	50.0	35.0	92.7
PIKE	361	93	268	64.7	43.0	78.4
PONTOTOC	190	151	39	41.3	37.0	75.0
PRENTISS	132	95	37	40.2	33.4	84.1
QUITMAN	88	10	78	81.5	58.8	85.7
RANKIN	666	416	250	35.6	28.4	61.1
SCOTT	289	141	148	64.2	51.5	84.1
SHARKEY	55	5	50	79.7	31.2	94.3
SIMPSON	168	70	98	51.8	35.2	78.4
SMITH	95	48	47	49.0	35.6	79.7
STONE	85	52	33	44.0	34.2	80.5
SUNFLOWER	270	22	248	80.6	40.0	88.6
TALLAHATCHIE	110	14	96	79.1	37.8	94.1
TATE	184	75	109	55.8	36.9	85.8
TIPPAH	107	80	27	43.7	38.1	77.1
TISHOMINGO	67	64	3	35.1	34.0	100.0
TUNICA	159	15	144	75.4	36.6	84.7
UNION	154	105	49	41.2	33.9	76.6
WALTHALL	89	22	67	53.9	32.8	68.4
WARREN	387	104	283	61.2	38.5	78.2
WASHINGTON	620	66	554	79.5	39.3	90.5
WAYNE	130	31	99	48.9	23.5	73.9
WEBSTER	56	30	26	42.4	30.0	81.2
WILKINSON	85	5	80	73.3	35.7	78.4
WINSTON	105	24	81	59.0	30.4	81.8
YALOBUSHA	97	33	64	67.4	45.8	88.9
YAZOO	281	42	239	73.0	36.2	88.8

TABLE 5A
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2012

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	UN-KNOWN
STATE	21,128	90	4,302	8,933	4,759	2,152	712	171	7	2
ADAMS	250	1	46	105	62	25	10	1	0	0
ALCORN	217	3	53	94	34	25	5	2	0	1
AMITE	73	0	18	28	13	11	3	0	0	0
ATTALA	153	0	30	59	49	10	3	2	0	0
BENTON	51	0	8	22	13	8	0	0	0	0
BOLIVAR	387	0	75	165	100	35	9	3	0	0
CALHOUN	92	1	19	43	16	8	5	0	0	0
CARROLL	41	0	10	18	9	2	1	1	0	0
CHICKASAW	165	0	29	84	34	15	3	0	0	0
CHOCTAW	33	0	6	19	5	3	0	0	0	0
CLAIBORNE	92	0	18	40	19	12	2	1	0	0
CLARKE	96	3	15	40	19	15	4	0	0	0
CLAY	152	0	33	51	39	20	6	3	0	0
COAHOMA	346	4	84	131	86	29	9	3	0	0
COPIAH	226	1	32	104	62	18	7	2	0	0
COVINGTON	169	0	45	72	32	11	8	1	0	0
DESOTO	832	4	166	342	192	86	36	6	0	0
FORREST	606	0	106	257	148	72	19	4	0	0
FRANKLIN	48	0	12	13	13	7	3	0	0	0
GEORGE	141	2	34	67	24	12	2	0	0	0
GREENE	49	0	16	16	12	3	1	1	0	0
GRENADA	137	0	25	65	23	19	3	2	0	0
HANCOCK	237	1	41	112	55	20	6	2	0	0
HARRISON	1,377	6	261	563	335	161	37	13	0	1
HINDS	2,304	14	411	963	555	249	85	24	3	0
HOLMES	221	1	38	100	44	24	13	1	0	0
HUMPHREYS	108	0	27	37	33	10	1	0	0	0
ISSAQUENA	11	0	4	4	1	2	0	0	0	0
ITAWAMBA	120	2	39	42	23	9	5	0	0	0
JACKSON	751	2	148	336	157	80	21	6	1	0
JASPER	156	2	23	83	25	17	4	2	0	0
JEFFERSON	111	1	19	46	27	13	5	0	0	0
JEFF DAVIS	92	0	23	39	18	9	2	1	0	0
JONES	536	1	122	190	131	70	19	3	0	0
KEMPER	54	0	14	20	9	5	4	2	0	0
LAFAYETTE	228	1	38	117	43	19	8	2	0	0
LAMAR	296	0	75	113	66	32	8	2	0	0
LAUDERDALE	568	3	89	266	120	68	18	4	0	0
LAWRENCE	60	0	19	19	11	7	3	1	0	0
LEAKE	170	2	36	73	35	15	6	3	0	0
LEE	548	2	135	220	119	59	13	0	0	0
LEFLORE	335	4	52	151	75	45	6	2	0	0

TABLE 5A - PAGE 2
TOTAL LIVE BIRTHS TO UNMARRIED MOTHERS - MISSISSIPPI - 2012

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	UN-KNOWN
LINCOLN	227	1	38	104	49	25	9	1	0	0
LOWNDES	404	1	84	166	91	45	14	3	0	0
MADISON	530	2	87	220	134	53	25	8	1	0
MARION	188	0	46	78	38	15	10	1	0	0
MARSHALL	279	0	51	114	79	25	6	4	0	0
MONROE	243	0	54	99	54	21	13	2	0	0
MONTGOMERY	91	1	17	38	23	7	4	1	0	0
NESHOBA	262	0	53	107	60	31	10	1	0	0
NEWTON	157	0	36	68	25	16	9	3	0	0
NOXUBEE	110	1	21	54	17	16	1	0	0	0
OKTIBBEHA	249	0	34	107	68	24	13	3	0	0
PANOLA	344	0	79	163	66	27	9	0	0	0
PEARL RIVER	296	0	74	112	73	24	10	1	2	0
PERRY	79	0	15	34	15	12	3	0	0	0
PIKE	361	3	88	155	70	28	14	3	0	0
PONTOTOC	190	2	48	87	36	13	4	0	0	0
PRENTISS	132	1	29	62	23	10	7	0	0	0
QUITMAN	88	1	22	37	18	7	2	1	0	0
RANKIN	666	2	152	267	149	57	32	7	0	0
SCOTT	289	0	59	116	67	34	7	6	0	0
SHARKEY	55	0	14	11	16	9	3	2	0	0
SIMPSON	168	1	41	77	33	12	4	0	0	0
SMITH	95	0	24	40	23	8	0	0	0	0
STONE	85	1	21	38	12	10	3	0	0	0
SUNFLOWER	270	2	50	131	59	19	9	0	0	0
TALLAHATCHIE	110	0	23	50	21	9	6	1	0	0
TATE	184	2	33	77	44	17	7	4	0	0
TIPPAH	107	0	21	51	27	7	1	0	0	0
TISHOMINGO	67	0	13	35	13	2	3	1	0	0
TUNICA	159	0	36	63	37	15	6	2	0	0
UNION	154	0	44	68	24	14	4	0	0	0
WALTHALL	89	0	20	40	16	10	1	2	0	0
WARREN	387	1	85	159	85	46	9	2	0	0
WASHINGTON	620	6	132	272	119	59	27	5	0	0
WAYNE	130	0	41	48	31	8	2	0	0	0
WEBSTER	56	0	8	27	19	1	1	0	0	0
WILKINSON	85	1	17	28	20	11	6	2	0	0
WINSTON	105	0	24	45	25	6	3	2	0	0
YALOBUSHA	97	0	24	41	18	10	3	1	0	0
YAZOO	281	0	50	115	76	29	9	2	0	0

TABLE 5B
LIVE BIRTHS TO UNMARRIED WHITE MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2012

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	UN-KNOWN
STATE	7,385	28	1,686	3,047	1,597	709	255	58	3	2
ADAMS	56	0	12	23	12	7	2	0	0	0
ALCORN	150	1	43	58	27	15	4	1	0	1
AMITE	16	0	5	7	4	0	0	0	0	0
ATTALA	39	0	8	17	12	1	1	0	0	0
BENTON	18	0	4	8	5	1	0	0	0	0
BOLIVAR	43	0	5	23	11	3	0	1	0	0
CALHOUN	48	1	14	19	6	4	4	0	0	0
CARROLL	16	0	7	5	3	1	0	0	0	0
CHICKASAW	65	0	17	32	9	5	2	0	0	0
CHOCTAW	17	0	4	11	2	0	0	0	0	0
CLAIBORNE	0	0	0	0	0	0	0	0	0	0
CLARKE	42	3	10	16	9	3	1	0	0	0
CLAY	23	0	6	7	7	2	1	0	0	0
COAHOMA	28	0	8	12	7	1	0	0	0	0
COPIAH	58	0	8	20	21	4	4	1	0	0
COVINGTON	62	0	17	29	10	4	1	1	0	0
DESOTO	499	4	105	203	111	51	24	1	0	0
FORREST	216	0	41	85	49	27	11	3	0	0
FRANKLIN	19	0	8	3	5	1	2	0	0	0
GEORGE	118	1	30	56	19	10	2	0	0	0
GREENE	27	0	12	9	3	2	1	0	0	0
GRENADA	37	0	9	19	4	3	1	1	0	0
HANCOCK	203	1	34	93	47	20	6	2	0	0
HARRISON	771	2	148	322	178	88	23	9	0	1
HINDS	210	1	44	87	46	24	6	2	0	0
HOLMES	6	0	0	0	1	2	3	0	0	0
HUMPHREYS	6	0	2	1	2	1	0	0	0	0
ISSAQUENA	1	0	1	0	0	0	0	0	0	0
ITAWAMBA	110	2	36	40	20	7	5	0	0	0
JACKSON	437	2	86	192	100	40	12	4	1	0
JASPER	26	0	8	9	6	0	3	0	0	0
JEFFERSON	3	0	0	0	1	1	1	0	0	0
JEFF DAVIS	14	0	3	5	5	1	0	0	0	0
JONES	245	0	60	85	56	35	7	2	0	0
KEMPER	7	0	3	3	1	0	0	0	0	0
LAFAYETTE	91	1	20	39	13	11	6	1	0	0
LAMAR	148	0	48	52	33	9	5	1	0	0
LAUDERDALE	155	0	22	77	30	19	7	0	0	0
LAWRENCE	26	0	9	8	4	4	1	0	0	0
LEAKE	53	0	14	19	10	6	3	1	0	0
LEE	237	1	63	88	52	27	6	0	0	0
LEFLORE	34	0	6	15	4	6	2	1	0	0

TABLE 5B - PAGE 2
LIVE BIRTHS TO UNMARRIED WHITE MOTHERS - MISSISSIPPI - 2012

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	UN-KNOWN
LINCOLN	87	0	15	41	23	7	1	0	0	0
LOWNDES	97	0	16	48	21	10	2	0	0	0
MADISON	156	0	26	57	46	19	7	1	0	0
MARION	88	0	26	39	13	6	3	1	0	0
MARSHALL	97	0	22	37	24	7	3	4	0	0
MONROE	111	0	34	44	22	5	5	1	0	0
MONTGOMERY	24	0	5	10	6	2	1	0	0	0
NESHOBA	69	0	20	25	13	8	2	1	0	0
NEWTON	52	0	13	24	7	5	2	1	0	0
NOXUBEE	9	0	2	4	1	2	0	0	0	0
OKTIBBEHA	49	0	8	19	14	4	3	1	0	0
PANOLA	78	0	19	33	21	4	1	0	0	0
PEARL RIVER	234	0	56	87	62	18	8	1	2	0
PERRY	41	0	11	20	5	4	1	0	0	0
PIKE	93	1	19	41	15	10	5	2	0	0
PONTOTOC	151	1	43	71	26	8	2	0	0	0
PRENTISS	95	1	21	46	15	8	4	0	0	0
QUITMAN	10	0	1	5	3	1	0	0	0	0
RANKIN	416	1	104	166	88	35	19	3	0	0
SCOTT	141	0	24	50	40	22	3	2	0	0
SHARKEY	5	0	0	1	2	0	0	2	0	0
SIMPSON	70	1	20	30	13	5	1	0	0	0
SMITH	48	0	15	18	12	3	0	0	0	0
STONE	52	0	15	23	7	7	0	0	0	0
SUNFLOWER	22	0	4	8	5	2	3	0	0	0
TALLAHATCHIE	14	0	5	5	1	1	2	0	0	0
TATE	75	2	19	28	20	4	1	1	0	0
TIPPAH	80	0	15	41	17	6	1	0	0	0
TISHOMINGO	64	0	13	34	12	2	2	1	0	0
TUNICA	15	0	2	5	3	2	2	1	0	0
UNION	105	0	33	47	13	10	2	0	0	0
WALTHALL	22	0	6	11	4	0	1	0	0	0
WARREN	104	1	20	41	23	17	2	0	0	0
WASHINGTON	66	0	9	31	14	6	6	0	0	0
WAYNE	31	0	11	11	7	2	0	0	0	0
WEBSTER	30	0	5	15	9	0	1	0	0	0
WILKINSON	5	0	2	0	0	2	0	1	0	0
WINSTON	24	0	10	8	3	1	0	2	0	0
YALOBUSHA	33	0	11	9	7	5	1	0	0	0
YAZOO	42	0	6	17	15	3	1	0	0	0

TABLE 5C
LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS,
BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 2012

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	UN-KNOWN
STATE	13,743	62	2,616	5,886	3,162	1,443	457	113	4	0
ADAMS	194	1	34	82	50	18	8	1	0	0
ALCORN	67	2	10	36	7	10	1	1	0	0
AMITE	57	0	13	21	9	11	3	0	0	0
ATTALA	114	0	22	42	37	9	2	2	0	0
BENTON	33	0	4	14	8	7	0	0	0	0
BOLIVAR	344	0	70	142	89	32	9	2	0	0
CALHOUN	44	0	5	24	10	4	1	0	0	0
CARROLL	25	0	3	13	6	1	1	1	0	0
CHICKASAW	100	0	12	52	25	10	1	0	0	0
CHOCTAW	16	0	2	8	3	3	0	0	0	0
CLAIBORNE	92	0	18	40	19	12	2	1	0	0
CLARKE	54	0	5	24	10	12	3	0	0	0
CLAY	129	0	27	44	32	18	5	3	0	0
COAHOMA	318	4	76	119	79	28	9	3	0	0
COPIAH	168	1	24	84	41	14	3	1	0	0
COVINGTON	107	0	28	43	22	7	7	0	0	0
DESOTO	333	0	61	139	81	35	12	5	0	0
FORREST	390	0	65	172	99	45	8	1	0	0
FRANKLIN	29	0	4	10	8	6	1	0	0	0
GEORGE	23	1	4	11	5	2	0	0	0	0
GREENE	22	0	4	7	9	1	0	1	0	0
GRENADA	100	0	16	46	19	16	2	1	0	0
HANCOCK	34	0	7	19	8	0	0	0	0	0
HARRISON	606	4	113	241	157	73	14	4	0	0
HINDS	2,094	13	367	876	509	225	79	22	3	0
HOLMES	215	1	38	100	43	22	10	1	0	0
HUMPHREYS	102	0	25	36	31	9	1	0	0	0
ISSAQUENA	10	0	3	4	1	2	0	0	0	0
ITAWAMBA	10	0	3	2	3	2	0	0	0	0
JACKSON	314	0	62	144	57	40	9	2	0	0
JASPER	130	2	15	74	19	17	1	2	0	0
JEFFERSON	108	1	19	46	26	12	4	0	0	0
JEFF DAVIS	78	0	20	34	13	8	2	1	0	0
JONES	291	1	62	105	75	35	12	1	0	0
KEMPER	47	0	11	17	8	5	4	2	0	0
LAFAYETTE	137	0	18	78	30	8	2	1	0	0
LAMAR	148	0	27	61	33	23	3	1	0	0
LAUDERDALE	413	3	67	189	90	49	11	4	0	0
LAWRENCE	34	0	10	11	7	3	2	1	0	0
LEAKE	117	2	22	54	25	9	3	2	0	0
LEE	311	1	72	132	67	32	7	0	0	0
LEFLORE	301	4	46	136	71	39	4	1	0	0

TABLE 5C - PAGE 2
LIVE BIRTHS TO UNMARRIED NONWHITE MOTHERS - MISSISSIPPI - 2012

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-24	35-39	40-44	45-49	UN-KNOWN
LINCOLN	140	1	23	63	26	18	8	1	0	0
LOWNDES	307	1	68	118	70	35	12	3	0	0
MADISON	374	2	61	163	88	34	18	7	1	0
MARION	100	0	20	39	25	9	7	0	0	0
MARSHALL	182	0	29	77	55	18	3	0	0	0
MONROE	132	0	20	55	32	16	8	1	0	0
MONTGOMERY	67	1	12	28	17	5	3	1	0	0
NESHOBA	193	0	33	82	47	23	8	0	0	0
NEWTON	105	0	23	44	18	11	7	2	0	0
NOXUBEE	101	1	19	50	16	14	1	0	0	0
OKTIBBEHA	200	0	26	88	54	20	10	2	0	0
PANOLA	266	0	60	130	45	23	8	0	0	0
PEARL RIVER	62	0	18	25	11	6	2	0	0	0
PERRY	38	0	4	14	10	8	2	0	0	0
PIKE	268	2	69	114	55	18	9	1	0	0
PONTOTOC	39	1	5	16	10	5	2	0	0	0
PRENTISS	37	0	8	16	8	2	3	0	0	0
QUITMAN	78	1	21	32	15	6	2	1	0	0
RANKIN	250	1	48	101	61	22	13	4	0	0
SCOTT	148	0	35	66	27	12	4	4	0	0
SHARKEY	50	0	14	10	14	9	3	0	0	0
SIMPSON	98	0	21	47	20	7	3	0	0	0
SMITH	47	0	9	22	11	5	0	0	0	0
STONE	33	1	6	15	5	3	3	0	0	0
SUNFLOWER	248	2	46	123	54	17	6	0	0	0
TALLAHATCHIE	96	0	18	45	20	8	4	1	0	0
TATE	109	0	14	49	24	13	6	3	0	0
TIPPAH	27	0	6	10	10	1	0	0	0	0
TISHOMINGO	3	0	0	1	1	0	1	0	0	0
TUNICA	144	0	34	58	34	13	4	1	0	0
UNION	49	0	11	21	11	4	2	0	0	0
WALTHALL	67	0	14	29	12	10	0	2	0	0
WARREN	283	0	65	118	62	29	7	2	0	0
WASHINGTON	554	6	123	241	105	53	21	5	0	0
WAYNE	99	0	30	37	24	6	2	0	0	0
WEBSTER	26	0	3	12	10	1	0	0	0	0
WILKINSON	80	1	15	28	20	9	6	1	0	0
WINSTON	81	0	14	37	22	5	3	0	0	0
YALOBUSHA	64	0	13	32	11	5	2	1	0	0
YAZOO	239	0	44	98	61	26	8	2	0	0

TABLE 6A
LIVE BIRTHS WEIGHING LESS THAN 2,500 GRAMS AT BIRTH
AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2012

	NUMBER			PERCENT		
COUNTY	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	4,486	1,745	2,741	11.6	8.2	15.9
ADAMS	43	13	30	12.5	11.2	13.2
ALCORN	52	40	12	11.6	10.8	15.4
AMITE	22	9	13	16.8	14.5	18.8
ATTALA	35	12	23	13.9	10.4	16.8
BENTON	8	2	6	10.0	4.8	15.8
BOLIVAR	69	10	59	12.3	6.5	14.5
CALHOUN	29	22	7	16.9	17.7	14.6
CARROLL	9	3	6	11.0	5.7	20.7
CHICKASAW	34	16	18	13.7	13.0	14.4
CHOCTAW	13	8	5	16.2	14.0	21.7
CLAIBORNE	16	0	16	14.8	-	15.0
CLARKE	27	13	14	14.4	11.3	19.4
CLAY	38	9	29	16.2	11.2	18.7
COAHOMA	67	4	63	16.1	5.9	18.1
COPIAH	55	12	43	15.5	7.8	21.4
COVINGTON	48	14	34	16.6	8.3	28.1
DESOTO	168	99	69	8.1	6.6	11.9
FORREST	126	44	82	11.9	7.5	17.2
FRANKLIN	7	2	5	7.5	3.4	14.3
GEORGE	32	25	7	9.2	7.7	26.9
GREENE	6	3	3	4.8	3.1	10.3
GRENADA	22	12	10	8.9	9.2	8.7
HANCOCK	29	25	4	6.4	6.1	9.1
HARRISON	278	160	118	10.1	8.6	13.3
HINDS	520	65	455	15.5	8.7	17.5
HOLMES	54	4	50	19.9	18.2	20.1
HUMPHREYS	22	3	19	16.8	16.7	16.8
ISSAQUENA	4	0	4	28.6	-	33.3
ITAWAMBA	19	16	3	6.6	5.9	20.0
JACKSON	128	87	41	8.4	7.8	9.9
JASPER	24	5	19	9.2	4.6	12.4
JEFFERSON	25	3	22	19.2	33.3	18.2
JEFF DAVIS	16	4	12	11.3	7.8	13.2
JONES	117	55	62	11.8	8.6	17.5
KEMPER	6	0	6	7.3	-	10.5
LAFAYETTE	55	30	25	9.4	7.6	13.2
LAMAR	96	52	44	11.4	8.6	18.6
LAUDERDALE	148	47	101	14.3	9.0	19.7
LAWRENCE	15	10	5	10.6	10.8	10.4
LEAKE	33	8	25	11.4	5.5	17.5
LEE	109	53	56	9.6	7.3	13.6
LEFLORE	67	5	62	14.6	4.4	17.9

TABLE 6A - PAGE 2
LIVE BIRTHS LESS THAN 2,500 GRAMS - MISSISSIPPI - 2012

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	53	19	34	11.6	6.7	19.6
LOWNDES	90	35	55	10.8	8.0	14.1
MADISON	148	51	97	11.5	7.0	17.4
MARION	49	22	27	14.5	10.0	22.9
MARSHALL	52	18	34	11.6	8.0	15.4
MONROE	48	25	23	10.9	8.7	14.8
MONTGOMERY	19	7	12	12.8	10.0	15.4
NESHOBA	41	11	30	9.6	6.0	12.3
NEWTON	31	13	18	12.0	9.4	15.0
NOXUBEE	15	4	11	9.5	9.3	9.6
OKTIBBEHA	66	19	47	11.6	6.6	17.0
PANOLA	63	14	49	12.3	7.2	15.4
PEARL RIVER	62	52	10	9.7	9.3	13.2
PERRY	25	17	8	15.8	14.5	19.5
PIKE	82	23	59	14.7	10.6	17.2
PONTOTOC	47	38	9	10.2	9.3	17.3
PRENTISS	32	25	7	9.8	8.8	15.9
QUITMAN	25	3	22	23.1	17.6	24.2
RANKIN	170	118	52	9.1	8.1	12.7
SCOTT	45	22	23	10.0	8.0	13.1
SHARKEY	12	1	11	17.4	6.2	20.8
SIMPSON	36	15	21	11.1	7.5	16.8
SMITH	16	5	11	8.2	3.7	18.6
STONE	21	14	7	10.9	9.2	17.1
SUNFLOWER	49	9	40	14.6	16.4	14.3
TALLAHATCHIE	21	6	15	15.1	16.2	14.7
TATE	41	12	29	12.4	5.9	22.8
TIPPAH	27	22	5	11.0	10.5	14.3
TISHOMINGO	18	16	2	9.4	8.5	66.7
TUNICA	21	3	18	10.0	7.3	10.6
UNION	38	26	12	10.2	8.4	18.8
WALTHALL	19	6	13	11.5	9.0	13.3
WARREN	73	25	48	11.6	9.2	13.3
WASHINGTON	100	11	89	12.8	6.5	14.5
WAYNE	31	7	24	11.6	5.3	17.9
WEBSTER	10	4	6	7.6	4.0	18.8
WILKINSON	9	2	7	7.8	14.3	6.9
WINSTON	23	6	17	12.9	7.6	17.2
YALOBUSHA	15	7	8	10.4	9.7	11.1
YAZOO	52	8	44	13.5	6.9	16.4

TABLE 6B
LIVE BIRTHS WEIGHING LESS THAN 1,500 GRAMS AT BIRTH
AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2012

	NUMBER			PERCENT		
COUNTY	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	800	254	546	2.1	1.2	3.2
ADAMS	9	3	6	2.6	2.6	2.6
ALCORN	9	7	2	2.0	1.9	2.6
AMITE	2	1	1	1.5	1.6	1.4
ATTALA	8	4	4	3.2	3.5	2.9
BENTON	1	0	1	1.2	-	2.6
BOLIVAR	7	1	6	1.2	0.6	1.5
CALHOUN	4	3	1	2.3	2.4	2.1
CARROLL	3	0	3	3.6	-	10.3
CHICKASAW	6	2	4	2.4	1.6	3.2
CHOCTAW	3	2	1	3.8	3.5	4.3
CLAIBORNE	4	0	4	3.7	-	3.7
CLARKE	5	2	3	2.7	1.7	4.2
CLAY	10	0	10	4.2	-	6.4
COAHOMA	10	0	10	2.4	-	2.9
COPIAH	15	3	12	4.2	1.9	6.0
COVINGTON	7	3	4	2.4	1.8	3.3
DESOTO	38	18	20	1.8	1.2	3.5
FORREST	25	9	16	2.4	1.5	3.3
FRANKLIN	2	0	2	2.2	-	5.7
GEORGE	2	2	0	0.6	0.6	-
GREENE	0	0	0	-	-	-
GRENADA	1	1	0	0.4	0.8	-
HANCOCK	4	3	1	0.9	0.7	2.3
HARRISON	54	28	26	2.0	1.5	2.9
HINDS	109	8	101	3.2	1.1	3.9
HOLMES	12	2	10	4.4	9.1	4.0
HUMPHREYS	6	2	4	4.6	11.1	3.5
ISSAQUENA	0	0	0	-	-	-
ITAWAMBA	2	2	0	0.7	0.7	-
JACKSON	20	14	6	1.3	1.3	1.4
JASPER	2	1	1	0.8	0.9	0.6
JEFFERSON	2	0	2	1.5	-	1.6
JEFF DAVIS	4	1	3	2.8	2.0	3.3
JONES	22	6	16	2.2	0.9	4.5
KEMPER	0	0	0	-	-	-
LAFAYETTE	9	5	4	1.5	1.3	2.1
LAMAR	19	10	9	2.3	1.7	3.8
LAUDERDALE	24	4	20	2.3	0.8	3.9
LAWRENCE	4	1	3	2.8	1.1	6.2
LEAKE	8	3	5	2.8	2.1	3.5
LEE	21	11	10	1.8	1.5	2.4
LEFLORE	8	2	6	1.7	1.8	1.7

TABLE 6B - PAGE 2
LIVE BIRTHS LESS THAN 1,500 GRAMS - MISSISSIPPI - 2012

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	9	0	9	2.0	-	5.2
LOWNDES	14	4	10	1.7	0.9	2.6
MADISON	26	2	24	2.0	0.3	4.3
MARION	10	4	6	3.0	1.8	5.1
MARSHALL	10	4	6	2.2	1.8	2.7
MONROE	7	2	5	1.6	0.7	3.2
MONTGOMERY	4	2	2	2.7	2.8	2.6
NESHOBA	8	2	6	1.9	1.1	2.4
NEWTON	6	2	4	2.3	1.4	3.3
NOXUBEE	2	0	2	1.3	-	1.7
OKTIBBEHA	17	3	14	3.0	1.0	5.0
PANOLA	23	3	20	4.5	1.6	6.3
PEARL RIVER	9	7	2	1.4	1.2	2.6
PERRY	5	1	4	3.2	0.8	9.8
PIKE	10	0	10	1.8	-	2.9
PONTOTOC	8	5	3	1.7	1.2	5.8
PRENTISS	12	9	3	3.6	3.2	6.8
QUITMAN	4	0	4	3.7	-	4.4
RANKIN	21	13	8	1.1	0.9	2.0
SCOTT	7	5	2	1.6	1.8	1.1
SHARKEY	0	0	0	-	-	-
SIMPSON	2	1	1	0.6	0.5	0.8
SMITH	3	1	2	1.5	0.7	3.4
STONE	2	2	0	1.0	1.3	-
SUNFLOWER	9	0	9	2.7	-	3.2
TALLAHATCHIE	3	0	3	2.2	-	2.9
TATE	7	1	6	2.1	0.5	4.7
TIPPAH	6	4	2	2.4	1.9	5.7
TISHOMINGO	1	1	0	0.5	0.5	-
TUNICA	1	0	1	0.5	-	0.6
UNION	4	1	3	1.1	0.3	4.7
WALTHALL	1	1	0	0.6	1.5	-
WARREN	8	3	5	1.3	1.1	1.4
WASHINGTON	17	2	15	2.2	1.2	2.4
WAYNE	4	0	4	1.5	-	3.0
WEBSTER	2	0	2	1.5	-	6.2
WILKINSON	4	1	3	3.4	7.1	2.9
WINSTON	3	1	2	1.7	1.3	2.0
YALOBUSHA	2	1	1	1.4	1.4	1.4
YAZOO	8	2	6	2.1	1.7	2.2

TABLE 7
PREMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2012

	NUMBER			PERCENT		
COUNTY	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	6,515	3,004	3,511	16.9	14.1	20.3
ADAMS	55	14	41	16.0	12.1	18.1
ALCORN	91	70	21	20.4	19.0	26.9
AMITE	22	13	9	16.8	21.0	13.0
ATTALA	44	10	34	17.5	8.7	24.8
BENTON	10	3	7	12.5	7.1	18.4
BOLIVAR	110	17	93	19.6	11.1	22.8
CALHOUN	37	25	12	21.5	20.2	25.0
CARROLL	15	10	5	18.3	18.9	17.2
CHICKASAW	61	23	38	24.6	18.7	30.4
CHOCTAW	12	8	4	15.0	14.0	17.4
CLAIBORNE	32	0	32	29.6	-	29.9
CLARKE	39	25	14	20.8	21.7	19.4
CLAY	40	12	28	17.0	15.0	18.1
COAHOMA	109	11	98	26.2	16.2	28.2
COPIAH	70	24	46	19.7	15.6	22.9
COVINGTON	48	23	25	16.6	13.6	20.7
DESOTO	227	147	80	11.0	9.9	13.8
FORREST	154	69	85	14.5	11.8	17.8
FRANKLIN	7	2	5	7.5	3.4	14.3
GEORGE	53	48	5	15.2	14.9	19.2
GREENE	15	12	3	12.0	12.5	10.3
GRENADA	28	12	16	11.4	9.2	13.9
HANCOCK	48	41	7	10.6	10.0	15.9
HARRISON	410	237	173	14.9	12.8	19.5
HINDS	670	104	566	20.0	14.0	21.8
HOLMES	67	6	61	24.7	27.3	24.5
HUMPHREYS	29	4	25	22.1	22.2	22.1
ISSAQUENA	3	0	3	21.4	-	25.0
ITAWAMBA	51	45	6	17.7	16.5	40.0
JACKSON	227	154	73	14.9	13.9	17.7
JASPER	31	6	25	11.8	5.5	16.3
JEFFERSON	28	3	25	21.5	33.3	20.7
JEFF DAVIS	23	5	18	16.2	9.8	19.8
JONES	148	89	59	14.9	13.9	16.7
KEMPER	12	2	10	14.6	8.0	17.5
LAFAYETTE	78	56	22	13.4	14.2	11.6
LAMAR	114	70	44	13.6	11.6	18.6
LAUDERDALE	175	64	111	17.0	12.3	21.7
LAWRENCE	24	16	8	17.0	17.2	16.7
LEAKE	44	23	21	15.3	15.9	14.7
LEE	254	148	106	22.3	20.4	25.7
LEFLORE	59	13	46	12.8	11.5	13.2

TABLE 7 - PAGE 2
PREMATURE LIVE BIRTHS - MISSISSIPPI - 2012

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	77	36	41	16.8	12.7	23.7
LOWNDES	123	49	74	14.8	11.1	19.0
MADISON	223	108	115	17.4	14.9	20.6
MARION	72	34	38	21.4	15.5	32.2
MARSHALL	64	25	39	14.3	11.1	17.6
MONROE	94	59	35	21.3	20.6	22.6
MONTGOMERY	33	11	22	22.3	15.7	28.2
NESHOBA	76	23	53	17.8	12.6	21.7
NEWTON	50	27	23	19.4	19.6	19.2
NOXUBEE	23	6	17	14.6	14.0	14.8
OKTIBBEHA	92	30	62	16.2	10.3	22.4
PANOLA	90	29	61	17.6	15.0	19.1
PEARL RIVER	98	82	16	15.4	14.6	21.0
PERRY	32	23	9	20.2	19.6	22.0
PIKE	95	32	63	17.0	14.8	18.4
PONTOTOC	83	69	14	18.0	16.9	26.9
PRENTISS	74	65	9	22.6	22.9	20.4
QUITMAN	33	4	29	30.6	23.5	31.9
RANKIN	305	220	85	16.3	15.0	20.8
SCOTT	92	54	38	20.4	19.7	21.6
SHARKEY	12	1	11	17.4	6.2	20.8
SIMPSON	53	28	25	16.4	14.1	20.0
SMITH	23	12	11	11.8	8.9	18.6
STONE	17	12	5	8.8	7.9	12.2
SUNFLOWER	81	14	67	24.2	25.4	23.9
TALLAHATCHIE	26	9	17	18.7	24.3	16.7
TATE	34	14	20	10.3	6.9	15.7
TIPPAH	52	40	12	21.2	19.0	34.3
TISHOMINGO	36	34	2	18.8	18.1	66.7
TUNICA	27	2	25	12.8	4.9	14.7
UNION	80	60	20	21.4	19.4	31.2
WALTHALL	24	9	15	14.5	13.4	15.3
WARREN	111	36	75	17.6	13.3	20.7
WASHINGTON	145	24	121	18.6	14.3	19.8
WAYNE	31	13	18	11.6	9.8	13.4
WEBSTER	14	10	4	10.6	10.0	12.5
WILKINSON	21	4	17	18.1	28.6	16.7
WINSTON	27	11	16	15.2	13.9	16.2
YALOBUSHA	21	7	14	14.6	9.7	19.4
YAZOO	77	14	63	20.0	12.1	23.4

* GESTATION LESS THAN 37 WEEKS.

TABLE 8
REPORTABLE* FETAL DEATHS, BY COUNTY OF OCCURRENCE AND RACE OF MOTHER,
ALSO REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY COUNTY OF RESIDENCE AND RACE OF MOTHER,
MISSISSIPPI, 2012

	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
COUNTY	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	377	138	239	376	139	237	9.7	6.5	13.7
ADAMS	18	4	14	5	2	3	14.6	17.2	13.2
ALCORN	7	6	1	7	5	2	15.7	13.6	25.6
AMITE	0	0	0	0	0	0	-	-	-
ATTALA	0	0	0	0	0	0	-	-	-
BENTON	0	0	0	2	1	1	25.0	23.8	26.3
BOLIVAR	7	3	4	8	2	6	14.3	13.1	14.7
CALHOUN	0	0	0	2	1	1	11.6	8.1	20.8
CARROLL	0	0	0	0	0	0	-	-	-
CHICKASAW	0	0	0	2	1	1	8.1	8.1	8.0
CHOCTAW	0	0	0	0	0	0	-	-	-
CLAIBORNE	0	0	0	2	0	2	18.5	-	18.7
CLARKE	1	0	1	5	2	3	26.7	17.4	41.7
CLAY	3	0	3	3	0	3	12.8	-	19.4
COAHOMA	12	1	11	9	0	9	21.6	-	25.9
COPIAH	0	0	0	8	2	6	22.5	13.0	29.8
COVINGTON	0	0	0	2	2	0	6.9	11.8	-
DESOTO	12	4	8	8	5	3	3.9	3.4	5.2
FORREST	16	10	6	13	3	10	12.2	5.1	20.9
FRANKLIN	0	0	0	1	0	1	10.8	-	28.6
GEORGE	1	1	0	2	2	0	5.7	6.2	-
GREENE	0	0	0	2	1	1	16.0	10.4	34.5
GRENADA	3	1	2	1	1	0	4.1	7.6	-
HANCOCK	1	1	0	1	1	0	2.2	2.4	-
HARRISON	19	14	5	18	13	5	6.6	7.0	5.6
HINDS	81	19	62	38	3	35	11.4	4.0	13.4
HOLMES	1	0	1	2	0	2	7.4	-	8.0
HUMPHREYS	0	0	0	4	0	4	30.5	-	35.4
ISSAQUENA	0	0	0	0	0	0	-	-	-
ITAWAMBA	0	0	0	2	2	0	6.9	7.3	-
JACKSON	20	11	9	19	10	9	12.5	9.0	21.8
JASPER	0	0	0	4	1	3	15.3	9.2	19.6
JEFFERSON	0	0	0	2	0	2	15.4	-	16.5
JEFF DAVIS	0	0	0	0	0	0	-	-	-
JONES	14	4	10	11	3	8	11.0	4.7	22.6
KEMPER	0	0	0	1	0	1	12.2	-	17.5
LAFAYETTE	6	2	4	6	3	3	10.3	7.6	15.8
LAMAR	10	1	9	8	6	2	9.5	10.0	8.5
LAUDERDALE	16	8	8	9	4	5	8.7	7.7	9.8
LAWRENCE	0	0	0	2	1	1	14.2	10.8	20.8
LEAKE	1	0	1	4	1	3	13.9	6.9	21.0
LEE	12	8	4	7	2	5	6.2	2.8	12.1
LEFLORE	7	0	7	5	0	5	10.9	-	14.4

TABLE 8 - PAGE 2
FETAL DEATHS - MISSISSIPPI - 2012

COUNTY	OCCURRENCE DATA NUMBER TOTAL	OCCURRENCE DATA NUMBER WHITE	OCCURRENCE DATA NUMBER NON-WHITE	RESIDENCE DATA NUMBER TOTAL	RESIDENCE DATA NUMBER WHITE	RESIDENCE DATA NUMBER NON-WHITE	RESIDENCE DATA RATIO** TOTAL	RESIDENCE DATA RATIO** WHITE	RESIDENCE DATA RATIO** NON-WHITE
LINCOLN	12	4	8	8	4	4	17.5	14.1	23.1
LOWNDES	4	1	3	3	1	2	3.6	2.3	5.1
MADISON	5	0	5	10	3	7	7.8	4.1	12.6
MARION	1	0	1	2	0	2	5.9	-	16.9
MARSHALL	1	1	0	4	1	3	8.9	4.4	13.6
MONROE	4	2	2	2	1	1	4.5	3.5	6.4
MONTGOMERY	0	0	0	0	0	0	-	-	-
NESHOBA	0	0	0	3	3	0	7.0	16.5	-
NEWTON	0	0	0	1	0	1	3.9	-	8.3
NOXUBEE	0	0	0	1	0	1	6.3	-	8.7
OKTIBBEHA	10	1	9	2	0	2	3.5	-	7.2
PANOLA	2	2	0	7	2	5	13.7	10.4	15.7
PEARL RIVER	4	4	0	4	4	0	6.3	7.1	-
PERRY	0	0	0	1	0	1	6.3	-	24.4
PIKE	9	3	6	9	1	8	16.1	4.6	23.4
PONTOTOC	0	0	0	3	2	1	6.5	4.9	19.2
PRENTISS	1	0	1	4	3	1	12.2	10.6	22.7
QUITMAN	0	0	0	4	1	3	37.0	58.8	33.0
RANKIN	12	7	5	7	7	0	3.7	4.8	-
SCOTT	2	2	0	5	3	2	11.1	10.9	11.4
SHARKEY	0	0	0	0	0	0	-	-	-
SIMPSON	2	1	1	5	1	4	15.4	5.0	32.0
SMITH	0	0	0	0	0	0	-	-	-
STONE	0	0	0	1	1	0	5.2	6.6	-
SUNFLOWER	5	0	5	11	1	10	32.8	18.2	35.7
TALLAHATCHIE	0	0	0	0	0	0	-	-	-
TATE	1	0	1	3	0	3	9.1	-	23.6
TIPPAH	0	0	0	1	1	0	4.1	4.8	-
TISHOMINGO	0	0	0	1	1	0	5.2	5.3	-
TUNICA	0	0	0	4	0	4	19.0	-	23.5
UNION	8	7	1	5	5	0	13.4	16.1	-
WALTHALL	0	0	0	2	1	1	12.1	14.9	10.2
WARREN	7	3	4	7	4	3	11.1	14.8	8.3
WASHINGTON	12	1	11	14	3	11	17.9	17.8	18.0
WAYNE	4	1	3	2	1	1	7.5	7.6	7.5
WEBSTER	0	0	0	1	1	0	7.6	10.0	-
WILKINSON	2	0	2	2	0	2	17.2	-	19.6
WINSTON	0	0	0	5	0	5	28.1	-	50.5
YALOBUSHA	0	0	0	2	1	1	13.9	13.9	13.9
YAZOO	1	0	1	5	2	3	13.0	17.2	11.2
OUT OF STATE	17	6	11	18	5	13			

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

TABLE 9
DEATHS, BY PLACE OF OCCURRENCE AND RACE,
ALSO DEATHS AND RATES, BY PLACE OF RESIDENCE AND RACE,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 2012

	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
COUNTY	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	28,834	19,393	9,441	29,494	19,910	9,584	9.9	11.1	8.0
ADAMS	412	210	202	413	211	202	12.8	14.8	11.3
ALCORN	481	440	41	458	417	41	12.3	13.0	8.0
AMITE	73	42	31	142	80	62	11.0	10.7	11.3
ATTALA	191	134	57	258	164	94	13.5	15.1	11.3
BENTON	56	44	12	99	78	21	11.3	14.6	6.2
BOLIVAR	306	119	187	392	140	252	11.6	12.2	11.2
CALHOUN	131	99	32	189	141	48	12.7	13.5	10.8
CARROLL	65	50	15	117	79	38	11.2	11.6	10.5
CHICKASAW	89	70	19	155	109	46	8.9	11.3	5.9
CHOCTAW	59	41	18	93	66	27	11.1	11.6	10.1
CLAIBORNE	51	10	41	93	20	73	9.9	14.6	9.2
CLARKE	123	84	39	195	127	68	11.8	11.9	11.5
CLAY	142	71	71	216	102	114	10.6	12.4	9.3
COAHOMA	276	82	194	305	100	205	11.9	16.6	10.4
COPIAH	222	118	104	325	170	155	11.2	12.4	10.2
COVINGTON	184	137	47	258	183	75	13.2	14.8	10.3
DESOTO	1,194	932	262	1,195	1,013	182	7.2	8.3	4.1
FORREST	1,262	912	350	755	530	225	9.8	11.4	7.4
FRANKLIN	88	57	31	108	66	42	13.6	13.1	14.6
GEORGE	190	172	18	244	220	24	10.6	10.6	10.6
GREENE	71	64	7	126	110	16	8.8	10.7	4.0
GRENADA	253	153	100	299	180	119	13.8	14.7	12.6
HANCOCK	293	266	27	407	372	35	9.0	9.3	6.7
HARRISON	2,008	1,632	376	1,858	1,490	368	9.6	10.9	6.4
HINDS	3,838	1,937	1,901	2,029	855	1,174	8.2	12.2	6.6
HOLMES	143	42	101	219	59	160	11.6	19.4	10.2
HUMPHREYS	57	16	41	103	30	73	11.2	13.7	10.4
ISSAQUENA	8	3	5	12	5	7	8.6	10.4	7.7
ITAWAMBA	151	145	6	244	232	12	10.4	10.7	6.8
JACKSON	1,242	1,014	228	1,271	1,035	236	9.0	10.0	6.4
JASPER	110	76	34	230	133	97	13.9	17.3	11.0
JEFFERSON	50	11	39	85	15	70	11.1	14.2	10.6
JEFF DAVIS	117	61	56	156	82	74	13.0	17.4	10.1
JONES	624	456	168	689	510	179	10.0	10.7	8.4
KEMPER	63	32	31	100	49	51	9.7	13.5	7.6
LAFAYETTE	525	379	146	393	297	96	7.9	8.3	6.9
LAMAR	410	328	82	400	351	49	6.9	7.9	3.7
LAUDERDALE	1,290	776	514	851	549	302	10.6	12.4	8.4
LAWRENCE	101	75	26	153	113	40	12.2	13.3	9.8
LEAKE	178	102	76	230	137	93	9.9	11.5	8.1
LEE	1,588	1,239	349	873	684	189	10.3	11.6	7.3
LEFLORE	479	184	295	362	148	214	11.7	18.6	9.3

TABLE 9 - PAGE 2
DEATHS - MISSISSIPPI - 2012

	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
COUNTY	TOTAL	WHITE	NON WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	338	245	93	415	298	117	11.9	12.6	10.5
LOWNDES	564	355	209	522	328	194	8.7	10.2	7.1
MADISON	905	638	267	1,003	675	328	10.2	11.8	7.9
MARION	251	197	54	359	271	88	13.6	15.5	9.8
MARSHALL	228	147	81	383	243	140	10.5	13.0	7.8
MONROE	299	243	56	406	313	93	11.1	12.6	8.0
MONTGOMERY	125	75	50	155	101	54	14.6	17.9	10.8
NESHOBA	246	170	76	342	233	109	11.5	12.9	9.3
NEWTON	169	113	56	253	177	76	11.7	12.9	9.6
NOXUBEE	65	27	38	95	37	58	8.5	12.2	7.1
OKTIBBEHA	268	167	101	277	163	114	5.7	5.7	5.8
PANOLA	253	172	81	359	224	135	10.4	13.2	7.7
PEARL RIVER	395	347	48	578	506	72	10.4	10.8	8.4
PERRY	86	75	11	115	95	20	9.5	10.0	7.6
PIKE	481	265	216	466	246	220	11.6	13.4	10.1
PONTOTOC	156	146	10	253	232	21	8.3	9.2	4.0
PRENTISS	215	191	24	288	249	39	11.3	11.6	9.7
QUITMAN	74	33	41	96	41	55	12.3	17.9	10.0
RANKIN	650	530	120	1,037	874	163	7.1	7.7	5.1
SCOTT	184	122	62	277	177	100	9.8	10.6	8.7
SHARKEY	36	16	20	65	21	44	13.5	15.4	12.8
SIMPSON	213	167	46	281	203	78	10.3	11.8	7.7
SMITH	96	74	22	163	128	35	10.0	10.4	8.8
STONE	141	122	19	195	167	28	10.8	11.8	7.2
SUNFLOWER	203	76	127	309	115	194	10.9	15.4	9.2
TALLAHATCHIE	88	52	36	162	85	77	10.7	13.6	8.7
TATE	168	133	35	272	202	70	9.5	10.5	7.6
TIPPAH	175	147	28	242	205	37	11.0	11.3	9.3
TISHOMINGO	212	201	11	283	272	11	14.4	14.5	13.3
TUNICA	67	33	34	100	29	71	9.5	11.6	8.9
UNION	216	186	30	277	232	45	10.1	10.2	9.9
WALTHALL	109	64	45	152	94	58	10.1	11.6	8.3
WARREN	554	310	244	505	292	213	10.5	12.0	8.9
WASHINGTON	578	209	369	580	228	352	11.6	16.8	9.7
WAYNE	177	127	50	225	161	64	10.9	13.0	7.7
WEBSTER	104	79	25	127	98	29	12.6	12.4	13.6
WILKINSON	82	41	41	99	38	61	10.5	13.7	9.2
WINSTON	175	116	59	233	158	75	12.2	16.0	8.2
YALOBUSHA	99	73	26	161	110	51	13.0	14.6	10.4
YAZOO	195	94	101	284	137	147	10.1	11.8	8.9
OUT OF STATE	1,542	1,107	435	882	590	292			

* DEATHS PER 1,000 POPULATION.

TABLE 9 - PAGE 3
DEATHS - MISSISSIPPI - 2012

TOWN**	NUMBER		
	TOTAL	WHITE	NON-WHITE
BILOXI	424	359	65
BRANDON	254	223	31
BROOKHAVEN	200	118	82
BYRAM	52	42	10
CANTON	130	38	92
CLARKSDALE	218	57	161
CLEVELAND	156	80	76
CLINTON	193	139	54
COLUMBUS	302	175	127
CORINTH	248	213	35
GAUTIER	138	106	32
GREENVILLE	411	144	267
GREENWOOD	202	86	116
GRENADA	220	127	93
GULFPORT	809	566	243
HATTIESBURG	535	319	216
HERNANDO	112	92	20
HORN LAKE	162	132	30
INDIANOLA	131	45	86
JACKSON	1,430	466	964
LAUREL	250	134	116
LONG BEACH	139	130	9
MADISON	211	196	15
MCCOMB	205	102	103
MERIDIAN	474	252	222
MOSS POINT	230	106	124
NATCHEZ	260	142	118
OCEAN SPRINGS	230	205	25
OLIVE BRANCH	246	205	41
OXFORD	235	186	49
PASCAGOULA	194	163	31
PEARL	178	156	22
PETAL	115	103	12
PICAYUNE	132	85	47
RIDGELAND	460	355	105
SOUTHAVEN	391	338	53
STARKVILLE	155	100	55
TUPELO	393	304	89
VICKSBURG	313	146	167
WEST POINT	136	75	61
YAZOO CITY	169	58	111

** TOWNS OF 10,000 POPULATION OR MORE.

TABLE 10A
DEATHS, BY CAUSE AND RACE,
(CAUSE GROUPINGS BASED ON NCHS LIST OF 358 SELECTED CAUSES)
MISSISSIPPI RESIDENTS, 2012

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
001-358	ALL CAUSES	29,494	19,910	9,564
001-055	CERTAIN INFECTIOUS AND PARASITIC DISEASES	886	507	378
001-008	Intestinal infectious diseases	43	36	7
002-007	Other intestinal infectious diseases	27	23	4
007	Intestinal infections due to other specified organisms	27	23	4
008	Diarrhea and gastroenteritis of presumed infectious origin	16	13	3
009-010	Tuberculosis	5	2	3
009	Respiratory tuberculosis	4	1	3
010	Other tuberculosis	1	1	0
011-019	Zoonotic and other bacterial diseases	624	387	236
013	Tetanus	1	1	0
018	Septicemia	596	366	229
019	Other zoonotic and bacterial diseases	27	20	7
028-044	Viral diseases	194	71	123
032	Other and unspecified arthropod-borne viral and hemorrhagic fevers	2	2	0
033	Herpesviral (herpes simplex) infections	1	1	0
038	Viral hepatitis	68	43	25
039-043	Human immunodeficiency virus [HIV] disease	114	18	96
039	Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases	35	4	31
040	Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms	7	0	7
041	Human immunodeficiency virus (HIV) disease resulting in other specified diseases	15	4	11
042	Human immunodeficiency virus (HIV) disease resulting in other conditions	25	2	23
043	Unspecified human immunodeficiency virus (HIV) disease	32	8	24
044	All other and unspecified viral diseases	9	7	2
045-055	Other and unspecified infectious and parasitic diseases and their sequelae	20	11	9
045	Mycoses	7	2	5
054	Sequelae of poliomyelitis	4	4	0
055	All other and unspecified infectious and parasitic diseases and their sequelae	9	5	4
056-115	NEOPLASMS	6,591	4,389	2,198
056-108	Malignant neoplasms	6,468	4,302	2,163
056-059	Malignant neoplasms of lip, oral cavity and pharynx	134	77	57
056	Malignant neoplasms of lip	2	2	0
057	Malignant neoplasms of tongue	25	15	10
058	Malignant neoplasms of pharynx	78	40	38
059	Malignant neoplasms of other and unspecified sites within the lip, oral cavity and pharynx	29	20	9
060-070	Malignant neoplasms of digestive organs	1,653	1,051	600

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
060	Malignant neoplasms of esophagus	131	93	38
061	Malignant neoplasms of stomach	128	54	73
062	Malignant neoplasms of small intestine	6	3	3
063	Malignant neoplasms of colon	525	315	210
064	Malignant neoplasms of rectosigmoid junction and rectum	101	69	32
065	Malignant neoplasms of anus and anal canal	5	4	1
066	Malignant neoplasms of liver	222	148	74
067	Intrahepatic bile duct carcinoma	26	24	2
068	Malignant neoplasms of gallbladder and extrahepatic bile ducts	36	24	12
069	Malignant neoplasms of pancreas	456	309	146
070	Malignant neoplasms of other and ill-defined digestive organs	17	8	9
071-075	Malignant neoplasms of respiratory and intrathoracic organs	1,964	1,374	590
071	Malignant neoplasms of nasal cavity, middle ear and accessory sinuses	5	4	1
072	Malignant neoplasms of larynx	49	27	22
073	Malignant neoplasms of trachea, bronchus and lung	1,904	1,340	564
074	Malignant neoplasms of thymus, heart, mediastinum and pleura	6	3	3
076	Malignant neoplasms of bone and articular cartilage	29	21	8
077-078	Melanoma and other malignant neoplasms of skin	107	99	8
077	Malignant melanoma of skin	76	71	5
078	Other malignant neoplasms of skin	31	28	3
079-081	Malignant neoplasms of mesothelial and soft tissue	67	52	15
079	Mesothelioma	21	18	3
080	Kaposi's sarcoma	1	1	0
081	Malignant neoplasms of other mesothelial and soft tissue	45	33	12
082	Malignant neoplasm of breast	452	258	194
083-088	Malignant neoplasms of female genital organs	280	167	112
083	Malignant neoplasms of vulva and vagina	17	15	2
084	Malignant neoplasms of cervix uteri	63	26	37
085	Malignant neoplasms of corpus uteri and uterus, part unspecified	74	39	35
086	Malignant neoplasms of ovary	120	81	38
087	Malignant neoplasms of other and unspecified female genital organs	6	6	0
089-091	Malignant neoplasms of male genital organs	338	176	162
089	Malignant neoplasms of prostate	333	171	162
090	Malignant neoplasms of testis	3	3	0
091	Malignant neoplasms of penis and other and unspecified male genital organs	2	2	0
092-094	Malignant neoplasms of urinary tract	287	212	75
092	Malignant neoplasms of kidney and renal pelvis	147	103	44
093	Malignant neoplasms of bladder	130	102	28
094	Malignant neoplasms of other and unspecified sites within the urinary tract	10	7	3
095	Malignant neoplasm of eye and adnexa	2	2	0
096-097	Malignant neoplasms of meninges, brain and other parts of central nervous system	165	123	42
096	Malignant neoplasms of brain	164	122	42
097	Malignant neoplasms of other parts of central nervous system	1	1	0
098	Malignant neoplasms of thyroid and other endocrine glands	23	16	7

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
099	Other malignant neoplasms of other and unspecified sites	458	307	151
100-108	Malignant neoplasms of lymphoid, hematopoietic and related tissue	509	367	142
100	Hodgkin's disease	10	6	4
101	Non-Hodgkin's lymphoma	170	130	40
102	Malignant neoplasms of other and unspecified lymphoid, hematopoietic and related tissue	1	1	0
103	Malignant immunoproliferative diseases	1	1	0
104	Multiple myeloma and malignant plasma cell neoplasms	119	72	47
105-108	Leukemia	208	157	51
105	Lymphoid leukemia	48	35	13
106	Myeloid leukemia	85	64	21
108	Other and unspecified leukemia	75	58	17
110	Carcinoma in situ of other and unspecified sites	1	1	0
111-113	Benign neoplasms	10	5	4
112	Benign neoplasms of eye, brain and other parts of central nervous system	8	4	3
113	Benign neoplasms of other and unspecified sites	2	1	1
114	Neoplasms of uncertain or unknown behavior of specified sites	102	74	28
115	Neoplasm of uncertain or unknown behavior of unspecified sites	10	7	3
116-122	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM	117	66	51
116-119	Anemias	66	37	29
116	Nutritional anemias	4	3	1
117	Hemolytic anemias	15	1	14
118	Aplastic anemias	7	5	2
119	Acute posthemorrhagic and other anemias	40	28	12
120	Coagulation defects, purpura and other hemorrhagic conditions	28	16	12
121	Other diseases of blood and blood-forming organs	9	6	3
122	Certain disorders involving the immune mechanism	14	7	7
123-135	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES	1,336	657	678
123-128	Endocrine diseases	1,080	525	555
123	Disorders of thyroid gland	19	13	6
124	Diabetes mellitus	1,039	499	540
125	Disorders of pituitary gland	3	3	0
126	Disorders of adrenal glands	4	4	0
127	Diseases of thymus	1	0	1
128	Other endocrine diseases	14	6	8
129-131	Malnutrition and other nutritional deficiencies	30	13	17
129-130	Malnutrition	29	13	16
130	Other and unspecified malnutrition	29	13	16
131	Other nutritional deficiencies	1	0	1
132	Obesity and other hyperalimentation	73	28	45
133-135	Metabolic disorders	153	91	61

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
133	Cystic fibrosis	3	3	0
134	Volume depletion, disorders of fluid, electrolyte and acid-base balance	72	46	25
135	Other metabolic disorders	78	42	36
136-144	MENTAL AND BEHAVIORAL DISORDERS	1,246	958	288
136	Organic dementia	1,137	894	243
137	Other and unspecified organic mental disorders	12	9	3
138-139	Mental and behavioral disorders due to psychoactive substance abuse	68	40	28
138	Mental and behavioral disorders due to use of alcohol	48	28	20
139	Mental and behavioral disorders due to other psychoactive substance use	20	12	8
140	Schizophrenia, schizotypal and delusional disorders	8	3	5
141	Mood (affective) disorders	7	6	1
142	Neurotic, stress-related and somatoform disorders	2	2	0
143	Mental retardation	3	1	2
144	Other and unspecified mental and behavioral disorders	9	3	6
145-153	DISEASES OF THE NERVOUS SYSTEM	1,488	1,151	336
145	Meningitis	9	2	7
146	Other inflammatory diseases of central nervous system	8	5	3
147	Parkinson's disease	169	150	19
148	Alzheimer's disease	920	737	183
149	Multiple sclerosis	22	19	3
150	Epilepsy	22	12	10
151	Transient cerebral ischemic attacks and related syndromes	4	4	0
152	Infantile cerebral palsy	17	9	8
153	All other diseases of nervous system	317	213	103
154	DISEASES OF THE EYE AND ADNEXA	0	0	0
155	DISEASES OF THE EAR AND MASTOID PROCESS	0	0	0
156-191	DISEASES OF THE CIRCULATORY SYSTEM	9,543	6,381	3,156
156-189	Major cardiovascular diseases	9,491	6,343	3,142
157-160	Chronic rheumatic heart diseases	17	12	5
157	Rheumatic mitral valve diseases	10	7	3
159	Disorders of both mitral and aortic valves	4	3	1
160	Other chronic rheumatic heart diseases	3	2	1
161-164	Hypertensive diseases	1,261	679	582
161	Essential (primary) hypertension	406	221	185
162	Hypertensive heart disease	670	373	297
163	Hypertensive renal disease	116	56	60
164	Hypertensive heart and renal disease	69	29	40
165-168	Ischemic heart diseases	3,803	2,685	1,113
165	Acute myocardial infarction	1,929	1,273	654
166	Other acute ischemic heart diseases	23	13	10
167	Atherosclerotic cardiovascular disease, so described	328	231	96

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
168	All other forms of chronic ischemic heart disease	1,523	1,168	353
169-170	Pulmonary heart disease and diseases of pulmonary circulation	187	119	68
169	Pulmonary embolism	122	78	44
170	Other pulmonary heart disease and diseases of pulmonary circulation	65	41	24
171-181	Other forms of heart disease	2,502	1,704	797
171	Acute and subacute endocarditis	12	7	5
172	Diseases of pericardium and acute myocarditis	6	2	4
173	Nonrheumatic mitral valve disorders	15	10	5
174	Nonrheumatic aortic valve disorders	101	85	16
175	All other diseases of endocardium	32	24	8
176	Cardiomyopathy	238	123	115
177	Conduction disorders and cardiac dysrhythmias	642	403	239
178	Congestive heart failure	1,075	792	282
179	Other and unspecified heart failure	132	83	49
180	Myocarditis, unspecified and myocardial degeneration	3	1	2
181	All other and ill-defined forms of heart disease	246	174	72
182-186	Cerebrovascular diseases	1,509	994	515
182	Subarachnoid hemorrhage	58	37	21
183	Intracerebral and other intracranial hemorrhage	304	184	120
184	Cerebral infarction	46	34	12
185	Stroke, not specified as hemorrhage or infarction	917	637	280
186	Other cerebrovascular diseases and their sequelae	184	102	82
187-189	Diseases of arteries, arterioles and capillaries	212	150	62
187	Atherosclerosis	14	10	4
188	Aortic aneurysm and dissection	106	80	26
189	Other diseases of arteries, arterioles and capillaries	92	60	32
190-191	Other disorders of circulatory system	52	38	14
190	Phlebitis, thrombophlebitis, venous embolism and thrombosis	36	28	8
191	All other and unspecified disorders of circulatory system	16	10	6
192-214	DISEASES OF THE RESPIRATORY SYSTEM	2,908	2,282	625
192-194	Acute upper respiratory infections	2	0	2
192	Acute pharyngitis and tonsillitis	1	0	1
194	Other and unspecified acute upper respiratory infections	1	0	1
195-214	Other diseases of the respiratory system	2,906	2,282	623
195	Influenza	8	7	1
196-198	Pneumonia	551	395	155
196	Viral pneumonia, not elsewhere classified	3	2	0
197	Bacterial pneumonia	21	15	6
198	Pneumonia due to other or unspecified organisms	527	378	149
199-200	Other acute lower respiratory infections	2	2	0
199	Acute bronchitis and bronchiolitis	2	2	0
201	Other diseases of upper respiratory tract	7	2	5
202-207	Chronic lower respiratory diseases	1,726	1,435	291
202	Bronchitis, not specified as acute or chronic	10	7	3
203	Chronic bronchitis	3	3	0
204	Emphysema	59	48	11
205	Other chronic obstructive pulmonary disease	1,602	1,350	252
206	Asthma	44	20	24

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
207	Bronchiectasis	8	7	1
208-211	Lung diseases due to external agents	225	159	66
208	Pneumoconioses and chemical effects	9	8	1
209	Pneumonitis due to food and vomit	215	151	64
211	Other lung diseases due to external agents	1	0	1
212	Suppurative and necrotic conditions of lower respiratory tract	12	8	4
213	Pleural effusion and plaque	9	4	5
214	All other diseases of respiratory system	366	270	96
215-237	DISEASES OF THE DIGESTIVE SYSTEM	1,005	721	282
215	Diseases of oral cavity, salivary glands and jaws	8	7	1
216-237	Diseases of other parts of digestive system	997	714	281
216	Diseases of esophagus	16	13	3
217-220	Peptic ulcer	13	7	6
217	Gastric ulcer	5	2	3
218	Duodenal ulcer	7	5	2
219	Peptic ulcer, site unspecified	1	0	1
221	Gastritis and duodenitis	3	2	1
222	Dyspepsia and other diseases of stomach and duodenum	10	7	3
223	Diseases of appendix	7	4	3
224	Hernia	15	12	3
225	Crohn's disease and ulcerative colitis	6	5	1
226	Vascular disorders and obstruction of intestine without hernia	140	102	37
227	Diverticular disease of intestine	35	22	13
228	Other diseases of intestines and peritoneum	46	31	15
229	Diseases of peritoneum	23	17	6
230-233	Diseases of liver	472	349	122
230	Alcoholic liver disease	91	57	33
232	Fibrosis and cirrhosis of liver	214	174	40
233	Other diseases of liver	167	118	49
234	Cholelithiasis and other disorders of gallbladder	27	20	7
235-236	Disorders of biliary tract and pancreas	60	37	23
235	Pancreatitis	45	27	18
236	Other disorders of biliary tract and pancreas	15	10	5
237	All other diseases of digestive system	124	86	38
238-239	DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	58	30	28
238	Infections of skin and subcutaneous tissue	20	14	6
239	Other and unspecified diseases of skin and subcutaneous tissue	38	16	22
240-246	DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	91	58	33
240	Rheumatoid arthritis and related inflammatory polyarthropathies	9	5	4
241	Systemic lupus erythematosus	14	5	9
242	Other arthropathies and related disorders	31	22	9

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
243	Dorsopathies	9	6	3
244	Soft tissue disorders	17	14	3
245-246	Osteopathies, chondropathies and other disorders of musculoskeletal system and connective tissue	11	6	5
245	Osteoporosis	2	2	0
246	Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue	9	4	5
247-260	DISEASES OF THE GENITOURINARY SYSTEM	891	510	381
247-255	Diseases of urinary system	886	507	379
247-249	Glomerular diseases	62	27	35
247	Acute and rapidly progressive nephritic syndrome	2	2	0
248	Nephrotic syndrome	1	1	0
249	Other and unspecified glomerular diseases	59	24	35
250	Renal tubulo-interstitial diseases	8	6	2
251	Renal failure	652	359	293
252	Urolithiasis	4	4	0
254	Urinary tract infection, site not specified	133	97	36
255	Other diseases of urinary system	27	14	13
256-257	Diseases of male genital organs	2	2	0
256	Hyperplasia of prostate	1	1	0
257	Other diseases of male genital organs	1	1	0
259-260	Disorders of female genital organs	3	1	2
259	Inflammatory diseases of female pelvic organs	1	0	1
260	Noninflammatory disorders of female genital tract	2	1	1
261-273	PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	16	6	10
261-265	Pregnancy with abortive outcome	1	0	1
261	Ectopic pregnancy	1	0	1
266-269	Other direct obstetric deaths	3	1	2
266	Eclampsia and pre-eclampsia	1	0	1
267	Hemorrhage of pregnancy and childbirth and placenta previa	2	1	1
270	All other direct obstetric causes	3	1	2
272	Other deaths related to pregnancy, childbirth and the puerperium	7	3	4
273	Indirect obstetric deaths	2	1	1
274-281	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	151	34	116
274	Newborn affected by maternal factors and by complications of pregnancy, labor and delivery	20	5	15
275	Disorders related to short gestation and low birth weight, not elsewhere classified	62	11	50
276	Birth trauma	1	0	1
277	Intrauterine hypoxia and birth asphyxia	4	2	2
278	Respiratory distress of newborn	7	1	6
279	Other respiratory conditions originating in the perinatal period	12	2	10
280	Infections specific to the perinatal period	13	4	9

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
281	Other and unspecified conditions originating in the perinatal period	32	9	23
282-290	CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES	120	65	55
282	Anencephaly and similar malformations	2	2	0
283	Spina bifida	3	2	1
284	All other congenital malformations of nervous system	14	7	7
285	Congenital malformations of heart	29	18	11
286	Other congenital malformations of circulatory system	5	3	2
287	Congenital malformations of respiratory system	4	2	2
288	Other congenital malformations and deformations	33	14	19
289	Down's syndrome	14	8	6
290	All other chromosomal abnormalities, not elsewhere classified	16	9	7
291-294	SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS, NOT ELSEWHERE CLASSIFIED	617	454	163
291	Senility	25	22	3
292-293	Ill-defined and unknown causes of mortality	134	73	61
292	Sudden infant death syndrome	21	9	12
293	Other ill-defined and unknown causes of mortality	113	64	49
294	All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	458	359	99
295-358	EXTERNAL CAUSES OF MORTALITY	2,430	1,641	786
295-330	Accidents	1,596	1,118	477
295	Railway accidents	6	5	1
296-306	Motor vehicle accidents	694	432	261
296	Pedestrian involved in collision with motor vehicle	57	27	30
297	Pedal cyclist involved in collision with motor vehicle	4	3	1
298	Motorcyclist involved in any accident except collision with railway train	40	33	7
300	Other motor vehicle accident involving collision with railway train	4	1	3
301	Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian	169	103	65
302	Occupant of car, pickup truck or van involved in collision with other motor vehicle	164	103	61
303	Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle	6	2	4
304	Occupant of motor vehicle involved in noncollision accident	132	80	52
305	Occupant of special-use motor vehicle involved in any accident	27	24	3
306	Other and unspecified motor vehicle accidents	91	56	35
308	Other and unspecified land transport accidents	8	3	5
309	Water transport accidents	10	6	4

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
310	Air and space transport accidents	4	4	0
311	Other and unspecified transport accidents and their sequelae	8	7	1
312-314	Falls	242	206	36
312	Fall on same level	105	91	14
313	Fall from one level to another	29	21	8
314	Unspecified fall	108	94	14
315	Accidental discharge of firearms	10	9	1
316	Accidental explosion	3	3	0
317	Accidental drowning and submersion	54	31	23
318	Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract	76	50	26
319	Other accidental and unspecified threats to breathing	25	14	11
320	Accidental exposure to electric current	4	3	1
322	Accidental exposure to smoke, fire and flames	61	27	34
324	Lightning	1	1	0
327-329	Accidental poisoning by and exposure to noxious substances	287	253	34
327	Accidental poisoning by and exposure to drugs and other biological substances	256	230	26
328	Accidental poisoning by and exposure to other and unspecified solid or liquid substances	29	21	8
329	Accidental poisoning by and exposure to other gases and vapors	2	2	0
330	All other and unspecified accidents and their sequelae	103	64	39
331-337	Intentional self-harm (suicide)	402	343	58
331	Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances	20	17	3
332	Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors	2	2	0
333	Intentional self-poisoning (suicide) by and exposure to other gases and vapors	4	4	0
334	Intentional self-harm (suicide) by hanging, strangulation and suffocation	71	48	23
335	Intentional self-harm (suicide) by discharge of firearms	292	265	26
336	Intentional self-harm (suicide) by jumping from a high place	4	2	2
337	Intentional self-harm (suicide) by all other and unspecified means and their sequelae	9	5	4
338-346	Assault (homicide)	296	92	203
339	Assault (homicide) by hanging, strangulation and suffocation	8	4	4
340	Assault (homicide) by discharge of firearms	218	66	151
341	Assault (homicide) by sharp object	28	3	25
342	Assault (homicide) by blunt object	9	5	4
345	Neglect, abandonment and other maltreatment syndromes	2	0	2
346	Assault (homicide) by all other and unspecified means and their sequelae	31	14	17
347-352	Event of undetermined intent	48	31	17
347	Poisoning by and exposure to drugs and biological substances, undetermined intent	18	17	1
348	Poisoning by and exposure to other and unspecified solid or liquid substance, undetermined intent	1	0	1
350	Discharge of firearms, undetermined intent	6	3	3
351	Falling, jumping or pushed from a high place, undetermined intent	1	1	0

GROUP NUMBER*	CAUSE OF DEATH	TOTAL	WHITE	NON-WHITE
352	All other and unspecified events of undetermined intent and their sequelae	22	10	12
353-354	Legal intervention	9	5	4
353	Legal execution	5	3	2
354	Other legal intervention and their sequelae	4	2	2
356-358	Complications of medical and surgical care	79	52	27
356	Drugs, medicaments and biological substances causing adverse effects in therapeutic use, and their sequelae	21	19	2
357	Misadventures to patients during medical and surgical care and their sequelae	6	4	2
358	Other complications of medical and surgical care and their sequelae	52	29	23

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

TABLE 10B
DEATHS, BY CAUSE AND RACE,
MISSISSIPPI RESIDENTS, 2012

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
A00-Y89	ALL CAUSES	29,494	19,910	9,564
A00-B99	CERTAIN INFECTIOUS AND PARASITIC DISEASES	885	506	378
A00-A09	Intestinal infectious diseases	43	36	7
A04	Other bacterial intestinal infections	26	22	4
A08	Viral and other specified intestinal infections	1	1	0
A09	Diarrhea and gastroenteritis of presumed infectious origin	16	13	3
A16-A19	Tuberculosis	5	2	3
A16	Respiratory tuberculosis, not confirmed bacteriologically or histologically	4	1	3
A18	Tuberculosis of other organs	1	1	0
A20-A28	Certain zoonotic bacterial diseases	2	1	1
A28	Other zoonotic bacterial diseases, not elsewhere classified	2	1	1
A30-A49	Other bacterial diseases	622	386	235
A31	Infection due to other mycobacteria	7	6	1
A35	Other tetanus	1	1	0
A40	Streptococcal septicemia	5	2	3
A41	Other septicemia	591	364	226
A48	Other bacterial diseases, not elsewhere classified	1	1	0
A49	Bacterial infection of unspecified site	17	12	5
A80-A89	Viral infections of the central nervous system	7	6	1
A81	Atypical virus infections of central nervous system	3	3	0
A86	Unspecified viral encephalitis	3	2	1
A87	Viral meningitis	1	1	0
A90-A99	Arthropod-borne viral fevers and viral hemorrhagic fevers	2	2	0
A92	Other mosquito-borne viral fevers	2	2	0
B15-B19	Viral hepatitis	68	43	25
B16	Acute hepatitis B	5	3	2
B17	Other acute viral hepatitis	1	0	1
B18	Chronic viral hepatitis	62	40	22
B20-B24	Human immunodeficiency virus [HIV] disease	114	18	96
B20	Human immunodeficiency virus [HIV] disease resulting in infectious and parasitic diseases	35	4	31
B21	Human immunodeficiency virus [HIV] disease resulting in malignant neoplasms	7	0	7
B22	Human immunodeficiency virus [HIV] disease resulting in other specified diseases	15	4	11
B23	Human immunodeficiency virus [HIV] disease resulting in other conditions	25	2	23
B24	Unspecified human immunodeficiency virus [HIV] disease	32	8	24
B25-B34	Other viral diseases	2	1	1
B33	Other viral diseases, not elsewhere classified	1	0	1
B34	Viral infection of unspecified site	1	1	0
B35-B49	Mycoses	7	2	5
B37	Candidiasis	1	0	1

Table 10B - Page 2
Deaths - Mississippi - 2012

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
B39	Histoplasmosis	1	1	0
B46	Zygomycosis	1	0	1
B49	Unspecified mycosis	4	1	3
B90-B94	Sequela of infectious and parasitic diseases	10	8	2
B91	Sequelae of poliomyelitis	4	4	0
B94	Sequelae of other and unspecified infectious and parasitic diseases	6	4	2
B99	Other and unspecified infectious diseases	3	1	2
C00-D48	NEOPLASMS	6,591	4,389	2,198
C00-C97	Malignant neoplasms	6,468	4,302	2,163
C00-C14	Malignant neoplasms of lip, oral cavity and pharynx	134	77	57
C00	Malignant neoplasm of lip	2	2	0
C01	Malignant neoplasm of base of tongue	1	0	1
C02	Malignant neoplasm of other and unspecified parts of tongue	24	15	9
C05	Malignant neoplasm of palate	3	2	1
C06	Malignant neoplasm of other and unspecified parts of mouth	11	6	5
C07	Malignant neoplasm of parotid gland	4	4	0
C08	Malignant neoplasm of other and unspecified major salivary glands	2	2	0
C09	Malignant neoplasm of tonsil	9	6	3
C10	Malignant neoplasm of oropharynx	11	9	2
C11	Malignant neoplasm of nasopharynx	7	2	5
C13	Malignant neoplasm of hypopharynx	2	2	0
C14	Malignant neoplasm of other and ill-defined sites in the lip, oral cavity, and pharynx	58	27	31
C15-C26	Malignant neoplasms of digestive organs	1,653	1,051	600
C15	Malignant neoplasm of esophagus	131	93	38
C16	Malignant neoplasm of stomach	128	54	73
C17	Malignant neoplasm of small intestine	6	3	3
C18	Malignant neoplasm of colon	525	315	210
C19	Malignant neoplasm of rectosigmoid junction	40	25	15
C20	Malignant neoplasm of rectum	61	44	17
C21	Malignant neoplasm of anus and anal canal	5	4	1
C22	Malignant neoplasm of liver and intrahepatic bile ducts	248	172	76
C23	Malignant neoplasm of gallbladder	25	16	9
C24	Malignant neoplasm of other and unspecified parts of biliary tract	11	8	3
C25	Malignant neoplasm of pancreas	456	309	146
C26	Malignant neoplasm of other and ill-defined digestive organs	17	8	9
C30-C39	Malignant neoplasms of respiratory and intrathoracic organs	1,964	1,374	590
C30	Malignant neoplasm of nasal cavity and middle ear	1	0	1
C31	Malignant neoplasm of accessory sinuses	4	4	0
C32	Malignant neoplasm of larynx	49	27	22
C33	Malignant neoplasm of trachea	1	0	1
C34	Malignant neoplasm of bronchus and lung	1,903	1,340	563
C37	Malignant neoplasm of thymus	2	0	2

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
C38	Malignant neoplasm of heart, mediastinum, and pleura	4	3	1
C40-C41	Malignant neoplasms of bone and articular cartilage	29	21	8
C41	Malignant neoplasm of bone and articular cartilage of other and unspecified sites	29	21	8
C43-C44	Melanoma and other malignant neoplasms of skin	107	99	8
C43	Malignant melanoma of skin	76	71	5
C44	Other malignant neoplasms of skin	31	28	3
C45-C49	Malignant neoplasms of mesothelial and soft tissue	67	52	15
C45	Mesothelioma	21	18	3
C46	Kaposi's sarcoma	1	1	0
C48	Malignant neoplasm of retroperitoneum and peritoneum	11	9	2
C49	Malignant neoplasm of other connective and soft tissue	34	24	10
C50	Malignant neoplasm of breast	452	258	194
C51-C58	Malignant neoplasms of female genital organs	280	167	112
C51	Malignant neoplasm of vulva	10	9	1
C52	Malignant neoplasm of vagina	7	6	1
C53	Malignant neoplasm of cervix uteri	63	26	37
C54	Malignant neoplasm of corpus uteri	21	11	10
C55	Malignant neoplasm of uterus, part unspecified	53	28	25
C56	Malignant neoplasm of ovary	120	81	38
C57	Malignant neoplasm of other and unspecified female genital organs	6	6	0
C60-C63	Malignant neoplasms of male genital organs	338	176	162
C60	Malignant neoplasm of penis	2	2	0
C61	Malignant neoplasm of prostate	333	171	162
C62	Malignant neoplasm of testis	3	3	0
C64-C68	Malignant neoplasms of urinary tract	287	212	75
C64	Malignant neoplasm of kidney, except renal pelvis	143	100	43
C65	Malignant neoplasm of renal pelvis	4	3	1
C66	Malignant neoplasm of ureter	1	0	1
C67	Malignant neoplasm of bladder	130	102	28
C68	Malignant neoplasm of other and unspecified urinary organs	9	7	2
C69-C72	Malignant neoplasms of eye, brain and other parts of central nervous system	167	125	42
C69	Malignant neoplasm of eye and adnexa	2	2	0
C71	Malignant neoplasm of brain	164	122	42
C72	Malignant neoplasm of spinal cord, cranial nerves, and other parts of central nervous system	1	1	0
C73-C75	Malignant neoplasms of thyroid and other endocrine glands	23	16	7
C73	Malignant neoplasm of thyroid gland	14	9	5
C74	Malignant neoplasm of adrenal gland	6	4	2
C75	Malignant neoplasm of other endocrine glands and related structures	3	3	0
C76-C80	Malignant neoplasms of ill-defined, secondary and unspecified sites	412	281	131
C76	Malignant neoplasm of other and ill-defined sites	24	14	10
C77	Secondary and unspecified malignant neoplasm of lymph nodes	2	2	0
C78	Secondary malignant neoplasm of respiratory and digestive organs	28	17	11

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
C79	Secondary malignant neoplasm of other sites	65	40	25
C80	Malignant neoplasm without specification of site	293	208	85
C81-C96	Malignant neoplasms of lymphoid, hematopoietic and related tissue	509	367	142
C81	Hodgkin's disease	10	6	4
C82	Follicular [nodular] non-Hodgkin's lymphoma	3	3	0
C83	Diffuse non-Hodgkin's lymphoma	17	15	2
C84	Peripheral and cutaneous T-cell lymphomas	12	7	5
C85	Other and unspecified types of non-Hodgkin's lymphoma	138	105	33
C88	Malignant immunoproliferative diseases	1	1	0
C90	Multiple myeloma and malignant plasma cell neoplasms	119	72	47
C91	Lymphoid leukemia	48	35	13
C92	Myeloid leukemia	85	64	21
C95	Leukemia of unspecified cell type	75	58	17
C96	Other and unspecified malignant neoplasms of lymphoid, hematopoietic, and related tissue	1	1	0
C97	Malignant neoplasms of independent (primary) multiple sites	46	26	20
D00-D09	In situ neoplasms	1	1	0
D09	Carcinoma in situ of other and unspecified sites	1	1	0
D10-D36	Benign neoplasms	10	5	4
D15	Benign neoplasm of other and unspecified intrathoracic organs	1	0	1
D18	Hemangioma and lymphangioma, any site	1	1	0
D32	Benign neoplasm of meninges	7	3	3
D33	Benign neoplasm of brain and other parts of central nervous system	1	1	0
D37-D48	Neoplasms of uncertain or unknown behavior	112	81	31
D37	Neoplasm of uncertain or unknown behavior of oral cavity and digestive organs	9	7	2
D40	Neoplasm of uncertain or unknown behavior of male genital organs	1	1	0
D41	Neoplasm of uncertain or unknown behavior of urinary organs	2	2	0
D43	Neoplasm of uncertain or unknown behavior of brain and central nervous system	33	25	8
D44	Neoplasm of uncertain or unknown behavior of endocrine glands	1	1	0
D45	Polycythemia vera	2	2	0
D46	Myelodysplastic syndromes	46	31	15
D47	Other neoplasms of uncertain or unknown behavior of lymphoid, hematopoietic, and related tissue	8	5	3
D48	Neoplasm of uncertain or unknown behavior of other and unspecified sites	10	7	3
D50-D89	DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM	117	66	51
D50-D53	Nutritional anemias	4	3	1

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
D50	Iron deficiency anemia	4	3	1
D55-D59	Hemolytic anemias	15	1	14
D57	Sickle-cell disorders	14	0	14
D59	Acquired hemolytic anemia	1	1	0
D60-D64	Aplastic and other anemias	47	33	14
D61	Other aplastic anemias	7	5	2
D62	Acute posthemorrhagic anemia	4	3	1
D64	Other anemias	36	25	11
D65-D69	Coagulation defects, purpura and other hemorrhagic conditions	28	16	12
D65	Disseminated intravascular coagulation [defibrination syndrome]	10	5	5
D68	Other coagulation defects	12	8	4
D69	Purpura and other hemorrhagic conditions	6	3	3
D70-D77	Other diseases of blood and blood-forming organs	9	6	3
D70	Agranulocytosis	3	3	0
D72	Other disorders of white blood cells	3	1	2
D73	Diseases of spleen	1	1	0
D75	Other diseases of blood and blood-forming organs	2	1	1
D80-D89	Certain disorders involving the immune mechanism	14	7	7
D82	Immunodeficiency associated with other major defects	1	1	0
D84	Other immunodeficiencies	3	2	1
D86	Sarcoidosis	8	2	6
D89	Other disorders involving the immune mechanism, not elsewhere classified	2	2	0
E00-E88	ENDOCRINE, NUTRITIONAL AND METABOLIC DISEASES	1,336	657	678
E00-E07	Disorders of thyroid gland	19	13	6
E03	Other hypothyroidism	12	9	3
E04	Other nontoxic goiter	1	1	0
E05	Thyrotoxicosis [hyperthyroidism]	4	2	2
E07	Other disorders of thyroid	2	1	1
E10-E14	Diabetes mellitus	1,039	499	540
E10	Insulin-dependent diabetes mellitus	20	15	5
E11	Noninsulin-dependent diabetes mellitus	92	44	48
E14	Unspecified diabetes mellitus	927	440	487
E15-E16	Other disorders of glucose regulation and pancreatic internal secretion	7	0	7
E16	Other disorders of pancreatic internal secretion	7	0	7
E20-E35	Disorders of other endocrine glands	15	13	2
E21	Hyperparathyroidism and other disorders of parathyroid gland	2	1	1
E22	Hyperfunction of pituitary gland	2	2	0
E23	Hypofunction and other disorders of the pituitary gland	1	1	0
E24	Cushing's syndrome	1	1	0
E27	Other disorders of adrenal gland	3	3	0
E32	Diseases of thymus	1	0	1
E34	Other endocrine disorders	5	5	0

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
E40-E46	Malnutrition	29	13	16
E43	Unspecified severe protein-energy malnutrition	9	3	6
E45	Retarded development following protein-energy malnutrition	1	1	0
E46	Unspecified protein-energy malnutrition	19	9	10
E50-E64	Other nutritional deficiencies	1	0	1
E63	Other nutritional deficiencies	1	0	1
E65-E68	Obesity and other hyperalimentation	73	28	45
E66	Obesity	73	28	45
E70-E88	Metabolic disorders	153	91	61
E71	Disorders of branched-chain amino-acid metabolism and fatty-acid metabolism	2	0	2
E72	Other disorders of amino-acid metabolism	6	4	2
E75	Disorders of sphingolipid metabolism and other lipid storage disorders	1	1	0
E76	Disorders of glycosaminoglycan metabolism	1	0	1
E77	Disorders of glycoprotein metabolism	1	1	0
E78	Disorders of lipoprotein metabolism and other lipidemias	37	25	12
E83	Disorders of mineral metabolism	2	2	0
E84	Cystic fibrosis	3	3	0
E85	Amyloidosis	2	1	1
E86	Volume depletion	18	15	3
E87	Other disorders of fluid, electrolyte, and acid-base balance	54	31	22
E88	Other metabolic disorders	26	8	18
F00-F99	MENTAL AND BEHAVIORAL DISORDERS	1,246	958	288
F00-F09	Organic, including symptomatic, mental disorders	1,149	903	246
F01	Vascular dementia	49	35	14
F03	Unspecified dementia	1,088	859	229
F05	Delirium, not induced by alcohol and other psychoactive substances	6	5	1
F06	Other mental disorders due to brain damage and dysfunction and to physical disease	6	4	2
F10-F19	Mental and behavioral disorders due to psychoactive substance use	68	40	28
F10	Mental and behavioral disorders due to use of alcohol	48	28	20
F14	Mental and behavioral disorders due to use of cocaine	4	2	2
F17	Mental and behavioral disorders due to use of tobacco	7	5	2
F19	Mental and behavioral disorders due to multiple-drug use and use of other psychoactive substances	9	5	4
F20-F29	Schizophrenia, schizotypal and delusional disorders	8	3	5
F20	Schizophrenia	7	3	4
F29	Unspecified nonorganic psychosis	1	0	1
F30-F39	Mood [affective] disorders	7	6	1
F31	Bipolar affective disorder	1	1	0
F32	Depressive episode	6	5	1
F40-F48	Neurotic, stress-related and somatoform disorders	2	2	0
F41	Other anxiety disorders	1	1	0

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
F43	Reaction to severe stress, and adjustment disorders	1	1	0
F50-F59	Behavioral syndromes associated with physiological disturbances and physical factors	6	2	4
F50	Eating disorders	3	2	1
F54	Psychological and behavioral factors associated with disorders or diseases classified elsewhere	3	0	3
F70-F79	Mental retardation	3	1	2
F72	Severe mental retardation	1	0	1
F79	Unspecified mental retardation	2	1	1
F80-F89	Disorders of psychological development	1	1	0
F84	Pervasive developmental disorders	1	1	0
F99	Mental disorder, not otherwise specified	2	0	2
G00-G98	DISEASES OF THE NERVOUS SYSTEM	1,489	1,152	336
G00-G09	Inflammatory diseases of the central nervous system	17	7	10
G00	Bacterial meningitis, not elsewhere classified	3	0	3
G03	Meningitis due to other and unspecified causes	6	2	4
G04	Encephalitis, myelitis, and encephalomyelitis	5	3	2
G06	Intracranial and intraspinal abscess and granuloma	1	1	0
G09	Sequelae of inflammatory diseases of central nervous system	2	1	1
G10-G13	Systemic atrophies primarily affecting the central nervous system	81	70	10
G10	Huntington's disease	9	9	0
G11	Hereditary ataxia	7	6	1
G12	Spinal muscular atrophy and related syndromes	65	55	9
G20-G26	Extrapyramidal and movement disorders	172	152	20
G20	Parkinson's disease	169	150	19
G23	Other degenerative diseases of basal ganglia	3	2	1
G30-G32	Other degenerative diseases of the nervous system	936	751	185
G30	Alzheimer's disease	920	737	183
G31	Other degenerative diseases of nervous system, not elsewhere classified	16	14	2
G35-G37	Demyelinating diseases of the central nervous system	22	19	3
G35	Multiple sclerosis	22	19	3
G40-G47	Episodic and paroxysmal disorders	34	21	13
G40	Epilepsy	15	9	6
G41	Status epilepticus	7	3	4
G45	Transient cerebral ischemic attacks and related syndromes	4	4	0
G47	Sleep disorders	8	5	3
G60-G64	Polyneuropathies and other disorders of the peripheral nervous system	11	11	0
G60	Hereditary and idiopathic neuropathy	1	1	0
G61	Inflammatory polyneuropathy	7	7	0
G62	Other polyneuropathies	3	3	0
G70-G73	Diseases of myoneural junction and muscle	24	20	4
G70	Myasthenia gravis and other myoneural disorders	4	3	1
G71	Primary disorders of muscles	20	17	3

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
G80-G83	Cerebral palsy and other paralytic syndromes	28	14	14
G80	Infantile cerebral palsy	17	9	8
G81	Hemiplegia	1	1	0
G82	Paraplegia and tetraplegia	8	3	5
G83	Other paralytic syndromes	2	1	1
G90-G99	Other disorders of the nervous system	163	86	77
G90	Disorders of autonomic nervous system	5	5	0
G91	Hydrocephalus	7	3	4
G93	Other disorders of brain	149	78	71
G95	Other diseases of spinal cord	2	0	2
H00-H59	DISEASES OF THE EYE AND ADNEXA	0	0	0
H60-H95	DISEASES OF THE EAR AND MASTOID PROCESS	0	0	0
I00-I99	DISEASES OF THE CIRCULATORY SYSTEM	9,543	6,381	3,156
I05-I09	Chronic rheumatic heart diseases	17	12	5
I05	Rheumatic mitral valve diseases	10	7	3
I07	Rheumatic tricuspid valve diseases	2	1	1
I08	Multiple valve diseases	5	4	1
I10-I13	Hypertensive diseases	1,261	679	582
I10	Essential (primary) hypertension	406	221	185
I11	Hypertensive heart disease	670	373	297
I12	Hypertensive renal disease	116	56	60
I13	Hypertensive heart and renal disease	69	29	40
I20-I25	Ischemic heart diseases	3,803	2,685	1,113
I20	Angina pectoris	4	3	1
I21	Acute myocardial infarction	1,929	1,273	654
I24	Other acute ischemic heart diseases	23	13	10
I25	Chronic ischemic heart disease	1,847	1,396	448
I26-I28	Pulmonary heart disease and diseases of pulmonary circulation	187	119	68
I26	Pulmonary embolism	122	78	44
I27	Other pulmonary heart diseases	64	41	23
I28	Other diseases of pulmonary vessels	1	0	1
I30-I51	Other forms of heart disease	2,502	1,704	797
I30	Acute pericarditis	1	1	0
I31	Other diseases of pericardium	2	0	2
I33	Acute and subacute endocarditis	12	7	5
I34	Nonrheumatic mitral valve disorders	15	10	5
I35	Nonrheumatic aortic valve disorders	101	85	16
I36	Nonrheumatic tricuspid valve disorders	1	0	1
I38	Endocarditis, valve unspecified	31	24	7
I40	Acute myocarditis	3	1	2
I42	Cardiomyopathy	238	123	115

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
I44	Atrioventricular and left bundle-branch block	5	3	2
I45	Other conduction disorders	9	2	7
I46	Cardiac arrest	377	212	165
I47	Paroxysmal tachycardia	6	5	1
I48	Atrial fibrillation and flutter	156	123	33
I49	Other cardiac arrhythmias	89	58	31
I50	Heart failure	1,207	875	331
I51	Complications and ill-defined descriptions of heart disease	249	175	74
I60-I69	Cerebrovascular diseases	1,509	994	515
I60	Subarachnoid hemorrhage	58	37	21
I61	Intracerebral hemorrhage	186	110	76
I62	Other nontraumatic intracranial hemorrhage	118	74	44
I63	Cerebral infarction	46	34	12
I64	Stroke, not specified as hemorrhage or infarction	917	637	280
I67	Other cerebrovascular diseases	62	36	26
I69	Sequelae of cerebrovascular disease	122	66	56
I70-I78	Diseases of arteries, arterioles and capillaries	212	150	62
I70	Atherosclerosis	14	10	4
I71	Aortic aneurysm and dissection	106	80	26
I72	Other aneurysm	12	9	3
I73	Other peripheral vascular diseases	59	34	25
I74	Arterial embolism and thrombosis	9	8	1
I77	Other disorders of arteries and arterioles	12	9	3
I80-I89	Diseases of veins, lymphatic vessels and lymph nodes, not elsewhere classified	41	32	9
I80	Phlebitis and thrombophlebitis	28	21	7
I81	Portal vein thrombosis	3	2	1
I82	Other venous embolism and thrombosis	5	5	0
I83	Varicose veins of lower extremities	2	2	0
I85	Esophageal varices	2	1	1
I87	Other disorders of veins	1	1	0
I95-I99	Other and unspecified disorders of the circulatory system	11	6	5
I95	Hypotension	9	5	4
I99	Other and unspecified disorders of circulatory system	2	1	1
J00-J98	DISEASES OF THE RESPIRATORY SYSTEM	2,908	2,282	625
J00-J06	Acute upper respiratory infections	2	0	2
J02	Acute pharyngitis	1	0	1
J05	Acute obstructive laryngitis [croup] and epiglottitis	1	0	1
J09-J18	Influenza and pneumonia	559	402	156
J11	Influenza, virus not identified	8	7	1
J12	Viral pneumonia, not elsewhere classified	3	2	0
J13	Pneumonia due to Streptococcus pneumoniae	1	1	0
J15	Bacterial pneumonia, not elsewhere classified	20	14	6
J18	Pneumonia, organism unspecified	527	378	149
J20-J22	Other acute lower respiratory infections	2	2	0
J20	Acute bronchitis	1	1	0

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
J21	Acute bronchiolitis	1	1	0
J30-J39	Other diseases of upper respiratory tract	7	2	5
J32	Chronic sinusitis	1	1	0
J34	Other disorders of nose and nasal sinuses	1	0	1
J38	Diseases of vocal cords and larynx, not elsewhere classified	1	0	1
J39	Other diseases of upper respiratory tract	4	1	3
J40-J47	Chronic lower respiratory diseases	1,726	1,435	291
J40	Bronchitis, not specified as acute or chronic	10	7	3
J42	Unspecified chronic bronchitis	3	3	0
J43	Emphysema	59	48	11
J44	Other chronic obstructive pulmonary disease	1,602	1,350	252
J45	Asthma	43	20	23
J46	Status asthmaticus	1	0	1
J47	Bronchiectasis	8	7	1
J60-J70	Lung diseases due to external agents	225	159	66
J61	Pneumoconiosis due to asbestos and other mineral fibers	7	7	0
J68	Respiratory conditions due to inhalation of chemicals, gases, fumes, and vapors	2	1	1
J69	Pneumonitis due to solids and liquids	215	151	64
J70	Respiratory conditions due to other external agents	1	0	1
J80-J84	Other respiratory diseases principally affecting the interstitium	164	140	24
J80	Adult respiratory distress syndrome	21	15	6
J81	Pulmonary edema	13	8	5
J82	Pulmonary eosinophilia, not elsewhere classified	4	1	3
J84	Other interstitial pulmonary diseases	126	116	10
J85-J86	Suppurative and necrotic conditions of lower respiratory tract	12	8	4
J85	Abscess of lung and mediastinum	6	5	1
J86	Pyothorax	6	3	3
J90-J94	Other diseases of pleura	16	7	9
J90	Pleural effusion, not elsewhere classified	9	4	5
J93	Pneumothorax	5	2	3
J94	Other pleural conditions	2	1	1
J95-J99	Other diseases of the respiratory system	195	127	68
J96	Respiratory failure, not elsewhere classified	150	95	55
J98	Other respiratory disorders	45	32	13
K00-K92	DISEASES OF THE DIGESTIVE SYSTEM	1,005	721	282
K00-K14	Diseases of oral cavity, salivary glands and jaws	8	7	1
K04	Diseases of pulp and periapical tissues	1	1	0
K08	Other disorders of the teeth and supporting structures	3	2	1
K11	Diseases of salivary glands	3	3	0
K12	Stomatitis and related lesions	1	1	0
K20-K31	Diseases of esophagus, stomach and duodenum	42	29	13
K21	Gastroesophageal reflux disease	10	8	2
K22	Other diseases of esophagus	6	5	1

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
K25	Gastric ulcer	5	2	3
K26	Duodenal ulcer	7	5	2
K27	Peptic ulcer, site unspecified	1	0	1
K29	Gastritis and duodenitis	3	2	1
K30	Dyspepsia	1	0	1
K31	Other diseases of stomach and duodenum	9	7	2
K35-K38	Diseases of appendix	7	4	3
K35	Acute appendicitis	5	2	3
K37	Unspecified appendicitis	2	2	0
K40-K46	Hernia	15	12	3
K40	Inguinal hernia	2	1	1
K44	Diaphragmatic hernia	5	5	0
K46	Unspecified abdominal hernia	8	6	2
K50-K52	Noninfective enteritis and colitis	7	5	2
K50	Crohn's disease [regional enteritis]	3	3	0
K51	Ulcerative colitis	3	2	1
K52	Other noninfective gastroenteritis and colitis	1	0	1
K55-K63	Other diseases of intestines	220	155	64
K55	Vascular disorders of intestine	71	57	13
K56	Paralytic ileus and intestinal obstruction without hernia	69	45	24
K57	Diverticular disease of intestine	35	22	13
K59	Other functional intestinal disorders	5	2	3
K61	Abscess of anal and rectal regions	2	0	2
K62	Other diseases of anus and rectum	2	2	0
K63	Other diseases of intestine	36	27	9
K65-K67	Diseases of peritoneum	23	17	6
K65	Peritonitis	15	10	5
K66	Other disorders of peritoneum	8	7	1
K70-K76	Diseases of liver	472	349	122
K70	Alcoholic liver disease	91	57	33
K72	Hepatic failure, not elsewhere classified	70	44	26
K74	Fibrosis and cirrhosis of liver	214	174	40
K75	Other inflammatory liver diseases	8	5	3
K76	Other diseases of liver	89	69	20
K80-K87	Disorders of gallbladder, biliary tract and pancreas	87	57	30
K80	Cholelithiasis	13	9	4
K81	Cholecystitis	9	7	2
K82	Other diseases of gallbladder	5	4	1
K83	Other diseases of biliary tract	8	5	3
K85	Acute pancreatitis	38	24	14
K86	Other diseases of pancreas	14	8	6
K90-K93	Other diseases of the digestive system	124	86	38
K92	Other diseases of the digestive system	124	86	38
L00-L98	DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	58	30	28
L00-L08	Infections of the skin and subcutaneous tissue	20	14	6
L02	Cutaneous abscess, furuncle, and carbuncle	3	2	1

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
L03	Cellulitis	14	10	4
L08	Other local infections of skin and subcutaneous tissue	3	2	1
L50-L54	Urticaria and erythema	4	4	0
L51	Erythema multiforme	4	4	0
L80-L99	Other disorders of the skin and subcutaneous tissue	34	12	22
L89	Decubitus ulcer	27	12	15
L93	Lupus erythematosus	2	0	2
L97	Ulcer of lower limb, not elsewhere classified	2	0	2
L98	Other disorders of skin and subcutaneous tissue, not elsewhere classified	3	0	3
M00-M99	DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	91	58	33
M00-M25	Arthropathies	21	15	6
M00-M03	Infectious arthropathies	1	1	0
M00	Pyogenic arthritis	1	1	0
M05-M14	Inflammatory polyarthropathies	13	9	4
M05	Seropositive rheumatoid arthritis	1	0	1
M06	Other rheumatoid arthritis	8	5	3
M10	Gout	1	1	0
M13	Other arthritis	3	3	0
M15-M19	Arthrosis	5	3	2
M16	Coxarthrosis [arthrosis of hip]	1	0	1
M19	Other arthrosis	4	3	1
M20-M25	Other joint disorders	2	2	0
M21	Other acquired deformities of limbs	1	1	0
M25	Other joint disorders, not elsewhere classified	1	1	0
M30-M36	Systemic connective tissue disorders	33	17	16
M31	Other necrotizing vasculopathies	9	7	2
M32	Systemic lupus erythematosus	14	5	9
M34	Systemic sclerosis	8	4	4
M35	Other systemic involvement of connective tissue	2	1	1
M40-M54	Dorsopathies	9	6	3
M40-M43	Deforming dorsopathies	4	3	1
M41	Scoliosis	4	3	1
M45-M49	Spondylopathies	4	2	2
M46	Other inflammatory spondylopathies	1	1	0
M48	Other spondylopathies	3	1	2
M50-M54	Other dorsopathies	1	1	0
M50	Cervical disc disorders	1	1	0
M60-M79	Soft tissue disorders	17	14	3
M60-M63	Disorders of muscles	7	5	2
M62	Other disorders of muscle	7	5	2
M70-M79	Other soft tissue disorders	10	9	1
M72	Fibroblastic disorders	8	7	1
M79	Other soft tissue disorders, not elsewhere classified	2	2	0
M80-M94	Osteopathies and chondropathies	11	6	5

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
M80-M85	Disorders of bone density and structure	3	3	0
M81	Osteoporosis without pathological fracture	2	2	0
M84	Disorders of continuity of bone	1	1	0
M86-M90	Other osteopathies	8	3	5
M86	Osteomyelitis	7	3	4
M89	Other disorders of bone	1	0	1
N00-N98	DISEASES OF THE GENITOURINARY SYSTEM	891	510	381
N00-N07	Glomerular diseases	62	27	35
N00	Acute nephritic syndrome	2	2	0
N03	Chronic nephritic syndrome	59	24	35
N04	Nephrotic syndrome	1	1	0
N10-N16	Renal tubulo-interstitial diseases	8	6	2
N10	Acute tubulo-interstitial nephritis	3	3	0
N12	Tubulo-interstitial nephritis, not specified as acute or chronic	3	2	1
N13	Obstructive and reflux uropathy	2	1	1
N17-N19	Renal failure	652	359	293
N17	Acute renal failure	118	77	41
N18	Chronic renal failure	317	155	162
N19	Unspecified renal failure	217	127	90
N20-N23	Urolithiasis	4	4	0
N20	Calculus of kidney and ureter	4	4	0
N25-N29	Other disorders of kidney and ureter	23	12	11
N28	Other disorders of kidney and ureter, not elsewhere classified	23	12	11
N30-N39	Other diseases of urinary system	137	99	38
N32	Other disorders of bladder	4	2	2
N39	Other disorders of urinary system	133	97	36
N40-N50	Diseases of male genital organs	2	2	0
N40	Hyperplasia of prostate	1	1	0
N41	Inflammatory diseases of prostate	1	1	0
N70-N77	Inflammatory diseases of female pelvic organs	1	0	1
N71	Inflammatory disease of uterus, except cervix	1	0	1
N80-N98	Noninflammatory disorders of female genital tract	2	1	1
N82	Fistulae involving female genital tract	1	1	0
N85	Other noninflammatory disorders of uterus, except cervix	1	0	1
O00-O99	PREGNANCY, CHILDBIRTH AND THE PUERPERIUM	16	6	10
O00-O07	Pregnancy with abortive outcome	1	0	1
O00	Ectopic pregnancy	1	0	1
O10-O92	Other direct obstetric deaths	6	2	4
O10-O16	Edema, proteinuria and hypertensive disorders in pregnancy, childbirth and the puerperium	1	0	1
O15	Eclampsia	1	0	1
O20-O29	Other maternal disorders predominantly related to pregnancy	2	1	1

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
O26	Maternal care for other conditions predominantly related to pregnancy	2	1	1
O30-O48	Maternal care related to fetus and amniotic cavity and possible delivery problems	1	0	1
O45	Premature separation of placenta [abruptio placentae]	1	0	1
O60-O75	Complications of labor and delivery	2	1	1
O72	Postpartum hemorrhage	1	1	0
O75	Other complications of labor and delivery, not elsewhere classified	1	0	1
O95-O99	Other obstetric conditions, not elsewhere classified	9	4	5
O96	Death from any obstetric cause occurring more than 42 days but less than 1 year after delivery	7	3	4
O99	Other maternal diseases classifiable elsewhere but complicating pregnancy, childbirth, and the puerperium	2	1	1
P00-P96	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	151	34	116
P00-P04	Fetus and newborn affected by maternal factors and by complications of pregnancy, labor and delivery	20	5	15
P00	Newborn affected by maternal conditions that may be unrelated to present pregnancy	1	0	1
P01	Newborn affected by maternal complications of pregnancy	12	3	9
P02	Newborn affected by complications of placenta, cord, and membranes	7	2	5
P05-P08	Disorders related to length of gestation and fetal growth	64	12	51
P05	Slow fetal growth and fetal malnutrition	2	1	1
P07	Disorders related to short gestation and low birthweight, not elsewhere classified	62	11	50
P10-P15	Birth trauma	1	0	1
P15	Other birth injuries	1	0	1
P20-P29	Respiratory and cardiovascular disorders specific to the perinatal period	37	9	28
P20	Intrauterine hypoxia	1	1	0
P21	Birth asphyxia	3	1	2
P22	Respiratory distress of newborn	7	1	6
P23	Congenital pneumonia	1	0	1
P24	Neonatal aspiration syndromes	1	1	0
P26	Pulmonary hemorrhage originating in the perinatal period	3	0	3
P27	Chronic respiratory disease originating in the perinatal period	1	0	1
P28	Other respiratory conditions originating in the perinatal period	6	1	5
P29	Cardiovascular disorders originating in the perinatal period	14	4	10
P35-P39	Infections specific to the perinatal period	13	4	9
P35	Congenital viral diseases	2	1	1
P36	Bacterial sepsis of newborn	11	3	8
P50-P61	Hemorrhagic and hematological disorders of fetus and newborn	8	2	6

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
P52	Intracranial nontraumatic hemorrhage of fetus and newborn	5	1	4
P54	Other neonatal hemorrhages	2	0	2
P56	Hydrops fetalis due to hemolytic disease	1	1	0
P70-P74	Transitory endocrine and metabolic disorders specific to fetus and newborn	1	0	1
P70	Transitory disorders of carbohydrate metabolism specific to newborn	1	0	1
P75-P78	Digestive system disorders of fetus and newborn	6	2	4
P77	Necrotizing enterocolitis of newborn	6	2	4
P80-P83	Conditions involving the integument and temperature regulation of fetus and newborn	1	0	1
P80	Hypothermia of newborn	1	0	1
Q00-Q99	CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES	120	65	55
Q00-Q07	Congenital malformations of the nervous system	19	11	8
Q00	Anencephaly and similar malformations	2	2	0
Q02	Microcephaly	1	0	1
Q03	Congenital hydrocephalus	4	2	2
Q04	Other congenital malformations of brain	8	4	4
Q05	Spina bifida	3	2	1
Q07	Other congenital malformations of nervous system	1	1	0
Q20-Q28	Congenital malformations of the circulatory system	34	21	13
Q20	Congenital malformations of cardiac chambers and connections	4	3	1
Q21	Congenital malformations of cardiac septa	5	3	2
Q23	Congenital malformations of aortic and mitral valves	5	4	1
Q24	Other congenital malformations of heart	15	8	7
Q25	Congenital malformations of great arteries	2	0	2
Q26	Congenital malformations of great veins	1	1	0
Q27	Other congenital malformations of peripheral vascular system	2	2	0
Q30-Q34	Congenital malformations of the respiratory system	4	2	2
Q33	Congenital malformations of lung	3	2	1
Q34	Other congenital malformations of respiratory system	1	0	1
Q38-Q45	Other congenital malformations of the digestive system	2	2	0
Q43	Other congenital malformations of intestine	2	2	0
Q60-Q64	Congenital malformations of the urinary system	13	6	7
Q60	Renal agenesis and other reduction defects of kidney	7	4	3
Q61	Cystic kidney disease	6	2	4
Q65-Q79	Congenital malformations and deformations of the musculoskeletal system	9	5	4
Q74	Other congenital malformations of limb(s)	1	0	1
Q77	Osteochondrodysplasia with defects of growth of tubular bones and spine	3	1	2
Q79	Congenital malformations of musculoskeletal system, not elsewhere classified	5	4	1
Q80-Q89	Other congenital malformations	9	1	8
Q87	Other specified congenital malformation syndromes affecting multiple systems	1	0	1

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
Q89	Other congenital malformations, not elsewhere classified	8	1	7
Q90-Q99	Chromosomal abnormalities, not elsewhere classified	30	17	13
Q90	Down's syndrome	14	8	6
Q91	Edwards' syndrome and Patau's syndrome	10	5	5
Q93	Monosomies and deletions from the autosomes, not elsewhere classified	1	1	0
Q96	Turner's syndrome	1	1	0
Q99	Other chromosome abnormalities, not elsewhere classified	4	2	2
R00-R99	SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LABORATORY FINDINGS NOT ELSEWHERE CLASSIFIED	617	454	163
R00-R09	Symptoms and signs involving the circulatory and respiratory systems	56	36	20
R00	Abnormalities of heart beat	1	0	1
R04	Hemorrhage from respiratory passages	4	4	0
R06	Abnormalities of breathing	5	3	2
R09	Other symptoms and signs involving the circulatory and respiratory systems	46	29	17
R10-R19	Symptoms and signs involving the digestive system and abdomen	4	2	2
R19	Other symptoms and signs involving the digestive system and abdomen	4	2	2
R25-R29	Symptoms and signs involving the nervous and musculoskelatal systems	1	1	0
R27	Other lack of coordination	1	1	0
R40-R46	Symptoms and signs involving cognition, perception, emotional state and behavior	1	1	0
R41	Other symptoms and signs involving cognitive functions and awareness	1	1	0
R50-R69	General symptoms and signs	418	338	80
R53	Malaise and fatigue	130	110	20
R54	Senility	25	22	3
R55	Syncope and collapse	1	0	1
R56	Convulsions, not elsewhere classified	28	16	12
R57	Shock, not elsewhere classified	14	9	5
R58	Hemorrhage, not elsewhere classified	3	2	1
R62	Lack of expected normal physiological development	197	165	32
R68	Other general symptoms and signs	20	14	6
R90-R94	Abnormal findings on diagnostic imaging and in function studies, without diagnosis	3	3	0
R91	Abnormal findings on diagnostic imaging of lung	3	3	0
R95-R99	Ill-defined and unknown causes of mortality	134	73	61
R95	Sudden infant death syndrome	21	9	12
R96	Other sudden death, cause unknown	1	1	0
R99	Other ill-defined and unspecified causes of mortality	112	63	49
V01-Y89	EXTERNAL CAUSES OF MORTALITY	2,430	1,641	786

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
V01-V09	Pedestrian injured in transport accident	80	44	36
V03	Pedestrian injured in collision with car, pickup truck, or van	57	27	30
V05	Pedestrian injured in collision with railway train or railway vehicle	6	5	1
V06	Pedestrian injured in collision with other nonmotor vehicle	1	0	1
V09	Pedestrian injured in other and unspecified transport accidents	16	12	4
V10-V19	Pedal cyclist injured in transport accident	5	3	2
V11	Pedal cyclist injured in collision with other pedal cycle	1	0	1
V13	Pedal cyclist injured in collision with car, pickup truck, or van	3	3	0
V19	Pedal cyclist injured in other and unspecified transport accidents	1	0	1
V20-V29	Motorcycle rider injured in transport accident	40	33	7
V22	Motorcycle rider injured in collision with two- or three-wheeled motor vehicle	1	1	0
V23	Motorcycle rider injured in collision with car, pickup truck, or van	15	11	4
V27	Motorcycle rider injured in collision with fixed or stationary object	7	6	1
V28	Motorcycle rider injured in noncollision transport accident	10	9	1
V29	Motorcycle rider injured in other and unspecified transport accidents	7	6	1
V40-V49	Car occupant injured in transport accident	330	179	150
V40	Car occupant injured in collision with pedestrian or animal	2	1	1
V43	Car occupant injured in collision with car, pickup truck, or van	90	51	39
V44	Car occupant injured in collision with heavy transport vehicle or bus	30	19	11
V45	Car occupant injured in collision with railway train or railway vehicle	4	1	3
V47	Car occupant injured in collision with fixed or stationary object	111	56	54
V48	Car occupant injured in noncollision transport accident	85	44	41
V49	Car occupant injured in other and unspecified transport accidents	8	7	1
V50-V59	Occupant of pick-up truck or van injured in transport accident	133	106	27
V50	Occupant of pickup truck or van injured in collision with pedestrian or animal	1	0	1
V53	Occupant of pickup truck or van injured in collision with car, pickup truck, or van	24	17	7
V54	Occupant of pickup truck or van injured in collision with heavy transport vehicle or bus	9	6	3
V57	Occupant of pickup truck or van injured in collision with fixed or stationary object	55	46	9

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
V58	Occupant of pickup truck or van injured in noncollision transport accident	41	34	7
V59	Occupant of pickup truck or van injured in other and unspecified transport accidents	3	3	0
V60-V69	Occupant of heavy transport vehicle injured in transport accident	10	4	6
V63	Occupant of heavy transport vehicle injured in collision with car, pickup truck, or van	2	0	2
V64	Occupant of heavy transport vehicle injured in collision with heavy transport vehicle or bus	4	2	2
V68	Occupant of heavy transport vehicle injured in noncollision transport accident	4	2	2
V70-V79	Bus occupant injured in transport accident	2	0	2
V78	Bus occupant injured in noncollision transport accident	2	0	2
V80-V89	Other land transport accidents	108	71	37
V80	Animal-rider or occupant of animal-drawn vehicle injured in transport accident	6	4	2
V84	Occupant of special vehicle mainly used in agriculture injured in transport accident	8	8	0
V86	Occupant of special all-terrain or other motor vehicle designed primarily for off-road use, injured in transport accident	19	16	3
V87	Traffic accident of specified type but victim's mode of transport unknown	8	7	1
V89	Motor- or nonmotor-vehicle accident, type of vehicle unspecified	67	36	31
V90-V94	Water transport accidents	10	6	4
V90	Accident to watercraft causing drowning and submersion	6	2	4
V91	Accident to watercraft causing other injury	2	2	0
V92	Water-transport-related drowning and submersion without accident to watercraft	2	2	0
V95-V97	Air and space transport accidents	4	4	0
V95	Accident to powered aircraft causing injury to occupant	4	4	0
W00-W19	Falls	242	206	36
W01	Fall on same level from slipping, tripping, and stumbling	11	10	1
W04	Fall while being carried or supported by other persons	1	1	0
W05	Fall involving wheelchair	3	3	0
W06	Fall involving bed	12	8	4
W07	Fall involving chair	3	3	0
W08	Fall involving other furniture	2	2	0
W10	Fall on and from stairs and steps	12	10	2
W11	Fall on and from ladder	3	2	1
W13	Fall from, out of, or through building or structure	8	5	3
W14	Fall from tree	3	2	1
W17	Other fall from one level to another	3	2	1
W18	Other fall on same level	73	64	9
W19	Unspecified fall	108	94	14
W20-W49	Exposure to inanimate mechanical forces	39	26	13

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
W20	Struck by thrown, projected, or falling object	16	9	7
W22	Striking against or struck by other objects	2	1	1
W24	Contact with lifting and transmission devices, not elsewhere classified	1	1	0
W25	Contact with sharp glass	1	0	1
W28	Contact with powered lawn mower	1	1	0
W30	Contact with agricultural machinery	1	1	0
W31	Contact with other and unspecified machinery	2	0	2
W32	Handgun discharge	1	1	0
W34	Discharge from other and unspecified firearms	9	8	1
W37	Explosion and rupture of pressurized tire, pipe, or hose	1	1	0
W39	Discharge of firework	1	1	0
W40	Explosion of other materials	2	2	0
W49	Exposure to other and unspecified inanimate mechanical forces	1	0	1
W50-W64	Exposure to animate mechanical forces	2	1	1
W55	Bitten or struck by other mammals	1	1	0
W58	Bitten or struck by crocodile or alligator	1	0	1
W65-W74	Accidental drowning and submersion	54	31	23
W65	Drowning and submersion while in bathtub	2	2	0
W66	Drowning and submersion following fall into bathtub	2	1	1
W67	Drowning and submersion while in swimming pool	3	1	2
W68	Drowning and submersion following fall into swimming pool	4	4	0
W69	Drowning and submersion while in natural water	26	12	14
W70	Drowning and submersion following fall into natural water	6	2	4
W74	Unspecified drowning and submersion	11	9	2
W75-W84	Other accidental threats to breathing	101	64	37
W75	Accidental suffocation and strangulation in bed	15	5	10
W76	Other accidental hanging and strangulation	5	5	0
W78	Inhalation of gastric contents	11	9	2
W79	Inhalation and ingestion of food causing obstruction of respiratory tract	10	9	1
W80	Inhalation and ingestion of other objects causing obstruction of respiratory tract	55	32	23
W83	Other specified threats to breathing	2	1	1
W84	Unspecified threat to breathing	3	3	0
W85-W99	Exposure to electric current, radiation and extreme ambient air temperature and pressure	4	3	1
W85	Exposure to electric transmission lines	1	1	0
W86	Exposure to other specified electric current	2	1	1
W87	Exposure to unspecified electric current	1	1	0
X00-X09	Exposure to smoke, fire and flames	61	27	34
X00	Exposure to uncontrolled fire in building or structure	51	21	30
X01	Exposure to uncontrolled fire, not in building or structure	2	2	0
X02	Exposure to controlled fire in building or structure	1	0	1
X03	Exposure to controlled fire, not in building or structure	1	1	0
X04	Exposure to ignition of highly flammable material	1	0	1
X09	Exposure to unspecified smoke, fire, and flames	5	3	2

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
X20-X29	Contact with venomous animals and plants	1	0	1
X23	Contact with hornets, wasps, and bees	1	0	1
X30-X39	Exposure to forces of nature	19	10	9
X30	Exposure to excessive natural heat	11	6	5
X31	Exposure to excessive natural cold	6	3	3
X33	Victim of lightning	1	1	0
X39	Exposure to other and unspecified forces of nature	1	0	1
X40-X49	Accidental poisoning by and exposure to noxious substances	287	253	34
X40	Accidental poisoning by and exposure to nonopioid analgesics, antipyretics, and antirheumatics	3	3	0
X41	Accidental poisoning by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified	6	4	2
X42	Accidental poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified	58	49	9
X44	Accidental poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances	189	174	15
X45	Accidental poisoning by and exposure to alcohol	21	13	8
X46	Accidental poisoning by and exposure to organic solvents and halogenated hydrocarbons and their vapors	3	3	0
X47	Accidental poisoning by and exposure to other gases and vapors	2	2	0
X49	Accidental poisoning by and exposure to other and unspecified chemicals and noxious substances	5	5	0
X58-X59	Accidental exposure to other and unspecified factors	48	33	15
X59	Exposure to unspecified factor	48	33	15
X60-X84	Intentional self-harm	402	343	58
X60	Intentional self-poisoning (suicide) by and exposure to nonopioid analgesics, antipyretics, and antirheumatics	1	1	0
X61	Intentional self-poisoning (suicide) by and exposure to antiepileptic, sedative-hypnotic, antiparkinsonism, and psychotropic drugs, not elsewhere classified	1	1	0
X62	Intentional self-poisoning (suicide) by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified	3	2	1
X64	Intentional self-poisoning (suicide) by and exposure to other and unspecified drugs, medicaments, and biological substances	15	13	2
X66	Intentional self-poisoning (suicide) by and exposure to organic solvents and halogenated hydrocarbons and their vapors	1	1	0
X67	Intentional self-poisoning (suicide) by and exposure to other gases and vapors	4	4	0
X69	Intentional self-poisoning (suicide) by and exposure to other and unspecified chemicals and noxious substances	1	1	0
X70	Intentional self harm (suicide) by hanging, strangulation, and suffocation	71	48	23

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
X71	Intentional self harm (suicide) by drowning and submersion	1	1	0
X72	Intentional self harm (suicide) by handgun discharge	92	83	9
X73	Intentional self harm (suicide) by rifle, shotgun, and larger firearm discharge	47	44	3
X74	Intentional self harm (suicide) by other and unspecified firearm discharge	153	138	14
X76	Intentional self harm (suicide) by smoke, fire, and flames	3	1	2
X78	Intentional self harm (suicide) by sharp object	1	1	0
X80	Intentional self harm (suicide) by jumping from a high place	4	2	2
X81	Intentional self harm (suicide) by jumping or lying before moving object	1	1	0
X82	Intentional self harm (suicide) by crashing of motor vehicle	1	1	0
X83	Intentional self harm (suicide) by other specified means	1	0	1
X84	Intentional self harm (suicide) by unspecified means	1	0	1
X85-Y09	Assault	294	91	202
X91	Assault (homicide) by hanging, strangulation, and suffocation	8	4	4
X92	Assault (homicide) by drowning and submersion	1	0	1
X93	Assault (homicide) by handgun discharge	56	13	43
X94	Assault (homicide) by rifle, shotgun, and larger firearm discharge	15	8	7
X95	Assault (homicide) by other and unspecified firearm discharge	147	45	101
X97	Assault (homicide) by smoke, fire, and flames	1	0	1
X99	Assault (homicide) by sharp object	28	3	25
Y00	Assault (homicide) by blunt object	9	5	4
Y02	Assault (homicide) by pushing or placing victim before moving object	1	0	1
Y03	Assault (homicide) by crashing of motor vehicle	1	1	0
Y07	Other maltreatment syndromes	2	0	2
Y08	Assault (homicide) by other specified means	10	6	4
Y09	Assault (homicide) by unspecified means	15	6	9
Y10-Y34	Event of undetermined intent	48	31	17
Y12	Poisoning by and exposure to narcotics and psychodysleptics [hallucinogens], not elsewhere classified, undetermined intent	4	4	0
Y14	Poisoning by and exposure to other and unspecified drugs, medicaments, and biological substances, undetermined intent	14	13	1
Y15	Poisoning by and exposure to alcohol, undetermined intent	1	0	1
Y20	Hanging, strangulation, and suffocation, undetermined intent	2	0	2
Y21	Drowning and submersion, undetermined intent	1	1	0
Y22	Handgun discharge, undetermined intent	1	1	0
Y24	Other and unspecified firearm discharge, undetermined intent	5	2	3
Y26	Exposure to smoke, fire, and flames, undetermined intent	1	0	1
Y28	Contact with sharp object, undetermined intent	1	0	1
Y30	Falling, jumping, or pushed from a high place, undetermined intent	1	1	0

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE OF DEATH*	TOTAL	WHITE	NON-WHITE
Y33	Other specified events, undetermined intent	3	1	2
Y34	Unspecified event, undetermined intent	14	8	6
Y35-Y36	Legal intervention and operations of war	8	4	4
Y35	Legal intervention	8	4	4
Y40-Y59	Drugs, medicaments and biological substances causing adverse effects in therapeutic use	21	19	2
Y40	Systemic antibiotics	2	2	0
Y44	Agents primarily affecting blood constituents	1	1	0
Y45	Analgesics, antipyretics, and anti-inflammatory drugs	1	1	0
Y48	Anesthetics and therapeutic gases	1	1	0
Y57	Other and unspecified drugs and medicaments	16	14	2
Y60-Y69	Misadventures to patients during surgical and medical care	6	4	2
Y60	Unintentional cut, puncture, perforation, or hemorrhage during surgical and medical care	1	1	0
Y63	Failure in dosage during surgical and medical care	1	1	0
Y65	Other misadventures during surgical and medical care	4	2	2
Y83-Y84	Surgical and other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure	52	29	23
Y83	Surgical operation and other surgical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure	40	23	17
Y84	Other medical procedures as the cause of abnormal reaction of the patient, or of later complication, without mention of misadventure at the time of the procedure	12	6	6
Y85-Y89	Sequelae of external causes of mortality	19	16	3
Y85	Sequelae of transport accidents	8	7	1
Y86	Sequelae of other accidents	8	7	1
Y87	Sequelae of intentional self harm, assault, and events of undetermined intent	2	1	1
Y89	Sequelae of other external causes	1	1	0

* NUMBERS AND CAUSES ARE FROM THE TENTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES AND RELATED HEALTH PROBLEMS.

TABLE 11
DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE,
ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 2012

GROUP NUMBER*	CAUSE OF DEATH	TOTAL NO.	TOTAL RATE#	RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN
001-358	ALL CAUSES	29,494	9.9	W	19,910	M	9,914	70	18	6	14	137	198	343	831	1,596	6,695	6
						F	9,996	46	16	6	11	55	109	227	595	1,016	7,907	8
				NW	9,584	M	4,970	120	21	16	14	124	213	291	660	1,096	2,401	14
						F	4,614	106	17	9	10	52	100	203	423	736	2,951	7
001-055	INFECTIOUS AND PARASITIC DISEASES	886	29.7	W	507	M	261	3	1	0	0	0	2	9	25	50	171	0
						F	246	1	0	0	0	0	2	10	16	37	180	0
				NW	379	M	196	3	0	0	0	1	8	17	37	53	77	0
						F	183	5	0	0	0	1	11	19	13	34	100	0
009,010	TUBERCULOSIS	5	0.2	W	2	M	2	0	0	0	0	0	0	0	0	1	1	0
						F	0	0	0	0	0	0	0	0	0	0	0	0
				NW	3	M	3	0	0	0	0	0	0	0	1	1	1	0
						F	0	0	0	0	0	0	0	0	0	0	0	0
039-043	HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE	114	3.8	W	18	M	11	0	0	0	0	0	2	3	5	0	1	0
						F	7	0	0	0	0	0	1	3	2	1	0	0
				NW	96	M	66	0	0	0	0	1	5	12	19	19	10	0
						F	30	0	0	0	0	0	7	13	4	5	1	0
056-108	MALIGNANT NEOPLASMS	6,468	216.7	W	4,302	M	2,380	0	2	1	1	6	11	43	168	478	1,670	0
						F	1,922	0	0	1	1	5	9	43	182	350	1,330	1
				NW	2,166	M	1,173	0	1	2	3	6	7	26	166	325	636	1
						F	993	0	0	0	0	1	15	41	138	234	563	1
109-115	IN SITU NEOPLASMS, BENIGN NEOPLASMS, AND NEOPLASMS OF UNDETERMINED NATURE	123	4.1	W	87	M	53	0	0	0	0	0	0	0	5	6	42	0
						F	34	1	0	0	0	0	0	1	3	3	26	0
				NW	36	M	14	0	0	0	0	0	0	2	3	2	7	0
						F	22	0	0	0	0	1	1	2	0	4	14	0

TABLE 11 - PAGE 2
DEATHS - MISSISSIPPI - 2012

GROUP NUMBER*	CAUSE OF DEATH	TOTAL NO.	TOTAL RATE#	RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN
116-122	DISEASES OF BLOOD	117	3.9	W	66	M	26	0	0	0	0	0	0	1	2	0	23	0
	AND BLOOD-FORMING					F	40	0	0	0	0	2	0	0	1	7	30	0
	ORGANS			NW	51	M	19	0	0	0	1	0	1	2	4	4	7	0
						F	32	1	0	0	0	0	2	11	2	2	14	0
116-119	ANEMIAS	66	2.2	W	37	M	15	0	0	0	0	0	0	0	0	0	15	0
						F	22	0	0	0	0	0	0	0	0	4	18	0
				NW	29	M	9	0	0	0	1	0	0	1	1	3	3	0
						F	20	1	0	0	0	0	1	7	1	2	8	0
123-135	ENDOCRINE,	1,336	44.8	W	657	M	313	1	1	0	0	0	4	10	38	61	198	0
	NUTRITIONAL AND					F	344	0	0	0	0	4	3	11	17	47	262	0
	METABOLIC DISEASES			NW	679	M	299	0	0	0	1	1	10	19	38	84	145	1
						F	380	1	0	0	0	5	5	8	39	72	250	0
124	DIABETES MELLITUS	1,039	34.8	W	499	M	257	0	0	0	0	0	2	6	35	47	167	0
						F	242	0	0	0	0	2	1	4	12	35	188	0
				NW	540	M	240	0	0	0	0	0	5	14	33	74	113	1
						F	300	0	0	0	0	0	1	4	27	60	208	0
129-131	MALNUTRITION AND	30	1.0	W	13	M	2	0	0	0	0	0	0	0	0	0	2	0
	OTHER NUTRITIONAL					F	11	0	0	0	0	0	0	0	0	2	9	0
	DEFICIENCIES			NW	17	M	6	0	0	0	0	0	0	0	0	0	6	0
						F	11	0	0	0	0	0	0	0	0	0	11	0
136-144	MENTAL AND	1,246	41.7	W	958	M	316	0	0	0	0	0	1	4	9	16	286	0
	BEHAVIORAL					F	642	0	0	0	0	1	1	3	5	10	621	1
	DISORDERS			NW	288	M	112	0	0	0	0	0	3	3	7	10	89	0
						F	176	1	0	0	0	0	1	2	3	3	166	0
138	MENTAL AND	48	1.6	W	28	M	23	0	0	0	0	0	0	2	6	9	6	0
	BEHAVIORAL					F	5	0	0	0	0	0	0	0	1	2	2	0
	DISORDERS DUE TO			NW	20	M	16	0	0	0	0	0	1	1	4	3	7	0
	USE OF ALCOHOL					F	4	0	0	0	0	0	0	1	2	0	1	0

TABLE 11 - PAGE 3
DEATHS - MISSISSIPPI - 2012

GROUP NUMBER*	CAUSE OF DEATH	TOTAL NO.	TOTAL RATE#	RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN
145-153	DISEASES OF THE NERVOUS SYSTEM	1,488	49.8	W	1,151	M	477	0	1	0	1	5	8	9	9	50	393	1
						F	674	1	0	0	0	1	1	7	24	27	612	1
				NW	337	M	125	2	0	1	2	3	4	5	8	17	83	0
						F	212	1	2	1	2	2	4	4	9	20	166	1
145	MENINGITIS	9	0.3	W	2	M	1	0	0	0	0	0	0	0	0	0	1	0
						F	1	0	0	0	0	0	0	0	1	0	0	0
				NW	7	M	3	2	0	0	0	0	0	0	0	0	1	0
						F	4	0	1	0	0	1	0	0	0	0	2	0
147	PARKINSONS DISEASE	169	5.7	W	150	M	91	0	0	0	0	0	0	0	0	6	85	0
						F	59	0	0	0	0	0	0	0	0	4	55	0
				NW	19	M	10	0	0	0	0	0	0	0	1	0	9	0
						F	9	0	0	0	0	0	0	0	0	0	9	0
148	ALZHEIMERS DISEASE	920	30.8	W	737	M	236	0	0	0	0	0	0	0	0	5	230	1
						F	501	0	0	0	0	0	0	0	0	5	495	1
				NW	183	M	55	0	0	0	0	0	0	0	0	1	54	0
						F	128	0	0	0	0	0	0	0	0	2	125	1
150	EPILEPSY	22	0.7	W	12	M	6	0	0	0	0	0	2	1	1	1	1	0
						F	6	0	0	0	0	0	0	0	4	0	2	0
				NW	10	M	4	0	0	0	0	0	1	2	0	0	1	0
						F	6	0	0	0	0	0	0	0	0	1	5	0
154	DISEASES OF THE EYE AND ADNEXA	0	-	W	0	M	0	0	0	0	0	0	0	0	0	0	0	0
						F	0	0	0	0	0	0	0	0	0	0	0	0
				NW	0	M	0	0	0	0	0	0	0	0	0	0	0	0
						F	0	0	0	0	0	0	0	0	0	0	0	0
155	DISEASES OF THE EAR AND MASTOID PROCESS	0	-	W	0	M	0	0	0	0	0	0	0	0	0	0	0	0
						F	0	0	0	0	0	0	0	0	0	0	0	0
				NW	0	M	0	0	0	0	0	0	0	0	0	0	0	0
						F	0	0	0	0	0	0	0	0	0	0	0	0

TABLE 11 - PAGE 4
DEATHS - MISSISSIPPI - 2012

GROUP NUMBER*	CAUSE OF DEATH	TOTAL NO.	TOTAL RATE#	RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN
156-191	DISEASES OF THE CIRCULATORY SYSTEM	9,543	319.7	W	6,381	M	3,118	1	1	0	0	4	18	73	249	509	2,261	2
						F	3,263	1	2	0	0	8	10	35	119	254	2,832	2
				NW	3,162	M	1,623	5	3	1	0	8	27	81	222	405	866	5
						F	1,539	2	0	2	1	6	20	54	130	221	1,100	3
156-189	MAJOR CARDIO-VASCULAR DISEASES	9,491	318.0	W	6,343	M	3,097	1	1	0	0	4	17	71	246	504	2,251	2
						F	3,246	1	2	0	0	8	10	33	119	248	2,823	2
				NW	3,148	M	1,616	5	3	1	0	8	27	80	221	404	862	5
						F	1,532	2	0	2	1	6	19	53	130	219	1,097	3
156-160, 162, 164-181	HEART DISEASES	7,248	242.8	W	4,922	M	2,535	1	1	0	0	3	14	60	212	421	1,822	1
						F	2,387	1	2	0	0	3	6	27	84	187	2,075	2
				NW	2,326	M	1,203	4	2	1	0	7	19	61	167	315	623	4
						F	1,123	2	0	2	1	4	14	43	104	166	785	2
161,163	HYPERTENSION	522	17.5	W	277	M	108	0	0	0	0	0	0	2	6	15	85	0
						F	169	0	0	0	0	0	1	3	8	12	145	0
				NW	245	M	127	0	0	0	0	0	1	5	23	33	64	1
						F	118	0	0	0	0	0	1	4	5	14	93	1
182-186	CEREBROVASCULAR DISEASES	1,509	50.6	W	994	M	368	0	0	0	0	0	2	9	19	55	282	1
						F	626	0	0	0	0	5	3	2	25	38	553	0
				NW	515	M	246	1	1	0	0	1	4	9	31	50	149	0
						F	269	0	0	0	0	2	4	6	20	36	201	0
187	ATHEROSCLEROSIS	14	0.5	W	10	M	4	0	0	0	0	0	0	0	0	0	4	0
						F	6	0	0	0	0	0	0	0	0	2	4	0
				NW	4	M	2	0	0	0	0	0	0	0	0	0	2	0
						F	2	0	0	0	0	0	0	0	0	0	2	0
192-214	DISEASES OF THE RESPIRATORY SYSTEM	2,908	97.4	W	2,282	M	1,081	1	0	1	0	2	6	13	37	128	892	1
						F	1,201	2	0	0	1	1	3	11	46	117	1,018	2
				NW	626	M	324	4	2	2	1	2	6	4	23	51	229	0
						F	302	2	1	2	1	2	4	3	22	47	217	1

TABLE 11 - PAGE 5
DEATHS - MISSISSIPPI - 2012

GROUP NUMBER*	CAUSE OF DEATH	TOTAL NO.	TOTAL RATE#	RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN
195	INFLUENZA	8	0.3	W	7	M	4	0	0	0	0	0	0	0	0	1	3	0
						F	3	0	0	0	0	0	0	0	0	1	2	0
				NW	1	M	1	0	0	0	0	0	0	0	1	0	0	0
						F	0	0	0	0	0	0	0	0	0	0	0	0
196-198	PNEUMONIA	551	18.4	W	395	M	176	0	0	1	0	1	5	3	2	21	143	0
						F	219	1	0	0	0	0	3	3	5	15	192	0
				NW	156	M	65	3	1	0	0	0	2	0	5	8	46	0
						F	91	1	1	0	1	0	1	1	2	11	73	0
204	EMPHYSEMA	59	2.0	W	48	M	28	0	0	0	0	0	0	1	0	4	23	0
						F	20	0	0	0	0	0	0	0	1	6	13	0
				NW	11	M	5	0	0	0	0	0	1	0	1	0	3	0
						F	6	0	0	0	0	0	0	0	0	2	4	0
215-237	DISEASES OF THE DIGESTIVE SYSTEM	1,005	33.7	W	721	M	387	0	0	0	0	1	3	16	68	106	193	0
						F	334	0	0	0	0	0	5	12	42	53	222	0
				NW	284	M	156	0	0	0	0	0	6	11	33	44	62	0
						F	128	1	0	0	0	3	3	8	14	27	72	0
217-220	PEPTIC ULCER	13	0.4	W	7	M	3	0	0	0	0	0	0	0	0	0	3	0
						F	4	0	0	0	0	0	0	0	0	1	3	0
				NW	6	M	1	0	0	0	0	0	0	0	1	0	0	0
						F	5	0	0	0	0	0	0	0	0	2	3	0
230-232	CHRONIC LIVER DISEASE AND CIRRHOSIS	305	10.2	W	231	M	153	0	0	0	0	0	1	9	49	50	44	0
						F	78	0	0	0	0	0	2	4	20	23	29	0
				NW	74	M	57	0	0	0	0	0	1	3	16	22	15	0
						F	17	0	0	0	0	1	0	4	4	4	4	0
238-239	DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	58	1.9	W	30	M	11	0	0	0	0	0	0	0	2	1	8	0
						F	19	0	0	0	0	0	0	0	0	2	17	0
				NW	28	M	11	0	0	0	0	0	0	0	0	2	9	0
						F	17	0	0	0	0	1	0	1	0	2	13	0

TABLE 11 - PAGE 6
DEATHS - MISSISSIPPI - 2012

GROUP NUMBER*	CAUSE OF DEATH	TOTAL NO.	TOTAL RATE#	RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN
240-246	DISEASES OF THE	91	3.0	W	58	M	16	0	0	0	1	0	0	1	1	4	8	1
	MUSCULOSKELETAL					F	42	0	0	0	1	0	2	4	4	7	24	0
	SYSTEM AND			NW	33	M	10	0	0	0	0	1	1	1	2	2	3	0
	CONNECTIVE TISSUE					F	23	0	0	0	0	0	4	4	2	5	8	0
247-260	DISEASES OF THE	891	29.8	W	510	M	232	0	0	0	0	1	1	3	4	29	194	0
	GENITOURINARY					F	278	0	0	0	0	0	2	3	8	22	243	0
	SYSTEM			NW	381	M	167	3	0	0	0	0	4	9	17	33	99	2
						F	214	0	0	0	0	1	3	7	16	25	161	1
247-249	NEPHRITIS,	714	23.9	W	386	M	188	0	0	0	0	1	1	3	3	23	157	0
	NEPHROTIC SYNDROME					F	198	0	0	0	0	0	1	2	3	18	174	0
	AND NEPHROSIS			NW	328	M	145	3	0	0	0	0	3	7	16	32	82	2
						F	183	0	0	0	0	0	2	7	13	23	138	0
261-273	PREGNANCY,	16	41.4	W	6	M	0	0	0	0	0	0	0	0	0	0	0	0
	CHILDBIRTH AND THE					F	6	0	0	0	0	2	1	2	1	0	0	0
	PUERPERIUM			NW	10	M	0	0	0	0	0	0	0	0	0	0	0	0
						F	10	0	0	0	0	1	4	5	0	0	0	0
274-281	CERTAIN CONDITIONS	151	3.9	W	34	M	18	18	0	0	0	0	0	0	0	0	0	0
	ORIGINATING IN THE					F	16	16	0	0	0	0	0	0	0	0	0	0
	PERINATAL PERIOD			NW	117	M	70	70	0	0	0	0	0	0	0	0	0	0
						F	47	47	0	0	0	0	0	0	0	0	0	0
282-290	CONGENITAL MALFOR-	120	4.0	W	65	M	39	29	0	1	0	2	1	1	0	4	1	0
	MATIONS, DEFORMA-					F	26	12	1	2	0	0	0	1	4	2	4	0
	TIONS, AND CHROMO-			NW	55	M	23	17	2	2	0	0	0	0	0	2	0	0
	SOMAL ABNORMALITIES					F	32	22	2	0	1	2	1	2	1	1	0	0
291-294	SYMPTOMS, SIGNS AND	617	20.7	W	454	M	166	13	1	0	3	2	0	9	16	17	105	0
	ABNORMAL CLINICAL					F	288	7	2	1	1	1	3	6	9	12	245	1
	AND LABORATORY			NW	163	M	65	11	0	0	0	2	4	3	10	8	26	1
	FINDINGS, NEC					F	98	13	1	2	1	2	4	4	3	13	55	0

TABLE 11 - PAGE 7
DEATHS - MISSISSIPPI - 2012

GROUP NUMBER*	CAUSE OF DEATH	TOTAL NO.	TOTAL RATE#	RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN
295-358	ALL EXTERNAL CAUSES	2,430	81.4	W	1,641	M	1,020	4	11	3	8	114	143	151	198	137	250	1
						F	621	5	11	2	7	30	67	78	114	66	241	0
				NW	789	M	583	5	13	8	6	100	132	108	90	54	63	4
						F	206	10	11	2	4	24	18	28	31	26	52	0
296-306	MOTOR VEHICLE ACCIDENTS	694	23.2	W	432	M	297	0	5	2	4	50	42	33	49	43	69	0
						F	135	0	4	1	3	16	23	21	16	10	41	0
				NW	262	M	188	0	7	3	2	37	36	36	33	13	18	3
						F	74	1	4	2	4	18	7	8	11	9	10	0
295, 307-330	ALL OTHER ACCIDENTS	902	30.2	W	686	M	357	4	6	1	1	29	47	47	74	41	106	1
						F	329	4	5	1	2	7	24	28	59	38	161	0
				NW	216	M	142	3	5	2	4	12	14	24	30	19	29	0
						F	74	7	4	0	0	1	3	8	9	11	31	0
331-337	SUICIDE	402	13.5	W	343	M	275	0	0	0	2	29	43	48	57	42	54	0
						F	68	0	0	0	0	4	11	17	21	9	6	0
				NW	59	M	46	0	0	0	0	7	9	12	7	6	5	0
						F	13	0	0	0	0	1	1	6	5	0	0	0
338-346	HOMICIDE	296	9.9	W	92	M	52	0	0	0	1	6	7	11	10	7	10	0
						F	40	1	2	0	2	1	6	7	10	5	6	0
				NW	204	M	180	1	1	1	0	44	69	34	14	11	5	0
						F	24	1	3	0	0	4	6	5	3	0	2	0
353,354	LEGAL INTERVENTION	9	0.3	W	5	M	5	0	0	0	0	0	1	4	0	0	0	0
						F	0	0	0	0	0	0	0	0	0	0	0	0
				NW	4	M	4	0	0	0	0	0	1	0	1	2	0	0
						F	0	0	0	0	0	0	0	0	0	0	0	0

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** LESS THAN 0.06.

TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION, EXCEPT DEATHS FROM PREGNANCY, CHILDBIRTH AND THE PUERPERIUM (GROUP NUMBERS 261-273) ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (GROUP NUMBERS 274-281) ARE PER 1,000 LIVE BIRTHS.

TABLE 12A
INFANT, NEONATAL, AND POSTNEONATAL DEATHS*,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 2012

	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
COUNTY	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	342	116	226	213	69	144	129	47	82
ADAMS	1	1	0	1	1	0	0	0	0
ALCORN	7	5	2	3	3	0	4	2	2
AMITE	1	0	1	0	0	0	1	0	1
ATTALA	1	0	1	1	0	1	0	0	0
BENTON	1	0	1	1	0	1	0	0	0
BOLIVAR	5	0	5	3	0	3	2	0	2
CALHOUN	1	1	0	1	1	0	0	0	0
CARROLL	1	1	0	0	0	0	1	1	0
CHICKASAW	1	0	1	1	0	1	0	0	0
CHOCTAW	3	1	2	2	0	2	1	1	0
CLAIBORNE	2	0	2	1	0	1	1	0	1
CLARKE	1	0	1	0	0	0	1	0	1
CLAY	1	0	1	1	0	1	0	0	0
COAHOMA	4	0	4	3	0	3	1	0	1
COPIAH	11	3	8	7	2	5	4	1	3
COVINGTON	5	0	5	3	0	3	2	0	2
DESOTO	17	4	13	10	1	9	7	3	4
FORREST	18	8	10	14	5	9	4	3	1
FRANKLIN	0	0	0	0	0	0	0	0	0
GEORGE	0	0	0	0	0	0	0	0	0
GREENE	0	0	0	0	0	0	0	0	0
GRENADA	3	3	0	3	3	0	0	0	0
HANCOCK	4	4	0	2	2	0	2	2	0
HARRISON	24	5	19	12	3	9	12	2	10
HINDS	34	4	30	25	3	22	9	1	8
HOLMES	3	0	3	1	0	1	2	0	2
HUMPHREYS	5	0	5	4	0	4	1	0	1
ISSAQUENA	0	0	0	0	0	0	0	0	0
ITAWAMBA	2	2	0	1	1	0	1	1	0
JACKSON	16	11	5	4	4	0	12	7	5
JASPER	1	1	0	0	0	0	1	1	0
JEFFERSON	4	0	4	3	0	3	1	0	1
JEFF DAVIS	0	0	0	0	0	0	0	0	0
JONES	8	5	3	4	1	3	4	4	0
KEMPER	0	0	0	0	0	0	0	0	0
LAFAYETTE	2	2	0	2	2	0	0	0	0
LAMAR	7	4	3	5	3	2	2	1	1
LAUDERDALE	9	3	6	4	1	3	5	2	3
LAWRENCE	0	0	0	0	0	0	0	0	0
LEAKE	4	2	2	3	2	1	1	0	1
LEE	11	5	6	7	4	3	4	1	3
LEFLORE	3	0	3	1	0	1	2	0	2

TABLE 12A - PAGE 2
INFANT, NEONATAL, AND POSTNEONATAL DEATHS - MISSISSIPPI - 2012

	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
COUNTY	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	2	1	1	2	1	1	0	0	0
LOWNDES	3	0	3	3	0	3	0	0	0
MADISON	9	2	7	8	1	7	1	1	0
MARION	4	1	3	2	0	2	2	1	1
MARSHALL	4	2	2	2	1	1	2	1	1
MONROE	0	0	0	0	0	0	0	0	0
MONTGOMERY	0	0	0	0	0	0	0	0	0
NESHOBA	5	0	5	2	0	2	3	0	3
NEWTON	0	0	0	0	0	0	0	0	0
NOXUBEE	1	0	1	1	0	1	0	0	0
OKTIBBEHA	5	2	3	3	1	2	2	1	1
PANOLA	8	1	7	5	1	4	3	0	3
PEARL RIVER	7	4	3	6	3	3	1	1	0
PERRY	1	0	1	1	0	1	0	0	0
PIKE	7	1	6	3	1	2	4	0	4
PONTOTOC	3	2	1	3	2	1	0	0	0
PRENTISS	6	5	1	5	4	1	1	1	0
QUITMAN	1	0	1	1	0	1	0	0	0
RANKIN	9	6	3	5	3	2	4	3	1
SCOTT	1	0	1	1	0	1	0	0	0
SHARKEY	0	0	0	0	0	0	0	0	0
SIMPSON	4	2	2	1	0	1	3	2	1
SMITH	2	2	0	2	2	0	0	0	0
STONE	0	0	0	0	0	0	0	0	0
SUNFLOWER	6	0	6	4	0	4	2	0	2
TALLAHATCHIE	2	0	2	2	0	2	0	0	0
TATE	2	0	2	2	0	2	0	0	0
TIPPAH	1	1	0	1	1	0	0	0	0
TISHOMINGO	0	0	0	0	0	0	0	0	0
TUNICA	0	0	0	0	0	0	0	0	0
UNION	2	1	1	2	1	1	0	0	0
WALTHALL	0	0	0	0	0	0	0	0	0
WARREN	4	1	3	3	1	2	1	0	1
WASHINGTON	12	3	9	3	2	1	9	1	8
WAYNE	2	2	0	0	0	0	2	2	0
WEBSTER	1	1	0	1	1	0	0	0	0
WILKINSON	1	0	1	1	0	1	0	0	0
WINSTON	3	1	2	3	1	2	0	0	0
YALOBUSHA	0	0	0	0	0	0	0	0	0
YAZOO	3	0	3	2	0	2	1	0	1

* INFANT DEATHS ARE THOSE OF CHILDREN UNDER ONE YEAR OF AGE; NEONATAL DEATHS ARE THOSE OF INFANTS UNDER 28 DAYS OF AGE; POSTNEONATAL DEATHS ARE THOSE OF INFANTS AGES 28 DAYS TO ONE YEAR.

TABLE 12B
INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES*,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 2008-2012 (5-YEAR AVERAGE)

	INFANT **			NEONATAL**			POSTNEONATAL**		
COUNTY	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	9.6	6.6	13.1	5.7	3.7	8.1	3.8	2.8	5.0
ADAMS	12.5	4.2	17.0	7.5	4.2	9.3	5.0	-	7.7
ALCORN	9.8	8.4	16.9	4.4	3.2	11.3	5.3	5.3	5.6
AMITE	5.4	-	10.9	1.4	-	2.7	4.0	-	8.2
ATTALA	9.9	9.4	10.4	6.4	3.1	9.1	3.6	6.2	1.3
BENTON	6.0	3.5	9.3	6.0	3.5	9.3	-	-	-
BOLIVAR	11.8	6.8	13.5	6.1	2.7	7.2	5.8	4.1	6.3
CALHOUN	10.5	8.0	15.1	8.4	6.4	12.0	2.1	1.6	3.0
CARROLL	4.1	6.9	-	-	-	-	4.1	6.9	-
CHICKASAW	4.5	5.8	3.2	2.3	2.9	1.6	2.3	2.9	1.6
CHOCTAW	19.6	6.6	39.2	15.7	3.3	34.3	3.9	3.3	4.9
CLAIBORNE	10.7	-	11.2	7.6	-	8.0	3.0	-	3.2
CLARKE	10.0	1.6	23.5	7.0	-	18.3	3.0	1.6	5.2
CLAY	10.8	7.3	12.4	6.2	2.4	7.9	4.6	4.9	4.5
COAHOMA	10.1	5.6	10.9	5.9	5.6	6.0	4.2	-	5.0
COPIAH	13.6	8.2	17.4	6.8	2.3	9.9	6.8	5.8	7.4
COVINGTON	9.6	4.6	16.6	6.2	3.5	10.0	3.4	1.2	6.6
DESOTO	7.1	5.6	11.5	4.9	3.8	7.9	2.2	1.8	3.6
FORREST	12.0	9.2	15.5	8.9	5.7	12.8	3.1	3.5	2.7
FRANKLIN	5.9	3.5	8.8	3.9	3.5	4.4	2.0	-	4.4
GEORGE	3.8	4.1	-	1.6	1.8	-	2.2	2.4	-
GREENE	5.6	3.5	14.0	5.6	3.5	14.0	-	-	-
GRENADA	8.3	5.6	10.9	4.8	4.2	5.5	3.5	1.4	5.5
HANCOCK	6.3	5.9	9.7	3.3	3.2	4.8	2.9	2.7	4.8
HARRISON	7.6	5.5	12.3	4.7	3.4	7.4	3.0	2.1	4.9
HINDS	10.6	6.4	11.8	6.6	3.6	7.5	4.0	2.8	4.3
HOLMES	11.8	8.5	12.0	8.1	8.5	8.0	3.7	-	4.0
HUMPHREYS	12.1	10.9	12.3	8.5	10.9	8.2	3.6	-	4.1
ISSAQUENA	12.2	-	15.2	-	-	-	12.2	-	15.2
ITAWAMBA	10.9	10.8	12.3	5.1	5.4	-	5.8	5.4	12.3
JACKSON	9.5	7.1	15.6	5.2	4.2	8.0	4.2	2.9	7.6
JASPER	5.8	4.3	6.8	4.1	2.1	5.4	1.6	2.1	1.4
JEFFERSON	22.8	-	24.3	15.8	-	16.8	7.0	-	7.5
JEFF DAVIS	7.4	3.8	9.1	6.2	3.8	7.3	1.2	-	1.8
JONES	8.3	6.0	12.4	4.1	2.7	6.5	4.2	3.3	5.9
KEMPER	8.0	-	11.5	4.0	-	5.8	4.0	-	5.8
LAFAYETTE	8.3	5.8	13.0	5.3	4.6	6.5	3.0	1.2	6.5
LAMAR	7.3	7.2	7.5	5.0	5.5	3.8	2.3	1.7	3.8
LAUDERDALE	8.9	4.5	12.9	4.4	1.1	7.3	4.5	3.4	5.6
LAWRENCE	14.6	14.2	15.2	9.0	7.1	12.2	5.6	7.1	3.0
LEAKE	12.5	8.4	16.6	7.2	4.8	9.5	5.4	3.6	7.1
LEE	8.2	5.2	13.5	5.7	3.4	9.8	2.5	1.8	3.7
LEFLORE	10.9	10.4	11.0	6.9	6.9	6.9	4.0	3.5	4.1

TABLE 12B - PAGE 2
INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES - MISSISSIPPI - 2008-2012 AVERAGE

	INFANT **			NEONATAL**			POSTNEONATAL**		
COUNTY	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	11.4	9.7	14.3	6.9	6.4	7.7	4.5	3.2	6.6
LOWNDES	8.0	3.7	12.6	4.6	1.9	7.6	3.4	1.9	5.0
MADISON	6.7	2.5	11.5	4.4	1.7	7.6	2.3	0.8	3.9
MARION	14.1	10.8	19.8	8.9	6.6	12.7	5.2	4.1	7.1
MARSHALL	7.0	5.1	8.8	4.1	1.7	6.4	2.9	3.4	2.4
MONROE	11.6	11.0	12.6	6.2	6.9	5.0	5.3	4.1	7.5
MONTGOMERY	25.2	6.6	38.8	19.6	6.6	29.1	5.6	-	9.7
NESHOBA	9.4	1.9	15.2	3.0	-	5.3	6.4	1.9	9.9
NEWTON	7.0	1.2	13.9	5.8	1.2	11.2	1.3	-	2.8
NOXUBEE	13.0	-	17.0	8.2	-	10.8	4.7	-	6.2
OKTIBBEHA	10.1	7.1	13.0	7.0	5.7	8.2	3.1	1.4	4.8
PANOLA	9.3	4.6	12.5	4.8	0.9	7.5	4.5	3.7	5.0
PEARL RIVER	11.2	9.6	19.4	7.5	6.3	14.1	3.6	3.3	5.3
PERRY	12.2	9.7	20.1	4.9	3.2	10.0	7.3	6.5	10.0
PIKE	16.6	9.5	20.9	9.6	5.2	12.2	7.0	4.3	8.7
PONTOTOC	9.6	8.4	17.8	5.0	4.7	7.1	4.6	3.7	10.7
PRENTISS	10.5	10.9	7.9	4.6	4.8	3.9	5.8	6.1	3.9
QUITMAN	13.2	18.9	12.0	8.2	18.9	6.0	5.0	-	6.0
RANKIN	7.0	6.3	9.4	3.9	3.4	5.7	3.1	3.0	3.8
SCOTT	10.4	7.7	14.4	5.8	2.8	10.3	4.6	4.9	4.1
SHARKEY	9.7	-	11.5	4.9	-	5.7	4.9	-	5.7
SIMPSON	14.5	8.8	23.5	6.5	1.8	13.8	8.1	7.1	9.7
SMITH	14.3	12.4	18.4	9.5	8.3	12.3	4.8	4.1	6.1
STONE	11.8	10.2	18.6	8.2	6.8	14.0	3.6	3.4	4.6
SUNFLOWER	13.9	15.7	13.6	8.2	15.7	6.8	5.7	-	6.8
TALLAHATCHIE	9.6	4.6	11.1	8.5	-	11.1	1.1	4.6	-
TATE	7.2	5.4	10.3	5.0	2.7	8.8	2.2	2.7	1.5
TIPPAH	5.7	5.2	8.2	3.6	3.5	4.1	2.2	1.7	4.1
TISHOMINGO	8.0	7.2	41.7	3.0	3.1	-	5.0	4.1	41.7
TUNICA	13.7	18.1	12.8	7.8	12.0	7.0	5.8	6.0	5.8
UNION	4.9	2.6	15.8	2.7	0.6	12.6	2.2	2.0	3.2
WALTHALL	14.0	8.4	19.2	12.0	6.3	17.3	2.0	2.1	1.9
WARREN	7.8	7.2	8.3	3.6	4.3	3.1	4.2	2.9	5.2
WASHINGTON	14.1	14.4	14.0	7.3	7.2	7.3	6.8	7.2	6.7
WAYNE	6.9	6.6	7.3	2.1	-	4.4	4.8	6.6	2.9
WEBSTER	16.8	8.5	38.5	10.7	4.2	27.5	6.1	4.2	11.0
WILKINSON	14.2	17.2	13.5	6.3	8.6	5.8	7.9	8.6	7.7
WINSTON	12.7	6.7	16.3	8.5	4.5	10.9	4.2	2.2	5.4
YALOBUSHA	8.9	4.7	13.7	3.8	2.4	5.5	5.1	2.4	8.2
YAZOO	8.3	3.4	10.2	3.9	-	5.4	4.4	3.4	4.8

* DEATHS PER 1,000 LIVE BIRTHS.

** INFANT - AGE LESS THAN ONE YEAR; NEONATAL - AGE LESS THAN 28 DAYS; POSTNEONATAL - AGE 28 DAYS TO ONE YEAR.

TABLE 13
INFANT DEATHS* FROM SELECTED CAUSES, BY RACE AND AGE,
ALSO MORTALITY RATES FOR SELECTED CAUSES,
MISSISSIPPI RESIDENTS, 2012

CAUSE OF DEATH AND GROUP NUMBER**	TOTAL NUMBER	TOTAL RATE#	RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE TO-TAL	< 1 DAY	1-6	7-13	14-20	21-27	28 DAYS AND OVER
ALL CAUSES	342	8.8	W	116	69	35	14	9	6	5	47
			NW	226	144	94	26	14	6	4	82
DIARRHEA AND GASTROENTERITIS OF PRESUMED INFECTIOUS ORIGIN (002)	5	0.1	W	3	0	0	0	0	0	0	3
			NW	2	0	0	0	0	0	0	2
SEPTICEMIA (008)	6	0.2	W	1	0	0	0	0	0	0	1
			NW	5	0	0	0	0	0	0	5
DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS AND CERTAIN DISORDERS INVOLVING THE IMMUNE MECHANISM (025-027)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	0	0	0	0	0	0	1
VOLUME DEPLETION, DISORDERS OF FLUID, ELECTROLYTE AND ACID-BASE BALANCE (031)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	0	0	0	0	0	0	1
MENINGITIS (033)	2	##	W	0	0	0	0	0	0	0	0
			NW	2	0	0	0	0	0	0	2
DISEASES OF THE CIRCULATORY SYSTEM (039-044)	9	0.2	W	2	0	0	0	0	0	0	2
			NW	7	2	1	0	0	0	1	5
INFLUENZA AND PNEUMONIA (046,047)	5	0.1	W	1	0	0	0	0	0	0	1
			NW	4	0	0	0	0	0	0	4
RENAL FAILURE AND OTHER DISORDERS OF KIDNEY (056)	3	0.1	W	0	0	0	0	0	0	0	0
			NW	3	1	0	0	1	0	0	2
NEWBORN AFFECTED BY OTHER MATERNAL CONDITIONS WHICH MAY BE UNRELATED TO PRESENT PREGNANCY (059)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	1	0	0	0	0	0
NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (060-063)	12	0.3	W	3	3	3	0	0	0	0	0
			NW	9	9	7	2	0	0	0	0

TABLE 13 - PAGE 2
INFANT DEATHS - MISSISSIPPI - 2012

CAUSE OF DEATH AND GROUP NUMBER**	TOTAL NUMBER	TOTAL RATE#	RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE TO-TAL	< 1 DAY	1-6	7-13	14-20	21-27	28 DAYS AND OVER
NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA, CORD AND MEMBRANES (064-067)	7	0.2	W	2	2	1	1	0	0	0	0
			NW	5	5	4	1	0	0	0	0
SLOW FETAL GROWTH AND FETAL MALNUTRITION (070)	2	##	W	1	1	0	1	0	0	0	0
			NW	1	1	0	0	1	0	0	0
DISORDERS RELATED TO SHORT GESTATION AND LOW BIRTH WEIGHT, NOT ELSEWHERE CLASSIFIED (071,072)	62	1.6	W	11	11	10	1	0	0	0	0
			NW	51	50	45	5	0	0	0	1
BIRTH TRAUMA (074)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	0	0	0	1	0	0
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (075,076)	4	0.1	W	2	2	0	2	0	0	0	0
			NW	2	1	0	1	0	0	0	1
RESPIRATORY DISTRESS OF NEWBORN (077)	7	0.2	W	1	1	1	0	0	0	0	0
			NW	6	6	2	4	0	0	0	0
CONGENITAL PNEUMONIA (078)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	0	0	0	1	0	0
NEONATAL ASPIRATION SYNDROME (079)	1	##	W	1	1	0	0	1	0	0	0
			NW	0	0	0	0	0	0	0	0
PULMONARY HEMORRHAGE ORIGINATING IN THE PERINATAL PERIOD (081)	3	0.1	W	0	0	0	0	0	0	0	0
			NW	3	3	0	2	1	0	0	0
CHRONIC RESPIRATORY DISEASE ORIGINATING IN THE PERINATAL PERIOD (082)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	0	0	0	0	0	0	1
ATELECTASIS (083)	6	0.2	W	1	1	0	1	0	0	0	0
			NW	5	5	4	1	0	0	0	0
BACTERIAL SEPSIS OF NEWBORN (085)	11	0.3	W	3	3	0	0	0	2	1	0
			NW	8	7	1	2	3	1	0	1
NEONATAL HEMORRHAGE (088)	7	0.2	W	1	1	0	1	0	0	0	0
			NW	6	6	3	1	2	0	0	0

TABLE 13 - PAGE 3
INFANT DEATHS - MISSISSIPPI - 2012

CAUSE OF DEATH AND GROUP NUMBER**	TOTAL NUMBER	TOTAL RATE#	RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE TO-TAL	< 1 DAY	1-6	7-13	14-20	21-27	28 DAYS AND OVER
HEMOLYTIC DISEASE OF NEWBORN DUE TO ISOIMMUNIZATION AND OTHER PERINATAL JAUNDICE (090)	1	##	W	1	1	1	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
SYNDROME OF INFANT OF A DIABETIC MOTHER AND NEONATAL DIABETES MELLITUS (092)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	1	1	0	0	0	0	0
NECROTIZING ENTEROCOLITIS OF NEWBORN (093)	6	0.2	W	2	2	0	0	0	1	1	0
			NW	4	4	0	0	2	1	1	0
CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES (096-110)	80	2.1	W	41	30	16	6	4	2	2	11
			NW	39	25	15	6	2	2	0	14
SUDDEN INFANT DEATH SYNDROME (111)	21	0.5	W	9	0	0	0	0	0	0	9
			NW	12	0	0	0	0	0	0	12
ACCIDENTS (114-124)	19	0.5	W	8	2	0	0	1	0	1	6
			NW	11	1	0	0	0	0	1	10
ASSAULT (HOMICIDE) (125-128)	3	0.1	W	1	0	0	0	0	0	0	1
			NW	2	0	0	0	0	0	0	2
ALL OTHER CAUSES	53	1.4	W	21	8	3	1	3	1	0	13
			NW	32	14	10	1	2	0	1	18

* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

** SEE APPENDIX C FOR EXPLANATION OF GROUP NUMBERS.

DEATHS PER 1,000 LIVE BIRTHS.

LESS THAN 0.06.

TABLE 14
ACCIDENTAL DEATHS, BY COUNTY OF OCCURRENCE AND TYPE OF ACCIDENT, MISSISSIPPI, 2012

COUNTY	TOTAL	MOTOR VEHICLE	OTHER TRANS-PORT	POISON-ING	FALLS	SMOKE, FIRE, FLAMES	DROWNING AND SUB-MERSION	FIRE-ARMS	ALL OTHER
STATE	1,542	674	35	291	224	58	50	10	200
ADAMS	8	2	0	0	3	0	1	0	2
ALCORN	22	12	0	3	4	0	0	0	3
AMITE	4	3	0	1	0	0	0	0	0
ATTALA	6	6	0	0	0	0	0	0	0
BENTON	6	5	0	0	1	0	0	0	0
BOLIVAR	11	5	0	1	2	0	1	0	2
CALHOUN	7	2	0	3	0	2	0	0	0
CARROLL	10	8	0	1	1	0	0	0	0
CHICKASAW	4	3	1	0	0	0	0	0	0
CHOCTAW	0	0	0	0	0	0	0	0	0
CLAIBORNE	2	2	0	0	0	0	0	0	0
CLARKE	8	6	0	1	0	1	0	0	0
CLAY	4	0	0	1	0	0	1	0	2
COAHOMA	15	5	0	6	2	1	0	0	1
COPIAH	19	14	0	1	1	0	1	0	2
COVINGTON	14	6	0	3	2	0	1	0	2
DESOTO	25	10	0	10	2	1	1	0	1
FORREST	102	39	7	13	27	3	2	2	9
FRANKLIN	2	1	0	1	0	0	0	0	0
GEORGE	18	14	0	1	0	1	0	0	2
GREENE	6	5	0	0	0	0	1	0	0
GRENADA	4	1	0	2	0	0	1	0	0
HANCOCK	17	6	1	5	2	0	1	0	2
HARRISON	105	29	1	41	8	0	6	0	20
HINDS	185	83	6	12	43	8	3	1	29
HOLMES	10	8	0	0	0	0	1	0	1
HUMPHREYS	6	4	0	0	0	1	1	0	0
ISSAQUENA	3	3	0	0	0	0	0	0	0
ITAWAMBA	8	4	0	2	0	0	0	0	2
JACKSON	82	23	2	30	9	1	6	0	11
JASPER	4	3	0	1	0	0	0	0	0
JEFFERSON	4	4	0	0	0	0	0	0	0
JEFF DAVIS	6	3	0	2	0	0	0	1	0
JONES	37	17	0	10	1	0	0	0	9
KEMPER	5	2	0	2	0	0	0	0	1
LAFAYETTE	21	8	0	4	5	1	0	0	3
LAMAR	15	0	1	7	1	2	0	0	4
LAUDERDALE	48	18	0	8	7	2	1	1	11
LAWRENCE	6	1	1	0	0	1	0	0	3
LEAKE	10	7	0	0	0	2	0	0	1
LEE	103	40	2	10	38	2	2	1	8
LEFLORE	18	3	0	3	6	2	0	0	4

TABLE 14 - PAGE 2
ACCIDENTAL DEATHS - MISSISSIPPI - 2012

COUNTY	TOTAL	MOTOR VEHICLE	OTHER TRANS-PORT	POISON-ING	FALLS	SMOKE, FIRE, FLAMES	DROWNING AND SUB-MERSION	FIRE-ARMS	ALL OTHER
LINCOLN	11	10	0	1	0	0	0	0	0
LOWNDES	37	9	0	9	9	2	1	0	7
MADISON	22	8	0	2	6	2	1	0	3
MARION	21	9	1	3	3	0	3	0	2
MARSHALL	11	9	0	1	0	0	0	1	0
MONROE	17	6	0	4	0	2	0	0	5
MONTGOMERY	5	1	0	2	0	0	0	0	2
NESHOBA	26	13	0	4	0	6	1	0	2
NEWTON	14	6	0	0	4	0	0	0	4
NOXUBEE	2	1	1	0	0	0	0	0	0
OKTIBBEHA	18	4	0	3	9	0	0	0	2
PANOLA	10	5	0	5	0	0	0	0	0
PEARL RIVER	31	8	0	15	1	0	2	1	4
PERRY	5	4	1	0	0	0	0	0	0
PIKE	16	8	0	4	2	1	0	0	1
PONTOTOC	11	3	0	5	2	0	0	0	1
PRENTISS	20	12	3	2	1	1	1	0	0
QUITMAN	8	3	0	1	1	0	0	0	3
RANKIN	52	22	1	18	5	2	0	0	4
SCOTT	18	10	0	1	1	2	2	0	2
SHARKEY	2	1	0	0	0	0	1	0	0
SIMPSON	15	9	1	0	1	0	1	1	2
SMITH	6	4	0	1	1	0	0	0	0
STONE	7	4	0	2	1	0	0	0	0
SUNFLOWER	9	5	0	0	2	1	0	0	1
TALLAHATCHIE	5	2	1	0	0	0	1	0	1
TATE	9	4	0	3	0	0	0	0	2
TIPPAH	8	7	0	1	0	0	0	0	0
TISHOMINGO	15	4	0	5	0	2	1	0	3
TUNICA	4	2	0	0	1	0	0	0	1
UNION	5	3	0	0	0	0	0	0	2
WALTHALL	4	1	0	0	2	1	0	0	0
WARREN	26	15	2	4	2	1	0	0	2
WASHINGTON	31	19	2	0	2	1	2	0	5
WAYNE	7	3	0	2	1	1	0	0	0
WEBSTER	3	1	0	0	0	0	2	0	0
WILKINSON	5	3	0	0	0	1	0	0	1
WINSTON	15	8	0	4	1	1	0	0	1
YALOBUSHA	8	7	0	0	0	0	0	1	0
YAZOO	13	6	0	4	1	0	0	0	2

TABLE 15
MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE,
ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE,
MISSISSIPPI, 2012

	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
COUNTY	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	17,425	11,888	5,537	17,425	11,888	5,537	16,178	10,961	5,217
ADAMS	231	148	83	293	201	92	142	71	71
ALCORN	172	155	17	162	145	17	155	143	12
AMITE	79	52	27	80	53	27	84	54	30
ATTALA	121	79	42	112	74	38	114	74	40
BENTON	19	15	4	29	22	7	35	28	7
BOLIVAR	150	62	88	147	59	88	134	57	77
CALHOUN	90	72	18	90	70	20	92	71	21
CARROLL	40	28	12	40	28	12	40	30	10
CHICKASAW	113	73	40	122	77	45	107	72	35
CHOCTAW	57	41	16	60	42	18	62	46	16
CLAIBORNE	29	2	27	36	8	28	31	2	29
CLARKE	73	48	25	87	64	23	81	57	24
CLAY	94	54	40	114	67	47	85	45	40
COAHOMA	79	31	48	91	37	54	79	33	46
COPIAH	159	76	83	172	86	86	173	85	88
COVINGTON	125	83	42	136	94	42	128	85	43
DESOTO	807	644	163	708	560	148	673	553	120
FORREST	650	425	225	576	357	219	484	321	163
FRANKLIN	59	41	18	48	32	16	63	43	20
GEORGE	209	195	14	187	173	14	174	164	10
GREENE	78	59	19	87	68	19	66	63	3
GRENADA	164	121	43	150	100	50	139	97	42
HANCOCK	264	241	23	259	242	17	240	221	19
HARRISON	1,507	1,147	360	1,579	1,216	363	1,200	895	305
HINDS	1,509	538	971	1,524	607	917	1,377	463	914
HOLMES	95	12	83	109	19	90	92	12	80
HUMPHREYS	36	9	27	39	11	28	31	5	26
ISSAQUENA	3	2	1	4	2	2	4	3	1
ITAWAMBA	136	132	4	142	139	3	136	133	3
JACKSON	751	598	153	793	630	163	773	617	156
JASPER	74	38	36	77	35	42	78	40	38
JEFFERSON	40	7	33	48	11	37	33	6	27
JEFF DAVIS	70	36	34	75	36	39	65	32	33
JONES	424	311	113	414	314	100	410	315	95
KEMPER	39	18	21	42	22	20	32	15	17
LAFAYETTE	313	232	81	314	243	71	274	200	74
LAMAR	283	248	35	293	255	38	392	307	85
LAUDERDALE	508	323	185	464	291	173	441	278	163
LAWRENCE	78	58	20	82	59	23	81	57	24
LEAKE	0	0	0	26	18	8	21	12	9
LEE	624	470	154	580	444	136	527	395	132
LEFLORE	1	1	0	24	18	6	9	6	3

TABLE 15 - PAGE 2
MARRIAGES - MISSISSIPPI - 2012

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	270	206	64	234	169	65	242	186	56
LOWNDES	310	190	120	324	194	130	287	167	120
MADISON	579	380	199	519	326	193	610	375	235
MARION	178	133	45	182	130	52	160	121	39
MARSHALL	164	81	83	183	98	85	140	73	67
MONROE	186	150	36	198	157	41	211	171	40
MONTGOMERY	63	36	27	70	42	28	63	33	30
NESHOBA	196	129	67	203	131	72	188	122	66
NEWTON	120	91	29	111	85	26	126	94	32
NOXUBEE	55	16	39	64	30	34	46	16	30
OKTIBBEHA	276	179	97	258	163	95	240	151	89
PANOLA	208	117	91	211	125	86	208	119	89
PEARL RIVER	301	268	33	298	268	30	281	249	32
PERRY	66	57	9	71	62	9	72	59	13
PIKE	307	176	131	337	198	139	268	148	120
PONTOTOC	194	170	24	207	184	23	215	186	29
PRENTISS	130	121	9	123	116	7	123	110	13
QUITMAN	23	11	12	28	12	16	26	8	18
RANKIN	966	823	143	797	649	148	965	826	139
SCOTT	214	118	96	235	127	108	222	122	100
SHARKEY	14	7	7	17	12	5	12	5	7
SIMPSON	180	133	47	199	149	50	185	138	47
SMITH	92	85	7	96	86	10	124	105	19
STONE	135	118	17	137	118	19	99	86	13
SUNFLOWER	80	24	56	89	29	60	80	20	60
TALLAHATCHIE	51	34	17	59	42	17	52	34	18
TATE	138	97	41	161	122	39	143	104	39
TIPPAH	109	96	13	98	88	10	102	88	14
TISHOMINGO	121	119	2	149	147	2	95	95	0
TUNICA	45	16	29	66	28	38	33	7	26
UNION	187	162	25	175	149	26	175	153	22
WALTHALL	80	37	43	77	37	40	74	35	39
WARREN	367	209	158	372	225	147	322	188	134
WASHINGTON	155	65	90	152	60	92	139	54	85
WAYNE	105	71	34	104	64	40	99	69	30
WEBSTER	63	46	17	56	42	14	62	46	16
WILKINSON	51	22	29	52	22	30	39	15	24
WINSTON	110	62	48	104	61	43	110	66	44
YALOBUSHA	77	59	18	75	59	16	81	60	21
YAZOO	106	49	57	119	53	66	102	51	51
OUT OF STATE	*	*	*	*	*	*	1,225	913	312

* INFORMATION ON MISSISSIPPI BRIDES WHO OBTAINED LICENSES AND/OR MARRIED IN OTHER STATES IS NOT AVAILABLE.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES MAY BE INCOMPLETE.

TABLE 16
DIVORCES, BY COUNTY OF OCCURRENCE AND RACE*,
MISSISSIPPI , 2012

COUNTY	TOTAL	WHITE	NON-WHITE	UN-KNOWN	COUNTY	TOTAL	WHITE	NON-WHITE	UN-KNOWN
STATE	11,992	6,780	2,503	2,709					
ADAMS	105	55	39	11	LINCOLN	140	87	24	29
ALCORN	199	187	9	3	LOWNDES	288	170	90	28
AMITE	0	0	0	0	MADISON	308	181	102	25
ATTALA	85	43	18	24	MARION	133	90	22	21
BENTON	43	36	6	1	MARSHALL	125	62	31	32
BOLIVAR	99	28	47	24	MONROE	180	140	36	4
CALHOUN	33	26	5	2	MONTGOMERY	40	17	23	0
CARROLL	42	32	10	0	NESHOBA	128	102	24	2
CHICKASAW	64	41	10	13	NEWTON	79	54	17	8
CHOCTAW	30	19	4	7	NOXUBEE	13	3	10	0
CLAIBORNE	26	3	23	0	OKTIBBEHA	117	69	36	12
CLARKE	68	43	9	16	PANOLA	156	94	55	7
CLAY	33	15	14	4	PEARL RIVER	249	224	20	5
COAHOMA	80	19	48	13	PERRY	54	46	5	3
COPIAH	90	36	30	24	PIKE	176	85	75	16
COVINGTON	97	65	17	15	PONTOTOC	87	72	9	6
DESOTO	754	448	85	221	PRENTISS	135	91	5	39
FORREST	313	155	73	85	QUITMAN	34	11	20	3
FRANKLIN	45	42	3	0	RANKIN	823	712	107	4
GEORGE	0	0	0	0	SCOTT	128	89	35	4
GREENE	67	57	10	0	SHARKEY	13	6	7	0
GRENADA	118	88	28	2	SIMPSON	80	64	16	0
HANCOCK	216	132	5	79	SMITH	27	21	3	3
HARRISON	1,010	296	53	661	STONE	93	66	2	25
HINDS	731	141	389	201	SUNFLOWER	43	11	24	8
HOLMES	42	8	34	0	TALLAHATCHIE	31	21	10	0
HUMPHREYS	1	0	1	0	TATE	127	86	21	20
ISSAQUENA	0	0	0	0	TIPPAH	133	109	16	8
ITAWAMBA	151	126	7	18	TISHOMINGO	111	98	4	9
JACKSON	714	0	0	714	TUNICA	3	1	1	1
JASPER	66	42	24	0	UNION	170	149	13	8
JEFFERSON	0	0	0	0	WALTHALL	55	35	19	1
JEFF DAVIS	0	0	0	0	WARREN	120	63	35	22
JONES	415	311	99	5	WASHINGTON	78	22	53	3
KEMPER	7	3	4	0	WAYNE	145	95	49	1
LAFAYETTE	133	85	23	25	WEBSTER	52	43	7	2
LAMAR	270	215	36	19	WILKINSON	0	0	0	0
LAUDERDALE	298	107	59	132	WINSTON	63	33	30	0
LAWRENCE	62	49	13	0	YALOBUSHA	62	44	18	0
LEAKE	46	34	12	0	YAZOO	36	18	14	4
LEE	533	383	133	17					
LEFLORE	71	26	35	10					

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON DIVORCES MAY BE INCOMPLETE.

TABLE 17
REPORTED INDUCED TERMINATIONS OF PREGNANCY PERFORMED IN MISSISSIPPI ON MISSISSIPPI RESIDENTS, BY COUNTY OF RESIDENCE AND RACE, 2012

COUNTY	TOTAL	WHITE	NON-WHITE	UN-KNOWN	COUNTY	TOTAL	WHITE	NON-WHITE	UN-KNOWN
STATE	2,112	385	1,727	0					
ADAMS	53	8	45	0	LINCOLN	35	8	27	0
ALCORN	0	0	0	0	LOWNDES	3	2	1	0
AMITE	2	0	2	0	MADISON	184	38	146	0
ATTALA	14	2	12	0	MARION	18	3	15	0
BENTON	0	0	0	0	MARSHALL	0	0	0	0
BOLIVAR	10	4	6	0	MONROE	0	0	0	0
CALHOUN	1	1	0	0	MONTGOMERY	9	2	7	0
CARROLL	2	1	1	0	NESHOBA	12	5	7	0
CHICKASAW	0	0	0	0	NEWTON	13	2	11	0
CHOCTAW	1	1	0	0	NOXUBEE	2	1	1	0
CLAIBORNE	17	0	17	0	OKTIBBEHA	14	7	7	0
CLARKE	6	2	4	0	PANOLA	0	0	0	0
CLAY	1	0	1	0	PEARL RIVER	2	2	0	0
COAHOMA	0	0	0	0	PERRY	6	1	5	0
COPIAH	50	10	40	0	PIKE	51	7	44	0
COVINGTON	12	2	10	0	PONTOTOC	0	0	0	0
DESOTO	3	2	1	0	PRENTISS	0	0	0	0
FORREST	82	25	57	0	QUITMAN	0	0	0	0
FRANKLIN	7	0	7	0	RANKIN	188	76	112	0
GEORGE	0	0	0	0	SCOTT	38	5	33	0
GREENE	1	0	1	0	SHARKEY	4	0	4	0
GRENADA	7	5	2	0	SIMPSON	23	7	16	0
HANCOCK	1	1	0	0	SMITH	11	3	8	0
HARRISON	24	10	14	0	STONE	4	1	3	0
HINDS	750	54	696	0	SUNFLOWER	8	0	8	0
HOLMES	45	2	43	0	TALLAHATCHIE	1	1	0	0
HUMPHREYS	10	0	10	0	TATE	2	2	0	0
ISSAQUENA	1	0	1	0	TIPPAH	0	0	0	0
ITAWAMBA	0	0	0	0	TISHOMINGO	0	0	0	0
JACKSON	7	4	3	0	TUNICA	0	0	0	0
JASPER	13	1	12	0	UNION	0	0	0	0
JEFFERSON	16	0	16	0	WALTHALL	10	0	10	0
JEFF DAVIS	17	3	14	0	WARREN	68	12	56	0
JONES	48	16	32	0	WASHINGTON	22	5	17	0
KEMPER	1	0	1	0	WAYNE	7	1	6	0
LAFAYETTE	6	4	2	0	WEBSTER	4	2	2	0
LAMAR	32	9	23	0	WILKINSON	6	2	4	0
LAUDERDALE	24	7	17	0	WINSTON	11	2	9	0
LAWRENCE	8	0	8	0	YALOBUSHA	3	2	1	0
LEAKE	22	3	19	0	YAZOO	46	5	41	0
LEE	0	0	0	0					
LEFLORE	13	4	9	0					

TABLE 18A
TEENAGE PREGNANCIES*, BY COUNTY OF RESIDENCE,
RACE, AND AGE GROUP OF MOTHER,
MISSISSIPPI, 2012

	TOTAL**			WHITE			NONWHITE		
COUNTY	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19
STATE	5,644	131	5,513	2,368	31	2,337	3,273	100	3,173
ADAMS	56	1	55	14	0	14	42	1	41
ALCORN	70	3	67	58	1	57	12	2	10
AMITE	21	0	21	8	0	8	13	0	13
ATTALA	33	0	33	9	0	9	24	0	24
BENTON	8	0	8	4	0	4	4	0	4
BOLIVAR	89	3	86	6	0	6	83	3	80
CALHOUN	26	1	25	17	1	16	9	0	9
CARROLL	13	0	13	9	0	9	4	0	4
CHICKASAW	40	0	40	22	0	22	18	0	18
CHOCTAW	9	1	8	7	1	6	2	0	2
CLAIBORNE	20	0	20	0	0	0	20	0	20
CLARKE	30	3	27	17	3	14	13	0	13
CLAY	41	0	41	7	0	7	34	0	34
COAHOMA	106	5	101	8	0	8	98	5	93
COPIAH	43	2	41	13	0	13	30	2	28
COVINGTON	59	0	59	25	0	25	34	0	34
DESOTO	262	8	254	163	5	158	98	3	95
FORREST	137	2	135	55	0	55	82	2	80
FRANKLIN	16	0	16	9	0	9	7	0	7
GEORGE	55	2	53	50	1	49	5	1	4
GREENE	23	0	23	17	0	17	6	0	6
GRENADA	39	1	38	15	0	15	24	1	23
HANCOCK	46	1	45	38	1	37	8	0	8
HARRISON	317	7	310	186	3	183	131	4	127
HINDS	550	23	527	61	1	60	489	22	467
HOLMES	49	1	48	2	0	2	47	1	46
HUMPHREYS	30	0	30	3	0	3	27	0	27
ISSAQUENA	4	0	4	1	0	1	3	0	3
ITAWAMBA	51	2	49	48	2	46	3	0	3
JACKSON	189	4	185	108	2	106	81	2	79
JASPER	34	2	32	12	0	12	22	2	20
JEFFERSON	20	1	19	0	0	0	20	1	19
JEFF DAVIS	29	0	29	5	0	5	24	0	24
JONES	163	1	162	93	0	93	70	1	69
KEMPER	15	1	14	3	0	3	12	1	11
LAFAYETTE	60	1	59	35	1	34	24	0	24
LAMAR	93	0	93	62	0	62	31	0	31
LAUDERDALE	117	4	113	33	0	33	83	4	79
LAWRENCE	23	0	23	13	0	13	10	0	10
LEAKE	49	4	45	19	0	19	30	4	26
LEE	184	2	182	92	1	91	92	1	91
LEFLORE	69	6	63	7	0	7	62	6	56

TABLE 18A - PAGE 2
TEENAGE PREGNANCIES - MISSISSIPPI - 2012

COUNTY	TOTAL**			WHITE			NONWHITE		
	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19
LINCOLN	52	2	50	23	0	23	29	2	27
LOWNDES	103	1	102	21	0	21	82	1	81
MADISON	113	2	111	32	0	32	81	2	79
MARION	56	0	56	34	0	34	22	0	22
MARSHALL	77	1	76	35	0	35	42	1	41
MONROE	69	1	68	46	0	46	23	1	22
MONTGOMERY	24	1	23	8	0	8	16	1	15
NESHOBA	61	0	61	25	0	25	36	0	36
NEWTON	46	0	46	19	0	19	27	0	27
NOXUBEE	29	2	27	2	0	2	27	2	25
OKTIBBEHA	54	0	54	14	0	14	40	0	40
PANOLA	100	0	100	30	0	30	70	0	70
PEARL RIVER	87	0	87	68	0	68	19	0	19
PERRY	19	0	19	14	0	14	5	0	5
PIKE	107	4	103	25	1	24	82	3	79
PONTOTOC	69	3	66	60	1	59	9	2	7
PRENTISS	50	1	49	42	1	41	8	0	8
QUITMAN	25	1	24	2	0	2	23	1	22
RANKIN	217	2	215	145	1	144	72	1	71
SCOTT	76	0	76	37	0	37	39	0	39
SHARKEY	14	0	14	0	0	0	14	0	14
SIMPSON	60	1	59	34	1	33	26	0	26
SMITH	32	0	32	22	0	22	10	0	10
STONE	27	1	26	20	0	20	7	1	6
SUNFLOWER	63	2	61	6	0	6	57	2	55
TALLAHATCHIE	28	1	27	8	0	8	20	1	19
TATE	54	2	52	31	2	29	23	0	23
TIPPAH	34	0	34	25	0	25	9	0	9
TISHOMINGO	23	0	23	23	0	23	0	0	0
TUNICA	42	0	42	4	0	4	38	0	38
UNION	57	0	57	45	0	45	12	0	12
WALTHALL	24	0	24	8	0	8	16	0	16
WARREN	100	3	97	27	1	26	73	2	71
WASHINGTON	158	6	152	12	0	12	146	6	140
WAYNE	53	0	53	20	0	20	33	0	33
WEBSTER	13	0	13	10	0	10	3	0	3
WILKINSON	18	1	17	2	0	2	16	1	15
WINSTON	28	0	28	13	0	13	15	0	15
YALOBUSHA	33	0	33	16	0	16	17	0	17
YAZOO	61	1	60	6	0	6	55	1	54

* LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS TO MOTHERS UNDER AGE 20.

** TOTAL FIGURES INCLUDE SOME FOR WHICH THE RACE OF THE MOTHER WAS UNKNOWN.

TABLE 18B
TEENAGE PREGNANCY RATES*, BY COUNTY OF RESIDENCE,
RACE, AND AGE GROUP OF MOTHER,
MISSISSIPPI, 2012

	TOTAL**			WHITE			NONWHITE		
COUNTY	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19
STATE	27.4	1.3	53.1	22.1	0.6	43.8	33.1	2.1	63.0
ADAMS	30.0	1.0	60.0	24.8	-	51.7	32.2	1.5	63.6
ALCORN	29.7	2.4	61.7	30.0	1.0	64.8	28.0	9.0	48.3
AMITE	29.3	-	60.7	23.2	-	50.0	34.9	-	69.9
ATTALA	26.5	-	55.9	14.2	-	30.2	39.4	-	82.2
BENTON	13.4	-	29.1	12.0	-	24.4	15.2	-	36.0
BOLIVAR	36.4	2.5	69.1	9.4	-	17.8	46.0	3.3	88.2
CALHOUN	26.7	2.0	51.4	28.4	3.2	55.0	24.1	-	46.2
CARROLL	23.6	-	49.0	29.7	-	72.0	16.1	-	28.6
CHICKASAW	33.9	-	66.3	36.7	-	72.4	30.9	-	60.2
CHOCTAW	16.6	3.6	30.3	19.6	5.2	36.6	10.8	-	20.0
CLAIBORNE	25.6	-	42.2	-	-	-	27.8	-	44.4
CLARKE	26.5	4.9	52.2	27.6	9.1	48.8	25.1	-	56.5
CLAY	28.6	-	59.7	17.3	-	36.6	33.0	-	68.5
COAHOMA	50.9	4.9	94.9	27.6	-	52.6	54.7	5.7	102.0
COPIAH	21.3	2.1	38.4	16.2	-	30.3	24.7	3.5	43.9
COVINGTON	43.3	-	86.5	33.8	-	69.1	54.7	-	106.2
DESOTO	20.8	1.2	43.9	19.7	1.1	41.2	22.7	1.3	48.9
FORREST	24.4	0.9	40.6	18.8	-	32.0	30.4	1.8	49.8
FRANKLIN	31.4	-	69.6	32.2	-	72.6	30.3	-	66.0
GEORGE	34.3	2.3	73.6	34.4	1.3	74.2	33.6	11.2	66.7
GREENE	27.6	-	56.1	25.8	-	52.3	34.3	-	70.6
GRENADA	27.3	1.4	53.7	20.0	-	41.2	35.3	3.0	67.0
HANCOCK	15.8	0.7	32.1	15.5	0.8	31.1	17.7	-	37.4
HARRISON	26.2	1.1	52.6	24.7	0.8	49.9	28.8	1.7	57.1
HINDS	29.1	2.6	51.6	16.6	0.6	28.5	32.1	3.1	57.7
HOLMES	32.4	1.4	59.2	10.8	-	17.2	35.4	1.6	66.3
HUMPHREYS	47.1	-	96.2	29.7	-	61.2	50.4	-	102.7
ISSAQUENA	70.2	-	133.3	71.4	-	142.8	69.8	-	130.4
ITAWAMBA	30.8	2.7	53.1	32.5	2.9	57.6	17.0	-	24.2
JACKSON	19.9	0.8	40.3	16.9	0.6	34.0	26.0	1.2	53.6
JASPER	30.1	3.4	58.7	29.0	-	62.5	30.8	5.5	56.6
JEFFERSON	41.3	4.4	74.2	-	-	-	44.8	4.8	80.5
JEFF DAVIS	40.2	-	75.7	29.2	-	59.5	43.6	-	80.3
JONES	35.0	0.4	71.6	32.8	-	66.6	38.2	1.0	79.7
KEMPER	20.7	3.1	34.9	16.8	-	28.0	21.9	4.0	37.4
LAFAYETTE	15.7	0.8	22.6	13.2	1.3	17.9	20.6	-	33.7
LAMAR	23.3	-	47.7	21.6	-	45.4	27.5	-	53.1
LAUDERDALE	22.0	1.6	41.0	14.0	-	27.3	28.0	2.8	51.1
LAWRENCE	28.2	-	56.0	26.7	-	55.3	30.3	-	56.8
LEAKE	33.4	5.2	64.3	29.0	-	63.3	37.0	9.7	65.0
LEE	31.7	0.6	66.2	25.6	0.5	54.7	41.6	0.9	83.9
LEFLORE	29.5	5.6	49.8	19.5	-	41.4	31.3	6.8	51.1

TABLE 18B - PAGE 2
TEENAGE PREGNANCY RATES - MISSISSIPPI - 2012

COUNTY	TOTAL**			WHITE			NONWHITE		
	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19	TOTAL	UNDER 15	15 - 19
LINCOLN	21.1	1.5	43.1	14.8	-	32.0	32.1	4.3	60.9
LOWNDES	24.8	0.5	48.1	11.4	-	22.2	35.6	0.9	68.8
MADISON	15.9	0.5	32.4	8.9	-	18.8	23.2	1.1	45.6
MARION	33.5	-	69.9	34.0	-	70.8	32.6	-	68.5
MARSHALL	30.4	0.8	58.0	35.1	-	72.9	27.4	1.4	49.4
MONROE	29.3	0.8	60.3	30.7	-	64.7	26.8	2.3	52.9
MONTGOMERY	37.0	3.1	70.8	26.2	-	51.3	46.5	5.7	88.8
NESHOBA	27.8	-	57.3	22.1	-	44.0	33.9	-	72.6
NEWTON	30.9	-	59.5	23.3	-	47.1	40.1	-	73.0
NOXUBEE	35.7	5.0	65.8	12.3	-	25.3	41.6	6.3	75.5
OKTIBBEHA	15.3	-	22.1	7.5	-	9.6	23.9	-	40.9
PANOLA	41.3	-	82.8	33.8	-	69.8	45.6	-	90.0
PEARL RIVER	24.0	-	47.1	23.4	-	46.0	26.7	-	51.5
PERRY	24.5	-	48.3	24.8	-	50.0	23.6	-	44.2
PIKE	37.5	2.8	72.7	23.0	1.8	45.4	46.4	3.4	89.1
PONTOTOC	32.0	2.6	64.3	34.5	1.1	71.6	21.5	9.2	34.6
PRENTISS	30.6	1.3	57.4	32.6	1.6	62.1	23.0	-	41.2
QUITMAN	44.6	3.5	86.6	18.5	-	37.7	50.9	4.4	98.2
RANKIN	23.0	0.4	49.1	20.9	0.3	45.9	28.7	0.8	57.2
SCOTT	39.2	-	79.2	37.4	-	76.4	41.1	-	82.1
SHARKEY	42.0	-	89.7	-	-	-	51.3	-	102.9
SIMPSON	33.4	1.0	70.7	35.2	1.8	79.5	31.2	-	62.0
SMITH	29.2	-	65.2	29.7	-	67.3	28.3	-	61.0
STONE	19.4	1.6	33.8	19.9	-	37.1	18.2	6.4	26.2
SUNFLOWER	34.3	2.2	66.4	15.7	-	27.4	39.2	2.6	78.6
TALLAHATCHIE	30.6	2.2	58.7	29.8	-	61.1	30.9	3.1	57.8
TATE	24.3	2.0	42.8	23.1	3.2	40.2	26.1	-	46.6
TIPPAH	23.1	-	47.6	22.3	-	46.3	25.9	-	51.7
TISHOMINGO	18.5	-	36.6	19.3	-	38.5	-	-	-
TUNICA	50.7	-	112.6	38.8	-	80.0	52.3	-	117.6
UNION	31.1	-	67.4	31.2	-	69.0	30.7	-	61.8
WALTHALL	23.6	-	50.7	18.5	-	42.1	27.4	-	56.5
WARREN	30.6	1.8	62.2	20.4	1.4	41.3	37.5	2.0	76.3
WASHINGTON	42.1	3.2	81.6	19.4	-	39.2	46.6	3.8	90.0
WAYNE	36.0	-	72.8	26.2	-	51.8	46.7	-	96.5
WEBSTER	19.9	-	44.2	19.9	-	46.9	20.1	-	37.0
WILKINSON	35.0	3.7	69.1	17.4	-	30.8	40.1	4.6	82.9
WINSTON	24.2	-	52.2	26.4	-	53.1	22.6	-	51.5
YALOBUSHA	44.2	-	94.0	40.3	-	84.6	48.7	-	104.9
YAZOO	35.9	1.1	72.6	11.6	-	26.0	46.6	1.7	90.8

* LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS PER 1,000 FEMALES IN SPECIFIED AGE/RACE GROUP.

** TOTAL FIGURES INCLUDE SOME FOR WHICH THE RACE OF THE MOTHER WAS UNKNOWN.

NOTE:

Table 19 extends from page 138 through 158 with identical data for each county as well as for the state.

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF ADAMS, ALCORN, AMITE, AND ATTALA COUNTIES, MISSISSIPPI, 2012

	ADAMS COUNTY						ALCORN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	413	211	202	12.8	14.8	11.3	458	417	41	12.3	13.0	8.0
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	16	8	8	49.8	56.0	44.8	14	14	0	37.7	43.6	-
HIV DISEASE (039-043)	3	0	3	9.3	-	16.8	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	95	39	56	295.7	273.0	314.0	84	79	5	226.0	246.3	98.3
DIABETES MELLITUS (124)	17	3	14	52.9	21.0	78.5	6	5	1	16.1	15.6	19.6
ALZHEIMERS DISEASE (148)	28	21	7	87.2	147.0	39.2	14	12	2	37.7	37.4	39.3
MAJOR CARDIOVASCULAR DISEASES# (156-189)	116	61	55	361.1	427.0	308.3	139	124	15	374.0	386.6	294.8
HEART DISEASES (156-160,162, 164-181)	89	49	40	277.1	343.0	224.2	111	98	13	298.7	305.5	255.5
HYPERTENSION (161,163)	2	0	2	6.2	-	11.2	6	6	0	16.1	18.7	-
CEREBROVASCULAR DISEASES (182-186)	22	10	12	68.5	70.0	67.3	20	18	2	53.8	56.1	39.3
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	8	4	4	24.9	28.0	22.4	11	9	2	29.6	28.0	39.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	20	14	6	62.3	98.0	33.6	49	43	6	131.8	134.0	117.9
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	5	3	2	15.6	21.0	11.2	2	2	0	5.4	6.2	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	10	4	6	31.1	28.0	33.6	20	19	1	53.8	59.2	19.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	2	2	0	4.5	5.4	-
CONGENITAL MALFORMATIONS (282-290)	2	1	1	6.2	7.0	5.6	1	1	0	2.7	3.1	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	2.2	-	12.8
ACCIDENTS (295-330)	7	4	3	21.8	28.0	16.8	23	23	0	61.9	71.7	-
MOTOR VEHICLE ACCIDENTS# (296-306)	1	0	1	3.1	-	5.6	14	14	0	37.7	43.6	-
SUICIDE (331-337)	4	2	2	12.4	14.0	11.2	6	5	1	16.1	15.6	19.6
HOMICIDE (338-346)	5	0	5	15.6	-	28.0	4	3	1	10.8	9.4	19.6

	AMITE COUNTY						ATTALA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	142	80	62	11.0	10.7	11.3	258	164	94	13.5	15.1	11.3
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	1	1	0	7.7	13.4	-	8	7	1	41.8	64.5	12.0
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	33	19	14	254.7	254.9	254.4	52	34	18	271.4	313.2	216.8
DIABETES MELLITUS (124)	6	2	4	46.3	26.8	72.7	8	2	6	41.8	18.4	72.3
ALZHEIMERS DISEASE (148)	6	5	1	46.3	67.1	18.2	16	14	2	83.5	129.0	24.1
MAJOR CARDIOVASCULAR DISEASES# (156-189)	52	28	24	401.3	375.6	436.1	86	56	30	448.9	515.9	361.3
HEART DISEASES (156-160,162, 164-181)	44	26	18	339.6	348.8	327.1	63	45	18	328.9	414.6	216.8
HYPERTENSION (161,163)	2	0	2	15.4	-	36.3	8	4	4	41.8	36.8	48.2
CEREBROVASCULAR DISEASES (182-186)	6	2	4	46.3	26.8	72.7	13	7	6	67.9	64.5	72.3
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	4	2	2	30.9	26.8	36.3	7	5	2	36.5	46.1	24.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	8	6	2	61.7	80.5	36.3	7	5	2	36.5	46.1	24.1
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	15.4	26.8	-	1	0	1	5.2	-	12.0
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	2	1	1	15.4	13.4	18.2	7	4	3	36.5	36.8	36.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	0	1	4.0	-	7.3
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	5.2	-	12.0
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	6	5	1	46.3	67.1	18.2	10	4	6	52.2	36.8	72.3
MOTOR VEHICLE ACCIDENTS# (296-306)	4	3	1	30.9	40.2	18.2	7	2	5	36.5	18.4	60.2
SUICIDE (331-337)	0	0	0	-	-	-	2	1	1	10.4	9.2	12.0
HOMICIDE (338-346)	3	0	3	23.2	-	54.5	4	0	4	20.9	-	48.2

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF BENTON, BOLIVAR, CALHOUN, AND CARROLL COUNTIES, MISSISSIPPI, 2012

	BENTON COUNTY						BOLIVAR COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	99	78	21	11.3	14.6	6.2	392	140	252	11.6	12.2	11.2
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	3	0	34.4	56.0	-	12	6	6	35.4	52.5	26.7
HIV DISEASE (039-043)	0	0	0	-	-	-	3	0	3	8.8	-	13.4
MALIGNANT NEOPLASMS (056-108)	23	16	7	263.4	299.0	207.2	84	33	51	247.8	288.6	227.0
DIABETES MELLITUS (124)	2	1	1	22.9	18.7	29.6	34	9	25	100.3	78.7	111.2
ALZHEIMERS DISEASE (148)	2	2	0	22.9	37.4	-	9	6	3	26.5	52.5	13.4
MAJOR CARDIOVASCULAR DISEASES# (156-189)	43	36	7	492.6	672.6	207.2	104	35	69	306.7	306.1	307.1
HEART DISEASES (156-160,162, 164-181)	31	27	4	355.1	504.5	118.4	67	27	40	197.6	236.2	178.0
HYPERTENSION (161,163)	3	2	1	34.4	37.4	29.6	11	1	10	32.4	8.7	44.5
CEREBROVASCULAR DISEASES (182-186)	8	6	2	91.6	112.1	59.2	22	6	16	64.9	52.5	71.2
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	2	0	2	5.9	-	8.9
INFLUENZA AND PNEUMONIA (195-198)	2	2	0	22.9	37.4	-	10	6	4	29.5	52.5	17.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	3	3	0	34.4	56.0	-	13	7	6	38.3	61.2	26.7
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	0	1	3.0	-	4.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	11.4	18.7	-	1	1	0	3.0	8.7	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	2	0	2	22.9	-	59.2	14	3	11	41.3	26.2	49.0
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	12.5	-	26.3	3	0	3	5.3	-	7.4
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	2	0	2	5.9	-	8.9
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	4	4	0	45.8	74.7	-	13	3	10	38.3	26.2	44.5
MOTOR VEHICLE ACCIDENTS# (296-306)	1	1	0	11.4	18.7	-	8	2	6	23.6	17.5	26.7
SUICIDE (331-337)	2	2	0	22.9	37.4	-	6	5	1	17.7	43.7	4.4
HOMICIDE (338-346)	0	0	0	-	-	-	6	1	5	17.7	8.7	22.2

	CALHOUN COUNTY						CARROLL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	189	141	48	12.7	13.5	10.8	117	79	38	11.2	11.6	10.5
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	2	0	13.5	19.2	-	1	0	1	9.6	-	27.6
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	54	42	12	363.8	403.5	270.6	25	22	3	239.8	323.3	82.9
DIABETES MELLITUS (124)	0	0	0	-	-	-	2	1	1	19.2	14.7	27.6
ALZHEIMERS DISEASE (148)	6	5	1	40.4	48.0	22.5	1	1	0	9.6	14.7	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	66	44	22	444.6	422.8	496.0	51	34	17	489.3	499.6	469.9
HEART DISEASES (156-160,162, 164-181)	51	33	18	343.6	317.1	405.9	40	28	12	383.8	411.5	331.7
HYPERTENSION (161,163)	0	0	0	-	-	-	1	1	0	9.6	14.7	-
CEREBROVASCULAR DISEASES (182-186)	15	11	4	101.0	105.7	90.2	9	5	4	86.3	73.5	110.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	2	0	13.5	19.2	-	1	1	0	9.6	14.7	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	18	18	0	121.3	172.9	-	4	2	2	38.4	29.4	55.3
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	2	1	1	13.5	9.6	22.5	3	1	2	28.8	14.7	55.3
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	5.8	8.1	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	9.6	-	27.6
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	11	6	5	74.1	57.6	112.7	9	7	2	86.3	102.9	55.3
MOTOR VEHICLE ACCIDENTS# (296-306)	4	2	2	26.9	19.2	45.1	5	4	1	48.0	58.8	27.6
SUICIDE (331-337)	2	0	2	13.5	-	45.1	1	1	0	9.6	14.7	-
HOMICIDE (338-346)	3	1	2	20.2	9.6	45.1	1	0	1	9.6	-	27.6

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF CHICKASAW, CHOCTAW, CLAIBORNE, AND CLARKE COUNTIES, MISSISSIPPI, 2012

	CHICKASAW COUNTY						CHOCTAW COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	155	109	46	8.9	11.3	5.9	93	66	27	11.1	11.6	10.1
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	1	1	11.5	10.4	12.8	0	0	0	-	-	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	35	21	14	201.0	218.5	179.3	17	8	9	203.7	140.8	337.7
DIABETES MELLITUS (124)	2	2	0	11.5	20.8	-	0	0	0	-	-	-
ALZHEIMERS DISEASE (148)	5	5	0	28.7	52.0	-	8	8	0	95.8	140.8	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	48	36	12	275.6	374.6	153.7	33	25	8	395.4	440.1	300.2
HEART DISEASES (156-160,162, 164-181)	41	31	10	235.4	322.6	128.1	30	22	8	359.4	387.2	300.2
HYPERTENSION (161,163)	1	1	0	5.7	10.4	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	4	2	2	23.0	20.8	25.6	3	3	0	35.9	52.8	-
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	5	3	2	28.7	31.2	25.6	4	3	1	47.9	52.8	37.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	7	7	0	40.2	72.8	-	7	6	1	83.9	105.6	37.5
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	5.7	10.4	-	4	3	1	47.9	52.8	37.5
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	3	1	23.0	31.2	12.8	3	2	1	35.9	35.2	37.5
MATERNAL CAUSES (261-273)	1	0	1	403.2	-	800.0	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	4.0	-	8.0	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	3	0	3	35.9	-	112.6
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	7	4	3	40.2	41.6	38.4	4	2	2	47.9	35.2	75.0
MOTOR VEHICLE ACCIDENTS# (296-306)	4	2	2	23.0	20.8	25.6	3	1	2	35.9	17.6	75.0
SUICIDE (331-337)	3	3	0	17.2	31.2	-	2	1	1	24.0	17.6	37.5
HOMICIDE (338-346)	0	0	0	-	-	-	0	0	0	-	-	-

	CLAIBORNE COUNTY						CLARKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	93	20	73	9.9	14.6	9.2	195	127	68	11.8	11.9	11.5
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	5	3	2	53.5	218.3	25.1	2	1	1	12.1	9.4	16.9
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	21	2	19	224.6	145.6	238.2	43	29	14	259.7	272.5	236.8
DIABETES MELLITUS (124)	2	1	1	21.4	72.8	12.5	1	1	0	6.0	9.4	-
ALZHEIMERS DISEASE (148)	0	0	0	-	-	-	12	9	3	72.5	84.6	50.7
MAJOR CARDIOVASCULAR DISEASES# (156-189)	34	7	27	363.7	509.5	338.6	74	48	26	447.0	451.0	439.7
HEART DISEASES (156-160,162, 164-181)	27	5	22	288.8	363.9	275.9	57	38	19	344.3	357.0	321.3
HYPERTENSION (161,163)	1	0	1	10.7	-	12.5	3	1	2	18.1	9.4	33.8
CEREBROVASCULAR DISEASES (182-186)	6	2	4	64.2	145.6	50.2	11	6	5	66.4	56.4	84.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	4	1	3	42.8	72.8	37.6	9	7	2	54.4	65.8	33.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	5	1	4	53.5	72.8	50.2	8	8	0	48.3	75.2	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	0	1	6.0	-	16.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	1	2	32.1	72.8	25.1	5	0	5	30.2	-	84.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	9.2	-	9.3	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	6.0	-	16.9
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	3	0	3	32.1	-	37.6	9	7	2	54.4	65.8	33.8
MOTOR VEHICLE ACCIDENTS# (296-306)	3	0	3	32.1	-	37.6	2	2	0	12.1	18.8	-
SUICIDE (331-337)	0	0	0	-	-	-	3	3	0	18.1	28.2	-
HOMICIDE (338-346)	0	0	0	-	-	-	4	1	3	24.2	9.4	50.7

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF CLAY, COAHOMA, COPIAH, AND COVINGTON COUNTIES, MISSISSIPPI, 2012

	CLAY COUNTY						COAHOMA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	216	102	114	10.6	12.4	9.3	305	100	205	11.9	16.6	10.4
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	1	2	14.7	12.2	16.3	1	0	1	3.9	-	5.1
HIV DISEASE (039-043)	1	1	0	4.9	12.2	-	1	0	1	3.9	-	5.1
MALIGNANT NEOPLASMS (056-108)	44	23	21	215.4	280.8	171.6	77	25	52	299.5	414.3	264.3
DIABETES MELLITUS (124)	8	3	5	39.2	36.6	40.9	16	1	15	62.2	16.6	76.2
ALZHEIMERS DISEASE (148)	6	4	2	29.4	48.8	16.3	11	4	7	42.8	66.3	35.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	88	39	49	430.8	476.2	400.4	100	32	68	389.0	530.3	345.6
HEART DISEASES (156-160,162, 164-181)	63	26	37	308.4	317.5	302.4	74	25	49	287.8	414.3	249.0
HYPERTENSION (161,163)	7	3	4	34.3	36.6	32.7	5	3	2	19.4	49.7	10.2
CEREBROVASCULAR DISEASES (182-186)	17	9	8	83.2	109.9	65.4	18	4	14	70.0	66.3	71.2
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	8	6	2	39.2	73.3	16.3	2	1	1	7.8	16.6	5.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	10	6	4	49.0	73.3	32.7	16	9	7	62.2	149.2	35.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	4.9	-	8.2	2	1	1	7.8	16.6	5.1
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	8	2	6	39.2	24.4	49.0	6	1	5	23.3	16.6	25.4
MATERNAL CAUSES (261-273)	1	0	1	425.5	-	645.2	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	4.2	-	6.4	3	0	3	7.2	-	8.6
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	1	0	3.9	16.6	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	11	7	4	53.8	85.5	32.7	16	8	8	62.2	132.6	40.7
MOTOR VEHICLE ACCIDENTS# (296-306)	3	2	1	14.7	24.4	8.2	7	2	5	27.2	33.1	25.4
SUICIDE (331-337)	2	2	0	9.8	24.4	-	2	2	0	7.8	33.1	-
HOMICIDE (338-346)	2	0	2	9.8	-	16.3	8	1	7	31.1	16.6	35.6

	COPIAH COUNTY						COVINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	325	170	155	11.2	12.4	10.2	258	183	75	13.2	14.8	10.3
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	8	3	5	27.6	21.8	32.9	6	3	3	30.6	24.3	41.3
HIV DISEASE (039-043)	3	1	2	10.4	7.3	13.1	1	0	1	5.1	-	13.8
MALIGNANT NEOPLASMS (056-108)	72	42	30	248.7	305.7	197.2	48	35	13	244.8	283.5	179.0
DIABETES MELLITUS (124)	9	2	7	31.1	14.6	46.0	4	4	0	20.4	32.4	-
ALZHEIMERS DISEASE (148)	12	8	4	41.4	58.2	26.3	9	9	0	45.9	72.9	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	105	50	55	362.6	363.9	361.5	85	53	32	433.5	429.3	440.6
HEART DISEASES (156-160,162, 164-181)	87	41	46	300.5	298.4	302.3	69	44	25	351.9	356.4	344.2
HYPERTENSION (161,163)	3	1	2	10.4	7.3	13.1	2	1	1	10.2	8.1	13.8
CEREBROVASCULAR DISEASES (182-186)	11	7	4	38.0	51.0	26.3	12	7	5	61.2	56.7	68.8
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	8	5	3	27.6	36.4	19.7	6	3	3	30.6	24.3	41.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	18	10	8	62.2	72.8	52.6	23	18	5	117.3	145.8	68.8
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	2	1	1	10.2	8.1	13.8
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	4	3	24.2	29.1	19.7	4	4	0	20.4	32.4	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	1	0	344.8	591.7	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	5	1	4	14.1	6.5	19.9	2	0	2	6.9	-	16.5
CONGENITAL MALFORMATIONS (282-290)	2	2	0	6.9	14.6	-	1	0	1	5.1	-	13.8
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	2.8	-	5.0	0	0	0	-	-	-
ACCIDENTS (295-330)	18	10	8	62.2	72.8	52.6	15	13	2	76.5	105.3	27.5
MOTOR VEHICLE ACCIDENTS# (296-306)	11	6	5	38.0	43.7	32.9	5	4	1	25.5	32.4	13.8
SUICIDE (331-337)	3	2	1	10.4	14.6	6.6	1	1	0	5.1	8.1	-
HOMICIDE (338-346)	4	0	4	13.8	-	26.3	3	1	2	15.3	8.1	27.5

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF DESOTO, FORREST, FRANKLIN, AND GEORGE COUNTIES, MISSISSIPPI, 2012

	DESOTO COUNTY						FORREST COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	1,195	1,013	182	7.2	8.3	4.1	755	530	225	9.8	11.4	7.4
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	30	21	9	18.0	17.2	20.4	21	13	8	27.3	27.9	26.4
HIV DISEASE (039-043)	4	2	2	2.4	1.6	4.5	4	2	2	5.2	4.3	6.6
MALIGNANT NEOPLASMS (056-108)	294	247	47	176.8	202.3	106.4	165	111	54	214.6	238.0	178.5
DIABETES MELLITUS (124)	91	72	19	54.7	59.0	43.0	21	11	10	27.3	23.6	33.0
ALZHEIMERS DISEASE (148)	37	34	3	22.2	27.8	6.8	41	36	5	53.3	77.2	16.5
MAJOR CARDIOVASCULAR DISEASES# (156-189)	376	318	58	226.2	260.5	131.4	209	147	62	271.8	315.1	205.0
HEART DISEASES (156-160,162, 164-181)	304	256	48	182.9	209.7	108.7	162	111	51	210.7	238.0	168.6
HYPERTENSION (161,163)	21	18	3	12.6	14.7	6.8	15	12	3	19.5	25.7	9.9
CEREBROVASCULAR DISEASES (182-186)	47	41	6	28.3	33.6	13.6	27	20	7	35.1	42.9	23.1
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	0	1	1.3	-	3.3
INFLUENZA AND PNEUMONIA (195-198)	7	6	1	4.2	4.9	2.3	15	11	4	19.5	23.6	13.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	70	68	2	42.1	55.7	4.5	54	48	6	70.2	102.9	19.8
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	25	24	1	15.0	19.7	2.3	8	7	1	10.4	15.0	3.3
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	9	9	0	5.4	7.4	-	18	10	8	23.4	21.4	26.4
MATERNAL CAUSES (261-273)	2	1	1	96.8	67.2	173.0	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	8	1	7	3.9	0.7	12.1	9	2	7	8.5	3.4	14.6
CONGENITAL MALFORMATIONS (282-290)	4	2	2	2.4	1.6	4.5	7	4	3	9.1	8.6	9.9
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	0	1	0.9	-	2.1
ACCIDENTS (295-330)	40	35	5	24.1	28.7	11.3	42	27	15	54.6	57.9	49.6
MOTOR VEHICLE ACCIDENTS# (296-306)	13	9	4	7.8	7.4	9.0	13	7	6	16.9	15.0	19.8
SUICIDE (331-337)	26	25	1	15.6	20.5	2.3	8	6	2	10.4	12.9	6.6
HOMICIDE (338-346)	7	4	3	4.2	3.3	6.8	6	2	4	7.8	4.3	13.2

	FRANKLIN COUNTY						GEORGE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	108	66	42	13.6	13.1	14.6	244	220	24	10.6	10.6	10.6
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	2	1	37.9	39.6	34.8	4	4	0	17.4	19.4	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	21	14	7	265.2	277.3	244.0	47	41	6	205.0	198.4	264.8
DIABETES MELLITUS (124)	0	0	0	-	-	-	23	20	3	100.3	96.8	132.4
ALZHEIMERS DISEASE (148)	2	2	0	25.2	39.6	-	2	2	0	8.7	9.7	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	46	26	20	581.0	515.0	697.1	85	77	8	370.7	372.6	353.0
HEART DISEASES (156-160,162, 164-181)	39	24	15	492.5	475.3	522.8	58	52	6	252.9	251.6	264.8
HYPERTENSION (161,163)	0	0	0	-	-	-	8	8	0	34.9	38.7	-
CEREBROVASCULAR DISEASES (182-186)	6	2	4	75.8	39.6	139.4	19	17	2	82.9	82.3	88.3
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	1	1	0	12.6	19.8	-	3	2	1	13.1	9.7	44.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	9	6	3	113.7	118.8	104.6	20	19	1	87.2	91.9	44.1
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	3	3	0	13.1	14.5	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	4	2	2	50.5	39.6	69.7	3	3	0	13.1	14.5	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	2	1	1	8.7	4.8	44.1
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	6	3	3	75.8	59.4	104.6	17	15	2	74.1	72.6	88.3
MOTOR VEHICLE ACCIDENTS# (296-306)	4	1	3	50.5	19.8	104.6	9	7	2	39.2	33.9	88.3
SUICIDE (331-337)	2	2	0	25.2	39.6	-	1	1	0	4.4	4.8	-
HOMICIDE (338-346)	2	1	1	25.2	19.8	34.8	1	1	0	4.4	4.8	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF GREENE, GRENADA, HANCOCK, AND HARRISON COUNTIES, MISSISSIPPI, 2012

	GREENE COUNTY						GRENADA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	126	110	16	8.8	10.7	4.0	299	180	119	13.8	14.7	12.6
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	5	2	3	34.9	19.5	74.1	9	4	5	41.5	32.7	52.9
HIV DISEASE (039-043)	0	0	0	-	-	-	4	0	4	18.4	-	42.3
MALIGNANT NEOPLASMS (056-108)	20	18	2	139.8	175.4	49.4	60	34	26	276.7	277.9	275.2
DIABETES MELLITUS (124)	2	1	1	14.0	9.7	24.7	2	0	2	9.2	-	21.2
ALZHEIMERS DISEASE (148)	3	3	0	21.0	29.2	-	14	10	4	64.6	81.7	42.3
MAJOR CARDIOVASCULAR DISEASES# (156-189)	49	44	5	342.4	428.7	123.5	103	62	41	475.0	506.8	434.0
HEART DISEASES (156-160,162, 164-181)	39	35	4	272.5	341.0	98.8	86	53	33	396.6	433.2	349.3
HYPERTENSION (161,163)	2	2	0	14.0	19.5	-	2	1	1	9.2	8.2	10.6
CEREBROVASCULAR DISEASES (182-186)	6	5	1	41.9	48.7	24.7	14	7	7	64.6	57.2	74.1
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	3	0	21.0	29.2	-	8	4	4	36.9	32.7	42.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	16	15	1	111.8	146.1	24.7	19	11	8	87.6	89.9	84.7
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	7.0	9.7	-	3	2	1	13.8	16.3	10.6
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	3	0	21.0	29.2	-	13	7	6	60.0	57.2	63.5
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	2	2	0	8.1	15.3	-
CONGENITAL MALFORMATIONS (282-290)	1	0	1	7.0	-	24.7	1	1	0	4.6	8.2	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	10	10	0	69.9	97.4	-	8	7	1	36.9	57.2	10.6
MOTOR VEHICLE ACCIDENTS# (296-306)	9	9	0	62.9	87.7	-	4	4	0	18.4	32.7	-
SUICIDE (331-337)	2	2	0	14.0	19.5	-	5	2	3	23.1	16.3	31.8
HOMICIDE (338-346)	1	1	0	7.0	9.7	-	4	1	3	18.4	8.2	31.8

	HANCOCK COUNTY						HARRISON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	407	372	35	9.0	9.3	6.7	1,858	1,490	368	9.6	10.9	6.4
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	7	6	1	15.5	15.0	19.3	50	32	18	25.8	23.4	31.6
HIV DISEASE (039-043)	0	0	0	-	-	-	2	1	1	1.0	0.7	1.8
MALIGNANT NEOPLASMS (056-108)	94	87	7	207.7	217.2	134.8	453	361	92	233.5	263.5	161.4
DIABETES MELLITUS (124)	10	8	2	22.1	20.0	38.5	15	10	5	7.7	7.3	8.8
ALZHEIMERS DISEASE (148)	9	9	0	19.9	22.5	-	30	27	3	15.5	19.7	5.3
MAJOR CARDIOVASCULAR DISEASES# (156-189)	135	119	16	298.3	297.0	308.2	576	471	105	296.9	343.8	184.2
HEART DISEASES (156-160,162, 164-181)	113	101	12	249.7	252.1	231.1	470	382	88	242.2	278.8	154.3
HYPERTENSION (161,163)	3	3	0	6.6	7.5	-	4	4	0	2.1	2.9	-
CEREBROVASCULAR DISEASES (182-186)	12	9	3	26.5	22.5	57.8	83	67	16	42.8	48.9	28.1
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	2	2	0	1.0	1.5	-
INFLUENZA AND PNEUMONIA (195-198)	3	3	0	6.6	7.5	-	34	25	9	17.5	18.2	15.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	33	32	1	72.9	79.9	19.3	95	86	9	49.0	62.8	15.8
PEPTIC ULCER (217-220)	1	1	0	2.2	2.5	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	5	5	0	11.0	12.5	-	18	16	2	9.3	11.7	3.5
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	6	1	15.5	15.0	19.3	37	24	13	19.1	17.5	22.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	2.2	2.4	-	11	1	10	4.0	0.5	11.3
CONGENITAL MALFORMATIONS (282-290)	1	1	0	2.2	2.5	-	6	3	3	3.1	2.2	5.3
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	3	0	3	1.1	-	3.4
ACCIDENTS (295-330)	19	19	0	42.0	47.4	-	111	89	22	57.2	65.0	38.6
MOTOR VEHICLE ACCIDENTS# (296-306)	4	4	0	8.8	10.0	-	39	29	10	20.1	21.2	17.5
SUICIDE (331-337)	10	9	1	22.1	22.5	19.3	29	27	2	14.9	19.7	3.5
HOMICIDE (338-346)	5	5	0	11.0	12.5	-	13	8	5	6.7	5.8	8.8

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF HINDS, HOLMES, HUMPHREYS, AND ISSAQUENA COUNTIES, MISSISSIPPI, 2012

	HINDS COUNTY						HOLMES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	2,029	855	1,174	8.2	12.2	6.6	219	59	160	11.6	19.4	10.2
TUBERCULOSIS (009,010)	2	1	1	0.8	1.4	0.6	0	0	0	-	-	-
SEPTICEMIA (018)	48	26	22	19.3	37.0	12.3	4	0	4	21.3	-	25.4
HIV DISEASE (039-043)	26	0	26	10.4	-	14.6	2	0	2	10.6	-	12.7
MALIGNANT NEOPLASMS (056-108)	405	163	242	162.9	232.2	135.6	54	13	41	287.3	427.2	260.3
DIABETES MELLITUS (124)	81	16	65	32.6	22.8	36.4	8	2	6	42.6	65.7	38.1
ALZHEIMERS DISEASE (148)	52	30	22	20.9	42.7	12.3	3	1	2	16.0	32.9	12.7
MAJOR CARDIOVASCULAR DISEASES# (156-189)	668	283	385	268.6	403.1	215.8	74	23	51	393.7	755.8	323.7
HEART DISEASES (156-160,162, 164-181)	493	210	283	198.3	299.1	158.6	49	14	35	260.7	460.1	222.2
HYPERTENSION (161,163)	41	11	30	16.5	15.7	16.8	19	7	12	101.1	230.0	76.2
CEREBROVASCULAR DISEASES (182-186)	119	55	64	47.9	78.3	35.9	5	2	3	26.6	65.7	19.0
ATHEROSCLEROSIS (187)	3	2	1	1.2	2.8	0.6	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	39	21	18	15.7	29.9	10.1	3	2	1	16.0	65.7	6.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	67	46	21	26.9	65.5	11.8	9	5	4	47.9	164.3	25.4
PEPTIC ULCER (217-220)	1	0	1	0.4	-	0.6	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	16	6	10	6.4	8.5	5.6	3	1	2	16.0	32.9	12.7
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	44	12	32	17.7	17.1	17.9	6	0	6	31.9	-	38.1
MATERNAL CAUSES (261-273)	3	1	2	89.7	134.4	76.9	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	17	1	16	5.1	1.3	6.2	1	0	1	3.7	-	4.0
CONGENITAL MALFORMATIONS (282-290)	6	2	4	2.4	2.8	2.2	1	0	1	5.3	-	6.3
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	0.3	-	0.4	0	0	0	-	-	-
ACCIDENTS (295-330)	86	37	49	34.6	52.7	27.5	14	2	12	74.5	65.7	76.2
MOTOR VEHICLE ACCIDENTS# (296-306)	43	20	23	17.3	28.5	12.9	10	1	9	53.2	32.9	57.1
SUICIDE (331-337)	24	15	9	9.6	21.4	5.0	1	0	1	5.3	-	6.3
HOMICIDE (338-346)	60	4	56	24.1	5.7	31.4	5	1	4	26.6	32.9	25.4

	HUMPHREYS COUNTY						ISSAQUENA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	103	30	73	11.2	13.7	10.4	12	5	7	8.6	10.4	7.7
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	6	2	4	65.3	91.2	57.2	0	0	0	-	-	-
HIV DISEASE (039-043)	2	0	2	21.8	-	28.6	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	19	7	12	206.8	319.0	171.6	2	0	2	144.3	-	220.8
DIABETES MELLITUS (124)	0	0	0	-	-	-	0	0	0	-	-	-
ALZHEIMERS DISEASE (148)	3	1	2	32.6	45.6	28.6	0	0	0	-	-	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	36	11	25	391.8	501.4	357.4	3	2	1	216.4	416.7	110.4
HEART DISEASES (156-160,162, 164-181)	30	8	22	326.5	364.6	314.5	1	0	1	72.2	-	110.4
HYPERTENSION (161,163)	1	0	1	10.9	-	14.3	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	3	2	1	32.6	91.2	14.3	0	0	0	-	-	-
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	1	2	32.6	45.6	28.6	0	0	0	-	-	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	5	3	2	54.4	136.7	28.6	0	0	0	-	-	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	1	0	1	72.2	-	110.4
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	2	1	1	21.8	45.6	14.3	0	0	0	-	-	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	4	0	4	30.5	-	35.4	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	2	0	2	21.8	-	28.6	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	4	0	4	43.5	-	57.2	2	1	1	144.3	208.3	110.4
MOTOR VEHICLE ACCIDENTS# (296-306)	3	0	3	32.6	-	42.9	1	0	1	72.2	-	110.4
SUICIDE (331-337)	0	0	0	-	-	-	1	1	0	72.2	208.3	-
HOMICIDE (338-346)	0	0	0	-	-	-	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF ITAWAMBA, JACKSON, JASPER, AND JEFFERSON COUNTIES, MISSISSIPPI, 2012

	ITAWAMBA COUNTY						JACKSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	244	232	12	10.4	10.7	6.8	1,271	1,035	236	9.0	10.0	6.4
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	2	0	8.6	9.3	-	30	23	7	21.4	22.3	18.8
HIV DISEASE (039-043)	0	0	0	-	-	-	3	1	2	2.1	1.0	5.4
MALIGNANT NEOPLASMS (056-108)	49	46	3	209.9	213.1	170.7	275	220	55	196.0	213.3	148.0
DIABETES MELLITUS (124)	8	8	0	34.3	37.1	-	24	17	7	17.1	16.5	18.8
ALZHEIMERS DISEASE (148)	6	6	0	25.7	27.8	-	45	37	8	32.1	35.9	21.5
MAJOR CARDIOVASCULAR DISEASES# (156-189)	80	75	5	342.8	347.5	284.6	392	310	82	279.4	300.5	220.7
HEART DISEASES (156-160,162, 164-181)	56	53	3	239.9	245.6	170.7	295	239	56	210.3	231.7	150.7
HYPERTENSION (161,163)	2	2	0	8.6	9.3	-	25	15	10	17.8	14.5	26.9
CEREBROVASCULAR DISEASES (182-186)	20	18	2	85.7	83.4	113.8	61	48	13	43.5	46.5	35.0
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	2	1	12.8	9.3	56.9	23	22	1	16.4	21.3	2.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	23	22	1	98.5	101.9	56.9	84	78	6	59.9	75.6	16.2
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	3	0	12.8	13.9	-	18	15	3	12.8	14.5	8.1
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	10	10	0	42.8	46.3	-	19	14	5	13.5	13.6	13.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	3	3	0	2.0	2.7	-
CONGENITAL MALFORMATIONS (282-290)	1	1	0	4.3	4.6	-	7	5	2	5.0	4.8	5.4
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	5	4	1	3.3	3.6	2.4
ACCIDENTS (295-330)	16	15	1	68.6	69.5	56.9	88	69	19	62.7	66.9	51.1
MOTOR VEHICLE ACCIDENTS# (296-306)	5	5	0	21.4	23.2	-	29	20	9	20.7	19.4	24.2
SUICIDE (331-337)	3	3	0	12.8	13.9	-	25	22	3	17.8	21.3	8.1
HOMICIDE (338-346)	1	1	0	4.3	4.6	-	5	4	1	3.6	3.9	2.7

	JASPER COUNTY						JEFFERSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	230	133	97	13.9	17.3	11.0	85	15	70	11.1	14.2	10.6
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	2	2	24.2	26.0	22.6	0	0	0	-	-	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	48	30	18	290.5	390.0	203.8	22	3	19	288.0	283.6	288.8
DIABETES MELLITUS (124)	7	4	3	42.4	52.0	34.0	3	0	3	39.3	-	45.6
ALZHEIMERS DISEASE (148)	2	2	0	12.1	26.0	-	2	0	2	26.2	-	30.4
MAJOR CARDIOVASCULAR DISEASES# (156-189)	83	49	34	502.3	636.9	385.0	31	6	25	405.9	567.1	379.9
HEART DISEASES (156-160,162, 164-181)	63	37	26	381.3	481.0	294.4	27	5	22	353.5	472.6	334.3
HYPERTENSION (161,163)	5	3	2	30.3	39.0	22.6	3	1	2	39.3	94.5	30.4
CEREBROVASCULAR DISEASES (182-186)	14	8	6	84.7	104.0	68.0	1	0	1	13.1	-	15.2
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	7	3	4	42.4	39.0	45.3	1	0	1	13.1	-	15.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	14	10	4	84.7	130.0	45.3	6	2	4	78.6	189.0	60.8
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	2	1	1	26.2	94.5	15.2
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	2	5	42.4	26.0	56.6	3	2	1	39.3	189.0	15.2
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	3	0	3	23.1	-	24.8
CONGENITAL MALFORMATIONS (282-290)	1	1	0	6.0	13.0	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	21	9	12	127.1	117.0	135.9	4	0	4	52.4	-	60.8
MOTOR VEHICLE ACCIDENTS# (296-306)	12	5	7	72.6	65.0	79.3	4	0	4	52.4	-	60.8
SUICIDE (331-337)	2	2	0	12.1	26.0	-	1	1	0	13.1	94.5	-
HOMICIDE (338-346)	4	1	3	24.2	13.0	34.0	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF JEFF DAVIS, JONES, KEMPER, AND LAFAYETTE COUNTIES, MISSISSIPPI, 2012

	JEFF DAVIS COUNTY						JONES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	156	82	74	13.0	17.4	10.1	689	510	179	10.0	10.7	8.4
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	0	0	0	-	-	-	19	13	6	27.7	27.4	28.3
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	1.4	-	4.7
MALIGNANT NEOPLASMS (056-108)	33	20	13	274.3	424.4	177.6	138	105	33	201.0	221.2	155.8
DIABETES MELLITUS (124)	7	1	6	58.2	21.2	82.0	19	11	8	27.7	23.2	37.8
ALZHEIMERS DISEASE (148)	6	3	3	49.9	63.6	41.0	18	17	1	26.2	35.8	4.7
MAJOR CARDIOVASCULAR DISEASES# (156-189)	55	26	29	457.1	551.7	396.2	220	159	61	320.5	335.0	288.0
HEART DISEASES (156-160,162, 164-181)	36	19	17	299.2	403.1	232.3	172	123	49	250.6	259.1	231.4
HYPERTENSION (161,163)	7	1	6	58.2	21.2	82.0	9	5	4	13.1	10.5	18.9
CEREBROVASCULAR DISEASES (182-186)	8	4	4	66.5	84.9	54.6	35	28	7	51.0	59.0	33.0
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	4	2	2	33.2	42.4	27.3	24	17	7	35.0	35.8	33.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	15	15	0	124.7	318.3	-	33	31	2	48.1	65.3	9.4
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	10	8	2	14.6	16.8	9.4
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	1	4	41.6	21.2	54.6	9	4	5	13.1	8.4	23.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	3	0	3	3.0	-	8.5
CONGENITAL MALFORMATIONS (282-290)	1	0	1	8.3	-	13.7	2	2	0	2.9	4.2	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	1	1	0	1.0	1.6	-
ACCIDENTS (295-330)	8	5	3	66.5	106.1	41.0	43	35	8	62.6	73.7	37.8
MOTOR VEHICLE ACCIDENTS# (296-306)	3	1	2	24.9	21.2	27.3	16	13	3	23.3	27.4	14.2
SUICIDE (331-337)	0	0	0	-	-	-	13	10	3	18.9	21.1	14.2
HOMICIDE (338-346)	4	3	1	33.2	63.6	13.7	6	4	2	8.7	8.4	9.4

	KEMPER COUNTY						LAFAYETTE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	100	49	51	9.7	13.5	7.6	393	297	96	7.9	8.3	6.9
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	0	0	0	-	-	-	6	5	1	12.1	14.0	7.2
HIV DISEASE (039-043)	0	0	0	-	-	-	2	0	2	4.0	-	14.5
MALIGNANT NEOPLASMS (056-108)	19	8	11	183.8	220.3	164.1	76	52	24	153.6	145.7	173.7
DIABETES MELLITUS (124)	2	0	2	19.4	-	29.8	8	5	3	16.2	14.0	21.7
ALZHEIMERS DISEASE (148)	2	2	0	19.4	55.1	-	35	26	9	70.7	72.9	65.1
MAJOR CARDIOVASCULAR DISEASES# (156-189)	37	16	21	358.0	440.6	313.2	119	91	28	240.4	255.0	202.7
HEART DISEASES (156-160,162, 164-181)	29	13	16	280.6	358.0	238.7	79	61	18	159.6	171.0	130.3
HYPERTENSION (161,163)	1	0	1	9.7	-	14.9	2	2	0	4.0	5.6	-
CEREBROVASCULAR DISEASES (182-186)	6	3	3	58.0	82.6	44.7	36	26	10	72.7	72.9	72.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	2	1	29.0	55.1	14.9	5	4	1	10.1	11.2	7.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	10	10	0	96.8	275.4	-	27	23	4	54.6	64.5	29.0
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	9.7	27.5	-	3	3	0	6.1	8.4	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	0	5	48.4	-	74.6	11	6	5	22.2	16.8	36.2
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	2	2	0	3.4	5.1	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	1	0	2.0	2.8	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	4	3	1	38.7	82.6	14.9	18	14	4	36.4	39.2	29.0
MOTOR VEHICLE ACCIDENTS# (296-306)	1	0	1	9.7	-	14.9	6	3	3	12.1	8.4	21.7
SUICIDE (331-337)	4	3	1	38.7	82.6	14.9	4	3	1	8.1	8.4	7.2
HOMICIDE (338-346)	0	0	0	-	-	-	1	1	0	2.0	2.8	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF LAMAR, LAUDERDALE, LAWRENCE, AND LEAKE COUNTIES, MISSISSIPPI, 2012

	LAMAR COUNTY						LAUDERDALE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	400	351	49	6.9	7.9	3.7	851	549	302	10.6	12.4	8.4
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	8	6	2	13.8	13.4	15.2	16	8	8	19.9	18.1	22.1
HIV DISEASE (039-043)	1	0	1	1.7	-	7.6	3	1	2	3.7	2.3	5.5
MALIGNANT NEOPLASMS (056-108)	84	76	8	145.4	170.4	60.7	160	104	56	199.4	235.9	155.0
DIABETES MELLITUS (124)	11	9	2	19.0	20.2	15.2	12	7	5	15.0	15.9	13.8
ALZHEIMERS DISEASE (148)	11	10	1	19.0	22.4	7.6	28	23	5	34.9	52.2	13.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	138	117	21	238.8	262.3	159.3	282	181	101	351.5	410.6	279.5
HEART DISEASES (156-160,162, 164-181)	106	93	13	183.4	208.5	98.6	240	157	83	299.2	356.1	229.7
HYPERTENSION (161,163)	2	2	0	3.5	4.5	-	1	0	1	1.2	-	2.8
CEREBROVASCULAR DISEASES (182-186)	23	16	7	39.8	35.9	53.1	41	24	17	51.1	54.4	47.0
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	6	4	2	10.4	9.0	15.2	20	13	7	24.9	29.5	19.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	27	26	1	46.7	58.3	7.6	37	28	9	46.1	63.5	24.9
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	4	0	6.9	9.0	-	5	3	2	6.2	6.8	5.5
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	7	0	12.1	15.7	-	30	12	18	37.4	27.2	49.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	4	2	2	4.8	3.3	8.5	3	1	2	2.9	1.9	3.9
CONGENITAL MALFORMATIONS (282-290)	2	2	0	3.5	4.5	-	1	0	1	1.2	-	2.8
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	4	2	2	3.9	3.8	3.9
ACCIDENTS (295-330)	27	26	1	46.7	58.3	7.6	37	24	13	46.1	54.4	36.0
MOTOR VEHICLE ACCIDENTS# (296-306)	5	5	0	8.6	11.2	-	20	12	8	24.9	27.2	22.1
SUICIDE (331-337)	6	5	1	10.4	11.2	7.6	5	3	2	6.2	6.8	5.5
HOMICIDE (338-346)	5	3	2	8.6	6.7	15.2	15	3	12	18.7	6.8	33.2

	LAWRENCE COUNTY						LEAKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	153	113	40	12.2	13.3	9.8	230	137	93	9.9	11.5	8.1
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	1	1	15.9	11.8	24.6	5	3	2	21.5	25.3	17.5
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	28	16	12	223.1	188.4	295.6	64	32	32	274.7	269.8	279.8
DIABETES MELLITUS (124)	5	3	2	39.8	35.3	49.3	8	2	6	34.3	16.9	52.5
ALZHEIMERS DISEASE (148)	3	2	1	23.9	23.6	24.6	9	6	3	38.6	50.6	26.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	66	51	15	525.8	600.6	369.4	75	48	27	321.9	404.6	236.1
HEART DISEASES (156-160,162, 164-181)	56	43	13	446.2	506.4	320.2	60	40	20	257.5	337.2	174.9
HYPERTENSION (161,163)	1	1	0	8.0	11.8	-	6	2	4	25.8	16.9	35.0
CEREBROVASCULAR DISEASES (182-186)	9	7	2	71.7	82.4	49.3	9	6	3	38.6	50.6	26.2
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	2	0	15.9	23.6	-	4	2	2	17.2	16.9	17.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	8	8	0	63.7	94.2	-	18	14	4	77.3	118.0	35.0
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	15.9	23.6	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	1	0	1	8.0	-	24.6	7	3	4	30.0	25.3	35.0
MATERNAL CAUSES (261-273)	1	1	0	709.2	1,075.3	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	1	0	3.5	6.9	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	2	1	1	8.6	8.4	8.7
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	8	6	2	63.7	70.7	49.3	13	6	7	55.8	50.6	61.2
MOTOR VEHICLE ACCIDENTS# (296-306)	2	1	1	15.9	11.8	24.6	9	5	4	38.6	42.2	35.0
SUICIDE (331-337)	2	2	0	15.9	23.6	-	3	3	0	12.9	25.3	-
HOMICIDE (338-346)	1	1	0	8.0	11.8	-	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF LEE, LEFLORE, LINCOLN, AND LOWNDES COUNTIES, MISSISSIPPI, 2012

	LEE COUNTY						LEFLORE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	873	684	189	10.3	11.6	7.3	362	148	214	11.7	18.6	9.3
TUBERCULOSIS (009,010)	0	0	0	-	-	-	1	0	1	3.2	-	4.4
SEPTICEMIA (018)	25	16	9	29.4	27.0	34.8	5	2	3	16.2	25.1	13.0
HIV DISEASE (039-043)	3	1	2	3.5	1.7	7.7	3	0	3	9.7	-	13.0
MALIGNANT NEOPLASMS (056-108)	206	163	43	242.2	275.2	166.5	80	22	58	258.5	276.5	252.3
DIABETES MELLITUS (124)	19	8	11	22.3	13.5	42.6	22	3	19	71.1	37.7	82.6
ALZHEIMERS DISEASE (148)	18	13	5	21.2	22.0	19.4	7	7	0	22.6	88.0	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	256	198	58	301.0	334.3	224.6	137	65	72	442.7	816.9	313.2
HEART DISEASES (156-160,162, 164-181)	181	148	33	212.8	249.9	127.8	106	48	58	342.5	603.2	252.3
HYPERTENSION (161,163)	22	14	8	25.9	23.6	31.0	3	2	1	9.7	25.1	4.4
CEREBROVASCULAR DISEASES (182-186)	49	33	16	57.6	55.7	62.0	26	14	12	84.0	175.9	52.2
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	7	7	0	8.2	11.8	-	2	2	0	6.5	25.1	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	48	42	6	56.4	70.9	23.2	21	12	9	67.8	150.8	39.1
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	17	13	4	20.0	22.0	15.5	3	2	1	9.7	25.1	4.4
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	19	14	5	22.3	23.6	19.4	6	2	4	19.4	25.1	17.4
MATERNAL CAUSES (261-273)	1	0	1	87.9	-	242.7	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	5	3	2	4.4	4.1	4.8	2	0	2	4.3	-	5.8
CONGENITAL MALFORMATIONS (282-290)	5	2	3	5.9	3.4	11.6	2	1	1	6.5	12.6	4.4
SUDDEN INFANT DEATH SYNDROME# (292)	1	0	1	0.9	-	2.4	0	0	0	-	-	-
ACCIDENTS (295-330)	57	47	10	67.0	79.4	38.7	22	11	11	71.1	138.2	47.8
MOTOR VEHICLE ACCIDENTS# (296-306)	23	20	3	27.0	33.8	11.6	5	1	4	16.2	12.6	17.4
SUICIDE (331-337)	6	5	1	7.0	8.4	3.9	1	1	0	3.2	12.6	-
HOMICIDE (338-346)	3	1	2	3.5	1.7	7.7	2	0	2	6.5	-	8.7

	LINCOLN COUNTY						LOWNDES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	415	298	117	11.9	12.6	10.5	522	328	194	8.7	10.2	7.1
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	10	7	3	28.6	29.5	26.9	11	4	7	18.4	12.4	25.5
HIV DISEASE (039-043)	0	0	0	-	-	-	3	1	2	5.0	3.1	7.3
MALIGNANT NEOPLASMS (056-108)	93	61	32	266.5	257.0	286.7	117	71	46	196.1	220.3	167.6
DIABETES MELLITUS (124)	12	7	5	34.4	29.5	44.8	11	2	9	18.4	6.2	32.8
ALZHEIMERS DISEASE (148)	10	8	2	28.6	33.7	17.9	21	15	6	35.2	46.6	21.9
MAJOR CARDIOVASCULAR DISEASES# (156-189)	129	95	34	369.6	400.2	304.6	153	94	59	256.4	291.7	215.0
HEART DISEASES (156-160,162, 164-181)	98	76	22	280.8	320.1	197.1	110	64	46	184.3	198.6	167.6
HYPERTENSION (161,163)	11	8	3	31.5	33.7	26.9	4	4	0	6.7	12.4	-
CEREBROVASCULAR DISEASES (182-186)	19	10	9	54.4	42.1	80.6	36	23	13	60.3	71.4	47.4
ATHEROSCLEROSIS (187)	1	1	0	2.9	4.2	-	1	1	0	1.7	3.1	-
INFLUENZA AND PNEUMONIA (195-198)	15	10	5	43.0	42.1	44.8	10	8	2	16.8	24.8	7.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	38	32	6	108.9	134.8	53.8	38	25	13	63.7	77.6	47.4
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	2.9	-	9.0	6	3	3	10.0	9.3	10.9
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	15	10	5	43.0	42.1	44.8	12	7	5	20.1	21.7	18.2
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	2.2	-	5.8	2	0	2	2.4	-	5.1
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	4	2	2	6.7	6.2	7.3
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	7	5	2	20.0	21.1	17.9	27	21	6	45.2	65.2	21.9
MOTOR VEHICLE ACCIDENTS# (296-306)	6	4	2	17.2	16.8	17.9	9	6	3	15.1	18.6	10.9
SUICIDE (331-337)	4	4	0	11.5	16.8	-	5	5	0	8.4	15.5	-
HOMICIDE (338-346)	3	0	3	8.6	-	26.9	1	0	1	1.7	-	3.6

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF MADISON, MARION, MARSHALL, AND MONROE COUNTIES, MISSISSIPPI, 2012

	MADISON COUNTY						MARION COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	1,003	675	328	10.2	11.8	7.9	359	271	88	13.6	15.5	9.8
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	18	9	9	18.3	15.8	21.7	8	5	3	30.2	28.7	33.3
HIV DISEASE (039-043)	6	0	6	6.1	-	14.5	1	1	0	3.8	5.7	-
MALIGNANT NEOPLASMS (056-108)	293	189	104	297.6	331.2	251.1	64	42	22	242.0	240.9	244.2
DIABETES MELLITUS (124)	32	11	21	32.5	19.3	50.7	10	6	4	37.8	34.4	44.4
ALZHEIMERS DISEASE (148)	30	27	3	30.5	47.3	7.2	20	15	5	75.6	86.0	55.5
MAJOR CARDIOVASCULAR DISEASES# (156-189)	268	186	82	272.2	326.0	198.0	116	90	26	438.7	516.3	288.6
HEART DISEASES (156-160,162, 164-181)	190	131	59	193.0	229.6	142.5	91	72	19	344.1	413.0	210.9
HYPERTENSION (161,163)	10	6	4	10.2	10.5	9.6	6	3	3	22.7	17.2	33.3
CEREBROVASCULAR DISEASES (182-186)	62	47	15	63.0	82.4	36.2	18	14	4	68.1	80.3	44.4
ATHEROSCLEROSIS (187)	1	1	0	1.0	1.8	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	19	15	4	19.3	26.3	9.6	14	11	3	52.9	63.1	33.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	47	35	12	47.7	61.3	29.0	13	13	0	49.2	74.6	-
PEPTIC ULCER (217-220)	1	1	0	1.0	1.8	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	13	11	2	13.2	19.3	4.8	2	2	0	7.6	11.5	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	24	13	11	24.4	22.8	26.6	11	6	5	41.6	34.4	55.5
MATERNAL CAUSES (261-273)	1	0	1	78.0	-	179.5	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	6	0	6	4.7	-	10.8	1	0	1	3.0	-	8.5
CONGENITAL MALFORMATIONS (282-290)	4	3	1	4.1	5.2	2.4	2	1	1	7.6	5.7	11.1
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	40	24	16	40.6	42.1	38.6	26	24	2	98.3	137.7	22.2
MOTOR VEHICLE ACCIDENTS# (296-306)	12	6	6	12.2	10.5	14.5	8	8	0	30.2	45.9	-
SUICIDE (331-337)	10	10	0	10.2	17.5	-	4	4	0	15.1	22.9	-
HOMICIDE (338-346)	4	2	2	4.1	3.5	4.8	3	2	1	11.3	11.5	11.1

	MARSHALL COUNTY						MONROE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	383	243	140	10.5	13.0	7.8	406	313	93	11.1	12.6	8.0
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	8	6	2	21.8	32.0	11.2	9	5	4	24.7	20.2	34.3
HIV DISEASE (039-043)	1	0	1	2.7	-	5.6	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	78	51	27	213.0	272.5	150.9	68	48	20	186.7	193.9	171.4
DIABETES MELLITUS (124)	41	20	21	112.0	106.8	117.4	20	13	7	54.9	52.5	60.0
ALZHEIMERS DISEASE (148)	9	6	3	24.6	32.0	16.8	31	30	1	85.1	121.2	8.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	118	75	43	322.3	400.7	240.3	133	100	33	365.2	404.0	282.8
HEART DISEASES (156-160,162, 164-181)	59	39	20	161.1	208.4	111.8	101	78	23	277.3	315.2	197.1
HYPERTENSION (161,163)	43	26	17	117.4	138.9	95.0	11	7	4	30.2	28.3	34.3
CEREBROVASCULAR DISEASES (182-186)	14	8	6	38.2	42.7	33.5	16	10	6	43.9	40.4	51.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	1	1	5.5	5.3	5.6	4	3	1	11.0	12.1	8.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	19	18	1	51.9	96.2	5.6	22	18	4	60.4	72.7	34.3
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	3	0	8.2	16.0	-	2	2	0	5.5	8.1	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	3	4	19.1	16.0	22.4	10	9	1	27.4	36.4	8.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	2.2	-	4.5	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	1	0	2.7	5.3	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	1	1	0	2.2	4.4	-	0	0	0	-	-	-
ACCIDENTS (295-330)	21	11	10	57.4	58.8	55.9	23	18	5	63.2	72.7	42.8
MOTOR VEHICLE ACCIDENTS# (296-306)	14	6	8	38.2	32.0	44.7	10	7	3	27.4	28.3	25.7
SUICIDE (331-337)	6	5	1	16.4	26.7	5.6	8	8	0	22.0	32.3	-
HOMICIDE (338-346)	3	0	3	8.2	-	16.8	2	1	1	5.5	4.0	8.6

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF MONTGOMERY, NESHOBA, NEWTON, AND NOXUBEE COUNTIES, MISSISSIPPI, 2012

	MONTGOMERY COUNTY						NESHOBA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	155	101	54	14.6	17.9	10.8	342	233	109	11.5	12.9	9.3
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	3	1	37.7	53.2	20.1	5	4	1	16.8	22.1	8.5
HIV DISEASE (039-043)	2	0	2	18.8	-	40.2	1	1	0	3.4	5.5	-
MALIGNANT NEOPLASMS (056-108)	38	27	11	358.0	479.0	221.0	64	43	21	214.9	237.9	179.3
DIABETES MELLITUS (124)	2	0	2	18.8	-	40.2	7	0	7	23.5	-	59.8
ALZHEIMERS DISEASE (148)	7	7	0	66.0	124.2	-	16	14	2	53.7	77.4	17.1
MAJOR CARDIOVASCULAR DISEASES# (156-189)	49	29	20	461.6	514.4	401.8	117	86	31	392.8	475.8	264.7
HEART DISEASES (156-160,162, 164-181)	38	24	14	358.0	425.8	281.3	92	67	25	308.9	370.7	213.5
HYPERTENSION (161,163)	6	1	5	56.5	17.7	100.5	5	2	3	16.8	11.1	25.6
CEREBROVASCULAR DISEASES (182-186)	4	3	1	37.7	53.2	20.1	17	15	2	57.1	83.0	17.1
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	4	4	0	37.7	71.0	-	7	5	2	23.5	27.7	17.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	5	4	1	47.1	71.0	20.1	12	10	2	40.3	55.3	17.1
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	9.4	-	20.1	4	1	3	13.4	5.5	25.6
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	2	1	1	18.8	17.7	20.1	9	7	2	30.2	38.7	17.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	0	1	234.7	-	409.8
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	2	0	2	6.7	-	17.1
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	7	6	1	66.0	106.4	20.1	32	17	15	107.4	94.0	128.1
MOTOR VEHICLE ACCIDENTS# (296-306)	2	2	0	18.8	35.5	-	15	7	8	50.4	38.7	68.3
SUICIDE (331-337)	1	0	1	9.4	-	20.1	6	5	1	20.1	27.7	8.5
HOMICIDE (338-346)	1	0	1	9.4	-	20.1	2	0	2	6.7	-	17.1

	NEWTON COUNTY						NOXUBEE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	253	177	76	11.7	12.9	9.6	95	37	58	8.5	12.2	7.1
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	2	1	13.9	14.6	12.7	1	0	1	8.9	-	12.2
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	49	37	12	226.8	269.5	152.4	22	7	15	196.1	231.2	183.2
DIABETES MELLITUS (124)	17	8	9	78.7	58.3	114.3	3	1	2	26.7	33.0	24.4
ALZHEIMERS DISEASE (148)	3	1	2	13.9	7.3	25.4	5	1	4	44.6	33.0	48.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	85	61	24	393.5	444.4	304.8	35	14	21	312.0	462.4	256.4
HEART DISEASES (156-160,162, 164-181)	55	40	15	254.6	291.4	190.5	28	9	19	249.6	297.2	232.0
HYPERTENSION (161,163)	11	8	3	50.9	58.3	38.1	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	18	12	6	83.3	87.4	76.2	7	5	2	62.4	165.1	24.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	12	8	4	55.6	58.3	50.8	0	0	0	-	-	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	8	8	0	37.0	58.3	-	5	3	2	44.6	99.1	24.4
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	2	1	1	17.8	33.0	12.2
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	11	4	7	50.9	29.1	88.9	4	0	4	35.6	-	48.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	0	1	6.3	-	8.7
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	14	9	5	64.8	65.6	63.5	4	1	3	35.6	33.0	36.6
MOTOR VEHICLE ACCIDENTS# (296-306)	5	3	2	23.1	21.8	25.4	3	1	2	26.7	33.0	24.4
SUICIDE (331-337)	4	4	0	18.5	29.1	-	1	1	0	8.9	33.0	-
HOMICIDE (338-346)	2	1	1	9.2	7.3	12.7	1	0	1	8.9	-	12.2

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF OKTIBBEHA, PANOLA, PEARL RIVER, AND PERRY COUNTIES, MISSISSIPPI, 2012

	OKTIBBEHA COUNTY						PANOLA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	277	163	114	5.7	5.7	5.8	359	224	135	10.4	13.2	7.7
TUBERCULOSIS (009,010)	0	0	0	-	-	-	1	0	1	2.9	-	5.7
SEPTICEMIA (018)	4	3	1	8.3	10.5	5.1	6	3	3	17.4	17.7	17.1
HIV DISEASE (039-043)	1	0	1	2.1	-	5.1	1	0	1	2.9	-	5.7
MALIGNANT NEOPLASMS (056-108)	61	32	29	126.6	112.5	146.8	78	46	32	226.3	271.6	182.4
DIABETES MELLITUS (124)	21	7	14	43.6	24.6	70.9	17	6	11	49.3	35.4	62.7
ALZHEIMERS DISEASE (148)	7	5	2	14.5	17.6	10.1	17	10	7	49.3	59.0	39.9
MAJOR CARDIOVASCULAR DISEASES# (156-189)	80	47	33	166.0	165.3	167.0	124	80	44	359.7	472.4	250.8
HEART DISEASES (156-160,162, 164-181)	52	30	22	107.9	105.5	111.4	104	69	35	301.7	407.5	199.5
HYPERTENSION (161,163)	3	2	1	6.2	7.0	5.1	5	2	3	14.5	11.8	17.1
CEREBROVASCULAR DISEASES (182-186)	22	12	10	45.6	42.2	50.6	14	8	6	40.6	47.2	34.2
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	6	6	0	12.4	21.1	-	4	1	3	11.6	5.9	17.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	11	8	3	22.8	28.1	15.2	16	12	4	46.4	70.9	22.8
PEPTIC ULCER (217-220)	1	1	0	2.1	3.5	-	1	0	1	2.9	-	5.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	6	6	0	12.4	21.1	-	5	4	1	14.5	23.6	5.7
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	6	2	4	12.4	7.0	20.2	3	2	1	8.7	11.8	5.7
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	1.8	-	3.6	4	1	3	7.8	5.2	9.4
CONGENITAL MALFORMATIONS (282-290)	2	1	1	4.2	3.5	5.1	1	0	1	2.9	-	5.7
SUDDEN INFANT DEATH SYNDROME# (292)	2	1	1	3.5	3.4	3.6	0	0	0	-	-	-
ACCIDENTS (295-330)	20	14	6	41.5	49.2	30.4	14	11	3	40.6	65.0	17.1
MOTOR VEHICLE ACCIDENTS# (296-306)	6	4	2	12.4	14.1	10.1	9	7	2	26.1	41.3	11.4
SUICIDE (331-337)	7	7	0	14.5	24.6	-	11	10	1	31.9	59.0	5.7
HOMICIDE (338-346)	3	0	3	6.2	-	15.2	3	0	3	8.7	-	17.1

	PEARL RIVER COUNTY						PERRY COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	578	506	72	10.4	10.8	8.4	115	95	20	9.5	10.0	7.6
TUBERCULOSIS (009,010)	1	1	0	1.8	2.1	-	0	0	0	-	-	-
SEPTICEMIA (018)	12	9	3	21.7	19.2	35.2	4	3	1	33.1	31.7	38.2
HIV DISEASE (039-043)	0	0	0	-	-	-	2	2	0	16.5	21.1	-
MALIGNANT NEOPLASMS (056-108)	131	108	23	236.9	230.8	270.2	28	24	4	231.7	253.4	152.8
DIABETES MELLITUS (124)	6	5	1	10.8	10.7	11.7	5	3	2	41.4	31.7	76.4
ALZHEIMERS DISEASE (148)	15	15	0	27.1	32.1	-	8	5	3	66.2	52.8	114.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	167	148	19	302.0	316.4	223.2	34	27	7	281.3	285.1	267.5
HEART DISEASES (156-160,162, 164-181)	128	112	16	231.5	239.4	188.0	23	21	2	190.3	221.8	76.4
HYPERTENSION (161,163)	6	5	1	10.8	10.7	11.7	3	2	1	24.8	21.1	38.2
CEREBROVASCULAR DISEASES (182-186)	26	24	2	47.0	51.3	23.5	7	4	3	57.9	42.2	114.6
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	13	12	1	23.5	25.6	11.7	0	0	0	-	-	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	46	41	5	83.2	87.6	58.7	8	7	1	66.2	73.9	38.2
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	8.3	10.6	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	6	5	1	10.8	10.7	11.7	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	17	14	3	30.7	29.9	35.2	3	3	0	24.8	31.7	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	4	2	2	6.3	3.6	26.3	1	0	1	6.3	-	24.4
CONGENITAL MALFORMATIONS (282-290)	2	1	1	3.6	2.1	11.7	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	46	43	3	83.2	91.9	35.2	4	4	0	33.1	42.2	-
MOTOR VEHICLE ACCIDENTS# (296-306)	17	16	1	30.7	34.2	11.7	3	3	0	24.8	31.7	-
SUICIDE (331-337)	13	13	0	23.5	27.8	-	2	2	0	16.5	21.1	-
HOMICIDE (338-346)	0	0	0	-	-	-	3	3	0	24.8	31.7	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF PIKE, PONTOTOC, PRENTISS, AND QUITMAN COUNTIES, MISSISSIPPI, 2012

	PIKE COUNTY						PONTOTOC COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	466	246	220	11.6	13.4	10.1	253	232	21	8.3	9.2	4.0
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	2	2	10.0	10.9	9.2	3	3	0	9.8	11.8	-
HIV DISEASE (039-043)	3	0	3	7.5	-	13.8	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	79	35	44	197.0	190.4	202.6	54	46	8	176.5	181.6	152.0
DIABETES MELLITUS (124)	41	21	20	102.2	114.3	92.1	8	7	1	26.1	27.6	19.0
ALZHEIMERS DISEASE (148)	8	6	2	20.0	32.6	9.2	5	5	0	16.3	19.7	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	145	77	68	361.6	419.0	313.0	62	59	3	202.6	232.9	57.0
HEART DISEASES (156-160,162, 164-181)	90	55	35	224.4	299.3	161.1	43	41	2	140.6	161.8	38.0
HYPERTENSION (161,163)	27	11	16	67.3	59.8	73.6	3	2	1	9.8	7.9	19.0
CEREBROVASCULAR DISEASES (182-186)	27	11	16	67.3	59.8	73.6	14	14	0	45.8	55.3	-
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	2	1	7.5	10.9	4.6	1	1	0	3.3	3.9	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	29	19	10	72.3	103.4	46.0	36	33	3	117.7	130.3	57.0
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	8	3	5	20.0	16.3	23.0	1	1	0	3.3	3.9	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	17	8	9	42.4	43.5	41.4	14	12	2	45.8	47.4	38.0
MATERNAL CAUSES (261-273)	1	0	1	179.2	-	292.4	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	3.6	-	5.8	1	1	0	2.2	2.4	-
CONGENITAL MALFORMATIONS (282-290)	2	1	1	5.0	5.4	4.6	1	1	0	3.3	3.9	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	22	8	14	54.9	43.5	64.4	23	23	0	75.2	90.8	-
MOTOR VEHICLE ACCIDENTS# (296-306)	12	3	9	29.9	16.3	41.4	8	8	0	26.1	31.6	-
SUICIDE (331-337)	8	7	1	20.0	38.1	4.6	7	7	0	22.9	27.6	-
HOMICIDE (338-346)	4	1	3	10.0	5.4	13.8	0	0	0	-	-	-

	PRENTISS COUNTY						QUITMAN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	288	249	39	11.3	11.6	9.7	96	41	55	12.3	17.9	10.0
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	3	0	11.8	14.0	-	1	1	0	12.8	43.6	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	66	56	10	259.9	262.1	248.5	23	11	12	294.9	480.1	217.9
DIABETES MELLITUS (124)	11	7	4	43.3	32.8	99.4	6	0	6	76.9	-	109.0
ALZHEIMERS DISEASE (148)	8	8	0	31.5	37.4	-	5	4	1	64.1	174.6	18.2
MAJOR CARDIOVASCULAR DISEASES# (156-189)	81	73	8	319.0	341.7	198.8	25	10	15	320.6	436.5	272.4
HEART DISEASES (156-160,162, 164-181)	69	64	5	271.8	299.5	124.2	22	8	14	282.1	349.2	254.2
HYPERTENSION (161,163)	3	2	1	11.8	9.4	24.8	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (182-186)	8	6	2	31.5	28.1	49.7	3	2	1	38.5	87.3	18.2
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	10	10	0	39.4	46.8	-	2	1	1	25.6	43.6	18.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	27	24	3	106.3	112.3	74.6	7	3	4	89.8	130.9	72.6
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	7.9	9.4	-	3	1	2	38.5	43.6	36.3
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	12	9	3	47.3	42.1	74.6	3	0	3	38.5	-	54.5
MATERNAL CAUSES (261-273)	1	0	1	304.9	-	2,272.7	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	2	1	9.1	7.0	22.7	1	0	1	9.2	-	11.0
CONGENITAL MALFORMATIONS (282-290)	2	2	0	7.9	9.4	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	18	17	1	70.9	79.6	24.8	6	2	4	76.9	87.3	72.6
MOTOR VEHICLE ACCIDENTS# (296-306)	10	9	1	39.4	42.1	24.8	1	1	0	12.8	43.6	-
SUICIDE (331-337)	2	1	1	7.9	4.7	24.8	0	0	0	-	-	-
HOMICIDE (338-346)	2	2	0	7.9	9.4	-	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF RANKIN, SCOTT, SHARKEY, AND SIMPSON COUNTIES, MISSISSIPPI, 2012

	RANKIN COUNTY						SCOTT COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	1,037	874	163	7.1	7.7	5.1	277	177	100	9.8	10.6	8.7
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	10	6	4	6.9	5.3	12.5	2	1	1	7.1	6.0	8.7
HIV DISEASE (039-043)	5	2	3	3.4	1.8	9.4	1	0	1	3.5	-	8.7
MALIGNANT NEOPLASMS (056-108)	246	214	32	169.5	189.2	99.7	71	54	17	251.3	322.9	147.5
DIABETES MELLITUS (124)	35	24	11	24.1	21.2	34.3	3	2	1	10.6	12.0	8.7
ALZHEIMERS DISEASE (148)	12	10	2	8.3	8.8	6.2	5	4	1	17.7	23.9	8.7
MAJOR CARDIOVASCULAR DISEASES# (156-189)	335	266	69	230.8	235.2	215.0	90	59	31	318.6	352.8	269.0
HEART DISEASES (156-160,162, 164-181)	275	219	56	189.4	193.7	174.5	73	50	23	258.4	299.0	199.6
HYPERTENSION (161,163)	10	7	3	6.9	6.2	9.4	4	1	3	14.2	6.0	26.0
CEREBROVASCULAR DISEASES (182-186)	47	37	10	32.4	32.7	31.2	12	7	5	42.5	41.8	43.4
ATHEROSCLEROSIS (187)	1	1	0	0.7	0.9	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	20	17	3	13.8	15.0	9.4	4	2	2	14.2	12.0	17.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	61	59	2	42.0	52.2	6.2	12	10	2	42.5	59.8	17.4
PEPTIC ULCER (217-220)	1	1	0	0.7	0.9	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	17	16	1	11.7	14.1	3.1	1	0	1	3.5	-	8.7
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	18	14	4	12.4	12.4	12.5	12	4	8	42.5	23.9	69.4
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	1	2	1.6	0.7	4.9	1	0	1	2.2	-	5.7
CONGENITAL MALFORMATIONS (282-290)	4	4	0	2.8	3.5	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	71	62	9	48.9	54.8	28.0	22	10	12	77.9	59.8	104.1
MOTOR VEHICLE ACCIDENTS# (296-306)	32	26	6	22.0	23.0	18.7	12	5	7	42.5	29.9	60.7
SUICIDE (331-337)	22	22	0	15.2	19.4	-	3	2	1	10.6	12.0	8.7
HOMICIDE (338-346)	8	8	0	5.5	7.1	-	2	0	2	7.1	-	17.4

	SHARKEY COUNTY						SIMPSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	65	21	44	13.5	15.4	12.8	281	203	78	10.3	11.8	7.7
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	0	0	0	-	-	-	5	0	5	18.3	-	49.2
HIV DISEASE (039-043)	0	0	0	-	-	-	1	0	1	3.6	-	9.8
MALIGNANT NEOPLASMS (056-108)	11	4	7	229.2	293.2	203.8	63	47	16	230.1	273.1	157.4
DIABETES MELLITUS (124)	3	1	2	62.5	73.3	58.2	4	2	2	14.6	11.6	19.7
ALZHEIMERS DISEASE (148)	2	0	2	41.7	-	58.2	3	3	0	11.0	17.4	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	22	7	15	458.4	513.2	436.7	101	76	25	369.0	441.6	246.0
HEART DISEASES (156-160,162, 164-181)	13	6	7	270.9	439.9	203.8	77	55	22	281.3	319.6	216.5
HYPERTENSION (161,163)	2	0	2	41.7	-	58.2	3	3	0	11.0	17.4	-
CEREBROVASCULAR DISEASES (182-186)	5	0	5	104.2	-	145.6	21	18	3	76.7	104.6	29.5
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	0	0	0	-	-	-	13	7	6	47.5	40.7	59.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	2	1	1	41.7	73.3	29.1	16	16	0	58.4	93.0	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	0	1	20.8	-	29.1	2	2	0	7.3	11.6	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	2	1	1	41.7	73.3	29.1	6	3	3	21.9	17.4	29.5
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	1	1	0	308.6	502.5	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	1	0	1	3.1	-	8.0
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	0	1	3.6	-	9.8
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	6	1	5	125.0	73.3	145.6	14	10	4	51.1	58.1	39.4
MOTOR VEHICLE ACCIDENTS# (296-306)	6	1	5	125.0	73.3	145.6	7	4	3	25.6	23.2	29.5
SUICIDE (331-337)	0	0	0	-	-	-	2	2	0	7.3	11.6	-
HOMICIDE (338-346)	1	0	1	20.8	-	29.1	0	0	0	-	-	-

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF SMITH, STONE, SUNFLOWER, AND TALLAHATCHIE COUNTIES, MISSISSIPPI, 2012

	SMITH COUNTY						STONE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	163	128	35	10.0	10.4	8.8	195	167	28	10.8	11.8	7.2
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	1	2	18.4	8.1	50.2	3	3	0	16.6	21.2	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	46	34	12	281.4	275.0	301.4	42	34	8	233.0	240.9	204.3
DIABETES MELLITUS (124)	1	1	0	6.1	8.1	-	3	3	0	16.6	21.2	-
ALZHEIMERS DISEASE (148)	8	7	1	48.9	56.6	25.1	11	8	3	61.0	56.7	76.6
MAJOR CARDIOVASCULAR DISEASES# (156-189)	48	37	11	293.7	299.3	276.2	66	58	8	366.1	411.0	204.3
HEART DISEASES (156-160,162, 164-181)	37	29	8	226.4	234.6	200.9	51	44	7	282.9	311.8	178.8
HYPERTENSION (161,163)	2	2	0	12.2	16.2	-	1	1	0	5.5	7.1	-
CEREBROVASCULAR DISEASES (182-186)	8	5	3	48.9	40.4	75.3	11	10	1	61.0	70.9	25.5
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	4	4	0	24.5	32.4	-	2	1	1	11.1	7.1	25.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	11	9	2	67.3	72.8	50.2	11	11	0	61.0	77.9	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	2	2	0	12.2	16.2	-	2	2	0	11.1	14.2	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	1	1	0	6.1	8.1	-	6	5	1	33.3	35.4	25.5
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	1	0	5.2	7.4	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	1	0	6.1	8.1	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	12	9	3	73.4	72.8	75.3	10	8	2	55.5	56.7	51.1
MOTOR VEHICLE ACCIDENTS# (296-306)	7	4	3	42.8	32.4	75.3	4	3	1	22.2	21.2	25.5
SUICIDE (331-337)	2	2	0	12.2	16.2	-	3	2	1	16.6	14.2	25.5
HOMICIDE (338-346)	1	0	1	6.1	-	25.1	0	0	0	-	-	-

	SUNFLOWER COUNTY						TALLAHATCHIE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	309	115	194	10.9	15.4	9.2	162	85	77	10.7	13.6	8.7
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	1	3	14.1	13.4	14.3	6	2	4	39.7	32.0	45.1
HIV DISEASE (039-043)	2	1	1	7.0	13.4	4.8	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	73	29	44	256.8	389.3	209.7	39	23	16	258.1	368.0	180.6
DIABETES MELLITUS (124)	25	8	17	87.9	107.4	81.0	9	2	7	59.6	32.0	79.0
ALZHEIMERS DISEASE (148)	4	2	2	14.1	26.8	9.5	2	2	0	13.2	32.0	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	94	33	61	330.6	443.0	290.7	53	27	26	350.7	432.0	293.4
HEART DISEASES (156-160,162, 164-181)	72	24	48	253.2	322.2	228.8	34	16	18	225.0	256.0	203.1
HYPERTENSION (161,163)	4	1	3	14.1	13.4	14.3	6	4	2	39.7	64.0	22.6
CEREBROVASCULAR DISEASES (182-186)	15	7	8	52.8	94.0	38.1	10	5	5	66.2	80.0	56.4
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	4	3	1	14.1	40.3	4.8	5	3	2	33.1	48.0	22.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	15	6	9	52.8	80.5	42.9	10	9	1	66.2	144.0	11.3
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	3	1	14.1	40.3	4.8	2	2	0	13.2	32.0	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	13	5	8	45.7	67.1	38.1	3	0	3	19.8	-	33.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	0	3	9.0	-	10.7	1	0	1	7.2	-	9.8
CONGENITAL MALFORMATIONS (282-290)	3	0	3	10.6	-	14.3	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	14	8	6	49.2	107.4	28.6	8	4	4	52.9	64.0	45.1
MOTOR VEHICLE ACCIDENTS# (296-306)	7	3	4	24.6	40.3	19.1	3	2	1	19.8	32.0	11.3
SUICIDE (331-337)	0	0	0	-	-	-	1	0	1	6.6	-	11.3
HOMICIDE (338-346)	5	0	5	17.6	-	23.8	4	1	3	26.5	16.0	33.8

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF TATE, TIPPAH, TISHOMINGO, AND TUNICA COUNTIES, MISSISSIPPI, 2012

	TATE COUNTY						TIPPAH COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	272	202	70	9.5	10.5	7.6	242	205	37	11.0	11.3	9.3
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	2	0	7.0	10.4	-	6	4	2	27.2	22.1	50.5
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	64	43	21	224.6	223.3	227.5	53	44	9	240.6	243.6	227.3
DIABETES MELLITUS (124)	21	13	8	73.7	67.5	86.7	12	11	1	54.5	60.9	25.2
ALZHEIMERS DISEASE (148)	14	14	0	49.1	72.7	-	5	5	0	22.7	27.7	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	94	70	24	329.9	363.4	260.0	85	67	18	385.9	370.9	454.7
HEART DISEASES (156-160,162, 164-181)	79	61	18	277.3	316.7	195.0	61	48	13	277.0	265.7	328.4
HYPERTENSION (161,163)	5	3	2	17.6	15.6	21.7	7	6	1	31.8	33.2	25.2
CEREBROVASCULAR DISEASES (182-186)	9	5	4	31.6	26.0	43.3	15	11	4	68.1	60.9	101.0
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	3	3	0	10.5	15.6	-	5	5	0	22.7	27.7	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	17	16	1	59.7	83.1	10.8	19	18	1	86.3	99.6	25.2
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	0	1	4.5	-	25.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	3	0	10.5	15.6	-	2	1	1	9.1	5.5	25.2
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	7	4	3	24.6	20.8	32.5	2	1	1	9.1	5.5	25.2
MATERNAL CAUSES (261-273)	1	1	0	303.0	492.6	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	2	0	2	6.1	-	15.7	1	1	0	4.1	4.8	-
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	15	9	6	52.6	46.7	65.0	13	12	1	59.0	66.4	25.2
MOTOR VEHICLE ACCIDENTS# (296-306)	6	2	4	21.1	10.4	43.3	8	8	0	36.3	44.3	-
SUICIDE (331-337)	4	4	0	14.0	20.8	-	6	6	0	27.2	33.2	-
HOMICIDE (338-346)	2	1	1	7.0	5.2	10.8	0	0	0	-	-	-

	TISHOMINGO COUNTY						TUNICA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	283	272	11	14.4	14.5	13.3	100	29	71	9.5	11.6	8.9
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	3	3	0	15.3	16.0	-	1	0	1	9.5	-	12.5
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	44	43	1	224.6	229.1	121.2	23	8	15	219.6	320.8	187.9
DIABETES MELLITUS (124)	11	11	0	56.1	58.6	-	8	0	8	76.4	-	100.2
ALZHEIMERS DISEASE (148)	10	10	0	51.0	53.3	-	1	1	0	9.5	40.1	-
MAJOR CARDIOVASCULAR DISEASES# (156-189)	100	95	5	510.4	506.2	606.1	39	10	29	372.3	401.0	363.4
HEART DISEASES (156-160,162, 164-181)	80	76	4	408.4	405.0	484.8	34	9	25	324.6	360.9	313.2
HYPERTENSION (161,163)	1	1	0	5.1	5.3	-	4	0	4	38.2	-	50.1
CEREBROVASCULAR DISEASES (182-186)	16	15	1	81.7	79.9	121.2	1	1	0	9.5	40.1	-
ATHEROSCLEROSIS (187)	1	1	0	5.1	5.3	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	5	5	0	25.5	26.6	-	1	0	1	9.5	-	12.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	21	21	0	107.2	111.9	-	3	1	2	28.6	40.1	25.1
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	4	0	20.4	21.3	-	1	0	1	9.5	-	12.5
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	6	5	1	30.6	26.6	121.2	2	2	0	19.1	80.2	-
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	1	0	5.1	5.3	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	22	22	0	112.3	117.2	-	5	2	3	47.7	80.2	37.6
MOTOR VEHICLE ACCIDENTS# (296-306)	5	5	0	25.5	26.6	-	2	0	2	19.1	-	25.1
SUICIDE (331-337)	9	9	0	45.9	48.0	-	2	2	0	19.1	80.2	-
HOMICIDE (338-346)	0	0	0	-	-	-	3	1	2	28.6	40.1	25.1

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF UNION, WALTHALL, WARREN, AND WASHINGTON COUNTIES, MISSISSIPPI, 2012

	UNION COUNTY						WALTHALL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	277	232	45	10.1	10.2	9.9	152	94	58	10.1	11.6	8.3
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	4	3	1	14.6	13.1	21.9	0	0	0	-	-	-
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	47	41	6	171.4	179.4	131.5	32	23	9	211.9	283.6	128.8
DIABETES MELLITUS (124)	2	1	1	7.3	4.4	21.9	4	1	3	26.5	12.3	42.9
ALZHEIMERS DISEASE (148)	3	3	0	10.9	13.1	-	9	8	1	59.6	98.6	14.3
MAJOR CARDIOVASCULAR DISEASES# (156-189)	102	85	17	372.1	372.0	372.6	60	31	29	397.4	382.2	414.9
HEART DISEASES (156-160,162, 164-181)	85	71	14	310.1	310.7	306.9	49	27	22	324.5	332.9	314.7
HYPERTENSION (161,163)	2	2	0	7.3	8.8	-	4	0	4	26.5	-	57.2
CEREBROVASCULAR DISEASES (182-186)	13	11	2	47.4	48.1	43.8	6	3	3	39.7	37.0	42.9
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	6	5	1	21.9	21.9	21.9	3	3	0	19.9	37.0	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	20	19	1	73.0	83.1	21.9	10	7	3	66.2	86.3	42.9
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	3.6	4.4	-	4	3	1	26.5	37.0	14.3
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	3	2	18.2	13.1	43.8	2	0	2	13.2	-	28.6
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	2.7	-	15.6	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	1	1	0	3.6	4.4	-	0	0	0	-	-	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	13	9	4	47.4	39.4	87.7	6	3	3	39.7	37.0	42.9
MOTOR VEHICLE ACCIDENTS# (296-306)	6	5	1	21.9	21.9	21.9	2	0	2	13.2	-	28.6
SUICIDE (331-337)	4	3	1	14.6	13.1	21.9	3	2	1	19.9	24.7	14.3
HOMICIDE (338-346)	2	1	1	7.3	4.4	21.9	1	0	1	6.6	-	14.3

	WARREN COUNTY						WASHINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	505	292	213	10.5	12.0	8.9	580	228	352	11.6	16.8	9.7
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	18	10	8	37.4	41.3	33.5	5	1	4	10.0	7.4	11.0
HIV DISEASE (039-043)	6	0	6	12.5	-	25.1	3	0	3	6.0	-	8.3
MALIGNANT NEOPLASMS (056-108)	104	57	47	216.3	235.4	196.9	133	49	84	267.3	361.7	232.0
DIABETES MELLITUS (124)	11	7	4	22.9	28.9	16.8	40	10	30	80.4	73.8	82.9
ALZHEIMERS DISEASE (148)	16	12	4	33.3	49.6	16.8	5	2	3	10.0	14.8	8.3
MAJOR CARDIOVASCULAR DISEASES# (156-189)	201	108	93	418.0	446.0	389.6	155	59	96	311.6	435.6	265.2
HEART DISEASES (156-160,162, 164-181)	135	75	60	280.8	309.7	251.4	112	48	64	225.1	354.3	176.8
HYPERTENSION (161,163)	20	7	13	41.6	28.9	54.5	19	3	16	38.2	22.1	44.2
CEREBROVASCULAR DISEASES (182-186)	44	25	19	91.5	103.2	79.6	18	5	13	36.2	36.9	35.9
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	7	4	3	14.6	16.5	12.6	8	5	3	16.1	36.9	8.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	38	29	9	79.0	119.8	37.7	38	26	12	76.4	191.9	33.1
PEPTIC ULCER (217-220)	2	1	1	4.2	4.1	4.2	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	4	2	2	8.3	8.2	8.4	7	4	3	14.1	29.5	8.3
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	6	3	3	12.5	12.4	12.6	34	11	23	68.3	81.2	63.5
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	3	1	2	4.7	3.7	5.5	1	0	1	1.3	-	1.6
CONGENITAL MALFORMATIONS (282-290)	2	1	1	4.2	4.1	4.2	7	4	3	14.1	29.5	8.3
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	22	19	3	45.8	78.5	12.6	32	14	18	64.3	103.4	49.7
MOTOR VEHICLE ACCIDENTS# (296-306)	7	6	1	14.6	24.8	4.2	19	11	8	38.2	81.2	22.1
SUICIDE (331-337)	6	2	4	12.5	8.2	16.8	4	2	2	8.0	14.8	5.5
HOMICIDE (338-346)	3	1	2	6.2	4.1	8.4	13	3	10	26.1	22.1	27.6

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF WAYNE, WEBSTER, WILKINSON, AND WINSTON COUNTIES, MISSISSIPPI, 2012

	WAYNE COUNTY						WEBSTER COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	225	161	64	10.9	13.0	7.7	127	98	29	12.6	12.4	13.6
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	2	0	9.7	16.2	-	4	3	1	39.8	38.0	46.8
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	57	45	12	275.9	364.1	144.6	26	23	3	259.0	291.1	140.2
DIABETES MELLITUS (124)	3	3	0	14.5	24.3	-	2	1	1	19.9	12.6	46.8
ALZHEIMERS DISEASE (148)	9	7	2	43.6	56.6	24.1	7	6	1	69.7	75.9	46.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	78	48	30	377.5	388.4	361.4	56	39	17	557.8	493.7	794.8
HEART DISEASES (156-160,162, 164-181)	65	39	26	314.6	315.5	313.2	48	34	14	478.1	430.4	654.5
HYPERTENSION (161,163)	2	2	0	9.7	16.2	-	1	0	1	10.0	-	46.8
CEREBROVASCULAR DISEASES (182-186)	7	6	1	33.9	48.5	12.0	5	4	1	49.8	50.6	46.8
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	2	0	9.7	16.2	-	6	5	1	59.8	63.3	46.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	7	6	1	33.9	48.5	12.0	2	2	0	19.9	25.3	-
PEPTIC ULCER (217-220)	0	0	0	-	-	-	1	1	0	10.0	12.6	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	3	3	0	14.5	24.3	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	5	1	4	24.2	8.1	48.2	4	3	1	39.8	38.0	46.8
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL MALFORMATIONS (282-290)	2	2	0	9.7	16.2	-	1	1	0	10.0	12.6	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	14	8	6	67.8	64.7	72.3	2	2	0	19.9	25.3	-
MOTOR VEHICLE ACCIDENTS# (296-306)	9	4	5	43.6	32.4	60.2	1	1	0	10.0	12.6	-
SUICIDE (331-337)	3	3	0	14.5	24.3	-	0	0	0	-	-	-
HOMICIDE (338-346)	5	3	2	24.2	24.3	24.1	0	0	0	-	-	-

	WILKINSON COUNTY						WINSTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	99	38	61	10.5	13.7	9.2	233	158	75	12.2	16.0	8.2
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	0	0	0	-	-	-	3	2	1	15.8	20.3	10.9
HIV DISEASE (039-043)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (056-108)	14	3	11	148.4	108.5	165.0	45	34	11	236.5	344.4	120.1
DIABETES MELLITUS (124)	9	1	8	95.4	36.2	120.0	8	4	4	42.0	40.5	43.7
ALZHEIMERS DISEASE (148)	5	3	2	53.0	108.5	30.0	19	17	2	99.8	172.2	21.8
MAJOR CARDIOVASCULAR DISEASES# (156-189)	32	13	19	339.3	470.0	285.0	66	40	26	346.8	405.2	283.9
HEART DISEASES (156-160,162, 164-181)	23	8	15	243.8	289.2	225.0	57	33	24	299.5	334.3	262.1
HYPERTENSION (161,163)	2	1	1	21.2	36.2	15.0	1	0	1	5.2	-	10.9
CEREBROVASCULAR DISEASES (182-186)	6	4	2	63.6	144.6	30.0	7	6	1	36.8	60.8	10.9
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	1	1	0	5.2	10.1	-
INFLUENZA AND PNEUMONIA (195-198)	1	0	1	10.6	-	15.0	4	2	2	21.0	20.3	21.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	7	4	3	74.2	144.6	45.0	15	12	3	78.8	121.6	32.8
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	1	1	0	10.6	36.2	-	1	1	0	5.2	10.1	-
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	3	1	2	31.8	36.2	30.0	4	0	4	21.0	-	43.7
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	1	0	1	8.6	-	9.8	1	0	1	5.6	-	10.1
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	2	1	1	10.5	10.1	10.9
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	6	1	5	63.6	36.2	75.0	18	11	7	94.6	111.4	76.4
MOTOR VEHICLE ACCIDENTS# (296-306)	3	0	3	31.8	-	45.0	8	4	4	42.0	40.5	43.7
SUICIDE (331-337)	3	2	1	31.8	72.3	15.0	1	1	0	5.2	10.1	-
HOMICIDE (338-346)	1	0	1	10.6	-	15.0	2	0	2	10.5	-	21.8

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 19
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE
RESIDENTS OF YALOBUSHA AND YAZOO COUNTIES AND THE STATE OF MISSISSIPPI, 2012

	YALOBUSHA COUNTY						YAZOO COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	161	110	51	13.0	14.6	10.4	284	137	147	10.1	11.8	8.9
TUBERCULOSIS (009,010)	0	0	0	-	-	-	0	0	0	-	-	-
SEPTICEMIA (018)	2	1	1	16.1	13.3	20.5	6	3	3	21.3	25.8	18.1
HIV DISEASE (039-043)	0	0	0	-	-	-	3	0	3	10.6	-	18.1
MALIGNANT NEOPLASMS (056-108)	42	28	14	338.7	372.6	286.5	64	26	38	227.0	224.0	229.1
DIABETES MELLITUS (124)	4	1	3	32.2	13.3	61.4	26	13	13	92.2	112.0	78.4
ALZHEIMERS DISEASE (148)	4	4	0	32.2	53.2	-	8	5	3	28.4	43.1	18.1
MAJOR CARDIOVASCULAR DISEASES# (156-189)	64	45	19	516.1	598.9	388.8	74	36	38	262.4	310.2	229.1
HEART DISEASES (156-160,162, 164-181)	52	36	16	419.3	479.1	327.4	49	24	25	173.8	206.8	150.7
HYPERTENSION (161,163)	0	0	0	-	-	-	5	2	3	17.7	17.2	18.1
CEREBROVASCULAR DISEASES (182-186)	8	6	2	64.5	79.8	40.9	17	8	9	60.3	68.9	54.2
ATHEROSCLEROSIS (187)	0	0	0	-	-	-	0	0	0	-	-	-
INFLUENZA AND PNEUMONIA (195-198)	2	1	1	16.1	13.3	20.5	7	6	1	24.8	51.7	6.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	6	5	1	48.4	66.5	20.5	14	12	2	49.6	103.4	12.0
PEPTIC ULCER (217-220)	0	0	0	-	-	-	0	0	0	-	-	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	0	0	0	-	-	-	5	1	4	17.7	8.6	24.1
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	2	2	0	16.1	26.6	-	6	3	3	21.3	25.8	18.1
MATERNAL CAUSES (261-273)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	0	0	0	-	-	-	2	0	2	5.2	-	7.4
CONGENITAL MALFORMATIONS (282-290)	0	0	0	-	-	-	1	1	0	3.5	8.6	-
SUDDEN INFANT DEATH SYNDROME# (292)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (295-330)	9	6	3	72.6	79.8	61.4	17	8	9	60.3	68.9	54.2
MOTOR VEHICLE ACCIDENTS# (296-306)	9	6	3	72.6	79.8	61.4	7	2	5	24.8	17.2	30.1
SUICIDE (331-337)	1	1	0	8.1	13.3	-	1	0	1	3.5	-	6.0
HOMICIDE (338-346)	3	2	1	24.2	26.6	20.5	5	1	4	17.7	8.6	24.1

	STATE OF MISSISSIPPI					
	NUMBER			RATE**		
CAUSE AND GROUP NUMBER*	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	29,494	19,910	9,584	9.9	11.1	8.0
TUBERCULOSIS (009,010)	5	2	3	0.2	0.1	0.2
SEPTICEMIA (018)	596	366	230	20.0	20.5	19.2
HIV DISEASE (039-043)	114	18	96	3.8	1.0	8.0
MALIGNANT NEOPLASMS (056-108)	6,468	4,302	2,166	216.7	240.5	181.1
DIABETES MELLITUS (124)	1,039	499	540	34.8	27.9	45.1
ALZHEIMERS DISEASE (148)	920	737	183	30.8	41.2	15.3
MAJOR CARDIOVASCULAR DISEASES# (156-189)	9,491	6,343	3,148	318.0	354.6	263.2
HEART DISEASES (156-160,162, 164-181)	7,248	4,922	2,326	242.8	275.2	194.4
HYPERTENSION (161,163)	522	277	245	17.5	15.5	20.5
CEREBROVASCULAR DISEASES (182-186)	1,509	994	515	50.6	55.6	43.0
ATHEROSCLEROSIS (187)	14	10	4	0.5	0.6	0.3
INFLUENZA AND PNEUMONIA (195-198)	559	402	157	18.7	22.5	13.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES (202-207)	1,726	1,435	291	57.8	80.2	24.3
PEPTIC ULCER (217-220)	13	7	6	0.4	0.4	0.5
CHRONIC LIVER DISEASE AND CIRRHOSIS (230-232)	305	231	74	10.2	12.9	6.2
NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS (274,249,251,253)	714	386	328	23.9	21.6	27.4
MATERNAL CAUSES (261-273)	16	6	10	41.4	28.1	57.9
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (274-281)	151	34	117	3.9	1.6	6.8
CONGENITAL MALFORMATIONS (282-290)	120	65	55	4.0	3.6	4.6
SUDDEN INFANT DEATH SYNDROME# (292)	21	9	12	0.5	0.4	0.7
ACCIDENTS (295-330)	1,596	1,118	478	53.5	62.5	40.0
MOTOR VEHICLE ACCIDENTS# (296-306)	694	432	262	23.2	24.2	21.9
SUICIDE (331-337)	402	343	59	13.5	19.2	4.9
HOMICIDE (338-346)	296	92	204	9.9	5.1	17.0

* SEE APPENDIX A FOR EXPLANATION OF GROUP NUMBERS.

** TOTAL DEATHS ARE PER 1,000 POPULATION; DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD AND DEATHS FROM SUDDEN INFANT DEATH SYNDROME ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TIME SERIES TABLES

TABLE 20
LIVE BIRTHS AND RATES, BY YEAR AND RACE
MISSISSIPPI, 1913-2011
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-2012)

	NUMBER			RATE*				NUMBER			RATE*		
YEAR	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	YEAR	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
							1940	52,526	23,084	29,442	24.0	20.9	27.3
							1941	54,561	24,167	30,394	24.7	21.6	28.0
							1942	56,521	25,306	31,215	25.4	22.4	28.6
1913	41,103	21,874	19,229	21.9	26.6	18.2	1943	59,408	27,611	31,797	28.9	26.4	31.6
1914	40,623	21,360	19,263	21.4	25.7	18.0	1944	56,586	25,647	30,939	28.3	25.2	31.6
1915	39,484	20,999	18,485	20.5	23.8	17.1	1945	53,540	23,426	30,114	26.9	23.1	30.9
1916	39,033	20,130	18,903	20.0	23.6	17.2	1946	61,430	29,715	31,715	26.8	25.4	28.2
1917	37,141	19,056	18,085	18.8	22.0	16.3	1947	66,291	32,423	33,868	28.6	27.5	29.9
1918	39,391	20,005	19,386	19.7	22.8	17.2	1948	65,291	29,666	35,625	28.0	24.9	31.2
1919	42,491	22,028	20,463	21.0	24.9	18.0	1949	66,128	28,786	37,342	28.1	24.0	32.5
1920	43,743	22,438	21,305	24.4	26.3	22.7	1950	64,427	27,188	37,239	29.6	22.9	37.6
1921	46,482	23,703	22,779	25.6	27.3	24.1	1951	65,512	27,798	37,714	30.1	23.4	38.1
1922	43,723	21,286	22,437	23.8	24.1	23.6	1952	64,509	28,073	36,436	29.6	23.6	36.8
1923	43,266	21,140	22,126	23.3	23.6	23.1	1953	64,061	28,312	35,749	29.4	23.8	36.1
1924	43,960	22,180	21,780	23.4	24.3	22.5	1954	64,748	28,781	35,967	29.7	24.2	36.3
1925	45,563	22,265	23,298	24.0	24.1	23.9	1955	63,244	27,546	35,698	29.0	23.2	36.0
1926	50,449	24,600	25,849	26.2	26.2	26.3	1956	62,178	27,278	34,900	29.5	23.8	36.2
1927	49,204	24,163	25,041	25.3	25.3	25.3	1957	60,712	26,804	33,908	28.8	23.4	35.2
1928	48,126	23,642	24,484	24.5	24.4	24.5	1958	59,189	26,812	32,377	27.1	20.9	35.9
1929	45,570	22,105	23,465	22.9	22.5	23.3	1959	60,562	27,979	32,583	27.2	20.9	36.6
1930	47,982	23,192	24,790	23.8	23.2	24.0	1960	59,210	27,198	32,012	27.2	21.6	34.8
1931	45,123	21,637	23,486	22.2	21.4	22.9	1961	59,523	27,435	32,088	27.3	21.8	34.8
1932	46,481	21,883	24,598	22.6	21.4	23.9	1962	58,921	27,512	31,409	26.1	20.8	33.5
1933	44,184	20,407	23,777	21.3	19.7	22.9	1963	57,316	26,823	30,493	25.0	19.9	32.4
1934	47,905	22,342	25,563	23.0	21.4	24.6	1964	56,650	25,942	30,708	24.5	18.9	32.5
1935	48,291	21,972	26,319	23.0	20.8	25.1	1965	51,171	23,369	27,802	22.0	17.4	28.2
1936	49,261	22,194	27,067	23.3	20.8	25.7	1966	48,230	22,736	25,494	20.4	16.5	25.9
1937	52,170	23,285	28,885	24.4	21.6	27.3	1967	46,594	22,675	23,919	19.7	15.9	25.6
1938	53,729	24,046	29,683	25.0	22.1	27.8	1968	45,719	22,807	22,912	19.4	15.7	25.4
1939	52,288	23,505	28,783	24.1	21.4	26.8	1969	47,120	24,025	23,095	21.2	17.2	28.0

TABLE 20 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1913-2012

YEAR	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE	RATE* TOTAL	RATE* WHITE	RATE* NON-WHITE	YEAR	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE	RATE* TOTAL	RATE* WHITE	RATE* NON-WHITE
1970	48,141	24,893	23,248	21.7	17.9	28.2	2000**	44,075	23,540	20,535	15.5	13.5	18.7
1971	48,601	25,199	23,402	21.9	18.1	28.4	2001**	42,277	22,798	19,479	14.9	13.0	17.7
1972	45,907	23,745	22,162	20.3	NOT AVAILABLE		2002**	41,511	22,620	18,891	14.4	12.8	17.0
1973	44,638	23,119	21,519	19.3	NOT AVAILABLE		2003**	42,321	23,118	19,203	14.7	13.1	17.2
1974	44,032	23,023	21,009	18.9	NOT AVAILABLE		2004**	42,809	23,524	19,285	14.8	13.2	17.2
1975	43,336	22,559	20,777	18.5	NOT AVAILABLE		2005**	42,327	23,015	19,312	14.5	12.9	17.0
1976	42,983	22,605	20,378	18.2	NOT AVAILABLE		2006**	46,046	24,195	21,851	15.8	13.7	19.2
1977	45,532	23,369	22,163	19.1	NOT AVAILABLE		2007**	46,455	24,783	21,672	15.9	14.0	18.9
1978	44,373	22,632	21,741	18.5	NOT AVAILABLE		2008**	44,904	24,229	20,675	15.3	13.6	17.8
1979	45,919	23,487	22,432	19.1	NOT AVAILABLE		2009**	42,809	22,846	19,963	14.5	12.8	17.1
1980	47,821	24,687	23,134	19.0	15.3	25.5	2010**	39,984	21,696	18,288	13.5	12.4	15.1
1981	46,228	23,777	22,451	18.3	14.7	24.8	2011**	39,825	21,756	18,069	13.4	12.2	15.2
1982	45,926	24,028	21,898	18.0	NOT AVAILABLE		2012**	38,618	21,337	17,281	12.9	11.9	14.4
1983	43,992	22,659	21,333	17.0	NOT AVAILABLE								
1984	43,742	22,672	21,070	16.9	NOT AVAILABLE								
1985	43,432	22,943	20,489	16.3	13.5	21.5							
1986	41,868	22,060	19,808	15.8	13.0	20.8							
1987	41,279	21,576	19,703	15.2	12.4	20.2							
1988	42,040	21,685	20,355	15.3	12.3	20.6							
1989**	43,026	22,069	20,957	15.5	12.4	20.9							
1990**	43,547	22,280	21,267	16.9	13.6	22.6							
1991**	43,184	21,908	21,276	16.8	13.4	22.6							
1992**	42,676	21,700	20,976	16.6	13.3	22.3							
1993**	42,134	21,246	20,888	16.4	13.0	22.2							
1994**	41,938	21,536	20,402	16.3	13.2	21.7							
1995**	41,332	21,571	19,761	15.3	12.7	19.8							
1996**	40,978	21,447	19,531	15.2	12.7	19.5							
1997**	41,527	22,021	19,506	15.4	13.0	19.5							
1998**	42,917	22,950	19,967	15.6	13.3	19.3							
1999**	42,678	22,652	20,026	15.4	13.1	19.2							

* BIRTHS PER 1,000 POPULATION.

** FIGURES SHOWN ARE BY RACE OF MOTHER; FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD.

TABLE 21
DEATHS AND RATES, BY YEAR AND RACE
MISSISSIPPI, 1913-2012
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-2012)

	NUMBER			RATE*				NUMBER			RATE*		
YEAR	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	YEAR	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
							1940	23,185	9,565	13,620	10.6	8.6	12.6
							1941	22,573	9,442	13,131	10.2	8.4	12.1
							1942	20,693	8,750	11,943	9.3	7.7	10.9
1913	21,305	7,643	13,662	11.4	9.3	13.0	1943	20,850	9,139	11,711	10.2	8.7	11.6
1914	21,485	7,442	14,043	11.3	8.9	13.1	1944	20,199	8,830	11,369	10.1	8.7	11.6
1915	24,001	8,088	15,913	12.5	9.6	14.7	1945	19,024	8,452	10,572	9.6	8.3	10.8
1916	21,794	7,588	14,206	11.2	8.9	13.0	1946	19,321	8,995	10,326	8.4	7.7	9.2
1917	23,579	8,048	15,531	11.9	9.3	14.0	1947	20,007	9,238	10,769	8.6	7.8	9.5
1918	30,437	10,177	20,260	15.2	11.6	18.0	1948	20,183	9,216	10,967	8.6	7.7	9.6
1919	22,667	8,142	14,525	12.7	9.5	15.5	1949	20,489	9,233	11,256	8.7	7.7	9.8
1920	22,072	7,916	14,156	12.3	9.3	15.1	1950	20,567	9,466	11,101	9.4	8.0	11.2
1921	19,991	7,308	12,683	11.0	8.4	13.4	1951	21,007	9,593	11,414	9.6	8.1	11.5
1922	19,278	7,312	11,966	10.5	8.3	12.6	1952	20,657	9,387	11,270	9.5	7.9	11.4
1923	20,363	7,688	12,675	11.0	8.6	13.2	1953	20,492	9,495	10,997	9.4	8.0	11.1
1924	21,155	7,809	13,346	11.3	8.6	13.8	1954	19,353	9,453	9,900	8.9	8.0	10.0
1925	22,229	8,143	14,086	11.7	8.8	14.4	1955	19,403	9,501	9,902	8.9	8.0	10.0
1926	23,929	9,133	14,796	12.5	9.7	15.1	1956	19,780	9,969	9,811	9.4	8.7	10.2
1927	23,257	8,765	14,492	12.0	9.2	14.6	1957	20,476	10,339	10,137	9.7	9.0	10.5
1928	25,965	10,111	15,854	13.2	10.4	15.9	1958	21,541	10,811	10,730	9.9	8.4	11.9
1929	25,868	10,048	15,820	13.0	10.2	15.7	1959	20,890	10,742	10,148	9.4	8.0	11.4
1930	24,098	9,072	15,026	11.9	9.0	14.8	1960	21,713	11,204	10,509	10.0	8.9	11.4
1931	22,007	8,641	13,366	10.8	8.5	13.0	1961	21,232	11,063	10,169	9.7	8.8	11.0
1932	20,322	8,295	12,027	9.9	8.1	11.6	1962	22,713	11,868	10,845	10.0	9.0	11.6
1933	21,617	8,898	12,719	10.4	8.6	12.2	1963	23,339	12,118	11,221	10.2	9.0	11.9
1934	21,786	9,350	12,436	10.5	9.0	12.0	1964	22,559	12,039	10,520	9.7	8.8	11.1
1935	21,285	9,186	12,099	10.1	8.7	11.6	1965	22,652	12,376	10,276	9.7	9.2	10.4
1936	24,127	10,367	13,760	11.4	9.7	13.1	1966	23,350	12,976	10,374	9.9	9.4	10.5
1937	24,005	10,055	13,950	11.2	9.3	13.2	1967	22,609	12,816	9,793	9.6	9.0	10.5
1938	22,814	9,471	13,343	10.6	8.7	12.5	1968	23,986	13,468	10,518	10.2	9.3	11.7
1939	22,701	9,464	13,237	10.5	8.6	12.3	1969	23,865	13,873	9,992	10.8	10.0	12.1

TABLE 21 - PAGE 2
DEATHS - MISSISSIPPI - 1913-2012

YEAR	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE	RATE* TOTAL	RATE* WHITE	RATE* NON-WHITE	YEAR	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE	RATE* TOTAL	RATE* WHITE	RATE* NON-WHITE
1970	23,305	13,623	9,682	10.5	9.8	11.8	2000	28,529	19,189	9,340	10.0	11.0	8.5
1971	23,426	13,980	9,446	10.6	10.0	11.5	2001	28,134	18,774	9,360	9.9	10.8	8.5
1972	23,663	14,077	9,586	10.5	NOT AVAILABLE		2002	28,765	19,168	9,597	10.0	10.9	8.6
1973	24,007	14,461	9,546	10.4	NOT AVAILABLE		2003	28,333	19,013	9,320	9.8	10.8	8.3
1974	23,153	14,268	8,885	9.9	NOT AVAILABLE		2004	27,748	18,689	9,059	9.6	10.5	8.1
1975	22,768	13,790	8,978	9.7	NOT AVAILABLE		2005	29,047	19,524	9,523	9.9	10.9	8.4
1976	23,124	14,307	8,817	9.8	NOT AVAILABLE		2006	28,343	18,859	9,484	9.7	10.6	8.3
1977	23,022	14,318	8,704	9.6	NOT AVAILABLE		2007	27,994	18,705	9,289	9.6	10.6	8.1
1978	23,363	14,631	8,732	9.7	NOT AVAILABLE		2008	28,867	19,434	9,433	9.8	10.9	8.1
1979	22,932	14,348	8,584	9.5	NOT AVAILABLE		2009	28,164	18,946	9,218	9.5	10.6	7.9
1980	23,576	14,531	9,045	9.4	9.0	10.0	2010	28,950	19,730	9,220	9.8	11.2	7.6
1981	23,405	14,876	8,529	9.3	9.2	9.4	2011	29,219	19,986	9,233	9.8	11.2	7.8
1982	23,173	14,863	8,310	9.1	NOT AVAILABLE		2012	29,494	19,910	9,584	9.9	11.1	8.0
1983	23,831	15,250	8,581	9.2	NOT AVAILABLE								
1984	23,781	15,225	8,556	9.2	NOT AVAILABLE								
1985	24,568	15,803	8,765	9.2	9.3	9.2							
1986	24,341	15,694	8,647	9.2	9.2	9.1							
1987	24,525	15,835	8,690	9.0	9.1	8.9							
1988	24,706	16,034	8,672	9.0	9.1	8.8							
1989	25,273	16,386	8,887	9.1	9.2	8.9							
1990	24,994	16,088	8,906	9.7	9.8	9.5							
1991	25,503	16,393	9,110	9.9	10.0	9.7							
1992	25,163	16,417	8,746	9.8	10.0	9.3							
1993	26,271	17,003	9,268	10.2	10.4	9.9							
1994	26,657	17,210	9,447	10.4	10.5	10.0							
1995	26,910	17,729	9,181	10.0	10.5	9.2							
1996	26,566	17,488	9,078	9.9	10.3	9.1							
1997	27,380	18,034	9,346	10.2	10.6	9.3							
1998	27,737	18,343	9,394	10.1	10.7	9.1							
1999	28,090	18,693	9,397	10.1	10.8	9.0							

* DEATHS PER 1,000 POPULATION.

TABLE 22
MATERNAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE
MISSISSIPPI, 1913-2012
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-2012)

	NUMBER			RATE**				NUMBER			RATE**		
YEAR	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	YEAR	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
							1940	327	106	221	622.5	459.2	750.6
							1941	293	93	200	537.0	384.8	658.0
							1942	248	77	171	438.8	304.3	547.8
1913	447	162	285	1,087.5	740.6	1,482.1	1943	233	66	167	392.2	239.0	525.2
1914	413	124	289	1,016.7	580.5	1,500.3	1944	225	72	153	397.6	280.7	494.5
1915	289	88	201	731.9	419.1	1,087.4	1945	216	64	152	403.4	273.2	504.7
1916	326	102	224	835.2	506.7	1,185.0	1946	199	67	132	323.9	225.5	416.2
1917	297	105	192	799.6	551.0	1,061.6	1947	175	50	125	264.0	154.2	369.1
1918	302	82	220	766.7	409.9	1,134.8	1948	177	38	139	271.1	128.1	390.2
1919	407	173	234	957.8	785.4	1,143.5	1949	147	32	115	222.3	111.2	308.0
1920	393	127	266	898.4	566.0	1,248.5	1950	165	30	135	256.1	110.3	362.5
1921	391	145	246	841.2	611.7	1,079.9	1951	143	28	115	218.3	100.7	304.9
1922	313	110	203	715.9	516.8	904.8	1952	119	15	104	184.5	53.4	285.4
1923	321	108	213	741.9	510.9	962.7	1953	119	24	95	185.8	84.8	265.7
1924	413	137	276	939.5	617.7	1,267.2	1954	104	11	93	160.6	38.2	258.6
1925	435	143	292	954.7	642.3	1,253.3	1955	76	12	64	120.2	43.6	179.3
1926	388	153	235	769.1	622.0	909.1	1956	74	12	62	119.0	44.0	177.6
1927	409	134	275	831.2	554.6	1,098.2	1957	75	14	61	123.5	52.2	179.9
1928	421	161	260	874.8	681.0	1,061.9	1958	53	10	43	89.5	37.3	132.8
1929	410	152	258	899.7	687.6	1,099.5	1959	55	9	46	90.8	32.2	141.2
1930	489	171	318	1,019.1	737.3	1,282.8	1960	59	8	51	99.6	29.4	159.3
1931	352	131	221	780.1	605.4	941.0	1961	49	9	40	82.3	32.8	124.6
1932	279	103	176	600.2	470.7	715.5	1962	55	7	48	93.3	25.4	152.8
1933	315	116	199	712.9	568.4	836.9	1963	44	9	35	76.8	33.6	114.8
1934	306	116	190	638.8	519.2	743.3	1964	57	9	48	100.6	34.7	156.3
1935	334	137	197	691.6	623.5	748.5	1965	40	3	37	78.2	12.8	133.1
1936	358	134	224	726.7	603.8	827.6	1966	27	6	21	56.0	26.4	82.4
1937	370	150	220	709.2	644.2	761.6	1967	36	10	26	77.3	44.1	108.7
1938	333	116	217	619.8	482.4	731.0	1968	21	3	18	45.9	13.2	78.6
1939	311	97	214	594.8	412.7	743.5	1969	23	3	20	48.8	12.5	86.6

TABLE 22 - PAGE 2
MATERNAL DEATHS - MISSISSIPPI - 1913-2012

YEAR	NUMBER			RATE**			YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE		TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1970	34	5	29	70.6	20.1	124.7	2000	8	2	6	18.2	8.5	29.2
1971	21	5	16	43.2	19.8	68.4	2001	12	4	8	28.4	17.5	41.1
1972	24	5	19	52.3	21.0	85.7	2002	9	2	7	21.7	8.8	37.0
1973	12	4	8	26.9	17.3	37.2	2003	7	3	4	16.5	13.0	20.8
1974	12	4	8	27.2	17.4	38.1	2004	11	4	7	25.7	17.0	36.3
1975	6	0	6	13.8	-	28.9	2005	12	2	10	28.4	8.7	51.8
1976	8	4	4	18.6	17.7	19.6	2006	14	3	11	30.4	12.4	50.3
1977	10	2	8	22.0	8.6	36.1	2007	10	3	7	21.5	12.1	32.3
1978	6	1	5	13.5	4.4	23.0	2008	14	3	11	31.2	12.4	53.2
1979	10	3	7	21.8	12.8	31.2	2009	13	6	7	30.4	26.3	35.1
1980	2	1	1	4.2	4.0	4.3	2010	12	6	6	30.0	27.6	32.8
1981	7	5	2	15.1	21.0	8.9	2011	19	7	12	47.7	32.2	66.4
1982	1	1	0	2.2	4.2	-	2012	16	6	10	41.4	28.1	57.9
1983	1	0	1	2.3	-	4.7							
1984	3	1	2	6.8	4.4	9.5							
1985	3	2	1	6.9	8.7	4.9							
1986	3	0	3	7.2	-	15.1							
1987	4	2	2	9.7	9.3	10.2							
1988	7	2	5	16.6	9.2	24.6							
1989	6	1	5	13.9	4.5	23.8							
1990	6	0	6	13.8	-	28.2							
1991	3	2	1	6.9	9.1	4.7							
1992	4	1	3	9.4	4.6	14.3							
1993	11	2	9	26.1	9.4	43.1							
1994	4	1	3	9.5	4.6	14.7							
1995	5	0	5	12.1	-	25.3							
1996	1	0	1	2.4	-	5.1							
1997	11	4	7	26.5	18.2	35.9							
1998	4	2	2	9.3	8.7	10.0							
1999	6	2	4	14.0	8.8	20.0							

* DEATHS RESULTING FROM DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.

** DEATHS PER 100,000 LIVE BIRTHS.

TABLE 23
INFANT DEATHS* AND MORTALITY RATES, BY YEAR AND RACE
MISSISSIPPI, 1917-2012
(OCCURRENCE DATA 1917-1944, RESIDENCE DATA 1945-2012)

	NUMBER			RATE**				NUMBER			RATE**		
YEAR	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	YEAR	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
							1940	2,864	1,070	1,794	54.5	46.4	60.9
							1941	2,969	1,113	1,856	54.4	46.1	61.1
							1942	2,654	957	1,697	47.0	37.8	54.4
							1943	2,774	1,137	1,637	46.7	41.2	51.5
							1944	2,481	965	1,516	43.6	37.1	49.0
							1945	2,192	846	1,346	40.9	36.1	44.7
							1946	2,298	1,005	1,293	37.4	33.8	40.8
1917	3,689	1,296	2,393	99.3	68.0	132.3	1947	2,428	1,009	1,419	36.6	31.1	41.9
1918	#	#	#	#	#	#	1948	2,470	988	1,482	37.8	33.3	41.6
1919	3,554	#	#	83.6	#	#	1949	2,612	900	1,712	39.5	31.3	45.8
1920	3,499	1,344	2,155	80.0	59.9	101.1	1950	2,348	763	1,585	36.4	28.1	42.6
1921	3,157	1,243	1,914	67.9	52.4	84.0	1951	2,589	814	1,775	39.5	29.3	47.1
1922	2,826	1,067	1,759	64.6	50.1	78.4	1952	2,592	760	1,832	40.2	27.1	50.3
1923	2,908	1,104	1,804	67.2	52.2	81.5	1953	2,534	807	1,727	39.6	28.5	48.3
1924	3,137	1,188	1,949	71.4	53.6	89.5	1954	2,360	744	1,616	36.4	25.8	44.9
1925	3,176	1,179	1,997	69.7	53.0	85.7	1955	2,338	680	1,658	37.0	24.7	46.4
1926	3,578	1,447	2,131	70.9	58.8	82.4	1956	2,353	734	1,619	37.8	26.9	46.4
1927	3,291	1,303	1,988	66.9	54.0	79.4	1957	2,257	694	1,563	37.2	25.9	46.1
1928	3,567	1,416	2,151	74.1	59.9	87.9	1958	2,424	706	1,718	41.0	26.3	53.1
1929	3,275	1,268	2,007	71.9	57.4	85.5	1959	2,355	677	1,678	38.9	24.2	51.5
1930	3,276	1,182	2,094	68.3	51.0	84.5	1960	2,457	714	1,743	41.5	26.2	54.4
1931	2,547	961	1,586	56.4	44.4	67.5	1961	2,250	645	1,605	37.8	23.5	50.0
1932	2,482	965	1,517	53.4	44.1	61.7	1962	2,353	705	1,648	39.9	25.6	52.5
1933	2,800	1,035	1,765	63.4	50.7	74.2	1963	2,372	610	1,762	41.4	22.7	57.8
1934	3,070	1,199	1,871	64.1	53.7	73.2	1964	2,230	599	1,631	39.4	23.1	53.1
1935	2,587	1,044	1,543	53.6	47.5	58.6	1965	2,126	593	1,533	41.5	25.4	55.1
1936	2,883	1,105	1,778	58.5	49.8	65.7	1966	1,856	520	1,336	38.5	22.9	52.4
1937	3,098	1,174	1,924	59.4	50.4	66.6	1967	1,645	512	1,133	35.3	22.6	47.4
1938	3,051	1,205	1,846	56.8	50.1	62.2	1968	1,613	517	1,096	35.3	22.7	47.8
1939	2,908	1,135	1,773	55.6	48.3	61.6	1969	1,513	530	983	32.1	22.1	42.6

TABLE 23 - PAGE 2
INFANT DEATHS - MISSISSIPPI - 1917-2012

YEAR	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE	RATE** TOTAL	RATE** WHITE	RATE** NON-WHITE	YEAR	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE	RATE** TOTAL	RATE** WHITE	RATE** NON-WHITE
1970	1,403	480	923	29.1	19.3	39.7	2000	468	157	311	10.6	6.7	15.1
1971	1,311	460	851	27.0	18.2	36.4	2001	443	157	286	10.5	6.9	14.7
1972	1,187	459	728	25.8	19.3	32.8	2002	428	155	273	10.3	6.8	14.4
1973	1,154	392	762	25.8	17.0	35.4	2003	453	158	295	10.7	6.8	15.4
1974	1,024	356	668	23.2	15.5	31.8	2004	417	144	273	9.7	6.1	14.2
1975	975	356	619	22.5	15.8	29.8	2005	481	153	328	11.4	6.6	17.0
1976	927	331	596	21.6	14.6	29.2	2006	483	168	315	10.5	6.9	14.4
1977	834	285	549	18.3	12.2	24.8	2007	469	164	305	10.1	6.6	14.1
1978	846	266	580	19.1	11.8	26.7	2008	446	180	266	9.9	7.4	12.9
1979	809	280	529	17.6	11.9	23.6	2009	427	159	268	10.0	7.0	13.4
1980	812	272	540	17.0	11.0	23.3	2010	386	140	246	9.6	6.4	13.4
1981	711	248	463	15.4	10.4	20.6	2011	373	142	231	9.4	6.5	12.8
1982	706	249	457	15.4	10.4	20.9	2012	342	116	226	8.8	5.4	13.1
1983	664	240	424	15.1	10.6	19.9							
1984	629	224	405	14.4	9.9	19.2							
1985	596	213	383	13.7	9.3	18.7							
1986	517	197	320	12.3	8.9	16.2							
1987	565	212	353	13.7	9.8	17.9							
1988	516	189	327	12.3	8.7	16.1							
1989	498	190	308	11.6	8.6	14.7							
1990	528	189	339	12.1	8.5	15.9							
1991	493	163	330	11.4	7.4	15.5							
1992	508	170	338	11.9	7.8	16.1							
1993	482	178	304	11.4	8.4	14.6							
1994	459	158	301	10.9	7.3	14.8							
1995	435	149	286	10.5	6.9	14.5							
1996	451	169	282	11.0	7.9	14.4							
1997	440	156	284	10.6	7.1	14.6							
1998	436	146	290	10.2	6.4	14.5							
1999	435	152	283	10.2	6.7	14.1							

* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

** DEATHS PER 1,000 LIVE BIRTHS.

NOT AVAILABLE.

TABLE 24
NEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE
MISSISSIPPI, 1924-2012
(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-2012)

	NUMBER			RATE**				NUMBER			RATE**		
YEAR	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	YEAR	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
							1940	1,613	680	933	30.7	29.4	31.7
							1941	1,663	734	929	30.5	30.4	30.6
							1942	1,544	638	906	27.3	25.2	29.0
							1943	1,652	791	861	27.8	28.6	27.1
							1944	1,436	661	775	25.2	25.4	25.1
							1945	1,351	624	727	25.2	26.6	24.1
							1946	1,561	794	767	25.4	26.7	24.2
							1947	1,595	750	845	24.1	23.1	24.9
							1948	1,674	773	901	25.6	26.0	25.3
							1949	1,594	661	933	24.1	23.0	25.0
							1950	1,446	560	886	22.4	20.6	23.8
							1951	1,679	626	1,053	25.6	22.5	27.9
							1952	1,658	581	1,077	25.7	20.7	29.6
							1953	1,630	635	995	25.4	22.4	27.8
1924	1,598	730	868	36.4	32.9	39.8	1954	1,521	601	920	23.5	20.9	25.6
1925	1,639	701	938	36.0	31.5	40.3	1955	1,440	527	913	22.8	19.1	25.6
1926	1,731	823	908	34.3	33.4	35.1	1956	1,451	581	870	23.3	21.3	24.9
1927	1,644	786	858	33.4	32.5	34.3	1957	1,425	540	885	23.5	20.1	26.1
1928	1,788	804	984	37.2	34.0	40.2	1958	1,475	540	935	24.9	20.1	28.9
1929	1,662	773	889	36.5	35.0	37.9	1959	1,450	515	935	23.9	18.4	28.7
1930	1,692	715	977	35.3	30.8	39.4	1960	1,497	550	947	25.3	20.2	29.6
1931	1,339	590	749	29.7	27.3	31.9	1961	1,401	509	892	23.5	18.6	27.8
1932	1,361	572	789	29.3	26.1	32.1	1962	1,456	550	906	24.7	20.0	28.8
1933	1,540	636	904	34.8	31.2	38.0	1963	1,449	470	979	25.3	17.5	32.1
1934	1,505	644	861	31.4	28.8	33.7	1964	1,372	460	912	24.2	17.7	29.7
1935	1,446	642	804	29.9	29.2	30.5	1965	1,283	470	813	25.1	20.1	29.2
1936	1,494	676	818	30.3	30.4	30.2	1966	1,123	386	737	23.3	17.0	28.9
1937	1,678	755	923	32.2	32.4	32.0	1967	1,053	388	665	22.6	17.1	27.8
1938	1,688	747	941	31.4	31.1	31.7	1968	1,116	424	692	24.4	18.6	30.2
1939	1,637	735	902	31.3	31.3	31.3	1969	1,066	441	625	22.6	18.4	27.1

TABLE 24 - PAGE 2
NEONATAL DEATHS - MISSISSIPPI - 1924-2012

YEAR	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE	RATE** TOTAL	RATE** WHITE	RATE** NON-WHITE	YEAR	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE	RATE** TOTAL	RATE** WHITE	RATE** NON-WHITE
1970	976	391	585	20.3	15.7	25.2	2000	289	91	198	6.6	3.9	9.6
1971	940	382	558	19.3	15.2	23.8	2001	277	96	181	6.6	4.2	9.3
1972	837	362	475	18.2	15.2	21.4	2002	281	100	181	6.8	4.4	9.6
1973	793	301	492	17.8	13.0	22.9	2003	246	78	168	5.8	3.4	8.7
1974	710	276	434	16.1	12.0	20.6	2004	256	82	174	6.0	3.5	9.0
1975	677	257	420	15.6	11.4	20.2	2005	283	70	213	6.7	3.0	11.0
1976	626	243	383	14.6	10.7	18.8	2006	300	102	198	6.5	4.2	9.1
1977	588	222	366	12.9	9.5	16.5	2007	272	94	178	5.8	3.8	8.2
1978	559	191	368	12.6	8.4	16.9	2008	256	96	160	5.7	4.0	7.7
1979	514	191	323	11.2	8.1	14.4	2009	263	97	166	6.1	4.2	8.3
1980	523	189	334	10.9	7.6	14.4	2010	220	73	147	5.5	3.4	8.0
1981	486	166	320	10.5	7.0	14.2	2011	227	83	144	5.7	3.8	8.0
1982	467	166	301	10.2	6.9	13.7	2012	213	69	144	5.5	3.2	8.3
1983	410	160	250	9.3	7.1	11.7							
1984	395	158	237	9.0	7.0	11.2							
1985	368	127	241	8.5	5.5	11.8							
1986	323	133	190	7.7	6.0	9.6							
1987	363	128	235	8.8	5.9	11.9							
1988	318	118	200	7.6	5.4	9.8							
1989	309	132	177	7.2	6.0	8.4							
1990	332	111	221	7.6	5.0	10.4							
1991	303	95	208	7.0	4.3	9.8							
1992	320	97	223	7.5	4.5	10.6							
1993	298	111	187	7.1	5.2	9.0							
1994	273	93	180	6.5	4.3	8.8							
1995	254	88	166	6.1	4.1	8.4							
1996	294	103	191	7.2	4.8	9.8							
1997	269	96	173	6.5	4.4	8.9							
1998	265	76	189	6.2	3.3	9.5							
1999	267	91	176	6.2	4.0	8.8							

* DEATHS OF INFANTS UNDER 28 DAYS OF AGE, BUT FIGURES FOR 1924-1948 INCLUDE DEATHS OF INFANTS UNDER ONE MONTH OF AGE.

** DEATHS PER 1,000 LIVE BIRTHS.

NOT AVAILABLE.

TABLE 25
POSTNEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE
MISSISSIPPI, 1924-2012
(OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-2012)

	NUMBER			RATE**				NUMBER			RATE**		
YEAR	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	YEAR	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
							1940	1,251	390	861	23.8	16.9	29.2
							1941	1,306	379	927	23.9	15.7	30.5
							1942	1,110	319	791	19.6	12.6	25.3
							1943	1,122	346	776	18.9	12.5	24.4
							1944	1,045	304	741	18.4	11.7	24.0
							1945	841	222	619	15.7	9.5	20.6
							1946	737	211	526	12.0	7.1	16.6
							1947	833	259	574	12.6	8.0	16.9
							1948	796	215	581	12.2	7.2	16.3
							1949	1,018	239	779	15.4	8.3	20.9
							1950	902	203	699	14.0	7.5	18.8
							1951	910	188	722	13.9	6.8	19.1
							1952	934	179	755	14.5	6.4	20.7
							1953	904	172	732	14.1	6.1	20.5
1924	1,539	458	1,081	35.0	20.6	49.6	1954	839	143	696	13.0	5.0	19.4
1925	1,537	478	1,059	33.7	21.5	45.4	1955	898	153	745	14.2	5.6	20.9
1926	1,847	624	1,223	36.6	25.4	47.3	1956	902	153	749	14.5	5.6	21.5
1927	1,647	517	1,130	33.5	21.4	45.1	1957	832	154	678	13.7	5.7	20.0
1928	1,779	612	1,167	37.0	25.9	47.7	1958	949	166	783	16.0	6.2	24.2
1929	1,613	495	1,118	35.4	22.4	47.6	1959	905	162	743	14.9	5.8	22.8
1930	1,584	467	1,117	33.0	20.1	45.0	1960	960	164	796	16.2	6.0	24.9
1931	1,208	371	837	26.8	17.1	35.6	1961	849	136	713	14.3	5.0	22.2
1932	1,121	393	728	24.1	18.0	29.6	1962	897	155	742	15.2	5.6	23.6
1933	1,260	399	861	28.5	19.6	36.2	1963	923	140	783	16.1	5.2	25.7
1934	1,565	555	1,010	32.7	24.8	39.5	1964	858	139	719	15.1	5.4	23.4
1935	1,141	402	739	23.6	18.3	28.1	1965	843	123	720	16.5	5.3	25.9
1936	1,389	429	960	28.2	19.3	35.5	1966	733	134	599	15.2	5.9	23.5
1937	1,420	419	1,001	27.2	18.0	34.6	1967	592	124	468	12.7	5.5	19.6
1938	1,363	458	905	25.4	19.0	30.5	1968	497	93	404	10.9	4.1	17.6
1939	1,271	400	871	24.3	17.0	30.3	1969	447	89	358	9.5	3.7	15.5

TABLE 25 - PAGE 2
POSTNEONATAL DEATHS - MISSISSIPPI - 1924-2012

YEAR	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE	RATE** TOTAL	RATE** WHITE	RATE** NON-WHITE	YEAR	NUMBER TOTAL	NUMBER WHITE	NUMBER NON-WHITE	RATE** TOTAL	RATE** WHITE	RATE** NON-WHITE
1970	427	89	338	8.9	3.6	14.5	2000	179	66	113	4.1	2,8	5.5
1971	371	78	293	7.6	3.1	12.5	2001	166	61	105	3.9	2.7	5.4
1972	350	97	253	7.6	4.1	11.4	2002	147	55	92	3.5	2.4	4.9
1973	361	91	270	8.1	3.9	12.5	2003	207	80	127	4.9	3.5	6.6
1974	314	80	234	7.1	3.5	11.1	2004	161	62	99	3.8	2.6	5.1
1975	298	99	199	6.9	4.4	9.6	2005	198	83	115	4.7	3.6	6.0
1976	301	88	213	7.0	3.9	10.4	2006	183	66	117	4.0	2.7	5.4
1977	246	63	183	5.4	2.7	8.2	2007	197	70	127	4.2	2.8	5.9
1978	287	75	212	6.5	3.3	9.8	2008	190	84	106	4.2	3.5	5.1
1979	295	89	206	6.4	3.8	9.2	2009	164	62	102	3.8	2.7	5.1
1980	289	83	206	6.0	3.4	8.9	2010	166	67	99	4.2	3.1	5.4
1981	225	82	143	4.9	3.4	6.4	2011	146	59	87	3.7	2.7	4.8
1982	239	83	156	5.2	3.4	7.1	2012	129	47	82	3.3	2.2	4.7
1983	254	80	174	5.8	3.5	8.2							
1984	234	66	168	5.4	2.9	8.0							
1985	228	86	142	5.2	3.7	6.9							
1986	194	64	130	4.6	2.9	6.6							
1987	202	84	118	4.9	3.9	6.0							
1988	198	71	127	4.7	3.3	6.2							
1989	189	58	131	4.4	2.6	6.2							
1990	196	78	118	4.5	3.5	5.5							
1991	190	68	122	4.4	3.1	5.7							
1992	188	73	115	4.4	3.4	5.5							
1993	184	67	117	4.4	3.2	5.6							
1994	186	65	121	4.4	3.0	5.9							
1995	181	61	120	4.4	2.8	6.1							
1996	157	66	91	3.8	3.1	4.6							
1997	171	60	111	4.1	2.7	5.7							
1998	171	70	101	4.0	3.0	5.0							
1999	168	61	107	3.9	2.7	5.3							

* DEATHS OF INFANTS 28 DAYS OF AGE OR OLDER, BUT FIGURES FOR 1924-1948 INCLUDE DEATHS OF INFANTS ONE MONTH OF AGE OR OLDER.

** DEATHS PER 1,000 LIVE BIRTHS.

NOT AVAILABLE.

TABLE 26
MARRIAGES AND DIVORCES, BY YEAR AND RACE, OCCURRENCE DATA,
MISSISSIPPI, 1926-2012

	MARRIAGES			DIVORCES				MARRIAGES			DIVORCES		
YEAR	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	YEAR	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
							1950	56,738	37,871	18,867	6,065	3,711	2,354
							1951	57,321	37,857	19,464	5,464	3,601	1,863
							1952	58,116	39,162	18,954	5,419	3,607	1,812
							1953	61,751	42,961	18,790	5,204	3,515	1,689
							1954	61,381	43,268	18,113	5,001	3,424	1,577
							1955	66,423	47,618	18,805	4,845	3,372	1,473
1926	28,712	#	#	2,766	#	#	1956	66,223	48,140	18,083	5,027	3,452	1,575
1927	29,048*	11,402	17,383	2,895	#	#	1957	62,495	46,868	15,627	4,974	3,350	1,624
1928	30,231*	11,662	18,257	3,009	1,435	1,574	1958	36,402	26,998	9,404	5,016	3,485	1,531
1929	31,495*	12,864	18,388	3,172	1,598	1,574	1959	20,447	13,547	6,900	5,108	3,557	1,551
1930	25,728*	10,815	14,751	2,743	1,487	1,256	1960	21,233	14,029	7,204	5,260	3,553	1,707
1931	21,589*	9,952	11,629	2,015	1,308	707	1961	21,610	14,438	7,172	5,213	3,545	1,668
1932	22,688*	10,147	12,453	1,918	1,308	610	1962	22,007	14,432	7,575	5,467	3,827	1,640
1933	27,567*	12,201	15,300	1,955	1,396	559	1963	22,140	14,508	7,632	5,452	3,930	1,522
1934	30,149*	13,497	16,541	2,446	1,704	742	1964	22,784	15,159	7,625	5,631	4,077	1,554
1935	28,722*	12,955	15,635	2,425	1,681	744	1965	23,343	15,613	7,730	5,730	4,220	1,510
1936	32,480*	14,120	18,196	2,520	1,690	830	1966	23,476	15,860	7,616	6,306	4,650	1,656
1937	32,055*	14,802	17,246	2,977	1,984	993	1967	23,535	15,752	7,783	6,455	4,704	1,751
1938	31,495	14,224	17,271	2,916	2,069	847	1968	25,355	17,142	8,213	7,020	5,202	1,818
1939	31,956	15,370	16,586	3,034	2,166	868	1969	25,956	17,582	8,374	7,506	5,616	1,890
1940	34,088	16,834	17,254	3,251	2,295	956	1970	26,328	17,883	8,445	8,211	6,227	1,984
1941	42,142	21,611	20,531	3,831	2,444	1,387	1971	27,597	18,668	8,929	8,936	6,705	2,231
1942	49,565	27,227	22,338	4,326	2,606	1,720	1972	28,703	19,178	9,525	10,097	7,510	2,587
1943	46,030	23,445	22,585	5,851	3,062	2,789	1973	28,513	19,276	9,237	10,787	8,138	2,649
1944	41,559	21,173	20,386	6,742	3,425	3,317	1974	27,613	19,236	8,377	11,866	9,203	2,663
1945	44,871	24,738	20,133	6,727	3,919	2,808	1975	26,279	18,602	7,677	12,303	9,570	2,733
1946	64,204	37,099	27,105	9,495	5,867	3,628	1976	26,772	18,969	7,803	12,243	9,399	2,844
1947	53,584	30,514	23,070	7,004	4,323	2,681	1977	26,843	19,200	7,643	12,759	9,921	2,838
1948	53,645	31,504	22,141	6,697	3,864	2,833	1978	27,280	19,762	7,518	13,313	10,339	2,974
1949	52,765	32,191	20,574	6,285	3,621	2,664	1979	27,279	19,843	7,436	13,628	10,402	3,226

TABLE 26 - PAGE 2
MARRIAGES AND DIVORCES - MISSISSIPPI - 1926-2012

YEAR	MARRIAGES TOTAL	MARRIAGES WHITE	MARRIAGES NON-WHITE	DIVORCES TOTAL	DIVORCES WHITE	DIVORCES NON-WHITE	YEAR	MARRIAGES TOTAL	MARRIAGES WHITE	MARRIAGES NON-WHITE	DIVORCES TOTAL	DIVORCES WHITE	DIVORCES NON-WHITE
1980	27,908	20,620	7,288	13,846	10,760	3,086	2010	14,575	9,964	4,611	12,703*	7,462	2,770
1981	28,002	20,877	7,125	14,182*	10,403	2,795	2011	14,515	10,082	4,433	12,043*	6,854	2,568
1982	27,584	20,547	7,037	12,861*	10,239	2,570	2012	17,425	11,888	5,537	11992*	6,780	2,503
1983	26,921	19,950	6,971	13,436*	10,709	2,674							
1984	26,025	19,255	6,770	12,911*	10,205	2,664							
1985	24,750	18,241	6,509	12,535*	9,766	2,662							
1986	24,283	17,729	6,554	12,871*	10,155	2,630							
1987	23,729	17,286	6,443	12,142*	9,542	2,420							
1988	24,919	18,335	6,584	12,097*	9,454	2,473							
1989	24,240	17,735	6,505	12,945*	9,823	2,755							
1990	24,348	17,766	6,582	12,735*	9,498	2,804							
1991	23,446	17,235	6,211	13,027*	9,926	2,689							
1992	22,995	16,776	6,219	12,758*	9,785	2,667							
1993	23,271	17,066	6,205	13,860*	10,513	2,940							
1994	22,872	16,479	6,393	13,302*	10,110	2,890							
1995	22,150	15,714	6,436	13,182*	10,073	2,850							
1996	21,550	15,219	6,331	14,263*	10,658	3,180							
1997	21,338	14,630	6,708	13,860*	10,376	3,101							
1998	20,911	14,222	6,689	13,748*	10,310	3,004							
1999	21,828	14,436	7,392	14,056*	10,625	3,221							
2000	19,879	13,232	6,647	14,177*	10,666	3,312							
2001	18,605	12,483	6,122	14,198*	10,683	3,370							
2002	18,447	12,451	5,996	14,196*	10,548	3,466							
2003	17,827	12,081	5,746	13,330*	9,737	3,325							
2004	17,705	12,055	5,650	13,003*	8,876	3,123							
2005	16,862	11,318	5,544	12,798*	8,305	3,053							
2006	16,550	11,071	5,479	13,891*	8,858	3,138							
2007	15,827	11,093	4,734	13,060*	8,362	2,961							
2008	15,057	10,549	4,508	12,597*	8,388	3,084							
2009	14,110	9,894	4,216	12,223*	7,206	2,698							

MARRIAGES FOR 1926 AND DIVORCES FOR 1926 AND 1927 FURNISHED BY U.S. BUREAU OF CENSUS; DISTRIBUTION BY RACE NOT AVAILABLE.

* INCLUDES SOME RECORDS ON WHICH THE RACE OF THE COUPLE WAS NOT STATED.

NOTE: DUE TO INCONSISTENT REPORTING BY COUNTIES, STATISTICS ON MARRIAGES AND DIVORCES MAY BE INCOMPLETE.

TABLE 27
REPORTED INDUCED TERMINATIONS OF PREGNANCY
AND INDUCED TERMINATION RATIOS, BY YEAR AND RACE,
PROCEDURES PERFORMED IN MISSISSIPPI, 1976-2012

	NUMBER				RATIO*		
YEAR	TOTAL	WHITE	NON-WHITE	UNK. RACE	TOTAL	WHITE	NON-WHITE
1976	1,510	976	515	19	35.1	43.2	25.3
1977	2,446	1,531	907	8	53.7	65.5	40.9
1978	3,280	1,998	1,270	12	73.9	88.3	58.4
1979	4,411	2,765	1,636	10	96.1	117.7	72.9
1980	5,543	3,283	2,250	10	115.9	133.0	97.2
1981	5,561	3,236	2,263	62	120.3	136.1	100.8
1982	5,145	2,954	2,174	17	112.0	122.9	99.3
1983	4,560	2,473	2,084	3	103.6	109.1	97.7
1984	4,585	2,633	1,945	7	104.8	116.1	92.3
1985	5,288	2,922	2,359	7	121.8	127.4	115.1
1986	4,521	2,505	2,013	3	108.0	113.6	101.6
1987	5,469	2,950	2,517	2	132.5	136.7	127.7
1988	5,170	2,561	2,588	21	123.0	118.1	127.1
1989	5,490	2,674	2,802	14	127.6	121.2	133.7
1990	6,842	3,334	3,485	23	157.1	149.6	163.9
1991	8,184	3,910	4,244	30	189.5	178.5	199.5
1992	7,555	3,425	4,127	3	177.0	157.8	196.7
1993	6,002	2,425	3,551	26	142.4	114.1	170.0
1994	3,979	1,414	2,558	7	94.9	65.6	125.4
1995	3,563	1,288	2,274	1	86.2	59.7	115.1
1996	4,206	1,340	2,859	7	102.6	62.5	146.4
1997	4,325	1,418	2,906	1	104.1	64.4	149.0
1998	3,955	1,215	2,737	3	92.2	52.9	137.1
1999	3,878	1,060	2,810	8	90.9	46.8	140.3
2000	3,758	1,039	2,711	8	85.3	44.1	132.0
2001	3,566	960	2,598	8	84.3	42.1	133.4
2002	3,605	970	2,633	2	85.3	42.5	135.2
2003	3,753	957	2,769	27	88.7	41.4	144.2
2004	3,493	837	2,655	1	81.6	35.6	137.7
2005	3,041	672	2,356	13	71.8	29.2	122.0
2006	2,949	665	2,278	6	64.0	27.5	104.2
2007	2,932	632	2,289	11	63.1	25.5	105.6
2008	2,772	654	2,116	2	61.7	27.0	102.3
2009	2,438	529	1,906	3	57.0	23.2	95.5
2010	2,297	451	1,845	1	57.4	20.8	100.9
2011	2,224	414	1,757	53	55.8	19.0	97.2
2012	2,176	406	1,770	0	56.3	19.0	102.4

* INDUCED TERMINATIONS OF PREGNANCY PER 1,000 LIVE BIRTHS.

TABLE 28
TEENAGE PREGNANCIES AND PREGNANCY RATES,
BY YEAR AND RACE, RESIDENCE DATA,
MISSISSIPPI, 1979-2012

	NUMBER			RATE*		
YEAR	TOTAL**	WHITE	NON-WHITE	TOTAL**	WHITE	NON-WHITE
1979	13,347	5,401	7,895	55.9	40.4	75.2
1980	13,544	5,712	7,808	56.8	42.7	74.4
1981	12,804	5,399	7,365	53.7	40.4	70.2
1982	12,217	5,125	7,080	51.2	38.4	67.4
1983	11,435	4,708	6,727	52.6	38.1	71.4
1984	11,091	4,382	6,709	51.0	35.5	71.3
1985	10,998	4,455	6,543	50.5	36.1	69.5
1986	10,231	4,077	6,154	47.0	33.0	65.4
1987	10,244	4,057	6,187	47.6	33.2	66.4
1988	10,565	4,174	6,391	49.3	34.3	69.0
1989#	11,267	4,403	6,855	52.9	36.4	74.4
1990#	11,379	4,457	6,916	53.1	39.0	69.3
1991#	11,545	4,485	7,056	53.9	39.2	70.7
1992#	11,089	4,119	6,969	51.8	36.0	69.8
1993#	10,962	3,911	7,046	51.2	34.2	70.6
1994#	10,802	3,889	6,911	50.4	34.0	69.3
1995#	10,778	3,984	6,789	49.9	34.5	67.5
1996#	10,401	3,787	6,612	48.1	32.8	65.7
1997#	9,989	3,681	6,305	46.2	31.9	62.7
1998#	9,891	3,748	6,143	45.9	32.8	60.5
1999#	9,675	3,646	6,027	45.2	32.1	59.8
2000#	9,508	3,618	5,889	42.9	31.1	55.9
2001#	8,624	3,309	5,314	38.9	28.4	50.4
2002#	8,192	3,266	4,925	38.2	29.1	48.3
2003#	7,743	3,070	4,666	36.3	27.6	45.8
2004#	7,673	3,131	4,538	36.4	28.3	45.3
2005#	7,405	2,900	4,502	35.5	26.6	45.3
2006#	8,701	3,382	5,312	41.0	30.7	52.0
2007#	9,060	3,606	5,443	43.0	32.9	53.8
2008#	8,528	3,449	5,069	40.6	31.4	50.4
2009#	8,112	3,215	4,894	39.0	29.6	49.1
2010#	7,095	2,820	4,270	33.4	26.1	41.0
2011#	6,291	2,481	3,793	30.1	22.9	37.7
2012#	5,644	2,368	3,273	27.4	22.1	33.1

* NUMBER OF LIVE BIRTHS PLUS REPORTABLE SPONTANEOUS FETAL DEATHS PLUS INDUCED TERMINATIONS PER 1,000 FEMALES AGES 10-19 IN SPECIFIED RACE GROUP.

** TOTAL FIGURES INCLUDE SOME FOR WHICH THE RACE WAS UNKNOWN.

FIGURES SHOWN ARE BY RACE OF MOTHER; FIGURES FOR YEARS PRIOR TO 1989 ARE BY RACE OF CHILD.

APPENDICES

APPENDIX A.
LIST OF 358 SELECTED CAUSES OF DEATH USED FOR TABULATING MORTALITY STATISTICS, SHOWING GROUP NUMBER, CAUSE OF DEATH, AND ICD-10 CODES INCLUDED

This list of causes of death for the tabulation and dissemination of mortality data was prepared by the National Center for Health Statistics based on the Tenth Revision of the International Classification of Diseases (ICD-10) and recommendations by the World Health Organization (WHO).

The purpose of this list of 358 selected causes is threefold: (1) to separately identify causes of death specified by the WHO in its recommended mortality tabulation lists, (2) to the greatest extent possible, to maintain continuity with past lists (ie, NCHS's List of 282 Selected Causes of Death used with ICD-9) for historic continuity and to facilitate trend analysis, and (3) to separately identify causes of death that are of public health and medical importance.

Group	Cause of Death	ICD-10 Codes Included
001	Cholera	A00
002	Typhoid fever	A01.0
003	Paratyphoid fevers and other salmonella infections	A01.1-A01.4, A02
004	Shigellosis	A03
005	Other bacterial food-borne intoxications	A05
006	Amebiasis	A06
007	Intestinal infections due to other specified organisms	A04, A07-A08
008	Diarrhea and gastroenteritis of presumed infectious origin	A09
009	Respiratory tuberculosis	A16
010	Other tuberculosis	A17-A19
011	Plague	A20
012	Brucellosis	A23
013	Tetanus	A33-A35
014	Diphtheria	A36
015	Whooping cough	A37
016	Scarlet fever and erysipelas	A38, A46
017	Meningococcal infection	A39
018	Septicemia	A40-A41
019	Other zoonotic and bacterial diseases	A21-A22, A24-A32, A42-A44, A48-A49
020	Cardiovascular syphilis	A52.0
021	Neurosyphilis	A52.1-A52.3
022	Other and unspecified syphilis	A50-A51, A52.7-A52.9, A53

Group	Cause of Death	ICD-10 Codes Included
023	Gonococcal infection	A54
024	Other infections with a predominately sexual mode of transmission	A55-A64
025	Lyme disease	A69.2
026	Typhus fever	A75
027	All other infections caused by spirochetes, chlamydia or rickettsia	A65-A68, A69.0-A69.1, A69.8-A69.9, A70-A74, A77-A79
028	Acute poliomyelitis	A80
029	Rabies	A82
030	Arthropod-borne viral encephalitis	A83-A84, A85.2
031	Yellow fever	A95
032	Other and unspecified arthropod-borne viral and hemorrhagic fevers	A90-A94, A96-A99
033	Herpesviral (herpes simplex) infections	B00
034	Zoster (herpes zoster)	B02
035	Smallpox	B03
036	Measles	B05
037	Rubella (German measles)	B06
038	Viral hepatitis	B15-B19
039	Human immunodeficiency virus (HIV) disease resulting in infectious and parasitic diseases	B20
040	Human immunodeficiency virus (HIV) disease resulting in malignant neoplasms	B21
041	Human immunodeficiency virus (HIV) disease resulting in other specified diseases	B22
042	Human immunodeficiency virus (HIV) disease resulting in other conditions	B23
043	Unspecified human immunodeficiency virus (HIV) disease	B24
044	All other and unspecified viral diseases	A85.0-A85.1, A85.8, A86-A89, B01, B04, B07-B09, B25-B34
045	Mycoses	B35-B49
046	Malaria	B50-B54
047	Leishmaniasis	B55
048	Trypanosomiasis	B56-B57
049	Pneumocystosis	B59

Group	Cause of Death	ICD-10 Codes Included
050	Other and unspecified protozoal diseases	B58, B60-B64
051	Schistosomiasis (bilharziasis)	B65
052	Other and unspecified helminthiases	B66-B83
053	Sequelae of tuberculosis	B90
054	Sequelae of poliomyelitis	B91
055	All other and unspecified infectious and parasitic diseases and their sequela	B85-B89, B92-B99
056	Malignant neoplasms of lip	C00
057	Malignant neoplasms of tongue	C01-C02
058	Malignant neoplasms of pharynx	C10-C13, C14.0
059	Malignant neoplasms of other and unspecified sites within the lip, oral cavity and pharynx	C03-C09, C14.2-C14.8
060	Malignant neoplasms of esophagus	C15
061	Malignant neoplasms of stomach	C16
062	Malignant neoplasms of small intestine	C17
063	Malignant neoplasms of colon	C18
064	Malignant neoplasms of rectosigmoid junction and rectum	C19-C20
065	Malignant neoplasms of anus and anal canal	C21
066	Malignant neoplasms of liver	C22.0, C22.2-C22.9
067	Intrahepatic bile duct carcinoma	C22.1
068	Malignant neoplasms of gallbladder and extrahepatic bile ducts	C23-C24
069	Malignant neoplasms of pancreas	C25
070	Malignant neoplasms of other and ill-defined digestive organs	C26
071	Malignant neoplasms of nasal cavity, middle ear and accessory sinuses	C30-C31
072	Malignant neoplasms of larynx	C32
073	Malignant neoplasms of trachea, bronchus and lung	C33-C34
074	Malignant neoplasms of thymus, heart, mediastinum and pleura	C37-C38
075	Malignant neoplasms of other and ill-defined sites in respiratory system and intrathoracic organs	C39
076	Malignant neoplasms of bone and articular cartilage	C40-C41

Group	Cause of Death	ICD-10 Codes Included
077	Malignant melanoma of skin	C43
078	Other malignant neoplasms of skin	C44
079	Mesothelioma	C45
080	Kaposi's sarcoma	C46
081	Malignant neoplasms of other mesothelial and soft tissue	C47-C49
082	Malignant neoplasm of breast	C50
083	Malignant neoplasms of vulva and vagina	C51-C52
084	Malignant neoplasms of cervix uteri	C53
085	Malignant neoplasms of corpus uteri and uterus, part unspecified	C54-C55
086	Malignant neoplasms of ovary	C56
087	Malignant neoplasms of other and unspecified female genital organs	C57
088	Malignant neoplasms of placenta	C58
089	Malignant neoplasms of prostate	C61
090	Malignant neoplasms of testis	C62
091	Malignant neoplasms of penis and other and unspecified male genital organs	C60, C63
092	Malignant neoplasms of kidney and renal pelvis	C64-C65
093	Malignant neoplasms of bladder	C67
094	Malignant neoplasms of other and unspecified sites within the urinary tract	C66, C68
095	Malignant neoplasm of eye and adnexa	C69
096	Malignant neoplasms of brain	C71
097	Malignant neoplasms of other parts of central nervous system	C70, C72
098	Malignant neoplasms of thyroid and other endocrine glands	C73-C75
099	Other malignant neoplasms of other and unspecified sites	C76-C80, C97
100	Hodgkin's disease	C81
101	Non-Hodgkin's lymphoma	C82-C85
102	Malignant neoplasms of other and unspecified lymphoid, hematopoietic and related tissue	C96
103	Malignant immunoproliferative diseases	C88
104	Multiple myeloma and malignant plasma cell neoplasms	C90

Group	Cause of Death	ICD-10 Codes Included
105	Lymphoid leukemia	C91
106	Myeloid leukemia	C92
107	Monocytic leukemia	C93
108	Other and unspecified leukemia	C94-C95
109	Carcinoma in situ of breast and genitourinary system	D05-D07
110	Carcinoma in situ of other and unspecified sites	D00-D04, D09
111	Benign neoplasms of female genital organs	D25-D28
112	Benign neoplasms of eye, brain and other parts of central nervous system	D31-D33
113	Benign neoplasms of other and unspecified sites	D10-D24, D29-D30, D34-D36
114	Neoplasms of uncertain or unknown behavior of specified sites	D37-D47
115	Neoplasm of uncertain or unknown behavior of unspecified sites	D48
116	Nutritional anemias	D50-D53
117	Hemolytic anemias	D55-D59
118	Aplastic anemias	D60-D61
119	Acute posthemorrhagic and other anemias	D62, D64
120	Coagulation defects, purpura and other hemorrhagic conditions	D65-D69
121	Other diseases of blood and blood-forming organs	D70-D76
122	Certain disorders involving the immune mechanism	D80-D89
123	Disorders of thyroid gland	E00-E07
124	Diabetes mellitus	E10-E14
125	Disorders of pituitary gland	E22-E23
126	Disorders of adrenal glands	E24-E27
127	Diseases of thymus	E32
128	Other endocrine diseases	E15-E21, E28-E31, E34
129	Nutritional marasmus	E41
130	Other and unspecified malnutrition	E40, E42-E46
131	Other nutritional deficiencies	E50-E64
132	Obesity and other hyperalimentation	E65-E68
133	Cystic fibrosis	E84

Group	Cause of Death	ICD-10 Codes Included
134	Volume depletion, disorders of fluid, electrolyte and acid-base balance	E86-E87
135	Other metabolic disorders	E70-E83, E85, E88
136	Organic dementia	F01, F03
137	Other and unspecified organic mental disorders	F04-F09
138	Mental and behavioral disorders due to use of alcohol	F10
139	Mental and behavioral disorders due to other psychoactive substance use	F11-F19
140	Schizophrenia, schizotypal and delusional disorders	F20-F29
141	Mood (affective) disorders	F30-F39
142	Neurotic, stress-related and somatoform disorders	F40-F48
143	Mental retardation	F70-F79
144	Other and unspecified mental and behavioral disorders	F50-F69, F80-F99
145	Meningitis	G00, G03
146	Other inflammatory diseases of central nervous system	G04-G09
147	Parkinson's disease	G20-G21
148	Alzheimer's disease	G30
149	Multiple sclerosis	G35
150	Epilepsy	G40-G41
151	Transient cerebral ischemic attacks and related syndromes	G45
152	Infantile cerebral palsy	G80
153	All other diseases of nervous system	G10-G12, G23-G25, G31, G36-G37, G43-G44, G47-G72, G81-G98
154	Diseases of the eye and adnexa	H00-H57
155	Diseases of the ear and mastoid process	H60-H93
156	Acute rheumatic fever	I00-I02
157	Rheumatic mitral valve diseases	I05
158	Rheumatic aortic valve diseases	I06
159	Disorders of both mitral and aortic valves	I08.0
160	Other chronic rheumatic heart diseases	I07, I08.1-I08.9, I09
161	Essential (primary) hypertension	I10

Group	Cause of Death	ICD-10 Codes Included
162	Hypertensive heart disease	I11
163	Hypertensive renal disease	I12
164	Hypertensive heart and renal disease	I13
165	Acute myocardial infarction	I21-I22
166	Other acute ischemic heart diseases	I24
167	Atherosclerotic cardiovascular disease, so described	I25.0
168	All other forms of chronic ischemic heart disease	I20, I25.1-I25.9
169	Pulmonary embolism	I26
170	Other pulmonary heart disease and diseases of pulmonary circulation	I27-I28
171	Acute and subacute endocarditis	I33
172	Diseases of pericardium and acute myocarditis	I30-I31, I40
173	Nonrheumatic mitral valve disorders	I34
174	Nonrheumatic aortic valve disorders	I35
175	All other diseases of endocardium	I36-I38
176	Cardiomyopathy	I42
177	Conduction disorders and cardiac dysrhythmias	I44-I49
178	Congestive heart failure	I50.0
179	Other and unspecified heart failure	I50.1-I50.9
180	Myocarditis, unspecified and myocardial degeneration	I51.4-I51.5
181	All other and ill-defined forms of heart disease	I51.0-I51.3, I51.6-I51.9
182	Subarachnoid hemorrhage	I60
183	Intracerebral and other intracranial hemorrhage	I61-I62
184	Cerebral infarction	I63
185	Stroke, not specified as hemorrhage or infarction	I64
186	Other cerebrovascular diseases and their sequelae	I67, I69
187	Atherosclerosis	I70
188	Aortic aneurysm and dissection	I71
189	Other diseases of arteries, arterioles and capillaries	I72-I78

Group	Cause of Death	ICD-10 Codes Included
190	Phlebitis, thrombophlebitis, venous embolism and thrombosis	I80-I82
191	All other and unspecified disorders of circulatory system	I83-I99
192	Acute pharyngitis and tonsillitis	J02-J03
193	Acute laryngitis and tracheitis	J04
194	Other and unspecified acute upper respiratory infections	J00-J01, J05-J06
195	Influenza	J09-J11
196	Viral pneumonia, not elsewhere classified	J12
197	Bacterial pneumonia	J13-J15
198	Pneumonia due to other or unspecified organisms	J16, J18
199	Acute bronchitis and bronchiolitis	J20-J21
200	Unspecified acute lower respiratory infection	J22
201	Other diseases of upper respiratory tract	J30-J39
202	Bronchitis, not specified as acute or chronic	J40
203	Chronic bronchitis	J41-J42
204	Emphysema	J43
205	Other chronic obstructive pulmonary disease	J44
206	Asthma	J45-J46
207	Bronchiectasis	J47
208	Pneumoconioses and chemical effects	J60-J66, J68
209	Pneumonitis due to food and vomit	J69.0
210	Other pneumonitis due to solids and liquids	J69.1-J69.8
211	Other lung diseases due to external agents	J67, J70
212	Suppurative and necrotic conditions of lower respiratory tract	J85-J86
213	Pleural effusion and plaque	J90, J92
214	All other diseases of respiratory system	J80-J84, J93-J98
215	Diseases of oral cavity, salivary glands and jaws	K00-K14
216	Diseases of esophagus	K20-K22
217	Gastric ulcer	K25
218	Duodenal ulcer	K26
219	Peptic ulcer, site unspecified	K27

Group	Cause of Death	ICD-10 Codes Included
220	Gastrojejunal ulcer	K28
221	Gastritis and duodenitis	K29
222	Dyspepsia and other diseases of stomach and duodenum	K30-K31
223	Diseases of appendix	K35-K38
224	Hernia	K40-K46
225	Crohn's disease and ulcerative colitis	K50-K51
226	Vascular disorders and obstruction of intestine without hernia	K55-K56
227	Diverticular disease of intestine	K57
228	Other diseases of intestines and peritoneum	K52, K58-K63
229	Diseases of peritoneum	K65-K66
230	Alcoholic liver disease	K70
231	Chronic hepatitis, not elsewhere classified	K73
232	Fibrosis and cirrhosis of liver	K74
233	Other diseases of liver	K71-K72, K75-K76
234	Cholelithiasis and other disorders of gallbladder	K80-K82
235	Pancreatitis	K85, K86.0-K86.1
236	Other disorders of biliary tract and pancreas	K83, K86.2-K86.9
237	All other diseases of digestive system	K90, K92
238	Infections of skin and subcutaneous tissue	L00-L08
239	Other and unspecified diseases of skin and subcutaneous tissue	L10-L98
240	Rheumatoid arthritis and related inflammatory polyarthropathies	M05-M08
241	Systemic lupus erythematosus	M32
242	Other arthropathies and related disorders	M00, M02, M10-M31, M33-M35
243	Dorsopathies	M40-M54
244	Soft tissue disorders	M60-M79
245	Osteoporosis	M80-M81
246	Other osteopathies, chondropathies and disorders of musculoskeletal system and connective tissue	M83-M99
247	Acute and rapidly progressive nephritic syndrome	N00-N01
248	Nephrotic syndrome	N04

Group	Cause of Death	ICD-10 Codes Included
249	Other and unspecified glomerular diseases	N02-N03, N05-N07
250	Renal tubulo-interstitial diseases	N10-N15
251	Renal failure	N17-N19
252	Urolithiasis	N20-N23
253	Other and unspecified disorders of kidney	N25-N27
254	Urinary tract infection, site not specified	N39.0
255	Other diseases of urinary system	N28-N36, N39.1-N39.9
256	Hyperplasia of prostate	N40
257	Other diseases of male genital organs	N41-N50
258	Disorders of breast	N60-N64
259	Inflammatory diseases of female pelvic organs	N70-N76
260	Noninflammatory disorders of female genital tract	N80-N98
261	Ectopic pregnancy	O00
262	Spontaneous abortion	O03
263	Medical abortion	O04
264	Other abortion	O05
265	Other and unspecified pregnancy with abortive outcome	O01-O02, O06-O07
266	Eclampsia and pre-eclampsia	O11, O13-O16
267	Hemorrhage of pregnancy and childbirth and placenta previa	O20, O44-O46, O67, O72
268	Obstetric embolism	O88
269	Other complications predominately related to the puerperium	O85-O87, O89-O92
270	All other direct obstetric causes	O10, O12, O21-O43, O47-O66, O68-O71, O73-O75
271	Obstetric death of unspecified cause	O95
272	Other deaths related to pregnancy, childbirth and the puerperium	O96-O97
273	Indirect obstetric deaths	O98-O99
274	Newborn affected by maternal factors and by complications of pregnancy, labor and delivery	P00-P04
275	Disorders related to short gestation and low birth weight, not elsewhere classified	P07
276	Birth trauma	P10-P15
277	Intrauterine hypoxia and birth asphyxia	P20-P21

Group	Cause of Death	ICD-10 Codes Included
278	Respiratory distress of newborn	P22
279	Other respiratory conditions originating in the perinatal period	P23-P28
280	Infections specific to the perinatal period	P35-P39
281	Other and unspecified conditions originating in the perinatal period	P05, P08, P29, P50-P96
282	Anencephaly and similar malformations	Q00
283	Spina bifida	Q05
284	All other congenital malformations of nervous system	Q01-Q04, Q06-Q07
285	Congenital malformations of heart	Q20-Q24
286	Other congenital malformations of circulatory system	Q25-Q28
287	Congenital malformations of respiratory system	Q30-Q34
288	Other congenital malformations and deformations	Q10-Q18, Q35-Q89
289	Down's syndrome	Q90
290	All other chromosomal abnormalities, not elsewhere classified	Q91-Q99
291	Senility	R54
292	Sudden infant death syndrome	R95
293	Other ill-defined and unknown causes of mortality	R96-R99
294	All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	R00-R53, R55-R94
295	Railway accidents	V05, V15, V80.6, V81.2-V81.9
296	Pedestrian involved in collision with motor vehicle	V02-V04
297	Pedal cyclist involved in collision with motor vehicle	V12-V14, V19.0-V19.2, V19.4-V19.6
298	Motorcyclist involved in any accident except collision with railway train	V20-V24, V26-V34, V36-V39
299	Motorcyclist involved in collision with railway train	V25, V35
300	Other motor vehicle accident involving collision with railway train	V45, V55, V65, V75, V81.0-V81.1, V87.6, V88.6
301	Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian	V40-V41, V46-V47, V50-V51, V56-V57, V60-V61, V66-V67, V70-V71, V76-V77

Group	Cause of Death	ICD-10 Codes Included
302	Occupant of car, pickup truck or van involved in collision with other motor vehicle	V42-V44, V49, V52-V54, V59
303	Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle	V62-V64, V69, V72-V74, V79
304	Occupant of motor vehicle involved in noncollision accident	V48, V58, V68, V78
305	Occupant of special-use motor vehicle involved in any accident	V83-V86
306	Other and unspecified motor vehicle accidents	V09.0, V09.2, V80.3-V80.5, V82.0-V82.1, V87.0-V87.5, V87.7-V87.8, V88.0-V88.5, V88.7-V88.8, V89.0, V89.2
307	Streetcar accidents	V82.2-V82.9
308	Other and unspecified land transport accidents	V01, V06, V09.1, V09.3.V09.9, V10-V11, V16-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.7-V80.9, V87.9, V88.9, V89.1, V89.3, V89.9
309	Water transport accidents	V90-V94
310	Air and space transport accidents	V95-V97
311	Other and unspecified transport accidents and their sequelae	V98-V99, Y85
312	Fall on same level	W00-W09, W18
313	Fall from one level to another	W10-W17
314	Unspecified fall	W19
315	Accidental discharge of firearms	W32-W34
316	Accidental explosion	W39-W40
317	Accidental drowning and submersion	W65-W74
318	Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract	W78-W80
319	Other accidental and unspecified threats to breathing	W75-W77, W81-W84
320	Accidental exposure to electric current	W85-W87
321	Accidental exposure to radiation	W88-W91
322	Accidental exposure to smoke, fire and flames	X00-X09
323	Accidental contact with heat and hot substances	X10-X19
324	Lightning	X33

Group	Cause of Death	ICD-10 Codes Included
325	Earthquake, volcanic eruption, avalanche, landslide and other earth movements	X34-X36
326	Cataclysmic storm and flood	X37-X38
327	Accidental poisoning by and exposure to drugs and other biological substances	X40-X44
328	Accidental poisoning by and exposure to other and unspecified solid or liquid substances	X45-X46, X48-X49
329	Accidental poisoning by and exposure to other gases and vapors	X47
330	All other and unspecified accidents and their sequelae	W20-W31, W35-W38, W41-W64, W92-W99, X20-X32, X39, X50-X59, Y86
331	Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances	X60-X64
332	Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors	X65-X66, X68-X69
333	Intentional self-poisoning (suicide) by and exposure to other gases and vapors	X67
334	Intentional self-harm (suicide) by hanging, strangulation and suffocation	X70
335	Intentional self-harm (suicide) by discharge of firearms	X72-X74
336	Intentional self-harm (suicide) by jumping from a high place	X80
337	Intentional self-harm (suicide) by all other and unspecified means and their sequelae	X71, X75-X79, X81-X84, Y87.0
338	Assault (homicide) by drugs, biological substances and other and unspecified noxious substances	X85-X90
339	Assault (homicide) by hanging, strangulation and suffocation	X91
340	Assault (homicide) by discharge of firearms	X93-X95
341	Assault (homicide) by sharp object	X99
342	Assault (homicide) by blunt object	Y00
343	Assault (homicide) by bodily force	Y04
344	Sexual assault (homicide) by bodily force	Y05
345	Neglect, abandonment and other maltreatment syndromes	Y06-Y07
346	Assault (homicide) by all other and unspecified means and their sequelae	X92, X96-X98, Y01-Y03, Y08-Y09, Y87.1

Group	Cause of Death	ICD-10 Codes Included
347	Poisoning by and exposure to drugs and biological substances, undetermined intent	Y10-Y14
348	Poisoning by and exposure to other and unspecified solid or liquid substance, undetermined intent	Y15-Y16, Y18-Y19
349	Poisoning by and exposure to other gases and vapors, undetermined intent	Y17
350	Discharge of firearms, undetermined intent	Y22-Y24
351	Falling, jumping or pushed from a high place, undetermined intent	Y30
352	All other and unspecified events of undetermined intent and their sequelae	Y20-Y21, Y25-Y29, Y31-Y34, Y87.2, Y89.9
353	Legal execution	Y35.5
354	Other legal intervention and their sequelae	Y35.0-Y35.4, Y35.6-Y35.7, Y89.0
355	Operations of war and their sequelae	Y36, Y89.1
356	Drugs, medicaments and biological substances causing adverse effects in therapeutic use, and their sequelae	Y40-Y59, Y88.0
357	Misadventures to patients during medical and surgical care and their sequelae	Y60-Y69, Y88.1
358	Other complications of medical and surgical care and their sequelae	Y70-Y84, Y88.2-Y88.3

APPENDIX B.
LIST OF 50 SELECTED CATEGORIES OF CAUSES OF DEATH USED FOR RANKING LEADING CAUSES, SHOWING GROUP NUMBERS, CAUSES OF DEATH, AND ICD-10 CODES INCLUDED IN EACH CATEGORY

These cause-of-death categories were adapted from the National Center for Health Statistics List of 358 Selected Causes of Death (see Appendix A), and were constructed in part by combining certain titles from that list.

These categories are used for ranking leading causes of death.

Group Numbers Included*	Cause of Death	ICD-10 Codes Included
002, 003	Salmonella infections	A01-A02
004, 006	Shigellosis and amebiasis	A03, A06
009, 010	Tuberculosis	A16-A19
015	Whooping cough	A37
016	Scarlet fever and erysipelas	A38, A46
017	Meningococcal infection	A39
018	Septicemia	A40-A41
020-022	Syphilis	A50-A53
028	Acute poliomyelitis	A80
030	Arthropod-borne viral encephalitis	A83-A84, A85.2
036	Measles	B05
038	Viral hepatitis	B15-B19
039-043	Human immunodeficiency virus (HIV) disease	B20-B24
046	Malaria	B50-B54
056-108	Malignant neoplasms	C00-C97
110-115	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	D00-D48
116-119	Anemias	D50-D64
124	Diabetes mellitus	E10-E14
129-131	Nutritional deficiencies	E40-E64
145	Meningitis	G00, G03
147	Parkinson's disease	G20-G21
148	Alzheimer's disease	G30
156-160, 162, 164-181	Diseases of heart	I00-I09, I11, I13, I20-I51
161, 163	Essential (primary) hypertension and hypertensive renal disease	I10, I12

Group Numbers Included*	Cause of Death	ICD-10 Codes Included
182-186	Cerebrovascular diseases	I60-I69
187	Atherosclerosis	I70
188	Aortic aneurysm and dissection	I71
195-198	Influenza and pneumonia	J09-J18
199	Acute bronchitis and bronchiolitis	J20-J21
202-207	Chronic lower respiratory diseases	J40-J47
208	Pneumoconioses and chemical effects	J60-J66, J68
209, 210	Pneumonitis due to solids and liquids	J69
217-220	Peptic ulcer	K25-K28
223	Diseases of appendix	K35-K38
224	Hernia	K40-K46
230-232	Chronic liver disease and cirrhosis	K70, K73-K74
234	Cholelithiasis and other disorders of gallbladder	K80-K82
247-249, 251, 253	Nephritis, nephrotic syndrome and nephrosis	N00-N07, N17-N19, N25-N27
**	Infections of kidney	N10-N12, N13.6, N15.1
256	Hyperplasia of prostate	N40
259	Inflammatory diseases of female pelvic organs	N70-N76
261-273	Pregnancy, childbirth and the puerperium	O00-O99
274-281	Certain conditions originating in the perinatal period	P00-P96
282-290	Congenital malformations, deformations and chromosomal abnormalities	Q00-Q99
295-330	Accidents	V01-X59, Y85, Y86
331-337	Intentional self-harm (suicide)	X60-X84, Y87.0
338-346	Assault (homicide)	X85-Y09, Y87.1
353-354	Legal intervention	Y35, Y89.0
335	Operations of war and their sequelae	Y36, Y89.1
356-358	Complications of medical and surgical care	Y40-Y84, Y88

* Refer to Appendix A for the cause(s) of death and ICD-10 codes included in each individual group number.

** The ICD-10 codes included in this category have no corresponding group number.

APPENDIX C.
LIST OF 130 SELECTED CAUSES OF INFANT DEATH USED FOR TABULATING INFANT MORTALITY STATISTICS, SHOWING GROUP NUMBER, CAUSE OF DEATH, AND ICD-10 CODES INCLUDED

This list of causes of death for the tabulation and dissemination of infant mortality data was prepared by the National Center for Health Statistics based on the Tenth Revision of the International Classification of Diseases (ICD-10) and recommendations by the World Health Organization (WHO).

This list is used for the analysis of infant mortality and for ranking leading causes of infant death, and contains more detailed titles for Certain conditions originating in the perinatal period and Congenital malformations, deformations and chromosomal abnormalities than the List of 358 Selected Causes of Death (see Appendix A). The categories used for ranking leading causes of infant death are marked with a #, and may include one or more group numbers.

Group	Cause of Death	ICD-10 Codes Included
	Certain infectious and parasitic diseases	A00-B99
001	Certain intestinal infectious diseases	A00-A08
002	# Diarrhea and gastroenteritis of presumed infectious origin	A09
003	# Tuberculosis	A16-A19
004	# Tetanus	A33, A35
005	# Diphtheria	A36
006	# Whooping cough	A37
007	# Meningococcal infection	A39
008	# Septicemia	A40-A41
009	# Congenital syphilis	A50
010	# Gonococcal infection	A54
	Viral diseases	A80-B34
011	# Acute poliomyelitis	A80
012	# Varicella (chickenpox)	B01
013	# Measles	B05
014	# Human immunodeficiency virus (HIV) disease	B20-B24
015	# Mumps	B26
016	Other and unspecified viral diseases	A81-B00, B02-B04, B06-B19, B25, B27-B34
017	# Candidiasis	B37
018	# Malaria	B50-B54
019	# Pneumocystosis	B59

Group	Cause of Death	ICD-10 Codes Included
020	Other and unspecified infectious and parasitic diseases and their sequelae	A20-A32, A38, A42-A49, A51-A53, A55-A79, B35-B36, B38-B49, B55-B58, B60-B99
	Neoplasms	C00-D48
	# Malignant neoplasms	C00-C97
021	Hodgkin's disease and non-Hodgkin's lymphomas	C81-C85
022	Leukemia	C91-C95
023	Other and unspecified malignant neoplasms	C00-C80, C88, C90, C96-C97
024	# In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	D00-D48
	# Diseases of the blood and blood-forming organs and certain disorders involving the immune mechanism	D50-D89
025	Anemias	D50-D64
026	Hemorrhagic conditions and other diseases of blood and blood-forming organs	D65-D76
027	Certain disorders involving the immune mechanism	D80-D89
	Endocrine, nutritional and metabolic diseases	E00-E88
028	# Short stature, not elsewhere classified	E34.3
029	# Nutritional deficiencies	E40-E64
030	# Cystic fibrosis	E84
031	# Volume depletion, disorders of fluid, electrolyte and acid-base balance	E86-E87
032	All other endocrine, nutritional and metabolic diseases	E00-E32, E34.0-E34.2, E34.4-E34.9, E65-E83, E85, E88
	Diseases of the nervous system	G00-G98
033	# Meningitis	G00, G03
034	# Infantile spinal muscular atrophy, type I (Werdnig-Hoffman)	G12.0
035	# Infantile cerebral palsy	G80
036	# Anoxic brain damage, not elsewhere classified	G93.1
037	Other diseases of nervous system	G04, G06-G11, G12.1-G12.9, G20-G72, G81-G92, G93.0, G93.2-G93.9, G95-G98
038	# Diseases of the ear and mastoid process	H60-H93
	# Diseases of the circulatory system	I00-I99

Group	Cause of Death	ICD-10 Codes Included
039	Pulmonary heart disease and diseases of pulmonary circulation	I26-I28
040	Pericarditis, endocarditis and myocarditis	I30, I33, I40
041	Cardiomyopathy	I42
042	Cardiac arrest	I46
043	Cerebrovascular diseases	I60-I69
044	All other diseases of circulatory system	I00-I25, I31, I34-I38, I44-I45, I47-I51, I70-I99
	Diseases of the respiratory system	J00-J98
045	Acute upper respiratory infections	J00-J06
	# Influenza and pneumonia	J09-J18
046	Influenza	J09-J11
047	Pneumonia	J12-J18
048	# Acute bronchitis and acute bronchiolitis	J20-J21
049	# Bronchitis, chronic and unspecified	J40-J42
050	# Asthma	J45-J46
051	# Pneumonitis due to solids and liquids	J69
052	Other and unspecified diseases of respiratory system	J22, J30-J39, J43-J44, J47-J68, J70-J98
	Diseases of the digestive system	K00-K92
053	# Gastritis, duodenitis, and noninfective enteritis and colitis	K29, K50-K55
054	# Hernia of abdominal cavity and intestinal obstruction without hernia	K40-K46, K56
055	All other and unspecified diseases of digestive system	K00-K28, K30-K38, K57-K92
	Diseases of the genitourinary system	N00-N98
056	# Renal failure and other disorders of kidney	N17-N19, N25, N27
057	Other and unspecified diseases of genitourinary system	N00-N15, N20-N23, N26, N28-N98
	Certain conditions originating in the perinatal period	P00-P96
	Newborn affected by maternal factors and by complications of pregnancy, labor and delivery	P00-P04
058	# Newborn affected by maternal hypertensive disorders	P00.0

Group	Cause of Death	ICD-10 Codes Included
059	# Newborn affected by other maternal conditions which may be unrelated to present pregnancy	P00.1-P00.9
	# Newborn affected by maternal complications of pregnancy	P01
060	Newborn affected by incompetent cervix	P01.0
061	Newborn affected by premature rupture of membranes	P01.1
062	Newborn affected by multiple pregnancy	P01.5
063	Newborn affected by other maternal complications of pregnancy	P01.2-P01.4, P01.6-P01.9
	# Newborn affected by complications of placenta, cord and membranes	P02
064	Newborn affected by complications involving placenta	P02.0-P02.3
065	Newborn affected by complications involving cord	P02.4-P02.6
066	Newborn affected by chorioamnionitis	P02.7
067	Newborn affected by other and unspecified abnormalities of membranes	P02.8-P02.9
068	# Newborn affected by other complications of labor and delivery	P03
069	# Newborn affected by noxious influences transmitted via placenta or breast milk	P04
	Disorders related to length of gestation and fetal malnutrition	P05-P08
070	# Slow fetal growth and fetal malnutrition	P05
	# Disorders related to short gestation and low birth weight, not elsewhere classified	P07
071	Extremely low birth weight or extreme immaturity	P07.0, P07.2
072	Other low birth weight or preterm	P07.1, P07.3
073	# Disorders related to long gestation and high birth weight	P08
074	# Birth trauma	P10-P15
	# Intrauterine hypoxia and birth asphyxia	P20-P21
075	Intrauterine hypoxia	P20
076	Birth asphyxia	P21
077	# Respiratory distress of newborn	P22
	Other respiratory conditions originating in the perinatal period	P23-P28

Group	Cause of Death	ICD-10 Codes Included
078	# Congenital pneumonia	P23
079	# Neonatal aspiration syndromes	P24
080	# Interstitial emphysema and related conditions originating in the perinatal period	P25
081	# Pulmonary hemorrhage originating in the perinatal period	P26
082	# Chronic respiratory disease originating in the perinatal period	P27
083	# Atelectasis	P28.0-P28.1
084	All other respiratory conditions originating in the perinatal period	P28.2-P28.9
	Infections specific to the perinatal period	P35-P39
085	# Bacterial sepsis of newborn	P36
086	# Omphalitis of newborn with or without mild hemorrhage	P38
087	All other infections specific to the perinatal period	P35, P37, P39
	Hemorrhagic and hematological disorders of newborn	P50-P61
088	# Neonatal hemorrhage	P50-P52, P54
089	# Hemorrhagic disease of newborn	P53
090	# Hemolytic disease of newborn due to isoimmunization and other perinatal jaundice	P55-P59
091	# Hematological disorders	P60-P61
092	# Syndrome of infant of a diabetic mother and neonatal diabetes mellitus	P70.0-P70.2
093	# Necrotizing enterocolitis of newborn	P77
094	# Hydrops fetalis not due to hemolytic disease	P83.2
095	Other perinatal conditions	P29, P70.3-P70.9, P71-P76, P78-P81, P83.0-P83.1, P83.3-P83.9, P90-P96
	# Congenital malformations, deformations and chromosomal abnormalities	Q00-Q99
096	Anencephaly and similar malformations	Q00
097	Congenital hydrocephalus	Q03
098	Spina bifida	Q05
099	Other congenital malformations of nervous system	Q01-Q02, Q04, Q06-Q07
100	Congenital malformations of heart	Q20-Q24

Group	Cause of Death	ICD-10 Codes Included
101	Other congenital malformations of circulatory system	Q25-Q28
102	Congenital malformations of respiratory system	Q30-Q34
103	Congenital malformations of digestive system	Q35-Q45
104	Congenital malformations of genitourinary system	Q50-Q64
105	Congenital malformations and deformations of musculoskeletal system, limbs and integument	Q65-Q85
106	Down's syndrome	Q90
107	Edward's syndrome	Q91.0-Q91.3
108	Patau's syndrome	Q91.4-Q91.7
109	Other congenital malformations and deformations	Q10-Q18, Q86-Q89
110	Other chromosomal abnormalities, not elsewhere classified	Q92-Q99
	Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	R00-R99
111	# Sudden infant death syndrome	R95
112	Other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	R00-R53, R55-R94, R96-R99
113	All other diseases (Residual)	F01-F99, H00-H57, L00-M99
	External causes of mortality	V01-Y89
	# Accidents	V01-X59, Y85-Y86
	Transport accidents	V01-V99, Y85
114	Motor vehicle accidents	V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2
115	Other and unspecified transport accidents and their sequelae	V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9, V90-V99, Y85
116	Falls	W00-W19
117	Accidental discharge of firearms	W32-W34
118	Accidental drowning and submersion	W65-W74

Group	Cause of Death	ICD-10 Codes Included
119	Accidental suffocation and strangulation in bed	W75
120	Other accidental suffocation and strangulation	W76-W77, W81-W84
121	Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract	W78-W80
122	Accidents caused by exposure to smoke, fire and flames	X00-X09
123	Accidental poisoning and exposure to noxious substances	X40-X49
124	Other and unspecified accidents and their sequelae	W20-W31, W35-W64, W85-W99, X10-X39, X50-X59, Y86
	# Assault (homicide)	X85-Y09, Y87.1
125	Assault (homicide) by hanging, strangulation and suffocation	X91
126	Assault (homicide) by discharge of firearms	X93-X95
127	Neglect, abandonment and other maltreatment syndromes	Y06-Y07
128	Assault (homicide) by other and unspecified means and their sequelae	X85-X90, X92, X96-X99, Y00-Y05, Y08-Y09, Y87.1
129	# Complications of medical and surgical care	Y40-Y84, Y88
130	Other external causes and their sequelae	X60-X84, Y10-Y36, Y87.0, Y87.2, Y89

Category is used for ranking leading causes of infant death.

Appendix D
Finalized Adoptions by Chancery Court District
as Reported to the Administrative Office of Courts by the Chancery Clerks, 2012

District	Jan-12	Feb-12	Mar-12	Apr-12	May-12	Jun-12	Jul-12	Aug-12	Sep-12	Oct-12	Dec-12	Dec-12	TOTAL
1	15	6	15	5	6	9	6	16	12	11	7	11	119
2	2	3	3	4	1	1	2	3	3	3	1	1	27
3	5	8	4	0	2	2	2	7	2	1	8	9	50
4	5	1	5	1	1	5	3	7	3	6	3	0	40
5	4	0	0	0	3	0	0	0	0	0	0	0	7
6	1	4	0	4	1	1	2	2	1	1	4	0	21
7	3	6	3	2	4	2	5	2	6	2	3	4	42
8	9	6	7	5	9	12	11	13	12	8	10	7	109
9	2	5	4	0	0	0	2	6	5	2	5	4	35
10	6	8	9	7	7	15	11	4	12	7	25	10	121
11	0	0	1	0	0	0	0	2	0	0	0	0	3
12	2	3	3	2	10	2	5	5	3	0	4	5	44
13	0	2	0	0	2	2	2	2	0	1	0	3	14
14	0	4	2	1	0	5	2	3	4	3	2	0	26
15	1	3	2	1	1	6	0	0	0	2	1	1	18
16	6	1	6	9	7	8	3	7	20	4	2	2	75
17	0	4	7	1	5	1	5	3	4	3	1	2	36
18	3	1	2	1	1	2	2	0	1	2	3	1	19
19	3	2	3	0	1	2	4	4	2	5	4	0	30
20	4	1	1	0	0	4	2	0	0	1	1	1	15
TOTAL	71	68	77	43	61	79	69	86	90	62	84	61	851

Source: Administrative Office of Courts
Map of Chancery Court Districts: http://www.sos.state.ms.us/ed_pubs/ctcalendar/Chancery%20and%20Circuit%20Judges.pdf
Note: The following counties did not report any finalized adoptions for 2012: Attala, Benton, Calhoun, Holmes, Humphreys, Issaquena, Jefferson, Kemper, Madison, Montgomery, Pontotoc, Simpson, Tate, Tunica, Washington, Wilkinson, Winston, Yazoo