

Selected Death Statistics, Residents of Adams County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	416	192	224	1,331.3	1,398.6	1,329.1
1	Malignant Neoplasms	98	36	62	313.6	262.2	367.9
2	Heart Diseases	87	46	41	278.4	335.1	243.3
3	Diabetes Mellitus	36	10	26	115.2	72.8	154.3
4	Alzheimer's Disease	28	15	13	89.6	109.3	77.1
5	Emphysema and Other Chronic Lower Resp. Diseases	26	17	9	83.2	123.8	53.4
6	Accidents	24	12	12	76.8	87.4	71.2
7	Cerebrovascular Disease	23	10	13	73.6	72.8	77.1
8	Septicemia	8	4	4	25.6	29.1	23.7
8	Nephritis, Nephrotic Syndrome And Nephrosis	8	4	4	25.6	29.1	23.7
10	Hypertension/Hypertensive Renal Disease	7	2	5	22.4	14.6	29.7
11	Influenza and Pneumonia	6	2	4	19.2	14.6	23.7
12	Conditions Originating in the Perinatal Period**	4	0	4	10.6	0.0	16.4
12	Homicide	4	1	3	12.8	7.3	17.8
12	Chronic Liver Disease And Cirrhosis	4	3	1	12.8	21.9	5.9
15	Parkinson's Disease	3	2	1	9.6	14.6	5.9
15	Suicide	3	2	1	9.6	14.6	5.9
17	Congenital Malformations and Chrom. Abnormalities	2	1	1	6.4	7.3	5.9
18	Complications Medical/Surgical Care	1	0	1	3.2	0.0	5.9
18	Pneumoconioses and Chemical Effects	1	0	1	3.2	0.0	5.9
18	Anemias	1	0	1	3.2	0.0	5.9
18	HIV Disease	1	0	1	3.2	0.0	5.9
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	5	1	4	16.0	7.3	23.7
	All Other Causes	36	24	12	115.2	174.8	71.2

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	416	192	224	202	85	117	214	107	107
Under 1	6	0	6	1	0	1	5	0	5
(Neonatal)	5	0	5	1	0	1	4	0	4
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	0	6	5	0	5	1	0	1
25-34	6	2	4	5	2	3	1	0	1
35-44	12	4	8	8	3	5	4	1	3
45-54	24	11	13	11	2	9	13	9	4
55-64	75	24	51	44	14	30	31	10	21
65-74	72	29	43	39	16	23	33	13	20
75-84	93	50	43	41	22	19	52	28	24
85 and over	121	72	49	48	26	22	73	46	27
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	31,248
White	13,728
Black	16,854
Other	666

Selected Death Statistics, Residents of Alcorn County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	472	424	48	1,265.3	1,324.8	1,043.5
1	Heart Diseases	135	121	14	361.9	378.1	304.3
2	Malignant Neoplasms	99	92	7	265.4	287.5	152.2
3	Emphysema and Other Chronic Lower Resp. Diseases	36	34	2	96.5	106.2	43.5
4	Accidents	28	26	2	75.1	81.2	43.5
5	Influenza and Pneumonia	24	23	1	64.3	71.9	21.7
5	Alzheimer's Disease	24	24	0	64.3	75.0	0.0
7	Cerebrovascular Disease	16	14	2	42.9	43.7	43.5
7	Septicemia	16	13	3	42.9	40.6	65.2
9	Nephritis, Nephrotic Syndrome And Nephrosis	13	9	4	34.8	28.1	87.0
10	Parkinson's Disease	7	7	0	18.8	21.9	0.0
11	Homicide	6	2	4	16.1	6.2	87.0
12	Pneumonitis Due to Solids and Liquids	5	5	0	13.4	15.6	0.0
13	Diabetes Mellitus	4	4	0	10.7	12.5	0.0
13	Chronic Liver Disease And Cirrhosis	4	4	0	10.7	12.5	0.0
13	Suicide	4	3	1	10.7	9.4	21.7
16	Congenital Malformations and Chrom. Abnormalities	3	2	1	8.0	6.2	21.7
17	Viral Hepatitis	2	2	0	5.4	6.2	0.0
18	In Situ, Benign and Unspecified Neoplasms	1	1	0	2.7	3.1	0.0
18	Hypertension/Hypertensive Renal Disease	1	1	0	2.7	3.1	0.0
18	Conditions Originating in the Perinatal Period**	1	0	1	2.3	0.0	14.5
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	13	11	2	34.8	34.4	43.5
	All Other Causes	30	26	4	80.4	81.2	87.0

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	472	424	48	241	211	30	231	213	18
Under 1	9	6	3	6	5	1	3	1	2
(Neonatal)	3	1	2	2	1	1	1	0	1
(Postneonatal)	6	5	1	4	4	0	2	1	1
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	1	1	0	0	0	0	1	1	0
15-24	5	3	2	5	3	2	0	0	0
25-34	10	9	1	6	6	0	4	3	1
35-44	20	17	3	11	9	2	9	8	1
45-54	36	29	7	22	17	5	14	12	2
55-64	67	53	14	44	33	11	23	20	3
65-74	109	102	7	62	58	4	47	44	3
75-84	115	109	6	50	47	3	65	62	3
85 and over	99	94	5	35	33	2	64	61	3
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	37,304
White	32,004
Black	4,600
Other	700

Selected Death Statistics, Residents of Amite County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	171	108	63	1,372.6	1,478.2	1,259.5
1	Heart Diseases	54	37	17	433.5	506.4	339.9
2	Malignant Neoplasms	27	19	8	216.7	260.1	159.9
3	Emphysema and Other Chronic Lower Resp. Diseases	15	9	6	120.4	123.2	120.0
4	Cerebrovascular Disease	14	7	7	112.4	95.8	139.9
5	Accidents	11	8	3	88.3	109.5	60.0
6	Diabetes Mellitus	7	3	4	56.2	41.1	80.0
7	Septicemia	6	4	2	48.2	54.7	40.0
8	Suicide	5	4	1	40.1	54.7	20.0
9	Influenza and Pneumonia	4	4	0	32.1	54.7	0.0
10	Nephritis, Nephrotic Syndrome And Nephrosis	3	2	1	24.1	27.4	20.0
10	Alzheimer's Disease	3	1	2	24.1	13.7	40.0
12	Parkinson's Disease	2	2	0	16.1	27.4	0.0
12	Hypertension/Hypertensive Renal Disease	2	1	1	16.1	13.7	20.0
14	Pneumonitis Due to Solids and Liquids	1	1	0	8.0	13.7	0.0
14	Malnutrition/Nutritional Deficiency	1	0	1	8.0	0.0	20.0
14	HIV Disease	1	1	0	8.0	13.7	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	2	1	1	16.1	13.7	20.0
	All Other Causes	13	4	9	104.4	54.7	179.9

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	171	108	63	94	65	29	77	43	34
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	2	1	1	2	1	1	0	0	0
25-34	1	1	0	1	1	0	0	0	0
35-44	6	4	2	4	2	2	2	2	0
45-54	14	8	6	13	8	5	1	0	1
55-64	24	13	11	16	10	6	8	3	5
65-74	43	25	18	19	14	5	24	11	13
75-84	45	30	15	22	15	7	23	15	8
85 and over	35	26	9	17	14	3	18	12	6
Unknown	0	0	0	0	0	0	0	0	0

2016 Population  
Total 12,458  
White 7,306  
Black 5,002  
Other 150

Selected Death Statistics, Residents of Attala County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	297	200	97	1,568.6	1,889.5	1,201.1
1	Malignant Neoplasms	65	38	27	343.3	359.0	334.3
2	Heart Diseases	59	36	23	311.6	340.1	284.8
3	Alzheimer's Disease	33	28	5	174.3	264.5	61.9
4	Accidents	20	19	1	105.6	179.5	12.4
5	Cerebrovascular Disease	19	10	9	100.3	94.5	111.4
6	Emphysema and Other Chronic Lower Resp. Diseases	18	15	3	95.1	141.7	37.1
7	Diabetes Mellitus	14	7	7	73.9	66.1	86.7
8	Influenza and Pneumonia	7	4	3	37.0	37.8	37.1
9	Suicide	6	6	0	31.7	56.7	0.0
10	Parkinson's Disease	4	4	0	21.1	37.8	0.0
10	Chronic Liver Disease And Cirrhosis	4	4	0	21.1	37.8	0.0
10	Pneumonitis Due to Solids and Liquids	4	2	2	21.1	18.9	24.8
13	Septicemia	3	2	1	15.8	18.9	12.4
14	Homicide	2	0	2	10.6	0.0	24.8
15	Malnutrition/Nutritional Deficiency	1	1	0	5.3	9.4	0.0
15	Congenital Malformations and Chrom. Abnormalities	1	1	0	5.3	9.4	0.0
15	Complications Medical/Surgical Care	1	0	1	5.3	0.0	12.4
15	Nephritis, Nephrotic Syndrome And Nephrosis	1	0	1	5.3	0.0	12.4
15	Meningitis	1	1	0	5.3	9.4	0.0
15	Hypertension/Hypertensive Renal Disease	1	0	1	5.3	0.0	12.4
15	In Situ, Benign and Unspecified Neoplasms	1	1	0	5.3	9.4	0.0
15	Aortic Aneurysm and Dissection	1	1	0	5.3	9.4	0.0
15	Hyperplasia of Prostate	1	0	1	11.2	0.0	27.4
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	5	4	1	26.4	37.8	12.4
	All Other Causes	25	16	9	132.0	151.2	111.4

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	297	200	97	177	130	47	120	70	50
Under 1	1	1	0	1	1	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	3	2	1	3	2	1	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	2	1	1	2	1	1	0	0	0
25-34	5	4	1	3	3	0	2	1	1
35-44	8	3	5	3	2	1	5	1	4
45-54	15	7	8	7	4	3	8	3	5
55-64	46	25	21	38	21	17	8	4	4
65-74	53	34	19	30	20	10	23	14	9
75-84	66	52	14	43	37	6	23	15	8
85 and over	97	70	27	46	38	8	51	32	19
Unknown	0	0	0	0	0	0	0	0	0
-----									
2016 Population									
Total	18,934								
White	10,585								
Black	8,076								
Other	273								
-----									

Selected Death Statistics, Residents of Benton County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	115	80	35	1,391.6	1,551.0	1,182.8
1	Heart Diseases	23	19	4	278.3	368.4	135.2
2	Malignant Neoplasms	19	13	6	229.9	252.0	202.8
3	Emphysema and Other Chronic Lower Resp. Diseases	15	12	3	181.5	232.6	101.4
4	Alzheimer's Disease	9	6	3	108.9	116.3	101.4
5	Diabetes Mellitus	8	6	2	96.8	116.3	67.6
6	Nephritis, Nephrotic Syndrome And Nephrosis	5	4	1	60.5	77.5	33.8
6	Cerebrovascular Disease	5	3	2	60.5	58.2	67.6
6	Hypertension/Hypertensive Renal Disease	5	2	3	60.5	38.8	101.4
9	Accidents	4	2	2	48.4	38.8	67.6
10	Homicide	2	0	2	24.2	0.0	67.6
10	Pneumonitis Due to Solids and Liquids	2	2	0	24.2	38.8	0.0
10	Influenza and Pneumonia	2	1	1	24.2	19.4	33.8
10	Chronic Liver Disease And Cirrhosis	2	2	0	24.2	38.8	0.0
14	Conditions Originating in the Perinatal Period**	1	0	1	9.5	0.0	27.0
14	Septicemia	1	1	0	12.1	19.4	0.0
14	Parkinson's Disease	1	0	1	12.1	0.0	33.8
14	In Situ, Benign and Unspecified Neoplasms	1	0	1	12.1	0.0	33.8
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	2	1	1	24.2	19.4	33.8
	All Other Causes	8	6	2	96.8	116.3	67.6

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	115	80	35	59	41	18	56	39	17
Under 1	2	1	1	0	0	0	2	1	1
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	3	0	3	2	0	2	1	0	1
25-34	1	1	0	0	0	0	1	1	0
35-44	1	1	0	1	1	0	0	0	0
45-54	11	8	3	6	4	2	5	4	1
55-64	19	14	5	12	9	3	7	5	2
65-74	19	14	5	13	10	3	6	4	2
75-84	25	20	5	8	7	1	17	13	4
85 and over	33	21	12	16	10	6	17	11	6
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	8,264
White	5,158
Black	2,959
Other	147

Selected Death Statistics, Residents of Bolivar County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	402	168	232	1,228.0	1,502.1	1,107.1
1	Malignant Neoplasms	92	34	57	281.0	304.0	272.0
2	Heart Diseases	83	38	45	253.5	339.8	214.7
3	Cerebrovascular Disease	32	16	16	97.7	143.1	76.4
4	Emphysema and Other Chronic Lower Resp. Diseases	26	14	12	79.4	125.2	57.3
5	Accidents	21	7	13	64.1	62.6	62.0
6	Hypertension/Hypertensive Renal Disease	18	6	12	55.0	53.6	57.3
6	Alzheimer's Disease	18	15	3	55.0	134.1	14.3
6	Septicemia	18	6	12	55.0	53.6	57.3
9	Nephritis, Nephrotic Syndrome And Nephrosis	13	3	10	39.7	26.8	47.7
9	Diabetes Mellitus	13	6	7	39.7	53.6	33.4
11	Influenza and Pneumonia	4	3	1	12.2	26.8	4.8
12	Homicide	3	0	3	9.2	0.0	14.3
12	Pneumonitis Due to Solids and Liquids	3	1	2	9.2	8.9	9.5
14	Congenital Malformations and Chrom. Abnormalities	2	0	2	6.1	0.0	9.5
14	Chronic Liver Disease And Cirrhosis	2	0	2	6.1	0.0	9.5
16	Suicide	1	1	0	3.1	8.9	0.0
16	Conditions Originating in the Perinatal Period**	1	0	1	2.3	0.0	3.3
16	Peptic Ulcer	1	0	1	3.1	0.0	4.8
16	Atherosclerosis	1	0	1	3.1	0.0	4.8
16	Parkinson's Disease	1	0	1	3.1	0.0	4.8
16	Viral Hepatitis	1	1	0	3.1	8.9	0.0
16	Anemias	1	0	1	3.1	0.0	4.8
16	In Situ, Benign and Unspecified Neoplasms	1	0	1	3.1	0.0	4.8
16	Malnutrition/Nutritional Deficiency	1	0	1	3.1	0.0	4.8
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	6	4	2	18.3	35.8	9.5
	All Other Causes	39	13	26	119.1	116.2	124.1

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	402	168	232	199	82	117	203	86	115
Under 1	3	1	2	2	1	1	1	0	1
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	2	1	1	2	1	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	4	1	3	4	1	3	0	0	0
25-34	9	3	6	6	1	5	3	2	1
35-44	11	0	11	8	0	8	3	0	3
45-54	33	8	24	19	6	13	14	2	11
55-64	78	21	57	39	11	28	39	10	29
65-74	94	32	62	54	23	31	40	9	31
75-84	76	40	36	38	21	17	38	19	19
85 and over	93	62	30	29	18	11	64	44	19
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	32,737
White	11,184
Black	20,955
Other	598

Selected Death Statistics, Residents of Calhoun County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	166	129	37	1,136.2	1,264.7	887.3
1	Heart Diseases	45	36	9	308.0	352.9	215.8
2	Malignant Neoplasms	39	30	9	266.9	294.1	215.8
3	Accidents	12	10	2	82.1	98.0	48.0
4	Alzheimer's Disease	11	9	2	75.3	88.2	48.0
5	Emphysema and Other Chronic Lower Resp. Diseases	10	8	2	68.4	78.4	48.0
6	Cerebrovascular Disease	8	7	1	54.8	68.6	24.0
7	Diabetes Mellitus	7	5	2	47.9	49.0	48.0
8	Hypertension/Hypertensive Renal Disease	4	3	1	27.4	29.4	24.0
9	Parkinson's Disease	3	2	1	20.5	19.6	24.0
9	Influenza and Pneumonia	3	2	1	20.5	19.6	24.0
11	Nephritis, Nephrotic Syndrome And Nephrosis	2	1	1	13.7	9.8	24.0
11	Conditions Originating in the Perinatal Period**	2	1	1	12.9	8.5	27.0
13	Pneumonitis Due to Solids and Liquids	1	1	0	6.8	9.8	0.0
13	Septicemia	1	1	0	6.8	9.8	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	3	3	0	20.5	29.4	0.0
	All Other Causes	15	10	5	102.7	98.0	119.9

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	166	129	37	86	66	20	80	63	17
Under 1	2	1	1	2	1	1	0	0	0
(Neonatal)	2	1	1	2	1	1	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	0	2	1	0	1	1	0	1
35-44	4	4	0	2	2	0	2	2	0
45-54	15	11	4	10	8	2	5	3	2
55-64	22	16	6	11	8	3	11	8	3
65-74	31	23	8	16	12	4	15	11	4
75-84	44	35	9	24	19	5	20	16	4
85 and over	45	39	6	19	16	3	26	23	3
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	14,610
White	10,200
Black	4,170
Other	240

Selected Death Statistics, Residents of Carroll County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	106	69	37	1,033.6	1,031.1	1,082.5
1	Heart Diseases	23	10	13	224.3	149.4	380.3
2	Malignant Neoplasms	22	14	8	214.5	209.2	234.1
3	Cerebrovascular Disease	10	7	3	97.5	104.6	87.8
4	Emphysema and Other Chronic Lower Resp. Diseases	7	6	1	68.3	89.7	29.3
5	Accidents	5	3	2	48.8	44.8	58.5
5	Diabetes Mellitus	5	4	1	48.8	59.8	29.3
5	Alzheimer's Disease	5	5	0	48.8	74.7	0.0
8	Influenza and Pneumonia	2	1	1	19.5	14.9	29.3
8	Homicide	2	0	2	19.5	0.0	58.5
8	Nephritis, Nephrotic Syndrome And Nephrosis	2	2	0	19.5	29.9	0.0
11	Infections of Kidney	1	1	0	9.8	14.9	0.0
11	Suicide	1	1	0	9.8	14.9	0.0
11	Chronic Liver Disease And Cirrhosis	1	0	1	9.8	0.0	29.3
11	Hypertension/Hypertensive Renal Disease	1	1	0	9.8	14.9	0.0
11	Malnutrition/Nutritional Deficiency	1	0	1	9.8	0.0	29.3
11	In Situ, Benign and Unspecified Neoplasms	1	1	0	9.8	14.9	0.0
11	Viral Hepatitis	1	1	0	9.8	14.9	0.0
11	Anemias	1	0	1	9.8	0.0	29.3
11	Septicemia	1	1	0	9.8	14.9	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	0	0	0	0.0	0.0	0.0
	All Other Causes	14	11	3	136.5	164.4	87.8

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	106	69	37	62	35	27	44	34	10
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	5	0	5	4	0	4	1	0	1
35-44	3	1	2	2	1	1	1	0	1
45-54	5	3	2	4	2	2	1	1	0
55-64	18	11	7	14	8	6	4	3	1
65-74	18	11	7	10	5	5	8	6	2
75-84	23	18	5	11	7	4	12	11	1
85 and over	34	25	9	17	12	5	17	13	4
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	10,255
White	6,692
Black	3,418
Other	145



Selected Death Statistics, Residents of Chickasaw County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	210	133	77	1,217.7	1,440.5	1,005.0
1	Heart Diseases	59	41	18	342.1	444.1	234.9
2	Malignant Neoplasms	49	28	21	284.1	303.3	274.1
3	Accidents	14	11	3	81.2	119.1	39.2
4	Cerebrovascular Disease	12	4	8	69.6	43.3	104.4
5	Emphysema and Other Chronic Lower Resp. Diseases	11	10	1	63.8	108.3	13.1
6	Alzheimer's Disease	10	8	2	58.0	86.6	26.1
7	Diabetes Mellitus	6	2	4	34.8	21.7	52.2
7	Influenza and Pneumonia	6	3	3	34.8	32.5	39.2
9	Nephritis, Nephrotic Syndrome And Nephrosis	4	2	2	23.2	21.7	26.1
9	Hypertension/Hypertensive Renal Disease	4	3	1	23.2	32.5	13.1
9	Septicemia	4	1	3	23.2	10.8	39.2
12	In Situ, Benign and Unspecified Neoplasms	3	3	0	17.4	32.5	0.0
13	Homicide	2	1	1	11.6	10.8	13.1
13	Suicide	2	2	0	11.6	21.7	0.0
13	Pneumonitis Due to Solids and Liquids	2	2	0	11.6	21.7	0.0
16	Congenital Malformations and Chrom. Abnormalities	1	0	1	5.8	0.0	13.1
16	Complications Medical/Surgical Care	1	0	1	5.8	0.0	13.1
16	Chronic Liver Disease And Cirrhosis	1	1	0	5.8	10.8	0.0
16	Syphilis	1	0	1	5.8	0.0	13.1
16	Parkinson's Disease	1	1	0	5.8	10.8	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	1	1	0	5.8	10.8	0.0
	All Other Causes	16	9	7	92.8	97.5	91.4

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	210	133	77	105	69	36	105	64	41
Under 1	1	0	1	1	0	1	0	0	0
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	2	2	0	1	1	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	1	1	0	0	0	0	1	1	0
35-44	5	3	2	2	2	0	3	1	2
45-54	22	11	11	13	6	7	9	5	4
55-64	32	16	16	18	10	8	14	6	8
65-74	51	35	16	29	23	6	22	12	10
75-84	51	36	15	27	20	7	24	16	8
85 and over	44	29	15	13	7	6	31	22	9
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	17,246
White	9,233
Black	7,662
Other	351

Selected Death Statistics, Residents of Choctaw County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	111	88	23	1,346.8	1,557.0	946.1
1	Heart Diseases	32	27	5	388.3	477.7	205.7
2	Malignant Neoplasms	22	12	10	266.9	212.3	411.4
3	Emphysema and Other Chronic Lower Resp. Diseases	10	10	0	121.3	176.9	0.0
4	Alzheimer's Disease	8	8	0	97.1	141.5	0.0
5	Cerebrovascular Disease	7	4	3	84.9	70.8	123.4
6	Accidents	5	5	0	60.7	88.5	0.0
7	Nephritis, Nephrotic Syndrome And Nephrosis	3	2	1	36.4	35.4	41.1
7	Chronic Liver Disease And Cirrhosis	3	3	0	36.4	53.1	0.0
7	Influenza and Pneumonia	3	2	1	36.4	35.4	41.1
7	Hypertension/Hypertensive Renal Disease	3	3	0	36.4	53.1	0.0
7	Diabetes Mellitus	3	3	0	36.4	53.1	0.0
12	Pneumonitis Due to Solids and Liquids	2	2	0	24.3	35.4	0.0
13	Conditions Originating in the Perinatal Period**	1	0	1	11.5	0.0	31.3
13	Homicide	1	0	1	12.1	0.0	41.1
13	Pneumoconioses and Chemical Effects	1	1	0	12.1	17.7	0.0
13	Cholelithiasis/Gallbladder Disorder	1	1	0	12.1	17.7	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	0	0	0	0.0	0.0	0.0
	All Other Causes	6	5	1	72.8	88.5	41.1

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	111	88	23	57	41	16	54	47	7
Under 1	1	0	1	0	0	0	1	0	1
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	0	0	0	1	1	0
25-34	2	1	1	1	0	1	1	1	0
35-44	2	2	0	2	2	0	0	0	0
45-54	7	6	1	4	3	1	3	3	0
55-64	15	12	3	10	7	3	5	5	0
65-74	26	17	9	13	8	5	13	9	4
75-84	33	26	7	19	14	5	14	12	2
85 and over	24	23	1	8	7	1	16	16	0
Unknown	0	0	0	0	0	0	0	0	0

2016 Population  
Total 8,242  
White 5,652  
Black 2,431  
Other 159

Selected Death Statistics, Residents of Claiborne County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	105	29	76	1,148.9	2,528.3	968.9
1	Heart Diseases	33	14	19	361.1	1,220.6	242.2
2	Malignant Neoplasms	28	6	22	306.4	523.1	280.5
3	Accidents	10	2	8	109.4	174.4	102.0
4	Nephritis, Nephrotic Syndrome And Nephrosis	7	0	7	76.6	0.0	89.2
5	Emphysema and Other Chronic Lower Resp. Diseases	5	3	2	54.7	261.6	25.5
6	Cerebrovascular Disease	4	0	4	43.8	0.0	51.0
7	Influenza and Pneumonia	3	1	2	32.8	87.2	25.5
7	Septicemia	3	0	3	32.8	0.0	38.2
9	Diabetes Mellitus	2	0	2	21.9	0.0	25.5
10	Homicide	1	0	1	10.9	0.0	12.7
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	0	0	0	0.0	0.0	0.0
	All Other Causes	9	3	6	98.5	261.6	76.5

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	105	29	76	55	16	39	50	13	37
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	4	0	4	3	0	3	1	0	1
35-44	2	0	2	2	0	2	0	0	0
45-54	8	2	6	6	2	4	2	0	2
55-64	21	6	15	12	4	8	9	2	7
65-74	30	8	22	18	7	11	12	1	11
75-84	21	6	15	9	1	8	12	5	7
85 and over	17	6	11	5	2	3	12	4	8
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	9,139
White	1,147
Black	7,844
Other	148

Selected Death Statistics, Residents of Clarke County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	240	162	78	1,510.6	1,584.5	1,431.5
1	Heart Diseases	67	43	24	421.7	420.6	440.4
2	Malignant Neoplasms	50	34	16	314.7	332.6	293.6
3	Cerebrovascular Disease	16	11	5	100.7	107.6	91.8
4	Accidents	11	8	3	69.2	78.2	55.1
5	Influenza and Pneumonia	9	8	1	56.6	78.2	18.4
5	Alzheimer's Disease	9	5	4	56.6	48.9	73.4
7	Emphysema and Other Chronic Lower Resp. Diseases	8	7	1	50.4	68.5	18.4
8	Nephritis, Nephrotic Syndrome And Nephrosis	5	2	3	31.5	19.6	55.1
9	Diabetes Mellitus	4	1	3	25.2	9.8	55.1
9	Septicemia	4	2	2	25.2	19.6	36.7
11	Homicide	3	0	3	18.9	0.0	55.1
11	Parkinson's Disease	3	3	0	18.9	29.3	0.0
13	Aortic Aneurysm and Dissection	2	0	2	12.6	0.0	36.7
13	Pneumonitis Due to Solids and Liquids	2	2	0	12.6	19.6	0.0
15	Congenital Malformations and Chrom. Abnormalities	1	1	0	6.3	9.8	0.0
15	Conditions Originating in the Perinatal Period**	1	0	1	5.2	0.0	15.6
15	Chronic Liver Disease And Cirrhosis	1	1	0	6.3	9.8	0.0
15	Suicide	1	1	0	6.3	9.8	0.0
15	Diseases of Appendix	1	0	1	6.3	0.0	18.4
15	Infections of Kidney	1	1	0	6.3	9.8	0.0
15	Hypertension/Hypertensive Renal Disease	1	0	1	6.3	0.0	18.4
15	Peptic Ulcer	1	1	0	6.3	9.8	0.0
15	Meningitis	1	0	1	6.3	0.0	18.4
15	In Situ, Benign and Unspecified Neoplasms	1	1	0	6.3	9.8	0.0
15	HIV Disease	1	0	1	6.3	0.0	18.4
15	Viral Hepatitis	1	0	1	6.3	0.0	18.4
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	6	5	1	37.8	48.9	18.4
	All Other Causes	29	25	4	182.5	244.5	73.4

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	240	162	78	123	80	43	117	82	35
Under 1	5	3	2	3	2	1	2	1	1
(Neonatal)	3	2	1	2	1	1	1	1	0
(Postneonatal)	2	1	1	1	1	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	4	1	3	4	1	3	0	0	0
35-44	11	5	6	8	4	4	3	1	2
45-54	10	6	4	3	3	0	7	3	4
55-64	37	27	10	22	14	8	15	13	2
65-74	62	40	22	34	21	13	28	19	9
75-84	54	42	12	30	23	7	24	19	5
85 and over	55	37	18	17	11	6	38	26	12
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	15,888
White	10,224
Black	5,449
Other	215

Selected Death Statistics, Residents of Clay County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	236	119	117	1,188.9	1,495.0	1,005.2
1	Heart Diseases	68	38	30	342.6	477.4	257.7
2	Malignant Neoplasms	43	19	24	216.6	238.7	206.2
3	Emphysema and Other Chronic Lower Resp. Diseases	16	16	0	80.6	201.0	0.0
4	Accidents	11	7	4	55.4	87.9	34.4
4	Cerebrovascular Disease	11	3	8	55.4	37.7	68.7
6	Alzheimer's Disease	10	6	4	50.4	75.4	34.4
7	Nephritis, Nephrotic Syndrome And Nephrosis	7	0	7	35.3	0.0	60.1
7	Diabetes Mellitus	7	3	4	35.3	37.7	34.4
9	Septicemia	6	4	2	30.2	50.3	17.2
10	Suicide	4	2	2	20.2	25.1	17.2
10	Influenza and Pneumonia	4	1	3	20.2	12.6	25.8
12	Chronic Liver Disease And Cirrhosis	3	1	2	15.1	12.6	17.2
13	Hypertension/Hypertensive Renal Disease	2	0	2	10.1	0.0	17.2
13	Anemias	2	2	0	10.1	25.1	0.0
13	In Situ, Benign and Unspecified Neoplasms	2	0	2	10.1	0.0	17.2
13	Parkinson's Disease	2	1	1	10.1	12.6	8.6
17	Homicide	1	0	1	5.0	0.0	8.6
17	Cholelithiasis/Gallbladder Disorder	1	0	1	5.0	0.0	8.6
17	Complications Medical/Surgical Care	1	0	1	5.0	0.0	8.6
17	Pneumonitis Due to Solids and Liquids	1	1	0	5.0	12.6	0.0
17	Aortic Aneurysm and Dissection	1	0	1	5.0	0.0	8.6
17	HIV Disease	1	0	1	5.0	0.0	8.6
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	4	3	1	20.2	37.7	8.6
	All Other Causes	28	12	16	141.1	150.8	137.5

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	236	119	117	117	58	59	119	61	58
Under 1	2	1	1	0	0	0	2	1	1
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	2	1	1	0	0	0	2	1	1
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	1	0	1	1	0	1
25-34	3	1	2	2	1	1	1	0	1
35-44	5	1	4	2	0	2	3	1	2
45-54	19	4	15	13	3	10	6	1	5
55-64	37	20	17	25	12	13	12	8	4
65-74	45	18	27	25	13	12	20	5	15
75-84	57	33	24	28	17	11	29	16	13
85 and over	65	41	24	20	12	8	45	29	16
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	19,850
White	7,960
Black	11,640
Other	250

Selected Death Statistics, Residents of Coahoma County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	281	100	180	1,180.2	1,886.1	990.8
1	Heart Diseases	61	25	36	256.2	471.5	198.2
2	Malignant Neoplasms	59	23	35	247.8	433.8	192.6
3	Emphysema and Other Chronic Lower Resp. Diseases	25	12	13	105.0	226.3	71.6
4	Diabetes Mellitus	22	3	19	92.4	56.6	104.6
5	Cerebrovascular Disease	16	5	11	67.2	94.3	60.5
6	Accidents	15	5	10	63.0	94.3	55.0
7	Hypertension/Hypertensive Renal Disease	10	1	9	42.0	18.9	49.5
8	Nephritis, Nephrotic Syndrome And Nephrosis	7	1	6	29.4	18.9	33.0
8	Alzheimer's Disease	7	6	1	29.4	113.2	5.5
10	Homicide	5	1	4	21.0	18.9	22.0
10	Influenza and Pneumonia	5	4	1	21.0	75.4	5.5
12	HIV Disease	4	0	4	16.8	0.0	22.0
12	Chronic Liver Disease And Cirrhosis	4	4	0	16.8	75.4	0.0
14	Septicemia	2	1	1	8.4	18.9	5.5
14	Conditions Originating in the Perinatal Period**	2	0	2	5.7	0.0	6.5
14	Pneumonitis Due to Solids and Liquids	2	0	2	8.4	0.0	11.0
17	Anemias	1	0	1	4.2	0.0	5.5
17	Tuberculosis	1	0	1	4.2	0.0	5.5
17	In Situ, Benign and Unspecified Neoplasms	1	1	0	4.2	18.9	0.0
17	Congenital Malformations and Chrom. Abnormalities	1	0	1	4.2	0.0	5.5
17	Parkinson's Disease	1	1	0	4.2	18.9	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	11	1	10	46.2	18.9	55.0
	All Other Causes	19	6	13	79.8	113.2	71.6

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	281	100	180	131	42	88	150	58	92
Under 1	5	0	5	3	0	3	2	0	2
(Neonatal)	2	0	2	1	0	1	1	0	1
(Postneonatal)	3	0	3	2	0	2	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	9	1	8	5	1	4	4	0	4
25-34	8	2	6	4	1	3	4	1	3
35-44	6	1	4	3	1	1	3	0	3
45-54	26	5	21	17	4	13	9	1	8
55-64	52	8	44	29	2	27	23	6	17
65-74	55	23	32	26	8	18	29	15	14
75-84	52	23	29	23	12	11	29	11	18
85 and over	67	37	30	21	13	8	46	24	22
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	23,809
White	5,302
Black	18,168
Other	339

Selected Death Statistics, Residents of Copiah County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	362	214	147	1,271.0	1,615.0	997.0
1	Heart Diseases	117	67	49	410.8	505.6	332.3
2	Malignant Neoplasms	69	48	21	242.3	362.2	142.4
3	Cerebrovascular Disease	22	12	10	77.2	90.6	67.8
4	Accidents	19	12	7	66.7	90.6	47.5
5	Emphysema and Other Chronic Lower Resp. Diseases	18	13	5	63.2	98.1	33.9
6	Alzheimer's Disease	12	8	4	42.1	60.4	27.1
7	Influenza and Pneumonia	11	10	1	38.6	75.5	6.8
8	Nephritis, Nephrotic Syndrome And Nephrosis	9	4	5	31.6	30.2	33.9
8	Diabetes Mellitus	9	5	4	31.6	37.7	27.1
10	Chronic Liver Disease And Cirrhosis	5	2	3	17.6	15.1	20.3
11	Suicide	4	4	0	14.0	30.2	0.0
12	Homicide	3	1	2	10.5	7.5	13.6
12	Hypertension/Hypertensive Renal Disease	3	2	1	10.5	15.1	6.8
12	Septicemia	3	1	2	10.5	7.5	13.6
15	Congenital Malformations and Chrom. Abnormalities	2	1	1	7.0	7.5	6.8
15	Conditions Originating in the Perinatal Period**	2	1	1	5.6	6.6	4.9
15	Parkinson's Disease	2	1	1	7.0	7.5	6.8
15	Viral Hepatitis	2	0	2	7.0	0.0	13.6
19	Aortic Aneurysm and Dissection	1	0	1	3.5	0.0	6.8
19	Pneumonitis Due to Solids and Liquids	1	0	1	3.5	0.0	6.8
19	Malnutrition/Nutritional Deficiency	1	0	1	3.5	0.0	6.8
19	In Situ, Benign and Unspecified Neoplasms	1	0	1	3.5	0.0	6.8
19	HIV Disease	1	0	1	3.5	0.0	6.8
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	3	1	2	10.5	7.5	13.6
	All Other Causes	42	21	21	147.5	158.5	142.4

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

	----- Total*-----			----- Male -----			----- Female -----		
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	362	214	147	160	91	69	202	123	78
Under 1	2	1	1	0	0	0	2	1	1
(Neonatal)	2	1	1	0	0	0	2	1	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	2	0	2	1	0	1	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	7	5	2	5	4	1	2	1	1
25-34	8	0	8	6	0	6	2	0	2
35-44	11	7	4	7	6	1	4	1	3
45-54	25	10	15	16	6	10	9	4	5
55-64	58	27	31	28	12	16	30	15	15
65-74	64	37	26	26	17	9	38	20	17
75-84	83	53	30	36	24	12	47	29	18
85 and over	102	74	28	35	22	13	67	52	15
Unknown	0	0	0	0	0	0	0	0	0
-----									
2016 Population									
Total	28,482								
White	13,251								
Black	14,744								
Other	487								
-----									

Selected Death Statistics, Residents of Covington County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	276	210	65	1,410.4	1,720.2	924.9
1	Heart Diseases	76	52	24	388.4	426.0	341.5
2	Malignant Neoplasms	55	47	8	281.1	385.0	113.8
3	Emphysema and Other Chronic Lower Resp. Diseases	22	20	2	112.4	163.8	28.5
4	Cerebrovascular Disease	21	13	8	107.3	106.5	113.8
5	Alzheimer's Disease	20	19	1	102.2	155.6	14.2
6	Accidents	13	8	4	66.4	65.5	56.9
7	Influenza and Pneumonia	9	7	2	46.0	57.3	28.5
8	Conditions Originating in the Perinatal Period**	5	2	3	18.7	12.3	29.4
9	Parkinson's Disease	4	4	0	20.4	32.8	0.0
9	Septicemia	4	1	3	20.4	8.2	42.7
11	Pneumonitis Due to Solids and Liquids	3	2	1	15.3	16.4	14.2
12	Suicide	2	2	0	10.2	16.4	0.0
12	Nephritis, Nephrotic Syndrome And Nephrosis	2	2	0	10.2	16.4	0.0
12	Diabetes Mellitus	2	0	2	10.2	0.0	28.5
15	Homicide	1	1	0	5.1	8.2	0.0
15	Chronic Liver Disease And Cirrhosis	1	1	0	5.1	8.2	0.0
15	Aortic Aneurysm and Dissection	1	1	0	5.1	8.2	0.0
15	Hernia	1	1	0	5.1	8.2	0.0
15	Atherosclerosis	1	0	1	5.1	0.0	14.2
15	Peptic Ulcer	1	1	0	5.1	8.2	0.0
15	Complications Medical/Surgical Care	1	1	0	5.1	8.2	0.0
15	Hypertension/Hypertensive Renal Disease	1	0	1	5.1	0.0	14.2
15	Viral Hepatitis	1	1	0	5.1	8.2	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	3	2	1	15.3	16.4	14.2
	All Other Causes	26	22	4	132.9	180.2	56.9

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	276	210	65	154	125	29	122	85	36
Under 1	7	2	5	3	1	2	4	1	3
(Neonatal)	6	2	4	3	1	2	3	1	2
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	3	2	2	1	1	3	2	1
25-34	1	1	0	1	1	0	0	0	0
35-44	6	3	3	2	1	1	4	2	2
45-54	20	11	9	14	8	6	6	3	3
55-64	33	22	11	17	13	4	16	9	7
65-74	56	42	13	34	27	7	22	15	6
75-84	66	55	11	37	31	6	29	24	5
85 and over	82	71	11	44	42	2	38	29	9
Unknown	0	0	0	0	0	0	0	0	0
-----									
2016 Population									
Total	19,569								
White	12,208								
Black	7,028								
Other	333								
-----									



Selected Death Statistics, Residents of Desoto County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	1,403	1,185	205	798.9	966.0	435.4
1	Malignant Neoplasms	349	287	56	198.7	234.0	118.9
2	Heart Diseases	311	270	40	177.1	220.1	85.0
3	Diabetes Mellitus	107	83	24	60.9	67.7	51.0
4	Emphysema and Other Chronic Lower Resp. Diseases	103	97	5	58.7	79.1	10.6
5	Accidents	86	75	9	49.0	61.1	19.1
6	Alzheimer's Disease	85	76	9	48.4	62.0	19.1
7	Cerebrovascular Disease	64	51	13	36.4	41.6	27.6
8	Nephritis, Nephrotic Syndrome And Nephrosis	27	19	7	15.4	15.5	14.9
9	Suicide	24	22	2	13.7	17.9	4.2
10	Hypertension/Hypertensive Renal Disease	22	21	1	12.5	17.1	2.1
11	Influenza and Pneumonia	21	18	2	12.0	14.7	4.2
12	Chronic Liver Disease And Cirrhosis	17	16	1	9.7	13.0	2.1
12	Parkinson's Disease	17	16	1	9.7	13.0	2.1
14	Septicemia	13	9	4	7.4	7.3	8.5
15	Homicide	12	5	7	6.8	4.1	14.9
16	In Situ, Benign and Unspecified Neoplasms	8	7	1	4.6	5.7	2.1
17	Congenital Malformations and Chrom. Abnormalities	6	6	0	3.4	4.9	0.0
18	Conditions Originating in the Perinatal Period**	4	1	2	1.8	0.7	3.1
19	Malnutrition/Nutritional Deficiency	3	2	1	1.7	1.6	2.1
19	Viral Hepatitis	3	2	1	1.7	1.6	2.1
21	Peptic Ulcer	2	1	1	1.1	0.8	2.1
21	Anemias	2	1	1	1.1	0.8	2.1
21	HIV Disease	2	0	2	1.1	0.0	4.2
24	Maternal Causes**	1	1	0	45.6	67.9	0.0
24	Hyperplasia of Prostate	1	1	0	1.2	1.7	0.0
24	Infections of Kidney	1	1	0	0.6	0.8	0.0
24	Diseases of Appendix	1	1	0	0.6	0.8	0.0
24	Pneumonitis Due to Solids and Liquids	1	1	0	0.6	0.8	0.0
24	Pneumoconioses and Chemical Effects	1	1	0	0.6	0.8	0.0
24	Aortic Aneurysm and Dissection	1	1	0	0.6	0.8	0.0
24	Atherosclerosis	1	1	0	0.6	0.8	0.0
24	Tuberculosis	1	1	0	0.6	0.8	0.0
24	Salmonella Infection	1	1	0	0.6	0.8	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	17	15	2	9.7	12.2	4.2
	All Other Causes	88	75	13	50.1	61.1	27.6

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	1,403	1,185	205	712	600	107	691	585	98
Under 1	13	7	5	5	3	2	8	4	3
(Neonatal)	6	3	2	2	1	1	4	2	1
(Postneonatal)	7	4	3	3	2	1	4	2	2
1-4	1	1	0	0	0	0	1	1	0
5-9	2	1	1	2	1	1	0	0	0
10-14	5	4	1	2	1	1	3	3	0
15-24	25	20	5	18	14	4	7	6	1
25-34	34	30	4	25	21	4	9	9	0
35-44	51	37	12	32	22	8	19	15	4
45-54	118	95	22	71	60	11	47	35	11
55-64	195	152	41	117	96	21	78	56	20
65-74	285	242	40	164	139	25	121	103	15
75-84	359	305	50	158	135	20	201	170	30
85 and over	315	291	24	118	108	10	197	183	14
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	175,611
White	122,666
Black	47,079
Other	5,866

Selected Death Statistics, Residents of Forrest County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	791	562	225	1,041.1	1,245.3	788.1
1	Heart Diseases	210	153	55	276.4	339.0	192.7
2	Malignant Neoplasms	155	119	36	204.0	263.7	126.1
3	Emphysema and Other Chronic Lower Resp. Diseases	59	42	17	77.7	93.1	59.5
4	Cerebrovascular Disease	47	34	12	61.9	75.3	42.0
5	Alzheimer's Disease	44	35	9	57.9	77.6	31.5
6	Accidents	38	27	11	50.0	59.8	38.5
7	Influenza and Pneumonia	34	29	5	44.7	64.3	17.5
8	Nephritis, Nephrotic Syndrome And Nephrosis	19	11	8	25.0	24.4	28.0
8	Diabetes Mellitus	19	10	9	25.0	22.2	31.5
10	Septicemia	17	7	10	22.4	15.5	35.0
11	Homicide	10	4	6	13.2	8.9	21.0
12	Suicide	9	7	2	11.8	15.5	7.0
13	Pneumonitis Due to Solids and Liquids	8	4	4	10.5	8.9	14.0
13	Parkinson's Disease	8	7	1	10.5	15.5	3.5
15	Chronic Liver Disease And Cirrhosis	7	7	0	9.2	15.5	0.0
16	Conditions Originating in the Perinatal Period**	5	1	4	5.1	1.9	9.2
17	Hypertension/Hypertensive Renal Disease	3	2	1	3.9	4.4	3.5
18	Congenital Malformations and Chrom. Abnormalities	2	1	1	2.6	2.2	3.5
18	Complications Medical/Surgical Care	2	0	2	2.6	0.0	7.0
18	In Situ, Benign and Unspecified Neoplasms	2	2	0	2.6	4.4	0.0
18	HIV Disease	2	0	2	2.6	0.0	7.0
22	Atherosclerosis	1	0	1	1.3	0.0	3.5
22	Tuberculosis	1	0	1	1.3	0.0	3.5
22	Viral Hepatitis	1	1	0	1.3	2.2	0.0
22	Malnutrition/Nutritional Deficiency	1	0	1	1.3	0.0	3.5
--- Not Included in Ranking ---							
	Symptoms, Signs, Ill-Defined Conditions	4	4	0	5.3	8.9	0.0
	All Other Causes	83	55	27	109.2	121.9	94.6

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	791	562	225	384	265	118	407	297	107
Under 1	9	4	5	6	2	4	3	2	1
(Neonatal)	8	3	5	6	2	4	2	1	1
(Postneonatal)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	11	4	7	7	2	5	4	2	2
25-34	18	10	8	11	7	4	7	3	4
35-44	28	16	11	20	11	9	8	5	2
45-54	52	33	19	30	18	12	22	15	7
55-64	115	68	46	70	45	25	45	23	21
65-74	186	131	54	94	67	26	92	64	28
75-84	165	131	34	75	61	14	90	70	20
85 and over	207	165	41	71	52	19	136	113	22
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	75,979
White	45,128
Black	28,549
Other	2,302

Selected Death Statistics, Residents of Franklin County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	84	59	25	1,079.4	1,191.2	922.2
1	Heart Diseases	31	21	10	398.4	424.0	368.9
2	Malignant Neoplasms	17	11	6	218.5	222.1	221.3
3	Accidents	11	9	2	141.4	181.7	73.8
4	Influenza and Pneumonia	3	2	1	38.6	40.4	36.9
4	Emphysema and Other Chronic Lower Resp. Diseases	3	3	0	38.6	60.6	0.0
6	Suicide	2	1	1	25.7	20.2	36.9
6	Nephritis, Nephrotic Syndrome And Nephrosis	2	2	0	25.7	40.4	0.0
6	Alzheimer's Disease	2	2	0	25.7	40.4	0.0
6	Septicemia	2	0	2	25.7	0.0	73.8
10	Chronic Liver Disease And Cirrhosis	1	1	0	12.9	20.2	0.0
10	Hypertension/Hypertensive Renal Disease	1	1	0	12.9	20.2	0.0
10	Diabetes Mellitus	1	0	1	12.9	0.0	36.9
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	0	0	0	0.0	0.0	0.0
	All Other Causes	8	6	2	102.8	121.1	73.8

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	84	59	25	44	27	17	40	32	8
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	2	1	1	0	0	0
25-34	3	2	1	1	0	1	2	2	0
35-44	3	1	2	1	0	1	2	1	1
45-54	7	6	1	5	4	1	2	2	0
55-64	11	5	6	7	3	4	4	2	2
65-74	20	13	7	13	9	4	7	4	3
75-84	16	14	2	7	5	2	9	9	0
85 and over	22	17	5	8	5	3	14	12	2
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	7,782
White	4,953
Black	2,711
Other	118

Selected Death Statistics, Residents of George County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	266	242	23	1,122.6	1,135.1	1,221.5
1	Heart Diseases	51	48	3	215.2	225.2	159.3
2	Malignant Neoplasms	44	39	5	185.7	182.9	265.5
3	Accidents	21	19	2	88.6	89.1	106.2
3	Emphysema and Other Chronic Lower Resp. Diseases	21	20	1	88.6	93.8	53.1
5	Cerebrovascular Disease	17	15	1	71.7	70.4	53.1
6	Alzheimer's Disease	8	7	1	33.8	32.8	53.1
7	Diabetes Mellitus	7	5	2	29.5	23.5	106.2
8	Influenza and Pneumonia	6	5	1	25.3	23.5	53.1
9	Septicemia	5	5	0	21.1	23.5	0.0
10	Chronic Liver Disease And Cirrhosis	3	1	2	12.7	4.7	106.2
11	Congenital Malformations and Chrom. Abnormalities	2	2	0	8.4	9.4	0.0
11	Suicide	2	2	0	8.4	9.4	0.0
11	Peptic Ulcer	2	2	0	8.4	9.4	0.0
11	Conditions Originating in the Perinatal Period**	2	2	0	5.1	5.5	0.0
11	Nephritis, Nephrotic Syndrome And Nephrosis	2	2	0	8.4	9.4	0.0
16	Complications Medical/Surgical Care	1	1	0	4.2	4.7	0.0
16	Maternal Causes**	1	1	0	256.4	274.0	0.0
16	Cholelithiasis/Gallbladder Disorder	1	1	0	4.2	4.7	0.0
16	Aortic Aneurysm and Dissection	1	1	0	4.2	4.7	0.0
16	Pneumonitis Due to Solids and Liquids	1	1	0	4.2	4.7	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	47	44	3	198.4	206.4	159.3
	All Other Causes	21	19	2	88.6	89.1	106.2

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	266	242	23	136	126	10	130	116	13
Under 1	4	4	0	2	2	0	2	2	0
(Neonatal)	4	4	0	2	2	0	2	2	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	3	2	3	2	1	2	1	1
25-34	6	6	0	5	5	0	1	1	0
35-44	4	4	0	3	3	0	1	1	0
45-54	24	24	0	15	15	0	9	9	0
55-64	30	25	5	18	15	3	12	10	2
65-74	54	50	4	31	30	1	23	20	3
75-84	86	77	8	41	37	4	45	40	4
85 and over	53	49	4	18	17	1	35	32	3
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	23,695
White	21,319
Black	1,883
Other	493

Selected Death Statistics, Residents of Greene County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	166	142	24	1,238.1	1,433.6	722.5
1	Heart Diseases	61	53	8	455.0	535.1	240.8
2	Malignant Neoplasms	30	28	2	223.7	282.7	60.2
3	Emphysema and Other Chronic Lower Resp. Diseases	10	10	0	74.6	101.0	0.0
4	Cerebrovascular Disease	8	6	2	59.7	60.6	60.2
5	Influenza and Pneumonia	7	4	3	52.2	40.4	90.3
5	Alzheimer's Disease	7	6	1	52.2	60.6	30.1
7	Accidents	6	5	1	44.7	50.5	30.1
8	Nephritis, Nephrotic Syndrome And Nephrosis	5	3	2	37.3	30.3	60.2
9	Chronic Liver Disease And Cirrhosis	4	4	0	29.8	40.4	0.0
10	Diabetes Mellitus	2	2	0	14.9	20.2	0.0
10	Septicemia	2	2	0	14.9	20.2	0.0
12	Homicide	1	1	0	7.5	10.1	0.0
12	Suicide	1	1	0	7.5	10.1	0.0
12	Pneumonitis Due to Solids and Liquids	1	0	1	7.5	0.0	30.1
12	Pneumoconioses and Chemical Effects	1	1	0	7.5	10.1	0.0
12	Congenital Malformations and Chrom. Abnormalities	1	0	1	7.5	0.0	30.1
12	Viral Hepatitis	1	0	1	7.5	0.0	30.1
12	In Situ, Benign and Unspecified Neoplasms	1	1	0	7.5	10.1	0.0
--- Not Included in Ranking ---							
	Symptoms, Signs, Ill-Defined Conditions	5	4	1	37.3	40.4	30.1
	All Other Causes	12	11	1	89.5	111.1	30.1

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	166	142	24	86	70	16	80	72	8
Under 1	1	1	0	0	0	0	1	1	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	3	2	1	3	2	1	0	0	0
35-44	6	5	1	1	1	0	5	4	1
45-54	10	8	2	6	4	2	4	4	0
55-64	28	19	9	14	8	6	14	11	3
65-74	46	39	7	30	25	5	16	14	2
75-84	40	39	1	19	19	0	21	20	1
85 and over	30	27	3	12	10	2	18	17	1
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	13,408
White	9,905
Black	3,322
Other	181

Selected Death Statistics, Residents of Grenada County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	286	171	115	1,344.3	1,444.0	1,265.3
1	Heart Diseases	78	50	28	366.6	422.2	308.1
2	Malignant Neoplasms	48	24	24	225.6	202.7	264.1
3	Cerebrovascular Disease	23	14	9	108.1	118.2	99.0
4	Accidents	17	14	3	79.9	118.2	33.0
5	Emphysema and Other Chronic Lower Resp. Diseases	15	10	5	70.5	84.4	55.0
6	Influenza and Pneumonia	13	8	5	61.1	67.6	55.0
7	Nephritis, Nephrotic Syndrome And Nephrosis	10	7	3	47.0	59.1	33.0
8	Alzheimer's Disease	9	5	4	42.3	42.2	44.0
9	Hypertension/Hypertensive Renal Disease	7	3	4	32.9	25.3	44.0
10	Homicide	4	0	4	18.8	0.0	44.0
11	Pneumonitis Due to Solids and Liquids	3	1	2	14.1	8.4	22.0
11	Parkinson's Disease	3	2	1	14.1	16.9	11.0
11	Septicemia	3	1	2	14.1	8.4	22.0
11	Diabetes Mellitus	3	1	2	14.1	8.4	22.0
15	Suicide	2	2	0	9.4	16.9	0.0
15	Chronic Liver Disease And Cirrhosis	2	1	1	9.4	8.4	11.0
15	Hernia	2	0	2	9.4	0.0	22.0
18	Legal Intervention	1	1	0	4.7	8.4	0.0
18	Congenital Malformations and Chrom. Abnormalities	1	1	0	4.7	8.4	0.0
18	Cholelithiasis/Gallbladder Disorder	1	1	0	4.7	8.4	0.0
18	Aortic Aneurysm and Dissection	1	0	1	4.7	0.0	11.0
18	Atherosclerosis	1	1	0	4.7	8.4	0.0
18	Malnutrition/Nutritional Deficiency	1	1	0	4.7	8.4	0.0
18	In Situ, Benign and Unspecified Neoplasms	1	1	0	4.7	8.4	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	3	2	1	14.1	16.9	11.0
	All Other Causes	34	20	14	159.8	168.9	154.0

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	286	171	115	141	76	65	145	95	50
Under 1	2	1	1	1	1	0	1	0	1
(Neonatal)	1	1	0	1	1	0	0	0	0
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	2	0	2	2	0	2	0	0	0
25-34	7	3	4	5	2	3	2	1	1
35-44	13	4	9	11	2	9	2	2	0
45-54	21	10	11	12	7	5	9	3	6
55-64	38	19	19	22	10	12	16	9	7
65-74	58	36	22	32	21	11	26	15	11
75-84	69	46	23	35	20	15	34	26	8
85 and over	75	52	23	21	13	8	54	39	15
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	21,275
White	11,842
Black	9,089
Other	344

Selected Death Statistics, Residents of Hancock County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	546	510	33	1,166.9	1,239.3	863.2
1	Heart Diseases	137	131	4	292.8	318.3	104.6
2	Malignant Neoplasms	122	111	10	260.7	269.7	261.6
3	Emphysema and Other Chronic Lower Resp. Diseases	49	46	3	104.7	111.8	78.5
4	Accidents	34	33	1	72.7	80.2	26.2
5	Cerebrovascular Disease	22	20	2	47.0	48.6	52.3
6	Alzheimer's Disease	17	16	1	36.3	38.9	26.2
7	Septicemia	14	12	2	29.9	29.2	52.3
8	Nephritis, Nephrotic Syndrome And Nephrosis	13	11	2	27.8	26.7	52.3
9	Suicide	9	9	0	19.2	21.9	0.0
9	Influenza and Pneumonia	9	9	0	19.2	21.9	0.0
11	Chronic Liver Disease And Cirrhosis	7	7	0	15.0	17.0	0.0
12	Homicide	6	5	1	12.8	12.1	26.2
13	Hypertension/Hypertensive Renal Disease	5	4	1	10.7	9.7	26.2
13	Parkinson's Disease	5	5	0	10.7	12.1	0.0
15	Conditions Originating in the Perinatal Period**	4	4	0	8.6	9.6	0.0
15	Diabetes Mellitus	4	3	1	8.5	7.3	26.2
17	Hernia	2	1	1	4.3	2.4	26.2
17	Pneumonitis Due to Solids and Liquids	2	2	0	4.3	4.9	0.0
17	Aortic Aneurysm and Dissection	2	2	0	4.3	4.9	0.0
17	Malnutrition/Nutritional Deficiency	2	2	0	4.3	4.9	0.0
21	Congenital Malformations and Chrom. Abnormalities	1	1	0	2.1	2.4	0.0
21	Cholelithiasis/Gallbladder Disorder	1	0	1	2.1	0.0	26.2
21	Pneumoconioses and Chemical Effects	1	1	0	2.1	2.4	0.0
21	Infections of Kidney	1	1	0	2.1	2.4	0.0
21	Tuberculosis	1	1	0	2.1	2.4	0.0
--- Not Included in Ranking ---							
	Symptoms, Signs, Ill-Defined Conditions	3	3	0	6.4	7.3	0.0
	All Other Causes	73	70	3	156.0	170.1	78.5

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	546	510	33	304	286	17	242	224	16
Under 1	5	5	0	4	4	0	1	1	0
(Neonatal)	5	5	0	4	4	0	1	1	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	2	2	0	1	1	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	3	3	0	2	2	0	1	1	0
25-34	4	4	0	3	3	0	1	1	0
35-44	13	12	1	11	10	1	2	2	0
45-54	46	41	5	28	24	4	18	17	1
55-64	103	95	7	60	57	3	43	38	4
65-74	124	117	7	84	79	5	40	38	2
75-84	141	131	8	69	65	3	72	66	5
85 and over	104	99	5	41	40	1	63	59	4
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	46,791
White	41,153
Black	3,823
Other	1,815

Selected Death Statistics, Residents of Harrison County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	1,993	1,577	386	980.6	1,127.0	759.9
1	Heart Diseases	537	421	109	264.2	300.9	214.6
2	Malignant Neoplasms	473	388	77	232.7	277.3	151.6
3	Emphysema and Other Chronic Lower Resp. Diseases	136	124	11	66.9	88.6	21.7
4	Cerebrovascular Disease	91	69	20	44.8	49.3	39.4
5	Accidents	82	66	15	40.3	47.2	29.5
6	Alzheimer's Disease	66	55	10	32.5	39.3	19.7
7	Influenza and Pneumonia	65	58	6	32.0	41.4	11.8
8	Nephritis, Nephrotic Syndrome And Nephrosis	64	46	16	31.5	32.9	31.5
9	Suicide	46	45	0	22.6	32.2	0.0
10	Septicemia	39	29	9	19.2	20.7	17.7
11	Chronic Liver Disease And Cirrhosis	34	30	3	16.7	21.4	5.9
12	Diabetes Mellitus	21	17	3	10.3	12.1	5.9
13	Homicide	20	4	16	9.8	2.9	31.5
14	Parkinson's Disease	16	14	2	7.9	10.0	3.9
15	Conditions Originating in the Perinatal Period**	11	6	5	3.9	3.4	5.9
16	Pneumonitis Due to Solids and Liquids	10	6	4	4.9	4.3	7.9
17	Congenital Malformations and Chrom. Abnormalities	8	3	4	3.9	2.1	7.9
18	Hypertension/Hypertensive Renal Disease	6	5	1	3.0	3.6	2.0
18	Anemias	6	4	2	3.0	2.9	3.9
18	HIV Disease	6	1	5	3.0	0.7	9.8
18	Viral Hepatitis	6	5	1	3.0	3.6	2.0
22	Aortic Aneurysm and Dissection	5	2	3	2.5	1.4	5.9
23	Malnutrition/Nutritional Deficiency	4	3	1	2.0	2.1	2.0
23	In Situ, Benign and Unspecified Neoplasms	4	2	2	2.0	1.4	3.9
25	Complications Medical/Surgical Care	3	2	1	1.5	1.4	2.0
26	Peptic Ulcer	2	2	0	1.0	1.4	0.0
27	Legal Intervention	1	1	0	0.5	0.7	0.0
27	Pneumoconioses and Chemical Effects	1	1	0	0.5	0.7	0.0
27	Atherosclerosis	1	1	0	0.5	0.7	0.0
27	Meningitis	1	1	0	0.5	0.7	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	12	7	5	5.9	5.0	9.8
	All Other Causes	216	159	55	106.3	113.6	108.3

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	1,993	1,577	386	1,121	892	210	872	685	176
Under 1	29	14	14	14	6	7	15	8	7
(Neonatal)	19	8	10	10	4	5	9	4	5
(Postneonatal)	10	6	4	4	2	2	6	4	2
1-4	4	3	1	2	2	0	2	1	1
5-9	1	0	1	1	0	1	0	0	0
10-14	3	2	0	2	2	0	1	0	0
15-24	20	12	8	15	8	7	5	4	1
25-34	43	24	17	31	18	11	12	6	6
35-44	77	50	27	51	34	17	26	16	10
45-54	154	113	37	95	70	21	59	43	16
55-64	362	268	89	228	167	58	134	101	31
65-74	447	365	77	276	227	47	171	138	30
75-84	428	350	70	230	193	31	198	157	39
85 and over	425	376	45	176	165	10	249	211	35
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	203,234
White	139,930
Black	50,797
Other	12,507



Selected Death Statistics, Residents of Hinds County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	2,293	880	1,405	950.5	1,409.0	807.4
1	Heart Diseases	593	216	376	245.8	345.8	216.1
2	Malignant Neoplasms	461	164	295	191.1	262.6	169.5
3	Cerebrovascular Disease	136	51	85	56.4	81.7	48.8
4	Accidents	112	43	69	46.4	68.8	39.6
5	Alzheimer's Disease	98	58	40	40.6	92.9	23.0
6	Emphysema and Other Chronic Lower Resp. Diseases	85	49	34	35.2	78.5	19.5
7	Diabetes Mellitus	69	20	49	28.6	32.0	28.2
8	Homicide	63	9	53	26.1	14.4	30.5
9	Hypertension/Hypertensive Renal Disease	60	18	41	24.9	28.8	23.6
10	Nephritis, Nephrotic Syndrome And Nephrosis	50	10	40	20.7	16.0	23.0
11	Septicemia	47	13	34	19.5	20.8	19.5
12	Influenza and Pneumonia	44	23	21	18.2	36.8	12.1
13	Chronic Liver Disease And Cirrhosis	43	23	20	17.8	36.8	11.5
14	Suicide	25	10	15	10.4	16.0	8.6
15	Pneumonitis Due to Solids and Liquids	16	8	8	6.6	12.8	4.6
16	Congenital Malformations and Chrom. Abnormalities	14	2	12	5.8	3.2	6.9
16	Conditions Originating in the Perinatal Period**	14	5	9	4.5	7.0	3.8
18	Parkinson's Disease	13	12	1	5.4	19.2	0.6
19	HIV Disease	12	2	10	5.0	3.2	5.7
20	Aortic Aneurysm and Dissection	8	3	5	3.3	4.8	2.9
21	Complications Medical/Surgical Care	4	2	2	1.7	3.2	1.1
21	Atherosclerosis	4	2	2	1.7	3.2	1.1
23	Malnutrition/Nutritional Deficiency	3	2	1	1.2	3.2	0.6
23	Anemias	3	1	2	1.2	1.6	1.1
23	In Situ, Benign and Unspecified Neoplasms	3	2	1	1.2	3.2	0.6
26	Viral Hepatitis	2	0	2	0.8	0.0	1.1
26	Tuberculosis	2	1	1	0.8	1.6	0.6
26	Maternal Causes**	2	0	2	64.1	0.0	85.0
29	Infections of Kidney	1	0	1	0.4	0.0	0.6
29	Cholelithiasis/Gallbladder Disorder	1	0	1	0.4	0.0	0.6
29	Peptic Ulcer	1	0	1	0.4	0.0	0.6
29	Meningitis	1	1	0	0.4	1.6	0.0
--- Not Included in Ranking ---							
	Symptoms, Signs, Ill-Defined Conditions	29	12	17	12.0	19.2	9.8
	All Other Causes	274	118	155	113.6	188.9	89.1

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	2,293	880	1,405	1,232	478	751	1,061	402	654
Under 1	32	9	23	17	7	10	15	2	13
(Neonatal)	17	5	12	9	3	6	8	2	6
(Postneonatal)	15	4	11	8	4	4	7	0	7
1-4	5	0	5	4	0	4	1	0	1
5-9	6	0	6	5	0	5	1	0	1
10-14	4	0	4	2	0	2	2	0	2
15-24	46	8	38	32	8	24	14	0	14
25-34	83	19	64	60	14	46	23	5	18
35-44	96	13	83	54	6	48	42	7	35
45-54	203	49	153	125	34	90	78	15	63
55-64	434	130	302	275	86	188	159	44	114
65-74	422	144	277	250	88	161	172	56	116
75-84	444	213	228	212	113	99	232	100	129
85 and over	518	295	222	196	122	74	322	173	148
Unknown	0	0	0	0	0	0	0	0	0

2016 Population  
Total 241,229  
White 62,457  
Black 174,023  
Other 4,749

Selected Death Statistics, Residents of Holmes County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	203	49	154	1,127.8	1,687.9	1,034.0
1	Heart Diseases	42	7	35	233.3	241.1	235.0
2	Malignant Neoplasms	41	13	28	227.8	447.8	188.0
3	Cerebrovascular Disease	14	4	10	77.8	137.8	67.1
4	Emphysema and Other Chronic Lower Resp. Diseases	13	6	7	72.2	206.7	47.0
5	Alzheimer's Disease	10	2	8	55.6	68.9	53.7
6	Diabetes Mellitus	8	0	8	44.4	0.0	53.7
7	Accidents	7	2	5	38.9	68.9	33.6
7	Hypertension/Hypertensive Renal Disease	7	3	4	38.9	103.3	26.9
7	Septicemia	7	4	3	38.9	137.8	20.1
10	Nephritis, Nephrotic Syndrome And Nephrosis	6	1	5	33.3	34.4	33.6
11	Homicide	5	2	3	27.8	68.9	20.1
11	Influenza and Pneumonia	5	0	5	27.8	0.0	33.6
13	Congenital Malformations and Chrom. Abnormalities	2	0	2	11.1	0.0	13.4
14	Suicide	1	0	1	5.6	0.0	6.7
14	Conditions Originating in the Perinatal Period**	1	0	1	4.0	0.0	4.4
14	Female Pelvic Inflammatory Disease	1	0	1	10.6	0.0	12.6
14	Chronic Liver Disease And Cirrhosis	1	0	1	5.6	0.0	6.7
14	Aortic Aneurysm and Dissection	1	0	1	5.6	0.0	6.7
14	Anemias	1	0	1	5.6	0.0	6.7
14	In Situ, Benign and Unspecified Neoplasms	1	0	1	5.6	0.0	6.7
14	HIV Disease	1	0	1	5.6	0.0	6.7
14	Viral Hepatitis	1	0	1	5.6	0.0	6.7
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	2	0	2	11.1	0.0	13.4
	All Other Causes	25	5	20	138.9	172.2	134.3

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	203	49	154	91	18	73	112	31	81
Under 1	4	0	4	3	0	3	1	0	1
(Neonatal)	2	0	2	2	0	2	0	0	0
(Postneonatal)	2	0	2	1	0	1	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	1	5	4	0	4	2	1	1
25-34	3	0	3	2	0	2	1	0	1
35-44	5	0	5	1	0	1	4	0	4
45-54	15	3	12	8	2	6	7	1	6
55-64	36	5	31	18	0	18	18	5	13
65-74	36	11	25	17	4	13	19	7	12
75-84	48	13	35	23	6	17	25	7	18
85 and over	50	16	34	15	6	9	35	10	25
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	17,999
White	2,903
Black	14,893
Other	203

Selected Death Statistics, Residents of Humphreys County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	98	29	69	1,151.2	1,494.1	1,076.1
1	Heart Diseases	24	6	18	281.9	309.1	280.7
2	Malignant Neoplasms	20	4	16	234.9	206.1	249.5
3	Alzheimer's Disease	8	7	1	94.0	360.6	15.6
4	Accidents	6	3	3	70.5	154.6	46.8
5	Emphysema and Other Chronic Lower Resp. Diseases	4	2	2	47.0	103.0	31.2
5	Diabetes Mellitus	4	0	4	47.0	0.0	62.4
5	Septicemia	4	1	3	47.0	51.5	46.8
8	Cerebrovascular Disease	3	1	2	35.2	51.5	31.2
9	Conditions Originating in the Perinatal Period**	2	0	2	18.2	0.0	21.7
9	Nephritis, Nephrotic Syndrome And Nephrosis	2	0	2	23.5	0.0	31.2
9	Chronic Liver Disease And Cirrhosis	2	1	1	23.5	51.5	15.6
12	Homicide	1	0	1	11.7	0.0	15.6
12	Infections of Kidney	1	0	1	11.7	0.0	15.6
12	Pneumonitis Due to Solids and Liquids	1	0	1	11.7	0.0	15.6
12	Influenza and Pneumonia	1	0	1	11.7	0.0	15.6
12	Atherosclerosis	1	0	1	11.7	0.0	15.6
12	Hypertension/Hypertensive Renal Disease	1	0	1	11.7	0.0	15.6
12	Malnutrition/Nutritional Deficiency	1	0	1	11.7	0.0	15.6
12	Anemias	1	0	1	11.7	0.0	15.6
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	1	1	0	11.7	51.5	0.0
	All Other Causes	10	3	7	117.5	154.6	109.2

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	98	29	69	63	24	39	35	5	30
Under 1	2	0	2	2	0	2	0	0	0
(Neonatal)	2	0	2	2	0	2	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	1	1	1	1	0	1	0	1
35-44	4	1	3	1	0	1	3	1	2
45-54	5	1	4	2	1	1	3	0	3
55-64	18	4	14	13	4	9	5	0	5
65-74	15	5	10	12	4	8	3	1	2
75-84	32	9	23	22	9	13	10	0	10
85 and over	20	8	12	10	5	5	10	3	7
Unknown	0	0	0	0	0	0	0	0	0

2016 Population  
Total 8,513  
White 1,941  
Black 6,412  
Other 160

Selected Death Statistics, Residents of Issaquena County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	8	5	3	618.2	1,094.1	365.9
1	Heart Diseases	2	1	1	154.6	218.8	122.0
1	Malignant Neoplasms	2	1	1	154.6	218.8	122.0
3	Accidents	1	1	0	77.3	218.8	0.0
3	Influenza and Pneumonia	1	1	0	77.3	218.8	0.0
3	Septicemia	1	0	1	77.3	0.0	122.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	0	0	0	0.0	0.0	0.0
	All Other Causes	1	1	0	77.3	218.8	0.0

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
Population figures are 2016 estimates.

# Less than 0.05.

	----- Total*-----			----- Male -----			----- Female -----		
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	8	5	3	6	4	2	2	1	1
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	2	0	2	2	0	2	0	0	0
65-74	2	1	1	1	1	0	1	0	1
75-84	2	2	0	2	2	0	0	0	0
85 and over	2	2	0	1	1	0	1	1	0
Unknown	0	0	0	0	0	0	0	0	0
-----									
2016 Population									
Total	1,294								
White	457								
Black	820								
Other	17								
-----									

Selected Death Statistics, Residents of Itawamba County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	315	295	18	1,338.8	1,371.6	1,096.9
1	Heart Diseases	79	76	3	335.8	353.4	182.8
2	Malignant Neoplasms	54	50	4	229.5	232.5	243.8
3	Accidents	27	25	1	114.8	116.2	60.9
4	Emphysema and Other Chronic Lower Resp. Diseases	22	22	0	93.5	102.3	0.0
5	Alzheimer's Disease	19	17	1	80.8	79.0	60.9
6	Cerebrovascular Disease	17	15	2	72.3	69.7	121.9
7	Nephritis, Nephrotic Syndrome And Nephrosis	9	9	0	38.3	41.8	0.0
7	Influenza and Pneumonia	9	6	3	38.3	27.9	182.8
9	Chronic Liver Disease And Cirrhosis	7	7	0	29.8	32.5	0.0
10	Diabetes Mellitus	6	6	0	25.5	27.9	0.0
11	Parkinson's Disease	5	5	0	21.3	23.2	0.0
12	Suicide	4	4	0	17.0	18.6	0.0
12	Septicemia	4	3	1	17.0	13.9	60.9
14	In Situ, Benign and Unspecified Neoplasms	3	2	1	12.8	9.3	60.9
15	Conditions Originating in the Perinatal Period**	2	2	0	7.2	7.8	0.0
15	Hypertension/Hypertensive Renal Disease	2	2	0	8.5	9.3	0.0
17	Infections of Kidney	1	1	0	4.3	4.6	0.0
17	Aortic Aneurysm and Dissection	1	1	0	4.3	4.6	0.0
17	Malnutrition/Nutritional Deficiency	1	1	0	4.3	4.6	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	6	6	0	25.5	27.9	0.0
	All Other Causes	37	35	2	157.3	162.7	121.9

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	315	295	18	172	163	8	143	132	10
Under 1	2	2	0	2	2	0	0	0	0
(Neonatal)	1	1	0	1	1	0	0	0	0
(Postneonatal)	1	1	0	1	1	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	2	0	1	1	0	1	1	0
15-24	5	4	1	4	3	1	1	1	0
25-34	3	3	0	2	2	0	1	1	0
35-44	7	6	0	6	5	0	1	1	0
45-54	24	22	2	15	15	0	9	7	2
55-64	46	44	2	28	28	0	18	16	2
65-74	60	57	3	34	31	3	26	26	0
75-84	83	77	6	47	43	4	36	34	2
85 and over	82	77	4	32	32	0	50	45	4
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	23,529
White	21,507
Black	1,641
Other	381

Selected Death Statistics, Residents of Jackson County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	1,316	1,055	248	931.7	1,018.5	802.8
1	Heart Diseases	328	252	73	232.2	243.3	236.3
2	Malignant Neoplasms	267	219	45	189.0	211.4	145.7
3	Emphysema and Other Chronic Lower Resp. Diseases	96	86	10	68.0	83.0	32.4
4	Accidents	88	73	15	62.3	70.5	48.6
5	Cerebrovascular Disease	87	69	17	61.6	66.6	55.0
6	Alzheimer's Disease	68	56	11	48.1	54.1	35.6
7	Influenza and Pneumonia	26	20	5	18.4	19.3	16.2
8	Septicemia	24	22	2	17.0	21.2	6.5
9	Diabetes Mellitus	23	16	6	16.3	15.4	19.4
10	Nephritis, Nephrotic Syndrome And Nephrosis	20	14	6	14.2	13.5	19.4
10	Chronic Liver Disease And Cirrhosis	20	17	3	14.2	16.4	9.7
12	Hypertension/Hypertensive Renal Disease	16	10	6	11.3	9.7	19.4
13	Suicide	14	13	1	9.9	12.6	3.2
13	Parkinson's Disease	14	13	1	9.9	12.6	3.2
15	Aortic Aneurysm and Dissection	9	7	2	6.4	6.8	6.5
16	Homicide	6	2	4	4.2	1.9	12.9
17	Congenital Malformations and Chrom. Abnormalities	5	1	4	3.5	1.0	12.9
17	Pneumoconioses and Chemical Effects	5	5	0	3.5	4.8	0.0
19	Complications Medical/Surgical Care	4	4	0	2.8	3.9	0.0
19	In Situ, Benign and Unspecified Neoplasms	4	2	2	2.8	1.9	6.5
19	Viral Hepatitis	4	4	0	2.8	3.9	0.0
22	Pneumonitis Due to Solids and Liquids	3	1	2	2.1	1.0	6.5
23	Conditions Originating in the Perinatal Period**	2	1	1	1.2	0.9	2.5
24	Legal Intervention	1	1	0	0.7	1.0	0.0
24	Maternal Causes**	1	1	0	60.6	85.8	0.0
24	Infections of Kidney	1	1	0	0.7	1.0	0.0
24	Cholelithiasis/Gallbladder Disorder	1	1	0	0.7	1.0	0.0
24	Malnutrition/Nutritional Deficiency	1	1	0	0.7	1.0	0.0
24	Anemias	1	0	1	0.7	0.0	3.2
24	Tuberculosis	1	0	1	0.7	0.0	3.2
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	17	13	2	12.0	12.6	6.5
	All Other Causes	159	130	28	112.6	125.5	90.6

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	1,316	1,055	248	661	524	133	655	531	115
Under 1	7	4	3	6	4	2	1	0	1
(Neonatal)	3	1	2	2	1	1	1	0	1
(Postneonatal)	4	3	1	4	3	1	0	0	0
1-4	3	1	2	0	0	0	3	1	2
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	18	12	6	13	9	4	5	3	2
25-34	25	19	6	20	15	5	5	4	1
35-44	56	37	19	35	23	12	21	14	7
45-54	80	62	17	46	35	11	34	27	6
55-64	203	149	52	115	81	32	88	68	20
65-74	273	214	56	144	111	32	129	103	24
75-84	367	304	60	183	157	25	184	147	35
85 and over	283	252	27	98	88	10	185	164	17
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	141,241
White	103,581
Black	30,892
Other	6,768

Selected Death Statistics, Residents of Jasper County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	209	115	94	1,260.7	1,517.4	1,069.9
1	Heart Diseases	68	45	23	410.2	593.7	261.8
2	Malignant Neoplasms	39	17	22	235.3	224.3	250.4
3	Cerebrovascular Disease	11	6	5	66.4	79.2	56.9
4	Alzheimer's Disease	10	6	4	60.3	79.2	45.5
4	Diabetes Mellitus	10	6	4	60.3	79.2	45.5
6	Accidents	7	3	4	42.2	39.6	45.5
6	Hypertension/Hypertensive Renal Disease	7	3	4	42.2	39.6	45.5
8	Nephritis, Nephrotic Syndrome And Nephrosis	6	1	5	36.2	13.2	56.9
8	Influenza and Pneumonia	6	5	1	36.2	66.0	11.4
10	Emphysema and Other Chronic Lower Resp. Diseases	4	2	2	24.1	26.4	22.8
11	Suicide	2	1	1	12.1	13.2	11.4
11	Cholelithiasis/Gallbladder Disorder	2	1	1	12.1	13.2	11.4
11	In Situ, Benign and Unspecified Neoplasms	2	0	2	12.1	0.0	22.8
14	Complications Medical/Surgical Care	1	0	1	6.0	0.0	11.4
14	Homicide	1	1	0	6.0	13.2	0.0
14	Congenital Malformations and Chrom. Abnormalities	1	1	0	6.0	13.2	0.0
14	Pneumonitis Due to Solids and Liquids	1	1	0	6.0	13.2	0.0
14	Parkinson's Disease	1	1	0	6.0	13.2	0.0
14	Anemias	1	0	1	6.0	0.0	11.4
14	Viral Hepatitis	1	0	1	6.0	0.0	11.4
14	Septicemia	1	0	1	6.0	0.0	11.4
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	5	2	3	30.2	26.4	34.1
	All Other Causes	22	13	9	132.7	171.5	102.4

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	209	115	94	108	56	52	101	59	42
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	1	1	0	1	0	1
25-34	5	2	3	4	1	3	1	1	0
35-44	5	0	5	3	0	3	2	0	2
45-54	12	6	6	8	3	5	4	3	1
55-64	29	10	19	15	5	10	14	5	9
65-74	46	21	25	30	15	15	16	6	10
75-84	58	40	18	30	22	8	28	18	10
85 and over	50	35	15	15	9	6	35	26	9
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	16,578
White	7,579
Black	8,786
Other	213

Selected Death Statistics, Residents of Jefferson County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	95	17	78	1,301.9	1,720.6	1,250.6
1	Heart Diseases	30	5	25	411.1	506.1	400.8
2	Malignant Neoplasms	18	3	15	246.7	303.6	240.5
3	Diabetes Mellitus	8	1	7	109.6	101.2	112.2
4	Accidents	5	1	4	68.5	101.2	64.1
5	Nephritis, Nephrotic Syndrome And Nephrosis	4	0	4	54.8	0.0	64.1
6	Emphysema and Other Chronic Lower Resp. Diseases	3	1	2	41.1	101.2	32.1
6	Influenza and Pneumonia	3	0	3	41.1	0.0	48.1
6	Cerebrovascular Disease	3	0	3	41.1	0.0	48.1
6	Alzheimer's Disease	3	2	1	41.1	202.4	16.0
10	Homicide	1	0	1	13.7	0.0	16.0
10	Suicide	1	1	0	13.7	101.2	0.0
10	Conditions Originating in the Perinatal Period**	1	0	1	11.5	0.0	12.2
10	Pneumonitis Due to Solids and Liquids	1	0	1	13.7	0.0	16.0
10	Aortic Aneurysm and Dissection	1	1	0	13.7	101.2	0.0
10	Hypertension/Hypertensive Renal Disease	1	0	1	13.7	0.0	16.0
10	Viral Hepatitis	1	0	1	13.7	0.0	16.0
10	Septicemia	1	1	0	13.7	101.2	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	1	0	1	13.7	0.0	16.0
	All Other Causes	9	1	8	123.3	101.2	128.3

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	95	17	78	56	10	46	39	7	32
Under 1	1	0	1	1	0	1	0	0	0
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	2	0	2	0	0	0
25-34	2	0	2	1	0	1	1	0	1
35-44	6	0	6	5	0	5	1	0	1
45-54	4	0	4	2	0	2	2	0	2
55-64	19	2	17	11	0	11	8	2	6
65-74	16	2	14	10	2	8	6	0	6
75-84	18	5	13	10	3	7	8	2	6
85 and over	26	7	19	13	4	9	13	3	10
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	7,297
White	988
Black	6,237
Other	72



Selected Death Statistics, Residents of Jeff Davis County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	165	76	87	1,449.3	1,699.8	1,288.5
1	Heart Diseases	48	24	24	421.6	536.8	355.5
2	Malignant Neoplasms	27	13	14	237.2	290.8	207.3
3	Accidents	11	3	8	96.6	67.1	118.5
4	Diabetes Mellitus	8	1	6	70.3	22.4	88.9
5	Emphysema and Other Chronic Lower Resp. Diseases	7	1	6	61.5	22.4	88.9
5	Influenza and Pneumonia	7	5	2	61.5	111.8	29.6
7	Cerebrovascular Disease	6	3	3	52.7	67.1	44.4
7	Alzheimer's Disease	6	4	2	52.7	89.5	29.6
9	Pneumonitis Due to Solids and Liquids	4	2	2	35.1	44.7	29.6
9	Hypertension/Hypertensive Renal Disease	4	0	4	35.1	0.0	59.2
11	Suicide	2	1	0	17.6	22.4	0.0
11	Nephritis, Nephrotic Syndrome And Nephrosis	2	2	0	17.6	44.7	0.0
11	Atherosclerosis	2	2	0	17.6	44.7	0.0
11	Parkinson's Disease	2	2	0	17.6	44.7	0.0
11	Septicemia	2	0	2	17.6	0.0	29.6
16	Homicide	1	0	1	8.8	0.0	14.8
16	Conditions Originating in the Perinatal Period**	1	1	0	7.9	21.3	0.0
16	Cholelithiasis/Gallbladder Disorder	1	1	0	8.8	22.4	0.0
16	Chronic Liver Disease And Cirrhosis	1	1	0	8.8	22.4	0.0
16	Anemias	1	0	1	8.8	0.0	14.8
16	In Situ, Benign and Unspecified Neoplasms	1	1	0	8.8	22.4	0.0
16	HIV Disease	1	0	1	8.8	0.0	14.8
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	1	0	1	8.8	0.0	14.8
	All Other Causes	19	9	10	166.9	201.3	148.1

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	165	76	87	93	43	48	72	33	39
Under 1	3	2	1	1	1	0	2	1	1
(Neonatal)	1	1	0	0	0	0	1	1	0
(Postneonatal)	2	1	1	1	1	0	1	0	1
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	0	2	1	0	1	1	0	1
15-24	1	1	0	0	0	0	1	1	0
25-34	5	0	4	4	0	3	1	0	1
35-44	6	1	5	5	1	4	1	0	1
45-54	15	4	11	7	3	4	8	1	7
55-64	30	11	18	19	6	12	11	5	6
65-74	29	13	16	18	7	11	11	6	5
75-84	46	28	18	27	19	8	19	9	10
85 and over	27	16	11	10	6	4	17	10	7
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	11,385
White	4,471
Black	6,752
Other	162

Selected Death Statistics, Residents of Jones County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	746	582	162	1,097.8	1,251.3	810.0
1	Heart Diseases	169	134	35	248.7	288.1	175.0
2	Malignant Neoplasms	135	104	31	198.7	223.6	155.0
3	Accidents	53	39	14	78.0	83.9	70.0
4	Alzheimer's Disease	51	44	7	75.1	94.6	35.0
5	Emphysema and Other Chronic Lower Resp. Diseases	42	39	3	61.8	83.9	15.0
6	Cerebrovascular Disease	36	26	10	53.0	55.9	50.0
7	Diabetes Mellitus	29	17	12	42.7	36.6	60.0
8	Influenza and Pneumonia	20	18	2	29.4	38.7	10.0
9	Septicemia	19	13	6	28.0	28.0	30.0
10	Nephritis, Nephrotic Syndrome And Nephrosis	16	11	5	23.5	23.7	25.0
11	Hypertension/Hypertensive Renal Disease	14	9	5	20.6	19.4	25.0
12	Suicide	10	8	1	14.7	17.2	5.0
12	Chronic Liver Disease And Cirrhosis	10	6	3	14.7	12.9	15.0
14	Pneumonitis Due to Solids and Liquids	8	4	4	11.8	8.6	20.0
15	Congenital Malformations and Chrom. Abnormalities	4	3	1	5.9	6.5	5.0
15	Parkinson's Disease	4	3	1	5.9	6.5	5.0
15	In Situ, Benign and Unspecified Neoplasms	4	3	1	5.9	6.5	5.0
18	Conditions Originating in the Perinatal Period**	3	1	2	3.1	1.6	6.0
19	Aortic Aneurysm and Dissection	2	2	0	2.9	4.3	0.0
20	Complications Medical/Surgical Care	1	1	0	1.5	2.2	0.0
20	Cholelithiasis/Gallbladder Disorder	1	1	0	1.5	2.2	0.0
20	Malnutrition/Nutritional Deficiency	1	0	1	1.5	0.0	5.0
20	HIV Disease	1	1	0	1.5	2.2	0.0
20	Viral Hepatitis	1	1	0	1.5	2.2	0.0
20	Tuberculosis	1	1	0	1.5	2.2	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	21	19	2	30.9	40.9	10.0
	All Other Causes	90	74	16	132.4	159.1	80.0

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	746	582	162	380	304	74	366	278	88
Under 1	11	5	6	8	3	5	3	2	1
(Neonatal)	4	2	2	3	1	2	1	1	0
(Postneonatal)	7	3	4	5	2	3	2	1	1
1-4	3	1	2	3	1	2	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	4	1	3	3	0	3	1	1	0
15-24	9	5	4	4	4	0	5	1	4
25-34	16	12	3	10	9	0	6	3	3
35-44	23	16	7	18	12	6	5	4	1
45-54	55	38	16	33	24	8	22	14	8
55-64	104	69	35	61	43	18	43	26	17
65-74	154	124	30	87	72	15	67	52	15
75-84	191	164	27	95	87	8	96	77	19
85 and over	176	147	29	58	49	9	118	98	20
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	67,953
White	46,511
Black	19,999
Other	1,443

Selected Death Statistics, Residents of Kemper County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	101	55	46	1,020.6	1,616.2	762.2
1	Heart Diseases	27	13	14	272.8	382.0	232.0
2	Malignant Neoplasms	20	13	7	202.1	382.0	116.0
3	Emphysema and Other Chronic Lower Resp. Diseases	10	7	3	101.1	205.7	49.7
4	Cerebrovascular Disease	6	4	2	60.6	117.5	33.1
5	Influenza and Pneumonia	5	2	3	50.5	58.8	49.7
5	Alzheimer's Disease	5	2	3	50.5	58.8	49.7
7	Accidents	4	0	4	40.4	0.0	66.3
8	Nephritis, Nephrotic Syndrome And Nephrosis	2	2	0	20.2	58.8	0.0
8	Chronic Liver Disease And Cirrhosis	2	0	2	20.2	0.0	33.1
8	Pneumonitis Due to Solids and Liquids	2	1	1	20.2	29.4	16.6
8	Hypertension/Hypertensive Renal Disease	2	0	2	20.2	0.0	33.1
8	Diabetes Mellitus	2	0	2	20.2	0.0	33.1
13	Suicide	1	1	0	10.1	29.4	0.0
13	Malnutrition/Nutritional Deficiency	1	0	1	10.1	0.0	16.6
13	Anemias	1	0	1	10.1	0.0	16.6
13	Septicemia	1	1	0	10.1	29.4	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	1	1	0	10.1	29.4	0.0
	All Other Causes	9	8	1	90.9	235.1	16.6

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	101	55	46	55	26	29	46	29	17
Under 1	1	1	0	1	1	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	1	0	1	1	0	1
25-34	2	1	1	2	1	1	0	0	0
35-44	4	0	4	3	0	3	1	0	1
45-54	15	7	8	12	4	8	3	3	0
55-64	13	5	8	6	1	5	7	4	3
65-74	13	6	7	7	3	4	6	3	3
75-84	29	19	10	15	10	5	14	9	5
85 and over	22	16	6	8	6	2	14	10	4
Unknown	0	0	0	0	0	0	0	0	0
-----									
2016 Population									
Total	9,896								
White	3,403								
Black	6,035								
Other	458								
-----									

Selected Death Statistics, Residents of Lafayette County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	359	276	79	667.3	708.2	616.5
1	Heart Diseases	99	74	24	184.0	189.9	187.3
2	Malignant Neoplasms	71	54	17	132.0	138.6	132.7
3	Cerebrovascular Disease	25	15	9	46.5	38.5	70.2
4	Accidents	24	20	4	44.6	51.3	31.2
4	Emphysema and Other Chronic Lower Resp. Diseases	24	21	2	44.6	53.9	15.6
6	Alzheimer's Disease	17	16	1	31.6	41.1	7.8
7	Influenza and Pneumonia	8	5	2	14.9	12.8	15.6
8	Homicide	5	5	0	9.3	12.8	0.0
8	Nephritis, Nephrotic Syndrome And Nephrosis	5	4	1	9.3	10.3	7.8
10	Suicide	4	3	1	7.4	7.7	7.8
10	Diabetes Mellitus	4	2	2	7.4	5.1	15.6
12	Congenital Malformations and Chrom. Abnormalities	3	3	0	5.6	7.7	0.0
12	Pneumonitis Due to Solids and Liquids	3	3	0	5.6	7.7	0.0
12	Parkinson's Disease	3	3	0	5.6	7.7	0.0
15	Cholelithiasis/Gallbladder Disorder	2	0	2	3.7	0.0	15.6
15	Hypertension/Hypertensive Renal Disease	2	2	0	3.7	5.1	0.0
15	Anemias	2	1	1	3.7	2.6	7.8
15	In Situ, Benign and Unspecified Neoplasms	2	1	1	3.7	2.6	7.8
15	Septicemia	2	0	2	3.7	0.0	15.6
20	Conditions Originating in the Perinatal Period**	1	0	1	1.8	0.0	7.1
20	Chronic Liver Disease And Cirrhosis	1	1	0	1.9	2.6	0.0
20	Aortic Aneurysm and Dissection	1	1	0	1.9	2.6	0.0
20	Viral Hepatitis	1	1	0	1.9	2.6	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	2	1	1	3.7	2.6	7.8
	All Other Causes	48	40	8	89.2	102.6	62.4

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

	----- Total*-----			----- Male -----			----- Female -----		
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	359	276	79	212	167	44	147	109	35
Under 1	5	2	3	2	1	1	3	1	2
(Neonatal)	3	1	2	2	1	1	1	0	1
(Postneonatal)	2	1	1	0	0	0	2	1	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	2	0	2	2	0	0	0	0
15-24	5	3	2	2	1	1	3	2	1
25-34	14	11	3	9	7	2	5	4	1
35-44	14	11	3	9	6	3	5	5	0
45-54	25	11	12	15	5	9	10	6	3
55-64	52	29	23	32	19	13	20	10	10
65-74	68	52	16	43	33	10	25	19	6
75-84	87	73	12	56	51	5	31	22	7
85 and over	87	82	5	42	42	0	45	40	5
Unknown	0	0	0	0	0	0	0	0	0
-----									
2016 Population									
Total	53,796								
White	38,972								
Black	12,815								
Other	2,009								
-----									

Selected Death Statistics, Residents of Lamar County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	461	406	55	756.8	874.3	438.1
1	Heart Diseases	128	119	9	210.1	256.3	71.7
2	Malignant Neoplasms	91	75	16	149.4	161.5	127.4
3	Emphysema and Other Chronic Lower Resp. Diseases	27	24	3	44.3	51.7	23.9
4	Alzheimer's Disease	23	20	3	37.8	43.1	23.9
5	Influenza and Pneumonia	22	19	3	36.1	40.9	23.9
6	Accidents	21	20	1	34.5	43.1	8.0
6	Cerebrovascular Disease	21	20	1	34.5	43.1	8.0
8	Nephritis, Nephrotic Syndrome And Nephrosis	14	11	3	23.0	23.7	23.9
9	Suicide	10	9	1	16.4	19.4	8.0
9	Septicemia	10	9	1	16.4	19.4	8.0
11	Diabetes Mellitus	9	6	3	14.8	12.9	23.9
12	Parkinson's Disease	8	7	1	13.1	15.1	8.0
13	Complications Medical/Surgical Care	3	3	0	4.9	6.5	0.0
13	Homicide	3	1	2	4.9	2.2	15.9
13	Chronic Liver Disease And Cirrhosis	3	3	0	4.9	6.5	0.0
13	Hypertension/Hypertensive Renal Disease	3	3	0	4.9	6.5	0.0
13	Anemias	3	3	0	4.9	6.5	0.0
18	Conditions Originating in the Perinatal Period**	2	2	0	2.5	3.5	0.0
18	Aortic Aneurysm and Dissection	2	2	0	3.3	4.3	0.0
18	Viral Hepatitis	2	2	0	3.3	4.3	0.0
21	Congenital Malformations and Chrom. Abnormalities	1	1	0	1.6	2.2	0.0
21	Maternal Causes**	1	1	0	127.2	173.9	0.0
21	Cholelithiasis/Gallbladder Disorder	1	0	1	1.6	0.0	8.0
21	Pneumonitis Due to Solids and Liquids	1	1	0	1.6	2.2	0.0
21	In Situ, Benign and Unspecified Neoplasms	1	1	0	1.6	2.2	0.0
21	HIV Disease	1	0	1	1.6	0.0	8.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	3	2	1	4.9	4.3	8.0
	All Other Causes	47	42	5	77.2	90.4	39.8

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	461	406	55	219	193	26	242	213	29
Under 1	5	4	1	3	2	1	2	2	0
(Neonatal)	3	3	0	1	1	0	2	2	0
(Postneonatal)	2	1	1	2	1	1	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	10	6	4	6	4	2	4	2	2
25-34	8	5	3	6	4	2	2	1	1
35-44	27	22	5	17	14	3	10	8	2
45-54	37	30	7	18	17	1	19	13	6
55-64	49	42	7	26	21	5	23	21	2
65-74	93	84	9	52	47	5	41	37	4
75-84	112	102	10	59	54	5	53	48	5
85 and over	119	111	8	32	30	2	87	81	6
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	60,914
White	46,435
Black	12,554
Other	1,925

Selected Death Statistics, Residents of Lauderdale County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	843	541	302	1,084.2	1,282.2	894.6
1	Heart Diseases	242	156	86	311.2	369.7	254.7
2	Malignant Neoplasms	131	75	56	168.5	177.8	165.9
3	Cerebrovascular Disease	60	38	22	77.2	90.1	65.2
4	Accidents	48	29	19	61.7	68.7	56.3
5	Emphysema and Other Chronic Lower Resp. Diseases	43	37	6	55.3	87.7	17.8
6	Alzheimer's Disease	42	28	14	54.0	66.4	41.5
7	Influenza and Pneumonia	24	18	6	30.9	42.7	17.8
8	Nephritis, Nephrotic Syndrome And Nephrosis	18	9	9	23.1	21.3	26.7
9	Chronic Liver Disease And Cirrhosis	13	11	2	16.7	26.1	5.9
10	Homicide	11	4	7	14.1	9.5	20.7
11	Diabetes Mellitus	10	2	8	12.9	4.7	23.7
11	Septicemia	10	7	3	12.9	16.6	8.9
13	Conditions Originating in the Perinatal Period**	6	0	6	6.1	0.0	12.1
13	Pneumonitis Due to Solids and Liquids	6	5	1	7.7	11.9	3.0
13	In Situ, Benign and Unspecified Neoplasms	6	5	1	7.7	11.9	3.0
16	Complications Medical/Surgical Care	4	2	2	5.1	4.7	5.9
16	Suicide	4	3	1	5.1	7.1	3.0
16	Parkinson's Disease	4	4	0	5.1	9.5	0.0
16	Anemias	4	4	0	5.1	9.5	0.0
20	Congenital Malformations and Chrom. Abnormalities	3	3	0	3.9	7.1	0.0
20	Aortic Aneurysm and Dissection	3	2	1	3.9	4.7	3.0
20	Hypertension/Hypertensive Renal Disease	3	2	1	3.9	4.7	3.0
23	Peptic Ulcer	2	0	2	2.6	0.0	5.9
24	Legal Intervention	1	1	0	1.3	2.4	0.0
24	Pneumoconioses and Chemical Effects	1	1	0	1.3	2.4	0.0
24	HIV Disease	1	0	1	1.3	0.0	3.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	33	20	13	42.4	47.4	38.5
	All Other Causes	110	75	35	141.5	177.8	103.7

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	843	541	302	413	266	147	430	275	155
Under 1	10	3	7	5	2	3	5	1	4
(Neonatal)	6	1	5	3	1	2	3	0	3
(Postneonatal)	4	2	2	2	1	1	2	1	1
1-4	2	1	1	1	0	1	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	11	5	6	10	4	6	1	1	0
25-34	20	10	10	17	9	8	3	1	2
35-44	31	16	15	17	10	7	14	6	8
45-54	64	38	26	32	21	11	32	17	15
55-64	133	74	59	81	40	41	52	34	18
65-74	147	89	58	79	50	29	68	39	29
75-84	194	135	59	100	77	23	94	58	36
85 and over	230	170	60	71	53	18	159	117	42
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	77,755
White	42,194
Black	33,759
Other	1,802

Selected Death Statistics, Residents of Lawrence County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	168	126	41	1,317.8	1,492.7	998.5
1	Heart Diseases	48	40	8	376.5	473.9	194.8
2	Malignant Neoplasms	34	28	5	266.7	331.7	121.8
3	Emphysema and Other Chronic Lower Resp. Diseases	16	11	5	125.5	130.3	121.8
4	Cerebrovascular Disease	9	6	3	70.6	71.1	73.1
5	Influenza and Pneumonia	8	6	2	62.8	71.1	48.7
5	Alzheimer's Disease	8	4	4	62.8	47.4	97.4
7	Accidents	5	3	2	39.2	35.5	48.7
8	Diabetes Mellitus	4	1	3	31.4	11.8	73.1
9	Suicide	2	1	1	15.7	11.8	24.4
9	Aortic Aneurysm and Dissection	2	2	0	15.7	23.7	0.0
9	Hypertension/Hypertensive Renal Disease	2	2	0	15.7	23.7	0.0
9	In Situ, Benign and Unspecified Neoplasms	2	2	0	15.7	23.7	0.0
13	Complications Medical/Surgical Care	1	1	0	7.8	11.8	0.0
13	Conditions Originating in the Perinatal Period**	1	1	0	5.9	8.5	0.0
13	Chronic Liver Disease And Cirrhosis	1	1	0	7.8	11.8	0.0
13	Parkinson's Disease	1	1	0	7.8	11.8	0.0
13	HIV Disease	1	0	1	7.8	0.0	24.4
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	6	2	4	47.1	23.7	97.4
	All Other Causes	17	14	3	133.3	165.9	73.1

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	168	126	41	93	70	23	75	56	18
Under 1	2	1	1	1	0	1	1	1	0
(Neonatal)	1	1	0	0	0	0	1	1	0
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	2	1	1	0	0	0
25-34	4	3	1	2	1	1	2	2	0
35-44	7	5	2	3	2	1	4	3	1
45-54	11	9	2	3	2	1	8	7	1
55-64	31	17	13	22	15	7	9	2	6
65-74	36	29	7	21	18	3	15	11	4
75-84	36	29	7	25	20	5	11	9	2
85 and over	39	32	7	14	11	3	25	21	4
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	12,749
White	8,441
Black	4,106
Other	202

Selected Death Statistics, Residents of Leake County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	245	161	73	1,083.1	1,430.0	771.2
1	Heart Diseases	52	40	12	229.9	355.3	126.8
1	Malignant Neoplasms	52	27	22	229.9	239.8	232.4
3	Emphysema and Other Chronic Lower Resp. Diseases	17	13	4	75.2	115.5	42.3
3	Cerebrovascular Disease	17	11	5	75.2	97.7	52.8
3	Alzheimer's Disease	17	16	1	75.2	142.1	10.6
6	Accidents	11	9	1	48.6	79.9	10.6
7	Influenza and Pneumonia	9	3	4	39.8	26.6	42.3
8	Homicide	6	4	2	26.5	35.5	21.1
8	Nephritis, Nephrotic Syndrome And Nephrosis	6	4	2	26.5	35.5	21.1
10	Septicemia	5	3	2	22.1	26.6	21.1
11	Chronic Liver Disease And Cirrhosis	4	3	0	17.7	26.6	0.0
11	Diabetes Mellitus	4	1	3	17.7	8.9	31.7
13	Suicide	3	2	1	13.3	17.8	10.6
13	Hypertension/Hypertensive Renal Disease	3	2	1	13.3	17.8	10.6
15	Parkinson's Disease	2	2	0	8.8	17.8	0.0
16	Diseases of Appendix	1	0	0	4.4	0.0	0.0
16	Peptic Ulcer	1	1	0	4.4	8.9	0.0
16	Pneumonitis Due to Solids and Liquids	1	1	0	4.4	8.9	0.0
--- Not Included in Ranking ---							
	Symptoms, Signs, Ill-Defined Conditions	6	1	5	26.5	8.9	52.8
	All Other Causes	28	18	8	123.8	159.9	84.5

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	245	161	73	122	77	39	123	84	34
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	4	3	1	4	3	1	0	0	0
25-34	5	3	1	4	2	1	1	1	0
35-44	10	7	3	5	4	1	5	3	2
45-54	20	13	6	11	7	4	9	6	2
55-64	44	21	22	28	14	13	16	7	9
65-74	43	24	14	25	17	6	18	7	8
75-84	61	44	14	31	21	8	30	23	6
85 and over	57	46	11	13	9	4	44	37	7
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	22,620
White	11,259
Black	9,466
Other	1,895



Selected Death Statistics, Residents of Lee County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	928	720	205	1,086.9	1,238.0	815.8
1	Malignant Neoplasms	205	160	43	240.1	275.1	171.1
2	Heart Diseases	177	143	34	207.3	245.9	135.3
3	Emphysema and Other Chronic Lower Resp. Diseases	69	60	9	80.8	103.2	35.8
4	Accidents	55	43	12	64.4	73.9	47.8
5	Cerebrovascular Disease	54	43	11	63.2	73.9	43.8
5	Alzheimer's Disease	54	51	3	63.2	87.7	11.9
7	Septicemia	27	19	8	31.6	32.7	31.8
8	Influenza and Pneumonia	26	20	6	30.5	34.4	23.9
9	Nephritis, Nephrotic Syndrome And Nephrosis	18	10	8	21.1	17.2	31.8
9	Hypertension/Hypertensive Renal Disease	18	9	9	21.1	15.5	35.8
11	Chronic Liver Disease And Cirrhosis	15	11	4	17.6	18.9	15.9
12	Homicide	12	4	8	14.1	6.9	31.8
13	Pneumonitis Due to Solids and Liquids	11	10	1	12.9	17.2	4.0
13	Diabetes Mellitus	11	7	4	12.9	12.0	15.9
15	Suicide	8	6	2	9.4	10.3	8.0
16	Parkinson's Disease	6	4	2	7.0	6.9	8.0
17	Conditions Originating in the Perinatal Period**	5	1	4	4.2	1.4	8.8
18	Congenital Malformations and Chrom. Abnormalities	4	2	2	4.7	3.4	8.0
19	In Situ, Benign and Unspecified Neoplasms	3	3	0	3.5	5.2	0.0
20	Complications Medical/Surgical Care	2	2	0	2.3	3.4	0.0
20	Malnutrition/Nutritional Deficiency	2	2	0	2.3	3.4	0.0
22	Legal Intervention	1	0	1	1.2	0.0	4.0
22	Infections of Kidney	1	1	0	1.2	1.7	0.0
22	Cholelithiasis/Gallbladder Disorder	1	1	0	1.2	1.7	0.0
22	Anemias	1	1	0	1.2	1.7	0.0
22	HIV Disease	1	1	0	1.2	1.7	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	10	8	2	11.7	13.8	8.0
	All Other Causes	131	98	32	153.4	168.5	127.3

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.

Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	928	720	205	489	371	117	439	349	88
Under 1	8	3	5	1	1	0	7	2	5
(Neonatal)	6	2	4	0	0	0	6	2	4
(Postneonatal)	2	1	1	1	1	0	1	0	1
1-4	3	1	2	2	0	2	1	1	0
5-9	2	2	0	1	1	0	1	1	0
10-14	1	1	0	1	1	0	0	0	0
15-24	13	4	9	9	3	6	4	1	3
25-34	28	12	16	21	8	13	7	4	3
35-44	30	20	9	20	15	5	10	5	4
45-54	61	44	17	39	30	9	22	14	8
55-64	140	95	44	86	54	31	54	41	13
65-74	188	146	42	109	83	26	79	63	16
75-84	211	172	38	113	96	17	98	76	21
85 and over	243	220	23	87	79	8	156	141	15
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	85,381
White	58,157
Black	25,130
Other	2,094

Selected Death Statistics, Residents of Leflore County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	392	148	244	1,313.0	2,057.0	1,102.9
1	Heart Diseases	120	46	74	401.9	639.3	334.5
2	Malignant Neoplasms	75	26	49	251.2	361.4	221.5
3	Cerebrovascular Disease	21	4	17	70.3	55.6	76.8
4	Hypertension/Hypertensive Renal Disease	20	7	13	67.0	97.3	58.8
4	Diabetes Mellitus	20	3	17	67.0	41.7	76.8
6	Accidents	18	7	11	60.3	97.3	49.7
7	Emphysema and Other Chronic Lower Resp. Diseases	14	10	4	46.9	139.0	18.1
7	Alzheimer's Disease	14	12	2	46.9	166.8	9.0
9	Homicide	12	2	10	40.2	27.8	45.2
10	Septicemia	6	0	6	20.1	0.0	27.1
11	Conditions Originating in the Perinatal Period**	5	1	4	10.7	10.8	10.7
12	Nephritis, Nephrotic Syndrome And Nephrosis	4	3	1	13.4	41.7	4.5
12	Chronic Liver Disease And Cirrhosis	4	3	1	13.4	41.7	4.5
14	In Situ, Benign and Unspecified Neoplasms	3	1	2	10.0	13.9	9.0
15	Congenital Malformations and Chrom. Abnormalities	2	2	0	6.7	27.8	0.0
15	Pneumonitis Due to Solids and Liquids	2	0	2	6.7	0.0	9.0
15	Aortic Aneurysm and Dissection	2	1	1	6.7	13.9	4.5
18	Suicide	1	1	0	3.3	13.9	0.0
18	Maternal Causes**	1	1	0	213.2	1,075.3	0.0
18	Female Pelvic Inflammatory Disease	1	0	1	6.3	0.0	8.4
18	Influenza and Pneumonia	1	0	1	3.3	0.0	4.5
18	Parkinson's Disease	1	1	0	3.3	13.9	0.0
18	HIV Disease	1	0	1	3.3	0.0	4.5
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	7	1	6	23.4	13.9	27.1
	All Other Causes	37	16	21	123.9	222.4	94.9

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	392	148	244	184	53	131	208	95	113
Under 1	8	2	6	4	0	4	4	2	2
(Neonatal)	6	1	5	4	0	4	2	1	1
(Postneonatal)	2	1	1	0	0	0	2	1	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	9	1	8	8	1	7	1	0	1
25-34	8	1	7	3	0	3	5	1	4
35-44	24	6	18	16	3	13	8	3	5
45-54	27	7	20	20	5	15	7	2	5
55-64	68	22	46	41	8	33	27	14	13
65-74	69	22	47	32	10	22	37	12	25
75-84	77	32	45	29	8	21	48	24	24
85 and over	102	55	47	31	18	13	71	37	34
Unknown	0	0	0	0	0	0	0	0	0
-----									
2016 Population									
Total	29,856								
White	7,195								
Black	22,124								
Other	537								
-----									

Selected Death Statistics, Residents of Lincoln County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	401	299	98	1,161.5	1,276.1	927.3
1	Heart Diseases	119	90	28	344.7	384.1	265.0
2	Malignant Neoplasms	61	43	18	176.7	183.5	170.3
3	Emphysema and Other Chronic Lower Resp. Diseases	40	34	5	115.9	145.1	47.3
4	Cerebrovascular Disease	21	17	4	60.8	72.6	37.9
5	Accidents	19	16	1	55.0	68.3	9.5
6	Diabetes Mellitus	17	12	5	49.2	51.2	47.3
7	Influenza and Pneumonia	15	10	5	43.4	42.7	47.3
8	Nephritis, Nephrotic Syndrome And Nephrosis	11	7	4	31.9	29.9	37.9
9	Hypertension/Hypertensive Renal Disease	10	4	6	29.0	17.1	56.8
10	Septicemia	7	4	3	20.3	17.1	28.4
11	Alzheimer's Disease	6	6	0	17.4	25.6	0.0
11	Parkinson's Disease	6	6	0	17.4	25.6	0.0
13	Homicide	4	2	2	11.6	8.5	18.9
13	Suicide	4	4	0	11.6	17.1	0.0
15	Conditions Originating in the Perinatal Period**	3	3	0	7.2	10.4	0.0
15	Chronic Liver Disease And Cirrhosis	3	3	0	8.7	12.8	0.0
17	Complications Medical/Surgical Care	1	0	1	2.9	0.0	9.5
17	Congenital Malformations and Chrom. Abnormalities	1	1	0	2.9	4.3	0.0
17	Diseases of Appendix	1	0	1	2.9	0.0	9.5
17	Pneumonitis Due to Solids and Liquids	1	0	1	2.9	0.0	9.5
17	Aortic Aneurysm and Dissection	1	1	0	2.9	4.3	0.0
17	Malnutrition/Nutritional Deficiency	1	0	1	2.9	0.0	9.5
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	3	2	1	8.7	8.5	9.5
	All Other Causes	46	34	12	133.2	145.1	113.6

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	401	299	98	199	149	47	202	150	51
Under 1	4	4	0	1	1	0	3	3	0
(Neonatal)	3	3	0	1	1	0	2	2	0
(Postneonatal)	1	1	0	0	0	0	1	1	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	4	2	3	3	0	3	1	2
25-34	8	6	2	6	4	2	2	2	0
35-44	12	7	4	5	2	2	7	5	2
45-54	35	26	8	14	10	4	21	16	4
55-64	61	38	22	33	22	10	28	16	12
65-74	69	50	18	41	28	12	28	22	6
75-84	93	69	24	49	40	9	44	29	15
85 and over	112	94	18	46	38	8	66	56	10
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	34,523
White	23,431
Black	10,568
Other	524

Selected Death Statistics, Residents of Lowndes County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	644	397	242	1,080.5	1,243.9	920.3
1	Malignant Neoplasms	142	87	54	238.2	272.6	205.4
2	Heart Diseases	128	82	45	214.8	256.9	171.1
3	Emphysema and Other Chronic Lower Resp. Diseases	71	48	23	119.1	150.4	87.5
4	Cerebrovascular Disease	40	22	18	67.1	68.9	68.5
4	Alzheimer's Disease	40	26	13	67.1	81.5	49.4
6	Accidents	29	19	10	48.7	59.5	38.0
7	Diabetes Mellitus	16	4	12	26.8	12.5	45.6
8	Nephritis, Nephrotic Syndrome And Nephrosis	13	7	6	21.8	21.9	22.8
8	Septicemia	13	6	7	21.8	18.8	26.6
10	Influenza and Pneumonia	11	4	6	18.5	12.5	22.8
11	Homicide	9	0	9	15.1	0.0	34.2
12	Suicide	8	8	0	13.4	25.1	0.0
13	Hypertension/Hypertensive Renal Disease	7	6	1	11.7	18.8	3.8
13	Parkinson's Disease	7	6	1	11.7	18.8	3.8
15	Chronic Liver Disease And Cirrhosis	5	4	1	8.4	12.5	3.8
15	Aortic Aneurysm and Dissection	5	4	1	8.4	12.5	3.8
17	Congenital Malformations and Chrom. Abnormalities	3	1	2	5.0	3.1	7.6
17	Conditions Originating in the Perinatal Period**	3	2	1	3.8	5.0	2.6
19	Pneumonitis Due to Solids and Liquids	2	0	2	3.4	0.0	7.6
19	Malnutrition/Nutritional Deficiency	2	1	1	3.4	3.1	3.8
19	Anemias	2	1	1	3.4	3.1	3.8
19	HIV Disease	2	0	2	3.4	0.0	7.6
23	Complications Medical/Surgical Care	1	0	1	1.7	0.0	3.8
23	Viral Hepatitis	1	1	0	1.7	3.1	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	2	1	1	3.4	3.1	3.8
	All Other Causes	82	57	24	137.6	178.6	91.3

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	644	397	242	310	177	133	334	220	109
Under 1	6	2	4	2	2	0	4	0	4
(Neonatal)	4	2	2	2	2	0	2	0	2
(Postneonatal)	2	0	2	0	0	0	2	0	2
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	8	1	7	6	0	6	2	1	1
25-34	9	4	5	6	3	3	3	1	2
35-44	17	9	8	9	5	4	8	4	4
45-54	54	24	30	29	10	19	25	14	11
55-64	97	41	56	60	21	39	37	20	17
65-74	114	61	52	60	34	26	54	27	26
75-84	176	127	47	85	60	25	91	67	22
85 and over	163	128	33	53	42	11	110	86	22
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	59,602
White	31,916
Black	26,296
Other	1,390

Selected Death Statistics, Residents of Madison County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	960	671	281	913.3	1,104.5	696.4
1	Malignant Neoplasms	234	153	80	222.6	251.8	198.3
2	Heart Diseases	187	140	46	177.9	230.4	114.0
3	Alzheimer's Disease	68	56	12	64.7	92.2	29.7
4	Emphysema and Other Chronic Lower Resp. Diseases	61	47	14	58.0	77.4	34.7
5	Accidents	53	36	15	50.4	59.3	37.2
6	Cerebrovascular Disease	52	38	14	49.5	62.6	34.7
7	Diabetes Mellitus	36	21	15	34.2	34.6	37.2
8	Septicemia	24	12	11	22.8	19.8	27.3
9	Parkinson's Disease	16	15	1	15.2	24.7	2.5
10	Suicide	15	13	2	14.3	21.4	5.0
11	Hypertension/Hypertensive Renal Disease	14	8	6	13.3	13.2	14.9
12	Nephritis, Nephrotic Syndrome And Nephrosis	12	4	7	11.4	6.6	17.3
12	Chronic Liver Disease And Cirrhosis	12	10	2	11.4	16.5	5.0
14	Homicide	7	1	5	6.7	1.6	12.4
15	Influenza and Pneumonia	5	4	1	4.8	6.6	2.5
16	Congenital Malformations and Chrom. Abnormalities	4	4	0	3.8	6.6	0.0
16	Conditions Originating in the Perinatal Period**	4	1	3	3.0	1.4	5.9
18	In Situ, Benign and Unspecified Neoplasms	3	2	1	2.9	3.3	2.5
19	Complications Medical/Surgical Care	2	2	0	1.9	3.3	0.0
19	Cholelithiasis/Gallbladder Disorder	2	1	1	1.9	1.6	2.5
19	Pneumonitis Due to Solids and Liquids	2	0	2	1.9	0.0	5.0
19	Anemias	2	1	1	1.9	1.6	2.5
19	HIV Disease	2	0	2	1.9	0.0	5.0
24	Peptic Ulcer	1	0	1	1.0	0.0	2.5
24	Acute Bronchitis and Bronchiolitis	1	0	1	1.0	0.0	2.5
24	Atherosclerosis	1	1	0	1.0	1.6	0.0
24	Meningitis	1	0	1	1.0	0.0	2.5
24	Malnutrition/Nutritional Deficiency	1	1	0	1.0	1.6	0.0
24	Viral Hepatitis	1	1	0	1.0	1.6	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	7	4	3	6.7	6.6	7.4
	All Other Causes	130	95	34	123.7	156.4	84.3

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	960	671	281	479	326	149	481	345	132
Under 1	7	5	2	3	3	0	4	2	2
(Neonatal)	5	3	2	2	2	0	3	1	2
(Postneonatal)	2	2	0	1	1	0	1	1	0
1-4	3	1	2	3	1	2	0	0	0
5-9	3	2	1	2	2	0	1	0	1
10-14	3	1	2	3	1	2	0	0	0
15-24	17	7	9	15	6	8	2	1	1
25-34	8	3	5	7	3	4	1	0	1
35-44	28	12	15	18	9	8	10	3	7
45-54	57	28	29	39	21	18	18	7	11
55-64	113	63	48	65	39	25	48	24	23
65-74	160	104	55	109	70	39	51	34	16
75-84	215	156	58	112	82	30	103	74	28
85 and over	346	289	55	103	89	13	243	200	42
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	105,114
White	60,751
Black	40,349
Other	4,014

Selected Death Statistics, Residents of Marion County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	344	253	91	1,362.3	1,508.4	1,132.0
1	Heart Diseases	70	57	13	277.2	339.8	161.7
2	Malignant Neoplasms	63	45	18	249.5	268.3	223.9
3	Emphysema and Other Chronic Lower Resp. Diseases	22	17	5	87.1	101.4	62.2
4	Accidents	19	14	5	75.2	83.5	62.2
4	Alzheimer's Disease	19	17	2	75.2	101.4	24.9
4	Septicemia	19	15	4	75.2	89.4	49.8
7	Cerebrovascular Disease	16	12	4	63.4	71.5	49.8
8	Nephritis, Nephrotic Syndrome And Nephrosis	13	10	3	51.5	59.6	37.3
9	Influenza and Pneumonia	12	7	5	47.5	41.7	62.2
10	Diabetes Mellitus	8	5	3	31.7	29.8	37.3
11	Pneumonitis Due to Solids and Liquids	6	5	1	23.8	29.8	12.4
12	Chronic Liver Disease And Cirrhosis	5	4	1	19.8	23.8	12.4
13	Suicide	3	2	1	11.9	11.9	12.4
13	Hypertension/Hypertensive Renal Disease	3	3	0	11.9	17.9	0.0
15	Homicide	2	1	1	7.9	6.0	12.4
15	Congenital Malformations and Chrom. Abnormalities	2	1	1	7.9	6.0	12.4
15	Conditions Originating in the Perinatal Period**	2	0	2	6.3	0.0	16.8
15	Aortic Aneurysm and Dissection	2	2	0	7.9	11.9	0.0
15	Anemias	2	2	0	7.9	11.9	0.0
15	HIV Disease	2	0	2	7.9	0.0	24.9
21	Complications Medical/Surgical Care	1	0	1	4.0	0.0	12.4
21	Parkinson's Disease	1	1	0	4.0	6.0	0.0
21	In Situ, Benign and Unspecified Neoplasms	1	0	1	4.0	0.0	12.4
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	3	2	1	11.9	11.9	12.4
	All Other Causes	48	31	17	190.1	184.8	211.5

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	344	253	91	158	111	47	186	142	44
Under 1	4	1	3	3	1	2	1	0	1
(Neonatal)	2	0	2	1	0	1	1	0	1
(Postneonatal)	2	1	1	2	1	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	3	3	0	2	2	0	1	1	0
25-34	9	6	3	8	5	3	1	1	0
35-44	15	9	6	8	6	2	7	3	4
45-54	26	18	8	17	14	3	9	4	5
55-64	57	37	20	27	15	12	30	22	8
65-74	74	51	23	38	26	12	36	25	11
75-84	80	66	14	35	27	8	45	39	6
85 and over	75	61	14	20	15	5	55	46	9
Unknown	0	0	0	0	0	0	0	0	0
-----									
2016 Population									
Total	25,251								
White	16,773								
Black	8,039								
Other	439								
-----									

Selected Death Statistics, Residents of Marshall County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	369	230	139	1,030.7	1,278.9	806.9
1	Malignant Neoplasms	93	49	44	259.8	272.5	255.4
2	Heart Diseases	64	48	16	178.8	266.9	92.9
3	Emphysema and Other Chronic Lower Resp. Diseases	30	26	4	83.8	144.6	23.2
4	Diabetes Mellitus	27	14	13	75.4	77.8	75.5
5	Accidents	20	15	5	55.9	83.4	29.0
5	Cerebrovascular Disease	20	10	10	55.9	55.6	58.1
7	Alzheimer's Disease	17	9	8	47.5	50.0	46.4
8	Influenza and Pneumonia	11	6	5	30.7	33.4	29.0
9	Hypertension/Hypertensive Renal Disease	9	2	7	25.1	11.1	40.6
10	Nephritis, Nephrotic Syndrome And Nephrosis	8	5	3	22.3	27.8	17.4
11	Septicemia	7	3	4	19.6	16.7	23.2
12	Homicide	6	1	5	16.8	5.6	29.0
12	Chronic Liver Disease And Cirrhosis	6	4	2	16.8	22.2	11.6
14	Parkinson's Disease	5	3	2	14.0	16.7	11.6
15	Suicide	3	3	0	8.4	16.7	0.0
15	HIV Disease	3	0	3	8.4	0.0	17.4
17	Congenital Malformations and Chrom. Abnormalities	2	1	1	5.6	5.6	5.8
17	Pneumonitis Due to Solids and Liquids	2	1	1	5.6	5.6	5.8
19	Conditions Originating in the Perinatal Period**	1	1	0	2.5	4.9	0.0
19	Aortic Aneurysm and Dissection	1	1	0	2.8	5.6	0.0
19	Malnutrition/Nutritional Deficiency	1	0	1	2.8	0.0	5.8
19	Anemias	1	0	1	2.8	0.0	5.8
19	In Situ, Benign and Unspecified Neoplasms	1	1	0	2.8	5.6	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	5	4	1	14.0	22.2	5.8
	All Other Causes	26	23	3	72.6	127.9	17.4

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	369	230	139	198	126	72	171	104	67
Under 1	3	2	1	0	0	0	3	2	1
(Neonatal)	3	2	1	0	0	0	3	2	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	2	2	0	0	0	0	2	2	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	4	2	4	2	2	2	2	0
25-34	7	3	4	6	3	3	1	0	1
35-44	12	6	6	7	3	4	5	3	2
45-54	31	16	15	17	9	8	14	7	7
55-64	66	35	31	37	20	17	29	15	14
65-74	79	52	27	51	33	18	28	19	9
75-84	88	64	24	49	38	11	39	26	13
85 and over	74	45	29	26	17	9	48	28	20
Unknown	0	0	0	0	0	0	0	0	0
-----									
2016 Population									
Total	35,801								
White	17,984								
Black	17,226								
Other	591								
-----									

Selected Death Statistics, Residents of Monroe County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	455	332	122	1,268.4	1,367.3	1,099.4
1	Heart Diseases	117	82	35	326.2	337.7	315.4
2	Malignant Neoplasms	84	60	24	234.2	247.1	216.3
3	Alzheimer's Disease	41	38	3	114.3	156.5	27.0
4	Accidents	27	23	4	75.3	94.7	36.0
5	Cerebrovascular Disease	25	16	9	69.7	65.9	81.1
6	Emphysema and Other Chronic Lower Resp. Diseases	24	22	2	66.9	90.6	18.0
7	Diabetes Mellitus	17	6	10	47.4	24.7	90.1
8	Septicemia	11	8	3	30.7	32.9	27.0
9	Hypertension/Hypertensive Renal Disease	9	5	4	25.1	20.6	36.0
10	Parkinson's Disease	7	5	2	19.5	20.6	18.0
11	Influenza and Pneumonia	6	4	2	16.7	16.5	18.0
11	Suicide	6	5	1	16.7	20.6	9.0
13	Nephritis, Nephrotic Syndrome And Nephrosis	5	5	0	13.9	20.6	0.0
14	Pneumonitis Due to Solids and Liquids	4	2	2	11.2	8.2	18.0
14	Chronic Liver Disease And Cirrhosis	4	3	1	11.2	12.4	9.0
16	In Situ, Benign and Unspecified Neoplasms	3	1	2	8.4	4.1	18.0
16	Homicide	3	1	2	8.4	4.1	18.0
18	Malnutrition/Nutritional Deficiency	2	2	0	5.6	8.2	0.0
18	Congenital Malformations and Chrom. Abnormalities	2	2	0	5.6	8.2	0.0
20	Complications Medical/Surgical Care	1	0	1	2.8	0.0	9.0
20	Cholelithiasis/Gallbladder Disorder	1	1	0	2.8	4.1	0.0
20	Peptic Ulcer	1	1	0	2.8	4.1	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	4	2	2	11.2	8.2	18.0
	All Other Causes	51	38	13	142.2	156.5	117.1

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	455	332	122	223	157	65	232	175	57
Under 1	1	0	1	1	0	1	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	3	1	2	0	0	0
25-34	8	7	1	3	3	0	5	4	1
35-44	15	9	6	9	5	4	6	4	2
45-54	27	18	9	18	11	7	9	7	2
55-64	59	34	24	37	22	14	22	12	10
65-74	93	63	30	53	37	16	40	26	14
75-84	121	91	30	58	44	14	63	47	16
85 and over	128	109	19	41	34	7	87	75	12
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	35,873
White	24,282
Black	11,097
Other	494



Selected Death Statistics, Residents of Montgomery County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	148	93	54	1,452.8	1,723.8	1,162.5
1	Heart Diseases	34	23	11	333.8	426.3	236.8
2	Malignant Neoplasms	31	17	14	304.3	315.1	301.4
3	Accidents	8	6	2	78.5	111.2	43.1
4	Emphysema and Other Chronic Lower Resp. Diseases	7	7	0	68.7	129.7	0.0
4	Cerebrovascular Disease	7	5	2	68.7	92.7	43.1
4	Hypertension/Hypertensive Renal Disease	7	6	1	68.7	111.2	21.5
7	Homicide	6	0	6	58.9	0.0	129.2
7	Diabetes Mellitus	6	4	1	58.9	74.1	21.5
9	Septicemia	4	4	0	39.3	74.1	0.0
10	Influenza and Pneumonia	3	3	0	29.4	55.6	0.0
11	Complications Medical/Surgical Care	1	1	0	9.8	18.5	0.0
11	Conditions Originating in the Perinatal Period**	1	0	1	7.4	0.0	12.5
11	Nephritis, Nephrotic Syndrome And Nephrosis	1	0	1	9.8	0.0	21.5
11	Hernia	1	0	1	9.8	0.0	21.5
11	Peptic Ulcer	1	1	0	9.8	18.5	0.0
11	Alzheimer's Disease	1	1	0	9.8	18.5	0.0
11	Parkinson's Disease	1	1	0	9.8	18.5	0.0
11	In Situ, Benign and Unspecified Neoplasms	1	0	1	9.8	0.0	21.5
11	HIV Disease	1	0	1	9.8	0.0	21.5
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	8	6	2	78.5	111.2	43.1
	All Other Causes	18	8	10	176.7	148.3	215.3

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	148	93	54	74	45	29	74	48	25
Under 1	2	0	2	0	0	0	2	0	2
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	2	1	1	0	0	0
25-34	4	0	4	3	0	3	1	0	1
35-44	7	2	5	4	1	3	3	1	2
45-54	7	4	3	4	1	3	3	3	0
55-64	20	7	13	10	4	6	10	3	7
65-74	34	24	10	18	11	7	16	13	3
75-84	38	34	4	21	18	3	17	16	1
85 and over	34	21	12	12	9	3	22	12	9
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	10,187
White	5,395
Black	4,645
Other	147

Selected Death Statistics, Residents of Neshoba County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	419	286	62	1,425.0	1,627.9	991.2
1	Heart Diseases	108	88	12	367.3	500.9	191.8
2	Malignant Neoplasms	78	50	12	265.3	284.6	191.8
3	Emphysema and Other Chronic Lower Resp. Diseases	24	22	2	81.6	125.2	32.0
4	Accidents	19	14	0	64.6	79.7	0.0
4	Cerebrovascular Disease	19	11	6	64.6	62.6	95.9
6	Diabetes Mellitus	18	6	3	61.2	34.2	48.0
7	Alzheimer's Disease	17	17	0	57.8	96.8	0.0
8	Nephritis, Nephrotic Syndrome And Nephrosis	14	7	2	47.6	39.8	32.0
8	Influenza and Pneumonia	14	8	5	47.6	45.5	79.9
10	Hypertension/Hypertensive Renal Disease	10	4	2	34.0	22.8	32.0
11	Chronic Liver Disease And Cirrhosis	6	1	0	20.4	5.7	0.0
12	Suicide	5	5	0	17.0	28.5	0.0
12	Septicemia	5	3	0	17.0	17.1	0.0
14	Parkinson's Disease	4	2	2	13.6	11.4	32.0
15	Conditions Originating in the Perinatal Period**	3	1	1	7.3	4.9	10.6
15	Viral Hepatitis	3	3	0	10.2	17.1	0.0
17	Homicide	2	0	2	6.8	0.0	32.0
17	Congenital Malformations and Chrom. Abnormalities	2	2	0	6.8	11.4	0.0
17	Aortic Aneurysm and Dissection	2	2	0	6.8	11.4	0.0
17	In Situ, Benign and Unspecified Neoplasms	2	1	0	6.8	5.7	0.0
21	Complications Medical/Surgical Care	1	0	1	3.4	0.0	16.0
21	Cholelithiasis/Gallbladder Disorder	1	0	1	3.4	0.0	16.0
21	Peptic Ulcer	1	0	0	3.4	0.0	0.0
21	Acute Bronchitis and Bronchiolitis	1	0	0	3.4	0.0	0.0
21	Meningitis	1	1	0	3.4	5.7	0.0
21	Malnutrition/Nutritional Deficiency	1	1	0	3.4	5.7	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	6	4	2	20.4	22.8	32.0
	All Other Causes	52	33	9	176.9	187.8	143.9

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	419	286	62	204	126	36	215	160	26
Under 1	5	3	1	2	1	1	3	2	0
(Neonatal)	4	2	1	2	1	1	2	1	0
(Postneonatal)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	6	3	1	4	2	1	2	1	0
25-34	13	7	1	9	4	1	4	3	0
35-44	21	7	9	11	3	3	10	4	6
45-54	41	18	6	25	11	3	16	7	3
55-64	65	41	8	36	20	6	29	21	2
65-74	69	45	13	37	22	9	32	23	4
75-84	92	69	11	43	32	6	49	37	5
85 and over	106	92	12	37	31	6	69	61	6
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	29,403
White	17,569
Black	6,255
Other	5,579

Selected Death Statistics, Residents of Newton County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	286	194	84	1,326.7	1,433.5	1,279.7
1	Heart Diseases	69	50	16	320.1	369.5	243.8
2	Malignant Neoplasms	44	29	14	204.1	214.3	213.3
3	Accidents	23	19	4	106.7	140.4	60.9
4	Emphysema and Other Chronic Lower Resp. Diseases	17	13	4	78.9	96.1	60.9
5	Diabetes Mellitus	14	8	6	64.9	59.1	91.4
6	Alzheimer's Disease	13	12	1	60.3	88.7	15.2
7	Influenza and Pneumonia	12	9	3	55.7	66.5	45.7
8	Cerebrovascular Disease	9	6	3	41.7	44.3	45.7
8	Hypertension/Hypertensive Renal Disease	9	7	2	41.7	51.7	30.5
10	Nephritis, Nephrotic Syndrome And Nephrosis	7	4	2	32.5	29.6	30.5
11	Suicide	5	2	2	23.2	14.8	30.5
12	Homicide	4	1	3	18.6	7.4	45.7
13	Parkinson's Disease	3	3	0	13.9	22.2	0.0
13	Septicemia	3	1	1	13.9	7.4	15.2
15	Complications Medical/Surgical Care	1	1	0	4.6	7.4	0.0
15	Conditions Originating in the Perinatal Period**	1	0	1	3.4	0.0	10.5
15	Cholelithiasis/Gallbladder Disorder	1	1	0	4.6	7.4	0.0
15	Chronic Liver Disease And Cirrhosis	1	0	1	4.6	0.0	15.2
15	Hernia	1	0	1	4.6	0.0	15.2
15	Pneumonitis Due to Solids and Liquids	1	0	1	4.6	0.0	15.2
15	Aortic Aneurysm and Dissection	1	1	0	4.6	7.4	0.0
15	In Situ, Benign and Unspecified Neoplasms	1	1	0	4.6	7.4	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	6	2	4	27.8	14.8	60.9
	All Other Causes	40	24	15	185.5	177.3	228.5

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	286	194	84	146	93	47	140	101	37
Under 1	2	1	1	0	0	0	2	1	1
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	1	1	0	0	0	0	1	1	0
1-4	1	1	0	0	0	0	1	1	0
5-9	2	1	1	0	0	0	2	1	1
10-14	0	0	0	0	0	0	0	0	0
15-24	6	0	5	5	0	4	1	0	1
25-34	5	2	1	3	1	1	2	1	0
35-44	12	8	3	7	6	0	5	2	3
45-54	20	10	8	15	7	6	5	3	2
55-64	45	27	16	28	16	11	17	11	5
65-74	50	31	19	32	20	12	18	11	7
75-84	61	48	13	28	22	6	33	26	7
85 and over	82	65	17	28	21	7	54	44	10
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	21,558
White	13,533
Black	6,564
Other	1,461

Selected Death Statistics, Residents of Noxubee County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	130	41	89	1,177.7	1,368.0	1,128.9
1	Heart Diseases	37	15	22	335.2	500.5	279.0
2	Malignant Neoplasms	24	6	18	217.4	200.2	228.3
3	Accidents	11	5	6	99.7	166.8	76.1
3	Diabetes Mellitus	11	2	9	99.7	66.7	114.2
5	Cerebrovascular Disease	6	1	5	54.4	33.4	63.4
6	Nephritis, Nephrotic Syndrome And Nephrosis	5	0	5	45.3	0.0	63.4
7	Emphysema and Other Chronic Lower Resp. Diseases	4	1	3	36.2	33.4	38.1
8	Influenza and Pneumonia	3	1	2	27.2	33.4	25.4
8	Alzheimer's Disease	3	2	1	27.2	66.7	12.7
10	Chronic Liver Disease And Cirrhosis	2	0	2	18.1	0.0	25.4
11	Homicide	1	0	1	9.1	0.0	12.7
11	Conditions Originating in the Perinatal Period**	1	0	1	7.0	0.0	9.3
11	Cholelithiasis/Gallbladder Disorder	1	0	1	9.1	0.0	12.7
11	Parkinson's Disease	1	1	0	9.1	33.4	0.0
11	Viral Hepatitis	1	1	0	9.1	33.4	0.0
11	Septicemia	1	0	1	9.1	0.0	12.7
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	1	1	0	9.1	33.4	0.0
	All Other Causes	17	5	12	154.0	166.8	152.2

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	130	41	89	74	23	51	56	18	38
Under 1	2	0	2	0	0	0	2	0	2
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	2	0	2	1	0	1	1	0	1
25-34	2	1	1	1	0	1	1	1	0
35-44	6	0	6	4	0	4	2	0	2
45-54	14	5	9	10	3	7	4	2	2
55-64	21	7	14	15	5	10	6	2	4
65-74	29	5	24	19	5	14	10	0	10
75-84	24	7	17	13	4	9	11	3	8
85 and over	29	16	13	10	6	4	19	10	9
Unknown	0	0	0	0	0	0	0	0	0

2016 Population  
Total 11,038  
White 2,997  
Black 7,884  
Other 157

Selected Death Statistics, Residents of Oktibbeha County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	309	159	149	620.1	551.8	801.1
1	Malignant Neoplasms	70	38	32	140.5	131.9	172.1
2	Heart Diseases	65	34	31	130.4	118.0	166.7
3	Emphysema and Other Chronic Lower Resp. Diseases	25	19	6	50.2	65.9	32.3
4	Accidents	22	12	10	44.1	41.6	53.8
5	Cerebrovascular Disease	18	9	9	36.1	31.2	48.4
6	Diabetes Mellitus	17	8	9	34.1	27.8	48.4
7	Alzheimer's Disease	12	7	5	24.1	24.3	26.9
8	Nephritis, Nephrotic Syndrome And Nephrosis	11	5	6	22.1	17.4	32.3
9	Influenza and Pneumonia	7	2	4	14.0	6.9	21.5
10	Conditions Originating in the Perinatal Period**	6	1	5	10.3	3.4	19.5
10	Septicemia	6	0	6	12.0	0.0	32.3
12	Hypertension/Hypertensive Renal Disease	5	0	5	10.0	0.0	26.9
13	Chronic Liver Disease And Cirrhosis	4	4	0	8.0	13.9	0.0
14	Homicide	3	0	3	6.0	0.0	16.1
14	Suicide	3	3	0	6.0	10.4	0.0
14	Pneumonitis Due to Solids and Liquids	3	3	0	6.0	10.4	0.0
14	Parkinson's Disease	3	1	2	6.0	3.5	10.8
18	Congenital Malformations and Chrom. Abnormalities	1	0	1	2.0	0.0	5.4
18	Maternal Causes**	1	1	0	172.4	337.8	0.0
18	Meningitis	1	1	0	2.0	3.5	0.0
18	HIV Disease	1	1	0	2.0	3.5	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	0	0	0	0.0	0.0	0.0
	All Other Causes	25	10	15	50.2	34.7	80.6

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	309	159	149	176	90	85	133	69	64
Under 1	9	1	8	6	0	6	3	1	2
(Neonatal)	7	1	6	5	0	5	2	1	1
(Postneonatal)	2	0	2	1	0	1	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	1	3	3	0	3	1	1	0
25-34	9	2	7	7	1	6	2	1	1
35-44	10	4	6	6	2	4	4	2	2
45-54	32	16	15	22	12	9	10	4	6
55-64	53	20	33	35	14	21	18	6	12
65-74	53	21	32	29	12	17	24	9	15
75-84	73	45	28	40	25	15	33	20	13
85 and over	66	49	17	28	24	4	38	25	13
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	49,833
White	28,817
Black	18,599
Other	2,417

Selected Death Statistics, Residents of Panola County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	399	245	153	1,167.9	1,486.5	893.1
1	Heart Diseases	121	74	47	354.2	449.0	274.4
2	Malignant Neoplasms	93	58	34	272.2	351.9	198.5
3	Accidents	26	12	14	76.1	72.8	81.7
4	Emphysema and Other Chronic Lower Resp. Diseases	24	19	5	70.2	115.3	29.2
5	Cerebrovascular Disease	14	10	4	41.0	60.7	23.3
6	Alzheimer's Disease	13	12	1	38.1	72.8	5.8
7	Diabetes Mellitus	12	4	8	35.1	24.3	46.7
8	Nephritis, Nephrotic Syndrome And Nephrosis	9	4	5	26.3	24.3	29.2
9	Homicide	5	2	3	14.6	12.1	17.5
9	Suicide	5	5	0	14.6	30.3	0.0
9	Influenza and Pneumonia	5	3	2	14.6	18.2	11.7
12	Chronic Liver Disease And Cirrhosis	4	4	0	11.7	24.3	0.0
12	Septicemia	4	3	1	11.7	18.2	5.8
14	Pneumonitis Due to Solids and Liquids	2	0	2	5.9	0.0	11.7
14	Hypertension/Hypertensive Renal Disease	2	0	2	5.9	0.0	11.7
14	Parkinson's Disease	2	2	0	5.9	12.1	0.0
14	In Situ, Benign and Unspecified Neoplasms	2	2	0	5.9	12.1	0.0
18	Complications Medical/Surgical Care	1	1	0	2.9	6.1	0.0
18	Congenital Malformations and Chrom. Abnormalities	1	0	1	2.9	0.0	5.8
18	Aortic Aneurysm and Dissection	1	0	1	2.9	0.0	5.8
18	Anemias	1	1	0	2.9	6.1	0.0
18	HIV Disease	1	0	1	2.9	0.0	5.8
18	Viral Hepatitis	1	1	0	2.9	6.1	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	10	6	4	29.3	36.4	23.3
	All Other Causes	40	22	18	117.1	133.5	105.1

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	399	245	153	213	140	72	186	105	81
Under 1	6	1	5	5	1	4	1	0	1
(Neonatal)	2	0	2	2	0	2	0	0	0
(Postneonatal)	4	1	3	3	1	2	1	0	1
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	2	1	1	0	0	0
25-34	8	4	4	8	4	4	0	0	0
35-44	17	10	7	10	7	3	7	3	4
45-54	36	18	18	21	10	11	15	8	7
55-64	54	30	24	30	21	9	24	9	15
65-74	101	60	40	59	35	23	42	25	17
75-84	89	64	25	49	39	10	40	25	15
85 and over	85	56	29	29	22	7	56	34	22
Unknown	0	0	0	0	0	0	0	0	0
-----									
2016 Population									
Total	34,164								
White	16,482								
Black	17,131								
Other	551								
-----									

Selected Death Statistics, Residents of Pearl River County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	660	594	65	1,193.3	1,270.6	936.1
1	Heart Diseases	136	125	11	245.9	267.4	158.4
1	Malignant Neoplasms	136	123	13	245.9	263.1	187.2
3	Emphysema and Other Chronic Lower Resp. Diseases	61	54	7	110.3	115.5	100.8
4	Accidents	40	37	2	72.3	79.1	28.8
5	Alzheimer's Disease	32	31	1	57.9	66.3	14.4
5	Diabetes Mellitus	32	24	8	57.9	51.3	115.2
7	Cerebrovascular Disease	28	25	3	50.6	53.5	43.2
8	Septicemia	18	16	2	32.5	34.2	28.8
9	Influenza and Pneumonia	17	16	1	30.7	34.2	14.4
10	Nephritis, Nephrotic Syndrome And Nephrosis	16	14	2	28.9	29.9	28.8
11	Chronic Liver Disease And Cirrhosis	13	12	1	23.5	25.7	14.4
12	Parkinson's Disease	9	9	0	16.3	19.3	0.0
13	Suicide	8	8	0	14.5	17.1	0.0
14	Homicide	6	5	1	10.8	10.7	14.4
14	Pneumonitis Due to Solids and Liquids	6	6	0	10.8	12.8	0.0
16	In Situ, Benign and Unspecified Neoplasms	4	4	0	7.2	8.6	0.0
16	Viral Hepatitis	4	4	0	7.2	8.6	0.0
18	Conditions Originating in the Perinatal Period**	2	1	1	3.3	1.9	12.7
18	Hypertension/Hypertensive Renal Disease	2	1	1	3.6	2.1	14.4
20	Congenital Malformations and Chrom. Abnormalities	1	1	0	1.8	2.1	0.0
20	Maternal Causes**	1	0	1	163.9	0.0	1,265.8
20	Cholelithiasis/Gallbladder Disorder	1	1	0	1.8	2.1	0.0
20	Peptic Ulcer	1	1	0	1.8	2.1	0.0
20	Aortic Aneurysm and Dissection	1	0	1	1.8	0.0	14.4
20	HIV Disease	1	0	1	1.8	0.0	14.4
--- Not Included in Ranking ---							
	Symptoms, Signs, Ill-Defined Conditions	6	6	0	10.8	12.8	0.0
	All Other Causes	78	70	8	141.0	149.7	115.2

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	660	594	65	359	322	37	301	272	28
Under 1	3	2	1	0	0	0	3	2	1
(Neonatal)	2	1	1	0	0	0	2	1	1
(Postneonatal)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	2	1	1	0	0	0
15-24	8	6	2	7	5	2	1	1	0
25-34	13	13	0	10	10	0	3	3	0
35-44	16	12	4	11	9	2	5	3	2
45-54	47	39	7	32	27	5	15	12	2
55-64	100	87	13	54	47	7	46	40	6
65-74	154	137	17	95	82	13	59	55	4
75-84	189	174	15	105	99	6	84	75	9
85 and over	128	123	5	43	42	1	85	81	4
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	55,310
White	46,749
Black	6,944
Other	1,617

Selected Death Statistics, Residents of Perry County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	131	112	19	1,069.8	1,159.3	816.2
1	Malignant Neoplasms	27	23	4	220.5	238.1	171.8
2	Heart Diseases	26	19	7	212.3	196.7	300.7
3	Emphysema and Other Chronic Lower Resp. Diseases	15	15	0	122.5	155.3	0.0
4	Alzheimer's Disease	8	7	1	65.3	72.5	43.0
5	Influenza and Pneumonia	6	6	0	49.0	62.1	0.0
6	Cerebrovascular Disease	5	4	1	40.8	41.4	43.0
7	Accidents	4	4	0	32.7	41.4	0.0
7	Chronic Liver Disease And Cirrhosis	4	4	0	32.7	41.4	0.0
7	Diabetes Mellitus	4	4	0	32.7	41.4	0.0
10	Suicide	3	3	0	24.5	31.1	0.0
10	Nephritis, Nephrotic Syndrome And Nephrosis	3	2	1	24.5	20.7	43.0
12	Complications Medical/Surgical Care	1	1	0	8.2	10.4	0.0
12	Hyperplasia of Prostate	1	0	1	16.7	0.0	90.3
12	Cholelithiasis/Gallbladder Disorder	1	1	0	8.2	10.4	0.0
12	Pneumonitis Due to Solids and Liquids	1	1	0	8.2	10.4	0.0
12	Hypertension/Hypertensive Renal Disease	1	0	1	8.2	0.0	43.0
12	In Situ, Benign and Unspecified Neoplasms	1	1	0	8.2	10.4	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	5	5	0	40.8	51.8	0.0
	All Other Causes	15	12	3	122.5	124.2	128.9

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	131	112	19	66	55	11	65	57	8
Under 1	1	1	0	1	1	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	2	0	1	1	0	1	1	0
35-44	7	5	2	3	3	0	4	2	2
45-54	16	14	2	9	7	2	7	7	0
55-64	18	15	3	11	9	2	7	6	1
65-74	41	34	7	22	17	5	19	17	2
75-84	24	22	2	8	7	1	16	15	1
85 and over	22	19	3	11	10	1	11	9	2
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	12,245
White	9,661
Black	2,328
Other	256



Selected Death Statistics, Residents of Pike County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	507	275	230	1,278.1	1,548.4	1,086.8
1	Heart Diseases	99	60	39	249.6	337.8	184.3
2	Malignant Neoplasms	96	55	41	242.0	309.7	193.7
3	Diabetes Mellitus	61	23	38	153.8	129.5	179.6
4	Emphysema and Other Chronic Lower Resp. Diseases	31	25	6	78.2	140.8	28.4
5	Hypertension/Hypertensive Renal Disease	29	11	18	73.1	61.9	85.1
6	Cerebrovascular Disease	25	13	12	63.0	73.2	56.7
7	Accidents	19	5	13	47.9	28.2	61.4
8	Nephritis, Nephrotic Syndrome And Nephrosis	15	7	8	37.8	39.4	37.8
9	Influenza and Pneumonia	12	7	5	30.3	39.4	23.6
10	Septicemia	10	3	7	25.2	16.9	33.1
11	Alzheimer's Disease	9	7	2	22.7	39.4	9.5
12	Homicide	7	1	6	17.6	5.6	28.4
12	Suicide	7	7	0	17.6	39.4	0.0
14	Viral Hepatitis	4	4	0	10.1	22.5	0.0
15	Congenital Malformations and Chrom. Abnormalities	3	3	0	7.6	16.9	0.0
15	Chronic Liver Disease And Cirrhosis	3	2	1	7.6	11.3	4.7
15	Parkinson's Disease	3	2	1	7.6	11.3	4.7
15	Anemias	3	1	2	7.6	5.6	9.5
15	HIV Disease	3	0	3	7.6	0.0	14.2
20	Malnutrition/Nutritional Deficiency	2	2	0	5.0	11.3	0.0
21	Complications Medical/Surgical Care	1	1	0	2.5	5.6	0.0
21	Conditions Originating in the Perinatal Period**	1	0	1	1.9	0.0	3.2
21	Pneumonitis Due to Solids and Liquids	1	1	0	2.5	5.6	0.0
21	Aortic Aneurysm and Dissection	1	1	0	2.5	5.6	0.0
21	In Situ, Benign and Unspecified Neoplasms	1	1	0	2.5	5.6	0.0
21	Tuberculosis	1	1	0	2.5	5.6	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	8	3	5	20.2	16.9	23.6
	All Other Causes	52	29	22	131.1	163.3	104.0

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.

Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	507	275	230	255	126	128	252	149	102
Under 1	2	1	1	0	0	0	2	1	1
(Neonatal)	2	1	1	0	0	0	2	1	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	4	2	5	3	2	1	1	0
25-34	15	5	9	11	3	7	4	2	2
35-44	18	2	16	11	1	10	7	1	6
45-54	37	13	24	20	5	15	17	8	9
55-64	87	38	49	46	23	23	41	15	26
65-74	86	43	43	57	25	32	29	18	11
75-84	125	82	42	61	38	23	64	44	19
85 and over	130	86	44	43	27	16	87	59	28
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	39,667
White	17,760
Black	21,163
Other	744

Selected Death Statistics, Residents of Pontotoc County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	301	267	33	954.0	1,028.9	681.0
1	Malignant Neoplasms	69	63	6	218.7	242.8	123.8
2	Heart Diseases	61	52	8	193.3	200.4	165.1
3	Accidents	27	25	2	85.6	96.3	41.3
4	Emphysema and Other Chronic Lower Resp. Diseases	26	25	1	82.4	96.3	20.6
5	Cerebrovascular Disease	19	16	3	60.2	61.7	61.9
6	Alzheimer's Disease	17	17	0	53.9	65.5	0.0
7	Diabetes Mellitus	14	10	4	44.4	38.5	82.5
8	Influenza and Pneumonia	7	7	0	22.2	27.0	0.0
9	Septicemia	6	6	0	19.0	23.1	0.0
10	Chronic Liver Disease And Cirrhosis	5	5	0	15.8	19.3	0.0
11	Suicide	4	4	0	12.7	15.4	0.0
11	Nephritis, Nephrotic Syndrome And Nephrosis	4	4	0	12.7	15.4	0.0
13	Hypertension/Hypertensive Renal Disease	3	2	1	9.5	7.7	20.6
13	Viral Hepatitis	3	3	0	9.5	11.6	0.0
15	Conditions Originating in the Perinatal Period**	2	0	2	4.2	0.0	36.4
15	In Situ, Benign and Unspecified Neoplasms	2	2	0	6.3	7.7	0.0
17	Infections of Kidney	1	1	0	3.2	3.9	0.0
17	Pneumonitis Due to Solids and Liquids	1	1	0	3.2	3.9	0.0
17	Aortic Aneurysm and Dissection	1	0	1	3.2	0.0	20.6
17	Malnutrition/Nutritional Deficiency	1	0	1	3.2	0.0	20.6
17	Anemias	1	1	0	3.2	3.9	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	0	0	0	0.0	0.0	0.0
	All Other Causes	27	23	4	85.6	88.6	82.5

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	301	267	33	155	140	14	146	127	19
Under 1	2	0	2	0	0	0	2	0	2
(Neonatal)	2	0	2	0	0	0	2	0	2
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	3	3	0	2	2	0	1	1	0
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	5	4	1	5	4	1	0	0	0
35-44	11	9	2	10	9	1	1	0	1
45-54	28	26	2	17	17	0	11	9	2
55-64	46	40	6	28	24	4	18	16	2
65-74	56	48	7	34	30	3	22	18	4
75-84	68	62	6	34	31	3	34	31	3
85 and over	80	74	6	24	22	2	56	52	4
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	31,550
White	25,950
Black	4,846
Other	754

Selected Death Statistics, Residents of Prentiss County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	311	269	42	1,231.4	1,269.4	1,153.8
1	Heart Diseases	80	73	7	316.8	344.5	192.3
2	Malignant Neoplasms	55	42	13	217.8	198.2	357.1
3	Emphysema and Other Chronic Lower Resp. Diseases	34	33	1	134.6	155.7	27.5
4	Alzheimer's Disease	20	19	1	79.2	89.7	27.5
5	Accidents	19	17	2	75.2	80.2	54.9
5	Cerebrovascular Disease	19	18	1	75.2	84.9	27.5
7	Nephritis, Nephrotic Syndrome And Nephrosis	10	8	2	39.6	37.8	54.9
7	Influenza and Pneumonia	10	10	0	39.6	47.2	0.0
9	Diabetes Mellitus	9	5	4	35.6	23.6	109.9
9	Septicemia	9	8	1	35.6	37.8	27.5
11	Suicide	4	4	0	15.8	18.9	0.0
11	Pneumonitis Due to Solids and Liquids	4	4	0	15.8	18.9	0.0
13	Chronic Liver Disease And Cirrhosis	3	2	1	11.9	9.4	27.5
14	Hypertension/Hypertensive Renal Disease	2	1	1	7.9	4.7	27.5
14	Parkinson's Disease	2	2	0	7.9	9.4	0.0
16	Congenital Malformations and Chrom. Abnormalities	1	1	0	4.0	4.7	0.0
16	Peptic Ulcer	1	1	0	4.0	4.7	0.0
16	In Situ, Benign and Unspecified Neoplasms	1	0	1	4.0	0.0	27.5
16	HIV Disease	1	1	0	4.0	4.7	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	2	1	1	7.9	4.7	27.5
	All Other Causes	25	19	6	99.0	89.7	164.8

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	311	269	42	162	142	20	149	127	22
Under 1	2	1	1	1	1	0	1	0	1
(Neonatal)	1	1	0	1	1	0	0	0	0
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	1	0	1	1	0	1	0	0	0
5-9	2	1	1	0	0	0	2	1	1
10-14	0	0	0	0	0	0	0	0	0
15-24	4	1	3	1	1	0	3	0	3
25-34	6	5	1	3	3	0	3	2	1
35-44	12	11	1	7	7	0	5	4	1
45-54	24	17	7	13	10	3	11	7	4
55-64	43	34	9	26	20	6	17	14	3
65-74	73	67	6	54	49	5	19	18	1
75-84	72	65	7	32	29	3	40	36	4
85 and over	72	67	5	24	22	2	48	45	3
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	25,256
White	21,191
Black	3,640
Other	425

Selected Death Statistics, Residents of Quitman County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	88	35	53	1,197.4	1,738.7	1,019.2
1	Heart Diseases	24	9	15	326.6	447.1	288.5
2	Malignant Neoplasms	20	5	15	272.1	248.4	288.5
3	Emphysema and Other Chronic Lower Resp. Diseases	9	6	3	122.5	298.1	57.7
4	Diabetes Mellitus	5	0	5	68.0	0.0	96.2
5	Accidents	4	2	2	54.4	99.4	38.5
5	Cerebrovascular Disease	4	2	2	54.4	99.4	38.5
5	Alzheimer's Disease	4	2	2	54.4	99.4	38.5
8	Septicemia	3	2	1	40.8	99.4	19.2
9	Homicide	2	0	2	27.2	0.0	38.5
9	Influenza and Pneumonia	2	2	0	27.2	99.4	0.0
11	Suicide	1	1	0	13.6	49.7	0.0
11	Congenital Malformations and Chrom. Abnormalities	1	0	1	13.6	0.0	19.2
11	Conditions Originating in the Perinatal Period**	1	0	1	12.0	0.0	14.7
11	Nephritis, Nephrotic Syndrome And Nephrosis	1	1	0	13.6	49.7	0.0
11	Hypertension/Hypertensive Renal Disease	1	0	1	13.6	0.0	19.2
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	1	1	0	13.6	49.7	0.0
	All Other Causes	5	2	3	68.0	99.4	57.7

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	88	35	53	50	19	31	38	16	22
Under 1	2	0	2	2	0	2	0	0	0
(Neonatal)	2	0	2	2	0	2	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	3	0	3	2	0	2	1	0	1
35-44	3	1	2	3	1	2	0	0	0
45-54	5	2	3	2	0	2	3	2	1
55-64	23	5	18	13	3	10	10	2	8
65-74	16	7	9	10	5	5	6	2	4
75-84	20	10	10	10	5	5	10	5	5
85 and over	15	10	5	7	5	2	8	5	3
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	7,349
White	2,013
Black	5,200
Other	136

Selected Death Statistics, Residents of Rankin County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	1,141	942	193	759.5	816.5	626.4
1	Heart Diseases	257	218	39	171.1	189.0	126.6
2	Malignant Neoplasms	248	201	44	165.1	174.2	142.8
3	Emphysema and Other Chronic Lower Resp. Diseases	95	89	6	63.2	77.1	19.5
4	Accidents	78	63	14	51.9	54.6	45.4
5	Cerebrovascular Disease	46	37	9	30.6	32.1	29.2
6	Alzheimer's Disease	43	37	6	28.6	32.1	19.5
7	Diabetes Mellitus	33	22	10	22.0	19.1	32.5
8	Hypertension/Hypertensive Renal Disease	30	22	8	20.0	19.1	26.0
9	Nephritis, Nephrotic Syndrome And Nephrosis	28	20	8	18.6	17.3	26.0
10	Influenza and Pneumonia	27	19	8	18.0	16.5	26.0
11	Septicemia	25	24	1	16.6	20.8	3.2
12	Suicide	24	23	0	16.0	19.9	0.0
13	Chronic Liver Disease And Cirrhosis	9	9	0	6.0	7.8	0.0
14	Pneumonitis Due to Solids and Liquids	8	5	3	5.3	4.3	9.7
15	Parkinson's Disease	7	6	1	4.7	5.2	3.2
16	Homicide	6	4	2	4.0	3.5	6.5
17	Congenital Malformations and Chrom. Abnormalities	3	2	1	2.0	1.7	3.2
18	Conditions Originating in the Perinatal Period**	2	1	1	1.1	0.7	2.7
18	In Situ, Benign and Unspecified Neoplasms	2	2	0	1.3	1.7	0.0
18	HIV Disease	2	1	1	1.3	0.9	3.2
18	Viral Hepatitis	2	2	0	1.3	1.7	0.0
22	Maternal Causes**	1	1	0	55.4	72.5	0.0
22	Cholelithiasis/Gallbladder Disorder	1	1	0	0.7	0.9	0.0
22	Aortic Aneurysm and Dissection	1	1	0	0.7	0.9	0.0
22	Anemias	1	1	0	0.7	0.9	0.0
--- Not Included in Ranking ---							
	Symptoms, Signs, Ill-Defined Conditions	16	13	3	10.7	11.3	9.7
	All Other Causes	146	118	28	97.2	102.3	90.9

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	1,141	942	193	567	461	101	574	481	92
Under 1	11	7	4	3	2	1	8	5	3
(Neonatal)	4	2	2	1	0	1	3	2	1
(Postneonatal)	7	5	2	2	2	0	5	3	2
1-4	3	1	1	2	0	1	1	1	0
5-9	2	0	2	2	0	2	0	0	0
10-14	2	0	1	1	0	0	1	0	1
15-24	16	9	7	10	6	4	6	3	3
25-34	32	22	10	27	18	9	5	4	1
35-44	45	37	8	25	19	6	20	18	2
45-54	84	64	20	43	33	10	41	31	10
55-64	171	127	44	104	75	29	67	52	15
65-74	240	202	35	124	107	15	116	95	20
75-84	269	234	34	140	124	15	129	110	19
85 and over	266	239	27	86	77	9	180	162	18
Unknown	0	0	0	0	0	0	0	0	0

2016 Population  
Total 150,228  
White 115,366  
Black 30,813  
Other 4,049

Selected Death Statistics, Residents of Scott County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	278	190	87	985.6	1,160.7	792.9
1	Heart Diseases	81	60	21	287.2	366.5	191.4
2	Malignant Neoplasms	65	42	23	230.4	256.6	209.6
3	Accidents	17	13	3	60.3	79.4	27.3
4	Emphysema and Other Chronic Lower Resp. Diseases	16	14	2	56.7	85.5	18.2
5	Cerebrovascular Disease	10	6	4	35.5	36.7	36.5
6	Alzheimer's Disease	8	7	1	28.4	42.8	9.1
7	Nephritis, Nephrotic Syndrome And Nephrosis	7	4	3	24.8	24.4	27.3
7	Diabetes Mellitus	7	4	3	24.8	24.4	27.3
9	Homicide	6	1	5	21.3	6.1	45.6
9	Chronic Liver Disease And Cirrhosis	6	3	3	21.3	18.3	27.3
11	Suicide	4	4	0	14.2	24.4	0.0
11	Septicemia	4	2	2	14.2	12.2	18.2
13	Pneumonitis Due to Solids and Liquids	3	1	2	10.6	6.1	18.2
13	Influenza and Pneumonia	3	2	1	10.6	12.2	9.1
15	Congenital Malformations and Chrom. Abnormalities	2	1	1	7.1	6.1	9.1
15	Conditions Originating in the Perinatal Period**	2	1	1	4.2	3.3	5.6
15	Hypertension/Hypertensive Renal Disease	2	2	0	7.1	12.2	0.0
15	HIV Disease	2	1	1	7.1	6.1	9.1
19	Complications Medical/Surgical Care	1	0	1	3.5	0.0	9.1
19	Aortic Aneurysm and Dissection	1	0	1	3.5	0.0	9.1
19	Atherosclerosis	1	1	0	3.5	6.1	0.0
19	Parkinson's Disease	1	1	0	3.5	6.1	0.0
19	Anemias	1	0	1	3.5	0.0	9.1
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	3	2	1	10.6	12.2	9.1
	All Other Causes	25	18	7	88.6	110.0	63.8

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	278	190	87	156	105	50	122	85	37
Under 1	2	1	1	2	1	1	0	0	0
(Neonatal)	1	1	0	1	1	0	0	0	0
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	2	1	1	1	0	1	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	3	1	2	3	1	2	0	0	0
15-24	10	7	3	7	5	2	3	2	1
25-34	9	6	2	7	4	2	2	2	0
35-44	10	5	5	5	3	2	5	2	3
45-54	20	11	9	15	8	7	5	3	2
55-64	49	29	20	31	20	11	18	9	9
65-74	62	42	20	39	27	12	23	15	8
75-84	55	42	13	31	24	7	24	18	6
85 and over	56	45	11	15	12	3	41	33	8
Unknown	0	0	0	0	0	0	0	0	0

2016 Population  
Total 28,207  
White 16,370  
Black 10,973  
Other 864

Selected Death Statistics, Residents of Sharkey County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	61	23	36	1,340.1	1,795.5	1,122.5
1	Heart Diseases	17	4	13	373.5	312.3	405.4
2	Malignant Neoplasms	10	6	4	219.7	468.4	124.7
3	Nephritis, Nephrotic Syndrome And Nephrosis	4	2	2	87.9	156.1	62.4
4	Cerebrovascular Disease	3	0	2	65.9	0.0	62.4
4	Hypertension/Hypertensive Renal Disease	3	1	2	65.9	78.1	62.4
4	Alzheimer's Disease	3	3	0	65.9	234.2	0.0
7	Accidents	2	1	1	43.9	78.1	31.2
8	Homicide	1	1	0	22.0	78.1	0.0
8	Pneumonitis Due to Solids and Liquids	1	0	1	22.0	0.0	31.2
8	Emphysema and Other Chronic Lower Resp. Diseases	1	1	0	22.0	78.1	0.0
8	Influenza and Pneumonia	1	0	1	22.0	0.0	31.2
8	Diabetes Mellitus	1	0	1	22.0	0.0	31.2
8	HIV Disease	1	0	1	22.0	0.0	31.2
8	Septicemia	1	0	1	22.0	0.0	31.2
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	5	2	3	109.8	156.1	93.5
	All Other Causes	7	2	4	153.8	156.1	124.7

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	61	23	36	26	7	19	35	16	17
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	8	1	7	4	1	3	4	0	4
55-64	17	7	10	11	2	9	6	5	1
65-74	13	3	10	5	1	4	8	2	6
75-84	9	4	4	3	1	2	6	3	2
85 and over	13	8	4	2	2	0	11	6	4
Unknown	0	0	0	0	0	0	0	0	0

2016 Population  
Total 4,552  
White 1,281  
Black 3,207  
Other 64

Selected Death Statistics, Residents of Simpson County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	308	234	73	1,144.5	1,387.7	761.8
1	Heart Diseases	73	57	16	271.3	338.0	167.0
2	Malignant Neoplasms	56	39	17	208.1	231.3	177.4
3	Emphysema and Other Chronic Lower Resp. Diseases	21	17	4	78.0	100.8	41.7
4	Influenza and Pneumonia	15	12	3	55.7	71.2	31.3
5	Accidents	11	7	4	40.9	41.5	41.7
5	Cerebrovascular Disease	11	7	4	40.9	41.5	41.7
7	Alzheimer's Disease	10	9	1	37.2	53.4	10.4
8	Septicemia	6	5	0	22.3	29.7	0.0
9	Suicide	4	4	0	14.9	23.7	0.0
9	Nephritis, Nephrotic Syndrome And Nephrosis	4	2	2	14.9	11.9	20.9
9	Hypertension/Hypertensive Renal Disease	4	2	2	14.9	11.9	20.9
9	In Situ, Benign and Unspecified Neoplasms	4	3	1	14.9	17.8	10.4
13	Diabetes Mellitus	3	2	1	11.1	11.9	10.4
14	Homicide	2	0	2	7.4	0.0	20.9
14	Chronic Liver Disease And Cirrhosis	2	2	0	7.4	11.9	0.0
14	Parkinson's Disease	2	2	0	7.4	11.9	0.0
14	Viral Hepatitis	2	2	0	7.4	11.9	0.0
18	Complications Medical/Surgical Care	1	1	0	3.7	5.9	0.0
18	Congenital Malformations and Chrom. Abnormalities	1	1	0	3.7	5.9	0.0
18	Conditions Originating in the Perinatal Period**	1	1	0	3.4	5.6	0.0
18	Cholelithiasis/Gallbladder Disorder	1	1	0	3.7	5.9	0.0
18	Hernia	1	0	1	3.7	0.0	10.4
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	21	15	6	78.0	89.0	62.6
	All Other Causes	52	43	9	193.2	255.0	93.9

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	308	234	73	166	125	40	142	109	33
Under 1	2	2	0	1	1	0	1	1	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	2	2	0	1	1	0	1	1	0
1-4	1	1	0	0	0	0	1	1	0
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	5	1	4	3	1	2	2	0	2
25-34	5	4	1	3	2	1	2	2	0
35-44	8	7	1	6	6	0	2	1	1
45-54	22	17	5	14	10	4	8	7	1
55-64	47	33	14	32	21	11	15	12	3
65-74	66	45	21	43	32	11	23	13	10
75-84	74	62	11	38	32	5	36	30	6
85 and over	77	62	15	26	20	6	51	42	9
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	26,912
White	16,862
Black	9,583
Other	467



Selected Death Statistics, Residents of Smith County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	173	135	37	1,087.4	1,122.4	994.6
1	Heart Diseases	42	36	6	264.0	299.3	161.3
2	Malignant Neoplasms	26	20	6	163.4	166.3	161.3
3	Emphysema and Other Chronic Lower Resp. Diseases	20	19	1	125.7	158.0	26.9
4	Accidents	14	9	4	88.0	74.8	107.5
5	Cerebrovascular Disease	10	5	5	62.9	41.6	134.4
6	Alzheimer's Disease	8	7	1	50.3	58.2	26.9
7	Nephritis, Nephrotic Syndrome And Nephrosis	4	4	0	25.1	33.3	0.0
8	Suicide	3	3	0	18.9	24.9	0.0
8	Septicemia	3	3	0	18.9	24.9	0.0
10	Homicide	2	1	1	12.6	8.3	26.9
10	Diabetes Mellitus	2	0	2	12.6	0.0	53.8
12	Congenital Malformations and Chrom. Abnormalities	1	0	1	6.3	0.0	26.9
12	Chronic Liver Disease And Cirrhosis	1	1	0	6.3	8.3	0.0
12	Pneumonitis Due to Solids and Liquids	1	1	0	6.3	8.3	0.0
12	Pneumoconioses and Chemical Effects	1	0	1	6.3	0.0	26.9
12	Parkinson's Disease	1	1	0	6.3	8.3	0.0
12	HIV Disease	1	1	0	6.3	8.3	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	4	4	0	25.1	33.3	0.0
	All Other Causes	29	20	9	182.3	166.3	241.9

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	173	135	37	93	74	19	80	61	18
Under 1	1	0	1	1	0	1	0	0	0
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	2	1	1	0	0	0
25-34	3	3	0	2	2	0	1	1	0
35-44	3	2	1	3	2	1	0	0	0
45-54	16	12	4	9	6	3	7	6	1
55-64	30	23	7	16	13	3	14	10	4
65-74	40	27	12	22	16	6	18	11	6
75-84	48	42	6	29	27	2	19	15	4
85 and over	29	25	4	8	7	1	21	18	3
Unknown	0	0	0	0	0	0	0	0	0

2016 Population  
Total 15,909  
White 12,028  
Black 3,720  
Other 161

Selected Death Statistics, Residents of Stone County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	212	187	25	1,177.0	1,330.1	698.3
1	Heart Diseases	57	53	4	316.5	377.0	111.7
2	Malignant Neoplasms	42	36	6	233.2	256.1	167.6
3	Accidents	15	15	0	83.3	106.7	0.0
4	Emphysema and Other Chronic Lower Resp. Diseases	12	12	0	66.6	85.4	0.0
5	Cerebrovascular Disease	9	8	1	50.0	56.9	27.9
6	Chronic Liver Disease And Cirrhosis	8	8	0	44.4	56.9	0.0
7	Septicemia	7	6	1	38.9	42.7	27.9
8	Influenza and Pneumonia	6	6	0	33.3	42.7	0.0
8	Alzheimer's Disease	6	5	1	33.3	35.6	27.9
10	Suicide	4	4	0	22.2	28.5	0.0
10	Nephritis, Nephrotic Syndrome And Nephrosis	4	1	3	22.2	7.1	83.8
12	Hypertension/Hypertensive Renal Disease	3	2	1	16.7	14.2	27.9
12	Diabetes Mellitus	3	2	1	16.7	14.2	27.9
14	Complications Medical/Surgical Care	2	2	0	11.1	14.2	0.0
14	Congenital Malformations and Chrom. Abnormalities	2	2	0	11.1	14.2	0.0
14	Aortic Aneurysm and Dissection	2	1	1	11.1	7.1	27.9
14	Parkinson's Disease	2	2	0	11.1	14.2	0.0
18	Conditions Originating in the Perinatal Period**	1	1	0	4.6	5.5	0.0
18	Peptic Ulcer	1	1	0	5.6	7.1	0.0
18	Pneumonitis Due to Solids and Liquids	1	0	1	5.6	0.0	27.9
18	Anemias	1	1	0	5.6	7.1	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	2	2	0	11.1	14.2	0.0
	All Other Causes	22	17	5	122.1	120.9	139.7

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	212	187	25	109	98	11	103	89	14
Under 1	2	2	0	2	2	0	0	0	0
(Neonatal)	2	2	0	2	2	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	2	2	0	1	1	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	3	0	2	2	0	1	1	0
25-34	5	4	1	2	2	0	3	2	1
35-44	8	8	0	6	6	0	2	2	0
45-54	19	15	4	6	5	1	13	10	3
55-64	42	35	7	29	24	5	13	11	2
65-74	54	47	7	31	26	5	23	21	2
75-84	36	34	2	16	16	0	20	18	2
85 and over	41	37	4	14	14	0	27	23	4
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	18,012
White	14,059
Black	3,580
Other	373

Selected Death Statistics, Residents of Sunflower County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	302	116	185	1,143.6	1,750.9	951.6
1	Heart Diseases	79	28	50	299.2	422.6	257.2
2	Malignant Neoplasms	71	29	42	268.9	437.7	216.0
3	Cerebrovascular Disease	18	5	13	68.2	75.5	66.9
4	Diabetes Mellitus	16	0	16	60.6	0.0	82.3
5	Alzheimer's Disease	12	8	4	45.4	120.8	20.6
6	Accidents	11	6	5	41.7	90.6	25.7
6	Emphysema and Other Chronic Lower Resp. Diseases	11	7	4	41.7	105.7	20.6
8	Homicide	10	3	7	37.9	45.3	36.0
9	Nephritis, Nephrotic Syndrome And Nephrosis	8	2	6	30.3	30.2	30.9
10	Influenza and Pneumonia	5	3	2	18.9	45.3	10.3
10	Septicemia	5	1	4	18.9	15.1	20.6
12	Suicide	3	3	0	11.4	45.3	0.0
12	Pneumonitis Due to Solids and Liquids	3	3	0	11.4	45.3	0.0
14	Congenital Malformations and Chrom. Abnormalities	2	1	1	7.6	15.1	5.1
14	Chronic Liver Disease And Cirrhosis	2	0	2	7.6	0.0	10.3
14	Hypertension/Hypertensive Renal Disease	2	1	1	7.6	15.1	5.1
14	Malnutrition/Nutritional Deficiency	2	1	1	7.6	15.1	5.1
14	Anemias	2	0	2	7.6	0.0	10.3
19	Conditions Originating in the Perinatal Period**	1	0	1	3.3	0.0	3.9
19	Cholelithiasis/Gallbladder Disorder	1	0	1	3.8	0.0	5.1
19	Atherosclerosis	1	1	0	3.8	15.1	0.0
19	Parkinson's Disease	1	1	0	3.8	15.1	0.0
19	In Situ, Benign and Unspecified Neoplasms	1	1	0	3.8	15.1	0.0
19	HIV Disease	1	0	1	3.8	0.0	5.1
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	3	1	2	11.4	15.1	10.3
	All Other Causes	31	11	20	117.4	166.0	102.9

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	302	116	185	177	67	109	125	49	76
Under 1	2	0	2	1	0	1	1	0	1
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	7	1	6	4	1	3	3	0	3
25-34	7	2	5	4	1	3	3	1	2
35-44	14	4	10	11	4	7	3	0	3
45-54	31	10	20	18	7	10	13	3	10
55-64	64	22	42	43	14	29	21	8	13
65-74	72	24	48	49	17	32	23	7	16
75-84	47	22	25	23	10	13	24	12	12
85 and over	57	31	26	24	13	11	33	18	15
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	26,407
White	6,625
Black	19,441
Other	341

Selected Death Statistics, Residents of Tallahatchie County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	149	78	71	1,035.2	1,316.0	875.9
1	Malignant Neoplasms	36	15	21	250.1	253.1	259.1
2	Heart Diseases	27	14	13	187.6	236.2	160.4
3	Hypertension/Hypertensive Renal Disease	15	7	8	104.2	118.1	98.7
4	Accidents	11	5	6	76.4	84.4	74.0
4	Emphysema and Other Chronic Lower Resp. Diseases	11	10	1	76.4	168.7	12.3
6	Diabetes Mellitus	8	3	5	55.6	50.6	61.7
7	Alzheimer's Disease	7	4	3	48.6	67.5	37.0
8	Influenza and Pneumonia	4	2	2	27.8	33.7	24.7
8	Cerebrovascular Disease	4	3	1	27.8	50.6	12.3
10	Nephritis, Nephrotic Syndrome And Nephrosis	3	2	1	20.8	33.7	12.3
11	Homicide	2	1	1	13.9	16.9	12.3
11	Suicide	2	2	0	13.9	33.7	0.0
11	Septicemia	2	1	1	13.9	16.9	12.3
14	Complications Medical/Surgical Care	1	1	0	6.9	16.9	0.0
14	Chronic Liver Disease And Cirrhosis	1	1	0	6.9	16.9	0.0
14	Anemias	1	0	1	6.9	0.0	12.3
14	HIV Disease	1	0	1	6.9	0.0	12.3
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	3	1	2	20.8	16.9	24.7
	All Other Causes	10	6	4	69.5	101.2	49.3

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	149	78	71	87	46	41	62	32	30
Under 1	1	0	1	0	0	0	1	0	1
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	5	3	2	5	3	2	0	0	0
35-44	5	3	2	3	1	2	2	2	0
45-54	18	11	7	15	9	6	3	2	1
55-64	21	7	14	14	5	9	7	2	5
65-74	35	16	19	20	9	11	15	7	8
75-84	30	20	10	16	11	5	14	9	5
85 and over	33	18	15	13	8	5	20	10	10
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	14,394
White	5,927
Black	8,106
Other	361

Selected Death Statistics, Residents of Tate County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	297	228	68	1,053.2	1,213.3	767.9
1	Heart Diseases	83	61	22	294.3	324.6	248.4
2	Malignant Neoplasms	71	53	18	251.8	282.0	203.3
3	Emphysema and Other Chronic Lower Resp. Diseases	32	30	2	113.5	159.6	22.6
4	Accidents	23	17	6	81.6	90.5	67.8
5	Diabetes Mellitus	13	9	3	46.1	47.9	33.9
6	Alzheimer's Disease	6	4	2	21.3	21.3	22.6
6	Septicemia	6	3	3	21.3	16.0	33.9
8	Nephritis, Nephrotic Syndrome And Nephrosis	5	4	1	17.7	21.3	11.3
8	Parkinson's Disease	5	5	0	17.7	26.6	0.0
10	Cerebrovascular Disease	4	3	1	14.2	16.0	11.3
11	Suicide	3	3	0	10.6	16.0	0.0
11	Chronic Liver Disease And Cirrhosis	3	3	0	10.6	16.0	0.0
11	Influenza and Pneumonia	3	2	1	10.6	10.6	11.3
11	Hypertension/Hypertensive Renal Disease	3	3	0	10.6	16.0	0.0
15	Homicide	2	1	1	7.1	5.3	11.3
15	Congenital Malformations and Chrom. Abnormalities	2	2	0	7.1	10.6	0.0
17	Hyperplasia of Prostate	1	1	0	7.4	10.8	0.0
17	Hernia	1	1	0	3.5	5.3	0.0
17	Peptic Ulcer	1	1	0	3.5	5.3	0.0
17	Pneumonitis Due to Solids and Liquids	1	0	1	3.5	0.0	11.3
17	Aortic Aneurysm and Dissection	1	1	0	3.5	5.3	0.0
17	Anemias	1	1	0	3.5	5.3	0.0
17	In Situ, Benign and Unspecified Neoplasms	1	1	0	3.5	5.3	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	3	2	1	10.6	10.6	11.3
	All Other Causes	23	17	6	81.6	90.5	67.8

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	297	228	68	153	114	39	144	114	29
Under 1	1	0	1	1	0	1	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	2	2	0	0	0	0
25-34	9	8	1	3	3	0	6	5	1
35-44	10	7	3	6	4	2	4	3	1
45-54	23	14	8	9	5	4	14	9	4
55-64	49	33	16	27	15	12	22	18	4
65-74	69	55	14	42	36	6	27	19	8
75-84	66	53	13	36	28	8	30	25	5
85 and over	67	55	12	26	20	6	41	35	6
Unknown	0	0	0	0	0	0	0	0	0
-----									
2016 Population									
Total	28,201								
White	18,792								
Black	8,855								
Other	554								
-----									

Selected Death Statistics, Residents of Tippah County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	294	258	36	1,324.9	1,433.3	971.7
1	Heart Diseases	71	63	8	320.0	350.0	215.9
1	Malignant Neoplasms	71	60	11	320.0	333.3	296.9
3	Accidents	20	18	2	90.1	100.0	54.0
3	Cerebrovascular Disease	20	18	2	90.1	100.0	54.0
5	Emphysema and Other Chronic Lower Resp. Diseases	19	16	3	85.6	88.9	81.0
6	Alzheimer's Disease	15	13	2	67.6	72.2	54.0
7	Influenza and Pneumonia	9	8	1	40.6	44.4	27.0
8	Septicemia	6	5	1	27.0	27.8	27.0
9	Nephritis, Nephrotic Syndrome And Nephrosis	5	4	1	22.5	22.2	27.0
9	Chronic Liver Disease And Cirrhosis	5	5	0	22.5	27.8	0.0
11	Suicide	4	4	0	18.0	22.2	0.0
11	Conditions Originating in the Perinatal Period**	4	3	1	14.7	13.0	23.8
13	Congenital Malformations and Chrom. Abnormalities	3	3	0	13.5	16.7	0.0
13	Hypertension/Hypertensive Renal Disease	3	1	2	13.5	5.6	54.0
15	Homicide	2	2	0	9.0	11.1	0.0
15	Parkinson's Disease	2	2	0	9.0	11.1	0.0
15	Diabetes Mellitus	2	2	0	9.0	11.1	0.0
18	Cholelithiasis/Gallbladder Disorder	1	1	0	4.5	5.6	0.0
18	Peptic Ulcer	1	1	0	4.5	5.6	0.0
18	Pneumonitis Due to Solids and Liquids	1	1	0	4.5	5.6	0.0
18	Anemias	1	0	1	4.5	0.0	27.0
18	HIV Disease	1	1	0	4.5	5.6	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	2	2	0	9.0	11.1	0.0
	All Other Causes	26	25	1	117.2	138.9	27.0

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	294	258	36	165	138	27	129	120	9
Under 1	7	6	1	6	6	0	1	0	1
(Neonatal)	5	4	1	4	4	0	1	0	1
(Postneonatal)	2	2	0	2	2	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	6	0	3	3	0	3	3	0
25-34	4	4	0	2	2	0	2	2	0
35-44	8	6	2	5	3	2	3	3	0
45-54	20	18	2	14	12	2	6	6	0
55-64	49	41	8	30	23	7	19	18	1
65-74	69	56	13	44	33	11	25	23	2
75-84	79	75	4	45	43	2	34	32	2
85 and over	52	46	6	16	13	3	36	33	3
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	22,190
White	18,001
Black	3,705
Other	484

Selected Death Statistics, Residents of Tishomingo County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	279	273	6	1,431.4	1,459.8	1,204.8
1	Heart Diseases	89	85	4	456.6	454.5	803.2
2	Malignant Neoplasms	50	49	1	256.5	262.0	200.8
3	Emphysema and Other Chronic Lower Resp. Diseases	21	21	0	107.7	112.3	0.0
4	Accidents	19	19	0	97.5	101.6	0.0
5	Cerebrovascular Disease	18	18	0	92.4	96.3	0.0
6	Alzheimer's Disease	10	10	0	51.3	53.5	0.0
7	Septicemia	6	6	0	30.8	32.1	0.0
8	Nephritis, Nephrotic Syndrome And Nephrosis	5	4	1	25.7	21.4	200.8
8	Chronic Liver Disease And Cirrhosis	5	5	0	25.7	26.7	0.0
10	Diabetes Mellitus	4	4	0	20.5	21.4	0.0
11	Suicide	3	3	0	15.4	16.0	0.0
11	Influenza and Pneumonia	3	3	0	15.4	16.0	0.0
13	Parkinson's Disease	2	2	0	10.3	10.7	0.0
14	Complications Medical/Surgical Care	1	1	0	5.1	5.3	0.0
14	Legal Intervention	1	1	0	5.1	5.3	0.0
14	Conditions Originating in the Perinatal Period**	1	1	0	4.7	4.7	0.0
14	Atherosclerosis	1	1	0	5.1	5.3	0.0
14	Hypertension/Hypertensive Renal Disease	1	1	0	5.1	5.3	0.0
14	Anemias	1	1	0	5.1	5.3	0.0
14	In Situ, Benign and Unspecified Neoplasms	1	1	0	5.1	5.3	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	1	1	0	5.1	5.3	0.0
	All Other Causes	36	36	0	184.7	192.5	0.0

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	279	273	6	137	136	1	142	137	5
Under 1	1	1	0	1	1	0	0	0	0
(Neonatal)	1	1	0	1	1	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	3	0	2	2	0	1	1	0
25-34	8	8	0	7	7	0	1	1	0
35-44	8	7	1	5	4	1	3	3	0
45-54	22	22	0	14	14	0	8	8	0
55-64	37	34	3	20	20	0	17	14	3
65-74	58	57	1	28	28	0	30	29	1
75-84	67	66	1	34	34	0	33	32	1
85 and over	75	75	0	26	26	0	49	49	0
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	19,491
White	18,701
Black	498
Other	292

Selected Death Statistics, Residents of Tunica County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	103	38	64	1,006.4	1,730.4	821.9
1	Heart Diseases	29	13	16	283.4	592.0	205.5
2	Malignant Neoplasms	23	7	15	224.7	318.8	192.6
3	Diabetes Mellitus	13	3	10	127.0	136.6	128.4
4	Accidents	6	0	6	58.6	0.0	77.1
5	Emphysema and Other Chronic Lower Resp. Diseases	5	5	0	48.9	227.7	0.0
5	Cerebrovascular Disease	5	1	4	48.9	45.5	51.4
7	Influenza and Pneumonia	3	1	2	29.3	45.5	25.7
8	Nephritis, Nephrotic Syndrome And Nephrosis	2	2	0	19.5	91.1	0.0
8	Hypertension/Hypertensive Renal Disease	2	0	2	19.5	0.0	25.7
10	Suicide	1	0	1	9.8	0.0	12.8
10	Congenital Malformations and Chrom. Abnormalities	1	0	1	9.8	0.0	12.8
10	Conditions Originating in the Perinatal Period**	1	0	1	5.4	0.0	6.3
10	Chronic Liver Disease And Cirrhosis	1	1	0	9.8	45.5	0.0
10	Anemias	1	0	1	9.8	0.0	12.8
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	3	0	3	29.3	0.0	38.5
	All Other Causes	7	5	2	68.4	227.7	25.7

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	103	38	64	57	23	34	46	15	30
Under 1	2	0	2	1	0	1	1	0	1
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	2	0	2	0	0	0	2	0	2
25-34	1	0	1	1	0	1	0	0	0
35-44	5	1	4	4	1	3	1	0	1
45-54	7	1	6	4	1	3	3	0	3
55-64	24	11	13	16	7	9	8	4	4
65-74	21	6	14	10	3	7	11	3	7
75-84	18	10	8	13	7	6	5	3	2
85 and over	21	8	13	6	3	3	15	5	10
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	10,234
White	2,196
Black	7,787
Other	251



Selected Death Statistics, Residents of Union County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	328	281	47	1,158.6	1,212.6	1,101.0
1	Heart Diseases	94	80	14	332.0	345.2	327.9
2	Malignant Neoplasms	74	65	9	261.4	280.5	210.8
3	Emphysema and Other Chronic Lower Resp. Diseases	29	29	0	102.4	125.1	0.0
4	Cerebrovascular Disease	21	18	3	74.2	77.7	70.3
5	Accidents	14	12	2	49.5	51.8	46.8
6	Alzheimer's Disease	13	13	0	45.9	56.1	0.0
7	Nephritis, Nephrotic Syndrome And Nephrosis	10	6	4	35.3	25.9	93.7
8	Influenza and Pneumonia	7	5	2	24.7	21.6	46.8
9	Diabetes Mellitus	6	3	3	21.2	12.9	70.3
10	Suicide	3	3	0	10.6	12.9	0.0
10	Chronic Liver Disease And Cirrhosis	3	3	0	10.6	12.9	0.0
10	Parkinson's Disease	3	3	0	10.6	12.9	0.0
13	Congenital Malformations and Chrom. Abnormalities	2	2	0	7.1	8.6	0.0
13	Pneumonitis Due to Solids and Liquids	2	2	0	7.1	8.6	0.0
13	Septicemia	2	1	1	7.1	4.3	23.4
16	Conditions Originating in the Perinatal Period**	1	0	1	2.6	0.0	15.2
16	Maternal Causes**	1	0	1	257.7	0.0	1,515.2
16	Diseases of Appendix	1	1	0	3.5	4.3	0.0
16	Peptic Ulcer	1	1	0	3.5	4.3	0.0
16	Aortic Aneurysm and Dissection	1	0	1	3.5	0.0	23.4
16	Hypertension/Hypertensive Renal Disease	1	1	0	3.5	4.3	0.0
16	Anemias	1	0	1	3.5	0.0	23.4
16	HIV Disease	1	0	1	3.5	0.0	23.4
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	4	3	1	14.1	12.9	23.4
	All Other Causes	33	30	3	116.6	129.5	70.3

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	328	281	47	170	143	27	158	138	20
Under 1	3	2	1	3	2	1	0	0	0
(Neonatal)	2	1	1	2	1	1	0	0	0
(Postneonatal)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	3	0	3	3	0	0	0	0
25-34	3	2	1	2	2	0	1	0	1
35-44	3	2	1	2	1	1	1	1	0
45-54	25	17	8	15	10	5	10	7	3
55-64	50	42	8	32	28	4	18	14	4
65-74	67	59	8	42	36	6	25	23	2
75-84	90	81	9	44	40	4	46	41	5
85 and over	83	73	10	26	21	5	57	52	5
Unknown	0	0	0	0	0	0	0	0	0
-----									
2016 Population									
Total	28,311								
White	23,174								
Black	4,269								
Other	868								
-----									

Selected Death Statistics, Residents of Walthall County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	188	113	75	1,287.8	1,438.0	1,171.5
1	Heart Diseases	53	33	20	363.0	420.0	312.4
2	Malignant Neoplasms	30	20	10	205.5	254.5	156.2
3	Cerebrovascular Disease	15	8	7	102.7	101.8	109.3
4	Emphysema and Other Chronic Lower Resp. Diseases	12	7	5	82.2	89.1	78.1
5	Alzheimer's Disease	9	5	4	61.6	63.6	62.5
6	Accidents	6	3	3	41.1	38.2	46.9
6	Influenza and Pneumonia	6	3	3	41.1	38.2	46.9
6	Septicemia	6	4	2	41.1	50.9	31.2
9	Diabetes Mellitus	5	1	4	34.2	12.7	62.5
10	Nephritis, Nephrotic Syndrome And Nephrosis	4	3	1	27.4	38.2	15.6
10	Hypertension/Hypertensive Renal Disease	4	2	2	27.4	25.5	31.2
12	Homicide	3	1	2	20.5	12.7	31.2
12	Suicide	3	3	0	20.5	38.2	0.0
14	Chronic Liver Disease And Cirrhosis	2	2	0	13.7	25.5	0.0
14	Parkinson's Disease	2	2	0	13.7	25.5	0.0
16	Complications Medical/Surgical Care	1	1	0	6.8	12.7	0.0
16	Cholelithiasis/Gallbladder Disorder	1	1	0	6.8	12.7	0.0
16	Malnutrition/Nutritional Deficiency	1	1	0	6.8	12.7	0.0
16	In Situ, Benign and Unspecified Neoplasms	1	1	0	6.8	12.7	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	3	1	2	20.5	12.7	31.2
	All Other Causes	21	11	10	143.8	140.0	156.2

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	188	113	75	82	44	38	106	69	37
Under 1	1	1	0	1	1	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	2	1	3	2	1	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	4	3	1	3	2	1	1	1	0
45-54	15	5	10	8	2	6	7	3	4
55-64	27	10	17	16	5	11	11	5	6
65-74	44	26	18	23	13	10	21	13	8
75-84	50	37	13	17	11	6	33	26	7
85 and over	44	29	15	11	8	3	33	21	12
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	14,599
White	7,858
Black	6,402
Other	339

Selected Death Statistics, Residents of Warren County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	576	339	234	1,221.9	1,471.3	1,014.3
1	Heart Diseases	158	94	63	335.2	408.0	273.1
2	Malignant Neoplasms	106	64	41	224.9	277.8	177.7
3	Emphysema and Other Chronic Lower Resp. Diseases	37	27	10	78.5	117.2	43.3
4	Accidents	31	16	15	65.8	69.4	65.0
5	Cerebrovascular Disease	29	16	13	61.5	69.4	56.4
6	Nephritis, Nephrotic Syndrome And Nephrosis	25	10	15	53.0	43.4	65.0
7	Septicemia	20	14	6	42.4	60.8	26.0
8	Alzheimer's Disease	19	14	5	40.3	60.8	21.7
9	Influenza and Pneumonia	17	11	6	36.1	47.7	26.0
9	Diabetes Mellitus	17	6	11	36.1	26.0	47.7
11	Hypertension/Hypertensive Renal Disease	11	6	5	23.3	26.0	21.7
12	Homicide	7	2	5	14.8	8.7	21.7
12	Parkinson's Disease	7	7	0	14.8	30.4	0.0
14	Suicide	5	4	1	10.6	17.4	4.3
14	Conditions Originating in the Perinatal Period**	5	1	4	8.3	4.0	11.5
14	Chronic Liver Disease And Cirrhosis	5	4	1	10.6	17.4	4.3
14	Pneumonitis Due to Solids and Liquids	5	1	4	10.6	4.3	17.3
18	HIV Disease	4	0	4	8.5	0.0	17.3
19	Anemias	3	2	1	6.4	8.7	4.3
20	Complications Medical/Surgical Care	2	0	2	4.2	0.0	8.7
20	Congenital Malformations and Chrom. Abnormalities	2	1	1	4.2	4.3	4.3
20	Malnutrition/Nutritional Deficiency	2	2	0	4.2	8.7	0.0
23	Maternal Causes**	1	0	1	165.8	0.0	288.2
23	Cholelithiasis/Gallbladder Disorder	1	1	0	2.1	4.3	0.0
23	Aortic Aneurysm and Dissection	1	1	0	2.1	4.3	0.0
23	Atherosclerosis	1	1	0	2.1	4.3	0.0
23	Viral Hepatitis	1	1	0	2.1	4.3	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	3	2	1	6.4	8.7	4.3
	All Other Causes	51	31	19	108.2	134.5	82.4

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

	----- Total*-----			----- Male -----			----- Female -----		
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	576	339	234	263	148	114	313	191	120
Under 1	6	1	5	3	1	2	3	0	3
(Neonatal)	5	1	4	2	1	1	3	0	3
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	8	3	5	2	1	1	6	2	4
25-34	11	4	7	7	4	3	4	0	4
35-44	15	3	12	9	2	7	6	1	5
45-54	45	23	22	21	11	10	24	12	12
55-64	117	57	59	68	35	33	49	22	26
65-74	112	67	44	49	29	19	63	38	25
75-84	134	88	45	62	36	26	72	52	19
85 and over	127	93	34	42	29	13	85	64	21
Unknown	0	0	0	0	0	0	0	0	0
-----									
2016 Population									
Total	47,140								
White	23,041								
Black	23,070								
Other	1,029								
-----									

Selected Death Statistics, Residents of Washington County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	582	206	373	1,232.2	1,670.6	1,092.5
1	Malignant Neoplasms	121	39	82	256.2	316.3	240.2
2	Heart Diseases	112	48	64	237.1	389.3	187.4
3	Nephritis, Nephrotic Syndrome And Nephrosis	42	11	31	88.9	89.2	90.8
4	Emphysema and Other Chronic Lower Resp. Diseases	36	20	15	76.2	162.2	43.9
5	Diabetes Mellitus	34	8	26	72.0	64.9	76.2
6	Accidents	30	14	15	63.5	113.5	43.9
6	Cerebrovascular Disease	30	15	15	63.5	121.6	43.9
8	Hypertension/Hypertensive Renal Disease	16	3	13	33.9	24.3	38.1
9	Homicide	14	0	14	29.6	0.0	41.0
10	Septicemia	11	4	7	23.3	32.4	20.5
11	Influenza and Pneumonia	8	2	6	16.9	16.2	17.6
11	Alzheimer's Disease	8	5	3	16.9	40.5	8.8
13	Pneumonitis Due to Solids and Liquids	4	2	2	8.5	16.2	5.9
13	Malnutrition/Nutritional Deficiency	4	1	3	8.5	8.1	8.8
15	Conditions Originating in the Perinatal Period**	3	0	3	4.5	0.0	5.8
15	Chronic Liver Disease And Cirrhosis	3	2	1	6.4	16.2	2.9
15	In Situ, Benign and Unspecified Neoplasms	3	1	2	6.4	8.1	5.9
18	Suicide	2	1	1	4.2	8.1	2.9
18	Congenital Malformations and Chrom. Abnormalities	2	1	1	4.2	8.1	2.9
18	Aortic Aneurysm and Dissection	2	2	0	4.2	16.2	0.0
18	Parkinson's Disease	2	1	1	4.2	8.1	2.9
22	Complications Medical/Surgical Care	1	0	1	2.1	0.0	2.9
22	HIV Disease	1	0	1	2.1	0.0	2.9
22	Viral Hepatitis	1	0	1	2.1	0.0	2.9
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	20	6	14	42.3	48.7	41.0
	All Other Causes	72	20	51	152.4	162.2	149.4

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	582	206	373	311	104	205	271	102	168
Under 1	3	0	3	1	0	1	2	0	2
(Neonatal)	3	0	3	1	0	1	2	0	2
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	3	0	3	0	0	0	3	0	3
5-9	0	0	0	0	0	0	0	0	0
10-14	3	2	1	2	1	1	1	1	0
15-24	7	1	6	6	1	5	1	0	1
25-34	26	3	22	20	2	17	6	1	5
35-44	27	4	23	19	2	17	8	2	6
45-54	43	9	34	22	4	18	21	5	16
55-64	103	30	73	67	20	47	36	10	26
65-74	114	39	74	58	21	37	56	18	37
75-84	126	53	73	62	27	35	64	26	38
85 and over	127	65	61	54	26	27	73	39	34
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	47,231
White	12,331
Black	34,143
Other	757

Selected Death Statistics, Residents of Wayne County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	221	154	66	1,079.1	1,282.8	807.4
1	Heart Diseases	56	39	17	273.4	324.9	208.0
2	Malignant Neoplasms	43	23	20	210.0	191.6	244.7
3	Accidents	21	16	5	102.5	133.3	61.2
4	Cerebrovascular Disease	13	11	2	63.5	91.6	24.5
5	Alzheimer's Disease	11	8	3	53.7	66.6	36.7
6	Emphysema and Other Chronic Lower Resp. Diseases	9	6	3	43.9	50.0	36.7
7	Influenza and Pneumonia	8	7	1	39.1	58.3	12.2
8	Nephritis, Nephrotic Syndrome And Nephrosis	4	2	2	19.5	16.7	24.5
8	Chronic Liver Disease And Cirrhosis	4	3	1	19.5	25.0	12.2
10	Homicide	3	2	1	14.6	16.7	12.2
10	Suicide	3	2	1	14.6	16.7	12.2
10	Parkinson's Disease	3	3	0	14.6	25.0	0.0
10	Diabetes Mellitus	3	3	0	14.6	25.0	0.0
14	Congenital Malformations and Chrom. Abnormalities	2	1	1	9.8	8.3	12.2
15	Peptic Ulcer	1	1	0	4.9	8.3	0.0
15	Aortic Aneurysm and Dissection	1	1	0	4.9	8.3	0.0
15	Hypertension/Hypertensive Renal Disease	1	0	1	4.9	0.0	12.2
15	Septicemia	1	1	0	4.9	8.3	0.0
15	Tuberculosis	1	0	0	4.9	0.0	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	1	1	0	4.9	8.3	0.0
	All Other Causes	32	24	8	156.3	199.9	97.9

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	221	154	66	121	82	38	100	72	28
Under 1	2	1	1	1	1	0	1	0	1
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	1	3	4	1	3	0	0	0
25-34	3	2	1	3	2	1	0	0	0
35-44	7	5	2	4	3	1	3	2	1
45-54	18	13	5	11	8	3	7	5	2
55-64	34	21	13	22	13	9	12	8	4
65-74	47	32	15	27	18	9	20	14	6
75-84	45	30	14	31	21	9	14	9	5
85 and over	60	48	12	18	15	3	42	33	9
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	20,480
White	12,005
Black	8,174
Other	301

Selected Death Statistics, Residents of Webster County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	138	119	19	1,412.9	1,534.7	1,024.3
1	Heart Diseases	45	39	6	460.7	503.0	323.5
2	Malignant Neoplasms	17	14	3	174.1	180.6	161.7
3	Alzheimer's Disease	14	12	2	143.3	154.8	107.8
4	Accidents	11	10	1	112.6	129.0	53.9
5	Cerebrovascular Disease	7	7	0	71.7	90.3	0.0
6	Emphysema and Other Chronic Lower Resp. Diseases	6	4	2	61.4	51.6	107.8
7	Chronic Liver Disease And Cirrhosis	4	4	0	41.0	51.6	0.0
7	Diabetes Mellitus	4	2	2	41.0	25.8	107.8
7	Septicemia	4	3	1	41.0	38.7	53.9
10	Pneumonitis Due to Solids and Liquids	3	3	0	30.7	38.7	0.0
10	Parkinson's Disease	3	3	0	30.7	38.7	0.0
12	Suicide	2	2	0	20.5	25.8	0.0
12	Influenza and Pneumonia	2	2	0	20.5	25.8	0.0
14	Congenital Malformations and Chrom. Abnormalities	1	1	0	10.2	12.9	0.0
14	Aortic Aneurysm and Dissection	1	1	0	10.2	12.9	0.0
14	Hypertension/Hypertensive Renal Disease	1	1	0	10.2	12.9	0.0
14	Malnutrition/Nutritional Deficiency	1	1	0	10.2	12.9	0.0
14	In Situ, Benign and Unspecified Neoplasms	1	1	0	10.2	12.9	0.0
14	Viral Hepatitis	1	1	0	10.2	12.9	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	1	1	0	10.2	12.9	0.0
	All Other Causes	9	7	2	92.1	90.3	107.8

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	138	119	19	63	54	9	75	65	10
Under 1	1	1	0	0	0	0	1	1	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	1	0	0	0	0	1	1	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	4	4	0	1	1	0	3	3	0
35-44	2	2	0	2	2	0	0	0	0
45-54	8	7	1	4	3	1	4	4	0
55-64	27	21	6	14	10	4	13	11	2
65-74	25	23	2	17	16	1	8	7	1
75-84	34	27	7	17	15	2	17	12	5
85 and over	36	33	3	8	7	1	28	26	2
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	9,767
White	7,754
Black	1,855
Other	158

Selected Death Statistics, Residents of Wilkinson County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	135	50	85	1,492.2	1,945.5	1,334.2
1	Heart Diseases	41	13	28	453.2	505.8	439.5
2	Malignant Neoplasms	24	12	12	265.3	466.9	188.4
3	Accidents	10	3	7	110.5	116.7	109.9
4	Alzheimer's Disease	9	5	4	99.5	194.6	62.8
5	Cerebrovascular Disease	6	1	5	66.3	38.9	78.5
6	Nephritis, Nephrotic Syndrome And Nephrosis	5	3	2	55.3	116.7	31.4
6	Diabetes Mellitus	5	0	5	55.3	0.0	78.5
8	Homicide	3	0	3	33.2	0.0	47.1
8	Hypertension/Hypertensive Renal Disease	3	0	3	33.2	0.0	47.1
8	Septicemia	3	1	2	33.2	38.9	31.4
11	Suicide	2	0	2	22.1	0.0	31.4
11	Emphysema and Other Chronic Lower Resp. Diseases	2	2	0	22.1	77.8	0.0
11	Influenza and Pneumonia	2	0	2	22.1	0.0	31.4
11	Aortic Aneurysm and Dissection	2	1	1	22.1	38.9	15.7
15	Complications Medical/Surgical Care	1	0	1	11.1	0.0	15.7
15	Pneumonitis Due to Solids and Liquids	1	1	0	11.1	38.9	0.0
15	Acute Bronchitis and Bronchiolitis	1	0	1	11.1	0.0	15.7
15	Anemias	1	0	1	11.1	0.0	15.7
--- Not Included in Ranking ---							
	Symptoms, Signs, Ill-Defined Conditions	0	0	0	0.0	0.0	0.0
	All Other Causes	14	8	6	154.7	311.3	94.2

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.  
Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	135	50	85	61	25	36	74	25	49
Under 1	1	0	1	1	0	1	0	0	0
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	2	0	2	1	0	1	1	0	1
25-34	3	0	3	2	0	2	1	0	1
35-44	5	3	2	4	2	2	1	1	0
45-54	7	2	5	0	0	0	7	2	5
55-64	24	3	21	11	2	9	13	1	12
65-74	24	9	15	19	8	11	5	1	4
75-84	34	19	15	18	10	8	16	9	7
85 and over	34	13	21	5	3	2	29	10	19
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	9,047
White	2,570
Black	6,371
Other	106

Selected Death Statistics, Residents of Winston County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	231	143	86	1,272.0	1,539.5	1,020.9
1	Heart Diseases	53	32	21	291.9	344.5	249.3
2	Malignant Neoplasms	49	28	20	269.8	301.4	237.4
3	Cerebrovascular Disease	15	10	5	82.6	107.7	59.4
3	Alzheimer's Disease	15	11	4	82.6	118.4	47.5
5	Accidents	13	9	4	71.6	96.9	47.5
6	Emphysema and Other Chronic Lower Resp. Diseases	10	9	1	55.1	96.9	11.9
6	Diabetes Mellitus	10	3	7	55.1	32.3	83.1
8	Septicemia	8	5	3	44.1	53.8	35.6
9	Nephritis, Nephrotic Syndrome And Nephrosis	6	3	3	33.0	32.3	35.6
9	Influenza and Pneumonia	6	4	2	33.0	43.1	23.7
11	Pneumonitis Due to Solids and Liquids	2	1	1	11.0	10.8	11.9
12	Homicide	1	1	0	5.5	10.8	0.0
12	Suicide	1	1	0	5.5	10.8	0.0
12	Congenital Malformations and Chrom. Abnormalities	1	0	1	5.5	0.0	11.9
12	Conditions Originating in the Perinatal Period**	1	1	0	4.8	9.2	0.0
12	Maternal Causes**	1	1	0	478.5	917.4	0.0
12	Hernia	1	0	1	5.5	0.0	11.9
12	Aortic Aneurysm and Dissection	1	0	1	5.5	0.0	11.9
--- Not Included in Ranking ---							
	Symptoms, Signs, Ill-Defined Conditions	2	2	0	11.0	21.5	0.0
	All Other Causes	35	22	12	192.7	236.8	142.5

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	231	143	86	108	66	41	123	77	45
Under 1	2	1	1	0	0	0	2	1	1
(Neonatal)	2	1	1	0	0	0	2	1	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	0	0	0	0	0	0	0	0	0
25-34	6	3	3	5	3	2	1	0	1
35-44	7	4	3	6	4	2	1	0	1
45-54	24	13	11	15	8	7	9	5	4
55-64	28	9	17	15	4	10	13	5	7
65-74	43	24	19	21	11	10	22	13	9
75-84	52	37	15	23	18	5	29	19	10
85 and over	68	51	17	23	18	5	45	33	12
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	18,160
White	9,289
Black	8,424
Other	447



Selected Death Statistics, Residents of Yalobusha County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	180	136	43	1,443.3	1,845.6	877.4
1	Heart Diseases	48	39	9	384.9	529.2	183.6
2	Malignant Neoplasms	38	29	9	304.7	393.5	183.6
3	Emphysema and Other Chronic Lower Resp. Diseases	16	13	3	128.3	176.4	61.2
4	Alzheimer's Disease	15	10	5	120.3	135.7	102.0
5	Accidents	11	8	3	88.2	108.6	61.2
6	Cerebrovascular Disease	8	7	1	64.1	95.0	20.4
7	Nephritis, Nephrotic Syndrome And Nephrosis	6	2	4	48.1	27.1	81.6
8	Influenza and Pneumonia	4	3	1	32.1	40.7	20.4
9	Chronic Liver Disease And Cirrhosis	3	2	1	24.1	27.1	20.4
9	Parkinson's Disease	3	3	0	24.1	40.7	0.0
11	Septicemia	2	1	1	16.0	13.6	20.4
12	Suicide	1	1	0	8.0	13.6	0.0
12	Pneumonitis Due to Solids and Liquids	1	1	0	8.0	13.6	0.0
12	Aortic Aneurysm and Dissection	1	1	0	8.0	13.6	0.0
12	Hypertension/Hypertensive Renal Disease	1	1	0	8.0	13.6	0.0
12	Diabetes Mellitus	1	0	1	8.0	0.0	20.4
12	Anemias	1	1	0	8.0	13.6	0.0
12	HIV Disease	1	0	1	8.0	0.0	20.4
12	Viral Hepatitis	1	1	0	8.0	13.6	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	1	0	1	8.0	0.0	20.4
	All Other Causes	17	13	3	136.3	176.4	61.2

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	180	136	43	99	74	25	81	62	18
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	5	4	1	3	2	1	2	2	0
45-54	14	11	3	9	8	1	5	3	2
55-64	37	22	15	28	16	12	9	6	3
65-74	36	27	9	23	18	5	13	9	4
75-84	45	39	5	22	19	3	23	20	2
85 and over	42	33	9	14	11	3	28	22	6
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	12,471
White	7,369
Black	4,901
Other	201

Selected Death Statistics, Residents of Yazoo County, 2016

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	304	149	154	1,115.0	1,359.4	976.7
1	Malignant Neoplasms	61	31	30	223.7	282.8	190.3
2	Heart Diseases	52	26	26	190.7	237.2	164.9
3	Diabetes Mellitus	27	10	16	99.0	91.2	101.5
4	Cerebrovascular Disease	22	12	10	80.7	109.5	63.4
5	Accidents	17	13	4	62.4	118.6	25.4
6	Emphysema and Other Chronic Lower Resp. Diseases	12	9	3	44.0	82.1	19.0
7	Septicemia	10	5	5	36.7	45.6	31.7
8	Nephritis, Nephrotic Syndrome And Nephrosis	9	4	5	33.0	36.5	31.7
8	Alzheimer's Disease	9	8	1	33.0	73.0	6.3
10	HIV Disease	6	1	5	22.0	9.1	31.7
11	Homicide	5	0	5	18.3	0.0	31.7
11	Influenza and Pneumonia	5	3	2	18.3	27.4	12.7
13	Suicide	4	2	2	14.7	18.2	12.7
13	Parkinson's Disease	4	4	0	14.7	36.5	0.0
15	Hypertension/Hypertensive Renal Disease	3	0	3	11.0	0.0	19.0
15	Anemias	3	2	1	11.0	18.2	6.3
17	Conditions Originating in the Perinatal Period**	2	0	2	6.3	0.0	9.0
17	Chronic Liver Disease And Cirrhosis	2	0	2	7.3	0.0	12.7
17	In Situ, Benign and Unspecified Neoplasms	2	1	1	7.3	9.1	6.3
20	Complications Medical/Surgical Care	1	0	1	3.7	0.0	6.3
20	Congenital Malformations and Chrom. Abnormalities	1	0	1	3.7	0.0	6.3
20	Maternal Causes**	1	0	1	314.5	0.0	452.5
20	Hernia	1	0	1	3.7	0.0	6.3
20	Peptic Ulcer	1	0	1	3.7	0.0	6.3
20	Pneumonitis Due to Solids and Liquids	1	1	0	3.7	9.1	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	7	0	7	25.7	0.0	44.4
	All Other Causes	36	17	19	132.0	155.1	120.5

\* Total includes races other than white and black.

\*\* Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2016 estimates.

# Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	304	149	154	173	84	88	131	65	66
Under 1	3	0	3	2	0	2	1	0	1
(Neonatal)	3	0	3	2	0	2	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	10	2	8	6	2	4	4	0	4
35-44	23	5	18	19	3	16	4	2	2
45-54	31	12	18	22	10	11	9	2	7
55-64	49	21	28	31	13	18	18	8	10
65-74	64	35	29	36	19	17	28	16	12
75-84	54	29	25	31	19	12	23	10	13
85 and over	69	44	25	25	17	8	44	27	17
Unknown	0	0	0	0	0	0	0	0	0

2016 Population	
Total	27,264
White	10,961
Black	15,768
Other	535