

Selected Death Statistics, Residents of Adams County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	397	198	198	1,280.5	1,459.3	1,179.2
1	Malignant Neoplasms	102	51	51	329.0	375.9	303.7
2	Heart Diseases	68	31	37	219.3	228.5	220.4
3	Diabetes Mellitus	30	7	23	96.8	51.6	137.0
4	Emphysema and Other Chronic Lower Resp. Diseases	24	21	3	77.4	154.8	17.9
5	Accidents	22	14	8	71.0	103.2	47.6
6	Cerebrovascular Disease	18	8	10	58.1	59.0	59.6
7	Alzheimer's Disease	16	13	3	51.6	95.8	17.9
8	Septicemia	9	3	6	29.0	22.1	35.7
9	Nephritis, Nephrotic Syndrome And Nephrosis	7	1	6	22.6	7.4	35.7
9	Homicide	7	1	6	22.6	7.4	35.7
11	Influenza and Pneumonia	6	4	2	19.4	29.5	11.9
12	Chronic Liver Disease And Cirrhosis	5	3	2	16.1	22.1	11.9
12	Suicide	5	5	0	16.1	36.9	0.0
14	Hypertension/Hypertensive Renal Disease	3	1	2	9.7	7.4	11.9
15	Conditions Originating in the Perinatal Period**	2	0	2	5.6	0.0	8.7
15	Complications Medical/Surgical Care	2	0	2	6.5	0.0	11.9
15	HIV Disease	2	1	1	6.5	7.4	6.0
15	Pneumonitis Due to Solids and Liquids	2	2	0	6.5	14.7	0.0
15	Congenital Malformations and Chrom. Abnormalities	2	0	2	6.5	0.0	11.9
15	In Situ, Benign and Unspecified Neoplasms	2	2	0	6.5	14.7	0.0
21	Parkinson's Disease	1	1	0	3.2	7.4	0.0
21	Pneumoconioses and Chemical Effects	1	0	1	3.2	0.0	6.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	6	3	3	19.4	22.1	17.9
	All Other Causes	55	26	28	177.4	191.6	166.8

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.
Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	397	198	198	214	113	101	183	85	97
Under 1	5	0	5	4	0	4	1	0	1
(Neonatal)	2	0	2	2	0	2	0	0	0
(Postneonatal)	3	0	3	2	0	2	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	1	3	3	0	3	1	1	0
25-34	7	1	6	4	0	4	3	1	2
35-44	12	6	6	9	5	4	3	1	2
45-54	22	9	13	13	8	5	9	1	8
55-64	81	31	50	49	23	26	32	8	24
65-74	93	42	51	55	23	32	38	19	19
75-84	86	50	35	45	28	17	41	22	18
85 and over	87	58	29	32	26	6	55	32	23
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	31,003
White	13,568
Black	16,791
Other	644

Selected Death Statistics, Residents of Alcorn County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	476	427	47	1,279.2	1,340.2	1,015.6
1	Heart Diseases	135	121	13	362.8	379.8	280.9
2	Malignant Neoplasms	75	67	8	201.6	210.3	172.9
3	Emphysema and Other Chronic Lower Resp. Diseases	45	42	3	120.9	131.8	64.8
4	Alzheimer's Disease	26	23	3	69.9	72.2	64.8
5	Accidents	22	19	3	59.1	59.6	64.8
6	Cerebrovascular Disease	20	14	6	53.7	43.9	129.6
6	Influenza and Pneumonia	20	20	0	53.7	62.8	0.0
8	Nephritis, Nephrotic Syndrome And Nephrosis	17	15	2	45.7	47.1	43.2
9	Septicemia	10	10	0	26.9	31.4	0.0
10	Suicide	8	7	1	21.5	22.0	21.6
11	Chronic Liver Disease And Cirrhosis	7	6	1	18.8	18.8	21.6
12	Diabetes Mellitus	5	5	0	13.4	15.7	0.0
13	Parkinson's Disease	4	4	0	10.7	12.6	0.0
14	Atherosclerosis	3	3	0	8.1	9.4	0.0
14	In Situ, Benign and Unspecified Neoplasms	3	3	0	8.1	9.4	0.0
16	Pneumonitis Due to Solids and Liquids	2	2	0	5.4	6.3	0.0
16	Hypertension/Hypertensive Renal Disease	2	2	0	5.4	6.3	0.0
16	Homicide	2	0	2	5.4	0.0	43.2
19	HIV Disease	1	0	1	2.7	0.0	21.6
19	Conditions Originating in the Perinatal Period**	1	1	0	2.4	2.8	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	14	12	2	37.6	37.7	43.2
	All Other Causes	54	51	2	145.1	160.1	43.2

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.
Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	476	427	47	245	215	29	231	212	18
Under 1	5	4	1	5	4	1	0	0	0
(Neonatal)	2	2	0	2	2	0	0	0	0
(Postneonatal)	3	2	1	3	2	1	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	7	5	2	4	3	1	3	2	1
25-34	11	8	3	7	5	2	4	3	1
35-44	15	11	4	13	9	4	2	2	0
45-54	33	28	5	21	18	3	12	10	2
55-64	65	56	9	38	30	8	27	26	1
65-74	108	102	6	54	52	2	54	50	4
75-84	141	128	12	74	68	6	67	60	6
85 and over	89	83	5	28	25	2	61	58	3
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	37,210
White	31,860
Black	4,628
Other	722

Selected Death Statistics, Residents of Amite County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	156	98	58	1,253.3	1,352.5	1,149.4
1	Heart Diseases	54	38	16	433.8	524.4	317.1
2	Malignant Neoplasms	41	19	22	329.4	262.2	436.0
3	Emphysema and Other Chronic Lower Resp. Diseases	9	9	0	72.3	124.2	0.0
4	Accidents	7	2	5	56.2	27.6	99.1
4	Alzheimer's Disease	7	4	3	56.2	55.2	59.5
6	Cerebrovascular Disease	6	3	3	48.2	41.4	59.5
7	Diabetes Mellitus	4	0	4	32.1	0.0	79.3
8	Chronic Liver Disease And Cirrhosis	2	2	0	16.1	27.6	0.0
8	Hypertension/Hypertensive Renal Disease	2	1	1	16.1	13.8	19.8
8	Parkinson's Disease	2	2	0	16.1	27.6	0.0
11	Suicide	1	1	0	8.0	13.8	0.0
11	Aortic Aneurysm and Dissection	1	1	0	8.0	13.8	0.0
11	Pneumonitis Due to Solids and Liquids	1	1	0	8.0	13.8	0.0
11	Influenza and Pneumonia	1	0	1	8.0	0.0	19.8
11	Congenital Malformations and Chrom. Abnormalities	1	1	0	8.0	13.8	0.0
11	Septicemia	1	1	0	8.0	13.8	0.0
11	In Situ, Benign and Unspecified Neoplasms	1	1	0	8.0	13.8	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	0	0	0	0.0	0.0	0.0
	All Other Causes	15	12	3	120.5	165.6	59.5

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.
Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	156	98	58	77	53	24	79	45	34
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	2	1	1	1	0	1	1	1	0
35-44	4	1	3	2	1	1	2	0	2
45-54	7	3	4	5	3	2	2	0	2
55-64	23	13	10	14	8	6	9	5	4
65-74	44	30	14	21	14	7	23	16	7
75-84	40	29	11	20	17	3	20	12	8
85 and over	35	20	15	13	9	4	22	11	11
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	12,447
White	7,246
Black	5,046
Other	155

Selected Death Statistics, Residents of Attala County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	246	148	98	1,331.4	1,447.7	1,230.1
1	Heart Diseases	54	31	23	292.3	303.2	288.7
2	Malignant Neoplasms	36	24	12	194.8	234.8	150.6
3	Emphysema and Other Chronic Lower Resp. Diseases	22	19	3	119.1	185.9	37.7
4	Alzheimer's Disease	19	13	6	102.8	127.2	75.3
5	Diabetes Mellitus	18	7	11	97.4	68.5	138.1
6	Cerebrovascular Disease	12	7	5	64.9	68.5	62.8
7	Accidents	10	4	6	54.1	39.1	75.3
7	Conditions Originating in the Perinatal Period**	10	2	8	42.4	17.5	66.1
9	Nephritis, Nephrotic Syndrome And Nephrosis	6	4	2	32.5	39.1	25.1
9	Influenza and Pneumonia	6	4	2	32.5	39.1	25.1
11	Septicemia	4	2	2	21.6	19.6	25.1
11	Parkinson's Disease	4	3	1	21.6	29.3	12.6
11	Suicide	4	3	1	21.6	29.3	12.6
14	Homicide	3	0	3	16.2	0.0	37.7
15	Hypertension/Hypertensive Renal Disease	1	0	1	5.4	0.0	12.6
15	Chronic Liver Disease And Cirrhosis	1	0	1	5.4	0.0	12.6
15	Pneumonitis Due to Solids and Liquids	1	1	0	5.4	9.8	0.0
15	Aortic Aneurysm and Dissection	1	1	0	5.4	9.8	0.0
--- Not Included in Ranking ---							
	Symptoms, Signs, Ill-Defined Conditions	4	2	2	21.6	19.6	25.1
	All Other Causes	30	21	9	162.4	205.4	113.0

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.
Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	246	148	98	142	88	54	104	60	44
Under 1	11	2	9	9	1	8	2	1	1
(Neonatal)	10	2	8	8	1	7	2	1	1
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	5	1	4	3	0	3	2	1	1
35-44	7	3	4	5	2	3	2	1	1
45-54	12	4	8	6	1	5	6	3	3
55-64	30	18	12	22	11	11	8	7	1
65-74	49	28	21	29	19	10	20	9	11
75-84	62	40	22	33	23	10	29	17	12
85 and over	69	52	17	35	31	4	34	21	13
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	18,477
White	10,223
Black	7,967
Other	287

Selected Death Statistics, Residents of Benton County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	112	78	34	1,347.4	1,492.0	1,160.0
1	Heart Diseases	29	20	9	348.9	382.6	307.1
2	Malignant Neoplasms	14	9	5	168.4	172.1	170.6
3	Diabetes Mellitus	10	7	3	120.3	133.9	102.4
4	Accidents	8	4	4	96.2	76.5	136.5
5	Influenza and Pneumonia	7	4	3	84.2	76.5	102.4
5	Alzheimer's Disease	7	6	1	84.2	114.8	34.1
7	Emphysema and Other Chronic Lower Resp. Diseases	6	6	0	72.2	114.8	0.0
8	Septicemia	4	3	1	48.1	57.4	34.1
9	Chronic Liver Disease And Cirrhosis	3	3	0	36.1	57.4	0.0
9	Cerebrovascular Disease	3	2	1	36.1	38.3	34.1
11	Nephritis, Nephrotic Syndrome And Nephrosis	2	1	1	24.1	19.1	34.1
12	Hypertension/Hypertensive Renal Disease	1	0	1	12.0	0.0	34.1
12	Conditions Originating in the Perinatal Period**	1	1	0	9.2	14.1	0.0
12	Aortic Aneurysm and Dissection	1	1	0	12.0	19.1	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	2	1	1	24.1	19.1	34.1
	All Other Causes	14	10	4	168.4	191.3	136.5

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	112	78	34	52	32	20	60	46	14
Under 1	1	1	0	0	0	0	1	1	0
(Neonatal)	1	1	0	0	0	0	1	1	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	1	0	1	1	0	1	0	0	0
15-24	3	2	1	1	0	1	2	2	0
25-34	2	2	0	1	1	0	1	1	0
35-44	2	2	0	1	1	0	1	1	0
45-54	6	5	1	3	3	0	3	2	1
55-64	22	9	13	15	6	9	7	3	4
65-74	23	16	7	13	8	5	10	8	2
75-84	24	20	4	8	6	2	16	14	2
85 and over	27	21	6	9	7	2	18	14	4
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	8,312
White	5,228
Black	2,931
Other	153

Selected Death Statistics, Residents of Bolivar County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	414	155	256	1,296.0	1,421.5	1,251.9
1	Heart Diseases	108	40	67	338.1	366.8	327.6
2	Malignant Neoplasms	83	36	47	259.8	330.2	229.8
3	Cerebrovascular Disease	30	7	23	93.9	64.2	112.5
4	Emphysema and Other Chronic Lower Resp. Diseases	20	12	8	62.6	110.1	39.1
5	Nephritis, Nephrotic Syndrome And Nephrosis	18	2	16	56.3	18.3	78.2
6	Accidents	16	4	12	50.1	36.7	58.7
6	Diabetes Mellitus	16	6	10	50.1	55.0	48.9
8	Alzheimer's Disease	14	10	4	43.8	91.7	19.6
8	Hypertension/Hypertensive Renal Disease	14	2	12	43.8	18.3	58.7
10	Influenza and Pneumonia	8	2	5	25.0	18.3	24.5
10	Septicemia	8	5	3	25.0	45.9	14.7
12	Chronic Liver Disease And Cirrhosis	6	4	2	18.8	36.7	9.8
13	Homicide	4	1	3	12.5	9.2	14.7
14	Conditions Originating in the Perinatal Period**	3	0	2	6.7	0.0	6.5
15	Suicide	2	1	1	6.3	9.2	4.9
15	Parkinson's Disease	2	0	2	6.3	0.0	9.8
15	HIV Disease	2	0	2	6.3	0.0	9.8
18	Congenital Malformations and Chrom. Abnormalities	1	0	1	3.1	0.0	4.9
18	Peptic Ulcer	1	1	0	3.1	9.2	0.0
18	Pneumonitis Due to Solids and Liquids	1	1	0	3.1	9.2	0.0
18	Aortic Aneurysm and Dissection	1	1	0	3.1	9.2	0.0
18	Diseases of Appendix	1	0	1	3.1	0.0	4.9
18	Malnutrition/Nutritional Deficiency	1	0	1	3.1	0.0	4.9
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	11	5	6	34.4	45.9	29.3
	All Other Causes	43	15	28	134.6	137.6	136.9

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	414	155	256	199	67	132	215	88	124
Under 1	3	0	2	1	0	1	2	0	1
(Neonatal)	3	0	2	1	0	1	2	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	5	1	4	4	1	3	1	0	1
25-34	10	3	7	7	2	5	3	1	2
35-44	16	4	12	8	1	7	8	3	5
45-54	32	9	23	16	4	12	16	5	11
55-64	83	21	62	51	12	39	32	9	23
65-74	96	32	63	56	18	38	40	14	25
75-84	93	41	51	39	19	20	54	22	31
85 and over	74	43	31	15	9	6	59	34	25
Unknown	0	0	0	0	0	0	0	0	0

2017 Population									
Total	31,945								
White	10,904								
Black	20,449								
Other	592								

Selected Death Statistics, Residents of Calhoun County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	175	114	61	1,207.6	1,128.7	1,472.0
1	Heart Diseases	54	31	23	372.6	306.9	555.0
2	Malignant Neoplasms	29	22	7	200.1	217.8	168.9
3	Emphysema and Other Chronic Lower Resp. Diseases	16	13	3	110.4	128.7	72.4
4	Diabetes Mellitus	10	6	4	69.0	59.4	96.5
5	Cerebrovascular Disease	9	5	4	62.1	49.5	96.5
6	Alzheimer's Disease	8	7	1	55.2	69.3	24.1
6	Accidents	8	6	2	55.2	59.4	48.3
8	Hypertension/Hypertensive Renal Disease	5	4	1	34.5	39.6	24.1
8	Septicemia	5	3	2	34.5	29.7	48.3
10	Nephritis, Nephrotic Syndrome And Nephrosis	3	2	1	20.7	19.8	24.1
11	Pneumonitis Due to Solids and Liquids	2	0	2	13.8	0.0	48.3
11	Influenza and Pneumonia	2	2	0	13.8	19.8	0.0
11	Conditions Originating in the Perinatal Period**	2	0	2	12.6	0.0	28.6
14	Peptic Ulcer	1	1	0	6.9	9.9	0.0
14	Aortic Aneurysm and Dissection	1	0	1	6.9	0.0	24.1
14	Congenital Malformations and Chrom. Abnormalities	1	0	1	6.9	0.0	24.1
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	1	0	1	6.9	0.0	24.1
	All Other Causes	18	12	6	124.2	118.8	144.8

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	175	114	61	98	58	40	77	56	21
Under 1	3	0	3	2	0	2	1	0	1
(Neonatal)	3	0	3	2	0	2	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	0	0	0	1	1	0
25-34	0	0	0	0	0	0	0	0	0
35-44	5	4	1	4	3	1	1	1	0
45-54	15	5	10	11	4	7	4	1	3
55-64	26	12	14	15	7	8	11	5	6
65-74	44	27	17	27	13	14	17	14	3
75-84	34	28	6	18	14	4	16	14	2
85 and over	47	37	10	21	17	4	26	20	6
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	14,492
White	10,100
Black	4,144
Other	248

Selected Death Statistics, Residents of Carroll County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	113	82	31	1,114.5	1,236.6	923.4
1	Heart Diseases	39	31	8	384.7	467.5	238.3
2	Malignant Neoplasms	30	19	11	295.9	286.5	327.7
3	Emphysema and Other Chronic Lower Resp. Diseases	6	5	1	59.2	75.4	29.8
4	Accidents	5	3	2	49.3	45.2	59.6
4	Alzheimer's Disease	5	5	0	49.3	75.4	0.0
6	Cerebrovascular Disease	4	2	2	39.5	30.2	59.6
7	Nephritis, Nephrotic Syndrome And Nephrosis	2	0	2	19.7	0.0	59.6
7	In Situ, Benign and Unspecified Neoplasms	2	2	0	19.7	30.2	0.0
9	Complications Medical/Surgical Care	1	1	0	9.9	15.1	0.0
9	Homicide	1	0	1	9.9	0.0	29.8
9	Chronic Liver Disease And Cirrhosis	1	1	0	9.9	15.1	0.0
9	Pneumonitis Due to Solids and Liquids	1	1	0	9.9	15.1	0.0
9	Hypertension/Hypertensive Renal Disease	1	1	0	9.9	15.1	0.0
9	Viral Hepatitis	1	1	0	9.9	15.1	0.0
9	HIV Disease	1	0	1	9.9	0.0	29.8
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	0	0	0	0.0	0.0	0.0
	All Other Causes	13	10	3	128.2	150.8	89.4

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	113	82	31	64	42	22	49	40	9
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	2	1	2	1	1	1	1	0
25-34	3	1	2	2	1	1	1	0	1
35-44	2	1	1	1	0	1	1	1	0
45-54	7	5	2	4	3	1	3	2	1
55-64	17	11	6	12	6	6	5	5	0
65-74	29	23	6	19	14	5	10	9	1
75-84	29	22	7	18	12	6	11	10	1
85 and over	23	17	6	6	5	1	17	12	5
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	10,139
White	6,631
Black	3,357
Other	151

Selected Death Statistics, Residents of Chickasaw County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	187	124	62	1,090.6	1,353.6	814.4
1	Heart Diseases	46	33	12	268.3	360.2	157.6
2	Malignant Neoplasms	43	26	17	250.8	283.8	223.3
3	Accidents	14	11	3	81.7	120.1	39.4
4	Emphysema and Other Chronic Lower Resp. Diseases	12	12	0	70.0	131.0	0.0
5	Cerebrovascular Disease	11	2	9	64.2	21.8	118.2
6	Alzheimer's Disease	9	6	3	52.5	65.5	39.4
7	Chronic Liver Disease And Cirrhosis	6	4	2	35.0	43.7	26.3
8	Diabetes Mellitus	4	3	1	23.3	32.7	13.1
9	Nephritis, Nephrotic Syndrome And Nephrosis	3	1	2	17.5	10.9	26.3
9	Suicide	3	2	1	17.5	21.8	13.1
9	Pneumonitis Due to Solids and Liquids	3	2	1	17.5	21.8	13.1
9	Hypertension/Hypertensive Renal Disease	3	1	2	17.5	10.9	26.3
9	Septicemia	3	2	1	17.5	21.8	13.1
14	Influenza and Pneumonia	2	2	0	11.7	21.8	0.0
15	Malnutrition/Nutritional Deficiency	1	1	0	5.8	10.9	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	3	2	1	17.5	21.8	13.1
	All Other Causes	21	14	7	122.5	152.8	91.9

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	187	124	62	87	61	25	100	63	37
Under 1	1	0	1	1	0	1	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	6	3	3	3	1	2	3	2	1
35-44	6	5	1	5	4	1	1	1	0
45-54	16	8	8	11	6	5	5	2	3
55-64	24	15	9	13	10	3	11	5	6
65-74	33	20	13	20	14	6	13	6	7
75-84	56	40	16	24	19	5	32	21	11
85 and over	44	33	10	10	7	2	34	26	8
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	17,146
White	9,161
Black	7,613
Other	372

Selected Death Statistics, Residents of Choctaw County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	121	77	43	1,461.7	1,362.8	1,754.4
1	Malignant Neoplasms	28	18	10	338.2	318.6	408.0
2	Heart Diseases	16	10	6	193.3	177.0	244.8
3	Emphysema and Other Chronic Lower Resp. Diseases	11	7	4	132.9	123.9	163.2
4	Cerebrovascular Disease	9	5	4	108.7	88.5	163.2
5	Alzheimer's Disease	8	7	1	96.6	123.9	40.8
6	Nephritis, Nephrotic Syndrome And Nephrosis	7	5	2	84.6	88.5	81.6
7	Accidents	4	3	1	48.3	53.1	40.8
7	Septicemia	4	3	1	48.3	53.1	40.8
9	Pneumonitis Due to Solids and Liquids	3	1	1	36.2	17.7	40.8
10	Suicide	2	2	0	24.2	35.4	0.0
10	Aortic Aneurysm and Dissection	2	1	1	24.2	17.7	40.8
10	Diabetes Mellitus	2	1	1	24.2	17.7	40.8
13	Chronic Liver Disease And Cirrhosis	1	0	1	12.1	0.0	40.8
13	Peptic Ulcer	1	0	1	12.1	0.0	40.8
13	Pneumoconioses and Chemical Effects	1	1	0	12.1	17.7	0.0
13	Influenza and Pneumonia	1	1	0	12.1	17.7	0.0
13	Conditions Originating in the Perinatal Period**	1	0	1	10.9	0.0	41.7
13	Parkinson's Disease	1	1	0	12.1	17.7	0.0
13	Viral Hepatitis	1	1	0	12.1	17.7	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	4	2	2	48.3	35.4	81.6
	All Other Causes	14	8	6	169.1	141.6	244.8

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	121	77	43	61	37	24	60	40	19
Under 1	1	0	1	0	0	0	1	0	1
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	4	3	1	4	3	1	0	0	0
35-44	5	3	2	2	1	1	3	2	1
45-54	8	2	6	6	2	4	2	0	2
55-64	9	5	4	4	3	1	5	2	3
65-74	34	22	12	24	15	9	10	7	3
75-84	29	20	9	14	9	5	15	11	4
85 and over	31	22	8	7	4	3	24	18	5
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	8,278
White	5,650
Black	2,451
Other	177

Selected Death Statistics, Residents of Claiborne County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	106	20	86	1,184.4	1,831.5	1,117.5
1	Heart Diseases	38	8	30	424.6	732.6	389.8
2	Malignant Neoplasms	20	4	16	223.5	366.3	207.9
3	Accidents	8	0	8	89.4	0.0	104.0
4	Cerebrovascular Disease	7	1	6	78.2	91.6	78.0
5	Emphysema and Other Chronic Lower Resp. Diseases	6	2	4	67.0	183.2	52.0
6	Nephritis, Nephrotic Syndrome And Nephrosis	5	1	4	55.9	91.6	52.0
7	Congenital Malformations and Chrom. Abnormalities	3	0	3	33.5	0.0	39.0
7	Diabetes Mellitus	3	0	3	33.5	0.0	39.0
9	Suicide	2	0	2	22.3	0.0	26.0
9	Influenza and Pneumonia	2	1	1	22.3	91.6	13.0
11	Homicide	1	0	1	11.2	0.0	13.0
11	Alzheimer's Disease	1	1	0	11.2	91.6	0.0
11	Chronic Liver Disease And Cirrhosis	1	1	0	11.2	91.6	0.0
11	Septicemia	1	0	1	11.2	0.0	13.0
11	Hypertension/Hypertensive Renal Disease	1	0	1	11.2	0.0	13.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	1	1	0	11.2	91.6	0.0
	All Other Causes	6	0	6	67.0	0.0	78.0

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	106	20	86	60	9	51	46	11	35
Under 1	3	1	2	1	1	0	2	0	2
(Neonatal)	3	1	2	1	1	0	2	0	2
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	4	0	4	2	0	2	2	0	2
35-44	5	0	5	3	0	3	2	0	2
45-54	10	3	7	7	1	6	3	2	1
55-64	17	1	16	12	1	11	5	0	5
65-74	18	2	16	15	2	13	3	0	3
75-84	25	6	19	12	2	10	13	4	9
85 and over	23	7	16	7	2	5	16	5	11
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	8,950
White	1,092
Black	7,696
Other	162

Selected Death Statistics, Residents of Clarke County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	212	141	71	1,339.4	1,389.7	1,298.9
1	Heart Diseases	73	54	19	461.2	532.2	347.6
2	Malignant Neoplasms	39	26	13	246.4	256.3	237.8
3	Cerebrovascular Disease	17	9	8	107.4	88.7	146.4
4	Accidents	12	6	6	75.8	59.1	109.8
4	Alzheimer's Disease	12	7	5	75.8	69.0	91.5
6	Nephritis, Nephrotic Syndrome And Nephrosis	7	4	3	44.2	39.4	54.9
6	Emphysema and Other Chronic Lower Resp. Diseases	7	6	1	44.2	59.1	18.3
8	Chronic Liver Disease And Cirrhosis	5	4	1	31.6	39.4	18.3
9	Influenza and Pneumonia	4	3	1	25.3	29.6	18.3
9	Diabetes Mellitus	4	2	2	25.3	19.7	36.6
11	Parkinson's Disease	3	3	0	19.0	29.6	0.0
11	Septicemia	3	3	0	19.0	29.6	0.0
13	Pneumonitis Due to Solids and Liquids	2	1	1	12.6	9.9	18.3
13	In Situ, Benign and Unspecified Neoplasms	2	1	1	12.6	9.9	18.3
15	Suicide	1	0	1	6.3	0.0	18.3
15	Conditions Originating in the Perinatal Period**	1	1	0	5.0	7.9	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	2	0	2	12.6	0.0	36.6
	All Other Causes	18	11	7	113.7	108.4	128.1

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

	----- Total*-----			----- Male -----			----- Female -----		
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	212	141	71	99	72	27	113	69	44
Under 1	1	1	0	1	1	0	0	0	0
(Neonatal)	1	1	0	1	1	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	5	2	3	2	1	1	3	1	2
25-34	2	0	2	1	0	1	1	0	1
35-44	7	5	2	5	4	1	2	1	1
45-54	11	6	5	3	2	1	8	4	4
55-64	36	19	17	21	12	9	15	7	8
65-74	38	27	11	25	19	6	13	8	5
75-84	56	42	14	21	17	4	35	25	10
85 and over	55	39	16	20	16	4	35	23	12
Unknown	0	0	0	0	0	0	0	0	0

2017 Population									
Total	15,828								
White	10,146								
Black	5,466								
Other	216								

Selected Death Statistics, Residents of Clay County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	246	119	127	1,252.5	1,521.4	1,098.1
1	Heart Diseases	67	36	31	341.1	460.2	268.1
2	Malignant Neoplasms	60	30	30	305.5	383.5	259.4
3	Diabetes Mellitus	16	7	9	81.5	89.5	77.8
4	Cerebrovascular Disease	13	4	9	66.2	51.1	77.8
5	Emphysema and Other Chronic Lower Resp. Diseases	11	8	3	56.0	102.3	25.9
5	Alzheimer's Disease	11	6	5	56.0	76.7	43.2
7	Septicemia	7	4	3	35.6	51.1	25.9
8	Accidents	6	4	2	30.5	51.1	17.3
9	Chronic Liver Disease And Cirrhosis	5	4	1	25.5	51.1	8.6
10	Nephritis, Nephrotic Syndrome And Nephrosis	2	1	1	10.2	12.8	8.6
10	Influenza and Pneumonia	2	1	1	10.2	12.8	8.6
10	Homicide	2	0	2	10.2	0.0	17.3
10	Parkinson's Disease	2	1	1	10.2	12.8	8.6
10	Hypertension/Hypertensive Renal Disease	2	0	2	10.2	0.0	17.3
15	Complications Medical/Surgical Care	1	0	1	5.1	0.0	8.6
15	Conditions Originating in the Perinatal Period**	1	0	1	4.5	0.0	6.7
15	HIV Disease	1	0	1	5.1	0.0	8.6
15	Tuberculosis	1	0	1	5.1	0.0	8.6
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	1	1	0	5.1	12.8	0.0
	All Other Causes	35	12	23	178.2	153.4	198.9

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	246	119	127	124	67	57	122	52	70
Under 1	1	0	1	0	0	0	1	0	1
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	1	0	1	0	0	0	1	0	1
35-44	3	1	2	0	0	0	3	1	2
45-54	13	3	10	8	2	6	5	1	4
55-64	40	16	24	26	13	13	14	3	11
65-74	62	29	33	35	17	18	27	12	15
75-84	68	36	32	37	24	13	31	12	19
85 and over	57	34	23	17	11	6	40	23	17
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	19,640
White	7,822
Black	11,565
Other	253

Selected Death Statistics, Residents of Coahoma County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	294	90	204	1,269.8	1,773.4	1,149.4
1	Malignant Neoplasms	65	16	49	280.7	315.3	276.1
2	Heart Diseases	62	24	38	267.8	472.9	214.1
3	Diabetes Mellitus	24	5	19	103.7	98.5	107.0
4	Accidents	14	6	8	60.5	118.2	45.1
4	Emphysema and Other Chronic Lower Resp. Diseases	14	4	10	60.5	78.8	56.3
6	Cerebrovascular Disease	12	6	6	51.8	118.2	33.8
6	Alzheimer's Disease	12	7	5	51.8	137.9	28.2
8	Homicide	7	0	7	30.2	0.0	39.4
8	Nephritis, Nephrotic Syndrome And Nephrosis	7	0	7	30.2	0.0	39.4
8	Septicemia	7	3	4	30.2	59.1	22.5
11	Pneumonitis Due to Solids and Liquids	6	1	5	25.9	19.7	28.2
12	Influenza and Pneumonia	5	3	2	21.6	59.1	11.3
12	Hypertension/Hypertensive Renal Disease	5	1	4	21.6	19.7	22.5
14	Suicide	4	1	3	17.3	19.7	16.9
14	Chronic Liver Disease And Cirrhosis	4	2	2	17.3	39.4	11.3
16	Congenital Malformations and Chrom. Abnormalities	3	0	3	13.0	0.0	16.9
17	Anemias	2	0	2	8.6	0.0	11.3
18	Conditions Originating in the Perinatal Period**	1	0	1	2.5	0.0	3.0
18	Parkinson's Disease	1	1	0	4.3	19.7	0.0
18	Viral Hepatitis	1	0	1	4.3	0.0	5.6
18	HIV Disease	1	0	1	4.3	0.0	5.6
18	Aortic Aneurysm and Dissection	1	0	1	4.3	0.0	5.6
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	5	1	4	21.6	19.7	22.5
	All Other Causes	31	9	22	133.9	177.3	124.0

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.
Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	294	90	204	162	55	107	132	35	97
Under 1	3	0	3	3	0	3	0	0	0
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	2	0	2	2	0	2	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	1	5	6	1	5	0	0	0
25-34	11	5	6	7	4	3	4	1	3
35-44	17	5	12	13	4	9	4	1	3
45-54	24	4	20	17	3	14	7	1	6
55-64	56	10	46	35	7	28	21	3	18
65-74	55	16	39	33	13	20	22	3	19
75-84	53	19	34	26	11	15	27	8	19
85 and over	68	30	38	21	12	9	47	18	29
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	23,154
White	5,075
Black	17,749
Other	330

Selected Death Statistics, Residents of Copiah County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	342	199	141	1,199.3	1,506.0	952.4
1	Heart Diseases	106	64	40	371.7	484.3	270.2
2	Malignant Neoplasms	70	37	33	245.5	280.0	222.9
3	Cerebrovascular Disease	20	9	11	70.1	68.1	74.3
4	Diabetes Mellitus	18	7	11	63.1	53.0	74.3
5	Emphysema and Other Chronic Lower Resp. Diseases	15	12	3	52.6	90.8	20.3
6	Alzheimer's Disease	13	10	3	45.6	75.7	20.3
7	Accidents	12	6	6	42.1	45.4	40.5
8	Nephritis, Nephrotic Syndrome And Nephrosis	9	4	5	31.6	30.3	33.8
9	Influenza and Pneumonia	8	4	4	28.1	30.3	27.0
10	Septicemia	6	3	3	21.0	22.7	20.3
11	Chronic Liver Disease And Cirrhosis	4	4	0	14.0	30.3	0.0
11	Hypertension/Hypertensive Renal Disease	4	1	3	14.0	7.6	20.3
13	In Situ, Benign and Unspecified Neoplasms	3	3	0	10.5	22.7	0.0
13	Suicide	3	2	1	10.5	15.1	6.8
15	Viral Hepatitis	2	2	0	7.0	15.1	0.0
15	Homicide	2	0	2	7.0	0.0	13.5
15	Congenital Malformations and Chrom. Abnormalities	2	0	2	7.0	0.0	13.5
15	Aortic Aneurysm and Dissection	2	2	0	7.0	15.1	0.0
19	HIV Disease	1	0	1	3.5	0.0	6.8
19	Complications Medical/Surgical Care	1	1	0	3.5	7.6	0.0
19	Pneumonitis Due to Solids and Liquids	1	0	1	3.5	0.0	6.8
19	Cholelithiasis/Gallbladder Disorder	1	1	0	3.5	7.6	0.0
19	Parkinson's Disease	1	1	0	3.5	7.6	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	1	0	1	3.5	0.0	6.8
	All Other Causes	37	26	11	129.8	196.8	74.3

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

	----- Total*-----			----- Male -----			----- Female -----		
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	342	199	141	173	97	75	169	102	66
Under 1	1	0	1	1	0	1	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	6	4	2	6	4	2	0	0	0
25-34	6	2	4	4	1	3	2	1	1
35-44	7	4	3	5	2	3	2	2	0
45-54	24	11	11	15	7	7	9	4	4
55-64	65	34	31	36	19	17	29	15	14
65-74	80	45	35	50	29	21	30	16	14
75-84	73	40	33	37	23	14	36	17	19
85 and over	79	59	20	19	12	7	60	47	13
Unknown	0	0	0	0	0	0	0	0	0

2017 Population									
Total	28,516								
White	13,214								
Black	14,805								
Other	497								

Selected Death Statistics, Residents of Covington County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate*----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	270	199	70	1,415.2	1,681.7	1,014.6
1	Heart Diseases	58	41	17	304.0	346.5	246.4
2	Malignant Neoplasms	48	32	16	251.6	270.4	231.9
3	Alzheimer's Disease	28	26	2	146.8	219.7	29.0
4	Cerebrovascular Disease	23	18	5	120.6	152.1	72.5
5	Accidents	17	13	4	89.1	109.9	58.0
6	Emphysema and Other Chronic Lower Resp. Diseases	15	12	3	78.6	101.4	43.5
7	Influenza and Pneumonia	12	8	4	62.9	67.6	58.0
8	Nephritis, Nephrotic Syndrome And Nephrosis	7	3	4	36.7	25.4	58.0
8	Diabetes Mellitus	7	7	0	36.7	59.2	0.0
10	Septicemia	5	4	1	26.2	33.8	14.5
11	Homicide	4	0	3	21.0	0.0	43.5
12	Chronic Liver Disease And Cirrhosis	3	2	1	15.7	16.9	14.5
12	Parkinson's Disease	3	3	0	15.7	25.4	0.0
14	Suicide	2	2	0	10.5	16.9	0.0
14	Hypertension/Hypertensive Renal Disease	2	2	0	10.5	16.9	0.0
16	Congenital Malformations and Chrom. Abnormalities	1	0	1	5.2	0.0	14.5
16	Pneumonitis Due to Solids and Liquids	1	1	0	5.2	8.5	0.0
16	Malnutrition/Nutritional Deficiency	1	1	0	5.2	8.5	0.0
16	HIV Disease	1	0	1	5.2	0.0	14.5
16	Anemias	1	0	1	5.2	0.0	14.5
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	0	0	0	0.0	0.0	0.0
	All Other Causes	31	24	7	162.5	202.8	101.5

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.
Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	270	199	70	167	128	39	103	71	31
Under 1	1	0	1	0	0	0	1	0	1
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	2	1	1	0	0	0
15-24	2	2	0	2	2	0	0	0	0
25-34	5	2	3	4	1	3	1	1	0
35-44	6	1	5	2	1	1	4	0	4
45-54	13	8	5	10	5	5	3	3	0
55-64	36	22	14	22	13	9	14	9	5
65-74	60	43	16	38	31	7	22	12	9
75-84	69	58	11	39	33	6	30	25	5
85 and over	75	62	13	48	41	7	27	21	6
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	19,079
White	11,833
Black	6,899
Other	347

Selected Death Statistics, Residents of Desoto County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	1,416	1,176	226	792.2	956.2	454.3
1	Malignant Neoplasms	326	271	52	182.4	220.4	104.5
2	Heart Diseases	312	257	53	174.5	209.0	106.5
3	Emphysema and Other Chronic Lower Resp. Diseases	96	89	7	53.7	72.4	14.1
4	Accidents	85	75	10	47.6	61.0	20.1
5	Alzheimer's Disease	76	72	4	42.5	58.5	8.0
6	Cerebrovascular Disease	70	50	17	39.2	40.7	34.2
7	Diabetes Mellitus	65	45	19	36.4	36.6	38.2
8	Hypertension/Hypertensive Renal Disease	37	30	7	20.7	24.4	14.1
9	Influenza and Pneumonia	33	31	2	18.5	25.2	4.0
10	Nephritis, Nephrotic Syndrome And Nephrosis	29	22	6	16.2	17.9	12.1
11	Suicide	26	23	3	14.5	18.7	6.0
12	Septicemia	19	16	3	10.6	13.0	6.0
13	Chronic Liver Disease And Cirrhosis	18	15	2	10.1	12.2	4.0
14	Homicide	14	4	9	7.8	3.3	18.1
15	Parkinson's Disease	11	10	1	6.2	8.1	2.0
16	Conditions Originating in the Perinatal Period**	7	4	3	3.3	2.8	4.6
17	Complications Medical/Surgical Care	6	4	2	3.4	3.3	4.0
18	Congenital Malformations and Chrom. Abnormalities	5	5	0	2.8	4.1	0.0
18	Aortic Aneurysm and Dissection	5	5	0	2.8	4.1	0.0
18	Malnutrition/Nutritional Deficiency	5	4	1	2.8	3.3	2.0
21	Pneumonitis Due to Solids and Liquids	4	3	1	2.2	2.4	2.0
22	Anemias	3	1	2	1.7	0.8	4.0
22	HIV Disease	3	2	1	1.7	1.6	2.0
24	Peptic Ulcer	2	2	0	1.1	1.6	0.0
24	Meningitis	2	1	1	1.1	0.8	2.0
24	Viral Hepatitis	2	2	0	1.1	1.6	0.0
24	In Situ, Benign and Unspecified Neoplasms	2	2	0	1.1	1.6	0.0
28	Female Pelvic Inflammatory Disease	1	1	0	1.1	1.6	0.0
28	Legal Intervention	1	1	0	0.6	0.8	0.0
28	Hernia	1	1	0	0.6	0.8	0.0
28	Tuberculosis	1	1	0	0.6	0.8	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	19	17	2	10.6	13.8	4.0
	All Other Causes	130	110	18	72.7	89.4	36.2

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	1,416	1,176	226	735	603	125	681	573	101
Under 1	17	12	5	10	8	2	7	4	3
(Neonatal)	13	11	2	9	8	1	4	3	1
(Postneonatal)	4	1	3	1	0	1	3	1	2
1-4	2	2	0	1	1	0	1	1	0
5-9	1	0	1	1	0	1	0	0	0
10-14	3	2	1	1	1	0	2	1	1
15-24	28	19	8	22	15	7	6	4	1
25-34	40	35	5	26	22	4	14	13	1
35-44	60	50	9	38	33	5	22	17	4
45-54	116	83	33	65	43	22	51	40	11
55-64	226	178	46	130	106	22	96	72	24
65-74	322	261	56	176	140	33	146	121	23
75-84	318	284	31	163	146	15	155	138	16
85 and over	283	250	31	102	88	14	181	162	17
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	178,751
White	122,983
Black	49,752
Other	6,016

Selected Death Statistics, Residents of Forrest County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	787	550	236	1,042.8	1,234.9	823.6
1	Heart Diseases	185	131	54	245.1	294.1	188.4
2	Malignant Neoplasms	146	101	44	193.5	226.8	153.6
3	Emphysema and Other Chronic Lower Resp. Diseases	57	44	13	75.5	98.8	45.4
4	Alzheimer's Disease	47	39	8	62.3	87.6	27.9
5	Cerebrovascular Disease	39	24	15	51.7	53.9	52.3
6	Accidents	38	29	9	50.4	65.1	31.4
7	Influenza and Pneumonia	29	22	7	38.4	49.4	24.4
8	Diabetes Mellitus	22	16	6	29.2	35.9	20.9
9	Septicemia	20	12	8	26.5	26.9	27.9
10	Nephritis, Nephrotic Syndrome And Nephrosis	16	11	5	21.2	24.7	17.4
11	Suicide	13	12	1	17.2	26.9	3.5
12	Parkinson's Disease	12	11	1	15.9	24.7	3.5
13	Hypertension/Hypertensive Renal Disease	9	6	3	11.9	13.5	10.5
14	Chronic Liver Disease And Cirrhosis	7	4	3	9.3	9.0	10.5
15	In Situ, Benign and Unspecified Neoplasms	6	5	1	8.0	11.2	3.5
16	Conditions Originating in the Perinatal Period**	5	0	5	4.9	0.0	10.5
16	Pneumonitis Due to Solids and Liquids	5	3	2	6.6	6.7	7.0
18	HIV Disease	3	0	3	4.0	0.0	10.5
18	Viral Hepatitis	3	2	1	4.0	4.5	3.5
20	Homicide	2	1	1	2.7	2.2	3.5
20	Congenital Malformations and Chrom. Abnormalities	2	1	1	2.7	2.2	3.5
22	Cholelithiasis/Gallbladder Disorder	1	1	0	1.3	2.2	0.0
22	Malnutrition/Nutritional Deficiency	1	1	0	1.3	2.2	0.0
22	Salmonella Infection	1	1	0	1.3	2.2	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	15	9	6	19.9	20.2	20.9
	All Other Causes	103	64	39	136.5	143.7	136.1

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	787	550	236	385	266	118	402	284	118
Under 1	15	6	9	9	4	5	6	2	4
(Neonatal)	8	1	7	5	0	5	3	1	2
(Postneonatal)	7	5	2	4	4	0	3	1	2
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	11	6	5	11	6	5	0	0	0
25-34	20	11	9	15	8	7	5	3	2
35-44	32	16	16	17	7	10	15	9	6
45-54	64	37	27	31	19	12	33	18	15
55-64	143	90	52	89	55	33	54	35	19
65-74	144	86	58	75	49	26	69	37	32
75-84	172	140	32	88	72	16	84	68	16
85 and over	185	158	27	50	46	4	135	112	23
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	75,471
White	44,538
Black	28,655
Other	2,278

Selected Death Statistics, Residents of Franklin County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	87	59	28	1,120.4	1,189.5	1,043.2
1	Heart Diseases	25	17	8	322.0	342.7	298.1
2	Malignant Neoplasms	15	11	4	193.2	221.8	149.0
3	Septicemia	5	3	2	64.4	60.5	74.5
4	Nephritis, Nephrotic Syndrome And Nephrosis	4	2	2	51.5	40.3	74.5
4	Accidents	4	4	0	51.5	80.6	0.0
6	Cerebrovascular Disease	3	2	1	38.6	40.3	37.3
6	Emphysema and Other Chronic Lower Resp. Diseases	3	3	0	38.6	60.5	0.0
6	Alzheimer's Disease	3	2	1	38.6	40.3	37.3
9	Chronic Liver Disease And Cirrhosis	2	2	0	25.8	40.3	0.0
9	Influenza and Pneumonia	2	2	0	25.8	40.3	0.0
11	Homicide	1	0	1	12.9	0.0	37.3
11	Suicide	1	1	0	12.9	20.2	0.0
11	Conditions Originating in the Perinatal Period**	1	0	1	11.5	0.0	27.8
11	Diabetes Mellitus	1	0	1	12.9	0.0	37.3
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	3	2	1	38.6	40.3	37.3
	All Other Causes	14	8	6	180.3	161.3	223.5

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	87	59	28	38	24	14	49	35	14
Under 1	2	0	2	2	0	2	0	0	0
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	1	1	1	0	1	1	1	0
35-44	4	3	1	3	2	1	1	1	0
45-54	8	7	1	5	4	1	3	3	0
55-64	10	6	4	3	2	1	7	4	3
65-74	18	9	9	8	3	5	10	6	4
75-84	20	16	4	9	7	2	11	9	2
85 and over	23	17	6	7	6	1	16	11	5
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	7,765
White	4,960
Black	2,684
Other	121

Selected Death Statistics, Residents of George County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	309	287	19	1,282.5	1,326.2	1,016.6
1	Heart Diseases	70	66	4	290.5	305.0	214.0
2	Malignant Neoplasms	58	57	1	240.7	263.4	53.5
3	Emphysema and Other Chronic Lower Resp. Diseases	25	24	1	103.8	110.9	53.5
4	Accidents	22	20	1	91.3	92.4	53.5
5	Diabetes Mellitus	17	14	3	70.6	64.7	160.5
6	Cerebrovascular Disease	15	14	0	62.3	64.7	0.0
6	Alzheimer's Disease	15	15	0	62.3	69.3	0.0
8	Influenza and Pneumonia	8	8	0	33.2	37.0	0.0
9	Nephritis, Nephrotic Syndrome And Nephrosis	4	2	2	16.6	9.2	107.0
9	Chronic Liver Disease And Cirrhosis	4	4	0	16.6	18.5	0.0
11	Homicide	3	1	2	12.5	4.6	107.0
11	Hypertension/Hypertensive Renal Disease	3	3	0	12.5	13.9	0.0
11	In Situ, Benign and Unspecified Neoplasms	3	2	1	12.5	9.2	53.5
14	Suicide	2	2	0	8.3	9.2	0.0
14	Conditions Originating in the Perinatal Period**	2	2	0	5.9	6.3	0.0
14	Septicemia	2	2	0	8.3	9.2	0.0
17	Complications Medical/Surgical Care	1	1	0	4.2	4.6	0.0
17	Infections of Kidney	1	1	0	4.2	4.6	0.0
17	Aortic Aneurysm and Dissection	1	1	0	4.2	4.6	0.0
17	Pneumonitis Due to Solids and Liquids	1	1	0	4.2	4.6	0.0
17	Parkinson's Disease	1	1	0	4.2	4.6	0.0
17	Congenital Malformations and Chrom. Abnormalities	1	1	0	4.2	4.6	0.0
17	Viral Hepatitis	1	0	1	4.2	0.0	53.5
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	22	19	2	91.3	87.8	107.0
	All Other Causes	27	26	1	112.1	120.1	53.5

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	309	287	19	166	151	14	143	136	5
Under 1	4	3	1	4	3	1	0	0	0
(Neonatal)	2	2	0	2	2	0	0	0	0
(Postneonatal)	2	1	1	2	1	1	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	2	2	0	0	0	0	2	2	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	3	0	1	1	0	2	2	0
25-34	7	4	1	5	3	1	2	1	0
35-44	11	10	1	9	8	1	2	2	0
45-54	21	20	1	11	10	1	10	10	0
55-64	40	40	0	26	26	0	14	14	0
65-74	68	62	6	35	31	4	33	31	2
75-84	97	90	6	50	45	5	47	45	1
85 and over	55	52	3	24	23	1	31	29	2
Unknown	0	0	0	0	0	0	0	0	0

2017 Population									
Total	24,094								
White	21,641								
Black	1,869								
Other	584								

Selected Death Statistics, Residents of Greene County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	153	119	34	1,146.5	1,207.3	1,026.6
1	Heart Diseases	52	37	15	389.7	375.4	452.9
2	Malignant Neoplasms	35	29	6	262.3	294.2	181.2
3	Emphysema and Other Chronic Lower Resp. Diseases	8	6	2	59.9	60.9	60.4
4	Accidents	6	6	0	45.0	60.9	0.0
4	Alzheimer's Disease	6	5	1	45.0	50.7	30.2
6	Influenza and Pneumonia	4	3	1	30.0	30.4	30.2
7	Cerebrovascular Disease	3	2	1	22.5	20.3	30.2
8	Nephritis, Nephrotic Syndrome And Nephrosis	2	1	1	15.0	10.1	30.2
8	HIV Disease	2	1	1	15.0	10.1	30.2
8	Diabetes Mellitus	2	2	0	15.0	20.3	0.0
11	Complications Medical/Surgical Care	1	1	0	7.5	10.1	0.0
11	Chronic Liver Disease And Cirrhosis	1	1	0	7.5	10.1	0.0
11	Diseases of Appendix	1	1	0	7.5	10.1	0.0
11	Pneumonitis Due to Solids and Liquids	1	1	0	7.5	10.1	0.0
11	Hypertension/Hypertensive Renal Disease	1	1	0	7.5	10.1	0.0
11	In Situ, Benign and Unspecified Neoplasms	1	1	0	7.5	10.1	0.0
11	Septicemia	1	1	0	7.5	10.1	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	5	3	2	37.5	30.4	60.4
	All Other Causes	21	17	4	157.4	172.5	120.8

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.
Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	153	119	34	81	66	15	72	53	19
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	3	1	3	2	1	1	1	0
25-34	1	1	0	1	1	0	0	0	0
35-44	7	4	3	5	3	2	2	1	1
45-54	12	10	2	9	8	1	3	2	1
55-64	30	20	10	17	11	6	13	9	4
65-74	34	26	8	19	16	3	15	10	5
75-84	31	26	5	12	12	0	19	14	5
85 and over	33	28	5	15	13	2	18	15	3
Unknown	0	0	0	0	0	0	0	0	0

2017 Population
Total 13,345
White 9,857
Black 3,312
Other 176

Selected Death Statistics, Residents of Grenada County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	315	194	121	1,493.8	1,658.8	1,341.6
1	Heart Diseases	67	40	27	317.7	342.0	299.4
2	Malignant Neoplasms	57	35	22	270.3	299.3	243.9
3	Emphysema and Other Chronic Lower Resp. Diseases	21	15	6	99.6	128.3	66.5
4	Cerebrovascular Disease	17	13	4	80.6	111.2	44.4
5	Hypertension/Hypertensive Renal Disease	16	6	10	75.9	51.3	110.9
6	Alzheimer's Disease	14	13	1	66.4	111.2	11.1
7	Accidents	13	7	6	61.6	59.9	66.5
8	Diabetes Mellitus	9	4	5	42.7	34.2	55.4
9	Influenza and Pneumonia	8	6	2	37.9	51.3	22.2
10	Homicide	6	2	4	28.5	17.1	44.4
10	Suicide	6	3	3	28.5	25.7	33.3
10	Nephritis, Nephrotic Syndrome And Nephrosis	6	2	4	28.5	17.1	44.4
13	Chronic Liver Disease And Cirrhosis	5	4	1	23.7	34.2	11.1
14	Parkinson's Disease	4	4	0	19.0	34.2	0.0
14	Septicemia	4	3	1	19.0	25.7	11.1
16	In Situ, Benign and Unspecified Neoplasms	3	3	0	14.2	25.7	0.0
17	Conditions Originating in the Perinatal Period**	2	0	2	7.7	0.0	13.5
17	Pneumonitis Due to Solids and Liquids	2	1	1	9.5	8.6	11.1
17	Malnutrition/Nutritional Deficiency	2	2	0	9.5	17.1	0.0
17	Anemias	2	1	1	9.5	8.6	11.1
21	Complications Medical/Surgical Care	1	1	0	4.7	8.6	0.0
21	Congenital Malformations and Chrom. Abnormalities	1	1	0	4.7	8.6	0.0
21	Infections of Kidney	1	0	1	4.7	0.0	11.1
21	Peptic Ulcer	1	1	0	4.7	8.6	0.0
21	Meningitis	1	1	0	4.7	8.6	0.0
21	HIV Disease	1	0	1	4.7	0.0	11.1
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	6	1	5	28.5	8.6	55.4
	All Other Causes	39	25	14	184.9	213.8	155.2

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	315	194	121	173	104	69	142	90	52
Under 1	3	0	3	1	0	1	2	0	2
(Neonatal)	2	0	2	1	0	1	1	0	1
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	3	1	2	3	1	2	0	0	0
25-34	6	4	2	4	2	2	2	2	0
35-44	10	4	6	7	2	5	3	2	1
45-54	18	11	7	11	6	5	7	5	2
55-64	62	28	34	39	18	21	23	10	13
65-74	63	44	19	37	29	8	26	15	11
75-84	67	46	21	40	27	13	27	19	8
85 and over	81	56	25	30	19	11	51	37	14
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	21,087
White	11,695
Black	9,019
Other	373

Selected Death Statistics, Residents of Hancock County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	512	477	32	1,088.1	1,151.2	832.5
1	Heart Diseases	128	117	11	272.0	282.4	286.2
2	Malignant Neoplasms	109	105	3	231.7	253.4	78.0
3	Emphysema and Other Chronic Lower Resp. Diseases	37	35	2	78.6	84.5	52.0
4	Alzheimer's Disease	27	27	0	57.4	65.2	0.0
5	Cerebrovascular Disease	26	25	1	55.3	60.3	26.0
6	Accidents	25	23	2	53.1	55.5	52.0
7	Influenza and Pneumonia	12	12	0	25.5	29.0	0.0
8	Suicide	11	10	1	23.4	24.1	26.0
9	Septicemia	10	10	0	21.3	24.1	0.0
10	Chronic Liver Disease And Cirrhosis	8	6	2	17.0	14.5	52.0
11	Nephritis, Nephrotic Syndrome And Nephrosis	7	4	3	14.9	9.7	78.0
11	Parkinson's Disease	7	7	0	14.9	16.9	0.0
13	Congenital Malformations and Chrom. Abnormalities	6	6	0	12.8	14.5	0.0
13	Diabetes Mellitus	6	5	1	12.8	12.1	26.0
15	Homicide	2	2	0	4.3	4.8	0.0
15	Pneumonitis Due to Solids and Liquids	2	2	0	4.3	4.8	0.0
15	Aortic Aneurysm and Dissection	2	2	0	4.3	4.8	0.0
18	Conditions Originating in the Perinatal Period**	1	1	0	2.2	2.5	0.0
18	Hypertension/Hypertensive Renal Disease	1	1	0	2.1	2.4	0.0
18	Meningitis	1	1	0	2.1	2.4	0.0
18	Malnutrition/Nutritional Deficiency	1	1	0	2.1	2.4	0.0
18	Anemias	1	1	0	2.1	2.4	0.0
18	In Situ, Benign and Unspecified Neoplasms	1	1	0	2.1	2.4	0.0
18	Viral Hepatitis	1	1	0	2.1	2.4	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	5	4	1	10.6	9.7	26.0
	All Other Causes	75	68	5	159.4	164.1	130.1

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	512	477	32	263	243	17	249	234	15
Under 1	8	7	1	5	4	1	3	3	0
(Neonatal)	5	5	0	4	4	0	1	1	0
(Postneonatal)	3	2	1	1	0	1	2	2	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	0	0	0	0	0	0	0	0	0
25-34	8	7	1	5	5	0	3	2	1
35-44	11	10	1	7	6	1	4	4	0
45-54	36	30	5	26	23	2	10	7	3
55-64	82	71	9	51	43	6	31	28	3
65-74	119	112	7	60	57	3	59	55	4
75-84	108	103	5	57	55	2	51	48	3
85 and over	139	136	3	52	50	2	87	86	1
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	47,053
White	41,435
Black	3,844
Other	1,774

Selected Death Statistics, Residents of Harrison County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	2,122	1,706	380	1,035.0	1,219.5	729.8
1	Heart Diseases	619	481	129	301.9	343.8	247.7
2	Malignant Neoplasms	448	369	67	218.5	263.8	128.7
3	Emphysema and Other Chronic Lower Resp. Diseases	110	97	12	53.7	69.3	23.0
3	Cerebrovascular Disease	110	86	21	53.7	61.5	40.3
5	Accidents	109	87	19	53.2	62.2	36.5
6	Alzheimer's Disease	82	69	12	40.0	49.3	23.0
7	Nephritis, Nephrotic Syndrome And Nephrosis	70	50	18	34.1	35.7	34.6
8	Influenza and Pneumonia	62	55	7	30.2	39.3	13.4
9	Suicide	53	51	2	25.9	36.5	3.8
10	Septicemia	37	27	10	18.0	19.3	19.2
11	Chronic Liver Disease And Cirrhosis	31	28	3	15.1	20.0	5.8
12	Diabetes Mellitus	23	19	3	11.2	13.6	5.8
13	Pneumonitis Due to Solids and Liquids	20	14	6	9.8	10.0	11.5
14	Parkinson's Disease	17	15	1	8.3	10.7	1.9
15	Homicide	16	9	7	7.8	6.4	13.4
16	Congenital Malformations and Chrom. Abnormalities	11	9	2	5.4	6.4	3.8
17	Conditions Originating in the Perinatal Period**	10	4	6	3.7	2.4	7.2
17	In Situ, Benign and Unspecified Neoplasms	10	8	1	4.9	5.7	1.9
19	Hypertension/Hypertensive Renal Disease	8	4	4	3.9	2.9	7.7
20	Aortic Aneurysm and Dissection	7	7	0	3.4	5.0	0.0
21	HIV Disease	5	1	4	2.4	0.7	7.7
22	Viral Hepatitis	4	4	0	2.0	2.9	0.0
23	Pneumoconioses and Chemical Effects	3	3	0	1.5	2.1	0.0
24	Complications Medical/Surgical Care	2	2	0	1.0	1.4	0.0
24	Peptic Ulcer	2	2	0	1.0	1.4	0.0
26	Maternal Causes**	1	1	0	37.3	59.4	0.0
26	Hernia	1	0	1	0.5	0.0	1.9
26	Diseases of Appendix	1	1	0	0.5	0.7	0.0
26	Atherosclerosis	1	1	0	0.5	0.7	0.0
26	Malnutrition/Nutritional Deficiency	1	1	0	0.5	0.7	0.0
26	Anemias	1	0	1	0.5	0.0	1.9
26	Syphilis	1	0	1	0.5	0.0	1.9
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	26	20	6	12.7	14.3	11.5
	All Other Causes	220	181	37	107.3	129.4	71.1

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	2,122	1,706	380	1,117	894	204	1,005	812	176
Under 1	21	10	11	12	5	7	9	5	4
(Neonatal)	16	9	7	10	5	5	6	4	2
(Postneonatal)	5	1	4	2	0	2	3	1	2
1-4	4	1	3	1	1	0	3	0	3
5-9	4	3	1	1	0	1	3	3	0
10-14	3	3	0	2	2	0	1	1	0
15-24	21	17	4	12	10	2	9	7	2
25-34	40	25	13	31	19	10	9	6	3
35-44	65	48	17	30	24	6	35	24	11
45-54	182	126	51	97	68	26	85	58	25
55-64	363	274	82	226	168	53	137	106	29
65-74	461	364	90	268	209	55	193	155	35
75-84	497	436	53	248	221	23	249	215	30
85 and over	461	399	55	189	167	21	272	232	34
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	205,027
White	139,896
Black	52,071
Other	13,060

Selected Death Statistics, Residents of Hinds County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	2,217	827	1,383	925.7	1,347.6	796.8
1	Heart Diseases	526	210	313	219.6	342.2	180.3
2	Malignant Neoplasms	454	144	307	189.6	234.7	176.9
3	Cerebrovascular Disease	140	52	88	58.5	84.7	50.7
4	Accidents	131	59	72	54.7	96.1	41.5
5	Emphysema and Other Chronic Lower Resp. Diseases	94	47	47	39.2	76.6	27.1
6	Alzheimer's Disease	90	47	43	37.6	76.6	24.8
7	Diabetes Mellitus	80	21	59	33.4	34.2	34.0
8	Homicide	64	3	61	26.7	4.9	35.1
9	Nephritis, Nephrotic Syndrome And Nephrosis	58	15	43	24.2	24.4	24.8
10	Septicemia	56	22	34	23.4	35.8	19.6
11	Chronic Liver Disease And Cirrhosis	41	22	19	17.1	35.8	10.9
12	Hypertension/Hypertensive Renal Disease	36	10	26	15.0	16.3	15.0
13	Influenza and Pneumonia	31	11	20	12.9	17.9	11.5
13	HIV Disease	31	1	30	12.9	1.6	17.3
15	Suicide	22	17	4	9.2	27.7	2.3
16	Parkinson's Disease	18	9	9	7.5	14.7	5.2
17	Pneumonitis Due to Solids and Liquids	15	5	10	6.3	8.1	5.8
18	Congenital Malformations and Chrom. Abnormalities	14	5	9	5.8	8.1	5.2
19	Conditions Originating in the Perinatal Period**	13	1	12	4.2	1.5	5.0
20	In Situ, Benign and Unspecified Neoplasms	12	5	7	5.0	8.1	4.0
21	Aortic Aneurysm and Dissection	8	4	4	3.3	6.5	2.3
22	Anemias	6	1	5	2.5	1.6	2.9
23	Atherosclerosis	3	2	1	1.3	3.3	0.6
23	Malnutrition/Nutritional Deficiency	3	1	2	1.3	1.6	1.2
23	Viral Hepatitis	3	2	1	1.3	3.3	0.6
26	Hyperplasia of Prostate	2	1	1	1.8	3.4	1.2
27	Cholelithiasis/Gallbladder Disorder	1	0	1	0.4	0.0	0.6
27	Peptic Ulcer	1	1	0	0.4	1.6	0.0
27	Tuberculosis	1	0	1	0.4	0.0	0.6
27	Meningitis	1	0	1	0.4	0.0	0.6
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	18	8	10	7.5	13.0	5.8
	All Other Causes	244	101	143	101.9	164.6	82.4

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	2,217	827	1,383	1,127	424	699	1,090	403	684
Under 1	26	4	22	14	0	14	12	4	8
(Neonatal)	19	2	17	12	0	12	7	2	5
(Postneonatal)	7	2	5	2	0	2	5	2	3
1-4	5	1	4	3	0	3	2	1	1
5-9	5	1	4	5	1	4	0	0	0
10-14	4	1	3	3	1	2	1	0	1
15-24	42	9	32	30	7	22	12	2	10
25-34	76	20	56	50	13	37	26	7	19
35-44	94	25	69	54	15	39	40	10	30
45-54	172	40	130	94	23	70	78	17	60
55-64	385	108	276	230	69	160	155	39	116
65-74	447	147	298	263	90	172	184	57	126
75-84	471	190	280	208	94	114	263	96	166
85 and over	490	281	209	173	111	62	317	170	147
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	239,497
White	61,367
Black	173,571
Other	4,559

Selected Death Statistics, Residents of Holmes County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	236	53	183	1,330.4	1,863.6	1,246.6
1	Heart Diseases	52	11	41	293.1	386.8	279.3
2	Malignant Neoplasms	47	12	35	265.0	421.9	238.4
3	Accidents	15	2	13	84.6	70.3	88.6
4	Cerebrovascular Disease	14	2	12	78.9	70.3	81.7
5	Hypertension/Hypertensive Renal Disease	13	3	10	73.3	105.5	68.1
6	Emphysema and Other Chronic Lower Resp. Diseases	12	5	7	67.6	175.8	47.7
7	Homicide	11	2	9	62.0	70.3	61.3
8	Nephritis, Nephrotic Syndrome And Nephrosis	8	2	6	45.1	70.3	40.9
8	Alzheimer's Disease	8	4	4	45.1	140.6	27.2
8	Diabetes Mellitus	8	1	7	45.1	35.2	47.7
11	Influenza and Pneumonia	5	0	5	28.2	0.0	34.1
12	Suicide	3	1	2	16.9	35.2	13.6
12	Septicemia	3	1	2	16.9	35.2	13.6
14	Chronic Liver Disease And Cirrhosis	2	1	1	11.3	35.2	6.8
15	Congenital Malformations and Chrom. Abnormalities	1	0	1	5.6	0.0	6.8
15	Infections of Kidney	1	0	1	5.6	0.0	6.8
15	Pneumonitis Due to Solids and Liquids	1	0	1	5.6	0.0	6.8
15	Aortic Aneurysm and Dissection	1	0	1	5.6	0.0	6.8
15	Parkinson's Disease	1	1	0	5.6	35.2	0.0
15	Anemias	1	0	1	5.6	0.0	6.8
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	5	1	4	28.2	35.2	27.2
	All Other Causes	24	4	20	135.3	140.6	136.2

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.
Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	236	53	183	127	26	101	109	27	82
Under 1	1	0	1	1	0	1	0	0	0
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	10	0	10	9	0	9	1	0	1
25-34	2	0	2	2	0	2	0	0	0
35-44	14	0	14	8	0	8	6	0	6
45-54	17	1	16	9	1	8	8	0	8
55-64	52	11	41	38	7	31	14	4	10
65-74	42	6	36	21	5	16	21	1	20
75-84	50	15	35	28	10	18	22	5	17
85 and over	47	20	27	11	3	8	36	17	19
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	17,739
White	2,844
Black	14,680
Other	215

Selected Death Statistics, Residents of Humphreys County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	106	32	74	1,270.7	1,697.6	1,173.7
1	Heart Diseases	37	12	25	443.5	636.6	396.5
2	Malignant Neoplasms	20	6	14	239.8	318.3	222.0
3	Emphysema and Other Chronic Lower Resp. Diseases	7	3	4	83.9	159.2	63.4
4	Diabetes Mellitus	6	0	6	71.9	0.0	95.2
5	Accidents	5	1	4	59.9	53.1	63.4
5	Alzheimer's Disease	5	0	5	59.9	0.0	79.3
7	Cerebrovascular Disease	3	0	3	36.0	0.0	47.6
8	Nephritis, Nephrotic Syndrome And Nephrosis	2	1	1	24.0	53.1	15.9
8	Influenza and Pneumonia	2	1	1	24.0	53.1	15.9
8	HIV Disease	2	0	2	24.0	0.0	31.7
11	Suicide	1	1	0	12.0	53.1	0.0
11	Chronic Liver Disease And Cirrhosis	1	0	1	12.0	0.0	15.9
11	Pneumonitis Due to Solids and Liquids	1	1	0	12.0	53.1	0.0
11	Homicide	1	0	1	12.0	0.0	15.9
11	Hypertension/Hypertensive Renal Disease	1	0	1	12.0	0.0	15.9
11	In Situ, Benign and Unspecified Neoplasms	1	1	0	12.0	53.1	0.0
11	Septicemia	1	0	1	12.0	0.0	15.9
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	1	1	0	12.0	53.1	0.0
	All Other Causes	9	4	5	107.9	212.2	79.3

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	106	32	74	53	15	38	53	17	36
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	4	0	4	4	0	4	0	0	0
35-44	1	0	1	1	0	1	0	0	0
45-54	3	0	3	3	0	3	0	0	0
55-64	24	5	19	14	3	11	10	2	8
65-74	26	9	17	15	6	9	11	3	8
75-84	27	11	16	12	5	7	15	6	9
85 and over	20	7	13	3	1	2	17	6	11
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	8,342
White	1,885
Black	6,305
Other	152

Selected Death Statistics, Residents of Issaquena County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	11	4	7	821.5	818.0	841.3
1	Heart Diseases	3	1	2	224.0	204.5	240.4
1	Malignant Neoplasms	3	2	1	224.0	409.0	120.2
3	Homicide	1	1	0	74.7	204.5	0.0
3	Accidents	1	0	1	74.7	0.0	120.2
--- Not Included in Ranking ---							
	Symptoms, Signs, Ill-Defined Conditions	0	0	0	0.0	0.0	0.0
	All Other Causes	3	0	3	224.0	0.0	360.6

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.
Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	11	4	7	8	3	5	3	1	2
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	0	2	1	0	1	1	0	1
35-44	0	0	0	0	0	0	0	0	0
45-54	1	0	1	1	0	1	0	0	0
55-64	3	1	2	2	0	2	1	1	0
65-74	2	1	1	2	1	1	0	0	0
75-84	1	1	0	1	1	0	0	0	0
85 and over	2	1	1	1	1	0	1	0	1
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	1,339
White	489
Black	832
Other	18

Selected Death Statistics, Residents of Itawamba County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	283	273	10	1,203.8	1,273.4	619.6
1	Heart Diseases	77	75	2	327.5	349.8	123.9
2	Malignant Neoplasms	46	45	1	195.7	209.9	62.0
3	Alzheimer's Disease	24	24	0	102.1	112.0	0.0
4	Emphysema and Other Chronic Lower Resp. Diseases	18	18	0	76.6	84.0	0.0
5	Cerebrovascular Disease	15	14	1	63.8	65.3	62.0
6	Accidents	13	12	1	55.3	56.0	62.0
7	Influenza and Pneumonia	10	10	0	42.5	46.6	0.0
8	Septicemia	8	8	0	34.0	37.3	0.0
9	Pneumonitis Due to Solids and Liquids	7	7	0	29.8	32.7	0.0
10	Diabetes Mellitus	6	5	1	25.5	23.3	62.0
11	Suicide	5	5	0	21.3	23.3	0.0
11	Chronic Liver Disease And Cirrhosis	5	4	1	21.3	18.7	62.0
13	Nephritis, Nephrotic Syndrome And Nephrosis	4	3	1	17.0	14.0	62.0
13	Parkinson's Disease	4	4	0	17.0	18.7	0.0
15	Hypertension/Hypertensive Renal Disease	3	3	0	12.8	14.0	0.0
16	Complications Medical/Surgical Care	2	2	0	8.5	9.3	0.0
17	Homicide	1	1	0	4.3	4.7	0.0
17	Aortic Aneurysm and Dissection	1	1	0	4.3	4.7	0.0
17	Meningitis	1	1	0	4.3	4.7	0.0
17	In Situ, Benign and Unspecified Neoplasms	1	1	0	4.3	4.7	0.0
17	HIV Disease	1	1	0	4.3	4.7	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	4	4	0	17.0	18.7	0.0
	All Other Causes	27	25	2	114.9	116.6	123.9

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	283	273	10	146	140	6	137	133	4
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	4	1	3	2	1	2	2	0
25-34	6	6	0	4	4	0	2	2	0
35-44	5	5	0	5	5	0	0	0	0
45-54	21	19	2	13	12	1	8	7	1
55-64	43	42	1	23	22	1	20	20	0
65-74	62	60	2	32	31	1	30	29	1
75-84	78	77	1	41	40	1	37	37	0
85 and over	63	60	3	25	24	1	38	36	2
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	23,508
White	21,438
Black	1,614
Other	456

Selected Death Statistics, Residents of Jackson County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	1,374	1,104	252	966.6	1,059.5	814.1
1	Heart Diseases	327	254	68	230.0	243.8	219.7
2	Malignant Neoplasms	307	238	64	216.0	228.4	206.8
3	Emphysema and Other Chronic Lower Resp. Diseases	94	77	15	66.1	73.9	48.5
4	Cerebrovascular Disease	72	60	12	50.7	57.6	38.8
5	Accidents	70	62	8	49.2	59.5	25.8
5	Alzheimer's Disease	70	65	4	49.2	62.4	12.9
7	Diabetes Mellitus	32	20	12	22.5	19.2	38.8
8	Nephritis, Nephrotic Syndrome And Nephrosis	26	21	4	18.3	20.2	12.9
9	Suicide	25	22	2	17.6	21.1	6.5
10	Septicemia	23	18	4	16.2	17.3	12.9
11	Chronic Liver Disease And Cirrhosis	22	22	0	15.5	21.1	0.0
12	Hypertension/Hypertensive Renal Disease	19	13	6	13.4	12.5	19.4
13	Influenza and Pneumonia	14	14	0	9.8	13.4	0.0
14	Parkinson's Disease	12	11	1	8.4	10.6	3.2
15	Complications Medical/Surgical Care	7	6	1	4.9	5.8	3.2
16	Homicide	6	3	3	4.2	2.9	9.7
17	Pneumonitis Due to Solids and Liquids	5	5	0	3.5	4.8	0.0
17	Viral Hepatitis	5	3	2	3.5	2.9	6.5
19	Pneumoconioses and Chemical Effects	4	3	1	2.8	2.9	3.2
19	Aortic Aneurysm and Dissection	4	4	0	2.8	3.8	0.0
19	Anemias	4	4	0	2.8	3.8	0.0
22	Congenital Malformations and Chrom. Abnormalities	3	3	0	2.1	2.9	0.0
22	Cholelithiasis/Gallbladder Disorder	3	3	0	2.1	2.9	0.0
22	Malnutrition/Nutritional Deficiency	3	2	1	2.1	1.9	3.2
22	In Situ, Benign and Unspecified Neoplasms	3	3	0	2.1	2.9	0.0
26	Maternal Causes**	2	2	0	120.5	168.6	0.0
26	HIV Disease	2	1	1	1.4	1.0	3.2
28	Conditions Originating in the Perinatal Period**	1	0	1	0.6	0.0	2.4
28	Infections of Kidney	1	1	0	0.7	1.0	0.0
28	Acute Bronchitis and Bronchiolitis	1	1	0	0.7	1.0	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	14	12	2	9.8	11.5	6.5
	All Other Causes	193	151	40	135.8	144.9	129.2

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	1,374	1,104	252	737	586	142	637	518	110
Under 1	8	2	5	5	1	3	3	1	2
(Neonatal)	2	1	1	1	0	1	1	1	0
(Postneonatal)	6	1	4	4	1	2	2	0	2
1-4	1	1	0	0	0	0	1	1	0
5-9	2	2	0	1	1	0	1	1	0
10-14	1	1	0	1	1	0	0	0	0
15-24	12	9	3	10	7	3	2	2	0
25-34	32	25	6	22	17	4	10	8	2
35-44	43	33	9	29	21	7	14	12	2
45-54	92	71	19	54	43	10	38	28	9
55-64	228	152	72	144	97	44	84	55	28
65-74	290	232	53	169	135	32	121	97	21
75-84	355	304	49	180	158	22	175	146	27
85 and over	310	272	36	122	105	17	188	167	19
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	142,152
White	104,199
Black	30,954
Other	6,999

Selected Death Statistics, Residents of Jasper County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	199	111	88	1,200.1	1,472.3	995.8
1	Heart Diseases	50	29	21	301.5	384.7	237.6
2	Malignant Neoplasms	41	22	19	247.3	291.8	215.0
3	Alzheimer's Disease	11	10	1	66.3	132.6	11.3
4	Accidents	9	5	4	54.3	66.3	45.3
4	Emphysema and Other Chronic Lower Resp. Diseases	9	4	5	54.3	53.1	56.6
6	Cerebrovascular Disease	8	4	4	48.2	53.1	45.3
7	Nephritis, Nephrotic Syndrome And Nephrosis	7	0	7	42.2	0.0	79.2
7	Influenza and Pneumonia	7	2	5	42.2	26.5	56.6
9	Diabetes Mellitus	6	3	3	36.2	39.8	33.9
10	Hypertension/Hypertensive Renal Disease	5	3	2	30.2	39.8	22.6
11	Pneumonitis Due to Solids and Liquids	3	2	1	18.1	26.5	11.3
11	Septicemia	3	1	2	18.1	13.3	22.6
13	Chronic Liver Disease And Cirrhosis	2	1	1	12.1	13.3	11.3
13	Malnutrition/Nutritional Deficiency	2	0	2	12.1	0.0	22.6
15	Homicide	1	0	1	6.0	0.0	11.3
15	Suicide	1	1	0	6.0	13.3	0.0
15	Conditions Originating in the Perinatal Period**	1	0	1	5.3	0.0	8.8
15	Atherosclerosis	1	1	0	6.0	13.3	0.0
15	Aortic Aneurysm and Dissection	1	0	1	6.0	0.0	11.3
15	Parkinson's Disease	1	0	1	6.0	0.0	11.3
15	Meningitis	1	1	0	6.0	13.3	0.0
15	Anemias	1	0	1	6.0	0.0	11.3
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	7	5	2	42.2	66.3	22.6
	All Other Causes	21	17	4	126.6	225.5	45.3

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.
Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	199	111	88	102	55	47	97	56	41
Under 1	1	0	1	0	0	0	1	0	1
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	8	4	4	6	3	3	2	1	1
45-54	16	6	10	6	3	3	10	3	7
55-64	29	15	14	16	8	8	13	7	6
65-74	39	18	21	28	12	16	11	6	5
75-84	52	26	26	27	13	14	25	13	12
85 and over	52	42	10	18	16	2	34	26	8
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	16,582
White	7,539
Black	8,837
Other	206

Selected Death Statistics, Residents of Jefferson County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	90	12	78	1,239.3	1,229.5	1,257.5
1	Heart Diseases	29	0	29	399.3	0.0	467.5
2	Malignant Neoplasms	21	6	15	289.2	614.8	241.8
3	Diabetes Mellitus	5	0	5	68.9	0.0	80.6
4	Accidents	4	1	3	55.1	102.5	48.4
4	Emphysema and Other Chronic Lower Resp. Diseases	4	2	2	55.1	204.9	32.2
4	Cerebrovascular Disease	4	0	4	55.1	0.0	64.5
7	Hypertension/Hypertensive Renal Disease	3	1	2	41.3	102.5	32.2
7	Septicemia	3	0	3	41.3	0.0	48.4
9	Congenital Malformations and Chrom. Abnormalities	2	0	2	27.5	0.0	32.2
9	Nephritis, Nephrotic Syndrome And Nephrosis	2	0	2	27.5	0.0	32.2
11	Homicide	1	0	1	13.8	0.0	16.1
11	Chronic Liver Disease And Cirrhosis	1	1	0	13.8	102.5	0.0
11	Pneumonitis Due to Solids and Liquids	1	1	0	13.8	102.5	0.0
11	Influenza and Pneumonia	1	0	1	13.8	0.0	16.1
11	Alzheimer's Disease	1	0	1	13.8	0.0	16.1
11	In Situ, Benign and Unspecified Neoplasms	1	0	1	13.8	0.0	16.1
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	2	0	2	27.5	0.0	32.2
	All Other Causes	5	0	5	68.9	0.0	80.6

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	90	12	78	45	5	40	45	7	38
Under 1	2	0	2	1	0	1	1	0	1
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	2	0	2	1	0	1	1	0	1
35-44	4	0	4	4	0	4	0	0	0
45-54	5	0	5	1	0	1	4	0	4
55-64	13	1	12	11	1	10	2	0	2
65-74	19	2	17	12	2	10	7	0	7
75-84	21	4	17	8	0	8	13	4	9
85 and over	21	5	16	7	2	5	14	3	11
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	7,262
White	976
Black	6,203
Other	83

Selected Death Statistics, Residents of Jeff Davis County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	161	81	80	1,423.0	1,851.4	1,182.9
1	Heart Diseases	39	20	19	344.7	457.1	280.9
2	Malignant Neoplasms	32	17	15	282.8	388.6	221.8
3	Emphysema and Other Chronic Lower Resp. Diseases	11	5	6	97.2	114.3	88.7
4	Cerebrovascular Disease	10	7	3	88.4	160.0	44.4
5	Alzheimer's Disease	8	4	4	70.7	91.4	59.1
6	Accidents	7	5	2	61.9	114.3	29.6
7	Nephritis, Nephrotic Syndrome And Nephrosis	6	1	5	53.0	22.9	73.9
8	Influenza and Pneumonia	5	2	3	44.2	45.7	44.4
9	Homicide	4	0	4	35.4	0.0	59.1
9	Diabetes Mellitus	4	0	4	35.4	0.0	59.1
11	Septicemia	3	1	2	26.5	22.9	29.6
12	Suicide	1	0	1	8.8	0.0	14.8
12	Conditions Originating in the Perinatal Period**	1	0	1	7.9	0.0	11.6
12	Chronic Liver Disease And Cirrhosis	1	1	0	8.8	22.9	0.0
12	Pneumonitis Due to Solids and Liquids	1	0	1	8.8	0.0	14.8
12	Parkinson's Disease	1	1	0	8.8	22.9	0.0
12	In Situ, Benign and Unspecified Neoplasms	1	0	1	8.8	0.0	14.8
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	2	2	0	17.7	45.7	0.0
	All Other Causes	24	15	9	212.1	342.9	133.1

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	161	81	80	74	37	37	87	44	43
Under 1	1	0	1	1	0	1	0	0	0
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	2	0	2	2	0	2	0	0	0
25-34	2	1	1	2	1	1	0	0	0
35-44	2	0	2	0	0	0	2	0	2
45-54	12	4	8	8	3	5	4	1	3
55-64	29	14	15	17	7	10	12	7	5
65-74	35	19	16	21	13	8	14	6	8
75-84	39	21	18	13	7	6	26	14	12
85 and over	38	22	16	10	6	4	28	16	12
Unknown	0	0	0	0	0	0	0	0	0

2017 Population
Total 11,314
White 4,375
Black 6,763
Other 176

Selected Death Statistics, Residents of Jones County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	793	611	175	1,167.4	1,315.9	873.8
1	Heart Diseases	204	157	47	300.3	338.1	234.7
2	Malignant Neoplasms	135	109	25	198.7	234.8	124.8
3	Accidents	45	40	5	66.2	86.1	25.0
4	Alzheimer's Disease	42	33	9	61.8	71.1	44.9
5	Emphysema and Other Chronic Lower Resp. Diseases	38	34	4	55.9	73.2	20.0
6	Cerebrovascular Disease	34	23	11	50.1	49.5	54.9
7	Influenza and Pneumonia	30	24	5	44.2	51.7	25.0
8	Diabetes Mellitus	29	20	8	42.7	43.1	39.9
9	Hypertension/Hypertensive Renal Disease	25	16	9	36.8	34.5	44.9
10	Septicemia	22	16	6	32.4	34.5	30.0
11	Nephritis, Nephrotic Syndrome And Nephrosis	20	13	6	29.4	28.0	30.0
12	Chronic Liver Disease And Cirrhosis	14	14	0	20.6	30.2	0.0
13	Pneumonitis Due to Solids and Liquids	13	10	3	19.1	21.5	15.0
14	Suicide	11	11	0	16.2	23.7	0.0
15	Parkinson's Disease	8	5	2	11.8	10.8	10.0
16	Conditions Originating in the Perinatal Period**	5	1	4	5.8	1.8	13.2
16	HIV Disease	5	0	5	7.4	0.0	25.0
18	Homicide	3	1	1	4.4	2.2	5.0
19	Congenital Malformations and Chrom. Abnormalities	2	2	0	2.9	4.3	0.0
19	In Situ, Benign and Unspecified Neoplasms	2	2	0	2.9	4.3	0.0
19	Viral Hepatitis	2	1	1	2.9	2.2	5.0
22	Complications Medical/Surgical Care	1	1	0	1.5	2.2	0.0
22	Cholelithiasis/Gallbladder Disorder	1	1	0	1.5	2.2	0.0
22	Peptic Ulcer	1	1	0	1.5	2.2	0.0
22	Aortic Aneurysm and Dissection	1	1	0	1.5	2.2	0.0
22	Anemias	1	1	0	1.5	2.2	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	13	11	2	19.1	23.7	10.0
	All Other Causes	86	63	22	126.6	135.7	109.9

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	793	611	175	393	303	85	400	308	90
Under 1	8	4	4	5	3	2	3	1	2
(Neonatal)	5	2	3	4	2	2	1	0	1
(Postneonatal)	3	2	1	1	1	0	2	1	1
1-4	1	0	1	0	0	0	1	0	1
5-9	1	1	0	1	1	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	8	5	3	5	3	2	3	2	1
25-34	17	9	7	14	9	5	3	0	2
35-44	34	17	17	19	9	10	15	8	7
45-54	56	39	17	28	21	7	28	18	10
55-64	126	93	30	82	60	20	44	33	10
65-74	156	122	34	82	64	18	74	58	16
75-84	178	148	28	86	71	13	92	77	15
85 and over	207	173	33	70	62	7	137	111	26
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	67,930
White	46,432
Black	20,027
Other	1,471

Selected Death Statistics, Residents of Kemper County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate***-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	113	52	60	1,143.4	1,519.6	999.3
1	Heart Diseases	34	16	17	344.0	467.6	283.1
2	Malignant Neoplasms	22	10	12	222.6	292.2	199.9
3	Cerebrovascular Disease	7	2	5	70.8	58.4	83.3
4	Emphysema and Other Chronic Lower Resp. Diseases	6	3	3	60.7	87.7	50.0
5	Accidents	4	2	2	40.5	58.4	33.3
5	Influenza and Pneumonia	4	1	3	40.5	29.2	50.0
5	Diabetes Mellitus	4	1	3	40.5	29.2	50.0
8	Alzheimer's Disease	3	2	1	30.4	58.4	16.7
9	Suicide	2	1	1	20.2	29.2	16.7
9	Nephritis, Nephrotic Syndrome And Nephrosis	2	2	0	20.2	58.4	0.0
11	Legal Intervention	1	0	1	10.1	0.0	16.7
11	Homicide	1	0	1	10.1	0.0	16.7
11	Congenital Malformations and Chrom. Abnormalities	1	0	1	10.1	0.0	16.7
11	Pneumonitis Due to Solids and Liquids	1	0	1	10.1	0.0	16.7
11	Hypertension/Hypertensive Renal Disease	1	0	1	10.1	0.0	16.7
11	Parkinson's Disease	1	1	0	10.1	29.2	0.0
11	In Situ, Benign and Unspecified Neoplasms	1	1	0	10.1	29.2	0.0
11	HIV Disease	1	0	1	10.1	0.0	16.7
--- Not Included in Ranking ---							
	Symptoms, Signs, Ill-Defined Conditions	2	1	1	20.2	29.2	16.7
	All Other Causes	15	9	6	151.8	263.0	99.9

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.
Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	113	52	60	65	31	33	48	21	27
Under 1	2	1	1	1	1	0	1	0	1
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	2	0	2	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	6	1	5	5	1	4	1	0	1
45-54	4	4	0	3	3	0	1	1	0
55-64	15	8	6	11	7	3	4	1	3
65-74	31	13	18	18	7	11	13	6	7
75-84	25	14	11	14	8	6	11	6	5
85 and over	27	11	16	10	4	6	17	7	10
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	9,883
White	3,422
Black	6,004
Other	457

Selected Death Statistics, Residents of Lafayette County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	423	322	100	777.9	818.1	773.3
1	Heart Diseases	119	91	28	218.9	231.2	216.5
2	Malignant Neoplasms	80	57	22	147.1	144.8	170.1
3	Alzheimer's Disease	31	27	4	57.0	68.6	30.9
4	Accidents	23	20	3	42.3	50.8	23.2
4	Emphysema and Other Chronic Lower Resp. Diseases	23	21	2	42.3	53.4	15.5
6	Cerebrovascular Disease	21	11	10	38.6	27.9	77.3
7	Parkinson's Disease	10	10	0	18.4	25.4	0.0
8	Diabetes Mellitus	9	4	5	16.6	10.2	38.7
9	Influenza and Pneumonia	7	4	3	12.9	10.2	23.2
10	Suicide	6	6	0	11.0	15.2	0.0
10	Chronic Liver Disease And Cirrhosis	6	6	0	11.0	15.2	0.0
12	Pneumonitis Due to Solids and Liquids	5	4	1	9.2	10.2	7.7
13	Nephritis, Nephrotic Syndrome And Nephrosis	4	2	2	7.4	5.1	15.5
14	Congenital Malformations and Chrom. Abnormalities	3	3	0	5.5	7.6	0.0
14	Aortic Aneurysm and Dissection	3	3	0	5.5	7.6	0.0
16	Homicide	2	0	2	3.7	0.0	15.5
16	Conditions Originating in the Perinatal Period**	2	1	1	3.7	2.6	7.2
16	Hypertension/Hypertensive Renal Disease	2	0	2	3.7	0.0	15.5
16	Septicemia	2	1	1	3.7	2.5	7.7
20	Complications Medical/Surgical Care	1	0	1	1.8	0.0	7.7
20	Hernia	1	1	0	1.8	2.5	0.0
20	Peptic Ulcer	1	1	0	1.8	2.5	0.0
20	Pneumoconioses and Chemical Effects	1	1	0	1.8	2.5	0.0
20	In Situ, Benign and Unspecified Neoplasms	1	1	0	1.8	2.5	0.0
20	HIV Disease	1	0	1	1.8	0.0	7.7
20	Viral Hepatitis	1	1	0	1.8	2.5	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	1	1	0	1.8	2.5	0.0
	All Other Causes	57	45	12	104.8	114.3	92.8

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.
Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	423	322	100	252	188	64	171	134	36
Under 1	6	3	3	3	1	2	3	2	1
(Neonatal)	3	2	1	0	0	0	3	2	1
(Postneonatal)	3	1	2	3	1	2	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	4	1	5	4	1	0	0	0
25-34	9	5	4	8	5	3	1	0	1
35-44	12	9	3	9	7	2	3	2	1
45-54	19	9	10	13	6	7	6	3	3
55-64	56	33	23	36	18	18	20	15	5
65-74	88	69	18	53	40	13	35	29	5
75-84	92	72	20	57	47	10	35	25	10
85 and over	134	117	17	66	59	7	68	58	10
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	54,374
White	39,359
Black	12,931
Other	2,084

Selected Death Statistics, Residents of Lamar County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	445	381	61	725.1	811.9	487.9
1	Heart Diseases	121	103	17	197.2	219.5	136.0
2	Malignant Neoplasms	91	80	10	148.3	170.5	80.0
3	Emphysema and Other Chronic Lower Resp. Diseases	28	27	1	45.6	57.5	8.0
4	Accidents	24	18	6	39.1	38.4	48.0
5	Alzheimer's Disease	20	16	4	32.6	34.1	32.0
6	Influenza and Pneumonia	18	16	2	29.3	34.1	16.0
7	Cerebrovascular Disease	17	14	3	27.7	29.8	24.0
8	Suicide	11	10	1	17.9	21.3	8.0
9	Nephritis, Nephrotic Syndrome And Nephrosis	9	8	1	14.7	17.0	8.0
10	Chronic Liver Disease And Cirrhosis	8	7	1	13.0	14.9	8.0
11	Diabetes Mellitus	7	7	0	11.4	14.9	0.0
12	Parkinson's Disease	6	6	0	9.8	12.8	0.0
13	Homicide	5	2	3	8.1	4.3	24.0
14	In Situ, Benign and Unspecified Neoplasms	3	2	1	4.9	4.3	8.0
14	Viral Hepatitis	3	3	0	4.9	6.4	0.0
14	Septicemia	3	2	1	4.9	4.3	8.0
17	Pneumonitis Due to Solids and Liquids	2	2	0	3.3	4.3	0.0
18	Complications Medical/Surgical Care	1	1	0	1.6	2.1	0.0
18	Congenital Malformations and Chrom. Abnormalities	1	1	0	1.6	2.1	0.0
18	Conditions Originating in the Perinatal Period**	1	1	0	1.2	1.7	0.0
18	Acute Bronchitis and Bronchiolitis	1	1	0	1.6	2.1	0.0
18	Aortic Aneurysm and Dissection	1	1	0	1.6	2.1	0.0
18	Malnutrition/Nutritional Deficiency	1	1	0	1.6	2.1	0.0
18	HIV Disease	1	0	1	1.6	0.0	8.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	8	5	3	13.0	10.7	24.0
	All Other Causes	54	47	6	88.0	100.2	48.0

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	445	381	61	213	179	31	232	202	30
Under 1	3	2	1	1	1	0	2	1	1
(Neonatal)	1	1	0	0	0	0	1	1	0
(Postneonatal)	2	1	1	1	1	0	1	0	1
1-4	1	1	0	1	1	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	1	3	2	0	2	2	1	1
25-34	13	8	5	7	5	2	6	3	3
35-44	18	17	1	13	12	1	5	5	0
45-54	27	21	5	16	12	3	11	9	2
55-64	60	54	5	37	32	4	23	22	1
65-74	92	69	22	46	37	8	46	32	14
75-84	114	103	11	52	46	6	62	57	5
85 and over	112	105	7	37	33	4	75	72	3
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	61,374
White	46,925
Black	12,502
Other	1,947

Selected Death Statistics, Residents of Lauderdale County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	832	513	315	1,092.5	1,244.0	948.5
1	Heart Diseases	253	145	107	332.2	351.6	322.2
2	Malignant Neoplasms	152	96	55	199.6	232.8	165.6
3	Cerebrovascular Disease	56	36	19	73.5	87.3	57.2
4	Alzheimer's Disease	42	29	13	55.2	70.3	39.1
5	Accidents	36	25	10	47.3	60.6	30.1
6	Emphysema and Other Chronic Lower Resp. Diseases	32	27	5	42.0	65.5	15.1
7	Influenza and Pneumonia	29	18	11	38.1	43.6	33.1
8	Homicide	21	7	14	27.6	17.0	42.2
9	Nephritis, Nephrotic Syndrome And Nephrosis	15	7	8	19.7	17.0	24.1
10	Parkinson's Disease	11	10	1	14.4	24.2	3.0
10	Septicemia	11	6	5	14.4	14.5	15.1
12	Chronic Liver Disease And Cirrhosis	10	8	2	13.1	19.4	6.0
13	Suicide	8	6	2	10.5	14.5	6.0
13	Diabetes Mellitus	8	5	3	10.5	12.1	9.0
15	Malnutrition/Nutritional Deficiency	6	5	1	7.9	12.1	3.0
16	Pneumonitis Due to Solids and Liquids	5	3	2	6.6	7.3	6.0
17	In Situ, Benign and Unspecified Neoplasms	4	3	1	5.3	7.3	3.0
18	Complications Medical/Surgical Care	3	1	2	3.9	2.4	6.0
18	Congenital Malformations and Chrom. Abnormalities	3	1	2	3.9	2.4	6.0
20	Conditions Originating in the Perinatal Period**	2	0	2	2.0	0.0	4.1
21	Maternal Causes**	1	0	1	102.1	0.0	202.8
21	Cholelithiasis/Gallbladder Disorder	1	1	0	1.3	2.4	0.0
21	Peptic Ulcer	1	0	1	1.3	0.0	3.0
21	Aortic Aneurysm and Dissection	1	1	0	1.3	2.4	0.0
21	Atherosclerosis	1	1	0	1.3	2.4	0.0
21	Hypertension/Hypertensive Renal Disease	1	1	0	1.3	2.4	0.0
21	Meningitis	1	1	0	1.3	2.4	0.0
21	Anemias	1	0	1	1.3	0.0	3.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	12	5	7	15.8	12.1	21.1
	All Other Causes	105	65	40	137.9	157.6	120.4

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

	----- Total* -----			----- Male -----			----- Female -----		
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	832	513	315	420	262	155	412	251	160
Under 1	10	2	8	6	2	4	4	0	4
(Neonatal)	4	1	3	3	1	2	1	0	1
(Postneonatal)	6	1	5	3	1	2	3	0	3
1-4	2	0	2	0	0	0	2	0	2
5-9	2	1	1	1	0	1	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	1	5	5	1	4	1	0	1
25-34	19	10	9	16	9	7	3	1	2
35-44	33	17	16	23	13	10	10	4	6
45-54	63	24	39	40	18	22	23	6	17
55-64	115	63	51	69	33	35	46	30	16
65-74	181	113	67	101	69	32	80	44	35
75-84	194	131	62	94	64	29	100	67	33
85 and over	206	150	55	65	53	11	141	97	44
Unknown	1	1	0	0	0	0	1	1	0

2017 Population									
Total	76,155								
White	41,239								
Black	33,209								
Other	1,707								

Selected Death Statistics, Residents of Lawrence County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate***-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	170	128	42	1,344.6	1,532.2	1,029.2
1	Heart Diseases	55	45	10	435.0	538.7	245.0
2	Malignant Neoplasms	26	17	9	205.6	203.5	220.5
3	Influenza and Pneumonia	12	9	3	94.9	107.7	73.5
4	Accidents	10	9	1	79.1	107.7	24.5
5	Alzheimer's Disease	9	7	2	71.2	83.8	49.0
6	Cerebrovascular Disease	8	6	2	63.3	71.8	49.0
7	Emphysema and Other Chronic Lower Resp. Diseases	7	6	1	55.4	71.8	24.5
7	Diabetes Mellitus	7	5	2	55.4	59.9	49.0
9	Homicide	3	2	1	23.7	23.9	24.5
9	Septicemia	3	2	1	23.7	23.9	24.5
11	Nephritis, Nephrotic Syndrome And Nephrosis	2	1	1	15.8	12.0	24.5
11	Chronic Liver Disease And Cirrhosis	2	2	0	15.8	23.9	0.0
11	Pneumonitis Due to Solids and Liquids	2	2	0	15.8	23.9	0.0
11	Hypertension/Hypertensive Renal Disease	2	2	0	15.8	23.9	0.0
11	Parkinson's Disease	2	1	1	15.8	12.0	24.5
16	Suicide	1	1	0	7.9	12.0	0.0
16	Anemias	1	0	1	7.9	0.0	24.5
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	0	0	0	0.0	0.0	0.0
	All Other Causes	18	11	7	142.4	131.7	171.5

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.
Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	170	128	42	101	74	27	69	54	15
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	2	0	2	1	0	1	1	0	1
15-24	2	2	0	1	1	0	1	1	0
25-34	3	3	0	3	3	0	0	0	0
35-44	3	2	1	2	2	0	1	0	1
45-54	17	12	5	14	11	3	3	1	2
55-64	25	16	9	16	8	8	9	8	1
65-74	33	23	10	17	12	5	16	11	5
75-84	46	37	9	30	23	7	16	14	2
85 and over	38	33	5	16	14	2	22	19	3
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	12,643
White	8,354
Black	4,081
Other	208

Selected Death Statistics, Residents of Leake County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	235	138	82	1,034.6	1,222.4	857.0
1	Heart Diseases	57	38	16	250.9	336.6	167.2
2	Malignant Neoplasms	42	27	12	184.9	239.2	125.4
3	Cerebrovascular Disease	22	10	12	96.9	88.6	125.4
4	Emphysema and Other Chronic Lower Resp. Diseases	17	11	6	74.8	97.4	62.7
5	Accidents	14	8	6	61.6	70.9	62.7
6	Alzheimer's Disease	11	10	1	48.4	88.6	10.5
7	Nephritis, Nephrotic Syndrome And Nephrosis	7	2	3	30.8	17.7	31.4
7	Diabetes Mellitus	7	2	2	30.8	17.7	20.9
9	Influenza and Pneumonia	6	1	3	26.4	8.9	31.4
10	Hypertension/Hypertensive Renal Disease	5	1	4	22.0	8.9	41.8
11	Suicide	3	3	0	13.2	26.6	0.0
11	Septicemia	3	1	2	13.2	8.9	20.9
13	Complications Medical/Surgical Care	2	0	2	8.8	0.0	20.9
13	Pneumonitis Due to Solids and Liquids	2	2	0	8.8	17.7	0.0
13	Parkinson's Disease	2	2	0	8.8	17.7	0.0
16	Maternal Causes**	1	0	1	349.7	0.0	943.4
16	Atherosclerosis	1	0	0	4.4	0.0	0.0
16	Anemias	1	1	0	4.4	8.9	0.0
16	In Situ, Benign and Unspecified Neoplasms	1	1	0	4.4	8.9	0.0
16	HIV Disease	1	1	0	4.4	8.9	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	5	3	2	22.0	26.6	20.9
	All Other Causes	25	14	10	110.1	124.0	104.5

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.
Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	235	138	82	120	64	49	115	74	33
Under 1	1	1	0	0	0	0	1	1	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	2	1	1	1	0	1	1	1	0
25-34	7	4	2	2	1	0	5	3	2
35-44	7	2	4	4	0	3	3	2	1
45-54	21	10	10	13	6	6	8	4	4
55-64	32	10	20	20	6	13	12	4	7
65-74	54	32	18	28	15	12	26	17	6
75-84	63	44	15	34	25	8	29	19	7
85 and over	47	34	11	17	11	5	30	23	6
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	22,715
White	11,289
Black	9,568
Other	1,858

Selected Death Statistics, Residents of Lee County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	956	749	205	1,125.6	1,305.7	805.7
1	Malignant Neoplasms	212	160	51	249.6	278.9	200.4
2	Heart Diseases	178	137	40	209.6	238.8	157.2
3	Alzheimer's Disease	69	60	9	81.2	104.6	35.4
4	Cerebrovascular Disease	67	54	13	78.9	94.1	51.1
5	Emphysema and Other Chronic Lower Resp. Diseases	64	60	4	75.4	104.6	15.7
6	Accidents	56	47	9	65.9	81.9	35.4
7	Septicemia	22	15	7	25.9	26.1	27.5
8	Nephritis, Nephrotic Syndrome And Nephrosis	19	12	7	22.4	20.9	27.5
8	Influenza and Pneumonia	19	16	3	22.4	27.9	11.8
10	Hypertension/Hypertensive Renal Disease	15	11	4	17.7	19.2	15.7
10	Parkinson's Disease	15	14	1	17.7	24.4	3.9
10	Diabetes Mellitus	15	11	4	17.7	19.2	15.7
13	Homicide	13	4	9	15.3	7.0	35.4
13	Suicide	13	11	2	15.3	19.2	7.9
15	Pneumonitis Due to Solids and Liquids	10	7	3	11.8	12.2	11.8
16	Conditions Originating in the Perinatal Period**	7	1	6	5.9	1.5	12.4
16	Chronic Liver Disease And Cirrhosis	7	7	0	8.2	12.2	0.0
18	In Situ, Benign and Unspecified Neoplasms	4	3	1	4.7	5.2	3.9
19	Congenital Malformations and Chrom. Abnormalities	3	2	1	3.5	3.5	3.9
19	Aortic Aneurysm and Dissection	3	2	1	3.5	3.5	3.9
19	Malnutrition/Nutritional Deficiency	3	2	1	3.5	3.5	3.9
22	Complications Medical/Surgical Care	2	1	1	2.4	1.7	3.9
23	Female Pelvic Inflammatory Disease	1	0	1	2.3	0.0	7.3
23	Cholelithiasis/Gallbladder Disorder	1	1	0	1.2	1.7	0.0
23	Hernia	1	1	0	1.2	1.7	0.0
23	Atherosclerosis	1	0	1	1.2	0.0	3.9
23	Meningitis	1	0	1	1.2	0.0	3.9
23	Anemias	1	1	0	1.2	1.7	0.0
23	Viral Hepatitis	1	1	0	1.2	1.7	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	8	5	3	9.4	8.7	11.8
	All Other Causes	125	103	22	147.2	179.6	86.5

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	956	749	205	477	376	100	479	373	105
Under 1	11	3	8	6	2	4	5	1	4
(Neonatal)	9	2	7	4	1	3	5	1	4
(Postneonatal)	2	1	1	2	1	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	16	8	8	10	5	5	6	3	3
25-34	20	12	8	15	8	7	5	4	1
35-44	24	14	10	15	11	4	9	3	6
45-54	61	45	15	38	28	9	23	17	6
55-64	138	98	39	84	65	19	54	33	20
65-74	190	150	40	118	94	24	72	56	16
75-84	240	199	41	112	97	15	128	102	26
85 and over	256	220	36	79	66	13	177	154	23
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	84,933
White	57,365
Black	25,443
Other	2,125

Selected Death Statistics, Residents of Leflore County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	365	127	238	1,249.0	1,841.6	1,091.7
1	Heart Diseases	88	29	59	301.1	420.5	270.6
2	Malignant Neoplasms	71	17	54	243.0	246.5	247.7
3	Cerebrovascular Disease	32	10	22	109.5	145.0	100.9
4	Diabetes Mellitus	28	10	18	95.8	145.0	82.6
5	Accidents	22	10	12	75.3	145.0	55.0
6	Alzheimer's Disease	19	9	10	65.0	130.5	45.9
7	Emphysema and Other Chronic Lower Resp. Diseases	15	9	6	51.3	130.5	27.5
7	Hypertension/Hypertensive Renal Disease	15	5	10	51.3	72.5	45.9
9	Influenza and Pneumonia	7	5	2	24.0	72.5	9.2
10	Parkinson's Disease	5	5	0	17.1	72.5	0.0
11	Nephritis, Nephrotic Syndrome And Nephrosis	4	0	4	13.7	0.0	18.3
12	Suicide	3	1	2	10.3	14.5	9.2
12	Chronic Liver Disease And Cirrhosis	3	1	2	10.3	14.5	9.2
12	In Situ, Benign and Unspecified Neoplasms	3	1	2	10.3	14.5	9.2
15	Homicide	2	0	2	6.8	0.0	9.2
15	Malnutrition/Nutritional Deficiency	2	1	1	6.8	14.5	4.6
15	HIV Disease	2	0	2	6.8	0.0	9.2
18	Complications Medical/Surgical Care	1	0	1	3.4	0.0	4.6
18	Congenital Malformations and Chrom. Abnormalities	1	0	1	3.4	0.0	4.6
18	Conditions Originating in the Perinatal Period**	1	0	1	2.1	0.0	2.6
18	Pneumonitis Due to Solids and Liquids	1	1	0	3.4	14.5	0.0
18	Viral Hepatitis	1	0	1	3.4	0.0	4.6
18	Septicemia	1	0	1	3.4	0.0	4.6
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	4	1	3	13.7	14.5	13.8
	All Other Causes	34	12	22	116.3	174.0	100.9

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	365	127	238	170	51	119	195	76	119
Under 1	5	1	4	5	1	4	0	0	0
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	4	1	3	4	1	3	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	0	5	3	0	3	2	0	2
25-34	11	0	11	8	0	8	3	0	3
35-44	14	3	11	10	1	9	4	2	2
45-54	27	2	25	12	0	12	15	2	13
55-64	61	13	48	33	7	26	28	6	22
65-74	72	24	48	36	8	28	36	16	20
75-84	80	33	47	38	19	19	42	14	28
85 and over	89	50	39	24	14	10	65	36	29
Unknown	0	0	0	0	0	0	0	0	0

2017 Population									
Total	29,223								
White	6,896								
Black	21,801								
Other	526								

Selected Death Statistics, Residents of Lincoln County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	450	335	114	1,310.2	1,433.5	1,092.8
1	Heart Diseases	113	95	18	329.0	406.5	172.5
2	Malignant Neoplasms	87	61	26	253.3	261.0	249.2
3	Emphysema and Other Chronic Lower Resp. Diseases	42	36	6	122.3	154.0	57.5
4	Cerebrovascular Disease	22	19	3	64.1	81.3	28.8
5	Diabetes Mellitus	20	10	10	58.2	42.8	95.9
6	Accidents	17	13	3	49.5	55.6	28.8
7	Homicide	12	4	8	34.9	17.1	76.7
8	Influenza and Pneumonia	11	7	4	32.0	30.0	38.3
8	Alzheimer's Disease	11	11	0	32.0	47.1	0.0
10	Nephritis, Nephrotic Syndrome And Nephrosis	10	5	5	29.1	21.4	47.9
10	Septicemia	10	7	3	29.1	30.0	28.8
12	Hypertension/Hypertensive Renal Disease	6	3	3	17.5	12.8	28.8
12	Parkinson's Disease	6	6	0	17.5	25.7	0.0
14	Suicide	4	3	1	11.6	12.8	9.6
15	Chronic Liver Disease And Cirrhosis	3	2	1	8.7	8.6	9.6
16	Pneumonitis Due to Solids and Liquids	2	1	1	5.8	4.3	9.6
17	Complications Medical/Surgical Care	1	1	0	2.9	4.3	0.0
17	Conditions Originating in the Perinatal Period**	1	1	0	2.4	3.6	0.0
17	HIV Disease	1	1	0	2.9	4.3	0.0
17	Whooping Cough	1	0	1	2.9	0.0	9.6
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	12	12	0	34.9	51.3	0.0
	All Other Causes	58	37	21	168.9	158.3	201.3

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.
Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	450	335	114	211	152	59	239	183	55
Under 1	3	3	0	3	3	0	0	0	0
(Neonatal)	2	2	0	2	2	0	0	0	0
(Postneonatal)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	1	0	1	1	1	0
15-24	7	3	4	6	3	3	1	0	1
25-34	8	5	2	4	3	1	4	2	1
35-44	21	14	7	9	7	2	12	7	5
45-54	20	10	10	10	5	5	10	5	5
55-64	69	47	22	38	28	10	31	19	12
65-74	100	67	33	59	38	21	41	29	12
75-84	106	91	15	50	41	9	56	50	6
85 and over	114	94	20	31	24	7	83	70	13
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	34,347
White	23,370
Black	10,432
Other	545

Selected Death Statistics, Residents of Lowndes County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	657	410	245	1,110.1	1,301.8	932.1
1	Malignant Neoplasms	159	96	63	268.6	304.8	239.7
2	Heart Diseases	147	93	54	248.4	295.3	205.4
3	Emphysema and Other Chronic Lower Resp. Diseases	54	38	16	91.2	120.7	60.9
4	Alzheimer's Disease	45	31	14	76.0	98.4	53.3
5	Accidents	32	22	10	54.1	69.9	38.0
5	Cerebrovascular Disease	32	20	12	54.1	63.5	45.7
7	Diabetes Mellitus	20	9	11	33.8	28.6	41.8
8	Suicide	10	8	1	16.9	25.4	3.8
8	Influenza and Pneumonia	10	8	2	16.9	25.4	7.6
10	Parkinson's Disease	9	7	2	15.2	22.2	7.6
11	Nephritis, Nephrotic Syndrome And Nephrosis	8	4	4	13.5	12.7	15.2
11	Chronic Liver Disease And Cirrhosis	8	6	2	13.5	19.1	7.6
13	Conditions Originating in the Perinatal Period**	5	2	3	6.6	5.6	7.9
13	Aortic Aneurysm and Dissection	5	3	2	8.4	9.5	7.6
13	Septicemia	5	2	2	8.4	6.4	7.6
16	Hypertension/Hypertensive Renal Disease	4	1	3	6.8	3.2	11.4
16	HIV Disease	4	0	4	6.8	0.0	15.2
18	Homicide	3	1	2	5.1	3.2	7.6
18	Congenital Malformations and Chrom. Abnormalities	3	2	1	5.1	6.4	3.8
20	Pneumonitis Due to Solids and Liquids	2	2	0	3.4	6.4	0.0
20	Malnutrition/Nutritional Deficiency	2	1	1	3.4	3.2	3.8
20	In Situ, Benign and Unspecified Neoplasms	2	2	0	3.4	6.4	0.0
23	Legal Intervention	1	0	1	1.7	0.0	3.8
23	Cholelithiasis/Gallbladder Disorder	1	0	1	1.7	0.0	3.8
23	Anemias	1	1	0	1.7	3.2	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	4	0	4	6.8	0.0	15.2
	All Other Causes	81	51	30	136.9	161.9	114.1

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	657	410	245	328	194	133	329	216	112
Under 1	6	2	4	5	2	3	1	0	1
(Neonatal)	6	2	4	5	2	3	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	3	1	2	1	0	1	2	1	1
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	12	2	9	10	1	8	2	1	1
25-34	15	10	5	10	6	4	5	4	1
35-44	16	6	10	8	3	5	8	3	5
45-54	44	26	18	25	13	12	19	13	6
55-64	99	54	44	48	26	22	51	28	22
65-74	131	68	63	80	39	41	51	29	22
75-84	153	103	50	80	50	30	73	53	20
85 and over	177	138	39	60	54	6	117	84	33
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	59,186
White	31,496
Black	26,286
Other	1,404

Selected Death Statistics, Residents of Madison County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	1,026	720	300	980.7	1,193.8	749.8
1	Malignant Neoplasms	254	172	82	242.8	285.2	204.9
2	Heart Diseases	195	138	55	186.4	228.8	137.5
3	Alzheimer's Disease	80	69	11	76.5	114.4	27.5
4	Cerebrovascular Disease	71	48	23	67.9	79.6	57.5
5	Emphysema and Other Chronic Lower Resp. Diseases	62	48	14	59.3	79.6	35.0
6	Diabetes Mellitus	59	32	26	56.4	53.1	65.0
7	Accidents	35	24	10	33.5	39.8	25.0
8	Influenza and Pneumonia	21	18	3	20.1	29.8	7.5
9	Suicide	17	16	1	16.2	26.5	2.5
9	Nephritis, Nephrotic Syndrome And Nephrosis	17	7	10	16.2	11.6	25.0
11	Septicemia	16	7	9	15.3	11.6	22.5
12	Parkinson's Disease	10	9	1	9.6	14.9	2.5
13	Chronic Liver Disease And Cirrhosis	9	5	3	8.6	8.3	7.5
14	Homicide	7	3	3	6.7	5.0	7.5
14	Hypertension/Hypertensive Renal Disease	7	5	2	6.7	8.3	5.0
14	In Situ, Benign and Unspecified Neoplasms	7	5	2	6.7	8.3	5.0
17	Pneumonitis Due to Solids and Liquids	6	4	2	5.7	6.6	5.0
18	Congenital Malformations and Chrom. Abnormalities	3	2	1	2.9	3.3	2.5
18	Aortic Aneurysm and Dissection	3	1	2	2.9	1.7	5.0
20	Hernia	2	2	0	1.9	3.3	0.0
20	Anemias	2	2	0	1.9	3.3	0.0
20	HIV Disease	2	0	2	1.9	0.0	5.0
23	Conditions Originating in the Perinatal Period**	1	0	1	0.8	0.0	2.0
23	Hyperplasia of Prostate	1	0	1	2.0	0.0	5.4
23	Infections of Kidney	1	1	0	1.0	1.7	0.0
23	Malnutrition/Nutritional Deficiency	1	1	0	1.0	1.7	0.0
23	Viral Hepatitis	1	1	0	1.0	1.7	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	6	5	1	5.7	8.3	2.5
	All Other Causes	130	95	35	124.3	157.5	87.5

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	1,026	720	300	457	303	151	569	417	149
Under 1	6	1	5	4	1	3	2	0	2
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	5	1	4	4	1	3	1	0	1
1-4	2	1	1	1	1	0	1	0	1
5-9	1	1	0	0	0	0	1	1	0
10-14	1	0	1	1	0	1	0	0	0
15-24	13	8	4	11	7	3	2	1	1
25-34	13	9	3	10	7	2	3	2	1
35-44	17	8	9	8	4	4	9	4	5
45-54	52	28	24	26	13	13	26	15	11
55-64	142	68	73	80	39	40	62	29	33
65-74	156	101	54	92	58	34	64	43	20
75-84	255	182	72	116	83	33	139	99	39
85 and over	368	313	54	108	90	18	260	223	36
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	104,618
White	60,311
Black	40,010
Other	4,297

Selected Death Statistics, Residents of Marion County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	328	233	94	1,308.4	1,399.6	1,182.2
1	Heart Diseases	88	62	26	351.0	372.4	327.0
2	Malignant Neoplasms	65	47	18	259.3	282.3	226.4
3	Accidents	21	17	4	83.8	102.1	50.3
4	Cerebrovascular Disease	20	15	5	79.8	90.1	62.9
4	Alzheimer's Disease	20	13	7	79.8	78.1	88.0
6	Emphysema and Other Chronic Lower Resp. Diseases	14	11	3	55.8	66.1	37.7
7	Influenza and Pneumonia	12	9	3	47.9	54.1	37.7
7	Diabetes Mellitus	12	6	6	47.9	36.0	75.5
9	Nephritis, Nephrotic Syndrome And Nephrosis	9	3	6	35.9	18.0	75.5
10	Chronic Liver Disease And Cirrhosis	8	6	2	31.9	36.0	25.2
11	Septicemia	6	4	2	23.9	24.0	25.2
12	Suicide	4	3	0	16.0	18.0	0.0
12	Parkinson's Disease	4	3	1	16.0	18.0	12.6
14	Complications Medical/Surgical Care	3	2	1	12.0	12.0	12.6
14	Hypertension/Hypertensive Renal Disease	3	1	2	12.0	6.0	25.2
16	Homicide	2	0	2	8.0	0.0	25.2
17	Congenital Malformations and Chrom. Abnormalities	1	0	1	4.0	0.0	12.6
17	Cholelithiasis/Gallbladder Disorder	1	1	0	4.0	6.0	0.0
17	Pneumonitis Due to Solids and Liquids	1	1	0	4.0	6.0	0.0
17	Aortic Aneurysm and Dissection	1	1	0	4.0	6.0	0.0
17	HIV Disease	1	0	1	4.0	0.0	12.6
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	1	1	0	4.0	6.0	0.0
	All Other Causes	31	27	4	123.7	162.2	50.3

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	328	233	94	175	124	50	153	109	44
Under 1	3	2	1	2	1	1	1	1	0
(Neonatal)	2	1	1	2	1	1	0	0	0
(Postneonatal)	1	1	0	0	0	0	1	1	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	2	0	3	2	0	0	0	0
25-34	10	6	4	4	3	1	6	3	3
35-44	8	7	1	6	5	1	2	2	0
45-54	27	20	7	16	11	5	11	9	2
55-64	69	42	27	33	21	12	36	21	15
65-74	69	47	22	46	31	15	23	16	7
75-84	74	55	19	41	29	12	33	26	7
85 and over	64	52	12	24	21	3	40	31	9
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	25,069
White	16,648
Black	7,951
Other	470

Selected Death Statistics, Residents of Marshall County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	422	241	180	1,184.8	1,337.7	1,060.9
1	Malignant Neoplasms	97	58	39	272.3	321.9	229.9
2	Heart Diseases	86	45	40	241.4	249.8	235.8
3	Diabetes Mellitus	36	11	25	101.1	61.1	147.4
4	Emphysema and Other Chronic Lower Resp. Diseases	31	27	4	87.0	149.9	23.6
5	Accidents	26	16	10	73.0	88.8	58.9
6	Cerebrovascular Disease	16	10	6	44.9	55.5	35.4
7	Hypertension/Hypertensive Renal Disease	12	7	5	33.7	38.9	29.5
8	Influenza and Pneumonia	11	8	3	30.9	44.4	17.7
9	Alzheimer's Disease	10	8	2	28.1	44.4	11.8
10	Suicide	8	6	2	22.5	33.3	11.8
10	Chronic Liver Disease And Cirrhosis	8	5	3	22.5	27.8	17.7
12	Homicide	5	1	4	14.0	5.6	23.6
12	Nephritis, Nephrotic Syndrome And Nephrosis	5	1	4	14.0	5.6	23.6
12	Septicemia	5	1	4	14.0	5.6	23.6
15	Aortic Aneurysm and Dissection	3	2	1	8.4	11.1	5.9
16	Complications Medical/Surgical Care	2	0	2	5.6	0.0	11.8
16	Conditions Originating in the Perinatal Period**	2	0	2	5.2	0.0	10.4
16	Pneumonitis Due to Solids and Liquids	2	1	1	5.6	5.6	5.9
16	Parkinson's Disease	2	2	0	5.6	11.1	0.0
20	Infections of Kidney	1	1	0	2.8	5.6	0.0
20	Cholelithiasis/Gallbladder Disorder	1	0	1	2.8	0.0	5.9
20	Atherosclerosis	1	1	0	2.8	5.6	0.0
20	HIV Disease	1	0	1	2.8	0.0	5.9
20	Viral Hepatitis	1	1	0	2.8	5.6	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	12	8	4	33.7	44.4	23.6
	All Other Causes	38	21	17	106.7	116.6	100.2

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	422	241	180	240	133	106	182	108	74
Under 1	2	0	2	1	0	1	1	0	1
(Neonatal)	2	0	2	1	0	1	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	2	1	1	0	0	0	2	1	1
10-14	0	0	0	0	0	0	0	0	0
15-24	7	3	4	7	3	4	0	0	0
25-34	10	4	6	6	2	4	4	2	2
35-44	19	8	11	14	5	9	5	3	2
45-54	28	15	13	20	11	9	8	4	4
55-64	71	32	39	44	18	26	27	14	13
65-74	103	66	37	56	36	20	47	30	17
75-84	106	59	46	66	38	27	40	21	19
85 and over	73	52	21	25	19	6	48	33	15
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	35,619
White	18,016
Black	16,966
Other	637

Selected Death Statistics, Residents of Monroe County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	455	349	106	1,268.4	1,435.6	957.8
1	Malignant Neoplasms	109	84	25	303.9	345.5	225.9
2	Heart Diseases	94	73	21	262.0	300.3	189.8
3	Alzheimer's Disease	38	30	8	105.9	123.4	72.3
4	Emphysema and Other Chronic Lower Resp. Diseases	35	30	5	97.6	123.4	45.2
5	Accidents	24	19	5	66.9	78.2	45.2
6	Cerebrovascular Disease	23	15	8	64.1	61.7	72.3
7	Diabetes Mellitus	14	7	7	39.0	28.8	63.3
8	Hypertension/Hypertensive Renal Disease	12	11	1	33.5	45.2	9.0
9	Influenza and Pneumonia	11	8	3	30.7	32.9	27.1
10	Suicide	5	5	0	13.9	20.6	0.0
11	Nephritis, Nephrotic Syndrome And Nephrosis	4	2	2	11.2	8.2	18.1
11	Parkinson's Disease	4	4	0	11.2	16.5	0.0
11	Malnutrition/Nutritional Deficiency	4	3	1	11.2	12.3	9.0
14	Congenital Malformations and Chrom. Abnormalities	3	1	2	8.4	4.1	18.1
14	Chronic Liver Disease And Cirrhosis	3	1	2	8.4	4.1	18.1
14	Pneumonitis Due to Solids and Liquids	3	3	0	8.4	12.3	0.0
17	Homicide	2	1	1	5.6	4.1	9.0
17	Viral Hepatitis	2	1	1	5.6	4.1	9.0
17	Septicemia	2	2	0	5.6	8.2	0.0
20	Conditions Originating in the Perinatal Period**	1	1	0	2.4	3.5	0.0
20	Maternal Causes**	1	0	1	238.7	0.0	769.2
20	Aortic Aneurysm and Dissection	1	1	0	2.8	4.1	0.0
20	Meningitis	1	0	1	2.8	0.0	9.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	3	2	1	8.4	8.2	9.0
	All Other Causes	56	45	11	156.1	185.1	99.4

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	455	349	106	222	171	51	233	178	55
Under 1	2	1	1	2	1	1	0	0	0
(Neonatal)	1	1	0	1	1	0	0	0	0
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	7	6	1	7	6	1	0	0	0
25-34	7	3	4	4	2	2	3	1	2
35-44	6	4	2	4	4	0	2	0	2
45-54	29	21	8	17	12	5	12	9	3
55-64	66	45	21	37	25	12	29	20	9
65-74	102	83	19	62	48	14	40	35	5
75-84	118	90	28	57	44	13	61	46	15
85 and over	118	96	22	32	29	3	86	67	19
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	35,872
White	24,310
Black	11,067
Other	495

Selected Death Statistics, Residents of Montgomery County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	124	87	37	1,218.9	1,608.4	805.0
1	Malignant Neoplasms	27	18	9	265.4	332.8	195.8
2	Heart Diseases	25	19	6	245.7	351.3	130.5
3	Cerebrovascular Disease	11	7	4	108.1	129.4	87.0
4	Emphysema and Other Chronic Lower Resp. Diseases	10	9	1	98.3	166.4	21.8
5	Diabetes Mellitus	6	2	4	59.0	37.0	87.0
5	Accidents	6	5	1	59.0	92.4	21.8
7	Hypertension/Hypertensive Renal Disease	4	4	0	39.3	74.0	0.0
8	Influenza and Pneumonia	3	2	1	29.5	37.0	21.8
8	Homicide	3	2	1	29.5	37.0	21.8
8	Nephritis, Nephrotic Syndrome And Nephrosis	3	2	1	29.5	37.0	21.8
11	Alzheimer's Disease	2	1	1	19.7	18.5	21.8
11	Septicemia	2	1	1	19.7	18.5	21.8
13	Chronic Liver Disease And Cirrhosis	1	1	0	9.8	18.5	0.0
13	Parkinson's Disease	1	1	0	9.8	18.5	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	4	2	2	39.3	37.0	43.5
	All Other Causes	16	11	5	157.3	203.4	108.8

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	124	87	37	68	48	20	56	39	17
Under 1	2	1	1	2	1	1	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	2	1	1	2	1	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	2	1	1	2	1	1	0	0	0
35-44	2	2	0	1	1	0	1	1	0
45-54	8	5	3	4	2	2	4	3	1
55-64	21	10	11	13	7	6	8	3	5
65-74	26	17	9	15	11	4	11	6	5
75-84	33	24	9	17	12	5	16	12	4
85 and over	29	26	3	13	12	1	16	14	2
Unknown	0	0	0	0	0	0	0	0	0

2017 Population
 Total 10,173
 White 5,409
 Black 4,596
 Other 168

Selected Death Statistics, Residents of Neshoba County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	391	255	63	1,331.3	1,459.8	1,011.9
1	Heart Diseases	130	95	19	442.6	543.9	305.2
2	Malignant Neoplasms	62	44	11	211.1	251.9	176.7
3	Accidents	27	16	4	91.9	91.6	64.2
4	Alzheimer's Disease	23	22	1	78.3	125.9	16.1
5	Emphysema and Other Chronic Lower Resp. Diseases	17	16	0	57.9	91.6	0.0
5	Diabetes Mellitus	17	1	3	57.9	5.7	48.2
7	Cerebrovascular Disease	13	8	2	44.3	45.8	32.1
8	Influenza and Pneumonia	9	7	1	30.6	40.1	16.1
9	Nephritis, Nephrotic Syndrome And Nephrosis	8	6	1	27.2	34.3	16.1
9	Chronic Liver Disease And Cirrhosis	8	3	0	27.2	17.2	0.0
9	Septicemia	8	3	3	27.2	17.2	48.2
12	Homicide	4	1	2	13.6	5.7	32.1
13	Suicide	3	3	0	10.2	17.2	0.0
14	Pneumonitis Due to Solids and Liquids	2	1	0	6.8	5.7	0.0
14	Hypertension/Hypertensive Renal Disease	2	1	1	6.8	5.7	16.1
14	Parkinson's Disease	2	2	0	6.8	11.4	0.0
17	Legal Intervention	1	1	0	3.4	5.7	0.0
17	Congenital Malformations and Chrom. Abnormalities	1	1	0	3.4	5.7	0.0
17	Conditions Originating in the Perinatal Period**	1	0	0	2.2	0.0	0.0
17	Meningitis	1	0	0	3.4	0.0	0.0
17	Anemias	1	0	1	3.4	0.0	16.1
17	In Situ, Benign and Unspecified Neoplasms	1	1	0	3.4	5.7	0.0
17	HIV Disease	1	0	0	3.4	0.0	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	8	1	2	27.2	5.7	32.1
	All Other Causes	41	22	12	139.6	125.9	192.7

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	391	255	63	199	123	30	192	132	33
Under 1	4	0	0	3	0	0	1	0	0
(Neonatal)	2	0	0	1	0	0	1	0	0
(Postneonatal)	2	0	0	2	0	0	0	0	0
1-4	3	0	1	2	0	1	1	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	3	1	2	2	0	2	1	1
25-34	10	3	4	8	2	4	2	1	0
35-44	22	6	5	16	5	2	6	1	3
45-54	27	11	2	16	6	0	11	5	2
55-64	76	40	20	43	23	9	33	17	11
65-74	74	47	14	38	25	8	36	22	6
75-84	76	58	10	38	30	4	38	28	6
85 and over	94	86	6	32	29	2	62	57	4
Unknown	0	0	0	0	0	0	0	0	0

2017 Population									
Total	29,369								
White	17,468								
Black	6,226								
Other	5,675								

Selected Death Statistics, Residents of Newton County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	264	180	72	1,246.2	1,366.5	1,102.8
1	Heart Diseases	56	47	7	264.3	356.8	107.2
2	Malignant Neoplasms	46	27	19	217.1	205.0	291.0
3	Emphysema and Other Chronic Lower Resp. Diseases	27	21	6	127.4	159.4	91.9
4	Diabetes Mellitus	18	8	10	85.0	60.7	153.2
5	Influenza and Pneumonia	11	9	2	51.9	68.3	30.6
5	Cerebrovascular Disease	11	8	2	51.9	60.7	30.6
7	Accidents	10	6	3	47.2	45.6	45.9
7	Alzheimer's Disease	10	9	1	47.2	68.3	15.3
9	Nephritis, Nephrotic Syndrome And Nephrosis	8	6	2	37.8	45.6	30.6
10	Hypertension/Hypertensive Renal Disease	7	3	3	33.0	22.8	45.9
11	Septicemia	5	2	3	23.6	15.2	45.9
12	Suicide	3	2	1	14.2	15.2	15.3
12	Parkinson's Disease	3	3	0	14.2	22.8	0.0
14	Chronic Liver Disease And Cirrhosis	2	1	0	9.4	7.6	0.0
14	Pneumonitis Due to Solids and Liquids	2	0	1	9.4	0.0	15.3
16	Homicide	1	0	1	4.7	0.0	15.3
16	In Situ, Benign and Unspecified Neoplasms	1	1	0	4.7	7.6	0.0
16	Viral Hepatitis	1	1	0	4.7	7.6	0.0
--- Not Included in Ranking ---							
	Symptoms, Signs, Ill-Defined Conditions	5	2	3	23.6	15.2	45.9
	All Other Causes	37	24	8	174.7	182.2	122.5

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.
Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	264	180	72	139	93	41	125	87	31
Under 1	1	1	0	1	1	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	2	1	1	1	0	1
25-34	1	0	1	1	0	1	0	0	0
35-44	4	2	2	3	2	1	1	0	1
45-54	11	6	4	5	2	2	6	4	2
55-64	37	15	18	18	7	10	19	8	8
65-74	60	37	21	37	24	13	23	13	8
75-84	70	54	13	38	28	8	32	26	5
85 and over	76	63	11	33	27	5	43	36	6
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	21,185
White	13,172
Black	6,529
Other	1,484

Selected Death Statistics, Residents of Noxubee County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	124	40	84	1,154.3	1,398.1	1,087.4
1	Heart Diseases	38	15	23	353.8	524.3	297.7
2	Malignant Neoplasms	30	8	22	279.3	279.6	284.8
3	Accidents	7	1	6	65.2	35.0	77.7
3	Emphysema and Other Chronic Lower Resp. Diseases	7	2	5	65.2	69.9	64.7
3	Alzheimer's Disease	7	3	4	65.2	104.9	51.8
6	Diabetes Mellitus	6	1	5	55.9	35.0	64.7
7	Nephritis, Nephrotic Syndrome And Nephrosis	4	1	3	37.2	35.0	38.8
8	Homicide	3	1	2	27.9	35.0	25.9
9	Suicide	1	1	0	9.3	35.0	0.0
9	Conditions Originating in the Perinatal Period**	1	0	1	5.2	0.0	6.8
9	Peptic Ulcer	1	1	0	9.3	35.0	0.0
9	Influenza and Pneumonia	1	0	1	9.3	0.0	12.9
9	Cerebrovascular Disease	1	0	1	9.3	0.0	12.9
9	Hypertension/Hypertensive Renal Disease	1	1	0	9.3	35.0	0.0
9	In Situ, Benign and Unspecified Neoplasms	1	1	0	9.3	35.0	0.0
9	HIV Disease	1	0	1	9.3	0.0	12.9
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	1	0	1	9.3	0.0	12.9
	All Other Causes	13	4	9	121.0	139.8	116.5

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	124	40	84	74	21	53	50	19	31
Under 1	1	0	1	1	0	1	0	0	0
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	1	3	3	0	3	1	1	0
25-34	2	0	2	2	0	2	0	0	0
35-44	3	0	3	2	0	2	1	0	1
45-54	8	1	7	5	1	4	3	0	3
55-64	25	5	20	18	4	14	7	1	6
65-74	22	5	17	13	1	12	9	4	5
75-84	27	11	16	17	9	8	10	2	8
85 and over	32	17	15	13	6	7	19	11	8
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	10,742
White	2,861
Black	7,725
Other	156

Selected Death Statistics, Residents of Oktibbeha County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	326	160	163	654.6	555.4	872.9
1	Heart Diseases	73	40	33	146.6	138.8	176.7
2	Malignant Neoplasms	61	23	38	122.5	79.8	203.5
3	Cerebrovascular Disease	27	10	16	54.2	34.7	85.7
4	Accidents	17	11	6	34.1	38.2	32.1
4	Emphysema and Other Chronic Lower Resp. Diseases	17	12	5	34.1	41.7	26.8
6	Alzheimer's Disease	14	10	4	28.1	34.7	21.4
7	Diabetes Mellitus	13	5	7	26.1	17.4	37.5
8	Nephritis, Nephrotic Syndrome And Nephrosis	9	2	7	18.1	6.9	37.5
9	Conditions Originating in the Perinatal Period**	7	0	7	11.8	0.0	26.8
10	Influenza and Pneumonia	6	4	2	12.0	13.9	10.7
10	Septicemia	6	3	3	12.0	10.4	16.1
12	Suicide	5	3	2	10.0	10.4	10.7
12	Congenital Malformations and Chrom. Abnormalities	5	5	0	10.0	17.4	0.0
12	Hypertension/Hypertensive Renal Disease	5	3	2	10.0	10.4	10.7
12	Parkinson's Disease	5	5	0	10.0	17.4	0.0
16	Complications Medical/Surgical Care	2	0	2	4.0	0.0	10.7
16	Chronic Liver Disease And Cirrhosis	2	1	1	4.0	3.5	5.4
16	Aortic Aneurysm and Dissection	2	1	1	4.0	3.5	5.4
16	Malnutrition/Nutritional Deficiency	2	0	2	4.0	0.0	10.7
20	Legal Intervention	1	1	0	2.0	3.5	0.0
20	Homicide	1	0	1	2.0	0.0	5.4
20	Cholelithiasis/Gallbladder Disorder	1	1	0	2.0	3.5	0.0
20	Peptic Ulcer	1	1	0	2.0	3.5	0.0
20	HIV Disease	1	1	0	2.0	3.5	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	3	0	2	6.0	0.0	10.7
	All Other Causes	40	18	22	80.3	62.5	117.8

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	326	160	163	157	82	73	169	78	90
Under 1	10	3	7	6	3	3	4	0	4
(Neonatal)	10	3	7	6	3	3	4	0	4
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	6	3	3	4	1	3	2	2	0
25-34	2	2	0	2	2	0	0	0	0
35-44	14	4	9	7	3	3	7	1	6
45-54	23	4	18	17	4	12	6	0	6
55-64	50	16	34	27	8	19	23	8	15
65-74	62	31	31	34	16	18	28	15	13
75-84	71	38	32	27	19	8	44	19	24
85 and over	85	57	28	31	24	7	54	33	21
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	49,799
White	28,810
Black	18,673
Other	2,316

Selected Death Statistics, Residents of Panola County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	417	240	177	1,226.7	1,465.4	1,036.4
1	Heart Diseases	121	69	52	355.9	421.3	304.5
2	Malignant Neoplasms	89	57	32	261.8	348.0	187.4
3	Emphysema and Other Chronic Lower Resp. Diseases	29	23	6	85.3	140.4	35.1
4	Accidents	27	16	11	79.4	97.7	64.4
5	Alzheimer's Disease	22	16	6	64.7	97.7	35.1
6	Influenza and Pneumonia	15	10	5	44.1	61.1	29.3
7	Cerebrovascular Disease	14	7	7	41.2	42.7	41.0
8	Nephritis, Nephrotic Syndrome And Nephrosis	12	1	11	35.3	6.1	64.4
9	Diabetes Mellitus	10	5	5	29.4	30.5	29.3
10	Homicide	8	1	7	23.5	6.1	41.0
11	Hypertension/Hypertensive Renal Disease	6	4	2	17.7	24.4	11.7
12	Suicide	5	3	2	14.7	18.3	11.7
12	Septicemia	5	1	4	14.7	6.1	23.4
14	Complications Medical/Surgical Care	3	3	0	8.8	18.3	0.0
15	Pneumonitis Due to Solids and Liquids	2	1	1	5.9	6.1	5.9
15	Parkinson's Disease	2	2	0	5.9	12.2	0.0
15	In Situ, Benign and Unspecified Neoplasms	2	1	1	5.9	6.1	5.9
18	Congenital Malformations and Chrom. Abnormalities	1	0	1	2.9	0.0	5.9
18	Conditions Originating in the Perinatal Period**	1	0	1	2.0	0.0	3.4
18	Maternal Causes**	1	0	1	202.8	0.0	340.1
18	Chronic Liver Disease And Cirrhosis	1	0	1	2.9	0.0	5.9
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	4	2	2	11.8	12.2	11.7
	All Other Causes	37	18	19	108.8	109.9	111.2

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	417	240	177	226	130	96	191	110	81
Under 1	2	0	2	1	0	1	1	0	1
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	3	1	2	2	1	1	1	0	1
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	7	2	5	5	1	4	2	1	1
25-34	12	5	7	7	4	3	5	1	4
35-44	16	8	8	8	4	4	8	4	4
45-54	31	9	22	19	5	14	12	4	8
55-64	81	47	34	58	34	24	23	13	10
65-74	80	48	32	49	30	19	31	18	13
75-84	100	64	36	50	33	17	50	31	19
85 and over	84	55	29	26	17	9	58	38	20
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	33,994
White	16,378
Black	17,079
Other	537

Selected Death Statistics, Residents of Pearl River County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate***-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	686	614	66	1,241.2	1,311.9	965.1
1	Malignant Neoplasms	153	135	18	276.8	288.5	263.2
2	Heart Diseases	147	134	12	266.0	286.3	175.5
3	Emphysema and Other Chronic Lower Resp. Diseases	62	58	4	112.2	123.9	58.5
4	Accidents	43	41	2	77.8	87.6	29.2
5	Cerebrovascular Disease	31	27	4	56.1	57.7	58.5
6	Alzheimer's Disease	30	28	2	54.3	59.8	29.2
7	Influenza and Pneumonia	23	22	1	41.6	47.0	14.6
8	Diabetes Mellitus	17	13	4	30.8	27.8	58.5
9	Septicemia	16	14	2	28.9	29.9	29.2
10	Nephritis, Nephrotic Syndrome And Nephrosis	15	12	2	27.1	25.6	29.2
11	Suicide	14	14	0	25.3	29.9	0.0
12	Chronic Liver Disease And Cirrhosis	12	12	0	21.7	25.6	0.0
13	Pneumonitis Due to Solids and Liquids	6	6	0	10.9	12.8	0.0
14	Homicide	5	3	2	9.0	6.4	29.2
14	Hypertension/Hypertensive Renal Disease	5	3	1	9.0	6.4	14.6
14	Parkinson's Disease	5	5	0	9.0	10.7	0.0
17	Congenital Malformations and Chrom. Abnormalities	4	3	0	7.2	6.4	0.0
17	Conditions Originating in the Perinatal Period**	4	1	2	6.3	1.9	21.5
19	Aortic Aneurysm and Dissection	3	3	0	5.4	6.4	0.0
20	Complications Medical/Surgical Care	2	2	0	3.6	4.3	0.0
21	Infections of Kidney	1	1	0	1.8	2.1	0.0
21	Cholelithiasis/Gallbladder Disorder	1	1	0	1.8	2.1	0.0
21	Hernia	1	1	0	1.8	2.1	0.0
21	Meningitis	1	0	1	1.8	0.0	14.6
21	In Situ, Benign and Unspecified Neoplasms	1	1	0	1.8	2.1	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	7	7	0	12.7	15.0	0.0
	All Other Causes	77	67	9	139.3	143.2	131.6

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.
Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	686	614	66	378	346	31	308	268	35
Under 1	5	2	2	0	0	0	5	2	2
(Neonatal)	4	1	2	0	0	0	4	1	2
(Postneonatal)	1	1	0	0	0	0	1	1	0
1-4	2	2	0	2	2	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	10	8	1	7	7	0	3	1	1
25-34	18	14	4	15	12	3	3	2	1
35-44	23	22	1	14	13	1	9	9	0
45-54	48	42	6	29	26	3	19	16	3
55-64	96	86	10	62	56	6	34	30	4
65-74	152	137	15	85	79	6	67	58	9
75-84	191	170	19	103	94	8	88	76	11
85 and over	140	130	8	61	57	4	79	73	4
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	55,270
White	46,801
Black	6,839
Other	1,630

Selected Death Statistics, Residents of Perry County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	129	106	22	1,072.1	1,122.0	943.8
1	Heart Diseases	24	22	2	199.5	232.9	85.8
2	Malignant Neoplasms	22	16	5	182.8	169.4	214.5
3	Emphysema and Other Chronic Lower Resp. Diseases	20	17	3	166.2	180.0	128.7
4	Influenza and Pneumonia	7	5	2	58.2	52.9	85.8
4	Alzheimer's Disease	7	6	1	58.2	63.5	42.9
6	Accidents	6	5	1	49.9	52.9	42.9
7	Diabetes Mellitus	5	3	2	41.6	31.8	85.8
8	Chronic Liver Disease And Cirrhosis	3	3	0	24.9	31.8	0.0
8	Cerebrovascular Disease	3	2	1	24.9	21.2	42.9
10	Suicide	2	2	0	16.6	21.2	0.0
10	Nephritis, Nephrotic Syndrome And Nephrosis	2	2	0	16.6	21.2	0.0
10	Pneumonitis Due to Solids and Liquids	2	2	0	16.6	21.2	0.0
10	Hypertension/Hypertensive Renal Disease	2	1	1	16.6	10.6	42.9
10	Parkinson's Disease	2	2	0	16.6	21.2	0.0
10	Septicemia	2	0	2	16.6	0.0	85.8
16	Complications Medical/Surgical Care	1	1	0	8.3	10.6	0.0
16	Congenital Malformations and Chrom. Abnormalities	1	1	0	8.3	10.6	0.0
16	In Situ, Benign and Unspecified Neoplasms	1	1	0	8.3	10.6	0.0
--- Not Included in Ranking ---							
	Symptoms, Signs, Ill-Defined Conditions	4	4	0	33.2	42.3	0.0
	All Other Causes	13	11	2	108.0	116.4	85.8

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.
Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	129	106	22	60	51	9	69	55	13
Under 1	1	1	0	1	1	0	0	0	0
(Neonatal)	1	1	0	1	1	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	3	3	0	2	2	0	1	1	0
35-44	4	4	0	1	1	0	3	3	0
45-54	12	8	4	10	7	3	2	1	1
55-64	19	13	6	7	5	2	12	8	4
65-74	29	26	3	12	12	0	17	14	3
75-84	38	31	7	18	16	2	20	15	5
85 and over	22	19	2	8	6	2	14	13	0
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	12,032
White	9,447
Black	2,331
Other	254

Selected Death Statistics, Residents of Pike County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	541	308	233	1,370.7	1,753.3	1,102.2
1	Malignant Neoplasms	91	48	43	230.6	273.2	203.4
2	Heart Diseases	81	46	35	205.2	261.9	165.6
3	Diabetes Mellitus	62	28	34	157.1	159.4	160.8
4	Emphysema and Other Chronic Lower Resp. Diseases	42	34	8	106.4	193.5	37.8
4	Hypertension/Hypertensive Renal Disease	42	27	15	106.4	153.7	71.0
6	Cerebrovascular Disease	33	17	16	83.6	96.8	75.7
7	Accidents	27	23	4	68.4	130.9	18.9
8	Nephritis, Nephrotic Syndrome And Nephrosis	13	3	10	32.9	17.1	47.3
8	Septicemia	13	6	7	32.9	34.2	33.1
10	Influenza and Pneumonia	11	9	2	27.9	51.2	9.5
11	Chronic Liver Disease And Cirrhosis	10	7	3	25.3	39.8	14.2
11	Alzheimer's Disease	10	6	4	25.3	34.2	18.9
13	Complications Medical/Surgical Care	8	5	3	20.3	28.5	14.2
14	Homicide	5	2	3	12.7	11.4	14.2
14	Parkinson's Disease	5	5	0	12.7	28.5	0.0
16	Suicide	4	2	2	10.1	11.4	9.5
16	HIV Disease	4	0	4	10.1	0.0	18.9
18	Malnutrition/Nutritional Deficiency	3	3	0	7.6	17.1	0.0
18	In Situ, Benign and Unspecified Neoplasms	3	0	3	7.6	0.0	14.2
20	Conditions Originating in the Perinatal Period**	2	0	2	3.6	0.0	5.7
21	Congenital Malformations and Chrom. Abnormalities	1	0	1	2.5	0.0	4.7
21	Cholelithiasis/Gallbladder Disorder	1	1	0	2.5	5.7	0.0
21	Pneumonitis Due to Solids and Liquids	1	0	1	2.5	0.0	4.7
21	Aortic Aneurysm and Dissection	1	0	1	2.5	0.0	4.7
21	Viral Hepatitis	1	0	1	2.5	0.0	4.7
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	4	2	2	10.1	11.4	9.5
	All Other Causes	63	34	29	159.6	193.5	137.2

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	541	308	233	278	157	121	263	151	112
Under 1	3	0	3	2	0	2	1	0	1
(Neonatal)	2	0	2	1	0	1	1	0	1
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	2	0	2	1	0	1	1	0	1
10-14	2	2	0	0	0	0	2	2	0
15-24	6	3	3	6	3	3	0	0	0
25-34	9	6	3	4	3	1	5	3	2
35-44	19	7	12	10	5	5	9	2	7
45-54	43	20	23	20	12	8	23	8	15
55-64	111	50	61	65	27	38	46	23	23
65-74	107	57	50	63	37	26	44	20	24
75-84	133	85	48	69	45	24	64	40	24
85 and over	105	77	28	38	25	13	67	52	15
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	39,468
White	17,567
Black	21,140
Other	761

Selected Death Statistics, Residents of Pontotoc County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	324	287	36	1,024.0	1,104.1	741.0
1	Malignant Neoplasms	70	64	6	221.2	246.2	123.5
2	Heart Diseases	65	59	6	205.4	227.0	123.5
3	Emphysema and Other Chronic Lower Resp. Diseases	36	30	6	113.8	115.4	123.5
4	Accidents	23	21	2	72.7	80.8	41.2
5	Alzheimer's Disease	22	20	2	69.5	76.9	41.2
6	Cerebrovascular Disease	20	17	3	63.2	65.4	61.8
7	Diabetes Mellitus	9	7	2	28.4	26.9	41.2
8	Suicide	8	7	1	25.3	26.9	20.6
9	Septicemia	6	6	0	19.0	23.1	0.0
10	Nephritis, Nephrotic Syndrome And Nephrosis	5	4	1	15.8	15.4	20.6
10	Chronic Liver Disease And Cirrhosis	5	5	0	15.8	19.2	0.0
12	Pneumonitis Due to Solids and Liquids	4	3	1	12.6	11.5	20.6
12	Influenza and Pneumonia	4	4	0	12.6	15.4	0.0
14	Hypertension/Hypertensive Renal Disease	3	1	1	9.5	3.8	20.6
15	Congenital Malformations and Chrom. Abnormalities	2	2	0	6.3	7.7	0.0
15	In Situ, Benign and Unspecified Neoplasms	2	2	0	6.3	7.7	0.0
15	Viral Hepatitis	2	2	0	6.3	7.7	0.0
18	Conditions Originating in the Perinatal Period**	1	0	1	2.4	0.0	18.5
18	Aortic Aneurysm and Dissection	1	0	1	3.2	0.0	20.6
18	Anemias	1	1	0	3.2	3.8	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	5	4	1	15.8	15.4	20.6
	All Other Causes	30	28	2	94.8	107.7	41.2

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.
Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	324	287	36	168	144	24	156	143	12
Under 1	7	5	2	3	2	1	4	3	1
(Neonatal)	4	2	2	1	0	1	3	2	1
(Postneonatal)	3	3	0	2	2	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	2	1	1	0	0	0
25-34	9	9	0	6	6	0	3	3	0
35-44	9	8	1	5	5	0	4	3	1
45-54	21	19	2	13	11	2	8	8	0
55-64	62	56	6	38	32	6	24	24	0
65-74	61	51	10	38	32	6	23	19	4
75-84	73	68	5	36	31	5	37	37	0
85 and over	80	70	9	27	24	3	53	46	6
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	31,640
White	25,995
Black	4,858
Other	787

Selected Death Statistics, Residents of Prentiss County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	330	307	22	1,306.4	1,449.7	604.9
1	Heart Diseases	77	71	6	304.8	335.3	165.0
2	Malignant Neoplasms	54	52	2	213.8	245.5	55.0
3	Emphysema and Other Chronic Lower Resp. Diseases	35	34	1	138.6	160.6	27.5
4	Alzheimer's Disease	23	22	1	91.0	103.9	27.5
5	Cerebrovascular Disease	20	17	2	79.2	80.3	55.0
6	Accidents	18	17	1	71.3	80.3	27.5
7	Nephritis, Nephrotic Syndrome And Nephrosis	12	11	1	47.5	51.9	27.5
8	Influenza and Pneumonia	11	11	0	43.5	51.9	0.0
9	Septicemia	10	10	0	39.6	47.2	0.0
10	Diabetes Mellitus	9	8	1	35.6	37.8	27.5
11	Chronic Liver Disease And Cirrhosis	6	6	0	23.8	28.3	0.0
12	Homicide	2	2	0	7.9	9.4	0.0
12	Suicide	2	2	0	7.9	9.4	0.0
12	Conditions Originating in the Perinatal Period**	2	2	0	6.8	7.9	0.0
12	Maternal Causes**	2	1	1	678.0	393.7	2,631.6
12	Hypertension/Hypertensive Renal Disease	2	1	1	7.9	4.7	27.5
12	Parkinson's Disease	2	2	0	7.9	9.4	0.0
18	Pneumonitis Due to Solids and Liquids	1	1	0	4.0	4.7	0.0
18	Aortic Aneurysm and Dissection	1	1	0	4.0	4.7	0.0
18	Anemias	1	1	0	4.0	4.7	0.0
18	In Situ, Benign and Unspecified Neoplasms	1	1	0	4.0	4.7	0.0
18	HIV Disease	1	0	1	4.0	0.0	27.5
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	5	5	0	19.8	23.6	0.0
	All Other Causes	33	29	4	130.6	136.9	110.0

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.
Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	330	307	22	163	150	13	167	157	9
Under 1	3	3	0	1	1	0	2	2	0
(Neonatal)	2	2	0	0	0	0	2	2	0
(Postneonatal)	1	1	0	1	1	0	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	2	1	2	1	1	1	1	0
25-34	2	1	1	0	0	0	2	1	1
35-44	13	10	3	7	5	2	6	5	1
45-54	21	20	1	14	13	1	7	7	0
55-64	47	42	5	29	27	2	18	15	3
65-74	74	68	6	38	33	5	36	35	1
75-84	94	91	3	47	46	1	47	45	2
85 and over	72	69	2	25	24	1	47	45	1
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	25,261
White	21,177
Black	3,637
Other	447

Selected Death Statistics, Residents of Quitman County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate**----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	103	49	54	1,417.0	2,469.8	1,047.7
1	Heart Diseases	29	14	15	399.0	705.6	291.0
2	Malignant Neoplasms	19	10	9	261.4	504.0	174.6
3	Accidents	8	3	5	110.1	151.2	97.0
4	Emphysema and Other Chronic Lower Resp. Diseases	7	5	2	96.3	252.0	38.8
4	Cerebrovascular Disease	7	2	5	96.3	100.8	97.0
6	Nephritis, Nephrotic Syndrome And Nephrosis	4	2	2	55.0	100.8	38.8
6	Diabetes Mellitus	4	2	2	55.0	100.8	38.8
8	Hypertension/Hypertensive Renal Disease	3	1	2	41.3	50.4	38.8
9	Chronic Liver Disease And Cirrhosis	2	1	1	27.5	50.4	19.4
9	Alzheimer's Disease	2	1	1	27.5	50.4	19.4
11	Homicide	1	0	1	13.8	0.0	19.4
11	Suicide	1	1	0	13.8	50.4	0.0
11	Congenital Malformations and Chrom. Abnormalities	1	0	1	13.8	0.0	19.4
11	Conditions Originating in the Perinatal Period**	1	0	1	10.5	0.0	13.3
11	Influenza and Pneumonia	1	1	0	13.8	50.4	0.0
11	Parkinson's Disease	1	0	1	13.8	0.0	19.4
11	Malnutrition/Nutritional Deficiency	1	1	0	13.8	50.4	0.0
11	HIV Disease	1	0	1	13.8	0.0	19.4
11	Septicemia	1	1	0	13.8	50.4	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	3	1	2	41.3	50.4	38.8
	All Other Causes	6	3	3	82.5	151.2	58.2

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	103	49	54	62	30	32	41	19	22
Under 1	2	0	2	2	0	2	0	0	0
(Neonatal)	2	0	2	2	0	2	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	5	1	4	3	1	2	2	0	2
35-44	1	0	1	1	0	1	0	0	0
45-54	11	6	5	6	4	2	5	2	3
55-64	19	8	11	15	6	9	4	2	2
65-74	18	8	10	11	6	5	7	2	5
75-84	20	12	8	12	8	4	8	4	4
85 and over	26	14	12	11	5	6	15	9	6
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	7,269
White	1,984
Black	5,154
Other	131

Selected Death Statistics, Residents of Rankin County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	1,200	1,018	175	789.1	875.0	557.3
1	Malignant Neoplasms	235	194	38	154.5	166.8	121.0
2	Heart Diseases	225	196	27	147.9	168.5	86.0
3	Emphysema and Other Chronic Lower Resp. Diseases	84	76	8	55.2	65.3	25.5
4	Accidents	73	66	6	48.0	56.7	19.1
5	Cerebrovascular Disease	63	48	14	41.4	41.3	44.6
6	Alzheimer's Disease	60	53	7	39.5	45.6	22.3
7	Hypertension/Hypertensive Renal Disease	49	41	8	32.2	35.2	25.5
8	Diabetes Mellitus	36	31	5	23.7	26.6	15.9
9	Influenza and Pneumonia	29	23	6	19.1	19.8	19.1
9	Septicemia	29	24	5	19.1	20.6	15.9
11	Nephritis, Nephrotic Syndrome And Nephrosis	28	23	5	18.4	19.8	15.9
12	Suicide	27	24	3	17.8	20.6	9.6
13	Chronic Liver Disease And Cirrhosis	20	20	0	13.2	17.2	0.0
14	Parkinson's Disease	14	14	0	9.2	12.0	0.0
15	Pneumonitis Due to Solids and Liquids	8	6	2	5.3	5.2	6.4
16	Conditions Originating in the Perinatal Period**	6	5	1	3.5	3.8	2.8
16	In Situ, Benign and Unspecified Neoplasms	6	6	0	3.9	5.2	0.0
16	HIV Disease	6	1	5	3.9	0.9	15.9
19	Atherosclerosis	4	4	0	2.6	3.4	0.0
20	Aortic Aneurysm and Dissection	3	3	0	2.0	2.6	0.0
21	Homicide	2	2	0	1.3	1.7	0.0
21	Congenital Malformations and Chrom. Abnormalities	2	2	0	1.3	1.7	0.0
21	Syphilis	2	1	1	1.3	0.9	3.2
24	Complications Medical/Surgical Care	1	1	0	0.7	0.9	0.0
24	Maternal Causes**	1	0	1	57.7	0.0	284.9
24	Hernia	1	1	0	0.7	0.9	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	28	24	4	18.4	20.6	12.7
	All Other Causes	158	129	29	103.9	110.9	92.4

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	1,200	1,018	175	616	524	87	584	494	88
Under 1	9	7	2	8	7	1	1	0	1
(Neonatal)	7	5	2	6	5	1	1	0	1
(Postneonatal)	2	2	0	2	2	0	0	0	0
1-4	4	3	1	3	2	1	1	1	0
5-9	3	2	1	2	2	0	1	0	1
10-14	3	3	0	1	1	0	2	2	0
15-24	19	16	3	13	11	2	6	5	1
25-34	24	15	9	12	8	4	12	7	5
35-44	40	31	8	23	18	4	17	13	4
45-54	96	79	17	59	49	10	37	30	7
55-64	161	129	31	99	80	18	62	49	13
65-74	269	225	41	160	137	21	109	88	20
75-84	278	243	34	150	129	20	128	114	14
85 and over	294	265	28	86	80	6	208	185	22
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	152,080
White	116,340
Black	31,402
Other	4,338

Selected Death Statistics, Residents of Scott County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	351	238	113	1,235.0	1,435.6	1,030.9
1	Heart Diseases	99	71	28	348.3	428.3	255.5
2	Malignant Neoplasms	82	56	26	288.5	337.8	237.2
3	Accidents	27	17	10	95.0	102.5	91.2
4	Emphysema and Other Chronic Lower Resp. Diseases	14	12	2	49.3	72.4	18.2
5	Cerebrovascular Disease	13	7	6	45.7	42.2	54.7
6	Alzheimer's Disease	11	9	2	38.7	54.3	18.2
7	Influenza and Pneumonia	10	6	4	35.2	36.2	36.5
8	Nephritis, Nephrotic Syndrome And Nephrosis	9	5	4	31.7	30.2	36.5
9	Diabetes Mellitus	8	5	3	28.1	30.2	27.4
10	Homicide	5	3	2	17.6	18.1	18.2
10	Suicide	5	4	1	17.6	24.1	9.1
12	Hypertension/Hypertensive Renal Disease	4	3	1	14.1	18.1	9.1
13	Chronic Liver Disease And Cirrhosis	3	3	0	10.6	18.1	0.0
14	Pneumonitis Due to Solids and Liquids	2	1	1	7.0	6.0	9.1
14	Septicemia	2	2	0	7.0	12.1	0.0
16	Complications Medical/Surgical Care	1	0	1	3.5	0.0	9.1
16	Congenital Malformations and Chrom. Abnormalities	1	1	0	3.5	6.0	0.0
16	Conditions Originating in the Perinatal Period**	1	0	1	2.0	0.0	5.7
16	Cholelithiasis/Gallbladder Disorder	1	1	0	3.5	6.0	0.0
16	Aortic Aneurysm and Dissection	1	1	0	3.5	6.0	0.0
16	Parkinson's Disease	1	1	0	3.5	6.0	0.0
16	Malnutrition/Nutritional Deficiency	1	0	1	3.5	0.0	9.1
16	In Situ, Benign and Unspecified Neoplasms	1	0	1	3.5	0.0	9.1
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	2	1	1	7.0	6.0	9.1
	All Other Causes	47	29	18	165.4	174.9	164.2

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	351	238	113	200	130	70	151	108	43
Under 1	3	1	2	3	1	2	0	0	0
(Neonatal)	2	0	2	2	0	2	0	0	0
(Postneonatal)	1	1	0	1	1	0	0	0	0
1-4	2	1	1	2	1	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	6	2	4	5	1	4	1	1	0
25-34	6	5	1	4	3	1	2	2	0
35-44	16	5	11	14	5	9	2	0	2
45-54	25	16	9	15	10	5	10	6	4
55-64	66	36	30	46	24	22	20	12	8
65-74	61	44	17	30	25	5	31	19	12
75-84	79	58	21	45	33	12	34	25	9
85 and over	86	69	17	36	27	9	50	42	8
Unknown	0	0	0	0	0	0	0	0	0

2017 Population									
Total	28,420								
White	16,579								
Black	10,961								
Other	880								

Selected Death Statistics, Residents of Sharkey County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	76	21	55	1,713.6	1,710.1	1,747.7
1	Heart Diseases	18	4	14	405.9	325.7	444.9
2	Malignant Neoplasms	17	4	13	383.3	325.7	413.1
3	Accidents	4	1	3	90.2	81.4	95.3
4	Homicide	3	1	2	67.6	81.4	63.6
4	Hypertension/Hypertensive Renal Disease	3	1	2	67.6	81.4	63.6
4	Alzheimer's Disease	3	3	0	67.6	244.3	0.0
7	Conditions Originating in the Perinatal Period**	2	0	2	27.8	0.0	30.8
7	Emphysema and Other Chronic Lower Resp. Diseases	2	1	1	45.1	81.4	31.8
7	Influenza and Pneumonia	2	2	0	45.1	162.9	0.0
7	Diabetes Mellitus	2	0	2	45.1	0.0	63.6
11	Nephritis, Nephrotic Syndrome And Nephrosis	1	0	1	22.5	0.0	31.8
11	Aortic Aneurysm and Dissection	1	0	1	22.5	0.0	31.8
11	Cerebrovascular Disease	1	0	1	22.5	0.0	31.8
11	Parkinson's Disease	1	0	1	22.5	0.0	31.8
11	In Situ, Benign and Unspecified Neoplasms	1	0	1	22.5	0.0	31.8
11	Septicemia	1	0	1	22.5	0.0	31.8
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	5	1	4	112.7	81.4	127.1
	All Other Causes	9	3	6	202.9	244.3	190.7

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	76	21	55	43	10	33	33	11	22
Under 1	3	0	3	1	0	1	2	0	2
(Neonatal)	3	0	3	1	0	1	2	0	2
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	0	2	2	0	2	0	0	0
35-44	6	2	4	5	2	3	1	0	1
45-54	6	0	6	5	0	5	1	0	1
55-64	16	5	11	9	2	7	7	3	4
65-74	9	2	7	5	0	5	4	2	2
75-84	16	5	11	8	2	6	8	3	5
85 and over	18	7	11	8	4	4	10	3	7
Unknown	0	0	0	0	0	0	0	0	0

2017 Population									
Total	4,435								
White	1,228								
Black	3,147								
Other	60								

Selected Death Statistics, Residents of Simpson County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	328	235	93	1,217.2	1,385.6	980.0
1	Heart Diseases	77	57	20	285.7	336.1	210.7
2	Malignant Neoplasms	47	33	14	174.4	194.6	147.5
3	Emphysema and Other Chronic Lower Resp. Diseases	16	14	2	59.4	82.5	21.1
4	Influenza and Pneumonia	14	10	4	52.0	59.0	42.1
4	Cerebrovascular Disease	14	8	6	52.0	47.2	63.2
6	Accidents	11	8	3	40.8	47.2	31.6
6	Septicemia	11	8	3	40.8	47.2	31.6
8	Hypertension/Hypertensive Renal Disease	9	7	2	33.4	41.3	21.1
8	Alzheimer's Disease	9	7	2	33.4	41.3	21.1
10	Nephritis, Nephrotic Syndrome And Nephrosis	6	4	2	22.3	23.6	21.1
10	Chronic Liver Disease And Cirrhosis	6	4	2	22.3	23.6	21.1
10	Diabetes Mellitus	6	2	4	22.3	11.8	42.1
10	In Situ, Benign and Unspecified Neoplasms	6	5	1	22.3	29.5	10.5
14	Suicide	4	4	0	14.8	23.6	0.0
15	Complications Medical/Surgical Care	2	2	0	7.4	11.8	0.0
15	Congenital Malformations and Chrom. Abnormalities	2	2	0	7.4	11.8	0.0
15	Parkinson's Disease	2	1	1	7.4	5.9	10.5
18	Maternal Causes**	1	1	0	328.9	555.6	0.0
18	Hernia	1	1	0	3.7	5.9	0.0
18	Pneumoconioses and Chemical Effects	1	1	0	3.7	5.9	0.0
18	Aortic Aneurysm and Dissection	1	0	1	3.7	0.0	10.5
18	Malnutrition/Nutritional Deficiency	1	1	0	3.7	5.9	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	36	27	9	133.6	159.2	94.8
	All Other Causes	45	28	17	167.0	165.1	179.1

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.
Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	328	235	93	162	120	42	166	115	51
Under 1	1	1	0	1	1	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	6	3	3	3	2	1	3	1	2
35-44	7	6	1	4	4	0	3	2	1
45-54	39	27	12	19	14	5	20	13	7
55-64	45	25	20	30	15	15	15	10	5
65-74	84	60	24	45	36	9	39	24	15
75-84	73	56	17	33	26	7	40	30	10
85 and over	72	56	16	26	21	5	46	35	11
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	26,947
White	16,960
Black	9,490
Other	497

Selected Death Statistics, Residents of Smith County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	166	133	33	1,032.5	1,102.5	859.2
1	Heart Diseases	46	33	13	286.1	273.5	338.5
2	Malignant Neoplasms	28	21	7	174.2	174.1	182.2
3	Emphysema and Other Chronic Lower Resp. Diseases	15	14	1	93.3	116.0	26.0
4	Accidents	14	12	2	87.1	99.5	52.1
5	Alzheimer's Disease	11	8	3	68.4	66.3	78.1
6	Cerebrovascular Disease	9	7	2	56.0	58.0	52.1
7	Suicide	4	4	0	24.9	33.2	0.0
7	Influenza and Pneumonia	4	4	0	24.9	33.2	0.0
9	Nephritis, Nephrotic Syndrome And Nephrosis	3	2	1	18.7	16.6	26.0
9	Septicemia	3	2	1	18.7	16.6	26.0
11	Chronic Liver Disease And Cirrhosis	2	2	0	12.4	16.6	0.0
11	Pneumonitis Due to Solids and Liquids	2	2	0	12.4	16.6	0.0
13	Congenital Malformations and Chrom. Abnormalities	1	0	1	6.2	0.0	26.0
13	Hernia	1	1	0	6.2	8.3	0.0
13	Pneumoconioses and Chemical Effects	1	1	0	6.2	8.3	0.0
13	Aortic Aneurysm and Dissection	1	1	0	6.2	8.3	0.0
13	Hypertension/Hypertensive Renal Disease	1	1	0	6.2	8.3	0.0
13	Diabetes Mellitus	1	1	0	6.2	8.3	0.0
13	Anemias	1	1	0	6.2	8.3	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	2	1	1	12.4	8.3	26.0
	All Other Causes	16	15	1	99.5	124.3	26.0

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	166	133	33	96	78	18	70	55	15
Under 1	2	1	1	0	0	0	2	1	1
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	4	3	1	2	2	0	2	1	1
25-34	4	2	2	4	2	2	0	0	0
35-44	5	3	2	0	0	0	5	3	2
45-54	9	4	5	7	3	4	2	1	1
55-64	31	26	5	20	17	3	11	9	2
65-74	29	25	4	22	19	3	7	6	1
75-84	37	31	6	22	18	4	15	13	2
85 and over	44	37	7	18	16	2	26	21	5
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	16,078
White	12,064
Black	3,841
Other	173

Selected Death Statistics, Residents of Stone County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	198	168	29	1,093.2	1,188.7	811.4
1	Heart Diseases	49	41	8	270.5	290.1	223.8
2	Malignant Neoplasms	37	30	7	204.3	212.3	195.9
3	Emphysema and Other Chronic Lower Resp. Diseases	20	19	1	110.4	134.4	28.0
4	Alzheimer's Disease	12	11	1	66.3	77.8	28.0
5	Accidents	9	7	1	49.7	49.5	28.0
6	Cerebrovascular Disease	8	7	1	44.2	49.5	28.0
6	Diabetes Mellitus	8	5	3	44.2	35.4	83.9
8	Influenza and Pneumonia	6	6	0	33.1	42.5	0.0
9	Septicemia	5	4	1	27.6	28.3	28.0
10	Nephritis, Nephrotic Syndrome And Nephrosis	3	2	1	16.6	14.2	28.0
10	Parkinson's Disease	3	3	0	16.6	21.2	0.0
12	Suicide	2	2	0	11.0	14.2	0.0
12	Pneumonitis Due to Solids and Liquids	2	2	0	11.0	14.2	0.0
12	In Situ, Benign and Unspecified Neoplasms	2	2	0	11.0	14.2	0.0
15	Complications Medical/Surgical Care	1	0	1	5.5	0.0	28.0
15	Homicide	1	1	0	5.5	7.1	0.0
15	Congenital Malformations and Chrom. Abnormalities	1	1	0	5.5	7.1	0.0
15	Chronic Liver Disease And Cirrhosis	1	1	0	5.5	7.1	0.0
15	Aortic Aneurysm and Dissection	1	1	0	5.5	7.1	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	2	1	1	11.0	7.1	28.0
	All Other Causes	25	22	3	138.0	155.7	83.9

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	198	168	29	109	91	17	89	77	12
Under 1	3	2	1	2	1	1	1	1	0
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	2	2	0	1	1	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	1	1	0	1	1	0
25-34	3	1	2	2	1	1	1	0	1
35-44	5	3	1	2	1	0	3	2	1
45-54	24	19	5	13	12	1	11	7	4
55-64	23	17	6	18	13	5	5	4	1
65-74	47	41	6	33	29	4	14	12	2
75-84	47	42	5	25	22	3	22	20	2
85 and over	44	41	3	13	11	2	31	30	1
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	18,112
White	14,133
Black	3,574
Other	405

Selected Death Statistics, Residents of Sunflower County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	322	133	188	1,239.4	2,080.7	978.3
1	Heart Diseases	72	36	35	277.1	563.2	182.1
2	Malignant Neoplasms	63	22	41	242.5	344.2	213.4
3	Diabetes Mellitus	24	6	18	92.4	93.9	93.7
4	Cerebrovascular Disease	15	6	9	57.7	93.9	46.8
5	Accidents	13	5	8	50.0	78.2	41.6
6	Emphysema and Other Chronic Lower Resp. Diseases	12	6	6	46.2	93.9	31.2
7	Hypertension/Hypertensive Renal Disease	10	3	7	38.5	46.9	36.4
8	Influenza and Pneumonia	9	4	5	34.6	62.6	26.0
9	Homicide	8	2	6	30.8	31.3	31.2
10	Alzheimer's Disease	7	3	4	26.9	46.9	20.8
11	Nephritis, Nephrotic Syndrome And Nephrosis	6	2	4	23.1	31.3	20.8
12	Chronic Liver Disease And Cirrhosis	5	2	3	19.2	31.3	15.6
13	Suicide	4	3	1	15.4	46.9	5.2
13	Septicemia	4	0	4	15.4	0.0	20.8
15	Pneumonitis Due to Solids and Liquids	3	2	1	11.5	31.3	5.2
16	Conditions Originating in the Perinatal Period**	2	0	2	6.7	0.0	8.1
16	HIV Disease	2	1	1	7.7	15.6	5.2
18	Complications Medical/Surgical Care	1	1	0	3.8	15.6	0.0
18	Congenital Malformations and Chrom. Abnormalities	1	1	0	3.8	15.6	0.0
18	Aortic Aneurysm and Dissection	1	1	0	3.8	15.6	0.0
18	Malnutrition/Nutritional Deficiency	1	1	0	3.8	15.6	0.0
18	Anemias	1	0	1	3.8	0.0	5.2
18	Viral Hepatitis	1	1	0	3.8	15.6	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	13	5	8	50.0	78.2	41.6
	All Other Causes	44	20	24	169.4	312.9	124.9

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	322	133	188	191	77	114	131	56	74
Under 1	4	1	3	3	1	2	1	0	1
(Neonatal)	3	1	2	3	1	2	0	0	0
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	3	0	3	3	0	3	0	0	0
25-34	7	3	4	7	3	4	0	0	0
35-44	22	4	18	16	4	12	6	0	6
45-54	27	8	19	18	5	13	9	3	6
55-64	72	25	47	46	16	30	26	9	17
65-74	78	32	46	52	24	28	26	8	18
75-84	56	29	27	28	15	13	28	14	14
85 and over	52	31	20	17	9	8	35	22	12
Unknown	0	0	0	0	0	0	0	0	0

2017 Population
 Total 25,981
 White 6,392
 Black 19,217
 Other 372

Selected Death Statistics, Residents of Tallahatchie County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	157	74	83	1,111.5	1,287.6	1,037.2
1	Heart Diseases	40	25	15	283.2	435.0	187.5
2	Malignant Neoplasms	32	17	15	226.5	295.8	187.5
3	Hypertension/Hypertensive Renal Disease	11	4	7	77.9	69.6	87.5
3	Diabetes Mellitus	11	3	8	77.9	52.2	100.0
5	Emphysema and Other Chronic Lower Resp. Diseases	8	5	3	56.6	87.0	37.5
6	Nephritis, Nephrotic Syndrome And Nephrosis	6	1	5	42.5	17.4	62.5
6	Cerebrovascular Disease	6	2	4	42.5	34.8	50.0
8	Accidents	5	0	5	35.4	0.0	62.5
9	Septicemia	4	2	2	28.3	34.8	25.0
10	Alzheimer's Disease	3	1	2	21.2	17.4	25.0
10	Parkinson's Disease	3	3	0	21.2	52.2	0.0
12	Complications Medical/Surgical Care	2	0	2	14.2	0.0	25.0
12	Homicide	2	1	1	14.2	17.4	12.5
12	Conditions Originating in the Perinatal Period**	2	0	2	11.9	0.0	18.0
12	Chronic Liver Disease And Cirrhosis	2	1	1	14.2	17.4	12.5
12	Pneumonitis Due to Solids and Liquids	2	2	0	14.2	34.8	0.0
17	Suicide	1	1	0	7.1	17.4	0.0
17	Congenital Malformations and Chrom. Abnormalities	1	0	1	7.1	0.0	12.5
--- Not Included in Ranking ---							
	Symptoms, Signs, Ill-Defined Conditions	2	2	0	14.2	34.8	0.0
	All Other Causes	14	4	10	99.1	69.6	125.0

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	157	74	83	81	36	45	76	38	38
Under 1	3	0	3	1	0	1	2	0	2
(Neonatal)	2	0	2	1	0	1	1	0	1
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	2	0	2	2	0	2	0	0	0
35-44	5	1	4	3	1	2	2	0	2
45-54	8	3	5	4	2	2	4	1	3
55-64	31	10	21	22	8	14	9	2	7
65-74	35	16	19	20	9	11	15	7	8
75-84	39	23	16	17	10	7	22	13	9
85 and over	32	21	11	11	6	5	21	15	6
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	14,125
White	5,747
Black	8,002
Other	376

Selected Death Statistics, Residents of Tate County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	293	215	78	1,030.2	1,132.2	875.2
1	Heart Diseases	89	63	26	312.9	331.8	291.7
2	Malignant Neoplasms	60	45	15	211.0	237.0	168.3
3	Accidents	20	15	5	70.3	79.0	56.1
3	Alzheimer's Disease	20	17	3	70.3	89.5	33.7
5	Emphysema and Other Chronic Lower Resp. Diseases	17	14	3	59.8	73.7	33.7
6	Diabetes Mellitus	14	7	7	49.2	36.9	78.5
7	Cerebrovascular Disease	7	3	4	24.6	15.8	44.9
7	Hypertension/Hypertensive Renal Disease	7	4	3	24.6	21.1	33.7
9	Conditions Originating in the Perinatal Period**	5	3	2	14.2	12.7	17.4
10	Suicide	4	4	0	14.1	21.1	0.0
10	Nephritis, Nephrotic Syndrome And Nephrosis	4	3	1	14.1	15.8	11.2
10	Chronic Liver Disease And Cirrhosis	4	3	1	14.1	15.8	11.2
13	Congenital Malformations and Chrom. Abnormalities	2	0	2	7.0	0.0	22.4
13	Influenza and Pneumonia	2	1	1	7.0	5.3	11.2
13	Aortic Aneurysm and Dissection	2	2	0	7.0	10.5	0.0
13	Septicemia	2	2	0	7.0	10.5	0.0
17	Homicide	1	0	1	3.5	0.0	11.2
17	Pneumonitis Due to Solids and Liquids	1	1	0	3.5	5.3	0.0
17	Parkinson's Disease	1	1	0	3.5	5.3	0.0
17	Anemias	1	1	0	3.5	5.3	0.0
17	In Situ, Benign and Unspecified Neoplasms	1	0	1	3.5	0.0	11.2
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	1	1	0	3.5	5.3	0.0
	All Other Causes	28	25	3	98.4	131.6	33.7

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	293	215	78	161	121	40	132	94	38
Under 1	7	3	4	4	3	1	3	0	3
(Neonatal)	6	2	4	3	2	1	3	0	3
(Postneonatal)	1	1	0	1	1	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	3	0	2	2	0	1	1	0
25-34	8	4	4	7	4	3	1	0	1
35-44	4	4	0	3	3	0	1	1	0
45-54	19	11	8	9	6	3	10	5	5
55-64	38	25	13	22	14	8	16	11	5
65-74	67	50	17	43	33	10	24	17	7
75-84	75	62	13	42	34	8	33	28	5
85 and over	71	52	19	28	21	7	43	31	12
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	28,441
White	18,990
Black	8,912
Other	539

Selected Death Statistics, Residents of Tippah County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate***----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	285	250	35	1,297.3	1,408.3	941.6
1	Heart Diseases	68	64	4	309.5	360.5	107.6
2	Malignant Neoplasms	46	43	3	209.4	242.2	80.7
3	Emphysema and Other Chronic Lower Resp. Diseases	20	20	0	91.0	112.7	0.0
4	Cerebrovascular Disease	18	13	5	81.9	73.2	134.5
4	Alzheimer's Disease	18	18	0	81.9	101.4	0.0
6	Accidents	15	11	4	68.3	62.0	107.6
7	Influenza and Pneumonia	10	8	2	45.5	45.1	53.8
8	Chronic Liver Disease And Cirrhosis	9	9	0	41.0	50.7	0.0
9	Homicide	7	5	2	31.9	28.2	53.8
10	Septicemia	6	4	2	27.3	22.5	53.8
11	Nephritis, Nephrotic Syndrome And Nephrosis	5	3	2	22.8	16.9	53.8
12	Hypertension/Hypertensive Renal Disease	4	3	1	18.2	16.9	26.9
13	Suicide	3	1	2	13.7	5.6	53.8
13	Pneumonitis Due to Solids and Liquids	3	3	0	13.7	16.9	0.0
13	Aortic Aneurysm and Dissection	3	2	1	13.7	11.3	26.9
13	Diabetes Mellitus	3	2	1	13.7	11.3	26.9
13	In Situ, Benign and Unspecified Neoplasms	3	3	0	13.7	16.9	0.0
18	Peptic Ulcer	1	1	0	4.6	5.6	0.0
18	Parkinson's Disease	1	1	0	4.6	5.6	0.0
18	Malnutrition/Nutritional Deficiency	1	1	0	4.6	5.6	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	7	6	1	31.9	33.8	26.9
	All Other Causes	34	29	5	154.8	163.4	134.5

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.
Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	285	250	35	155	133	22	130	117	13
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	2	2	0	1	1	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	2	1	1	0	0	0
15-24	6	3	3	4	2	2	2	1	1
25-34	9	8	1	5	4	1	4	4	0
35-44	8	6	2	4	3	1	4	3	1
45-54	26	20	6	16	11	5	10	9	1
55-64	44	36	8	30	24	6	14	12	2
65-74	50	45	5	31	28	3	19	17	2
75-84	58	53	5	30	28	2	28	25	3
85 and over	80	76	4	32	31	1	48	45	3
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	21,969
White	17,752
Black	3,717
Other	500

Selected Death Statistics, Residents of Tishomingo County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	301	292	8	1,540.3	1,557.9	1,574.8
1	Heart Diseases	81	77	4	414.5	410.8	787.4
2	Malignant Neoplasms	53	53	0	271.2	282.8	0.0
3	Emphysema and Other Chronic Lower Resp. Diseases	28	28	0	143.3	149.4	0.0
4	Alzheimer's Disease	21	20	0	107.5	106.7	0.0
5	Accidents	20	20	0	102.3	106.7	0.0
6	Cerebrovascular Disease	13	10	3	66.5	53.4	590.6
7	Suicide	7	7	0	35.8	37.3	0.0
7	Influenza and Pneumonia	7	7	0	35.8	37.3	0.0
9	Diabetes Mellitus	6	5	1	30.7	26.7	196.9
10	Nephritis, Nephrotic Syndrome And Nephrosis	4	4	0	20.5	21.3	0.0
10	Chronic Liver Disease And Cirrhosis	4	4	0	20.5	21.3	0.0
12	Homicide	2	2	0	10.2	10.7	0.0
12	Congenital Malformations and Chrom. Abnormalities	2	2	0	10.2	10.7	0.0
12	Aortic Aneurysm and Dissection	2	2	0	10.2	10.7	0.0
12	In Situ, Benign and Unspecified Neoplasms	2	2	0	10.2	10.7	0.0
12	Viral Hepatitis	2	2	0	10.2	10.7	0.0
12	Septicemia	2	2	0	10.2	10.7	0.0
18	Complications Medical/Surgical Care	1	1	0	5.1	5.3	0.0
18	Conditions Originating in the Perinatal Period**	1	1	0	4.7	4.9	0.0
18	Pneumonitis Due to Solids and Liquids	1	1	0	5.1	5.3	0.0
18	Parkinson's Disease	1	1	0	5.1	5.3	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	4	4	0	20.5	21.3	0.0
	All Other Causes	37	37	0	189.3	197.4	0.0

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.
Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	301	292	8	136	131	4	165	161	4
Under 1	4	4	0	3	3	0	1	1	0
(Neonatal)	1	1	0	0	0	0	1	1	0
(Postneonatal)	3	3	0	3	3	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	2	2	0	2	2	0	0	0	0
25-34	7	7	0	5	5	0	2	2	0
35-44	7	7	0	3	3	0	4	4	0
45-54	29	29	0	18	18	0	11	11	0
55-64	45	43	2	23	21	2	22	22	0
65-74	58	56	2	27	26	1	31	30	1
75-84	67	65	1	31	30	0	36	35	1
85 and over	81	78	3	24	23	1	57	55	2
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	19,542
White	18,743
Black	508
Other	291

Selected Death Statistics, Residents of Tunica County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	115	32	83	1,147.2	1,524.5	1,078.9
1	Heart Diseases	34	9	25	339.2	428.8	325.0
2	Malignant Neoplasms	25	6	19	249.4	285.9	247.0
3	Diabetes Mellitus	9	3	6	89.8	142.9	78.0
4	Accidents	6	3	3	59.9	142.9	39.0
4	Influenza and Pneumonia	6	1	5	59.9	47.6	65.0
6	Emphysema and Other Chronic Lower Resp. Diseases	5	2	3	49.9	95.3	39.0
6	Cerebrovascular Disease	5	1	4	49.9	47.6	52.0
8	Homicide	4	0	4	39.9	0.0	52.0
9	Hypertension/Hypertensive Renal Disease	3	1	2	29.9	47.6	26.0
10	Conditions Originating in the Perinatal Period**	2	0	2	11.0	0.0	12.9
10	Nephritis, Nephrotic Syndrome And Nephrosis	2	0	2	20.0	0.0	26.0
10	Aortic Aneurysm and Dissection	2	0	2	20.0	0.0	26.0
10	Alzheimer's Disease	2	1	1	20.0	47.6	13.0
10	Parkinson's Disease	2	1	1	20.0	47.6	13.0
15	Suicide	1	1	0	10.0	47.6	0.0
15	HIV Disease	1	0	1	10.0	0.0	13.0
15	Septicemia	1	0	1	10.0	0.0	13.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	1	1	0	10.0	47.6	0.0
	All Other Causes	4	2	2	39.9	95.3	26.0

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	115	32	83	62	21	41	53	11	42
Under 1	2	0	2	2	0	2	0	0	0
(Neonatal)	2	0	2	2	0	2	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	3	1	2	0	0	0
25-34	5	1	4	5	1	4	0	0	0
35-44	6	0	6	1	0	1	5	0	5
45-54	8	1	7	4	1	3	4	0	4
55-64	25	8	17	15	6	9	10	2	8
65-74	26	9	17	17	7	10	9	2	7
75-84	19	7	12	8	3	5	11	4	7
85 and over	21	5	16	7	2	5	14	3	11
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	10,024
White	2,099
Black	7,693
Other	232

Selected Death Statistics, Residents of Union County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	303	263	40	1,061.1	1,128.2	925.3
1	Heart Diseases	96	87	9	336.2	373.2	208.2
2	Malignant Neoplasms	55	49	6	192.6	210.2	138.8
3	Emphysema and Other Chronic Lower Resp. Diseases	24	24	0	84.0	103.0	0.0
4	Cerebrovascular Disease	18	13	5	63.0	55.8	115.7
5	Accidents	17	15	2	59.5	64.3	46.3
6	Influenza and Pneumonia	11	10	1	38.5	42.9	23.1
6	Alzheimer's Disease	11	8	3	38.5	34.3	69.4
8	Diabetes Mellitus	8	5	3	28.0	21.4	69.4
9	Chronic Liver Disease And Cirrhosis	7	7	0	24.5	30.0	0.0
10	Septicemia	6	4	2	21.0	17.2	46.3
11	Suicide	4	4	0	14.0	17.2	0.0
12	Pneumonitis Due to Solids and Liquids	3	3	0	10.5	12.9	0.0
13	Congenital Malformations and Chrom. Abnormalities	2	1	1	7.0	4.3	23.1
13	Nephritis, Nephrotic Syndrome And Nephrosis	2	1	1	7.0	4.3	23.1
15	Complications Medical/Surgical Care	1	1	0	3.5	4.3	0.0
15	Homicide	1	0	1	3.5	0.0	23.1
15	Conditions Originating in the Perinatal Period**	1	1	0	2.7	3.4	0.0
15	Maternal Causes**	1	1	0	266.7	335.6	0.0
15	Hypertension/Hypertensive Renal Disease	1	1	0	3.5	4.3	0.0
15	Parkinson's Disease	1	1	0	3.5	4.3	0.0
15	Viral Hepatitis	1	1	0	3.5	4.3	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	0	0	0	0.0	0.0	0.0
	All Other Causes	32	26	6	112.1	111.5	138.8

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	303	263	40	151	132	19	152	131	21
Under 1	2	1	1	1	0	1	1	1	0
(Neonatal)	2	1	1	1	0	1	1	1	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	4	1	3	2	1	2	2	0
25-34	3	3	0	0	0	0	3	3	0
35-44	7	6	1	5	5	0	2	1	1
45-54	19	17	2	12	11	1	7	6	1
55-64	40	31	9	21	18	3	19	13	6
65-74	56	45	11	34	28	6	22	17	5
75-84	81	72	9	37	32	5	44	40	4
85 and over	89	83	6	37	35	2	52	48	4
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	28,556
White	23,312
Black	4,323
Other	921

Selected Death Statistics, Residents of Walthall County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			----Mortality Rate*----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	167	110	57	1,151.8	1,405.8	899.2
1	Heart Diseases	43	28	15	296.6	357.8	236.6
2	Malignant Neoplasms	38	22	16	262.1	281.2	252.4
3	Emphysema and Other Chronic Lower Resp. Diseases	16	12	4	110.4	153.4	63.1
4	Alzheimer's Disease	10	7	3	69.0	89.5	47.3
5	Cerebrovascular Disease	8	5	3	55.2	63.9	47.3
5	Diabetes Mellitus	8	4	4	55.2	51.1	63.1
7	Hypertension/Hypertensive Renal Disease	7	4	3	48.3	51.1	47.3
8	Accidents	6	4	2	41.4	51.1	31.6
9	Chronic Liver Disease And Cirrhosis	3	3	0	20.7	38.3	0.0
10	Influenza and Pneumonia	2	2	0	13.8	25.6	0.0
10	Septicemia	2	0	2	13.8	0.0	31.6
12	Homicide	1	0	1	6.9	0.0	15.8
12	Suicide	1	1	0	6.9	12.8	0.0
12	Congenital Malformations and Chrom. Abnormalities	1	1	0	6.9	12.8	0.0
12	Nephritis, Nephrotic Syndrome And Nephrosis	1	0	1	6.9	0.0	15.8
12	Parkinson's Disease	1	1	0	6.9	12.8	0.0
12	Anemias	1	0	1	6.9	0.0	15.8
12	In Situ, Benign and Unspecified Neoplasms	1	1	0	6.9	12.8	0.0
--- Not Included in Ranking ---							
	Symptoms, Signs, Ill-Defined Conditions	2	2	0	13.8	25.6	0.0
	All Other Causes	15	13	2	103.5	166.1	31.6

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.
Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	167	110	57	92	62	30	75	48	27
Under 1	1	1	0	1	1	0	0	0	0
(Neonatal)	1	1	0	1	1	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	1	1	1	0	1	1	1	0
35-44	3	2	1	3	2	1	0	0	0
45-54	9	6	3	6	4	2	3	2	1
55-64	19	12	7	11	6	5	8	6	2
65-74	45	27	18	25	16	9	20	11	9
75-84	41	28	13	27	20	7	14	8	6
85 and over	47	33	14	18	13	5	29	20	9
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	14,499
White	7,825
Black	6,339
Other	335

Selected Death Statistics, Residents of Warren County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	536	299	230	1,146.1	1,316.3	997.7
1	Heart Diseases	144	88	55	307.9	387.4	238.6
2	Malignant Neoplasms	106	58	47	226.7	255.3	203.9
3	Cerebrovascular Disease	47	20	27	100.5	88.0	117.1
4	Accidents	32	22	8	68.4	96.9	34.7
5	Emphysema and Other Chronic Lower Resp. Diseases	26	17	9	55.6	74.8	39.0
6	Alzheimer's Disease	23	18	5	49.2	79.2	21.7
7	Septicemia	21	15	6	44.9	66.0	26.0
8	Nephritis, Nephrotic Syndrome And Nephrosis	20	9	11	42.8	39.6	47.7
9	Diabetes Mellitus	16	7	9	34.2	30.8	39.0
10	Hypertension/Hypertensive Renal Disease	10	4	6	21.4	17.6	26.0
11	Influenza and Pneumonia	9	9	0	19.2	39.6	0.0
12	Homicide	6	0	6	12.8	0.0	26.0
13	Chronic Liver Disease And Cirrhosis	5	4	1	10.7	17.6	4.3
14	Conditions Originating in the Perinatal Period**	4	1	3	6.6	4.1	8.5
14	HIV Disease	4	0	4	8.6	0.0	17.4
16	Suicide	3	2	1	6.4	8.8	4.3
16	In Situ, Benign and Unspecified Neoplasms	3	2	1	6.4	8.8	4.3
18	Parkinson's Disease	2	2	0	4.3	8.8	0.0
19	Complications Medical/Surgical Care	1	0	1	2.1	0.0	4.3
19	Congenital Malformations and Chrom. Abnormalities	1	0	1	2.1	0.0	4.3
19	Aortic Aneurysm and Dissection	1	0	1	2.1	0.0	4.3
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	8	2	6	17.1	8.8	26.0
	All Other Causes	44	19	22	94.1	83.6	95.4

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.
Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	536	299	230	292	166	124	244	133	106
Under 1	7	4	3	4	2	2	3	2	1
(Neonatal)	4	1	3	2	0	2	2	1	1
(Postneonatal)	3	3	0	2	2	0	1	1	0
1-4	6	0	4	4	0	3	2	0	1
5-9	1	1	0	1	1	0	0	0	0
10-14	1	0	0	0	0	0	1	0	0
15-24	5	1	4	4	1	3	1	0	1
25-34	14	7	6	8	4	4	6	3	2
35-44	20	5	15	10	2	8	10	3	7
45-54	38	15	22	26	11	14	12	4	8
55-64	90	46	44	48	32	16	42	14	28
65-74	131	73	57	86	44	42	45	29	15
75-84	117	78	39	60	41	19	57	37	20
85 and over	106	69	36	41	28	13	65	41	23
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	46,768
White	22,715
Black	23,054
Other	999

Selected Death Statistics, Residents of Washington County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	570	220	348	1,233.2	1,837.6	1,041.0
1	Heart Diseases	130	55	75	281.3	459.4	224.3
2	Malignant Neoplasms	109	44	65	235.8	367.5	194.4
3	Emphysema and Other Chronic Lower Resp. Diseases	41	23	18	88.7	192.1	53.8
4	Diabetes Mellitus	31	6	25	67.1	50.1	74.8
5	Accidents	23	7	15	49.8	58.5	44.9
6	Nephritis, Nephrotic Syndrome And Nephrosis	22	4	18	47.6	33.4	53.8
7	Homicide	18	4	14	38.9	33.4	41.9
7	Cerebrovascular Disease	18	10	8	38.9	83.5	23.9
9	Hypertension/Hypertensive Renal Disease	16	1	15	34.6	8.4	44.9
10	Alzheimer's Disease	15	11	3	32.5	91.9	9.0
11	Influenza and Pneumonia	12	5	7	26.0	41.8	20.9
12	Chronic Liver Disease And Cirrhosis	7	3	4	15.1	25.1	12.0
13	Suicide	6	6	0	13.0	50.1	0.0
13	Septicemia	6	1	5	13.0	8.4	15.0
15	Anemias	5	3	2	10.8	25.1	6.0
16	Conditions Originating in the Perinatal Period**	3	0	3	4.8	0.0	6.0
16	Malnutrition/Nutritional Deficiency	3	2	1	6.5	16.7	3.0
16	Viral Hepatitis	3	1	2	6.5	8.4	6.0
19	Pneumonitis Due to Solids and Liquids	2	1	1	4.3	8.4	3.0
19	Aortic Aneurysm and Dissection	2	2	0	4.3	16.7	0.0
19	Parkinson's Disease	2	1	1	4.3	8.4	3.0
19	In Situ, Benign and Unspecified Neoplasms	2	1	1	4.3	8.4	3.0
19	HIV Disease	2	0	2	4.3	0.0	6.0
24	Legal Intervention	1	0	1	2.2	0.0	3.0
24	Congenital Malformations and Chrom. Abnormalities	1	0	1	2.2	0.0	3.0
24	Cholelithiasis/Gallbladder Disorder	1	0	1	2.2	0.0	3.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	23	9	14	49.8	75.2	41.9
	All Other Causes	66	20	46	142.8	167.1	137.6

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.
Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	570	220	348	305	119	186	265	101	162
Under 1	6	0	6	3	0	3	3	0	3
(Neonatal)	4	0	4	3	0	3	1	0	1
(Postneonatal)	2	0	2	0	0	0	2	0	2
1-4	1	0	1	0	0	0	1	0	1
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	0	4	3	0	3	1	0	1
25-34	20	4	16	13	3	10	7	1	6
35-44	18	5	13	12	4	8	6	1	5
45-54	54	9	45	26	4	22	28	5	23
55-64	103	37	66	67	22	45	36	15	21
65-74	138	51	87	81	30	51	57	21	36
75-84	110	52	58	65	33	32	45	19	26
85 and over	115	62	51	34	23	11	81	39	40
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	46,221
White	11,972
Black	33,431
Other	818

Selected Death Statistics, Residents of Wayne County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	233	162	70	1,139.6	1,360.3	852.4
1	Heart Diseases	72	48	24	352.1	403.1	292.3
2	Malignant Neoplasms	41	35	6	200.5	293.9	73.1
3	Accidents	13	9	4	63.6	75.6	48.7
4	Alzheimer's Disease	12	8	4	58.7	67.2	48.7
5	Cerebrovascular Disease	10	8	2	48.9	67.2	24.4
6	Influenza and Pneumonia	8	6	2	39.1	50.4	24.4
7	Emphysema and Other Chronic Lower Resp. Diseases	7	6	1	34.2	50.4	12.2
8	Hypertension/Hypertensive Renal Disease	6	2	4	29.3	16.8	48.7
8	Diabetes Mellitus	6	3	3	29.3	25.2	36.5
8	Septicemia	6	4	2	29.3	33.6	24.4
11	Nephritis, Nephrotic Syndrome And Nephrosis	5	2	3	24.5	16.8	36.5
11	Chronic Liver Disease And Cirrhosis	5	3	2	24.5	25.2	24.4
13	Suicide	3	3	0	14.7	25.2	0.0
13	Pneumonitis Due to Solids and Liquids	3	0	3	14.7	0.0	36.5
13	Parkinson's Disease	3	3	0	14.7	25.2	0.0
16	Complications Medical/Surgical Care	2	0	2	9.8	0.0	24.4
16	Conditions Originating in the Perinatal Period**	2	2	0	7.5	14.3	0.0
18	Homicide	1	0	1	4.9	0.0	12.2
18	Atherosclerosis	1	0	1	4.9	0.0	12.2
18	In Situ, Benign and Unspecified Neoplasms	1	0	1	4.9	0.0	12.2
18	HIV Disease	1	0	1	4.9	0.0	12.2
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	2	1	0	9.8	8.4	0.0
	All Other Causes	23	19	4	112.5	159.5	48.7

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	233	162	70	118	87	30	115	75	40
Under 1	3	2	0	1	0	0	2	2	0
(Neonatal)	2	2	0	0	0	0	2	2	0
(Postneonatal)	1	0	0	1	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	5	3	2	4	2	2	1	1	0
35-44	4	3	1	2	2	0	2	1	1
45-54	16	10	6	10	6	4	6	4	2
55-64	41	29	12	23	17	6	18	12	6
65-74	48	30	18	18	13	5	30	17	13
75-84	72	52	20	40	32	8	32	20	12
85 and over	43	33	10	20	15	5	23	18	5
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	20,446
White	11,909
Black	8,212
Other	325

Selected Death Statistics, Residents of Webster County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	139	120	18	1,423.5	1,550.8	961.5
1	Heart Diseases	38	34	4	389.1	439.4	213.7
2	Malignant Neoplasms	23	19	4	235.5	245.5	213.7
3	Alzheimer's Disease	11	10	1	112.6	129.2	53.4
4	Emphysema and Other Chronic Lower Resp. Diseases	10	9	1	102.4	116.3	53.4
5	Accidents	9	8	0	92.2	103.4	0.0
6	Pneumonitis Due to Solids and Liquids	7	6	1	71.7	77.5	53.4
7	Nephritis, Nephrotic Syndrome And Nephrosis	6	5	1	61.4	64.6	53.4
8	Diabetes Mellitus	5	3	2	51.2	38.8	106.8
9	Hypertension/Hypertensive Renal Disease	4	3	1	41.0	38.8	53.4
10	Suicide	3	3	0	30.7	38.8	0.0
10	Cerebrovascular Disease	3	2	1	30.7	25.8	53.4
12	Anemias	2	1	1	20.5	12.9	53.4
12	Viral Hepatitis	2	2	0	20.5	25.8	0.0
14	Homicide	1	1	0	10.2	12.9	0.0
14	Influenza and Pneumonia	1	1	0	10.2	12.9	0.0
14	Parkinson's Disease	1	1	0	10.2	12.9	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	0	0	0	0.0	0.0	0.0
	All Other Causes	13	12	1	133.1	155.1	53.4

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	139	120	18	65	58	6	74	62	12
Under 1	1	0	1	0	0	0	1	0	1
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	1	0	0	1	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	1	1	0	0	0	0	1	1	0
45-54	5	4	1	3	3	0	2	1	1
55-64	18	14	4	9	9	0	9	5	4
65-74	27	23	4	17	14	3	10	9	1
75-84	36	34	2	19	17	2	17	17	0
85 and over	50	44	6	16	15	1	34	29	5
Unknown	0	0	0	0	0	0	0	0	0

2017 Population									
Total	9,765								
White	7,738								
Black	1,872								
Other	155								

Selected Death Statistics, Residents of Wilkinson County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	136	51	85	1,544.8	2,021.4	1,375.6
1	Heart Diseases	29	13	16	329.4	515.3	258.9
2	Malignant Neoplasms	24	9	15	272.6	356.7	242.8
3	Emphysema and Other Chronic Lower Resp. Diseases	10	2	8	113.6	79.3	129.5
3	Alzheimer's Disease	10	9	1	113.6	356.7	16.2
5	Accidents	9	4	5	102.2	158.5	80.9
5	Cerebrovascular Disease	9	0	9	102.2	0.0	145.7
7	Influenza and Pneumonia	4	0	4	45.4	0.0	64.7
7	Diabetes Mellitus	4	0	4	45.4	0.0	64.7
9	Homicide	3	1	2	34.1	39.6	32.4
9	Nephritis, Nephrotic Syndrome And Nephrosis	3	0	3	34.1	0.0	48.6
9	Hypertension/Hypertensive Renal Disease	3	1	2	34.1	39.6	32.4
12	Suicide	2	1	1	22.7	39.6	16.2
12	Malnutrition/Nutritional Deficiency	2	1	1	22.7	39.6	16.2
14	Pneumonitis Due to Solids and Liquids	1	0	1	11.4	0.0	16.2
14	Parkinson's Disease	1	1	0	11.4	39.6	0.0
14	Viral Hepatitis	1	1	0	11.4	39.6	0.0
14	Septicemia	1	0	1	11.4	0.0	16.2
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	4	3	1	45.4	118.9	16.2
	All Other Causes	16	5	11	181.7	198.2	178.0

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	136	51	85	55	20	35	81	31	50
Under 1	1	1	0	0	0	0	1	1	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	2	1	1	1	0	2	1	1
25-34	2	0	2	1	0	1	1	0	1
35-44	6	1	5	3	1	2	3	0	3
45-54	12	6	6	6	3	3	6	3	3
55-64	21	8	13	7	2	5	14	6	8
65-74	25	5	20	11	3	8	14	2	12
75-84	37	14	23	16	7	9	21	7	14
85 and over	29	14	15	10	3	7	19	11	8
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	8,804
White	2,523
Black	6,179
Other	102

Selected Death Statistics, Residents of Winston County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	230	129	99	1,260.6	1,395.7	1,156.5
1	Heart Diseases	68	36	32	372.7	389.5	373.8
2	Malignant Neoplasms	33	18	14	180.9	194.7	163.6
3	Alzheimer's Disease	22	15	7	120.6	162.3	81.8
4	Accidents	16	9	7	87.7	97.4	81.8
5	Emphysema and Other Chronic Lower Resp. Diseases	10	10	0	54.8	108.2	0.0
6	Diabetes Mellitus	8	4	4	43.8	43.3	46.7
7	Nephritis, Nephrotic Syndrome And Nephrosis	7	5	2	38.4	54.1	23.4
7	Cerebrovascular Disease	7	5	2	38.4	54.1	23.4
9	Influenza and Pneumonia	4	3	1	21.9	32.5	11.7
9	Hypertension/Hypertensive Renal Disease	4	1	3	21.9	10.8	35.0
11	Homicide	2	0	2	11.0	0.0	23.4
11	Anemias	2	0	1	11.0	0.0	11.7
11	Septicemia	2	1	1	11.0	10.8	11.7
14	Conditions Originating in the Perinatal Period**	1	0	1	5.7	0.0	9.3
14	Chronic Liver Disease And Cirrhosis	1	0	1	5.5	0.0	11.7
14	Pneumonitis Due to Solids and Liquids	1	1	0	5.5	10.8	0.0
14	Aortic Aneurysm and Dissection	1	1	0	5.5	10.8	0.0
14	Parkinson's Disease	1	0	1	5.5	0.0	11.7
14	In Situ, Benign and Unspecified Neoplasms	1	0	1	5.5	0.0	11.7
14	HIV Disease	1	1	0	5.5	10.8	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	3	2	1	16.4	21.6	11.7
	All Other Causes	35	17	18	191.8	183.9	210.3

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.
Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	230	129	99	98	48	49	132	81	50
Under 1	2	0	1	1	0	0	1	0	1
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	1	0	0	1	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	6	1	5	5	1	4	1	0	1
35-44	9	1	7	5	0	5	4	1	2
45-54	15	7	8	6	2	4	9	5	4
55-64	38	16	22	22	8	14	16	8	8
65-74	47	26	21	24	14	10	23	12	11
75-84	41	28	13	11	9	2	30	19	11
85 and over	70	50	20	22	14	8	48	36	12
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	18,246
White	9,243
Black	8,560
Other	443

Selected Death Statistics, Residents of Yalobusha County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	189	124	65	1,512.4	1,673.2	1,338.3
1	Heart Diseases	57	35	22	456.1	472.3	453.0
2	Malignant Neoplasms	41	24	17	328.1	323.8	350.0
3	Alzheimer's Disease	15	12	3	120.0	161.9	61.8
4	Emphysema and Other Chronic Lower Resp. Diseases	14	12	2	112.0	161.9	41.2
5	Cerebrovascular Disease	9	6	3	72.0	81.0	61.8
6	Diabetes Mellitus	6	3	3	48.0	40.5	61.8
7	Accidents	5	5	0	40.0	67.5	0.0
8	Nephritis, Nephrotic Syndrome And Nephrosis	4	2	2	32.0	27.0	41.2
9	Chronic Liver Disease And Cirrhosis	3	2	1	24.0	27.0	20.6
9	Influenza and Pneumonia	3	3	0	24.0	40.5	0.0
9	Septicemia	3	1	2	24.0	13.5	41.2
12	Suicide	1	1	0	8.0	13.5	0.0
12	Congenital Malformations and Chrom. Abnormalities	1	1	0	8.0	13.5	0.0
12	Conditions Originating in the Perinatal Period**	1	0	1	6.5	0.0	14.9
12	Aortic Aneurysm and Dissection	1	1	0	8.0	13.5	0.0
12	Hypertension/Hypertensive Renal Disease	1	0	1	8.0	0.0	20.6
12	Parkinson's Disease	1	1	0	8.0	13.5	0.0
12	In Situ, Benign and Unspecified Neoplasms	1	0	1	8.0	0.0	20.6
12	HIV Disease	1	0	1	8.0	0.0	20.6
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	2	0	2	16.0	0.0	41.2
	All Other Causes	19	15	4	152.0	202.4	82.4

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total*-----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	189	124	65	93	63	30	96	61	35
Under 1	2	1	1	1	0	1	1	1	0
(Neonatal)	2	1	1	1	0	1	1	1	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	3	2	1	2	1	1	1	1	0
35-44	7	3	4	4	2	2	3	1	2
45-54	15	8	7	12	8	4	3	0	3
55-64	24	12	12	12	5	7	12	7	5
65-74	37	23	14	20	12	8	17	11	6
75-84	43	30	13	23	20	3	20	10	10
85 and over	57	44	13	18	14	4	39	30	9
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	12,497
White	7,411
Black	4,857
Other	229

Selected Death Statistics, Residents of Yazoo County, 2017

Rank	Leading Causes of Death Listed in Descending Order	-----Number-----			-----Mortality Rate**-----		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes	317	142	175	1,171.6	1,302.3	1,120.4
1	Malignant Neoplasms	59	25	34	218.1	229.3	217.7
2	Heart Diseases	58	25	33	214.4	229.3	211.3
3	Diabetes Mellitus	29	14	15	107.2	128.4	96.0
4	Accidents	21	11	10	77.6	100.9	64.0
5	Emphysema and Other Chronic Lower Resp. Diseases	16	10	6	59.1	91.7	38.4
5	Alzheimer's Disease	16	8	8	59.1	73.4	51.2
7	Cerebrovascular Disease	14	6	8	51.7	55.0	51.2
8	Nephritis, Nephrotic Syndrome And Nephrosis	11	6	5	40.7	55.0	32.0
9	Homicide	10	1	9	37.0	9.2	57.6
10	Septicemia	6	0	6	22.2	0.0	38.4
11	Chronic Liver Disease And Cirrhosis	5	4	1	18.5	36.7	6.4
11	HIV Disease	5	0	5	18.5	0.0	32.0
13	Hypertension/Hypertensive Renal Disease	4	1	3	14.8	9.2	19.2
14	Malnutrition/Nutritional Deficiency	3	0	3	11.1	0.0	19.2
15	Conditions Originating in the Perinatal Period**	2	1	1	6.4	11.5	4.5
15	Influenza and Pneumonia	2	1	1	7.4	9.2	6.4
15	In Situ, Benign and Unspecified Neoplasms	2	1	1	7.4	9.2	6.4
18	Suicide	1	1	0	3.7	9.2	0.0
18	Hernia	1	1	0	3.7	9.2	0.0
18	Pneumonitis Due to Solids and Liquids	1	1	0	3.7	9.2	0.0
18	Parkinson's Disease	1	1	0	3.7	9.2	0.0
	--- Not Included in Ranking ---						
	Symptoms, Signs, Ill-Defined Conditions	8	3	5	29.6	27.5	32.0
	All Other Causes	42	21	21	155.2	192.6	134.4

* Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births.
Population figures are 2017 estimates.

Less than 0.05.

Age	----- Total* -----			----- Male -----			----- Female -----		
	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	317	142	175	161	69	92	156	73	83
Under 1	2	1	1	1	0	1	1	1	0
(Neonatal)	2	1	1	1	0	1	1	1	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	3	0	3	1	0	1	2	0	2
25-34	12	4	8	8	2	6	4	2	2
35-44	11	1	10	6	1	5	5	0	5
45-54	23	9	14	14	5	9	9	4	5
55-64	59	23	36	43	20	23	16	3	13
65-74	54	25	29	29	12	17	25	13	12
75-84	85	42	43	40	15	25	45	27	18
85 and over	67	37	30	19	14	5	48	23	25
Unknown	0	0	0	0	0	0	0	0	0

2017 Population	
Total	27,057
White	10,904
Black	15,620
Other	533