	Leading Causes of Death		-Number-		Mortality Rate**			
Rank	Listed in Descending Order		White	Black	Total*	White	Black	
	Total Of All Causes	428	209	216	1,394.5	1,533.3	1,316.8	
1	Heart Diseases	92	50	41	299.7	366.8	250.0	
2	Malignant Neoplasms	91	40	49	296.5	293.4	298.7	
3	Diabetes Mellitus	40	19	21	130.3	139.4	128.0	
4	Accidents	21	11	10	68.4			
5	Emphysema and Other Chronic Lower Resp. Diseases	17	15			110.0		
6	Cerebrovascular Disease	16	8	8 9	52.1	58.7	48.8	
7	Influenza and Pneumonia	14	5	9	45.6	36.7	54.9	
8	Alzheimer's Disease	12	6	6	39.1	44.0	36.6	
9	Homicide	9		6	29.3			
9	Hypertension/Hypertensive Renal Disease	9	3		29.3			
11	Nephritis, Nephrotic Syndrome And Nephrosis	8	4		26.1	29.3	24.4	
12	Chronic Liver Disease And Cirrhosis	5	5		16.3	36.7	0.0	
12	Septicemia	5	1		16.3	7.3	24.4	
12	Parkinson's Disease	5	2	3	16.3	14.7	18.3	
15	Suicide	3	3	0	9.8	22.0	0.0	
16	In Situ, Benign and Unspecified Neoplasms	2	2		6.5		0.0	
16	HIV Disease	2	0	2	6.5		12.2	
16	Aortic Aneurysm and Dissection	2	1	1	6.5	7.3	6.1	
16	Cholelithiasis/Gallbladder Disorder	2	1	1	6.5	7.3	6.1	
20	Conditions Originating in the Perinatal Period**	1	0	1	3.1	0.0	4.6	
20	Anemias	1		1	6.5 3.1 3.3	0.0	6.1	
20	Complications Medical/Surgical Care	1	1	0	3.3	7.3	0.0	
20	Viral Hepatitis	1	0	1	3.3	0.0	6.1	
20	Malnutrition/Nutritional Deficiency	1	1	0	3.3	7.3	0.0	
20	Congenital Malformations and Chrom. Abnormalities	1	0	1	3.3		6.1	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	2	0	2	6.5			
	All Other Causes	65	28	37	211.8	205.4	225.6	

^{*} Total includes races other than white and black.

[#] Less than 0.05.

		Total*			Male -			Female	
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	428	209	216	231	115	115	197	94	101
Under 1	3	0	3	0	0	0	3	0	3
(Neonatal)	3	0	3	0	0	0	3	0	3
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	2	3	5	2	3	0	0	0
25-34	6	2	4	3	2	1	3	0	3
35-44	10	4	6	7	4	3	3	0	3
45-54	13	4	9	6	3	3	7	1	6
55-64	72	27	44	50	18	31	22	9	13
65-74	103	45	57	69	33	36	34	12	21
75-84	107	59	47	51	28	23	56	31	24
85 and over	108	66	42	40	25	15	68	41	27
Unknown	0	0	0	0	0	0	0	0	0

2019 Population Total 30,693 White 13,631 16,403 Black Other

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		Number-		Mortality Rate**			
Rank	Listed in Descending Order				Total*			
	Total Of All Causes	489			1,323.3			
1	Heart Diseases	112	100	12	303.1	316.5	262.0	
2	Malignant Neoplasms	86	80	6	232.7	253.2	131.0	
3	Emphysema and Other Chronic Lower Resp. Diseases	44	41		119.1			
4	Accidents	32	30	2	86.6	95.0	43.7	
5	Alzheimer's Disease	25	23	2	67.7	72.8	43.7	
6	Cerebrovascular Disease	24	23	1	64.9 62.2	72.8	21.8	
7	Nephritis, Nephrotic Syndrome And Nephrosis	23	20	3	62.2	63.3	65.5	
8	Influenza and Pneumonia	13	9	3	35.2	28.5	65.5	
9	Suicide	9	9	0	24.4	28.5	0.0	
10	Septicemia	8	8	0	21.6		0.0	
11	Diabetes Mellitus	7	6	1	18.9	19.0	21.8	
11	Chronic Liver Disease And Cirrhosis	7	6	1	18.9	19.0	21.8	
13	Pneumonitis Due to Solids and Liquids	5	4	1	13.5	12.7	21.8	
14	Homicide	4	1		10.8			
15	Atherosclerosis	3	3	0	8.1		0.0	
15	Conditions Originating in the Perinatal Period**	3	3	0	7.3	8.8	0.0	
17	In Situ, Benign and Unspecified Neoplasms	2	2	0	5.4	6.3	0.0	
17	Hypertension/Hypertensive Renal Disease	2	1	1	5.4 5.4	6.3 3.2	21.8	
19	Anemias	1	1	0	2.7	3.2	0.0	
19	Complications Medical/Surgical Care	1	1	0	2.7	3.2	0.0	
19	Congenital Malformations and Chrom. Abnormalities	1	1		2.7	3.2	0.0	
19	Cholelithiasis/Gallbladder Disorder	1	1	0	2.7	3.2	0.0	
19	Hernia	1	1	0	2.7	3.2	0.0	
19	Parkinson's Disease	1	1	0	2.7	3.2	0.0	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	10	8	2	27.1	25.3	43.7	
	All Other Causes	64			173.2			

^{*} Total includes races other than white and black.

[#] Less than 0.05.

_		Total*			TIGIC			Female	
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	489	439	49	270	238	31	219	201	18
Under 1	4	4	0	4	4	0	0	0	0
(Neonatal)	4	4	0	4	4	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	2	2	0	2	2	0	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	1	1	0	1	1	0	0	0	0
15-24	6	6	0	6	6	0	0	0	0
25-34	12	7	5	9	6	3	3	1	2
35-44	18	14	4	13	9	4	5	5	0
45-54	33	32	1	15	15	0	18	17	1
55-64	79	65	14	48	36	12	31	29	2
65-74	103	91	12	68	60	8	35	31	4
75-84	134	128	5	69	67	1	65	61	4
85 and over	96	88	8	35	32	3	61	56	5
Unknown	0	0	0	0	0	0	0	0	0

2019 Population Total 36,953 White 31,592 Black 4,580 781 Other

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		-Number-		Mortality Rate**			
Rank	Listed in Descending Order	Total*	White	Black	Total*	White	Black	
	Total Of All Causes	168	105	63	1,366.2	1,456.7	1,281.8	
1	Heart Diseases	56	38	18	455.4	527.2	366.2	
2	Malignant Neoplasms	36	21	15	292.8	291.3	305.2	
3	Cerebrovascular Disease	13	9	4	105.7	124.9	81.4	
4	Alzheimer's Disease	11	10	1	89.5	138.7	20.3	
5	Emphysema and Other Chronic Lower Resp. Diseases	8	5	3	65.1	69.4	61.0	
6	Diabetes Mellitus	6	3	3	48.8	41.6	61.0	
6	Accidents	6	1	5	48.8	13.9	101.7	
8	Septicemia	5	0	5	40.7	0.0	101.7	
9	Nephritis, Nephrotic Syndrome And Nephrosis	4	3	1	32.5	41.6	20.3	
10	Influenza and Pneumonia	3	3	0	24.4	41.6	0.0	
11	Hypertension/Hypertensive Renal Disease	2	1	1	16.3	13.9	20.3	
12	Suicide	1	1	0	8.1	13.9	0.0	
12	Maternal Causes**	1	0	1	781.3	0.0	1,724.1	
12	Homicide	1	0	1	8.1	0.0	20.3	
12	Parkinson's Disease	1	1	0	8.1	13.9	0.0	
12	Pneumonitis Due to Solids and Liquids	1	1	0	8.1	13.9	0.0	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	1	1	0	8.1	13.9	0.0	
	All Other Causes	12	7	5	97.6	97.1	101.7	

^{*} Total includes races other than white and black.

[#] Less than 0.05.

Age	Total*	Total* White	Black	Total*	Male - White	Black] Total*	Female White	Black
Total	168	105	63	78	46	32	90	59	31
Under 1	1	0	1	1	0	1	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	3	1	2	1	0	1	2	1	1
35-44	6	3	3	1	0	1	5	3	2
45-54	9	2	7	8	2	6	1	0	1
55-64	20	12	8	10	6	4	10	6	4
65-74	37	22	15	18	10	8	19	12	7
75-84	41	27	14	22	15	7	19	12	7
85 and over	50	37	13	16	12	4	34	25	9
Unknown	0	0	0	0	0	0	0	0	0

Total 12,297
White 7,208
Black 4,915
Other 174

 ${\tt Published: 09/30/2020 - Mississippi \ State \ Department \ of \ Health, \ Office \ of \ Public \ Health \ Statistics}$

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

- ·	Leading Causes of Death				Mc		
Rank	Listed in Descending Order	Total*	White	Black	*Total	White	Black
	Total Of All Causes	271	173	97	1,491.1	1,743.2	1,223.4
1	Heart Diseases	67	40	26	368.7	403.1	327.9
2	Malignant Neoplasms	45	33	12	247.6	332.5	151.3
3	Alzheimer's Disease	23	21	2	126.6	211.6	25.2
4	Emphysema and Other Chronic Lower Resp. Diseases	17	12	5	93.5	120.9	63.1
5	Accidents	15	5	10	82.5	50.4	126.1
6	Cerebrovascular Disease	14	9	5	77.0	90.7	63.1
7	Diabetes Mellitus	13	8	5	71.5	80.6	63.1
8	Nephritis, Nephrotic Syndrome And Nephrosis	12	8	4	66.0	80.6	50.4
9	Parkinson's Disease	7	6	1	38.5	60.5	12.6
10	Septicemia	5	5	0	27.5	50.4	0.0
10	Pneumonitis Due to Solids and Liquids	5	3	2	27.5	30.2	25.2
10	Influenza and Pneumonia	5	3	2	27.5	30.2	25.2
13	Homicide	3	1	2	16.5	10.1	25.2
14	In Situ, Benign and Unspecified Neoplasms	2	1	1	11.0	10.1	12.6
14	Suicide	2	1	1	11.0	10.1	12.6
16	Maternal Causes**	1	0	1	421.9	0.0	781.3
16	Conditions Originating in the Perinatal Period**	1	1	0	4.2	9.4	0.0
16	Aortic Aneurysm and Dissection	1	1	0	5.5	10.1	0.0
16	HIV Disease	1	0	1	5.5	0.0	12.6
	Not Included in Ranking						
	Symptoms, Signs, Ill-Defined Conditions	2	1	1	11.0	10.1	12.6
	All Other Causes	30	14	16	165.1	141.1	201.8

^{*} Total includes races other than white and black.

[#] Less than $0.0\overline{5}$.

Age	 Total*	Total* White	Black	 Total*	Male - White	Black] Total*	Female White	 Black
Total	271	173	97	150	93	57	121	80	40
Under 1	2	1	1	1	1	0	1	0	1
(Neonatal)	1	1	0	1	1	0	0	0	0
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	1	1	0	1	1	0	0	0	0
15-24	2	1	1	1	0	1	1	1	0
25-34	7	2	5	5	1	4	2	1	1
35-44	8	1	7	7	1	6	1	0	1
45-54	13	3	10	6	0	6	7	3	4
55-64	29	14	15	15	5	10	14	9	5
65-74	62	36	26	35	22	13	27	14	13
75-84	61	45	16	31	22	9	30	23	7
85 and over	85	69	15	48	40	8	37	29	7
Unknown	0	0	0	0	0	0	0	0	0

Total 18,174
White 9,924
Black 7,929
Other 321

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		Number-		Mc	rtality R	ate**
Rank	Listed in Descending Order	Total*	White	Black	Total*	White	Black
	Total Of All Causes	113	75	38	1,368.2	1,460.6	1,285.5
1	Heart Diseases	23	13	10	278.5	253.2	338.3
2	Malignant Neoplasms	14	11	3	169.5	214.2	101.5
3	Emphysema and Other Chronic Lower Resp. Diseases	10	6	4	121.1	116.8	135.3
4	Diabetes Mellitus	8	3	5	96.9	58.4	169.1
5	Influenza and Pneumonia	7	6	1	84.8	116.8	33.8
6	Accidents	6	4	2	72.6	77.9	67.7
6	Cerebrovascular Disease	6	4	2	72.6	77.9	67.7
8	Nephritis, Nephrotic Syndrome And Nephrosis	3	0	3	36.3	0.0	101.5
8	Homicide	3	0	3	36.3	0.0	101.5
8	Suicide	3	2	1	36.3	38.9	33.8
8	Pneumonitis Due to Solids and Liquids	3	2	1	36.3	38.9	33.8
8	Alzheimer's Disease	3	3	0	36.3	58.4	0.0
8	Hypertension/Hypertensive Renal Disease	3	3	0	36.3	58.4	0.0
8	Septicemia	3	3	0	36.3	58.4	0.0
15	Parkinson's Disease	2	1	1	24.2	19.5	33.8
16	Maternal Causes**	1	1	0	1,063.8	1,612.9	0.0
16	Chronic Liver Disease And Cirrhosis	1	0	1	12.1	0.0	33.8
16	Malnutrition/Nutritional Deficiency	1	1	0	12.1	19.5	0.0
	Not Included in Ranking						
	Symptoms, Signs, Ill-Defined Conditions	0	0	0	0.0	0.0	0.0
	All Other Causes	13	12	1	157.4	233.7	33.8

^{*} Total includes races other than white and black.

		Total*		Male					
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	113	75	38	64	42	22	49	33	16
Under 1	1	0	1	1	0	1	0	0	0
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	4	2	2	3	2	1	1	0	1
35-44	6	4	2	4	3	1	2	1	1
45-54	5	1	4	3	0	3	2	1	1
55-64	17	8	9	14	5	9	3	3	0
65-74	22	16	6	16	11	5	6	5	1
75-84	28	22	6	11	10	1	17	12	5
85 and over	30	22	8	12	11	1	18	11	7
Unknown	0	0	0	0	0	0	0	0	0

2019 Population Total 8,259
White 5,135 2,956 Black Other 168

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates. # Less than 0.05.

	Leading Causes of Death		-Number-		Mortality Rate**			
Rank	Listed in Descending Order				Total*			
	Total Of All Causes	413			1,348.4			
1	Malignant Neoplasms	86	30	56	280.8	286.7	286.8	
2	Heart Diseases	84	38	46	274.3	363.2	235.6	
3	Hypertension/Hypertensive Renal Disease	27	12	15	88.2	114.7	76.8	
4	Emphysema and Other Chronic Lower Resp. Diseases	23	13	10	75.1	124.2	51.2	
5	Cerebrovascular Disease	22	8	14	71.8	76.5	71.7	
6	Diabetes Mellitus	21	6	15	68.6	57.3	76.8	
7	Alzheimer's Disease	15	9	6	49.0	86.0	30.7	
8	Accidents	13	6	7	42.4	57.3	35.9	
9	Homicide	12	0	12	39.2	0.0	61.5	
10	Nephritis, Nephrotic Syndrome And Nephrosis	10	5	5	32.6	47.8	25.6	
11	Influenza and Pneumonia	9	2	6	29.4	19.1	30.7	
12	Septicemia	7	2	4	22.9	19.1	20.5	
13	Malnutrition/Nutritional Deficiency	5	2	3	16.3	19.1	15.4	
13	Parkinson's Disease	5	3	2	16.3	28.7	10.2	
15	HIV Disease	4	1	3	13.1	9.6	15.4	
16	Suicide	3	2	1	9.8	19.1	5.1	
16	Conditions Originating in the Perinatal Period**	3	0	3		0.0	9.3	
16	Chronic Liver Disease And Cirrhosis	3	0	3	9.8	0.0	15.4	
19	Pneumonitis Due to Solids and Liquids	2	2		6.5	19.1	0.0	
20	Maternal Causes**	1	0	1	223.7	0.0	309.6	
20	Atherosclerosis	1	0	1			5.1	
20	In Situ, Benign and Unspecified Neoplasms	1	0	1	3.3	0.0	5.1	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	2	0	2	6.5	0.0	10.2	
	All Other Causes	54	24	29	176.3	229.4	148.5	

^{*} Total includes races other than white and black.

[#] Less than 0.05.

Age	Total*	Total* White	Black	Total*	Male - White		H Total*	Pemale White	Black
Total	413	165	245	213	79	132	200	86	113
Under 1 (Neonatal) (Postneonatal) 1-4 5-9 10-14 15-24 25-34 35-44 45-54 55-64	5 2 3 0 1 0 6 10 15 35 83	0 0 0 0 1 0 1 3 8 9	5 2 3 0 0 0 5 7 7 26 60	3 1 2 0 0 0 5 7 12 22 38	0 0 0 0 0 0 0 1 5 6	3 1 2 0 0 0 5 6 7 16 31	2 1 1 0 1 0 1 3 3 13 45	0 0 0 0 1 0 1 2 3 3	2 1 1 0 0 0 0 0 1 0 10 29
65-74 75-84 85 and over Unknown	93 93 72 0	32 48 41 0	60 44 31 0	56 47 23 0	19 28 13 0	36 18 10 0	37 46 49 0	13 20 28 0	24 26 21 0

30,628
10,463
19,524
641

 ${\tt Published: 09/30/2020 - Mississippi \ State \ Department \ of \ Health, \ Office \ of \ Public \ Health \ Statistics}$

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death					rtality F	
Rank	Listed in Descending Order	Total*	White	Black	Total*	White	Black
	Total Of All Causes	184	141	43	1,281.2	1,408.6	1,050.3
1	Heart Diseases	45	35	10	313.3	349.7	244.3
2	Malignant Neoplasms	39	24	15	271.6		
3	Alzheimer's Disease	14	12	2	97.5	119.9	48.9
3	Emphysema and Other Chronic Lower Resp. Diseases	14	14	0	97.5	139.9	0.0
5	Diabetes Mellitus	13	10	3	90.5	99.9	73.3
6	Accidents	9	8	1	62.7	79.9	24.4
6	Hypertension/Hypertensive Renal Disease	9	4	5	62.7	40.0	122.1
8	Cerebrovascular Disease	6	6	0	41.8	59.9	0.0
9	Influenza and Pneumonia	5	4	1	34.8	40.0	24.4
10	Homicide	3	1	2	20.9	10.0	48.9
10	Nephritis, Nephrotic Syndrome And Nephrosis	3	2	1	20.9	20.0	24.4
12	Parkinson's Disease	2	2	0	13.9	20.0	0.0
13	Septicemia	1	0	1	7.0	0.0	24.4
13	Pneumonitis Due to Solids and Liquids	1	1	0	7.0	10.0	0.0
13	Conditions Originating in the Perinatal Period**	1	1	0	5.8	8.3	0.0
13	Chronic Liver Disease And Cirrhosis	1	1	0	7.0	10.0	0.0
13	Suicide	1	1	0	7.0	10.0	0.0
13	In Situ, Benign and Unspecified Neoplasms	1	0	1	7.0	0.0	24.4
	Not Included in Ranking						
	Symptoms, Signs, Ill-Defined Conditions	1	0	1	7.0	0.0	24.4
	All Other Causes	15	15	0	104.4	149.9	0.0

		Total*			Male -			Female	
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	184	141	43	88	74	14	96	67	29
Under 1	1	1	0	1	1	0	0	0	0
(Neonatal)	1	1	0	1	1	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	1	1	0	0	0	0	1	1	0
25-34	7	4	3	5	4	1	2	0	2
35-44	4	2	2	3	1	2	1	1	0
45-54	16	11	5	7	5	2	9	6	3
55-64	27	20	7	12	9	3	15	11	4
65-74	32	25	7	17	16	1	15	9	6
75-84	56	44	12	28	26	2	28	18	10
85 and over	39	32	7	15	12	3	24	20	4
Unknown	0	0	0	0	0	0	0	0	0

Total	14,361
White	10,010
Black	4,094
Other	257

^{*} Total includes races other than white and black.
** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates. # Less than 0.05.

	Leading Causes of Death					rtality Ra	
Rank	Listed in Descending Order	Total*	White	Black	Total*	White	Black
	Total Of All Causes	126	95	31	1,266.7	1,461.1	944.5
1	Heart Diseases	35	28	7	351.9	430.6	213.3
2	Malignant Neoplasms	23	17	6	231.2	261.5	182.8
3	Cerebrovascular Disease	14	9	5	140.7	138.4	152.3
4	Alzheimer's Disease	7	6	1		92.3	30.5
5	Emphysema and Other Chronic Lower Resp. Diseases	5	4	1	50.3	61.5	30.5
6	Diabetes Mellitus	4	4	0	40.2	61.5	0.0
7	Suicide	3	3	0	30.2	46.1	0.0
7	Hypertension/Hypertensive Renal Disease	3	2	1	30.2	30.8	30.5
7	In Situ, Benign and Unspecified Neoplasms	3	2	1	30.2	30.8	30.5
10	Influenza and Pneumonia	2	2	0	20.1	30.8	0.0
10	Accidents	2	2	0	20.1	30.8	0.0
10	Homicide	2	2	0	20.1	30.8	0.0
10	Septicemia	2	1	1	20.1	15.4	30.5
14	Chronic Liver Disease And Cirrhosis	1	1	0	10.1	15.4	0.0
14	Meningitis	1	1	0	10.1	15.4	0.0
14	Malnutrition/Nutritional Deficiency	1	0	1	10.1	0.0	30.5
14	Anemias	1	0	1	10.1	0.0	30.5
	Not Included in Ranking						
	Symptoms, Signs, Ill-Defined Conditions	1	1	0	10.1	15.4	0.0
	All Other Causes	16	10	6	160.9	153.8	182.8

^{*} Total includes races other than white and black.

[#] Less than 0.05.

Age	 Total*	Total* White	 Black	 Total*	Male - White	 Black	F Total*	emale White	 Black
Total	126	95	31	63	48	15	63	47	16
Under 1 (Neonatal) (Postneonatal) 1-4 5-9 10-14 15-24 25-34 35-44 45-54 55-64 65-74	0 0 0 0 0 1 0 1 7 8 29 28	0 0 0 0 0 1 0 1 5 4 22 20	0 0 0 0 0 0 0 0 0 2 4 7	0 0 0 0 0 0 0 1 5 5 16	0 0 0 0 0 0 1 3 3 12	0 0 0 0 0 0 0 0 2 2 4 4	0 0 0 0 0 1 0 0 2 3 13	0 0 0 0 0 1 0 0 2 1	0 0 0 0 0 0 0 0 0
65-74 75-84 85 and over Unknown	28 29 23 0	25 17 0	8 4 6 0	19 11 6 0	15 9 5 0	2 1 0	18 17 0	16 12 0	2 5 0

2019 Population
Total 9,947
White 6,502
Black 3,282
Other 163

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		-Number-		Mo	rtality F	Rate**
Rank	Listed in Descending Order	Total*	White	Black	Total*	White	Black
	Total Of All Causes	202	124	77	1,181.1	1,374.9	1,010.1
1	Malignant Neoplasms	55	33	22	321.6	365.9	288.6
2	Heart Diseases	48	32	16	280.7	354.8	209.9
3	Emphysema and Other Chronic Lower Resp. Diseases	13	9	4	76.0	99.8	52.5
3	Accidents	13	7	5	76.0	77.6	65.6
5	Alzheimer's Disease	12	10	2	70.2	110.9	26.2
6	Cerebrovascular Disease	6	1	5	35.1	11.1	65.6
7	Influenza and Pneumonia	5	5	0	29.2	55.4	0.0
7	Nephritis, Nephrotic Syndrome And Nephrosis	5	2	3	29.2	22.2	39.4
7	Diabetes Mellitus	5	2	3	29.2	22.2	39.4
10	Chronic Liver Disease And Cirrhosis	3	2	1	17.5	22.2	13.1
10	Homicide	3	1	2	17.5	11.1	26.2
10	Septicemia	3	2	1	17.5	22.2	13.1
13	Congenital Malformations and Chrom. Abnormalities	2	2	0	11.7	22.2	0.0
13	Pneumonitis Due to Solids and Liquids	2	0	2	11.7	0.0	26.2
13	Parkinson's Disease	2	1	1	11.7	11.1	13.1
13	Hypertension/Hypertensive Renal Disease	2	2	0	11.7	22.2	0.0
17	Suicide	1	1	0	5.8	11.1	0.0
17	Maternal Causes**	1	0	1	413.2	0.0	892.9
	Not Included in Ranking						
	Symptoms, Signs, Ill-Defined Conditions	0	0	0	0.0	0.0	0.0
	All Other Causes	21	12	9	122.8	133.1	118.1

		Total*			Male -			Female	
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	202	124	77	108	61	46	94	63	31
Under 1	1	1	0	1	1	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	2	1	1	1	0	1	1	1	0
10-14	2	2	0	0	0	0	2	2	0
15-24	5	0	4	4	0	3	1	0	1
25-34	3	3	0	3	3	0	0	0	0
35-44	10	5	5	5	3	2	5	2	3
45-54	7	4	3	2	2	0	5	2	3
55-64	38	19	19	20	10	10	18	9	9
65-74	45	26	19	29	14	15	16	12	4
75-84	33	22	11	17	10	7	16	12	4
85 and over	56	41	15	26	18	8	30	23	7
Unknown	0	0	0	0	0	0	0	0	0

Total	17,103
White	9,019
Black	7,623
Other	461

^{*} Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates. # Less than 0.05.

	Leading Causes of Death		Number-		Mo	rtality F	ate**
Rank	Listed in Descending Order	Total*	White	Black	Total*	White	
	Total Of All Causes	113	79		1,376.4		
1	Heart Diseases	30	22	8	365.4	393.2	328.3
2	Malignant Neoplasms	18	15	2	219.2	268.1	82.1
3	Accidents	10	7	3	121.8	125.1	123.1
4	Emphysema and Other Chronic Lower Resp. Diseases	8	5	3	97.4	89.4	123.1
5	Nephritis, Nephrotic Syndrome And Nephrosis	6	4	2	73.1	71.5	82.1
5	Cerebrovascular Disease	6	4	2	73.1	71.5	82.1
7	Alzheimer's Disease	5	2	3	60.9	35.7	123.1
8	Chronic Liver Disease And Cirrhosis	2	2	0	24.4	35.7	0.0
8	Cholelithiasis/Gallbladder Disorder	2	1	1	24.4	17.9	41.0
8	Suicide	2	2	0	24.4	35.7	0.0
8	Influenza and Pneumonia	2	1	1	24.4	17.9	41.0
12	Homicide	1	0	1	12.2	0.0	41.0
12	Pneumonitis Due to Solids and Liquids	1	1	0	12.2	17.9	0.0
12	Hernia	1	1	0	12.2	17.9	0.0
12	In Situ, Benign and Unspecified Neoplasms	1	1	0	12.2	17.9	0.0
12	Anemias	1	0	1	12.2	0.0	41.0
	Not Included in Ranking						
	Symptoms, Signs, Ill-Defined Conditions	1	1	0	12.2	17.9	0.0
	All Other Causes	16	10	6	194.9	178.7	246.2

^{*} Total includes races other than white and black.

[#] Less than 0.05.

Age	Total*	Total* White	Black	 Total*	Male - White	Black	I Total*	Female White	Black
Total	113	79	33	57	41	15	56	38	18
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	2	1	1	1	1	0	1	0	1
35-44	6	3	3	4	3	1	2	0	2
45-54	10	7	2	5	4	0	5	3	2
55-64	16	12	4	9	6	3	7	6	1
65-74	27	20	7	12	10	2	15	10	5
75-84	25	16	9	14	7	7	11	9	2
85 and over	26	20	6	12	10	2	14	10	4
Unknown	0	0	0	0	0	0	0	0	0

Total	8,210
White	5 , 595
Black	2,437
Other	178

 ${\tt Published: 09/30/2020 - Mississippi \ State \ Department \ of \ Health, \ Office \ of \ Public \ Health \ Statistics}$

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		Number		Mortality Rate**			
Rank	Listed in Descending Order	Total*	White	Black	Total*	White	Black	
	Total Of All Causes	120	33	87	1,335.1	3,229.0	1,117.8	
1	Heart Diseases	46	12	34	511.8	1,174.2	436.8	
2	Malignant Neoplasms	24	7	17	267.0	684.9	218.4	
3	Emphysema and Other Chronic Lower Resp. Diseases	13	5	8	144.6	489.2	102.8	
4	Nephritis, Nephrotic Syndrome And Nephrosis	7	1	6	77.9	97.8	77.1	
5	Homicide	4	0	4	44.5	0.0	51.4	
6	Accidents	3	1	2	33.4	97.8	25.7	
7	Diabetes Mellitus	2	1	1	22.3	97.8	12.8	
7	Cerebrovascular Disease	2	0	2	22.3	0.0	25.7	
7	Chronic Liver Disease And Cirrhosis	2	1	1	22.3	97.8	12.8	
10	Hypertension/Hypertensive Renal Disease	1	0	1	11.1	0.0	12.8	
10	Septicemia	1	0	1	11.1	0.0	12.8	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	4	3	1	44.5	293.5	12.8	
	All Other Causes	11	2	9	122.4	195.7	115.6	

^{*} Total includes races other than white and black.

[#] Less than 0.05.

Age	Total*	Total* White	Black	Total*	Male - White	Black		Female White	Black
Total	120	33	87	67	15	52	53	18	35
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	3	0	3	3	0	3	0	0	0
35-44	4	0	4	2	0	2	2	0	2
45-54	10	2	8	7	1	6	3	1	2
55-64	11	4	7	7	2	5	4	2	2
65-74	38	5	33	23	4	19	15	1	14
75-84	27	9	18	17	6	11	10	3	7
85 and over	27	13	14	8	2	6	19	11	8
Unknown	0	0	0	0	0	0	0	0	0

2019 Population Total 8,988 1,022 7,783 White Black Other

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death	Number			Mo	ate**	
Rank	Listed in Descending Order	Total*	White	Black	Total*	White	Black
	Total Of All Causes	212	139	73	1,364.1	1,400.9	1,352.4
1	Heart Diseases	56	35	21	360.3	352.8	389.0
2	Malignant Neoplasms	41	28	13	263.8	282.2	240.8
3	Accidents	14	9	5	90.1	90.7	92.6
3	Cerebrovascular Disease	14	10	4	90.1	100.8	74.1
5	Emphysema and Other Chronic Lower Resp. Diseases	12	9	3	77.2	90.7	55.6
5	Alzheimer's Disease	12	9	3	77.2	90.7	55.6
7	Influenza and Pneumonia	9	5	4	57.9	50.4	74.1
8	Nephritis, Nephrotic Syndrome And Nephrosis	5	3	2	32.2	30.2	37.1
9	Diabetes Mellitus	4	2	2	25.7	20.2	37.1
10	Pneumonitis Due to Solids and Liquids	3	1	2	19.3	10.1	37.1
10	Suicide	3	3	0	19.3	30.2	0.0
10	Chronic Liver Disease And Cirrhosis	3	3	0	19.3	30.2	0.0
13	Congenital Malformations and Chrom. Abnormalities	2	1	1	12.9	10.1	18.5
13	Parkinson's Disease	2	2	0	12.9	20.2	0.0
13	Conditions Originating in the Perinatal Period**	2	0	2	11.5	0.0	31.3
13	Hypertension/Hypertensive Renal Disease	2	1	1	12.9	10.1	18.5
17	Homicide	1	0	1	6.4	0.0	18.5
17	Aortic Aneurysm and Dissection	1	1	0	6.4	10.1	0.0
17	In Situ, Benign and Unspecified Neoplasms	1	1	0	6.4	10.1	0.0
	Not Included in Ranking						
	Symptoms, Signs, Ill-Defined Conditions	3	2	1	19.3	20.2	18.5
	All Other Causes	22	14	8	141.6		148.2

^{*} Total includes races other than white and black.

Age	 Total*	Total* White	 Black	 Total*	Male - White	Black	 Total*	Female White	 Black
Total	212	139	73	118	80	38	94	59	35
Under 1	3	0	3	2.	0	2	1	0	1
(Neonatal)	3	0	3	2	0	2	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	1	0	1	1	0	1	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	2	0	2	0	0	0	2	0	2
25-34	2	1	1	2	1	1	0	0	0
35-44	8	4	4	6	2	4	2	2	0
45-54	8	5	3	3	3	0	5	2	3
55-64	33	22	11	21	13	8	12	9	3
65-74	42	30	12	27	20	7	15	10	5
75-84	51	36	15	32	24	8	19	12	7
85 and over	60	41	19	24	17	7	36	24	12
Unknown	0	0	0	0	0	0	0	0	0

Total	15,541
White	9,922
Black	5 , 398
Other	221

^{**} Death nertices races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

Less than 0.05.

	Leading Causes of Death				Mortality Rate**				
Rank	Listed in Descending Order			Black		White			
	Total Of All Causes	217				1,501.0			
1	Heart Diseases	51	29	22	264.0	381.8	192.2		
2	Malignant Neoplasms	38	20	18	196.7	263.3	157.2		
3	Cerebrovascular Disease	22	10	12	113.9	131.7	104.8		
4	Emphysema and Other Chronic Lower Resp. Diseases	17	10	7	88.0	131.7	61.1		
5	Diabetes Mellitus	14	4	10	72.5	52.7	87.3		
6	Alzheimer's Disease	10	5	5	51.8	65.8	43.7		
7	Accidents	9	6	3	46.6	79.0	26.2		
7	Influenza and Pneumonia	9	7	2	46.6	92.2	17.5		
9	Chronic Liver Disease And Cirrhosis	6	3	3	31.1	39.5	26.2		
10	Nephritis, Nephrotic Syndrome And Nephrosis	4	2	2	20.7	26.3	17.5		
11	Pneumonitis Due to Solids and Liquids	2	2	0	10.4	26.3	0.0		
11	Hypertension/Hypertensive Renal Disease	2	0	2	10.4	0.0	17.5		
13	Maternal Causes**	1	1	0	386.1	1,052.6	0.0		
13	Homicide	1	0	1	5.2	0.0	8.7		
13	Suicide	1	1	0	5.2	13.2	0.0		
13	Conditions Originating in the Perinatal Period**	1	0	1	3.9	0.0	6.3		
13	Anemias	1	0	1	5.2	0.0	8.7		
	Not Included in Ranking								
	Symptoms, Signs, Ill-Defined Conditions	3	2	1	15.5	26.3	8.7		
	All Other Causes	25	12	13	129.4	158.0	113.5		

^{*} Total includes races other than white and black.

[#] Less than 0.05.

Age	 Total*		 Black	 Total*	Male - White	Black] Total*	Pemale White	 Black
Total	217	114	103	106	55	51	111	59	52
Under 1 (Neonatal) (Postneonatal) 1-4	3 1 2	1 0 1 0	2 1 1 0	1 0 1 0	1 0 1 0	0 0 0	2 1 1 0	0 0 0	2 1 1 0
5-9 10-14 15-24	1 0 2	0 0 0	1 0 2	0 0 2	0 0 0	0 0 2	1 0 0	0 0	1 0 0
25-34 35-44 45-54 55-64	10 11 30	1 4 15	9 7 15	6 5 16	1 3 8	0 5 2 8	4 6 14	0 0 1 7	4 5 7
65-74 75-84 85 and over Unknown	56 47 56 0	25 24 43 0	31 23 13 0	28 25 22 0	11 12 18 0	17 13 4 0	28 22 34 0	14 12 25 0	14 10 9 0

2019 Population
Total 19,316
White 7,595
Black 11,449
Other 272

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		-Number-		Mortality Rate**			
Rank	Listed in Descending Order	Total*	White	Black	Total*	White	Black	
	Total Of All Causes	314	88	226	1,419.3	1,902.3	1,316.6	
1	Heart Diseases	58	24	34	262.2	518.8	198.1	
2	Malignant Neoplasms	53	12	41	239.6	259.4	238.8	
3	Diabetes Mellitus	32	2	30	144.6	43.2	174.8	
4	Accidents	20	7	13	90.4	151.3	75.7	
5	Cerebrovascular Disease	13	5	8	58.8	108.1	46.6	
6	Emphysema and Other Chronic Lower Resp. Diseases	12	3	9	54.2	64.9	52.4	
7	Hypertension/Hypertensive Renal Disease	11	2	9	49.7	43.2	52.4	
7	Septicemia	11	4	7	49.7	86.5	40.8	
9	Alzheimer's Disease	8	3	5	36.2	64.9	29.1	
9	Nephritis, Nephrotic Syndrome And Nephrosis	8	2	6	36.2	43.2	35.0	
11	Parkinson's Disease	7	4	3	31.6		17.5	
12	Influenza and Pneumonia	5	3	2	22.6	64.9	11.7	
13	Suicide	4	2	2	18.1	43.2	11.7	
13	Homicide	4	0	4	18.1	0.0	23.3	
13	Pneumonitis Due to Solids and Liquids	4	0	4	18.1	0.0	23.3	
13	Chronic Liver Disease And Cirrhosis	4	2	2	18.1	43.2	11.7	
17	HIV Disease	3	0	3	13.6	0.0	17.5	
17	In Situ, Benign and Unspecified Neoplasms	3	2	1	13.6	43.2	5.8	
19	Conditions Originating in the Perinatal Period**	2	0	2	5.9	0.0	7.1	
20	Congenital Malformations and Chrom. Abnormalities	1	0	1	4.5	0.0	5.8	
20	Aortic Aneurysm and Dissection	1	1	0	4.5	21.6	0.0	
20	Malnutrition/Nutritional Deficiency	1	0	1	4.5	0.0	5.8	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	9	1	8	40.7	21.6	46.6	
	All Other Causes	40	9	31	180.8	194.6	180.6	

^{*} Total includes races other than white and black.

[#] Less than 0.05.

Age	 Total*	Total* White	Black	 Total*	Male - White	Black	 Total*	Female White	 Black
Total	314	88	226	155	41	114	159	47	112
Under 1 (Neonatal) (Postneonatal) 1-4 5-9 10-14 15-24 25-34 35-44 45-54 65-74 75-84	4 4 0 0 0 5 5 10 38 66 69 52	0 0 0 0 0 0 0 0 2 7 7 7 19	4 4 0 0 0 5 5 8 31 59 50 30	2 2 0 0 0 4 3 5 25 36 23	0 0 0 0 0 0 0 0 2 6 0 8	2 2 0 0 0 4 3 3 19 36 28	2 2 0 0 0 1 2 5 13 30 33 29	0 0 0 0 0 0 0 0 0 0 1 7 11 10	2 2 0 0 0 1 2 5 12 23 22 19
75-84 85 and over Unknown	65 0	31 0	34	21	13 0	8	44 0	18 0	26 0

Total 22,124
White 4,626
Black 17,166
Other 332

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death				Mortality Rate**			
Rank	Listed in Descending Order				Total*			
	Total Of All Causes	331			1,179.4			
1	Heart Diseases	98	54	44	349.2	415.3	301.9	
2	Malignant Neoplasms	60	30	30	213.8	230.7	205.9	
3	Cerebrovascular Disease	21	11	10	74.8			
4	Accidents	16	7	9	57.0	53.8 46.1	61.8	
5	Diabetes Mellitus	14	6		49.9	46.1	54.9	
6	Emphysema and Other Chronic Lower Resp. Diseases	13	10		46.3	76.9		
7	Alzheimer's Disease	12	8	4	42.8			
8	Influenza and Pneumonia	9	5		32.1	38.4	27.4	
9	Homicide	4	0	4	14.3	0.0		
9	Chronic Liver Disease And Cirrhosis	4	2			15.4		
9	Nephritis, Nephrotic Syndrome And Nephrosis	4	1		14.3	7.7	20.6	
9	Pneumonitis Due to Solids and Liquids	4	1	3	14.3	7.7	20.6	
9	Parkinson's Disease	4	4	0	14.3	30.8	0.0	
14	Suicide	3	3	0	10.7	23.1	0.0	
14	Hypertension/Hypertensive Renal Disease	3	2	1		15.4	6.9	
14	Septicemia	3	1	2	10.7	7.7	13.7	
14	In Situ, Benign and Unspecified Neoplasms	3	1	2	10.7		13.7	
18	Conditions Originating in the Perinatal Period**	2	1	1	5.4		4.9	
18	Aortic Aneurysm and Dissection	2	1	1	7.1	7.7	6.9	
20	Complications Medical/Surgical Care	1	0	1	3.6	0.0	6.9	
20	Congenital Malformations and Chrom. Abnormalities	1	1	0	3.6		0.0	
20	Cholelithiasis/Gallbladder Disorder	1	0	1			6.9	
20	HIV Disease	1	0	1	3.6	0.0	6.9	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	8	5	3	28.5	38.4	20.6	
	All Other Causes	40	25	15	142.5	192.2	102.9	

^{*} Total includes races other than white and black.

[#] Less than 0.05.

Age	 Total*	Total* White	Black	 Total*	Male - White	Black] Total*	Female White	 Black
Total	331	179	151	173	86	86	158	93	65
Under 1 (Neonatal) (Postneonatal) 1-4 5-9 10-14 15-24 25-34	4 2 2 0 1 0 1 6	2 1 1 0 1 0 0 2	2 1 1 0 0 0 0 1 4	4 2 2 0 1 0 0 5	2 1 1 0 1 0 0 2	2 1 1 0 0 0 0 0 3	0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0
35-44 45-54 55-64 65-74 75-84 85 and over Unknown	9 26 55 69 84 76	3 13 15 36 51 56	6 13 39 33 33 20 0	5 16 37 39 41 25 0	1 8 12 18 26 16	4 8 24 21 15 9 0	4 10 18 30 43 51 0	2 5 3 18 25 40 0	2 5 15 12 18 11 0

Total 28,065 White 13,004 Black 14,573 Other 488

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		-Number-		Mortality Rate**			
Rank	Listed in Descending Order	Total*	White	Black	Total*	White	Black	
	Total Of All Causes	262	196	66	1,405.9	1,697.1	980.1	
1	Heart Diseases	63	52	11	338.1	450.3	163.4	
2	Malignant Neoplasms	51	37	14	273.7	320.4	207.9	
3	Alzheimer's Disease	21	18	3	112.7	155.9	44.6	
4	Emphysema and Other Chronic Lower Resp. Diseases	19	15	4	102.0	129.9	59.4	
5	Accidents	18	11	7	96.6	95.2	104.0	
6	Cerebrovascular Disease	15	7	8	80.5	60.6	118.8	
7	Nephritis, Nephrotic Syndrome And Nephrosis	8	6	2	42.9	52.0	29.7	
8	Influenza and Pneumonia	7	4	3	37.6	34.6	44.6	
9	Suicide	6	6	0	32.2	52.0	0.0	
9	Diabetes Mellitus	6	3	3	32.2	26.0	44.6	
11	Parkinson's Disease	5	5	0	26.8	43.3	0.0	
12	Homicide	4	2	2	21.5	17.3	29.7	
12	Septicemia	4	2	2	21.5	17.3	29.7	
14	Cholelithiasis/Gallbladder Disorder	1	1	0	5.4	8.7	0.0	
14	Chronic Liver Disease And Cirrhosis	1	1	0	5.4	8.7	0.0	
14	Pneumonitis Due to Solids and Liquids	1	1	0	5.4	8.7	0.0	
14	Peptic Ulcer	1	1	0	5.4	8.7	0.0	
14	In Situ, Benign and Unspecified Neoplasms	1	1	0	5.4	8.7	0.0	
14	Viral Hepatitis	1	1	0	5.4	8.7	0.0	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	3	3	0	16.1	26.0	0.0	
	All Other Causes	26	19	7	139.5	164.5	104.0	

^{*} Total includes races other than white and black.

[#] Less than 0.05.

		Total*			Male -		I	emale	
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	262	196	66	149	113	36	113	83	30
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	1	0	1	2	1	1
25-34	7	4	3	4	3	1	3	1	2
35-44	8	6	2	6	5	1	2	1	1
45-54	22	15	7	15	11	4	7	4	3
55-64	36	24	12	25	16	9	11	8	3
65-74	47	34	13	35	23	12	12	11	1
75-84	66	54	12	30	25	5	36	29	7
85 and over	73	58	15	33	30	3	40	28	12
Unknown	0	0	0	0	0	0	0	0	0

Total 18,636 White 11,549 Black 6,734 Other 353

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death Listed in Descending Order	Total*	White	Black	Mortality Rate** Total* White Black			
	Total Of All Causes				811.6			
1	Heart Diseases	390	318	68	210.9	258.9	122.2	
2	Malignant Neoplasms	346	278	62	187.1	226.3	111.4	
3	Emphysema and Other Chronic Lower Resp. Diseases	94	88	5	50.8	71.6	9.0	
4	Accidents	85	67	18	50.8 46.0 32.4 32.4	54.6	32.4	
5	Alzheimer's Disease	60	54	6	32.4	44.0	10.8	
5	Cerebrovascular Disease	60	48	12	32.4	39.1	21.6	
7	Nephritis, Nephrotic Syndrome And Nephrosis	36	21	15	19.5	17.1	27.0	
8	Influenza and Pneumonia	32	29	3	17.3	23.6	5.4	
9	Homicide	25	7	3 18 1	13.5	23.6 5.7 18.7	32.4	
10	Suicide	24	23	1	13.0	18.7	1.8	
11	Chronic Liver Disease And Cirrhosis	23	23	0	12.4	18.7	0.0	
12	Parkinson's Disease	18	18	0	9.7	14.7	0.0	
13	Pneumonitis Due to Solids and Liquids	17	11	6	12.4 9.7 9.2 8.7 8.1 6.1 4.3 3.2 2.7 2.7 2.7 2.7 2.2 1.6 1.6 1.6 94.2	9.0	10.8	
14	Hypertension/Hypertensive Renal Disease	16	10	6	8.7	8.1	10.8	
15	Diabetes Mellitus	15	8	7	8.1	6.5	12.6	
16	Conditions Originating in the Perinatal Period**	13	6	6	6.1	4.4	8.6	
17	Septicemia	8	7	1	4.3	5.7	1.8	
18	Aortic Aneurysm and Dissection	6	5	1	3.2	4.1	1.8	
19	Complications Medical/Surgical Care	5	2	3	2.7	1.6	5.4	
19	Malnutrition/Nutritional Deficiency	5	5	0	2.7	4.1	0.0	
19	In Situ, Benign and Unspecified Neoplasms	5	5	0	2.7	4.1	0.0	
22	Congenital Malformations and Chrom. Abnormalities	4	3	1	2.2	2.4	1.8	
22	HIV Disease	4	2	2	2.2	1.6	3.6	
24	Cholelithiasis/Gallbladder Disorder	3	3	0	1.6	2.4	0.0	
24	Peptic Ulcer	3	2	1	1.6	1.6	1.8	
24	Anemias	3	2	1	1.6	1.6	1.8	
27	Maternal Causes**	2	1	1	94.2	74.0	143.1	
27	Hernia	2	2	0	1.1	1.6	0.0	
29	Legal Intervention	1	1	0	1.1 0.5	1.6 0.8	0.0	
29	Infections of Kidney	1	1	0	0.5	0.8	0.0	
29	Diseases of Appendix	1	1	0	0.5			
29	Viral Hepatitis	1	1	1 1 0 0 0 0	0.5		0.0	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	9			4.9			
	All Other Causes	184	153			124.6	55.7	

^{*} Total includes races other than white and black.

[#] Less than 0.05.

Age	 Total*	Total* White	 Black	 Total*	Male - White		Total*	Female White	 Black
Total	1,501	1,209	280	814	652	155	687	557	125
Under 1 (Neonatal) (Postneonatal) 1-4 5-9 10-14 15-24 25-34 35-44	21 15 6 1 1 4 19 41 62	12 8 4 1 0 3 8 20 41	8 6 2 0 1 1 1 11 20 21	14 11 3 1 1 1 17 26 41	9 7 2 1 0 1 8 15 24	4 3 1 0 1 0 9 11 17	7 4 3 0 0 3 2 15 21	3 1 2 0 0 2 0 5 17	4 3 1 0 0 1 2 9
45-54 55-64 65-74 75-84 85 and over Unknown	109 191 323 398 331 0	77 148 255 348 296 0	31 43 64 46 34 0	74 118 187 205 129 0	51 93 147 186 117 0	22 25 36 19 11 0	35 73 136 193 202 0	26 55 108 162 179 0	9 18 28 27 23 0

Total 184,945 White 122,822 Black 55,636 Other 6,487

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		-Number-		Mortality Rate**			
Rank	Listed in Descending Order		White	Black	Total*	White	Black	
	Total Of All Causes	769	509	254	1,026.7	1,147.8	897.1	
1	Heart Diseases	160	105	53	213.6	236.8	187.2	
2	Malignant Neoplasms	150	102	48	200.3		169.5	
3	Emphysema and Other Chronic Lower Resp. Diseases	58	41	16	77.4	92.5	56.5	
4	Alzheimer's Disease	56	40	16	74.8	90.2	56.5	
5	Cerebrovascular Disease	41	28	13	54.7	63.1	45.9	
6	Accidents	38	22	14	50.7	49.6	49.4	
7	Diabetes Mellitus	34	19	15	45.4	42.8	53.0	
8	Nephritis, Nephrotic Syndrome And Nephrosis	23	12	11	30.7	27.1	38.9	
9	Influenza and Pneumonia	17	8	9	22.7	18.0	31.8	
10	Homicide	12	3	9	16.0		31.8	
10	Suicide	12	11		16.0	24.8	3.5	
10	Septicemia	12	9		16.0	20.3	10.6	
13	Parkinson's Disease	9	8	1	12.0	18.0	3.5	
14	Chronic Liver Disease And Cirrhosis	7	7	0		15.8	0.0	
15	Congenital Malformations and Chrom. Abnormalities	6	3	3		6.8	10.6	
16	Pneumonitis Due to Solids and Liquids	5	2	3		4.5	10.6	
16	HIV Disease	5	1	4	6.7	2.3	14.1	
18	Cholelithiasis/Gallbladder Disorder	4	1	3	5.3	2.3	10.6	
18	Hypertension/Hypertensive Renal Disease	4	2	2	5.3	4.5	7.1	
20	Conditions Originating in the Perinatal Period**	2	1	1		1.8	2.0	
20	Aortic Aneurysm and Dissection	2	1	1	2.7	2.3	3.5	
20	Malnutrition/Nutritional Deficiency	2	2	0	2.7	4.5	0.0	
20	In Situ, Benign and Unspecified Neoplasms	2	2	0	2.7	4.5	0.0	
24	Complications Medical/Surgical Care	1	1	0	1.3	2.3	0.0	
24	Maternal Causes**	1	1	0	94.2	184.8	0.0	
24	Meningitis	1	1	0	1.3	2.3	0.0	
24	Viral Hepatitis	1	1	0	1.3	2.3	0.0	
24	Tuberculosis	1	0	1	1.3	0.0	3.5	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	4	3	1	5.3	6.8	3.5	
	All Other Causes	99	72	26	132.2	162.4	91.8	

^{*} Total includes races other than white and black.

[#] Less than 0.05.

Age	 Total*	Total*	 Black	Total*	Male - White	 Black] Total*	Female	 Black
Total	769	509	254	391	250	139	378	259	115
Under 1	8	3	5	6	2	4	2	1	1
(Neonatal)	4	2	2	2	1	1	2	1	1
(Postneonatal)	4	1	3	4	1	3	0	0	0
1-4	2	0	2	2	0	2	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	4	2	1	2	1	1	2	1	0
15-24	17	13	4	12	9	3	5	4	1
25-34	10	4	6	8	2	6	2	2	0
35-44	34	17	16	21	11	9	13	6	7
45-54	59	32	26	36	17	19	23	15	7
55-64	118	65	53	71	37	34	47	28	19
65-74	164	99	63	92	60	31	72	39	32
75-84	173	130	43	81	64	17	92	66	26
85 and over	179	144	34	60	47	13	119	97	21
Unknown	0	0	0	0	0	0	0	0	0

Total	74 , 897
White	44,344
Black	28,314
Other	2,239

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		Number-		Mortality Rate**			
Rank	Listed in Descending Order	Total*	White	Black	Total*	White	Black	
	Total Of All Causes	107	83	24	1,387.3	1,691.5	900.9	
1	Malignant Neoplasms	26	18	8	337.1	366.8	300.3	
2	Heart Diseases	21	17	4	272.3	346.4	150.2	
3	Emphysema and Other Chronic Lower Resp. Diseases	13	13	0	168.5	264.9	0.0	
4	Accidents	7	6	1	90.8	122.3	37.5	
5	Hypertension/Hypertensive Renal Disease	5	3	2	64.8	61.1	75.1	
6	Cerebrovascular Disease	4	3	1	51.9	61.1	37.5	
6	Diabetes Mellitus	4	3	1	51.9	61.1	37.5	
8	Parkinson's Disease	3	3	0	38.9	61.1	0.0	
8	Alzheimer's Disease	3	2	1	38.9	40.8	37.5	
10	Influenza and Pneumonia	2	2	0	25.9	40.8	0.0	
11	Homicide	1	1	0	13.0	20.4	0.0	
11	Suicide	1	0	1	13.0	0.0	37.5	
11	Congenital Malformations and Chrom. Abnormalities	1	1	0	13.0	20.4	0.0	
11	Nephritis, Nephrotic Syndrome And Nephrosis	1	1	0	13.0	20.4	0.0	
11	Chronic Liver Disease And Cirrhosis	1	1	0	13.0	20.4	0.0	
11	Malnutrition/Nutritional Deficiency	1	1	0	13.0	20.4	0.0	
11	In Situ, Benign and Unspecified Neoplasms	1	1	0	13.0	20.4	0.0	
11	Anemias	1	0	1	13.0	0.0	37.5	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	1	1	0	13.0	20.4	0.0	
	All Other Causes	10	6	4	129.7	122.3	150.2	

^{*} Total includes races other than white and black.

		Total*			Male -			Female	
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	107	83	24	49	37	12	58	46	12
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	0	0	0	1	1	0
25-34	5	3	2	2	1	1	3	2	1
35-44	2	2	0	0	0	0	2	2	0
45-54	2	2	0	2	2	0	0	0	0
55-64	10	4	6	5	3	2	5	1	4
65-74	26	18	8	11	7	4	15	11	4
75-84	37	32	5	22	19	3	15	13	2
85 and over	24	21	3	7	5	2	17	16	1
Unknown	0	0	0	0	0	0	0	0	0

2019 Population
Total 7,713
7,713
7,713
7,64 2,664 Black Other 142

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates. # Less than 0.05.

	Leading Causes of Death		-Number-					
Rank	Listed in Descending Order	Total*	White	Black	Total*	White	Black	
	Total Of All Causes	305	283	20	1,244.9	1,287.9	1,054.9	
1	Heart Diseases	91	81	9	371.4	368.6	474.7	
2	Malignant Neoplasms	59	55	4	240.8	250.3	211.0	
3	Emphysema and Other Chronic Lower Resp. Diseases	24	23	1	98.0	104.7	52.7	
4	Cerebrovascular Disease	18	17	1	73.5	77.4	52.7	
4	Alzheimer's Disease	18	18	0	73.5	81.9	0.0	
6	Accidents	15	14	1	61.2	63.7	52.7	
7	Diabetes Mellitus	9	9	0	36.7	41.0	0.0	
8	Nephritis, Nephrotic Syndrome And Nephrosis	8	5	3	32.7	22.8	158.2	
9	Chronic Liver Disease And Cirrhosis	7	7	0	28.6	31.9	0.0	
10	Influenza and Pneumonia	6	5	1	24.5	22.8	52.7	
11	Suicide	3	3	0	12.2	13.7	0.0	
11	Parkinson's Disease	3	3	0	12.2	13.7	0.0	
13	Congenital Malformations and Chrom. Abnormalities	1	1	0	4.1	4.6	0.0	
13	Homicide	1	1	0	4.1	4.6	0.0	
13	Atherosclerosis	1	1	0	4.1	4.6	0.0	
13	Pneumonitis Due to Solids and Liquids	1	1	0	4.1	4.6	0.0	
13	Hypertension/Hypertensive Renal Disease	1	1	0	4.1	4.6	0.0	
13	In Situ, Benign and Unspecified Neoplasms	1	1	0	4.1	4.6	0.0	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	4	4	0	16.3	18.2	0.0	
	All Other Causes	34	33	0	138.8	150.2	0.0	

		Total*			Male -			Female	
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	305	283	20	170	154	15	135	129	5
Under 1	3	3	0	3	3	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	3	3	0	3	3	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	2	2	0	0	0	0
25-34	6	6	0	5	5	0	1	1	0
35-44	8	6	2	3	1	2	5	5	0
45-54	20	18	2	13	12	1	7	6	1
55-64	46	42	3	19	16	3	27	26	0
65-74	78	72	5	47	43	3	31	29	2
75-84	91	88	3	49	47	2	42	41	1
85 and over	50	45	5	28	24	4	22	21	1
Unknown	0	0	0	0	0	0	0	0	0

Total	24,500
White	21,973
Black	1,896
Other	631

^{*} Total includes races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates. # Less than 0.05.

	Leading Causes of Death				4			
Rank	Listed in Descending Order	Total*	White	Black		White		
	Total Of All Causes	124	103			1,035.4	609.2	
1	Heart Diseases	41	34	7	301.8	341.8	203.1	
2	Malignant Neoplasms	23	20	3	169.3	201.0	87.0	
3	Alzheimer's Disease	10	9	1	73.6	90.5	29.0	
4	Emphysema and Other Chronic Lower Resp. Diseases	9	8	1	66.2	80.4	29.0	
5	Cerebrovascular Disease	4	4	0	29.4	40.2	0.0	
6	Influenza and Pneumonia	3	3	0	22.1	30.2	0.0	
6	Diabetes Mellitus	3	2	1	22.1	20.1	29.0	
8	Homicide	2	0	2	14.7	0.0	58.0	
8	Parkinson's Disease	2	2	0	14.7	20.1	0.0	
10	Suicide	1	0	1	7.4	0.0	29.0	
10	Accidents	1	1	0	7.4	10.1	0.0	
10	Cholelithiasis/Gallbladder Disorder	1	1	0	7.4	10.1	0.0	
10	Pneumonitis Due to Solids and Liquids	1	1	0	7.4	10.1	0.0	
10	Chronic Liver Disease And Cirrhosis	1	0	1	7.4	0.0	29.0	
10	Septicemia	1	1	0	7.4	10.1	0.0	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	1	0	1	7.4	0.0	29.0	
	All Other Causes	20	17	3	147.2	170.9	87.0	

^{*} Total includes races other than white and black.

[#] Less than 0.05.

Age	 Total*	Total* White		 Total*	110110		Total*	Female White	 Black
Total	124	103	21	62	46	16	62	57	5
Under 1 (Neonatal) (Postneonatal) 1-4 5-9 10-14 15-24 25-34 35-44	0 0 0 0 0 0 2 2 2	0 0 0 0 0 0 0 0	0 0 0 0 0 0 2 1	0 0 0 0 0 0 2 1	0 0 0 0 0 0	0 0 0 0 0 0 0 2 1	0 0 0 0 0 0 0	0 0 0 0 0 0 0 0	0 0 0 0 0 0
45-54 55-64 65-74 75-84 85 and over Unknown	6 24 39 35 16 0	4 17 34 33 14	2 7 5 2 2	2 19 20 16 2 0	1 14 15 14 2 0	1 5 5 2 0	4 5 19 19 14 0	3 19 19 12 0	1 2 0 0 2 0

Total 13,586
White 9,948
Black 3,447
Other 191

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death	Number			Mo	ortality Rate**			
Rank	Listed in Descending Order	Total*	White	Black	Total*	White	Black		
	Total Of All Causes	299	179	120	1,440.4	1,560.3	1,348.2		
1	Heart Diseases	66	34		317.9	296.4	359.5		
2	Malignant Neoplasms	54	28			244.1			
3	Hypertension/Hypertensive Renal Disease	20	9	11	96.3				
4	Emphysema and Other Chronic Lower Resp. Diseases	18	16		86.7				
4	Cerebrovascular Disease	18	12	6			67.4		
6	Accidents	15	8	7		69.7	78.6		
6	Alzheimer's Disease	15	12	3	72.3	104.6	33.7		
8	Nephritis, Nephrotic Syndrome And Nephrosis	10	4	6	48.2	34.9	67.4		
9	Chronic Liver Disease And Cirrhosis	8	8	0		69.7			
10	Homicide	5	1	4	24.1	8.7	44.9		
10	Diabetes Mellitus	5	1	4	24.1	8.7	44.9		
12	Suicide	4	4	0	19.3	8.7	0.0		
12	Influenza and Pneumonia	4	3	1	19.3	26.2	11.2		
12	Pneumonitis Due to Solids and Liquids	4	1	3	19.3	8.7	33.7		
15	Congenital Malformations and Chrom. Abnormalities	3	2	1	14.5	17.4	11.2		
15	In Situ, Benign and Unspecified Neoplasms	3	3	0	14.5	26.2	0.0		
17	Hernia	2	2	0	9.6	17.4	0.0		
17	Aortic Aneurysm and Dissection	2	1	1	9.6	8.7	11.2		
17	Parkinson's Disease	2	1	1	9.6	8.7	11.2		
17	HIV Disease	2	1	1	9.6	8.7	11.2		
17	Septicemia	2	2	0	9.6	17.4	0.0		
22	Complications Medical/Surgical Care	1	1	0		8.7	0.0		
22	Conditions Originating in the Perinatal Period**	1	1	0	3.6	7.5	0.0		
22	Peptic Ulcer	1	1	0	4.8	8.7	0.0		
22	Anemias	1	1	0	4.8	8.7	0.0		
	Not Included in Ranking								
	Symptoms, Signs, Ill-Defined Conditions	5	3	2	24.1	26.2	22.5		
	All Other Causes	28	19	9	134.9	165.6	101.1		

^{*} Total includes races other than white and black.

[#] Less than 0.05.

		Total*			Male -			Female	
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	299	179	120	167	95	72	132	84	48
Under 1	3	2	1	2	2	0	1	0	1
(Neonatal)	3	2	1	2	2	0	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	7	3	4	5	2	3	2	1	1
25-34	5	1	4	4	0	4	1	1	0
35-44	10	6	4	10	6	4	0	0	0
45-54	18	9	9	8	5	3	10	4	6
55-64	55	31	24	34	16	18	21	15	6
65-74	56	27	29	36	16	20	20	11	9
75-84	75	53	22	41	28	13	34	25	9
85 and over	69	47	22	26	20	6	43	27	16
Unknown	0	0	0	0	0	0	0	0	0

2019 Population
Total 20,758
White 11,472
Plack 8,901
385

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		Number-		Mo	rtality Rate** White Black		
Rank	Listed in Descending Order		White	Black	Total*	White	Black	
	Total Of All Causes	521	485	31	1,093.8	1,161.0	778.5	
1	Heart Diseases	128	121	7	268.7	289.7	175.8	
2	Malignant Neoplasms	110	101			241.8		
3	Emphysema and Other Chronic Lower Resp. Diseases	37	37	0	77.7	88.6	0.0	
4	Accidents	36	35	1	75.6	83.8 64.6	25.1	
5	Cerebrovascular Disease	30	27	2	63.0	64.6	50.2	
6	Alzheimer's Disease	25	23	2	52.5	55.1	50.2	
7	Nephritis, Nephrotic Syndrome And Nephrosis	11	10		23.1	23.9	25.1	
8	Influenza and Pneumonia	10			21.0			
9	Septicemia	9	9	0	18.9		0.0	
10	Suicide	7	7	0	14.7	16.8	0.0	
10	Chronic Liver Disease And Cirrhosis	7	6	1	14.7	14.4		
10	Diabetes Mellitus	7	7	0	14.7	16.8		
13	Malnutrition/Nutritional Deficiency	6	5	1	12.6			
14	Pneumonitis Due to Solids and Liquids	4	3	1	8.4			
15	Homicide	3	2	1	6.3	4.8	25.1	
15	Parkinson's Disease	3	3	0	6.3			
17	Aortic Aneurysm and Dissection	2	2	0	4.2	4.8		
17	In Situ, Benign and Unspecified Neoplasms	2	2	0	4.2	4.8	0.0	
19	Conditions Originating in the Perinatal Period**	1	1	0	2.1	2.4		
19	Cholelithiasis/Gallbladder Disorder	1	1	0	2.1	2.4	0.0	
19	Peptic Ulcer	1	1	0	2.1	2.4	0.0	
19	Hypertension/Hypertensive Renal Disease	1	1	0	2.1	2.4	0.0	
19	HIV Disease	1	1	0	2.1		0.0	
19	Anemias	1	1	0	2.1		0.0	
19	Whooping Cough	1	1	0	2.1	2.4	0.0	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	3	3	0	6.3		0.0	
	All Other Causes	74	66	7	155.4	158.0	175.8	

^{*} Total includes races other than white and black.

[#] Less than 0.05.

Age	Total*	Total* White	Black	 Total*	Male - White	Black	Total*	Female White	Black
Total	521	485	31	281	263	17	240	222	14
Under 1	2	2	0	1	1	0	1	1	0
(Neonatal)	1	1	0	1	1	0	0	0	0
(Postneonatal)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	7	6	1	5	4	1	2	2	0
25-34	8	8	0	5	5	0	3	3	0
35-44	11	10	1	6	5	1	5	5	0
45-54	28	28	0	21	21	0	7	7	0
55-64	82	74	5	51	48	2	31	26	3
65-74	146	135	10	84	77	7	62	58	3
75-84	132	123	8	64	60	4	68	63	4
85 and over	104	98	6	43	41	2	61	57	4
Unknown	0	0	0	0	0	0	0	0	0

2019 Population Total 47,632 White 41,773 3,982 1,877 Black Other

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		-Number-		Mortality Rate**			
Rank	Listed in Descending Order		White	Black	Total*	White	Black	
	Total Of All Causes	2,250	1 , 790	412	1,081.3	1,268.0	763.8	
1	Heart Diseases	629	475	145	302.3	336.5	268.8	
2	Malignant Neoplasms	479	401	66	230.2	284.1	122.3	
3	Cerebrovascular Disease	122	96	23	58.6	68.0	42.6	
4	Accidents	117	88	25	56.2	62.3	46.3	
5	Emphysema and Other Chronic Lower Resp. Diseases	110	99	8	52.9	70.1	14.8	
6	Alzheimer's Disease	102	82	18	49.0	58.1	33.4	
7	Influenza and Pneumonia	78	63	14	27 5	116	26.0	
8	Nephritis, Nephrotic Syndrome And Nephrosis	62	47	13	29.8	33.3	24.1	
9	Chronic Liver Disease And Cirrhosis	47	38	6	22.6	26.9	11.1	
10	Suicide	36	32	3	17.3			
11	Septicemia	27	20	6	13.0	14.2	11.1	
12	Parkinson's Disease	26	24	2	12.5	17.0	3.7	
13	Diabetes Mellitus	20	14	6	9.6	9.9	11.1	
14	Homicide	17	9	8	8.2	6.4	14.8	
15	Pneumonitis Due to Solids and Liquids	15	12	3	7.2	8.5	5.6	
16	Complications Medical/Surgical Care	11	7	4	5.3	5.0	7.4	
17	Conditions Originating in the Perinatal Period**	8	3	5	3.0	1.8	6.0	
17	Aortic Aneurysm and Dissection	8	5	3	3.8	3.5	5.6	
17	In Situ, Benign and Unspecified Neoplasms	8	7	0	3.8	5.0	0.0	
20	Congenital Malformations and Chrom. Abnormalities	6	4	2	2.9	2.8	3.7	
21	Hypertension/Hypertensive Renal Disease	5	3	1	2.4		1.9	
22	HIV Disease	4	3	1	1.9	2.1	1.9	
23	Maternal Causes**	3	2	1	113.3	119.5	120.8	
23	Hernia	3	3	0	1.4	2.1	0.0	
23	Anemias	3	0	3	1.4	0.0	5.6	
26	Cholelithiasis/Gallbladder Disorder	2	2	0	1.0	1.4	0.0	
26	Malnutrition/Nutritional Deficiency	2	1	1	1.0	0.7	1.9	
26	Viral Hepatitis	2	1	0			0.0	
29	Hyperplasia of Prostate	1	1	0	1.0	1.4	0.0	
29	Peptic Ulcer	1	0	0	0.5		0.0	
29	Pneumoconioses and Chemical Effects	1	1	0	0.5	0.7	0.0	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	14	9	5	6.7	6.4	9.3	
	All Other Causes	281	238	40	135.0	168.6	74.2	

^{*} Total includes races other than white and black.

[#] Less than 0.05.

Age	Total*		Black	 Total*	Male - White	Black	F Total*	Temale White	 Black
Total	2,250	1 , 790	412	1,222	977	220	1,028	813	192
Under 1 (Neonatal) (Postneonatal) 1-4 5-9 10-14 15-24 25-34 35-44 45-54 55-64 65-74	22 10 12 5 2 7 23 50 72 168 369 487	10 3 7 2 0 2 13 30 53 129 280 381	12 7 5 3 1 5 8 18 16 39 82 93	11 3 8 4 0 5 13 33 50 103 218 293	5 1 4 2 0 2 9 23 36 78 170 238	6 2 4 2 0 3 3 8 13 25 44	11 7 4 1 2 2 10 17 22 65 151	5 2 3 0 0 0 4 7 17 51 110 143	6 5 1 1 1 2 5 10 3 14 38 44
75-84 85 and over Unknown	520 525 0	426 464 0	84 51 0	276 216 0	222 192 0	48 19 0	244 309 0	204 272 0	36 32 0

Total 208,080 White 141,165 Black 53,944 Other 12,971

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		-Number-		Mc	rtality Ra	te**
	Listed in Descending Order	Total*	White	Black	Total*	White	Black
	Total Of All Causes	2,336				1,476.0	862.4
1	Heart Diseases	540	190	346	232.9	326.9	204.1
2	Malignant Neoplasms	455	159	292	196.3		172.2
3	Cerebrovascular Disease	207	79	127			74.9
4	Accidents	122	48	74	52.6		43.6
5	Alzheimer's Disease	114	61	53		104.9	31.3
6	Emphysema and Other Chronic Lower Resp. Diseases	105	61			104.9	26.0
7	Diabetes Mellitus	86	18	68		21.0	40.1
8	Homicide	72	6	63			37.2
9	Nephritis, Nephrotic Syndrome And Nephrosis	49	10	38	21.1	17.2	22.4
10	Septicemia	47	12	35		20.6	20.6
11	Hypertension/Hypertensive Renal Disease	42	12	30	18.1 18.1	20.6	
11	Influenza and Pneumonia	42	24	18			
13	Suicide	29	14	15			8.8
14	HIV Disease	23	1	22	9.9	1.7	
14	Chronic Liver Disease And Cirrhosis	23	11	12			7.1
16	Parkinson's Disease	14	10	4			2.4
17	Conditions Originating in the Perinatal Period**	13	0	13			5.6
17	Pneumonitis Due to Solids and Liquids	13	6	7	5.6		4.1
19	In Situ, Benign and Unspecified Neoplasms	10	5	5	4.3	8.6	2.9
20	Congenital Malformations and Chrom. Abnormalities	9	0	9	3.9		5.3
21	Complications Medical/Surgical Care	7	3	4			2.4
22	Viral Hepatitis	5	3	2			1.2
22	Aortic Aneurysm and Dissection	5	0	5			2.9
24	Anemias	4	0	4			2.4
24	Cholelithiasis/Gallbladder Disorder	4	1	3			1.8
26	Malnutrition/Nutritional Deficiency	3	1	2			1.2
26	Peptic Ulcer	3 2	3	0			0.0
28	Meningitis	1	-	2 1	0.9		1.2
29	Syphilis		0				0.6
29	Legal Intervention	1 1	0	0 1	0.4		0.0
29	Maternal Causes**	1	0	1			43.0
29	Hyperplasia of Prostate	1	1			0.0	1.3
29	Infections of Kidney	1	_	0			0.0
29	Hernia	_	0	1			0.6
29	Acute Bronchitis and Bronchiolitis	1 1	1 1	0	0.4		0.0
29	Atherosclerosis	1	1	U	0.4	1.7	0.0
	Not Included in Ranking	20	4	2.5	10.0	6.0	14 7
	Symptoms, Signs, Ill-Defined Conditions	30	112				14.7
	All Other Causes	250	113		107.8	194.4	80.2

^{*} Total includes races other than white and black.

[#] Less than 0.05.

		Total*			Male -		I	Temale	
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	2,336	858	1,462	1,243	447	788	1,093	411	674
Under 1	33	0	32	14	0	13	19	0	19
(Neonatal)	17	0	17	5	0	5	12	0	12
(Postneonatal)	16	0	15	9	0	8	7	0	7
1-4	4	1	3	2	1	1	2	0	2
5-9	2	0	2	2	0	2	0	0	0
10-14	4	0	4	2	0	2	2	0	2
15-24	44	8	36	33	7	26	11	1	10
25-34	80	8	69	55	4	50	25	4	19
35-44	95	19	76	61	14	47	34	5	29
45-54	158	37	121	100	24	76	58	13	45
55-64	418	108	304	277	79	195	141	29	109
65-74	507	184	320	290	109	180	217	75	140
75-84	474	208	265	240	111	129	234	97	136
85 and over	517	285	230	167	98	67	350	187	163
Unknown	0	0	0	0	0	0	0	0	0

Total 231,840
White 58,129
Black 169,533
Other 4,178

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		Number-		Mo	1,759.0 1,373.1 524.0 254.8 299.4 219.4 0.0 141.6 299.4 77.9 112.3 84.9 112.3 70.8 37.4 49.5 0.0 56.6 0.0 35.4 37.4 28.3		
Rank	Listed in Descending Order				Total*			
	Total Of All Causes	241						
1	Malignant Neoplasms	50	14	36	293.9	524.0	254.8	
2	Heart Diseases	39	8	31	229.3	299.4	219.4	
3	Hypertension/Hypertensive Renal Disease	20	0	20	117.6	0.0	141.6	
4	Emphysema and Other Chronic Lower Resp. Diseases	19	8	11	111.7	299.4	77.9	
5	Cerebrovascular Disease	15	3	12	88.2	112.3	84.9	
6	Accidents	13	3	10	76.4	112.3	70.8	
7	Alzheimer's Disease	8	1	7	47.0	37.4	49.5	
7	Diabetes Mellitus	8	0	8	47.0	0.0	56.6	
9	Homicide	5	0	5	29.4	0.0		
9	Influenza and Pneumonia	5	1	4	29.4	37.4	28.3	
11	Nephritis, Nephrotic Syndrome And Nephrosis	4	1	3	23.5	37.4	21.2	
11	Septicemia	4	0	4	23.5	0.0	28.3	
13	Suicide	3	0	3	17.6	0.0	21.2	
13	Congenital Malformations and Chrom. Abnormalities	3	0	3	17.6	0.0	21.2	
13	Maternal Causes**	3	0	3	1,327.4	0.0	1,421.8	
16	Complications Medical/Surgical Care	2	0	2	11.8		14.2	
16	Parkinson's Disease	2	1	1	11.8	37.4	7.1	
18	Conditions Originating in the Perinatal Period**	1	0	1	4.4	0.0	4.7	
18	Chronic Liver Disease And Cirrhosis	1	1	0	5.9	37.4	0.0	
18	Aortic Aneurysm and Dissection	1	0	1	5.9	0.0	7.1	
18	HIV Disease	1	0	1	5.9	0.0	7.1	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	5	1	4	29.4	37.4	28.3	
	All Other Causes	29	5	24	170.5		169.9	

[#] Less than 0.05.

Age	Total*	Total* White	Black	Total*	Male - White	Black	Total*	Female White	Black
Total	241	47	194	118	25	93	123	22	101
Under 1	3	0	3	2	0	2	1	0	1
(Neonatal)	2	0	2	2	0	2	0	0	0
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	1	0	1	0	0	0	1	0	1
5-9	2	0	2	1	0	1	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	6	0	6	4	0	4	2	0	2
25-34	6	1	5	0	0	0	6	1	5
35-44	12	1	11	5	1	4	7	0	7
45-54	11	0	11	8	0	8	3	0	3
55-64	40	9	31	22	6	16	18	3	15
65-74	55	10	45	27	6	21	28	4	24
75-84	46	9	37	26	5	21	20	4	16
85 and over	59	17	42	23	7	16	36	10	26
Unknown	0	0	0	0	0	0	0	0	0

Total 17,010 White 2,672 Black 14,129 Other 209

 ^{*} Total includes races other than white and black.
 ** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		Number-	Mo	ortality Rate**		
Rank	Listed in Descending Order	Total*	White	Black	Total*	White	Black
	Total Of All Causes	117	39	77	1,450.9	2,165.5	1,260.2
1	Heart Diseases	37	12	25	458.8	666.3	409.2
2	Malignant Neoplasms	19	9	10	235.6	499.7	163.7
3	Diabetes Mellitus	10	2	8	124.0	111.0	130.9
4	Cerebrovascular Disease	9	4	5	111.6	222.1	81.8
5	Accidents	7	2	5	86.8	111.0	81.8
6	Alzheimer's Disease	5	1	4	62.0	55.5	65.5
7	Homicide	3	0	3		0.0	49.1
8	Congenital Malformations and Chrom. Abnormalities	2	1	1	24.8	55.5	16.4
8	Nephritis, Nephrotic Syndrome And Nephrosis	2	0	2	24.8	0.0	32.7
10	Suicide	1	0	0	12.4	0.0	0.0
10	Conditions Originating in the Perinatal Period**	1	0	1	10.4	0.0	11.0
10	Cholelithiasis/Gallbladder Disorder	1	0	1	12.4	0.0	16.4
10	Peptic Ulcer	1	0	1	12.4	0.0	16.4
10	Emphysema and Other Chronic Lower Resp. Diseases	1	1	0	12.4	55.5	0.0
10	Influenza and Pneumonia	1	0	1	12.4	0.0	16.4
10	Aortic Aneurysm and Dissection	1	1	0	12.4	55.5	0.0
10	Hypertension/Hypertensive Renal Disease	1	0	1	12.4	0.0	16.4
10	Parkinson's Disease	1	0	1	12.4	0.0	16.4
10	In Situ, Benign and Unspecified Neoplasms	1	0	1	12.4	0.0	16.4
	Not Included in Ranking						
	Symptoms, Signs, Ill-Defined Conditions	1	0	1	12.4	0.0	16.4
	All Other Causes	12	6	6	148.8	333.1	98.2

^{*} Total includes races other than white and black.

[#] Less than 0.05.

Age	 Total*	Total*		 Total*			F Total*	emale	 Black
Total	117	39	77	64	19	44	53	20	33
Under 1	2	1	1	1	1	0	1	0	1
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	5	0	5	3	0	3	2	0	2
35-44	3	0	3	3	0	3	0	0	0
45-54	12	3	9	6	1	5	6	2	4
55-64	17	5	11	12	3	8	5	2	3
65-74	19	9	10	14	7	7	5	2	3
75-84	30	11	19	19	7	12	11	4	7
85 and over	28	10	18	5	0	5	23	10	13
Unknown	0	0	0	0	0	0	0	0	0

Total 8,064
White 1,801
Black 6,110
Other 153

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

Selected Death Statistics, Residents of Issaquena County, 2019

	Leading Causes of Death		Number-	Mo	Mortality Rate**		
Rank	Listed in Descending Order	Total*	White	Black	Total*	White	Black
	Total Of All Causes	20	6	14	1,507.2	1,295.9	1,654.8
1	Heart Diseases	6	3	3	452.1	647.9	354.6
2	Accidents	2	0	2	150.7	0.0	236.4
2	Malignant Neoplasms	2	1	1	150.7	216.0	118.2
4	Nephritis, Nephrotic Syndrome And Nephrosis	1	1	0	75.4	216.0	0.0
4	Chronic Liver Disease And Cirrhosis	1	0	1	75.4	0.0	118.2
4	Aortic Aneurysm and Dissection	1	1	0	75.4	216.0	0.0
4	Parkinson's Disease	1	0	1	75.4	0.0	118.2
4	Malnutrition/Nutritional Deficiency	1	0	1	75.4	0.0	118.2
4	Diabetes Mellitus	1	0	1	75.4	0.0	118.2
	Not Included in Ranking						
	Symptoms, Signs, Ill-Defined Conditions	2	0	2	150.7	0.0	236.4
	All Other Causes	2	0	2	150.7	0.0	236.4

^{*} Total includes races other than white and black.

[#] Less than 0.05.

Age	Total*	Total* White		 Total*	Male - White	Black	F Total*	Temale White	Black
Total	20	6	14	12	3	9	8	3	5
Under 1 (Neonatal) (Postneonatal) 1-4 5-9 10-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84	0 0 0 0 0 0 0 0 0 0 2 4 4 5	0 0 0 0 0 0 0 0 0 0 0 0 2 1 1	0 0 0 0 0 0 0 0 0 0 2 2 2 3 4	0 0 0 0 0 0 0 0 0 1 3 2 3	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 1 1 1 2 3	0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0
85 and over Unknown	5 0	2	3	3 0	1	2	2	1 0	1 0

onknown o o o o o o o

2019 Population Total 1,327 White 463 Black 846

Other 18

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		Number-		Mortality Rate**			
Rank	Listed in Descending Order	Total*	White	Black	Total*	White	Black	
	Total Of All Causes	336	320	15	1,436.5	1,503.3	921.9	
1	Heart Diseases	94	90	4	401.9			
2	Malignant Neoplasms	49	47		209.5			
3	Alzheimer's Disease	27	27	0	115.4		0.0	
4	Accidents	24	23	1	102.6	108.1	61.5	
5	Cerebrovascular Disease	14	12	2	59.9	56.4	122.9	
6	Nephritis, Nephrotic Syndrome And Nephrosis	11	11		47.0		0.0	
6	Emphysema and Other Chronic Lower Resp. Diseases	11	11	0	47.0	51.7	0.0	
8	Influenza and Pneumonia	9	8	1	38.5	37.6	61.5	
9	Suicide	6	5	1	25.7	23.5	61.5	
9	Septicemia	6	6		25.7	28.2	0.0	
11	Chronic Liver Disease And Cirrhosis	5	5	0	21.4	23.5	0.0	
11	Diabetes Mellitus	5	4	0	21.4	18.8	0.0	
13	Pneumonitis Due to Solids and Liquids	4	4	0	17.1	18.8	0.0	
14	Hypertension/Hypertensive Renal Disease	3	3	0	12.8	14.1	0.0	
14	Parkinson's Disease	3	3	0	12.8		0.0	
16	Congenital Malformations and Chrom. Abnormalities	2	2	0	8.6	9.4	0.0	
16	Malnutrition/Nutritional Deficiency	2	2	0	8.6	9.4	0.0	
18	Complications Medical/Surgical Care	1	1	0	4.3	4.7	0.0	
18	Homicide	1	1	0	4.3	4.7	0.0	
18	Maternal Causes**	1	0	1	406.5	0.0	7,692.3	
18	Cholelithiasis/Gallbladder Disorder	1	1	0			0.0	
18	Aortic Aneurysm and Dissection	1	1	0	4.3	4.7	0.0	
18	In Situ, Benign and Unspecified Neoplasms	1	1	0	4.3	4.7	0.0	
18	Viral Hepatitis	1	1	0	4.3	4.7	0.0	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	5	5	0	21.4	23.5	0.0	
	All Other Causes	49	46	3	209.5			

^{*} Total includes races other than white and black.

[#] Less than 0.05.

Age	 Total*	Total* White	 Black		Male - White	Black] Total*	Female White	 Black
Total	336	320	15	170	160	10	166	160	5
Under 1	3	3	0	2	2	0	1	1	0
(Neonatal)	1	1	0	0	0	0	1	1	0
(Postneonatal)	2	2	0	2	2	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	3	3	0	2	2	0	1	1	0
25-34	5	4	1	4	3	1	1	1	0
35-44	8	8	0	4	4	0	4	4	0
45-54	12	11	1	6	6	0	6	5	1
55-64	54	50	4	39	36	3	15	14	1
65-74	65	59	6	36	33	3	29	26	3
75-84	92	90	1	38	37	1	54	53	0
85 and over	93	91	2	38	36	2	55	55	0
Unknown	0	0	0	0	0	0	0	0	0

2019 Population Total 23,390 White 21,286 1,627 Black Other 477

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		-Number-		Mortality Rate**			
	Listed in Descending Order	Total*	White	Black	Total*	White	Black	
	Total Of All Causes		1,268	266	1,080.7	1,205.3	853.7	
1	Malignant Neoplasms	330	279	48	229.8	265.2	154.0	
2	Heart Diseases	321	258	57	223.5	245.2	182.9	
3	Emphysema and Other Chronic Lower Resp. Diseases	111	104	7		98.9	22.5	
4	Accidents	95	85		66.1	80.8		
5	Cerebrovascular Disease	77	55	21	53.6 53.6	52.3 62.7	67.4	
5	Alzheimer's Disease	77	66	9	53.6	62.7	28.9	
7	Diabetes Mellitus	73	47	26	50.8	44.7	83.4	
8	Nephritis, Nephrotic Syndrome And Nephrosis	34	27	7	23.7	25.7	22.5	
9	Chronic Liver Disease And Cirrhosis	29	23	6	20.2	21.9	19.3	
10	Suicide	26	26 19	0	18.1 16.0	217	0.0	
11	Influenza and Pneumonia	23	19	4	16.0	18.1	12.8	
12	Septicemia	15	10	4	10.4	9.5	12.8	
13	Hypertension/Hypertensive Renal Disease	14	6	7			22.5	
13	Parkinson's Disease	14	14	0	9.7	13.3	0.0	
15	Homicide	13	5	8	9 1	4 8	25.7	
16	Conditions Originating in the Perinatal Period**	6	5	1		4.5	2.5	
16	Aortic Aneurysm and Dissection	6	6	0	4.2	5.7	0.0	
16	In Situ, Benign and Unspecified Neoplasms	6	5	0	4.2	4.8	0.0	
19	Congenital Malformations and Chrom. Abnormalities	4	3	0	2.8	2.9	0.0	
19	Infections of Kidney	4	3	1	2.0	2.9	3.2	
19	Pneumonitis Due to Solids and Liquids	4	4	0	2.8	3.8	0.0	
19	Viral Hepatitis	4	4	0			0.0	
23	Complications Medical/Surgical Care	3	3	0		2.9	0.0	
24	Hernia	2	2	0		1.9		
24	Pneumoconioses and Chemical Effects	2	2	0	1.4	1.9		
24	Malnutrition/Nutritional Deficiency	2	1	1	1.4			
24	HIV Disease	2	1	1			3.2	
28	Cholelithiasis/Gallbladder Disorder	1	1	0				
28	Diseases of Appendix	1	0	1			3.2	
28	Peptic Ulcer	1	1	0			0.0	
28	Anemias	1	0	0	0.7		0.0	
28	Tuberculosis	1	1	0	0.7	1.0	0.0	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	11	7	4			12.8	
	All Other Causes	239	195	44	166.4	185.4	141.2	

^{*} Total includes races other than white and black.

[#] Less than 0.05.

		Total*			Male -]	Female	
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	1,552	1,268	266	845	688	148	707	580	118
Under 1	14	10	4	11	10	1	3	0	3
(Neonatal)	8	8	0	8	8	0	0	0	0
(Postneonatal)	6	2	4	3	2	1	3	0	3
1-4	4	1	1	1	1	0	3	0	1
5-9	2	2	0	0	0	0	2	2	0
10-14	2	2	0	2	2	0	0	0	0
15-24	17	15	2	11	11	0	6	4	2
25-34	32	18	14	23	13	10	9	5	4
35-44	57	42	15	34	24	10	23	18	5
45-54	100	74	22	57	40	13	43	34	9
55-64	242	193	49	155	123	32	87	70	17
65-74	358	288	67	210	172	37	148	116	30
75-84	405	340	58	207	172	32	198	168	26
85 and over	319	283	34	134	120	13	185	163	21
Unknown	0	0	0	0	0	0	0	0	0

2019 Population

Total 143,617
White 105,200
Black 31,159
Other 7,258

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		Number-		Mortality Rate**			
Rank	Listed in Descending Order			Black	Total*	White	Black	
	Total Of All Causes	211	134		1,287.9			
1	Heart Diseases	61	33	28	372.3	443.0	321.4	
2	Malignant Neoplasms	39	24	15	238.1			
3	Alzheimer's Disease	17	15	2	103.8	201.3	23.0	
4	Accidents	13	8	5	79.4	107.4	57.4	
5	Influenza and Pneumonia	12	9	3	73.2			
6	Emphysema and Other Chronic Lower Resp. Diseases	9	5	4	54.9	67.1	45.9	
6	Diabetes Mellitus	9	4	5	54.9			
8	Cerebrovascular Disease	7	6	1	42.7	80.5	11.5	
9	Nephritis, Nephrotic Syndrome And Nephrosis	6	4	2	36.6	53.7	23.0	
9	Septicemia	6	3	3	36.6	40.3	34.4	
11	Chronic Liver Disease And Cirrhosis	4	3	1	24.4	40.3	11.5	
12	Suicide	2	2	0	12.2	26.8	0.0	
12	Parkinson's Disease	2	1	1	12.2	13.4	11.5	
12	Anemias	2	1	1	12.2	13.4	11.5	
12	In Situ, Benign and Unspecified Neoplasms	2	2	0	12.2	26.8	0.0	
16	Homicide	1	0	1	6.1	0.0	11.5	
16	Conditions Originating in the Perinatal Period**	1	1	0	4.7	12.3	0.0	
16	Pneumonitis Due to Solids and Liquids	1	0	1	6.1	0.0	11.5	
16	Aortic Aneurysm and Dissection	1	1	0	6.1	13.4	0.0	
16	Hypertension/Hypertensive Renal Disease	1	1	0	6.1	13.4	0.0	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	2	1	1	12.2	13.4	11.5	
	All Other Causes	13	10	3	79.4	134.2	34.4	

^{*} Total includes races other than white and black.

[#] Less than 0.05.

Age	 Total*	Total* White	Black	Total*		Black] Total*		 Black
Total	211	134	77	115	72	43	96	62	34
Under 1	1	1	0	1	1	0	0	0	0
(Neonatal)	1	1	0	1	1	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	2	0	2	2	0	2	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	7	2	5	5	2	3	2	0	2
35-44	9	5	4	5	2	3	4	3	1
45-54	10	4	6	5	2	3	5	2	3
55-64	29	13	16	20	9	11	9	4	5
65-74	58	38	20	37	20	17	21	18	3
75-84	50	37	13	23	20	3	27	17	10
85 and over	44	33	11	16	15	1	28	18	10
Unknown	0	0	0	0	0	0	0	0	0

2019 Population Total 16,383 White 7,450 Rlack 8,712 221 Other

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		Number		<u> -</u>			
Rank	Listed in Descending Order	Total*	White	Black	Total*	White	Black	
	Total Of All Causes	72	14	58	1,030.0	1,500.5	971.5	
1	Heart Diseases	17	5	12	243.2	535.9	201.0	
2	Malignant Neoplasms	12	4	8	171.7	428.7	134.0	
3	Accidents	7	3	4	100.1	321.5	67.0	
4	Hypertension/Hypertensive Renal Disease	5	0	5	71.5	0.0	83.8	
4	Diabetes Mellitus	5	1	4	71.5	107.2	67.0	
6	Cerebrovascular Disease	4	0	4	57.2	0.0	67.0	
7	Nephritis, Nephrotic Syndrome And Nephrosis	2	0	2	28.6	0.0	33.5	
7	Chronic Liver Disease And Cirrhosis	2	0	2	28.6	0.0	33.5	
7	Influenza and Pneumonia	2	0	2	28.6	0.0	33.5	
7	Septicemia	2	0	2	28.6	0.0	33.5	
11	Legal Intervention	1	0	1	14.3	0.0	16.8	
11	Suicide	1	1	0	14.3	107.2	0.0	
11	Congenital Malformations and Chrom. Abnormalities	1	0	1	14.3	0.0	16.8	
11	Emphysema and Other Chronic Lower Resp. Diseases	1	0	1	14.3	0.0	16.8	
11	Alzheimer's Disease	1	0	1	14.3	0.0	16.8	
11	Anemias	1	0	1	14.3	0.0	16.8	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	1	0	1	14.3	0.0	16.8	
	All Other Causes	7	0	7	100.1	0.0	117.3	

^{*} Total includes races other than white and black.

[#] Less than 0.05.

		Total*			Male -			Temale	
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	72	14	58	40	8	32	32	6	26
Under 1	1	0	1	1	0	1	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	2	0	2	1	0	1	1	0	1
35-44	2	0	2	2	0	2	0	0	0
45-54	6	0	6	5	0	5	1	0	1
55-64	15	2	13	6	1	5	9	1	8
65-74	17	2	15	7	1	6	10	1	9
75-84	12	4	8	6	1	5	6	3	3
85 and over	15	5	10	10	4	6	5	1	4
Unknown	0	0	0	0	0	0	0	0	0

Total	6,990
White	933
Black	5 , 970
Other	87

 ${\tt Published: 09/30/2020 - Mississippi \ State \ Department \ of \ Health, \ Office \ of \ Public \ Health \ Statistics}$

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		Number-		Mortality Rate**			
Rank	Listed in Descending Order			Black	Total*	White		
	Total Of All Causes	163			1,464.8			
1	Heart Diseases	38	19	19	341.5	439.6	286.5	
2	Malignant Neoplasms	33	12	21	296.5			
3	Emphysema and Other Chronic Lower Resp. Diseases	13	6	7	116.8		105.6	
4	Accidents	11	2	8	98.8	46.3		
5	Cerebrovascular Disease	7	4	3	62.9			
5	Alzheimer's Disease	7	5	2	62.9	115.7	30.2	
7	Homicide	5	1		44.9			
7	Nephritis, Nephrotic Syndrome And Nephrosis	5	2	3	44.9	46.3	45.2	
7	Influenza and Pneumonia	5	0	5		0.0		
7	Diabetes Mellitus	5	1	4	44.9			
11	Hypertension/Hypertensive Renal Disease	3	0	3	27.0	0.0	45.2	
11	Septicemia	3	2	1	27.0	46.3	15.1	
13	Chronic Liver Disease And Cirrhosis	2	1	1	18.0	23.1	15.1	
14	Complications Medical/Surgical Care	1	0	1	9.0	0.0	15.1	
14	Suicide	1	1	0	9.0	23.1	0.0	
14	Female Pelvic Inflammatory Disease	1	0	1	17.0	0.0	28.0	
14	Atherosclerosis	1	1	0	9.0	23.1	0.0	
14	Parkinson's Disease	1	1	0	9.0	23.1	0.0	
14	Malnutrition/Nutritional Deficiency	1	1	0	9.0	23.1	0.0	
14	In Situ, Benign and Unspecified Neoplasms	1	0	1	9.0	0.0	15.1	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	4	2	2	35.9	46.3	30.2	
	All Other Causes	15	7	8	134.8	162.0	120.6	

^{*} Total includes races other than white and black.

[#] Less than 0.05.

Age	Total*	Total* White	Black		Male - White	Black	H Total*	Female White	Black
Total	163	68	94	92	38	54	71	30	40
Under 1	3	1	1	2	1	1	1	0	0
(Neonatal)	1	1	0	1	1	0	0	0	0
(Postneonatal)	2	0	1	1	0	1	1	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	2	0	2	0	0	0
25-34	3	1	2	3	1	2	0	0	0
35-44	7	4	3	5	3	2	2	1	1
45-54	19	2	17	14	1	13	5	1	4
55-64	27	9	18	20	9	11	7	0	7
65-74	31	14	17	15	9	6	16	5	11
75-84	34	17	17	19	10	9	15	7	8
85 and over	36	20	16	11	4	7	25	16	9
Unknown	0	0	0	0	0	0	0	0	0

2019 Population Total 11,128 White 4,322 Black 6,631 Other 175

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		-Number-		Mortality Rate**			
	Listed in Descending Order	Total*	White	Black	Total*	White	Black	
	Total Of All Causes	798	619	172	1,171.8	1,335.6	850.0	
1	Heart Diseases	188	150	37	276.1	323.6	182.8	
2	Malignant Neoplasms	149	118	29	218.8	254.6	143.3	
3	Emphysema and Other Chronic Lower Resp. Diseases	50	43	7	73.4	92.8	34.6	
4	Cerebrovascular Disease	39	28	10	57.3	60.4	49.4	
4	Alzheimer's Disease	39	31		57.3	66.9	39.5	
6	Accidents	37	28	9	54.3	60.4	44.5	
7	Influenza and Pneumonia	33	27	6	48.5	58.3	29.7	
8	Diabetes Mellitus	25	18	6		38.8	29.7	
9	Nephritis, Nephrotic Syndrome And Nephrosis	20	13	7	29.4	28.0	34.6	
10	Septicemia	14		5	20.6	19.4	24.7	
11	Hypertension/Hypertensive Renal Disease	13	12	1				
12	Suicide	11	9	2	16.2	19.4	9.9	
12	Chronic Liver Disease And Cirrhosis	11	9	1	16.2	19.4	4.9	
12	Parkinson's Disease	11	11	0	16.2	23.7	0.0	
15	Pneumonitis Due to Solids and Liquids	9	7	2	13.2	15.1	9.9	
16	Homicide	7	3	4	10.3	6.5	19.8	
17	Anemias	6	3	3	8.8	6.5	14.8	
18	In Situ, Benign and Unspecified Neoplasms	5	5	0	7.3	10.8	0.0	
19	Conditions Originating in the Perinatal Period**	3	0	3	3.3	0.0	9.1	
20	Complications Medical/Surgical Care	2	2	0	2.9	4.3	0.0	
20	Pneumoconioses and Chemical Effects	2	2	0	2.9	4.3	0.0	
20	Aortic Aneurysm and Dissection	2	2	0	2.9	4.3	0.0	
20	Malnutrition/Nutritional Deficiency	2	1	1	2.9	2.2	4.9	
24	Congenital Malformations and Chrom. Abnormalities	1	1	0	1.5	2.2	0.0	
24	Maternal Causes**	1	0	1	110.0	0.0	304.0	
24	Peptic Ulcer	1	1	0	1.5	2.2	0.0	
24	HIV Disease	1	0	1	1.5	0.0	4.9	
24	Viral Hepatitis	1	1	0	1.5	2.2	0.0	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	16	12	4			19.8	
	All Other Causes	99	73	25	145.4	157.5	123.5	

^{*} Total includes races other than white and black.

[#] Less than 0.05.

Age	Total*	Total* White	Black	 Total*	Male - White	Black	Total*	Female White	 Black
Total	798	619	172	411	320	88	387	299	84
Under 1	6	2	4	5	1	4	1	1	0
(Neonatal) (Postneonatal)	3 3	1	2 2	3 2	0	2 2	0 1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	11	8	3	8	6	2	3	2	1
25-34	15	6	9	11	4	7	4	2	2
35-44	36	22	12	20	10	9	16	12	3
45-54	50	35	15	29	20	9	21	15	6
55-64	120	92	26	64	52	11	56	40	15
65-74	146	104	42	91	65	26	55	39	16
75-84	190	162	26	105	96	9	85	66	17
85 and over	223	187	35	77	65	11	146	122	24
Unknown	0	0	0	0	0	0	0	0	0

Total	68 , 098
White	46,347
Black	20,236
Other	1,515

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death				4			
Rank	Listed in Descending Order	Total*	White	Black	Total*	White	Black	
	Total Of All Causes	100	50	48	1,026.5	1,503.8	802.8	
1	Heart Diseases	33	16	15	338.7	481.2	250.9	
2	Malignant Neoplasms	26	15	11	266.9	451.1	184.0	
3	Nephritis, Nephrotic Syndrome And Nephrosis	5	2	3	51.3	60.2	50.2	
3	Cerebrovascular Disease	5	2	3	51.3	60.2	50.2	
3	Alzheimer's Disease	5	3	2	51.3	90.2	33.5	
6	Emphysema and Other Chronic Lower Resp. Diseases	3	1	2	30.8	30.1	33.5	
7	Accidents	2	2	0	20.5	60.2	0.0	
7	Influenza and Pneumonia	2	0	2	20.5	0.0	33.5	
7	Septicemia	2	1	1	20.5	30.1	16.7	
10	Suicide	1	1	0	10.3	30.1	0.0	
10	Chronic Liver Disease And Cirrhosis	1	1	0	10.3	30.1	0.0	
10	Hypertension/Hypertensive Renal Disease	1	0	1	10.3	0.0	16.7	
10	Diabetes Mellitus	1	0	1	10.3	0.0	16.7	
10	Viral Hepatitis	1	0	1	10.3	0.0	16.7	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	3	2	1	30.8	60.2	16.7	
	All Other Causes	9	4	5	92.4	120.3	83.6	

^{*} Total includes races other than white and black.

Age	Total*	Total* White	Black	Total*	Male - White	Black		emale White	Black
Total	100	50	48	55	29	25	45	21	23
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	5	3	0	2	1	0	3	2	0
45-54	4	1	3	4	1	3	0	0	0
55-64	22	14	8	16	11	5	6	3	3
65-74	15	5	10	12	4	8	3	1	2
75-84	22	14	8	9	7	2	13	7	6
85 and over	31	13	18	11	5	6	20	8	12
Unknown	0	0	0	0	0	0	0	0	0

2019 Population
Total 9,742
White 3,325
Black 5,979
Other 438 438 Other

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates. # Less than 0.05.

	Leading Causes of Death		Number-		Mortality Rate**			
Rank	Listed in Descending Order	Total*			Total*			
	Total Of All Causes	388	296	90	718.3			
1	Heart Diseases	114	86	28	211.0	220.0	218.6	
2	Malignant Neoplasms	68	49	19	125.9	125.3	148.3	
3	Alzheimer's Disease	30	26	4	55.5	66.5	31.2	
4	Accidents	24	20	4	44.4	51.2	31.2	
4	Emphysema and Other Chronic Lower Resp. Diseases	24	20	4			31.2	
6	Cerebrovascular Disease	23	14	8	42.6	35.8	62.5	
7	Parkinson's Disease	9	9	0	16.7	23.0	0.0	
8	Influenza and Pneumonia	7	6	1	13.0	15.3	7.8	
9	Suicide	6	5	1	11.1	12.8	7.8	
9	Nephritis, Nephrotic Syndrome And Nephrosis	6	1	5	11.1	2.6	39.0	
11	Chronic Liver Disease And Cirrhosis	5	5	0	9.3	12.8	0.0	
12	Pneumonitis Due to Solids and Liquids	4	4	0	7.4	10.2	0.0	
13	Homicide	3	1	2 1	5.6	2.6	15.6	
13	Conditions Originating in the Perinatal Period**	3	1	1	5.5	2.7	6.2	
13	Hypertension/Hypertensive Renal Disease	3	2	1	5.6	5.1	7.8	
16	Congenital Malformations and Chrom. Abnormalities	2	1	1	3.7	2.6	7.8	
16	Aortic Aneurysm and Dissection	2	1	1	3.7	2.6	7.8	
16	Diabetes Mellitus	2	1	1	3.7	2.6	7.8	
16	In Situ, Benign and Unspecified Neoplasms	2	2	0		5.1	0.0	
16	Septicemia	2	0	2	3.7	0.0	15.6	
21	Cholelithiasis/Gallbladder Disorder	1	1	0	1.9	2.6	0.0	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	2	2	0	3.7	5.1	0.0	
	All Other Causes	46	39	7	85.2	99.7	54.6	

[#] Less than 0.05.

Age	Total*	Total* White	 Black	Total*	Male - White	 Black	Total*	Female White	 Black
Total	388	296	90	218	167	49	170	129	41
II-alan 1	5	3	1	3	1	1	2.	2.	0
Under 1	5	_	1	3	1	1	2	2	U
(Neonatal)	4	2	1	3	1	1	1	1	0
(Postneonatal)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	4	3	1	2	2	0	2	1	1
25-34	13	9	4	10	7	3	3	2	1
35-44	10	6	4	8	6	2	2	0	2
45-54	20	8	12	12	5	7	8	3	5
55-64	49	33	16	31	23	8	18	10	8
65-74	84	59	24	42	26	15	42	33	9
75-84	106	85	21	67	54	13	39	31	8
85 and over	96	90	6	43	43	0	53	47	6
Unknown	0	0	0	0	0	0	0	0	0

Total 54,019 White 39,098 Black 12,809 Other 2,112

 ^{*} Total includes races other than white and black.
 ** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		Number-		Mor	tality Ra	te**
Rank	Listed in Descending Order	Total*	White	Black	Total*	White	Black
	Total Of All Causes	424	367	54	669.4	765.8	406.3
1	Heart Diseases	116	98	18	183.1	204.5	135.4
2	Malignant Neoplasms	85	77	8	134.2	160.7	60.2
3	Cerebrovascular Disease	30	27	3	47.4	56.3	22.6
4	Alzheimer's Disease	29	26	3	45.8		22.6
5	Accidents	25	21	2	39.5	43.8	15.0
6	Emphysema and Other Chronic Lower Resp. Diseases	20	19	1	31.6		7.5
7	Influenza and Pneumonia	15	13	2	23.7	27.1	15.0
8	Suicide	8	7	1	12.6		7.5
9	Homicide	6	3	3	9.5	6.3	22.6
9	Nephritis, Nephrotic Syndrome And Nephrosis	6	5	1	9.5	10.4	7.5
9	Chronic Liver Disease And Cirrhosis	6	6	0	9.5	12.5	0.0
12	Congenital Malformations and Chrom. Abnormalities	5	4	1	7.9	8.3	7.5
12	Parkinson's Disease	5	5	0	7.9	10.4	0.0
12	Septicemia	5	4	1	7.9	8.3	7.5
15	In Situ, Benign and Unspecified Neoplasms	3	3	0	4.7	6.3	0.0
16	Conditions Originating in the Perinatal Period**	2	0	2	2.7	0.0	12.4
16	Diabetes Mellitus	2	2	0	3.2	4.2	0.0
18	Complications Medical/Surgical Care	1	1	0	1.6	2.1	0.0
18	Maternal Causes**	1	1	0		178.9	0.0
18	Cholelithiasis/Gallbladder Disorder	1	1	0	1.6	2.1	0.0
18	Aortic Aneurysm and Dissection	1	1	0	1.6	2.1	0.0
18	Hypertension/Hypertensive Renal Disease	1	1	0	1.6	2.1	0.0
	Not Included in Ranking						
	Symptoms, Signs, Ill-Defined Conditions	3	2	0	4.7	4.2	0.0
	All Other Causes	48	40	8	75.8	83.5	60.2

^{*} Total includes races other than white and black.

[#] Less than 0.05.

Age	Total*		Black	Total*	Male - White		Total*	Female White	Black
Total	424	367	54	216	184	30	208	183	24
Under 1 (Neonatal) (Postneonatal) 1-4 5-9 10-14 15-24 25-34 35-44 45-54 55-64 65-74	5 3 2 2 1 2 9 11 14 25 77 87	2 1 1 1 0 6 8 10 20 65 76	3 2 1 0 0 2 3 3 4 5 12 11	5 3 2 1 1 7 5 7 16 46 40	2 1 1 0 1 0 5 4 6 12 39 34	3 2 1 0 0 1 2 1 1 4 7	0 0 0 1 0 1 2 6 7 9 31 47	0 0 0 1 0 0 1 4 4 4 8 26 42	0 0 0 0 0 1 1 2 3 1 5
75-84 85 and over Unknown	97 94 0	90 88 0	6 5 0	49 38 0	45 36 0	4 1 0	48 56 0	45 52 0	2 4 0

Total	63 , 343
White	47,922
Black	13,292
Other	2,129

 ${\tt Published: 09/30/2020 - Mississippi \ State \ Department \ of \ Health, \ Office \ of \ Public \ Health \ Statistics}$

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		-Number-		Mortality Rate**			
Rank	Listed in Descending Order		White	Black	Total*	White	Black	
	Total Of All Causes	889	576	309	1,199.3	1,450.2	943.3	
1	Heart Diseases	255	155	100	344.0	390.3	305.3	
2	Malignant Neoplasms	132	84	46	178.1	211.5	140.4	
3	Alzheimer's Disease	63	50	13	85.0	125.9	39.7	
4	Cerebrovascular Disease	58	31	27	78.2	78.1	82.4	
5	Accidents	46	36	10	62.1	90.6	30.5	
6	Influenza and Pneumonia	41	33	8	55.3	83.1	24.4	
7	Emphysema and Other Chronic Lower Resp. Diseases	38	33	5	51.3	83.1	15.3	
8	Nephritis, Nephrotic Syndrome And Nephrosis	34	12	21	45.9	30.2	64.1	
9	Homicide	16	0	16	21.6	0.0	48.8	
10	Chronic Liver Disease And Cirrhosis	13	9	4	17.5	22.7	12.2	
11	Diabetes Mellitus	10	2	8	13.5	5.0	24.4	
12	Suicide	9	7	1	12.1	17.6	3.1	
13	Parkinson's Disease	7	7	0		17.6	0.0	
14	Malnutrition/Nutritional Deficiency	6	4	2	8.1 6.7	10.1	6.1	
15	Congenital Malformations and Chrom. Abnormalities	5		1	6.7	10.1	3.1	
15	In Situ, Benign and Unspecified Neoplasms	5	3	2	6.7 5.4	7.6	6.1	
17	Complications Medical/Surgical Care	4	3	1	5.4	7.6	3.1	
17	Conditions Originating in the Perinatal Period**	4	1	3 1	4.5	2.4	6.5	
19	Pneumonitis Due to Solids and Liquids	3	2	1	4.0	5.0	3.1	
19	HIV Disease	3	0	3	4.0	0.0		
21	Cholelithiasis/Gallbladder Disorder	2	1	1	2.7	2.5	3.1	
21	Hypertension/Hypertensive Renal Disease	2	2	0		5.0	0.0	
21	Septicemia	2	2	0	2.7	5.0	0.0	
24	Maternal Causes**	1	1	0	111.7	240.4	0.0	
24	Aortic Aneurysm and Dissection	1	1	0	1.3	2.5	0.0	
24	Anemias	1	0	1	1.3	0.0	3.1	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	13	10	3	17.5	25.2	9.2	
	All Other Causes	115	83	32	155.1	209.0	97.7	

^{*} Total includes races other than white and black.

Age	Total*	Total* White	Black	Total*	Male - White	Black	Total*	Female White	Black
Total	889	576	309	460	297	161	429	279	148
Under 1 (Neonatal) (Postneonatal) 1-4 5-9 10-14 15-24 25-34	11 5 6 1 2 0 8 19	7 2 5 1 0 0 3 7	4 3 1 0 2 0 4 11	5 3 2 1 1 0 7 14	3 1 2 1 0 0 3 4	2 2 0 0 1 0 3 10	6 2 4 0 1 0 1 5	4 1 3 0 0 0 0 0 3	2 1 1 0 1 0 1
35-44 45-54 55-64 65-74 75-84 85 and over Unknown	25 69 141 177 216 220 0	11 30 82 114 151 170 0	14 39 59 61 65 50	14 41 88 102 108 79 0	9 16 51 66 80 64 0	5 25 37 35 28 15 0	11 28 53 75 108 141 0	2 14 31 48 71 106 0	9 14 22 26 37 35 0

Total 74,125 White 39,718 Black 32,756 Other 1,651

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates. # Less than 0.05.

	Leading Causes of Death		Number-		-			
Rank	Listed in Descending Order	Total*	White	Black		White		
	Total Of All Causes	169	135			1,626.1	833.5	
1	Heart Diseases	47	41	6	373.4	493.9	147.1	
2	Malignant Neoplasms	40	28	12	317.8	337.3	294.2	
3	Diabetes Mellitus	15	10	5	119.2	120.5	122.6	
4	Alzheimer's Disease	9	8	1	71.5	96.4	24.5	
5	Accidents	8	7	1	63.6	84.3	24.5	
6	Chronic Liver Disease And Cirrhosis	6	6	0	47.7	72.3	0.0	
6	Emphysema and Other Chronic Lower Resp. Diseases	6	6	0	47.7	72.3	0.0	
6	Hypertension/Hypertensive Renal Disease	6	4	2	47.7	48.2	49.0	
9	Influenza and Pneumonia	4	2	2	31.8	24.1	49.0	
9	Cerebrovascular Disease	4	4	0	31.8	48.2	0.0	
11	Suicide	2	2	0	15.9	24.1	0.0	
11	Nephritis, Nephrotic Syndrome And Nephrosis	2	1	1	15.9	12.0	24.5	
11	Parkinson's Disease	2	2	0	15.9	24.1	0.0	
14	Conditions Originating in the Perinatal Period**	1	1	0	7.0	10.1	0.0	
14	Septicemia	1	0	1	7.9	0.0	24.5	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	1	0	1	7.9	0.0	24.5	
	All Other Causes	15	13	2	119.2	156.6	49.0	

^{*} Total includes races other than white and black.

[#] Less than 0.05.

Age	 Total*	Total* White	Black	 Total*	11010	Black	Total*	Female White	 Black
Total	169	135	34	89	75	14	80	60	20
Under 1 (Neonatal) (Postneonatal) 1-4 5-9 10-14 15-24 25-34 35-44 45-54 55-64 65-74	2 1 1 0 0 0 2 3 7 10 28 39	2 1 1 0 0 0 1 3 4 5 21 31	0 0 0 0 0 0 1 0 3 5 7	0 0 0 0 0 0 0 3 3 6 19 24	0 0 0 0 0 0 0 3 3 4 15	0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 1 1 0 0 0 2 0 4 4 9	2 1 1 0 0 0 1 0 1 1 6 12	0 0 0 0 0 0 1 0 3 3 3
75-84 85 and over Unknown	46 32 0	39 29 0	7 3 0	21 13 0	19 12 0	2 1 0	25 19 0	20 17 0	5 2 0

Total 12,586
White 8,302
Black 4,079
Other 205

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		Number-		Mortality Rate**		
Rank	Listed in Descending Order				Total*		
	Total Of All Causes	237			1,040.1		
1	Malignant Neoplasms	52	34	16	228.2	302.0	166.6
2	Heart Diseases	48	33	14	210.7	293.1	145.8
3	Emphysema and Other Chronic Lower Resp. Diseases	18	14	4	79.0	124.3	41.7
3	Cerebrovascular Disease	18	7	10	79.0	62.2	104.1
5	Alzheimer's Disease	17	13	4	74.6	115.5	41.7
6	Accidents	9	5	2	39.5	44.4	20.8
6	Nephritis, Nephrotic Syndrome And Nephrosis	9	3	4	39.5	26.6	41.7
8	Diabetes Mellitus	8	4	1	35.1		10.4
9	Hypertension/Hypertensive Renal Disease	6	1	5	26.3		52.1
10	Chronic Liver Disease And Cirrhosis	5	4	0	21.9	35.5	0.0
10	Influenza and Pneumonia	5	5	0	21.9		0.0
12	Congenital Malformations and Chrom. Abnormalities	3	2	0	13.2		
13	Homicide	2	1	1	8.8	8.9	10.4
13	Suicide	2	2	0	8.8	17.8	0.0
13	Complications Medical/Surgical Care	2	1	0	8.8	8.9	0.0
16	Conditions Originating in the Perinatal Period**	1	0	0	3.0	0.0	0.0
16	Pneumonitis Due to Solids and Liquids	1	0	1	4.4	0.0	10.4
16	Aortic Aneurysm and Dissection	1	1	0	4.4	8.9	0.0
16	Parkinson's Disease	1	1	0	4.4	8.9	0.0
16	Malnutrition/Nutritional Deficiency	1	0	1	4.4	0.0	10.4
16	Anemias	1	1	0	4.4	8.9	0.0
16	In Situ, Benign and Unspecified Neoplasms	1	1	0	4.4	8.9	0.0
	Not Included in Ranking						
	Symptoms, Signs, Ill-Defined Conditions	0	0	0	0.0	0.0	0.0
	All Other Causes	26	14	10	114.1	124.3	104.1

 $^{^{\}star}$ $\,$ Total includes races other than white and black.

[#] Less than 0.05.

Age	Total*		Black	Total*		Black	Total*	Female White	Black
Total	237	147	73	128	79	41	109	68	32
Under 1 (Neonatal)	4	2	0	3	2	0	1	0	0
(Postneonatal)	1	1	0	1	1	0	0	0	0
1-4 5-9	0	0	0	0	0	0	0	0	0
10-14 15-24	0 1	0	0 1	0 1	0	0 1	0	0	0
25-34 35-44	1 5	1	0	1 5	1 1	0	0	0	0
45-54	18	8	7	13	8	4	5	0	3
55-64 65-74	28 55	13 40	11 13	17 39	10 28	4 10	11 16	12	3
75-84 85 and over	74 51	44 38	25 13	33 16	17 12	15 4	41 35	27 26	10 9
Unknown	0	0	0	0	0	0	0	0	0

Total	22,786
White	11,260
Black	9,603
Other	1,923

 ${\tt Published: 09/30/2020 - Mississippi \ State \ Department \ of \ Health, \ Office \ of \ Public \ Health \ Statistics}$

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death				Mortality Rate** Total* White Black			
Rank	Listed in Descending Order	Total*	White	Black	Total*	White	Black	
	Total Of All Causes	932	716	212	1,090.9	1,254.1	811.8	
1	Heart Diseases	196	158	37	229.4	276.7	141.7	
2	Malignant Neoplasms	186	146	39	217.7	255.7	149.3	
3	Emphysema and Other Chronic Lower Resp. Diseases	68	63	5	79.6		19.1	
4	Alzheimer's Disease	61	50	11				
5	Accidents	57	42	14				
6	Cerebrovascular Disease	55	39	16				
7	Chronic Liver Disease And Cirrhosis	26	19	7	30.4	33.3	26.8	
8	Influenza and Pneumonia	24	20		28.1			
9	Nephritis, Nephrotic Syndrome And Nephrosis	21	12		24.6			
9	Hypertension/Hypertensive Renal Disease	21	14	7				
11	Diabetes Mellitus	19	10		22.2			
12	Septicemia	10	8	2	11.7			
13	Homicide	9	2	7	10.5			
13	Suicide	9	7	2	10.5			
15	Congenital Malformations and Chrom. Abnormalities	8	3	5	9.4		19.1	
15	Parkinson's Disease	8	8	0	9.4		0.0	
17	Conditions Originating in the Perinatal Period**	6	1	5	5.5	1.6	11.5	
17	Pneumonitis Due to Solids and Liquids	6	5	1	7.0		3.8	
19	In Situ, Benign and Unspecified Neoplasms	3	3	0	3.5	5.3	0.0	
20	Complications Medical/Surgical Care	2	1	1	2.3	1.8	3.8	
20	Aortic Aneurysm and Dissection	2	2	0	2.3		0.0	
22	Maternal Causes**	1	1	0	91.1		0.0	
22	Peptic Ulcer	1	1	0	1.2	1.8	0.0	
22	Pneumoconioses and Chemical Effects	1	1	0	1.2		0.0	
22	Anemias	1	0	1	1.2	0.0	3.8	
22	HIV Disease	1	1	0	1.2	1.8	0.0	
22	Viral Hepatitis	1	1	0	1.2	1.8	0.0	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	12	4	8	14.0			
	All Other Causes	117	94	22	136.9	164.6	84.2	

^{*} Total includes races other than white and black.

[#] Less than 0.05.

Total*			Total*	Male - White				Black
932	716	212	438	328	107	494	388	105
17	4	12	11	2	8	6	2	4
8	1	7	5	1	4	3	0	3
9	3	5	6	1	4	3	2	1
2	1	1	1	1	0	1	0	1
2	0	1	2	0	1	0	0	0
2	2	0	2	2	0	0	0	0
9	2	7	6	1	5	3	1	2
16	9	7	15	8	7	1	1	0
28	16	11	17	12	4	11	4	7
65	43	22	39	23	16	26	20	6
166	113	53	86	55	31	80	58	22
162	126	36	82	64	18	80	62	18
250	220	29	118	107	11	132	113	18
213	180	33	59	53	6	154	127	27
0	0	0	0	0	0	0	0	0
	932 17 8 9 2 2 2 2 9 16 28 65 166 162 250 213	Total* White	932 716 212 17 4 12 8 1 7 9 3 5 2 1 1 2 0 1 2 2 0 9 2 7 16 9 7 28 16 11 65 43 22 166 113 53 162 126 36 250 220 29 213 180 33	Total* White Black Total* 932 716 212 438 17 4 12 11 8 1 7 5 9 3 5 6 2 1 1 1 2 0 1 2 2 2 0 2 9 2 7 6 16 9 7 15 28 16 11 17 65 43 22 39 166 113 53 86 162 126 36 82 250 220 29 118 213 180 33 59	Total* White Black Total* White 932 716 212 438 328 17 4 12 11 2 8 1 7 5 1 9 3 5 6 1 2 1 1 1 1 2 0 1 2 0 2 2 1 1 1 1 2 0 2 2 2 9 2 7 6 1 16 9 7 15 8 28 16 11 17 12 65 43 22 39 23 166 113 53 86 55 162 126 36 82 64 250 220 29 118 107 213 180 33 59 53	Total* White Black Total* White Black 932 716 212 438 328 107 17 4 12 11 2 8 8 1 7 5 1 4 9 3 5 6 1 4 2 1 1 1 1 0 2 0 1 2 0 1 2 2 0 1 2 0 1 2 2 2 0 2 2 0 9 2 7 6 1 5 8 7 28 16 11 17 12 4 65 43 22 39 23 16 166 113 53 86 55 31 162 126 36 82 64 18 250 220 29 118 107 11 213 180 33 59 53	Total* White Black Total* White Black Total* 932 716 212 438 328 107 494 17 4 12 11 2 8 6 8 1 7 5 1 4 3 9 3 5 6 1 4 3 2 1 1 1 1 0 1 2 0 1 2 0 1 2 0 1 2 0 1 2 0 0 2 2 0 0 9 2 7 6 1 5 3 16 9 7 15 8 7 1 28 16 11 17 12 4 11 65 43 22 39 23 16 26 166 113 53 86 55 31 80 162 126 36 82 64 18 80 250 220 29 118 107 11 132 213 180 33 59 53 6 154	Total* White Black Total* White Black Total* White 932 716 212 438 328 107 494 388 17 4 12 11 2 8 6 2 8 1 7 5 1 4 3 0 9 3 5 6 1 4 3 2 2 1 1 1 1 1 0 1 0 2 0 1 2 0 1 0 0 2 2 2 0 2 2 0 0 0 9 2 7 6 1 5 8 7 1 1 28 16 11 17 12 4 11 4 65 43 22 39 23 16 26 20 166 113 53 86 55 31 80 58 162 126 36 82 64 18 80 62 250 220 29 118 107 11 132 113 213 180 33 59 53 6 154 127

Total	85 , 436
White	57 , 092
Black	26,114
Other	2,230

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		Number-		Mortality Rate**			
Rank	Listed in Descending Order	Total*	White	Black	Total*	White	Black	
	Total Of All Causes	361	141	217	1,280.9	2,162.9	1,026.7	
1	Heart Diseases	98	40	58	347.7	613.6	274.4	
2	Malignant Neoplasms	65	33	31	230.6			
3	Cerebrovascular Disease	25	13	12	88.7			
4	Emphysema and Other Chronic Lower Resp. Diseases	20	11	9	71.0		42.6	
4	Diabetes Mellitus	20	7	12	71.0		56.8	
6	Accidents	19	8	11				
7	Homicide	13	0	13	46.1	0.0	61.5	
8	Hypertension/Hypertensive Renal Disease	6	2	4	21.3	30.7	18.9	
8	Alzheimer's Disease	6	4	2	21.3			
8	Septicemia	6	3	3	21.3	46.0	14.2	
11	Suicide	5	2	3	17.7	30.7	14.2	
12	Nephritis, Nephrotic Syndrome And Nephrosis	4	1	3	14.2	15.3		
13	Complications Medical/Surgical Care	3	1	2	10.6	15.3		
13	Chronic Liver Disease And Cirrhosis	3	1	2	10.6	15.3	9.5	
13	Malnutrition/Nutritional Deficiency	3	1	2	10.6	15.3	9.5	
16	Conditions Originating in the Perinatal Period**	2	0	2	4.8	0.0	5.8	
17	Congenital Malformations and Chrom. Abnormalities	1	1	0	3.5		0.0	
17	Maternal Causes**	1	0	1	237.5	0.0	290.7	
17	Female Pelvic Inflammatory Disease	1	0	1		0.0	8.7	
17	Pneumonitis Due to Solids and Liquids	1	1	0	3.5	15.3	0.0	
17	Influenza and Pneumonia	1	0		3.5	0.0	4.7	
17	Anemias	1	0	1	3.5	0.0	4.7	
17	HIV Disease	1	0		3.5	0.0	4.7	
17	Viral Hepatitis	1	0	1	3.5	0.0	4.7	
17	Tuberculosis	1	0	1	3.5	0.0	4.7	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	2	0	2	7.1		9.5	
	All Other Causes	52	12	39	184.5	184.1	184.5	

^{*} Total includes races other than white and black.

[#] Less than 0.05.

		Total*			Male -			Female	
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	361	141	217	175	64	111	186	77	106
Under 1	3	0	3	1	0	1	2	0	2
(Neonatal)	2	0	2	1	0	1	1	0	1
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	1	0	1	0	0	0	1	0	1
5-9	1	0	1	0	0	0	1	0	1
10-14	1	0	1	1	0	1	0	0	0
15-24	7	1	6	6	1	5	1	0	1
25-34	13	2	11	8	1	7	5	1	4
35-44	18	2	15	8	0	8	10	2	7
45-54	19	3	16	13	2	11	6	1	5
55-64	62	15	47	32	9	23	30	6	24
65-74	90	32	57	44	18	26	46	14	31
75-84	83	47	36	38	17	21	45	30	15
85 and over	63	39	23	24	16	8	39	23	15
Unknown	0	0	0	0	0	0	0	0	0

2019 Population
Total 28,183
White 6,519 Black 21,135 529 Other

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		-Number		Mortality Rate**			
Rank	Listed in Descending Order	Total*	White	Black	Total*	White	Black	
	Total Of All Causes	440	318	121	1,288.3	1,371.2	1,169.9	
1	Heart Diseases	96	69	27	281.1	297.5	261.0	
2	Malignant Neoplasms	88	64	24	257.7	276.0	232.0	
3	Cerebrovascular Disease	37	25	12	108.3	107.8	116.0	
4	Emphysema and Other Chronic Lower Resp. Diseases	33	30			129.4	29.0	
5	Accidents	27	22		79.1	94.9	48.3	
6	Influenza and Pneumonia	12	9	3	35.1	38.8	29.0	
6	Parkinson's Disease	12	12	0	35.1			
6	Diabetes Mellitus	12	9	3	35.1	38.8	29.0	
9	Alzheimer's Disease	11	8		32.2	34.5	29.0	
10	Nephritis, Nephrotic Syndrome And Nephrosis	7	2	5	20.5	8.6	48.3	
11	Homicide	6	0	6	17.6	0.0	58.0	
11	Suicide	6	3	3	17.6	12.9	29.0	
11	Hypertension/Hypertensive Renal Disease	6	1	5	17.6	4.3	48.3	
14	Chronic Liver Disease And Cirrhosis	5	4	1	14.6	17.2	9.7	
15	Conditions Originating in the Perinatal Period**	3	2	1	8.2	8.5	8.1	
15	Septicemia	3	3	0	8.8	12.9	0.0	
17	Complications Medical/Surgical Care	2	2	0	5.9	8.6	0.0	
17	Aortic Aneurysm and Dissection	2	1	1	5.9		9.7	
17	Malnutrition/Nutritional Deficiency	2	1	1	5.9	4.3	9.7	
20	Cholelithiasis/Gallbladder Disorder	1	1	0	2.9	4.3	0.0	
20	Pneumonitis Due to Solids and Liquids	1	1	0	2.9	4.3	0.0	
20	In Situ, Benign and Unspecified Neoplasms	1	1	0	2.9		0.0	
20	HIV Disease	1	0	1	2.9	0.0	9.7	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	8	5	3	23.4	21.6	29.0	
	All Other Causes	58	43	14	169.8	185.4	135.4	

^{*} Total includes races other than white and black.

		Total*			Male -			Female	
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	440	318	121	227	168	58	213	150	63
Under 1	3	2	1	1	1	0	2	1	1
(Neonatal)	3	2	1	1	1	0	2	1	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	9	4	5	6	3	3	3	1	2
25-34	9	8	1	4	4	0	5	4	1
35-44	18	11	7	11	10	1	7	1	6
45-54	18	11	7	8	5	3	10	6	4
55-64	60	36	24	35	21	14	25	15	10
65-74	103	70	33	65	44	21	38	26	12
75-84	103	83	19	54	45	8	49	38	11
85 and over	116	93	23	42	35	7	74	58	16
Unknown	0	0	0	0	0	0	0	0	0

Total	34,153
White	23,191
Black	10,343
Other	619

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

Less than 0.05.

	Leading Causes of Death		Number-		Mortality Rate**			
Rank	Listed in Descending Order	Total*	White	Black	Total*	White	Black	
	Total Of All Causes	706	445	253	1,204.9	1,438.9	964.7	
1	Heart Diseases	164	99	63	279.9	320.1	240.2	
2	Malignant Neoplasms	157	106			342.7		
3	Emphysema and Other Chronic Lower Resp. Diseases	53	34		90.5			
4	Cerebrovascular Disease	47	24			77.6		
5	Accidents	45	36		76.8		30.5	
6	Alzheimer's Disease	41	34					
7	Diabetes Mellitus	26	9	16	44.4	29.1		
8	Nephritis, Nephrotic Syndrome And Nephrosis	12	6		20.5	19.4	22.9	
8	Chronic Liver Disease And Cirrhosis	12	11	1	20.5		3.8	
10	Septicemia	9	7	2	15.4	22.6	7.6	
11	Homicide	8	1	7	13.7	3.2	26.7	
11	Parkinson's Disease	8	5	3	13.7	16.2	11.4	
13	Influenza and Pneumonia	7	5	2	11.9	16.2	7.6	
14	Suicide	5	4	1	8.5	12.9	3.8	
14	Conditions Originating in the Perinatal Period**	5	2	3	6.4	5.4	7.5	
14	Hypertension/Hypertensive Renal Disease	5	2	3	8.5	6.5	11.4	
17	Cholelithiasis/Gallbladder Disorder	3	0	3	5.1		11.4	
17	In Situ, Benign and Unspecified Neoplasms	3	1	2	5.1	3.2	7.6	
19	Congenital Malformations and Chrom. Abnormalities	2	1	1	3.4	3.2	3.8	
19	Anemias	2	0	2	3.4	0.0	7.6	
21	Complications Medical/Surgical Care	1	1	0	1.7	3.2	0.0	
21	Peptic Ulcer	1	0	1	1.7	0.0	3.8	
21	Pneumonitis Due to Solids and Liquids	1	1	0	1.7	3.2	0.0	
21	Aortic Aneurysm and Dissection	1	1	0	1.7	3.2	0.0	
21	HIV Disease	1	0	1	1.7	0.0	3.8	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	9	5	4	15.4		15.3	
	All Other Causes	78	50	27	133.1	161.7	103.0	

^{*} Total includes races other than white and black.

[#] Less than 0.05.

		Total*			Male -			Female	
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	706	445	253	362	222	134	344	223	119
Under 1	8	3	5	3	1	2	5	2	3
(Neonatal)	5	2	3	2	1	1	3	1	2
(Postneonatal)	3	1	2	1	0	1	2	1	1
1-4	1	0	1	0	0	0	1	0	1
5-9	1	1	0	0	0	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	12	3	8	7	2	4	5	1	4
25-34	14	7	7	10	4	6	4	3	1
35-44	19	9	10	12	6	6	7	3	4
45-54	56	30	25	35	21	13	21	9	12
55-64	109	67	41	64	41	22	45	26	19
65-74	151	81	67	93	49	41	58	32	26
75-84	180	129	50	92	66	26	88	63	24
85 and over	155	115	39	46	32	14	109	83	25
Unknown	0	0	0	0	0	0	0	0	0

2019 Population Total 58,595 White 30,927 Black 26,225 1,443 Other

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		Number-		Mo	rtality Ra	ate**
Rank	Listed in Descending Order			Black		White	
	Total Of All Causes	1,054				1,175.7	
1	Malignant Neoplasms	267	181		251.2		
2	Heart Diseases	224	166				
3	Alzheimer's Disease	88	73	15	82.8	119.5	36.9
4	Cerebrovascular Disease	65	39	26	61.2	63.9	63.9
5	Emphysema and Other Chronic Lower Resp. Diseases	52	40	12	48.9	65.5	29.5
5	Diabetes Mellitus	52	24	28	48.9	39.3	68.8
7	Accidents	34	23	11	32.0	37.7	27.0
8	Influenza and Pneumonia	18	11	7	16.9	18.0	17.2
9	Nephritis, Nephrotic Syndrome And Nephrosis	17	8	9	16.0	13.1	22.1
10	Septicemia	15	10	5	14.1	16.4	12.3
11	Suicide	13	8	4	12.2	13.1	9.8
11	Hypertension/Hypertensive Renal Disease	13	5	8	12.2	8.2	19.7
11	Parkinson's Disease	13	12	1	12.2	19.6	2.5
14	Chronic Liver Disease And Cirrhosis	7	7	0	6.6	11.5	0.0
14	Pneumonitis Due to Solids and Liquids	7	3	4	6.6	4.9	9.8
16	Homicide	6	1	5	5.6	1.6	12.3
17	Congenital Malformations and Chrom. Abnormalities	5	2	3	4.7	3.3	7.4
17	Aortic Aneurysm and Dissection	5	4	1	4.7	6.5	2.5
19	Anemias	4	4	0			0.0
19	In Situ, Benign and Unspecified Neoplasms	4	4	0			0.0
21	Complications Medical/Surgical Care	3	1	2	2.8	1.6	4.9
21	Conditions Originating in the Perinatal Period**	3	2	1	2.1	2.5	1.9
21	Cholelithiasis/Gallbladder Disorder	3	3	0			0.0
24	HIV Disease	2	0	2	1.9		4.9
25	Hernia	1	0	1	0.9		2.5
25	Peptic Ulcer	1	1	0			0.0
25	Malnutrition/Nutritional Deficiency	1	0	1	0.9	0.0	2.5
	Not Included in Ranking						
	Symptoms, Signs, Ill-Defined Conditions	5	2	3	4.7	3.3	7.4
	All Other Causes	126	84	41	118.6	137.5	100.8

^{*} Total includes races other than white and black.

[#] Less than 0.05.

Age	Total*	Total* White	 Black	 Total*	Male - White] Total*	Female White	Black
Total	1,054	718	329	492	331	156	562	387	173
Under 1	11	4	7	7	3	4	4	1	3
(Neonatal)	5	3	2	4	3	1	1	0	1
(Postneonatal)	6	1	5	3	0	3	3	1	2
1-4	0	0	0	0	0	0	0	0	0
5-9	2	2	0	2	2	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	9	3	6	6	3	3	3	0	3
25-34	14	4	10	7	3	4	7	1	6
35-44	27	9	16	18	7	9	9	2	7
45-54	45	22	22	25	14	11	20	8	11
55-64	121	60	60	74	33	40	47	27	20
65-74	198	116	82	117	66	51	81	50	31
75-84	258	194	62	111	90	20	147	104	42
85 and over	369	304	64	125	110	14	244	194	50
Unknown	0	0	0	0	0	0	0	0	0

Total 106,272
White 61,071
Black 40,683
Other 4,518

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		-Number-		Mortality Rate**			
Rank	Listed in Descending Order	Total*	White	Black	Total*	White	Black	
	Total Of All Causes	355	260	93	1,444.7	1,591.2	1,198.5	
1	Heart Diseases	84	64	20	341.8	391.7	257.7	
2	Malignant Neoplasms	52	33	19	211.6	202.0	244.8	
3	Cerebrovascular Disease	27	19	7	109.9	116.3	90.2	
4	Accidents	25	18	7	101.7	110.2	90.2	
5	Alzheimer's Disease	23	17	6	93.6	104.0	77.3	
6	Nephritis, Nephrotic Syndrome And Nephrosis	13	8	5	52.9	49.0	64.4	
6	Emphysema and Other Chronic Lower Resp. Diseases	13	11	2	52.9	67.3	25.8	
8	Influenza and Pneumonia	12	11	1	48.8	67.3	12.9	
9	Septicemia	10	6	4	40.7	36.7	51.5	
10	Diabetes Mellitus	8	6	1	32.6	36.7	12.9	
11	Complications Medical/Surgical Care	5	4	1	20.3	24.5	12.9	
11	Homicide	5	2	3	20.3	12.2	38.7	
11	Parkinson's Disease	5	4	1	20.3	24.5	12.9	
14	Maternal Causes**	4	4	0	1,320.1	1,970.4	0.0	
14	Chronic Liver Disease And Cirrhosis	4	4	0	16.3	24.5	0.0	
14	Pneumonitis Due to Solids and Liquids	4	3	1	16.3	18.4	12.9	
17	In Situ, Benign and Unspecified Neoplasms	3	3	0	12.2		0.0	
18	Suicide	2	1	1	8.1		12.9	
18	Aortic Aneurysm and Dissection	2	1	1	8.1	6.1	12.9	
20	Peptic Ulcer	1	1	0	4.1		0.0	
20	HIV Disease	1	0	1	4.1	0.0	12.9	
20	Viral Hepatitis	1	0	1	4.1	0.0	12.9	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	2	1	1	8.1	6.1	12.9	
	All Other Causes	49	39	10	199.4	238.7	128.9	

^{*} Total includes races other than white and black.

[#] Less than 0.05.

Age	Total*	Total* White	Black	Total*		Black	Total*	Female White	Black
Total	355	260	93	186	125	59	169	135	34
Under 1	1	1	0	0	0	0	1	1	0
(Neonatal) (Postneonatal)	1	1	0	0	0	0	1	1	0
1-4 5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24 25-34	4 9	4 2	0 7	3 8	2	0 6	1	1	0
35-44 45-54	10	7 13	3	9 6	6 4	3 2	1 11	1	0
55-64	17 61	43	18	41	28	13	20	15	5
65-74 75-84	63 93	49 65	14 26	37 50	27 32	10 16	26 43	22 33	4 10
85 and over Unknown	96 0	75 0	21	32	23	9	64 0	52	12
UIMUIMII	U	U	U	U	U	U	U	U	U

Total	24,573
White	16,340
Black	7,760
Other	473

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		Number-		Mo	rtality R	ate**
Rank	Listed in Descending Order	Total*	White	Black			
	Total Of All Causes	451	265		1,277.8		
1	Malignant Neoplasms	99	52	47	280.5	288.4	283.0
2	Heart Diseases	97	62	35	274.8	343.9	
3	Accidents	36	20	16	102.0	110.9	96.3
4	Diabetes Mellitus	35	17	18	99.2	94.3	108.4
5	Emphysema and Other Chronic Lower Resp. Diseases	32	21	11		116.5	
6	Alzheimer's Disease	18	14	4	51.0	77.6	24.1
7	Cerebrovascular Disease	17	9	8	48.2	49.9	48.2
8	Suicide	11	10	1	31.2		6.0
9	Hypertension/Hypertensive Renal Disease	8	3	5	22.7	16.6	30.1
10	Influenza and Pneumonia	7	5	2	19.8		
11	Homicide	5	0	5		0.0	30.1
11	Pneumonitis Due to Solids and Liquids	5	4	1	14.2	22.2	6.0
11	Parkinson's Disease	5	3	2	14.2	16.6	12.0
14	Nephritis, Nephrotic Syndrome And Nephrosis	4	2	1	11.3	11.1	6.0
15	In Situ, Benign and Unspecified Neoplasms	3	2	1	8.5	11.1	6.0
15	Viral Hepatitis	3	2	0	8.5	11.1	0.0
15	Septicemia	3	2	1	8.5	11.1	6.0
18	Conditions Originating in the Perinatal Period**	2	0	2	5.1	0.0	10.9
18	Chronic Liver Disease And Cirrhosis	2	2	0	5.7	11.1	
18	Aortic Aneurysm and Dissection	2	1	1	5.7		6.0
21	Complications Medical/Surgical Care	1	0	1	2.8	0.0	6.0
21	Maternal Causes**	1	0	1	253.8	0.0	546.4
21	HIV Disease	1	0	1	2.8	0.0	6.0
21	Tuberculosis	1	1	0	2.8	5.5	0.0
	Not Included in Ranking						
	Symptoms, Signs, Ill-Defined Conditions	6	4	2	17.0	22.2	12.0
	All Other Causes	47	29	18	133.2		

^{*} Total includes races other than white and black.

[#] Less than 0.05.

Age	 Total*	Total* White	Black		Male - White		 Total*	Female White	Black
Total	451	265	184	256	153	103	195	112	81
Under 1 (Neonatal) (Postneonatal) 1-4 5-9 10-14 15-24 25-34 35-44 45-54	3 1 2 1 0 0 9 16 18 30 72	1 1 0 1 0 0 4 5 11 14 40	2 0 2 0 0 0 5 11 7 15 32	0 0 0 0 0 0 0 8 12 10 16	0 0 0 0 0 0 4 4 4 6	0 0 0 0 0 0 4 8 4 6	3 1 2 1 0 0 1 4 8 14 25	1 0 1 0 0 0 0 1 5 4	2 0 2 0 0 0 1 3 3 9
65-74 75-84 85 and over Unknown	117 108 77 0	67 75 47 0	50 32 30 0	84 50 29 0	50 36 21 0	34 14 8 0	33 58 48 0	17 39 26 0	16 18 22 0

2019 Population Total 35,294 White 18,031 Black 16,608 Other 655

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

Dank	Leading Causes of Death Listed in Descending Order	Number Total* White Black			Mortality Rate** Total* White Black			
	Total Of All Causes	476	351	122	1,350.3	1,463.7	1,135.6	
1	Heart Diseases	100	74	26	283.7	308.6	242.0	
2	Malignant Neoplasms	93	68	25	263.8	283.6	232.7	
3	Alzheimer's Disease	35	24	11	99.3	100.1	102.4	
4	Cerebrovascular Disease	33	23	10	93.6			
5	Accidents	31		6	87.9	100.1		
6	Emphysema and Other Chronic Lower Resp. Diseases	26	23	3 5	73.8	95.9	27.9	
7	Diabetes Mellitus	18	13	5	51.1	54.2	46.5	
8	Influenza and Pneumonia	10	6	4	28.4	25.0	37.2	
9	Nephritis, Nephrotic Syndrome And Nephrosis	9	4	5		16.7		
10	Suicide	8	7	1	22.7	29.2	9.3	
11	Chronic Liver Disease And Cirrhosis	7	5	1	19.9		9.3	
11	Pneumonitis Due to Solids and Liquids	7	3	4	19.9	12.5	37.2	
13	Parkinson's Disease	6	6	0		25.0		
14	Hypertension/Hypertensive Renal Disease	5	4	1	14.2	16.7		
15	In Situ, Benign and Unspecified Neoplasms	4	4			16.7	0.0	
15	Homicide	4	3	1	11.3	12.5	9.3	
17	Septicemia	3	2	1	8.5	8.3	9.3	
18	Aortic Aneurysm and Dissection	2	1	1	5.7	4.2	9.3	
19	Malnutrition/Nutritional Deficiency	1	1	0	2.8	4.2	0.0	
19	Anemias	1	1	0	2.8	4.2		
19	Viral Hepatitis	1	1	0	2.8	4.2	0.0	
19	Congenital Malformations and Chrom. Abnormalities	1	1	0	2.8	4.2	0.0	
19	Conditions Originating in the Perinatal Period**	1	0	1	2.4	0.0	7.9	
19	Maternal Causes**	1	0	1	242.7	0.0	793.7	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	3	0	3	8.5	0.0	27.9	
	All Other Causes	66	53	12	187.2	221.0	111.7	

^{*} Total includes races other than white and black.

[#] Less than 0.05.

Age	 Total*	Total* White	 Black	 Total*	Male - White		Total*	Female White	 Black
Total	476	351	122	229	177	52	247	174	70
Under 1	3	0	3	0	0	0	3	0	3
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	2	0	2	0	0	0	2	0	2
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	15	11	3	8	7	1	7	4	2
35-44	20	14	6	16	11	5	4	3	1
45-54	22	16	6	13	9	4	9	7	2
55-64	63	44	18	33	23	10	30	21	8
65-74	113	81	32	60	47	13	53	34	19
75-84	120	94	26	52	42	10	68	52	16
85 and over	118	91	26	47	38	9	71	53	17
Unknown	0	0	0	0	0	0	0	0	0

2019 Population
Total 35,252
White 23,980
Black 10,743
Other 529 Other 529

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		-Number-		Mortality Rate**				
Rank	Listed in Descending Order	Total*	White	Black	Total*	White	Black		
	Total Of All Causes	157	96	60	1,606.1	1,845.8	1,371.4		
1	Heart Diseases	46	31	15	470.6	596.0	342.9		
2	Malignant Neoplasms	26	17	8	266.0	326.9	182.9		
3	Emphysema and Other Chronic Lower Resp. Diseases	13	8	5	133.0	153.8	114.3		
4	Diabetes Mellitus	9	2	7		38.5			
5	Accidents	6	5	1	61.4	96.1	22.9		
5	Hypertension/Hypertensive Renal Disease	6	2			38.5			
7	Cerebrovascular Disease	5	2	3	51.2	38.5	68.6		
8	Suicide	3	3	0	30.7	57.7	0.0		
8	Chronic Liver Disease And Cirrhosis	3	2	1	30.7	38.5	22.9		
10	Homicide	2	2	0	20.5		0.0		
10	Nephritis, Nephrotic Syndrome And Nephrosis	2	0	2	20.5	0.0	45.7		
10	Pneumonitis Due to Solids and Liquids	2	0	2	20.5	0.0	45.7		
10	Influenza and Pneumonia	2	2	0	20.5	38.5	0.0		
10	Alzheimer's Disease	2	1	1	20.5				
15	Conditions Originating in the Perinatal Period**	1	1	0	8.2	16.1	0.0		
15	Cholelithiasis/Gallbladder Disorder	1	1	0	10.2	19.2	0.0		
15	Hernia	1	0	1	10.2	0.0	22.9		
15	Parkinson's Disease	1	1	0	10.2	19.2	0.0		
15	Septicemia	1	1	0	10.2				
	Not Included in Ranking								
	Symptoms, Signs, Ill-Defined Conditions	2	2	0	20.5	38.5	0.0		
	All Other Causes	23	13	10	235.3				

^{*} Total includes races other than white and black.

[#] Less than $0.0\overline{5}$.

_		Total*			Male -			emale	
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	157	96	60	89	56	32	68	40	28
Under 1	1	1	0	0	0	0	1	1	0
(Neonatal)	1	1	0	0	0	0	1	1	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	6	5	1	3	3	0	3	2	1
35-44	6	2	4	6	2	4	0	0	0
45-54	9	5	4	4	2	2	5	3	2
55-64	24	13	11	17	9	8	7	4	3
65-74	36	21	14	23	14	8	13	7	6
75-84	30	19	11	17	12	5	13	7	6
85 and over	43	29	14	17	13	4	26	16	10
Unknown	0	0	0	0	0	0	0	0	0

Total 9,775
White 5,201
Black 4,375
Other 199

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Listed in Descending Order Total Of All Causes Heart Diseases				Total*		
1 т	Heart Diseases		275	65	1,401.2	1,605.0	
T 1		130	84	22	446.5	490.3	355.1
	Malignant Neoplasms	64	49			286.0	145.3
	Alzheimer's Disease	30		6			96.9
4 I	Emphysema and Other Chronic Lower Resp. Diseases	23			79.0		
	Accidents	18			61.8		
6 (Cerebrovascular Disease	16	10	3 2	54.9	58.4	48.4
7	Influenza and Pneumonia	13	10	2	44.6	58.4	32.3
	Nephritis, Nephrotic Syndrome And Nephrosis	11	4	3	37.8	23.3	48.4
8 I	Diabetes Mellitus	11	3	3	37.8	17.5	48.4
10 (Chronic Liver Disease And Cirrhosis	7	4		24.0		0.0
	Hypertension/Hypertensive Renal Disease	6	3			17.5	
12 I	Parkinson's Disease	5	4	1	17.2	23.3	16.1
13 F	Homicide	3	1	1	10.3	5.8	16.1
13 \$	Suicide	3	2	0	10.3	11.7	0.0
13 Z	Anemias	3	1		10.3	5.8	32.3
16 (Complications Medical/Surgical Care	2	2	0		11.7	0.0
16 (Congenital Malformations and Chrom. Abnormalities	2	1	1	6.9	5.8	
16 (Conditions Originating in the Perinatal Period**	2	1	0		4.7	0.0
16 I	Pneumonitis Due to Solids and Liquids	2	1	0	6.9	5.8	0.0
16 N	Malnutrition/Nutritional Deficiency	2	2	0	6.9	11.7	0.0
16	In Situ, Benign and Unspecified Neoplasms	2	1	1	6.9	5.8	16.1
16 \$	Septicemia	2	1	0	6.9	5.8	0.0
23 1	Legal Intervention	1	1	0	3.4	5.8	0.0
23 I	Aortic Aneurysm and Dissection	1	1	0	3.4	5.8	0.0
	Not Included in Ranking						
	Symptoms, Signs, Ill-Defined Conditions	4			13.7		
Ī	All Other Causes	45	32	6	154.5	186.8	96.9

^{*} Total includes races other than white and black.

[#] Less than 0.05.

Age	 Total*	Total* White	 Black	 Total*		 Black	 Total*	Female White	 Black
Total	408	 275	 65	210	 133	40	198	142	25
Under 1	4	3	0	2	1	0	2	2	0
(Neonatal)	4	3	0	2	1	0	2	2	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	0	0	0	0	0	1	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	6	4	2	5	3	2	1	1	0
25-34	10	5	2	6	3	1	4	2	1
35-44	14	5	3	9	2	3	5	3	0
45-54	28	9	8	16	3	7	12	6	1
55-64	74	38	17	46	20	14	28	18	3
65-74	82	50	13	43	29	6	39	21	7
75-84	91	75	12	49	42	4	42	33	8
85 and over	97	85	8	34	30	3	63	55	5
Unknown	0	0	0	0	0	0	0	0	0

2019 Population Total 29,118 White 17,134 6,195 5,789 Black Other

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		Number		Mortality Rate**				
Rank	Listed in Descending Order	Total*	White	Black	Total*	White	Black		
	Total Of All Causes	267	186	69	1,270.3	1,437.6	1,050.9		
1	Heart Diseases	64	45	19	304.5	347.8	289.4		
2	Malignant Neoplasms	47	34	11	223.6	262.8	167.5		
3	Diabetes Mellitus	21	16	5	99.9				
4	Emphysema and Other Chronic Lower Resp. Diseases	18	16	2	85.6	123.7	30.5		
5	Cerebrovascular Disease	14	11	2	66.6	85.0	30.5		
6	Influenza and Pneumonia	12	9	3	57.1	69.6	45.7		
7	Accidents	11	8	2	52.3	61.8	30.5		
8	Alzheimer's Disease	9	8	1	42.8	61.8	15.2		
9	Hypertension/Hypertensive Renal Disease	8	6	2	38.1	46.4	30.5		
10	Nephritis, Nephrotic Syndrome And Nephrosis	6	0	4	28.5	0.0	60.9		
11	Chronic Liver Disease And Cirrhosis	5	4	0	23.8	30.9	0.0		
12	Homicide	4	1	1	19.0	7.7	15.2		
13	Pneumonitis Due to Solids and Liquids	3	0	2	14.3	0.0	30.5		
13	Septicemia	3	2	1	14.3	15.5	15.2		
15	Suicide	2	1	1	9.5	7.7	15.2		
16	Congenital Malformations and Chrom. Abnormalities	1	0	1	4.8	0.0	15.2		
16	Conditions Originating in the Perinatal Period**	1	0	1	3.8	0.0	12.3		
16	Cholelithiasis/Gallbladder Disorder	1	1	0	4.8	7.7	0.0		
16	Parkinson's Disease	1	1	0	4.8	7.7	0.0		
16	HIV Disease	1	0	1	4.8	0.0	15.2		
	Not Included in Ranking								
	Symptoms, Signs, Ill-Defined Conditions	5	3	2	23.8	23.2	30.5		
	All Other Causes	30	20	8	142.7	154.6	121.8		

^{*} Total includes races other than white and black.

[#] Less than 0.05.

		Total*					F		
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	267	186	69	139	93	38	128	93	31
Under 1	2	1	1	2	1	1	0	0	0
(Neonatal)	2	1	1	2	1	1	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	9	3	4	7	2	3	2	1	1
35-44	13	7	3	7	3	3	6	4	0
45-54	12	6	6	7	5	2	5	1	4
55-64	43	27	13	29	16	10	14	11	3
65-74	46	30	13	26	17	7	20	13	6
75-84	72	59	12	37	31	6	35	28	6
85 and over	67	51	16	21	16	5	46	35	11
Unknown	0	0	0	0	0	0	0	0	0

2019 Population Total 21,018 White 12,938 6,566 1,514 Black Other

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		-Number-		4				
Rank	Listed in Descending Order	Total*	White	Black	Total*	White	Black		
	Total Of All Causes	124	40	84	1,190.4	1,435.8	1,122.8		
1	Heart Diseases	44	16	28	422.4	574.3	374.3		
2	Malignant Neoplasms	18	2	16	172.8	71.8	213.9		
3	Alzheimer's Disease	9	3	6	86.4	107.7	80.2		
4	Emphysema and Other Chronic Lower Resp. Diseases	8	2	6	76.8	71.8	80.2		
5	Accidents	7	5	2	67.2	179.5	26.7		
6	Nephritis, Nephrotic Syndrome And Nephrosis	5	2	3	48.0	71.8	40.1		
6	Cerebrovascular Disease	5	0	5	48.0	0.0	66.8		
8	Congenital Malformations and Chrom. Abnormalities	2	0	2	19.2	0.0	26.7		
8	Parkinson's Disease	2	2	0	19.2	71.8	0.0		
8	Diabetes Mellitus	2	1	1	19.2	35.9	13.4		
11	Homicide	1	0	1	9.6	0.0	13.4		
11	Suicide	1	1	0	9.6	35.9	0.0		
11	Conditions Originating in the Perinatal Period**	1	0	1	6.3	0.0	9.1		
11	Chronic Liver Disease And Cirrhosis	1	0	1	9.6	0.0	13.4		
11	Pneumonitis Due to Solids and Liquids	1	0	1	9.6	0.0	13.4		
11	Septicemia	1	0	1	9.6	0.0	13.4		
	Not Included in Ranking								
	Symptoms, Signs, Ill-Defined Conditions	2	2	0	19.2	71.8	0.0		
	All Other Causes	14	4	10	134.4				

^{*} Total includes races other than white and black.

[#] Less than 0.05.

Age	Total*	Total* White	Black	Total*	110110	Black] Total*	Female White	Black
Total	124	40	84	65	18	47	59	22	37
Under 1	2	0	2	1	0	1	1	0	1
(Neonatal)	2	0	2	1	0	1	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	1	0	1	1	0	1	0	0	0
35-44	7	1	6	2	1	1	5	0	5
45-54	15	4	11	10	3	7	5	1	4
55-64	21	0	21	14	0	14	7	0	7
65-74	19	4	15	14	3	11	5	1	4
75-84	18	8	10	11	4	7	7	4	3
85 and over	39	23	16	11	7	4	28	16	12
Unknown	0	0	0	0	0	0	0	0	0

Total	10,417
White	2,786
Black	7,481
Other	150

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		Number-		Mortality Rate**			
Rank	Listed in Descending Order			Black			Black	
	Total Of All Causes	341	184					
1	Heart Diseases	84	43	41	169.4	150.8	220.1	
2	Malignant Neoplasms	68	36	32	137.1	126.3	171.8	
3	Accidents	26	15	11	52.4	52.6		
4	Emphysema and Other Chronic Lower Resp. Diseases	22	13			45.6		
4	Cerebrovascular Disease	22	10	12				
6	Diabetes Mellitus	20	7	13	40.3	24.6	69.8	
7	Alzheimer's Disease	15	10	5	30.2			
8	Influenza and Pneumonia	6	5	1	12.1	17.5	5.4	
9	Nephritis, Nephrotic Syndrome And Nephrosis	5	3	2	10.1			
9	Septicemia	5	1	4	10.1			
11	Suicide	4	3	0	8.1	10.5	0.0	
12	Homicide	3	0	3	6.0	0.0	16.1	
12	Congenital Malformations and Chrom. Abnormalities	3	1	2	6.0	3.5	10.7	
12	Chronic Liver Disease And Cirrhosis	3	2	1	6.0	7.0	5.4	
12	Pneumonitis Due to Solids and Liquids	3	2	1	6.0	7.0	5.4	
16	Conditions Originating in the Perinatal Period**	2	1	1	3.9	4.1	4.2	
16	Aortic Aneurysm and Dissection	2	2	0	4.0	7.0	0.0	
16	Hypertension/Hypertensive Renal Disease	2	1	1	4.0	3.5	5.4	
19	Cholelithiasis/Gallbladder Disorder	1	1	0	2.0	3.5	0.0	
19	Parkinson's Disease	1	1	0	2.0	3.5	0.0	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	2	1	1	4.0	3.5	5.4	
	All Other Causes	42	26	16	84.7	91.2	85.9	

^{*} Total includes races other than white and black.

[#] Less than 0.05.

Age	 Total*	Total* White	 Black	 Total*	Male - White	Black	 Total*	Female White	 Black
Total	341	184	 156	182	103	79	159	81	77
Under 1 (Neonatal)	4	1	3	4	1	3	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4 5-9	0 1	0	0 1	0 1	0	0 1	0	0	0
10-14 15-24	0	0	0	0	0	0	0 2	0	0
25-34	6 6	4 1	5	4 4	1	3	2	0	2
35-44 45-54	17 24	8 7	9 17	13 13	7 5	6 8	4 11	1 2	3 9
55-64	66	29	37	44	22	22	22	7	15
65-74 75-84	69 60	31 45	38 15	37 29	17 24	20 5	32 31	14 21	18 10
85 and over Unknown	88	58	30	33	23	10	55	35	20

2019 Population Total 49,587 White 28,511 Black 18,630 Other 2,446

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		Number-		Mortality Rate**			
Rank	Listed in Descending Order					White		
	Total Of All Causes	410				1,576.0		
1	Heart Diseases	133	82					
2	Malignant Neoplasms	73	51			309.1		
3	Accidents	33	25			151.5	46.7	
4	Emphysema and Other Chronic Lower Resp. Diseases	28	19			115.2	52.6	
5	Cerebrovascular Disease	22	14			84.9	46.7	
6	Alzheimer's Disease	17	10	7	49.7	60.6	40.9	
7	Influenza and Pneumonia	8	3	4	23.4	18.2	23.4	
8	Chronic Liver Disease And Cirrhosis	7	5		20.5	30.3	11.7	
8	Parkinson's Disease	7	6	1	20.5	36.4	5.8	
10	Pneumonitis Due to Solids and Liquids	6	4	2	17.5	24.2	11.7	
11	Homicide	5	1	4	14.6	6.1	23.4	
11	Septicemia	5	2	3	14.6	12.1	17.5	
13	Nephritis, Nephrotic Syndrome And Nephrosis	4	2	2	11.7	12.1	11.7	
14	Suicide	3	2	1	8.8	12.1	5.8	
14	Hypertension/Hypertensive Renal Disease	3	2	1	8.8			
14	Diabetes Mellitus	3	1	2	8.8	6.1	11.7	
17	Complications Medical/Surgical Care	2	2		5.8	12.1		
17	Congenital Malformations and Chrom. Abnormalities	2	1	1	5.8	6.1		
17	Peptic Ulcer	2	2	0	5.8	12.1	0.0	
17	Aortic Aneurysm and Dissection	2	2	0		12.1	0.0	
21	Conditions Originating in the Perinatal Period**	1	0	1	2.1	0.0	3.4	
21	Maternal Causes**	1	0	1	210.5	0.0	343.6	
21	Infections of Kidney	1	1	0	2.9	6.1	0.0	
21	Acute Bronchitis and Bronchiolitis	1	0	1		0.0	5.8	
21	Meningitis	1	0	1		0.0		
21	Malnutrition/Nutritional Deficiency	1	1	0				
21	HIV Disease	1	1	0	2.9		0.0	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	6	1	5	17.5	6.1	29.2	
	All Other Causes	32	20	12	93.6	121.2	70.1	

^{*} Total includes races other than white and black.

[#] Less than 0.05.

Age	 Total*	Total* White	Black	 Total*	Male - White	Black	H Total*	Temale White	 Black
Total	410	260	149	211	132	79	199	128	70
Under 1 (Neonatal) (Postneonatal) 1-4 5-9 10-14 15-24 25-34 35-44 45-54 55-64	2 2 0 3 0 1 10 8 13 29 67	1 1 0 0 0 0 5 1 5 19 37	1 1 0 3 0 1 5 7 7 7 10 30	2 2 0 0 0 1 7 6 10 22 36	1 1 0 0 0 0 3 1 5 15 21	1 1 0 0 0 1 4 5 5 7 15	0 0 0 3 0 0 3 2 3 7	0 0 0 0 0 2 0 0 4 16	0 0 0 3 0 0 1 2 2 3 3
65-74 75-84 85 and over Unknown	96 87 94 0	60 67 65 0	36 20 29 0	56 40 31 0	35 28 23 0	21 12 8 0	40 47 63 0	25 39 42 0	15 8 21 0

Total 34,192
White 16,497
Black 17,114
Other 581

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

Rank	Leading Causes of Death Listed in Descending Order			 Black	Mo	rtality R White	
	Total Of All Causes	703	626	76	1,265.9	1,334.8	1,111.3
1	Heart Diseases	155	142	13	279.1	302.8	190.1
2	Malignant Neoplasms	152	137	14		292.1	204.7
3	Emphysema and Other Chronic Lower Resp. Diseases	57	56	1	102.6	119.4	14.6
4	Accidents	53	46	7	95.4	98.1	102.4
5	Alzheimer's Disease	35	33	2	63.0	70.4	
6	Influenza and Pneumonia	23	17	6	41.4	36.2	87.7
7	Nephritis, Nephrotic Syndrome And Nephrosis	20	18	2	36.0	3.8 4	29 2
8	Cerebrovascular Disease	18	16	2	32.4	34.1	29.2
8	Diabetes Mellitus	18	15	3	32.4	32.0	43.9
10	Septicemia	14	11	3	25.2	23.5	43.9
11	Parkinson's Disease	11	10	1	19.8	21.3	14.6
12	Chronic Liver Disease And Cirrhosis	10	9	1	18.0	19.2	14.6
13	Suicide	8	6	2	14.4	12.8	29.2
14	Pneumonitis Due to Solids and Liquids	5	3	2	9.0	6.4	29.2
14	Hypertension/Hypertensive Renal Disease	5	4	1	9.0	8.5	14.6
16	Homicide	3	2	1			14.6
16	Congenital Malformations and Chrom. Abnormalities	3	2	1	5.4	4.3	
16	In Situ, Benign and Unspecified Neoplasms	3	1	2	5.4	2.1	29.2
19	Cholelithiasis/Gallbladder Disorder	2	1	1	3 6	2 1	14.6
19	Aortic Aneurysm and Dissection	2	2	0		4.3	0.0
19	Malnutrition/Nutritional Deficiency	2	2	0		4.3	0.0
19	HIV Disease	2	2	0	3.6	4.3	0.0
19	Viral Hepatitis	2	2	0	3.6	4.3	0.0
24	Conditions Originating in the Perinatal Period**	1	1	0	1.6	1.9	0.0
24	Peptic Ulcer	1	1	0	1.8	2.1	0.0
24	Tuberculosis	1	1	0	1.8	2.1	0.0
	Not Included in Ranking						
	Symptoms, Signs, Ill-Defined Conditions	6	4	2	10.8	8.5	29.2
	All Other Causes	91	82	9	163.9	174.8	131.6

^{*} Total includes races other than white and black.

Age	Total*	Total* White	Black	Total*	Male - White	Black	Total*	Temale White	Black
Total	703	626	76	395	341	54	308	285	22
Under 1 (Neonatal) (Postneonatal) 1-4 5-9 10-14 15-24 25-34 35-44 45-54 55-64	6 3 3 1 1 3 11 10 27 49	4 2 2 0 1 3 9 6 25 42 89	2 1 1 0 0 2 4 2 7	5 3 2 1 0 3 8 7 17 29 67	3 2 1 0 0 3 6 4 15 22 55	2 1 1 1 0 0 2 3 2 7	1 0 1 0 1 0 3 3 10 20 38	1 0 1 0 1 0 3 2 10 20 34	0 0 0 0 0 0 0 0 0
65-74 75-84 85 and over Unknown	152 188 150 0	134 174 139 0	18 14 10 0	93 105 60 0	80 96 57 0	13 9 3 0	59 83 90 0	54 78 82 0	5 5 7 0

Total 55,535 46,900 6,839 1,796 White Black Other

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates. # Less than 0.05.

	Leading Causes of Death		-Number-		<u> -</u>			
Rank	Listed in Descending Order	Total*	White	Black	Total*	White	Black	
	Total Of All Causes	146	122	24	1,219.4	1,293.6	1,043.9	
1	Heart Diseases	34	31	3	284.0	328.7	130.5	
2	Malignant Neoplasms	28	20	8	233.9	212.1	348.0	
3	Emphysema and Other Chronic Lower Resp. Diseases	16	15	1	133.6	159.0	43.5	
4	Diabetes Mellitus	12	10	2	100.2	106.0	87.0	
5	Accidents	11	6	5	91.9	63.6	217.5	
6	Influenza and Pneumonia	5	4	1	41.8	42.4	43.5	
6	Alzheimer's Disease	5	5	0	41.8	53.0	0.0	
8	Suicide	3	3	0	25.1	31.8	0.0	
8	Pneumonitis Due to Solids and Liquids	3	3	0	25.1	31.8	0.0	
8	Cerebrovascular Disease	3	3	0	25.1	31.8	0.0	
11	Nephritis, Nephrotic Syndrome And Nephrosis	2	2	0	16.7	21.2	0.0	
11	Chronic Liver Disease And Cirrhosis	2	2	0	16.7	21.2	0.0	
11	Aortic Aneurysm and Dissection	2	2	0	16.7	21.2	0.0	
14	Conditions Originating in the Perinatal Period**	1	0	1	7.0	0.0	43.5	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	2	2	0	16.7	21.2	0.0	
	All Other Causes	17	14	3	142.0	148.4	130.5	

^{*} Total includes races other than white and black.

		Total*			Male -			Female	
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	146	122	24	77	62	15	69	60	9
Under 1	1	0	1	0	0	0	1	0	1
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	2	1	1	1	0	1	1	1	0
25-34	5	3	2	4	3	1	1	0	1
35-44	4	3	1	3	2	1	1	1	0
45-54	5	4	1	3	2	1	2	2	0
55-64	29	22	7	16	10	6	13	12	1
65-74	32	29	3	19	18	1	13	11	2
75-84	47	43	4	22	19	3	25	24	1
85 and over	20	16	4	9	8	1	11	8	3
Unknown	0	0	0	0	0	0	0	0	0

Total 11,973
White 9,431
Black 2,299 243 Other

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates. # Less than 0.05.

	Leading Causes of Death		Number-		Mortality Rate**			
Rank	Listed in Descending Order				Total*			
	Total Of All Causes	516	296		1,313.4			
1	Heart Diseases	110	70	40	280.0	406.6	188.2	
2	Malignant Neoplasms	76	50	26	193.4	290.4	122.3	
3	Emphysema and Other Chronic Lower Resp. Diseases	56	39	16	142.5	226.5	75.3	
4	Hypertension/Hypertensive Renal Disease	43	24	17	109.4	139.4	80.0	
5	Diabetes Mellitus	35	15	20	89.1	87.1	94.1	
6	Accidents	33	13	20			94.1	
7	Cerebrovascular Disease	28	12	16	71.3	69.7	75.3	
8	Homicide	13	1	11			51.8	
8	Influenza and Pneumonia	13	5	8	33.1	29.0	37.6	
10	Alzheimer's Disease	12	5	7	30.5	29.0	32.9	
11	Nephritis, Nephrotic Syndrome And Nephrosis	10	7	3	25.5	40.7	14.1	
12	Septicemia	6	2	4	15.3	11.6	18.8	
13	Parkinson's Disease	5	5	0	12.7	29.0	0.0	
14	Suicide	4	4	0	10.2	23.2	0.0	
14	Chronic Liver Disease And Cirrhosis	4	2	2	10.2	11.6	9.4	
16	Congenital Malformations and Chrom. Abnormalities	3	2	1	7.6	11.6	4.7	
16	Conditions Originating in the Perinatal Period**	3	1	2	6.0	5.8	6.2	
18	In Situ, Benign and Unspecified Neoplasms	2	2	0	5.1	11.6	0.0	
19	Complications Medical/Surgical Care	1	1	0	2.5	5.8	0.0	
19	Pneumonitis Due to Solids and Liquids	1	1	0	2.5	5.8	0.0	
19	Aortic Aneurysm and Dissection	1	1	0	2.5	5.8	0.0	
19	Viral Hepatitis	1	1	0	2.5	5.8	0.0	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	5	1	4	12.7	5.8	18.8	
	All Other Causes	51	32	19	129.8	185.9	89.4	

^{*} Total includes races other than white and black.

[#] Less than 0.05.

Age	Total*	Total* White	Black	 Total*	Male - White	Black	 Total*	Female White	 Black
Total	516	296	216	267	156	108	249	140	108
Under 1 (Neonatal) (Postneonatal) 1-4 5-9 10-14 15-24 25-34 35-44 45-54	5 4 1 2 0 2 11 13 21 34	2 2 0 1 0 0 4 1 8	3 2 1 1 0 2 6 12 13	3 2 1 2 0 2 9 7 10 20	2 2 0 1 0 0 2 1 5	1 0 1 1 0 2 6 6 5	2 2 0 0 0 0 2 6 11	0 0 0 0 0 0 2 0 3	2 2 0 0 0 0 0 0 6 8 9
55-64 65-74 75-84 85 and over Unknown	69 115 132 112 0	35 65 84 82 0	34 50 47 29 0	43 67 66 38 0	23 40 44 29 0	20 27 22 8 0	26 48 66 74 0	12 25 40 53 0	14 23 25 21 0

39,288
17,218
21,252
818

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

Dank	Leading Causes of Death Listed in Descending Order					rtality Ra White	
Naiik	Listed in Descending Order	10tai"					
	Total Of All Causes	300	265	35	932.4	1,007.3	695.5
1	Heart Diseases	66	62	4	205.1		
2	Malignant Neoplasms	58	48	10	180.3	182.5	198.7
3	Emphysema and Other Chronic Lower Resp. Diseases	40	38	2	124.3		
4	Accidents	20	18	2	62.2	68.4	39.7
4	Alzheimer's Disease	20	19	1	62.2	72.2	19.9
6	Cerebrovascular Disease	15	13	2	46.6	49.4	39.7
7	Chronic Liver Disease And Cirrhosis	9	9	0	28.0	34.2	0.0
7	Diabetes Mellitus	9	8	1	28.0	30.4	19.9
9	Suicide	5	4	1	15.5	15.2	19.9
9	Pneumonitis Due to Solids and Liquids	5	3	2	15.5	11.4	39.7
11	Septicemia	4	2	2		7.6	
12	Influenza and Pneumonia	3	3	0	9.3	11.4	0.0
12	Parkinson's Disease	3	3	0	9.3	11.4	0.0
14	Congenital Malformations and Chrom. Abnormalities	2	2	0			0.0
14	Hypertension/Hypertensive Renal Disease	2	2	0	6.2	7.6	0.0
14	Anemias	2	1	1	6.2	3.8	19.9
17	Complications Medical/Surgical Care	1	1	0	3.1	3.8	0.0
17	Homicide	1	1	0	3.1	3.8	0.0
17	Conditions Originating in the Perinatal Period**	1	1	0	2.3	2.7	0.0
17	Nephritis, Nephrotic Syndrome And Nephrosis	1	1	0	3.1	3.8	0.0
17	Cholelithiasis/Gallbladder Disorder	1	1	0	3.1	3.8	0.0
17	Hernia	1	0	1	3.1	0.0	19.9
17	Aortic Aneurysm and Dissection	1	0	1	3.1	0.0	19.9
17	In Situ, Benign and Unspecified Neoplasms	1	1	0	3.1	3.8	0.0
	Not Included in Ranking						
	Symptoms, Signs, Ill-Defined Conditions	1				3.8	0.0
	All Other Causes	28	23	5	87.0	87.4	99.4

^{*} Total includes races other than white and black.

[#] Less than 0.05.

Age	 Total*	Total* White	 Black	 Total*		 Black] Total*	Female White	 Black
Total	300	265	35	168	145	23	132	120	12
Under 1	3	3	0	2	2	0	1	1	0
(Neonatal)	2	2	0	1	1	0	1	1	0
(Postneonatal)	1	1	0	1	1	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	3	1	2	0	0	0
25-34	4	2	2	4	2	2	0	0	0
35-44	7	6	1	5	4	1	2	2	0
45-54	25	20	5	18	15	3	7	5	2
55-64	58	51	7	34	27	7	24	24	0
65-74	62	54	8	34	30	4	28	24	4
75-84	68	62	6	37	34	3	31	28	3
85 and over	69	65	4	30	29	1	39	36	3
Unknown	0	0	0	0	0	0	0	0	0

2019 Population Total 32,174 White 26,307 5,032 Black 835 Other

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		Number-		Mortality Rate**			
Rank	Listed in Descending Order	Total*			Total*			
	Total Of All Causes	316	286		1,257.7			
1	Heart Diseases	93	85	8	370.1	404.3	222.0	
2	Malignant Neoplasms	71	65	6	282.6	309.2	166.5	
3	Emphysema and Other Chronic Lower Resp. Diseases	26	26	0	103.5	123.7	0.0	
4	Accidents	19	15		75.6	71.3	111.0	
5	Alzheimer's Disease	16	14	2	63.7		55.5	
6	Cerebrovascular Disease	12	11	1	47.8	52.3	27.8	
7	Nephritis, Nephrotic Syndrome And Nephrosis	6	6	0	23.9	28.5	0.0	
8	Pneumonitis Due to Solids and Liquids	5	5	0	19.9	23.8	0.0	
9	Septicemia	4	4	0	15.9	19.0	0.0	
10	Homicide	3	2	1	11.9	9.5	27.8	
10	Suicide	3	2	1	11.9	9.5	27.8	
10	Influenza and Pneumonia	3	2	1	11.9	9.5	27.8	
13	Congenital Malformations and Chrom. Abnormalities	2	2	0	8.0	9.5	0.0	
13	Conditions Originating in the Perinatal Period**	2	0	2	7.1	0.0	42.6	
13	Hypertension/Hypertensive Renal Disease	2	1	1	8.0	4.8	27.8	
13	Diabetes Mellitus	2	2	0	8.0	9.5	0.0	
17	Chronic Liver Disease And Cirrhosis	1	1	0	4.0	4.8	0.0	
17	Aortic Aneurysm and Dissection	1	1	0	4.0	4.8	0.0	
17	Atherosclerosis	1	1	0	4.0	4.8	0.0	
17	Parkinson's Disease	1	1	0	4.0	4.8	0.0	
17	In Situ, Benign and Unspecified Neoplasms	1	1	0	4.0	4.8	0.0	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	3	2	1	11.9	9.5	27.8	
	All Other Causes	39	37	2	155.2	176.0	55.5	

[#] Less than 0.05.

Age	Total*	Total* White	 Black	Total*	Male - White	 Black	Total*	Female White	 Black
Total	316	286	30	158	146	12	158	140	18
Under 1	4	2	2	2	2	0	2	0	2
(Neonatal)	4	2	2	2	2	0	2	0	2
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	0	0	0	1	1	0
25-34	1	0	1	0	0	0	1	0	1
35-44	14	12	2	7	5	2	7	7	0
45-54	25	23	2	18	18	0	7	5	2
55-64	48	42	6	27	23	4	21	19	2
65-74	66	61	5	41	38	3	25	23	2
75-84	87	79	8	42	39	3	45	40	5
85 and over	69	66	3	21	21	0	48	45	3
Unknown	0	0	0	0	0	0	0	0	0

Total	25,126
White	21,025
Black	3,603
Other	498

 ^{*} Total includes races other than white and black.
 ** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death				Mortality Rate**			
Rank	Listed in Descending Order	Total*	White	Black	Total*	White	Black	
	Total Of All Causes	101	41	60	1,487.0	2,281.6	1,232.5	
1	Malignant Neoplasms	20	8	12	294.5	445.2	246.5	
2	Heart Diseases	16	9	7	235.6			
3	Emphysema and Other Chronic Lower Resp. Diseases	10	5	5	147.2	278.2	102.7	
4	Cerebrovascular Disease	8	2	6	117.8	111.3	123.3	
5	Alzheimer's Disease	7	4	3	103.1	222.6	61.6	
6	Accidents	6	0	6	88.3	0.0	123.3	
7	Nephritis, Nephrotic Syndrome And Nephrosis	4	1	3	58.9	55.6	61.6	
8	Pneumonitis Due to Solids and Liquids	3	2	1	44.2	111.3	20.5	
8	Influenza and Pneumonia	3	2	1	44.2	111.3	20.5	
10	Suicide	2	2	0	29.4	111.3	0.0	
10	Septicemia	2	1	1	29.4	55.6	20.5	
12	Complications Medical/Surgical Care	1	1	0	14.7	55.6	0.0	
12	Conditions Originating in the Perinatal Period**	1	0	1	13.3	0.0	16.9	
12	Hyperplasia of Prostate	1	0	1	31.7	0.0	44.7	
12	Chronic Liver Disease And Cirrhosis	1	0	1	14.7	0.0	20.5	
12	Atherosclerosis	1	0	1	14.7	0.0	20.5	
12	Diabetes Mellitus	1	0	1	14.7	0.0	20.5	
12	HIV Disease	1	0	1	14.7	0.0	20.5	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	4	2	2	58.9	111.3	41.1	
	All Other Causes	9	2	7	132.5	111.3	143.8	

^{*} Total includes races other than white and black.

		Total*			Male -			Female	
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	101	41	60	49	21	28	52	20	32
Under 1	1	0	1	0	0	0	1	0	1
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	2	0	2	1	0	1	1	0	1
35-44	3	0	3	2	0	2	1	0	1
45-54	11	5	6	7	4	3	4	1	3
55-64	21	10	11	5	3	2	16	7	9
65-74	24	9	15	17	7	10	7	2	5
75-84	17	6	11	12	5	7	5	1	4
85 and over	20	11	9	4	2	2	16	9	7
Unknown	0	0	0	0	0	0	0	0	0

Total 6,792
White 1,797
Black 4,868 Other 127

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates. # Less than 0.05.

	Leading Causes of Death		-Number-		Mortality Rate**		
		Total*	White	Black	Total*	White	Black
	Total Of All Causes				788.3		
1	Heart Diseases	263	220	41	169.4	187.6	122.5
2	Malignant Neoplasms	244	197		157.1	168.0	134.5
3	Emphysema and Other Chronic Lower Resp. Diseases	80	73	7	51.5	62.2	20.9
4	Accidents	70	61	9	45.1	52.0 53.7 42.6	26.9
5	Alzheimer's Disease	69	63 50	6	44.4	53.7	17.9
6	Cerebrovascular Disease	60	50	9	38.6	42.6	26.9
7	Diabetes Mellitus	38	28	10	24.5	23.9	29.9
8	Nephritis, Nephrotic Syndrome And Nephrosis	30	16	13		13.6	
9	Influenza and Pneumonia	23	20	3	14.8	17.1	9.0
10	Hypertension/Hypertensive Renal Disease	22	17	4	14.2	14.5	12.0
11	Suicide	21	20	1	13.5	17.1	3.0
12	Parkinson's Disease	14	14	0	9.0	11.9	0 0
12	Septicemia	14	14 13 12	1	13.5 9.0 9.0	11.1	3.0
14	Chronic Liver Disease And Cirrhosis	12	12	0	7.7	10.2	0.0
15	Pneumonitis Due to Solids and Liquids	9	7	2	5.8	6.0	6.0
16	Homicide	7	5	2	4.5		
16	Congenital Malformations and Chrom. Abnormalities	7	5	2 2	4.5	4.3	6.0
18	Complications Medical/Surgical Care	5	4	1	3.2	3.4	
18	Atherosclerosis	5	5	0	3.2	4.3	
20	Aortic Aneurysm and Dissection	4	4	0	3.2 2.6	3.4	
20	In Situ, Benign and Unspecified Neoplasms	4	4	0		3.4	0.0
22	Conditions Originating in the Perinatal Period**	3	2	1	1.7	1.6	
22	Cholelithiasis/Gallbladder Disorder	3	2	1			
24	Peptic Ulcer	2	2	0			0.0
24	Malnutrition/Nutritional Deficiency	2	2	0	1.3	1.7	0.0
26	Legal Intervention	1	0	Ō		0.0	0.0
26	Infections of Kidney	1	1	Ō	0.6	09	
26	Diseases of Appendix	1	1	Ō		0.9	0.0
26	HIV Disease	1	1	Ō		0.9	0.0
26	Viral Hepatitis	1	1	0	0.6		0.0
	Not Included in Ranking						
	Symptoms, Signs, Ill-Defined Conditions	13	8	5	8.4	6.8	14.9
	All Other Causes	195	160	35	125.6	136.4	104.6

^{*} Total includes races other than white and black.

		Total*			Male -			Female	
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	1,224	1,018	198	624	514	105	600	504	93
Under 1	12	7	5	9	5	4	3	2	1
(Neonatal)	7	4	3	5	3	2	2	1	1
(Postneonatal)	5	3	2	4	2	2	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	3	3	0	2	2	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	18	15	3	14	13	1	4	2	2
25-34	26	20	6	16	12	4	10	8	2
35-44	43	33	10	27	21	6	16	12	4
45-54	76	66	8	43	36	5	33	30	3
55-64	189	142	47	118	88	30	71	54	17
65-74	277	223	51	154	119	34	123	104	17
75-84	310	268	39	149	130	17	161	138	22
85 and over	270	241	29	92	88	4	178	153	25
Unknown	0	0	0	0	0	0	0	0	0

Total 155,271 White 117,284 Black 33,467 4,520 Other

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates. # Less than 0.05.

	Leading Causes of Death		Number-					
Rank	Listed in Descending Order	Total*	White	Black	Total*	White	Black	
	Total Of All Causes	317	204	111	1,127.2	1,246.1	1,021.9	
1	Heart Diseases	73	53	19	259.6	323.7	174.9	
2	Malignant Neoplasms	68	38	30	241.8	232.1	276.2	
3	Accidents	22	18	4	78.2	110.0	36.8	
4	Emphysema and Other Chronic Lower Resp. Diseases	19	15	4	67.6	91.6	36.8	
5	Cerebrovascular Disease	17	11	6	60.4	67.2	55.2	
6	Alzheimer's Disease	11	5	6	39.1	30.5	55.2	
7	Nephritis, Nephrotic Syndrome And Nephrosis	10	5	5	35.6	30.5	46.0	
7	Diabetes Mellitus	10	5	5	35.6	30.5	46.0	
9	Influenza and Pneumonia	9	7	2	32.0	42.8	18.4	
10	Homicide	4	2	2	14.2	12.2	18.4	
10	Suicide	4	4	0	14.2	24.4	0.0	
12	Complications Medical/Surgical Care	2	2	0	7.1	12.2	0.0	
12	Conditions Originating in the Perinatal Period**	2	2	0	4.1	6.6	0.0	
12	Hypertension/Hypertensive Renal Disease	2	2	0	7.1	12.2	0.0	
12	Septicemia	2	0	2	7.1	0.0	18.4	
16	Chronic Liver Disease And Cirrhosis	1	0	1	3.6	0.0	9.2	
16	Parkinson's Disease	1	1	0	3.6	6.1	0.0	
16	HIV Disease	1	0	1	3.6	0.0	9.2	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	6	5	1	21.3	30.5	9.2	
	All Other Causes	53	29	23	188.5	177.1	211.7	

^{*} Total includes races other than white and black.

		Total*			Male -			Female	
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	317	204	111	167	105	61	150	99	50
Under 1	3	3	0	2	2	0	1	1	0
(Neonatal)	2	2	0	1	1	0	1	1	0
(Postneonatal)	1	1	0	1	1	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	3	2	3	2	1	2	1	1
25-34	4	3	1	4	3	1	0	0	0
35-44	10	7	3	7	6	1	3	1	2
45-54	27	15	10	15	9	5	12	6	5
55-64	53	29	24	30	15	15	23	14	9
65-74	58	39	19	35	23	12	23	16	7
75-84	79	53	26	41	28	13	38	25	13
85 and over	77	52	25	30	17	13	47	35	12
Unknown	0	0	0	0	0	0	0	0	0

Total 28,124 White 16,371 Black 10,862 Other 891

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates. # Less than 0.05.

	Leading Causes of Death				_			
Rank	Listed in Descending Order	Total*	White	Black	Total*	White		
	Total Of All Causes	61	16			1,347.9		
1	Malignant Neoplasms	19	5	14	439.7	421.2	456.6	
2	Heart Diseases	12	2	10	277.7	168.5	326.2	
3	Emphysema and Other Chronic Lower Resp. Diseases	3	1	2	69.4	84.2	65.2	
3	Alzheimer's Disease	3	3	0	69.4	252.7	0.0	
5	Accidents	2	1	1	46.3	84.2	32.6	
5	Nephritis, Nephrotic Syndrome And Nephrosis	2	0	2	46.3	0.0	65.2	
5	Influenza and Pneumonia	2	1	1	46.3	84.2	32.6	
5	Diabetes Mellitus	2	0	2	46.3	0.0	65.2	
5	Septicemia	2	0	2	46.3	0.0	65.2	
10	Homicide	1	0	1	23.1	0.0	32.6	
10	Suicide	1	0	1	23.1	0.0	32.6	
10	Maternal Causes**	1	0	1	2,000.0	0.0	2,325.6	
10	Cerebrovascular Disease	1	0	1	23.1	0.0	32.6	
10	Hypertension/Hypertensive Renal Disease	1	0	1	23.1	0.0	32.6	
10	HIV Disease	1	0	1	23.1	0.0	32.6	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	1	1	0	23.1	84.2	0.0	
	All Other Causes	7	2	5	162.0		163.1	

^{*} Total includes races other than white and black.

[#] Less than 0.05.

Age	Total*	Total* White	Black		Male - White	Black		Female White	Black
Total	61	16	45	27	8	19	34	8	26
Under 1 (Neonatal) (Postneonatal) 1-4 5-9 10-14 15-24 25-34 35-44 45-54	0 0 0 0 0 0 0 0 2 1 5	0 0 0 0 0 0 0	0 0 0 0 0 0 0 2 1 5 8	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 2 1 4	0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 2 1 4 4
65-74 75-84 85 and over Unknown	17 7 18 0	1 4 8 0	16 3 10 0	9 4 9 0	1 1 6 0	8 3 3 0	8 3 9 0	0 3 2 0	8 0 7 0

Total 4,321
White 1,187
Black 3,066
Other 68

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		-Number-		Mortality Rate**			
Rank	Listed in Descending Order				Total*			
	Total Of All Causes	308			1,155.4			
1	Heart Diseases	85	58	27	318.9	347.2	288.1	
2	Malignant Neoplasms	48	31	17	180.1	185.6	181.4	
3	Emphysema and Other Chronic Lower Resp. Diseases	28	24	4	105.0	143.7	42.7	
4	Influenza and Pneumonia	19	14	5	71.3	83.8	53.3	
5	Accidents	18	10	8	67.5	59.9	85.4	
5	Alzheimer's Disease	18	15	3	67.5	89.8	32.0	
7	Cerebrovascular Disease	11	8	3	41.3	47.9	32.0	
8	Suicide	7	7	0	26.3	41.9	0.0	
9	Homicide	5	2	3	18.8	12.0	32.0	
9	Nephritis, Nephrotic Syndrome And Nephrosis	5	3	2	18.8	18.0	21.3	
9	Diabetes Mellitus	5	0	5	18.8	0.0	53.3	
12	Hypertension/Hypertensive Renal Disease	4	1	3	15.0	6.0	32.0	
13	Chronic Liver Disease And Cirrhosis	3	2	1	11.3	12.0	10.7	
13	Septicemia	3	1	2	11.3	6.0	21.3	
15	Parkinson's Disease	2	2	0	7.5	12.0	0.0	
16	Complications Medical/Surgical Care	1	1	0	3.8	6.0	0.0	
16	Hernia	1	0	1	3.8	0.0	10.7	
16	Pneumonitis Due to Solids and Liquids	1	1	0	3.8	6.0	0.0	
16	Malnutrition/Nutritional Deficiency	1	1	0	3.8	6.0	0.0	
16	Anemias	1	1	0	3.8	6.0	0.0	
16	In Situ, Benign and Unspecified Neoplasms	1	0	1	3.8	0.0	10.7	
16	HIV Disease	1	0	1	3.8	0.0	10.7	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	6	3	3	22.5	18.0	32.0	
	All Other Causes	34	23	11	127.5	137.7	117.4	

^{*} Total includes races other than white and black.

[#] Less than 0.05.

Age	Total*		Black	Total*		Black	I Total*	Pemale White	Black
Total	308	208	100	164	106	58	144	102	42
Under 1 (Neonatal) (Postneonatal) 1-4 5-9 10-14 15-24 25-34 35-44 45-54	1 0 1 0 3 0 6 8 11 19 44 67	1 0 1 0 2 0 2 5 5 13 28	0 0 0 1 0 4 3 6 6 16	1 0 1 0 3 3 3 6 12 29	1 0 1 0 0 0 1 2 4 8 19	0 0 0 0 1 0 2 1 2 4	0 0 0 0 2 0 3 5 5 7 15 24	0 0 0 0 2 0 1 3 1 5	0 0 0 0 0 0 2 2 4 2 6
65-74 75-84 85 and over Unknown	84 65 0	40 62 50 0	22 15 0	43 43 23 0	23 32 16 0	20 11 7 0	41 42 0	17 30 34 0	11 8 0

658
705
373
580

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		-Number-		Mo	ortality Rate**	
Rank	Listed in Descending Order	Total*	White	Black	Total*	White	Black
	Total Of All Causes	184	146	38	1,156.1	1,218.3	1,008.8
1	Heart Diseases	44	35	9	276.5	292.1	238.9
2	Malignant Neoplasms	39	33	6	245.0	275.4	159.3
3	Emphysema and Other Chronic Lower Resp. Diseases	15	15	0	94.2	125.2	0.0
4	Accidents	11	8	3	69.1	66.8	79.6
5	Suicide	9	8	1	56.5	66.8	26.5
6	Cerebrovascular Disease	8	6	2	50.3	50.1	53.1
7	Nephritis, Nephrotic Syndrome And Nephrosis	6	3	3	37.7	25.0	79.6
7	Alzheimer's Disease	6	5	1	37.7	41.7	26.5
9	Septicemia	5	3	2	31.4	25.0	53.1
10	Chronic Liver Disease And Cirrhosis	3	3	0	18.8	25.0	0.0
10	Influenza and Pneumonia	3	2	1	18.8	16.7	26.5
10	Parkinson's Disease	3	3	0	18.8	25.0	0.0
13	Aortic Aneurysm and Dissection	2	1	1	12.6	8.3	26.5
13	Diabetes Mellitus	2	2	0	12.6	16.7	0.0
15	Homicide	1	0	1	6.3	0.0	26.5
15	Pneumonitis Due to Solids and Liquids	1	1	0	6.3	8.3	0.0
15	Anemias	1	1	0	6.3	8.3	0.0
15	In Situ, Benign and Unspecified Neoplasms	1	1	0	6.3	8.3	0.0
	Not Included in Ranking						
	Symptoms, Signs, Ill-Defined Conditions	3	3	0	18.8	25.0	0.0
	All Other Causes	21	13	8	131.9	108.5	212.4

		Total*			Male -			Female	
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	184	146	38	97	72	25	87	74	13
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	0	0	0	1	1	0
25-34	8	6	2	5	3	2	3	3	0
35-44	15	9	6	12	6	6	3	3	0
45-54	8	7	1	6	5	1	2	2	0
55-64	25	21	4	14	11	3	11	10	1
65-74	40	32	8	26	21	5	14	11	3
75-84	49	38	11	22	16	6	27	22	5
85 and over	38	32	6	12	10	2	26	22	4
Unknown	0	0	0	0	0	0	0	0	0

Total	15,916
White	11,984
Black	3 , 767
Other	165

^{*} Total includes races other than white and black.
** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates. # Less than 0.05.

_ ,	Leading Causes of Death				Mortality Rate** Total* White Black			
Rank	Listed in Descending Order	'l'otal*	White	Black	"l'otal" 	White	Black	
	Total Of All Causes	202	181	18	1,101.7	1,259.0	514.6	
1	Heart Diseases	49	45	4	267.2	313.0	114.4	
2	Malignant Neoplasms	47	43	3	256.3	299.1	85.8	
3	Emphysema and Other Chronic Lower Resp. Diseases	13	11	2	70.9	76.5	57.2	
4	Cerebrovascular Disease	12	10	1	65.4	69.6	28.6	
5	Accidents	11	11	0	60.0	76.5	0.0	
6	Nephritis, Nephrotic Syndrome And Nephrosis	7	7		38.2	48.7	0.0	
6	Influenza and Pneumonia	7	5	2	38.2	34.8	57.2	
6	Diabetes Mellitus	7	4	2	38.2	27.8	57.2	
9	Alzheimer's Disease	6	6	0	32.7	41.7	0.0	
10	Suicide	3	3	0	16.4	20.9	0.0	
10	Chronic Liver Disease And Cirrhosis	3	3	0	16.4	20.9	0.0	
10	Parkinson's Disease	3	3	0	16.4	20.9	0.0	
13	Homicide	1	0	1	5.5	0.0	28.6	
13	Congenital Malformations and Chrom. Abnormalities	1	1	0	5.5	7.0	0.0	
13	Aortic Aneurysm and Dissection	1	1	0	5.5	7.0	0.0	
13	In Situ, Benign and Unspecified Neoplasms	1	0	1	5.5	0.0	28.6	
13	Septicemia	1	1	0	5.5	7.0	0.0	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	3	1	2	16.4	7.0	57.2	
	All Other Causes	26	26	0	141.8	180.8	0.0	

[#] Less than 0.05.

Age	Total*	Total* White	Black	Total*	110110	Black	Total*	Female White	Black
Total	202	181	18	125	113	10	77	68	8
Under 1 (Neonatal) (Postneonatal) 1-4 5-9 10-14 15-24	2 1 1 0 1 0	1 1 0 0 1 0 0	1 0 1 0 0 0	1 0 1 0 0 0	0 0 0 0 0	1 0 1 0 0 0	1 0 0 1 0	1 0 0 1 0	0 0 0 0 0
25-34 35-44 45-54 55-64 65-74 75-84 85 and over Unknown	7 15 31 65 43 34 0	6 15 28 56 41 30 0	1 0 3 6 2 4 0	3 4 10 22 41 31 13 0	3 10 20 37 30 11 0	1 0 2 2 1 2 0	3 5 9 24 12 21 0	3 5 8 19 11 19 0	0 0 1 4 1 2 0

2019 Populat:	ion
Total	18,336
White	14,377
Black	3,498
Other	461

^{*} Total includes races other than white and black.
** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		-Number-		Mortality Rate**			
Rank	Listed in Descending Order				Total*			
	Total Of All Causes	332	119		1,322.2			
1	Malignant Neoplasms	69	24	45	274.8	387.0	242.8	
2	Heart Diseases	58	25	33	231.0	403.1	178.0	
3	Diabetes Mellitus	31	6	25	123.5	96.7	134.9	
4	Cerebrovascular Disease	25	9	16	99.6	145.1	86.3	
5	Accidents	18	7	11	71.7	112.9	59.3	
5	Alzheimer's Disease	18	11	7	71.7	177.4	37.8	
7	Emphysema and Other Chronic Lower Resp. Diseases	11	5	6	43.8	80.6	32.4	
8	Influenza and Pneumonia	10	5	4	39.8	80.6	21.6	
9	Homicide	9	0	9	35.8	0.0	48.6	
10	Nephritis, Nephrotic Syndrome And Nephrosis	6	4	2	23.9		10.8	
11	Hypertension/Hypertensive Renal Disease	5	1	4	19.9	16.1	21.6	
12	Congenital Malformations and Chrom. Abnormalities	3	0	3	11.9		16.2	
12	Chronic Liver Disease And Cirrhosis	3	2	1	11.9	32.2	5.4	
12	Septicemia	3	1	2	11.9	16.1	10.8	
15	Complications Medical/Surgical Care	2	1	1	8.0	16.1	5.4	
15	Pneumonitis Due to Solids and Liquids	2	0	2	8.0	0.0	10.8	
17	Suicide	1	0	1	4.0	0.0	5.4	
17	Conditions Originating in the Perinatal Period**	1	0	1	3.4	0.0	4.3	
17	Peptic Ulcer	1	0	1	4.0		5.4	
17	Malnutrition/Nutritional Deficiency	1	0	1	4.0	0.0	5.4	
17	Anemias	1	0	1	4.0	0.0	5.4	
17	In Situ, Benign and Unspecified Neoplasms	1	1	0	4.0	16.1	0.0	
17	Viral Hepatitis	1	0	1	4.0	0.0	5.4	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	2	0	2	8.0	0.0	10.8	
	All Other Causes	50	17	31	199.1	274.1	167.2	

^{*} Total includes races other than white and black.

[#] Less than 0.05.

		Total*		Male]		
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	332	119	210	187	67	117	145	52	93
Under 1	5	0	5	1	0	1	4	0	4
(Neonatal)	2	0	2	1	0	1	1	0	1
(Postneonatal)	3	0	3	0	0	0	3	0	3
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	8	5	3	6	4	2	2	1	1
25-34	8	0	8	7	0	7	1	0	1
35-44	20	2	18	16	2	14	4	0	4
45-54	29	3	26	20	3	17	9	0	9
55-64	58	18	39	33	10	22	25	8	17
65-74	84	25	58	46	11	34	38	14	24
75-84	66	33	32	36	21	14	30	12	18
85 and over	54	33	21	22	16	6	32	17	15
Unknown	0	0	0	0	0	0	0	0	0

Total	25,110
White	6,202
Black	18,537
Other	371

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		Number		Mortality Rate**			
Rank	Listed in Descending Order	Total*	White	Black	Total*	White	Black	
	Total Of All Causes	141	63	77	1,021.1	1,133.9	978.8	
1	Malignant Neoplasms	32	13	19	231.7	234.0	241.5	
2	Heart Diseases	25	9	16	181.0	162.0	203.4	
3	Accidents	14	5	9	101.4	90.0	114.4	
4	Hypertension/Hypertensive Renal Disease	13	4	9	94.1	72.0	114.4	
5	Emphysema and Other Chronic Lower Resp. Diseases	10	8	2	72.4	144.0	25.4	
6	Diabetes Mellitus	8	3	5	57.9	54.0	63.6	
7	Cerebrovascular Disease	6	3	3	43.4	54.0	38.1	
8	Homicide	3	1	2	21.7	18.0	25.4	
8	Alzheimer's Disease	3	2	0	21.7	36.0	0.0	
10	Suicide	2	2	0	14.5	36.0	0.0	
10	Nephritis, Nephrotic Syndrome And Nephrosis	2	1	1	14.5	18.0	12.7	
10	Influenza and Pneumonia	2	2	0	14.5	36.0	0.0	
10	Septicemia	2	0	2	14.5	0.0	25.4	
14	Complications Medical/Surgical Care	1	0	1	7.2	0.0	12.7	
14	Chronic Liver Disease And Cirrhosis	1	1	0	7.2	18.0	0.0	
14	Aortic Aneurysm and Dissection	1	1	0	7.2	18.0	0.0	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	3	1	2	21.7	18.0	25.4	
	All Other Causes	13	7	6	94.1	126.0	76.3	

^{*} Total includes races other than white and black.

[#] Less than 0.05.

		Total*			Male -			Female	
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	141	63	77	80	37	43	61	26	34
Under 1	1	0	1	1	0	1	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	0	0	0	2	0	2
25-34	3	0	3	2	0	2	1	0	1
35-44	8	4	4	6	3	3	2	1	1
45-54	16	8	8	14	7	7	2	1	1
55-64	27	8	19	19	5	14	8	3	5
65-74	33	16	17	20	9	11	13	7	6
75-84	27	17	9	13	9	4	14	8	5
85 and over	23	10	13	5	4	1	18	6	12
Unknown	0	0	0	0	0	0	0	0	0

Total	13,809
White	5 , 556
Black	7,867
Other	386

 ${\tt Published: 09/30/2020 - Mississippi \ State \ Department \ of \ Health, \ Office \ of \ Public \ Health \ Statistics}$

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		Number-		Mortality Rate**			
Rank	Listed in Descending Order			Black	Total*		Black	
	Total Of All Causes	299	228	68		1,199.1		
1	Heart Diseases	74	55	19	261.3	289.3	217.1	
2	Malignant Neoplasms	61	47	13	215.4	247.2	148.6	
3	Accidents	27	22	5	95.3	115.7	57.1	
4	Emphysema and Other Chronic Lower Resp. Diseases	22	19	2	77.7	99.9	22.9	
5	Alzheimer's Disease	17	12	4	60.0	63.1	45.7	
6	Cerebrovascular Disease	15	10	5	53.0	52.6	57.1	
7	Influenza and Pneumonia	11	8	3	38.8	42.1	34.3	
8	Chronic Liver Disease And Cirrhosis	8	6	2	28.2	31.6	22.9	
9	Diabetes Mellitus	7	2	5	24.7	10.5	57.1	
10	Nephritis, Nephrotic Syndrome And Nephrosis	5	4	1	17.7	21.0	11.4	
11	Homicide	4	2	2	14.1	10.5	22.9	
12	Conditions Originating in the Perinatal Period**	3	0	3	8.3	0.0	23.3	
13	Suicide	2	2	0	7.1	10.5	0.0	
13	Peptic Ulcer	2	2	0	7.1	10.5	0.0	
13	Pneumonitis Due to Solids and Liquids	2	2	0	7.1	10.5	0.0	
13	Hypertension/Hypertensive Renal Disease	2	2	0	7.1	10.5	0.0	
13	Malnutrition/Nutritional Deficiency	2	2	0	7.1	10.5	0.0	
13	In Situ, Benign and Unspecified Neoplasms	2	2	0	7.1	10.5	0.0	
19	Complications Medical/Surgical Care	1	1	0	3.5	5.3	0.0	
19	Cholelithiasis/Gallbladder Disorder	1	1	0	3.5	5.3	0.0	
19	Anemias	1	0	1	3.5	0.0	11.4	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	1	1	0	3.5	5.3	0.0	
	All Other Causes	29	26	3	102.4	136.7	34.3	

[#] Less than 0.05.

Age	Total*	Total* White	 Black	Total*	Male - White	 Black	Total*	Female White	 Black
Total	299	228	68	160	116	42	139	112	26
Under 1	4	1	3	1	0	1	3	1	2
(Neonatal)	3	0	3	1	0	1	2	0	2
(Postneonatal)	1	1	0	0	0	0	1	1	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	7	4	3	5	4	1	2	0	2
25-34	6	6	0	5	5	0	1	1	0
35-44	6	4	2	4	3	1	2	1	1
45-54	16	8	8	11	5	6	5	3	2
55-64	50	31	17	29	15	12	21	16	5
65-74	60	46	14	40	30	10	20	16	4
75-84	90	79	11	48	40	8	42	39	3
85 and over	59	49	9	17	14	3	42	35	6
Unknown	0	0	0	0	0	0	0	0	0

Total	28,321
White	19,014
Black	8 , 750
Other	557

 ^{*} Total includes races other than white and black.
 ** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		-Number-		Mortality Rate**			
Rank	Listed in Descending Order	Total*	White	Black	Total*	White	Black	
	Total Of All Causes	270	228	42	1,226.4	1,280.3	1,139.1	
1	Heart Diseases	66	58	8	299.8	325.7	217.0	
2	Malignant Neoplasms	53	41	12	240.7	230.2	325.5	
3	Emphysema and Other Chronic Lower Resp. Diseases	26	25	1	118.1	140.4	27.1	
4	Cerebrovascular Disease	21	16	5	95.4	89.8	135.6	
5	Accidents	14	10	4	63.6	56.2	108.5	
6	Nephritis, Nephrotic Syndrome And Nephrosis	8	5	3	36.3	28.1	81.4	
6	Chronic Liver Disease And Cirrhosis	8	7	1	36.3	39.3	27.1	
6	Alzheimer's Disease	8	7	1	36.3	39.3	27.1	
9	Septicemia	5	4	1	22.7	22.5	27.1	
10	Suicide	4	4	0	18.2	22.5	0.0	
10	Influenza and Pneumonia	4	4	0	18.2	22.5	0.0	
10	Parkinson's Disease	4	4	0	18.2	22.5	0.0	
13	Hypertension/Hypertensive Renal Disease	2	2	0	9.1	11.2	0.0	
13	Diabetes Mellitus	2	2	0	9.1	11.2	0.0	
15	Homicide	1	1	0	4.5	5.6	0.0	
15	Malnutrition/Nutritional Deficiency	1	1	0	4.5	5.6	0.0	
15	Anemias	1	0	1	4.5	0.0	27.1	
15	In Situ, Benign and Unspecified Neoplasms	1	1	0	4.5	5.6	0.0	
15	HIV Disease	1	1	0	4.5	5.6	0.0	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	2	2	0	9.1	11.2	0.0	
	All Other Causes	38	33	5	172.6	185.3	135.6	

^{*} Total includes races other than white and black.

[#] Less than $0.0\overline{5}$.

_		Total*			Male -			Temale	
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	270	228	42	145	117	28	125	111	14
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	3	1	4	3	1	0	0	0
25-34	1	1	0	1	1	0	0	0	0
35-44	13	8	5	10	6	4	3	2	1
45-54	15	14	1	10	9	1	5	5	0
55-64	45	35	10	31	23	8	14	12	2
65-74	55	44	11	36	28	8	19	16	3
75-84	84	76	8	35	31	4	49	45	4
85 and over	51	46	5	16	15	1	35	31	4
Unknown	0	0	0	0	0	0	0	0	0

Total 22,015 White 17,809 Black 3,687 Other 519

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		-Number-		Mortality Rate**			
Rank	Listed in Descending Order	Total*	White	Black	Total*	White	Black	
	Total Of All Causes	290	280	10	1,496.2	1,507.0	2,028.4	
1	Heart Diseases	96	93	3	495.3	500.5	608.5	
2	Malignant Neoplasms	42	40	2	216.7	215.3	405.7	
3	Accidents	23	23	0	118.7	123.8	0.0	
4	Emphysema and Other Chronic Lower Resp. Diseases	21	21	0	108.3	113.0	0.0	
5	Alzheimer's Disease	16	15	1	82.5	80.7	202.8	
6	Cerebrovascular Disease	15	14	1	77.4	75.3	202.8	
7	Chronic Liver Disease And Cirrhosis	7	7	0	36.1	37.7	0.0	
8	Pneumonitis Due to Solids and Liquids	6	6	0	31.0	32.3	0.0	
8	Influenza and Pneumonia	6	5	1	31.0	26.9	202.8	
8	Septicemia	6	6	0	31.0	32.3	0.0	
11	Suicide	5	5	0	25.8	26.9	0.0	
11	Diabetes Mellitus	5	5	0	25.8	26.9	0.0	
13	Nephritis, Nephrotic Syndrome And Nephrosis	3	3	0	15.5	16.1	0.0	
13	Parkinson's Disease	3	2	1	15.5	10.8	202.8	
15	Maternal Causes**	2	2	0	1,047.1	1,081.1	0.0	
15	Aortic Aneurysm and Dissection	2	2	0	10.3	10.8	0.0	
15	Hypertension/Hypertensive Renal Disease	2	2	0	10.3	10.8	0.0	
18	Homicide	1	1	0	5.2	5.4	0.0	
18	Cholelithiasis/Gallbladder Disorder	1	1	0	5.2	5.4	0.0	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	1	1	0	5.2	5.4	0.0	
	All Other Causes	27	26	1	139.3	139.9	202.8	

^{*} Total includes races other than white and black.

		Total*					I CHICALC		
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	290	280	10	152	147	5	138	133	5
Under 1	1	1	0	1	1	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	3	3	0	2	2	0	1	1	0
25-34	4	4	0	3	3	0	1	1	0
35-44	8	7	1	4	3	1	4	4	0
45-54	15	15	0	10	10	0	5	5	0
55-64	50	47	3	26	25	1	24	22	2
65-74	73	70	3	42	41	1	31	29	2
75-84	78	76	2	44	42	2	34	34	0
85 and over	57	56	1	20	20	0	37	36	1
Unknown	0	0	0	0	0	0	0	0	0

	8,580
Black	493
Other	310

^{**} Death nertices races other than white and black.

** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

Less than 0.05.

			-Mannet		MO	rtality Ra	ate**
Rank I	Listed in Descending Order	Total*	White	Black	Total*	White	
7	Total Of All Causes	109	41		1,131.6		
1 F	Heart Diseases	33	11	22	342.6	566.4	294.4
2 N	Malignant Neoplasms	22	11	11	228.4	566.4	147.2
3 <i>I</i>	Accidents	11	3	8	114.2	154.5	107.0
4 1	Nephritis, Nephrotic Syndrome And Nephrosis	6	1	5	62.3	51.5	66.9
4 E	Emphysema and Other Chronic Lower Resp. Diseases	6	4	2	62.3	206.0	26.8
6 I	Homicide	5	0	5	51.9	0.0	66.9
7 (Cerebrovascular Disease	4	0	4	41.5	0.0	53.5
8]	Influenza and Pneumonia	2	1	1	20.8	51.5	13.4
8 I	Diabetes Mellitus	2	2	0	20.8	103.0	0.0
10 5	Suicide	1	0	1	10.4	0.0	13.4
10 (Conditions Originating in the Perinatal Period**	1	0	1	6.4	0.0	7.3
10 (Chronic Liver Disease And Cirrhosis	1	1	0	10.4	51.5	0.0
10 I	Pneumonitis Due to Solids and Liquids	1	0	1	10.4	0.0	13.4
10 F	Hypertension/Hypertensive Renal Disease	1	0	1	10.4	0.0	13.4
10 A	Alzheimer's Disease	1	1	0	10.4	51.5	0.0
10 V	Viral Hepatitis	1	0	1	10.4	0.0	13.4
10 5	Septicemia Septicemia	1	0	1	10.4	0.0	13.4
-	Not Included in Ranking						
	Symptoms, Signs, Ill-Defined Conditions	2	2	0	20.8	103.0	0.0
	All Other Causes	8	4	4	83.1	206.0	53.5

[#] Less than 0.05.

Age	Total*	Total* White	Black	Total*	Male - White	Black	 Total*	Female White	Black
Total	109	41	68	62	22	40	47	19	28
Under 1	1	0	1	1	0	1	0	0	0
(Neonatal) (Postneonatal)	0	0	0	0	0	0	0	0	0
1-4 5-9	2	0	2	2	0	2	0 1	0	0 1
10-14	0	0	0	0	0	0	0	0	0
15-24 25-34	3	1	2	0	0	0	3	1	2
35-44 45-54	10 7	0	10 5	8 4	0	8	2	0	2
55-64 65-74	19 26	4 13	15 13	15 13	2	13	4 13	2	2
75-84	23	13	11	13	8	5	10	6 4	6
85 and over Unknown	16 0	9	7 0	5 0	4 0	1 0	11	5 0	6

2019 Population
Total 9,632
White 1,942
Black 7,474
Other 216

^{*} Total includes races other than white and black.
** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death					rtality Ra	
Rank	Listed in Descending Order	Total*	White	Black	Total*	White	Black
	Total Of All Causes	318	274	43	1,103.6	1,169.3	971.3
1	Heart Diseases	82	71	11	284.6	303.0	248.5
2	Malignant Neoplasms	75	65	10	260.3		225.9
3	Emphysema and Other Chronic Lower Resp. Diseases	23	21	2	79.8	89.6	45.2
4	Cerebrovascular Disease	22	21	1	76.3	89.6	22.6
5	Accidents	19	16	2	65.9	68.3	45.2
6	Suicide	7	6	1	24.3	25.6	22.6
6	Alzheimer's Disease	7	7	0	24.3	29.9	0.0
8	Diabetes Mellitus	6	3	3	20.8	12.8	67.8
8	Septicemia	6	5	1	20.8	21.3	22.6
10	Nephritis, Nephrotic Syndrome And Nephrosis	4	1	3	13.9	4.3	67.8
10	Chronic Liver Disease And Cirrhosis	4	4	0	13.9	17.1	0.0
12	Influenza and Pneumonia	3	3	0	10.4	12.8	0.0
12	Parkinson's Disease	3	3	0	10.4	12.8	0.0
14	In Situ, Benign and Unspecified Neoplasms	2	2	0	6.9	8.5	0.0
15	Conditions Originating in the Perinatal Period**	1	0	1	3.0	0.0	18.5
15	Pneumonitis Due to Solids and Liquids	1	1	0	3.5	4.3	0.0
15	Hypertension/Hypertensive Renal Disease	1	0	1	3.5	0.0	22.6
15	Viral Hepatitis	1	1	0	3.5	4.3	0.0
	Not Included in Ranking						
	Symptoms, Signs, Ill-Defined Conditions	0	0	0	0.0	0.0	0.0
	All Other Causes	51	44	7	177.0	187.8	158.1

		Total*			Male -			Female	
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	318	274	43	164	141	22	154	133	21
Under 1	1	0	1	0	0	0	1	0	1
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	4	3	1	3	2	1	1	1	0
35-44	12	10	2	6	6	0	6	4	2
45-54	28	21	6	14	12	1	14	9	5
55-64	44	39	5	19	15	4	25	24	1
65-74	66	57	9	49	41	8	17	16	1
75-84	85	76	9	47	42	5	38	34	4
85 and over	77	68	9	25	23	2	52	45	7
Unknown	0	0	0	0	0	0	0	0	0

Total	28,815
White	23,433
Black	4,427
Other	955

^{*} Total includes races other than white and black.
** Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates. # Less than 0.05.

	Leading Causes of Death		Number		Mo	rtality R	ate**
Rank	Listed in Descending Order	Total*	White	Black	Total*	White	Black
	Total Of All Causes	173	110	63	1,211.0	1,417.5	1,021.9
1	Heart Diseases	50	30	20	350.0	386.6	324.4
2	Malignant Neoplasms	40	27	13	280.0	347.9	210.9
3	Cerebrovascular Disease	14	7	7	98.0	90.2	113.5
4	Emphysema and Other Chronic Lower Resp. Diseases	12	11	1	84.0	141.8	16.2
5	Accidents	11	7	4	77.0	90.2	64.9
6	Influenza and Pneumonia	5	2	3	35.0	25.8	48.7
6	Parkinson's Disease	5	4	1	35.0	51.5	16.2
8	Hypertension/Hypertensive Renal Disease	4	2	2	28.0	25.8	32.4
8	Diabetes Mellitus	4	1	3	28.0	12.9	48.7
10	Suicide	2	2	0	14.0	25.8	0.0
10	Nephritis, Nephrotic Syndrome And Nephrosis	2	1	1	14.0	12.9	16.2
10	Chronic Liver Disease And Cirrhosis	2	2	0	14.0	25.8	0.0
13	Homicide	1	0	1	7.0	0.0	16.2
13	Congenital Malformations and Chrom. Abnormalities	1	0	1	7.0	0.0	16.2
13	Alzheimer's Disease	1	1	0	7.0	12.9	0.0
13	In Situ, Benign and Unspecified Neoplasms	1	0	1	7.0	0.0	16.2
	Not Included in Ranking						
	Symptoms, Signs, Ill-Defined Conditions	1	0	1	7.0	0.0	16.2
	All Other Causes	17	13	4	119.0	167.5	64.9

^{*} Total includes races other than white and black.

[#] Less than 0.05.

Age	Total*	Total* White	Black	Total*	Male - White	Black		Female White	Black
Total	173	110	63	93	58	35	80	52	28
Under 1	1	0	1	1	0	1	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	4	2	2	3	1	2	1	1	0
35-44	9	2	7	5	2	3	4	0	4
45-54	13	8	5	7	4	3	6	4	2
55-64	25	14	11	18	12	6	7	2	5
65-74	41	21	20	25	12	13	16	9	7
75-84	37	31	6	23	19	4	14	12	2
85 and over	42	32	10	10	8	2	32	24	8
Unknown	0	0	0	0	0	0	0	0	0

Total	14,286
White	7,760
Black	6,165
Other	361

 ${\tt Published: 09/30/2020 - Mississippi \ State \ Department \ of \ Health, \ Office \ of \ Public \ Health \ Statistics}$

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		Number-		Mo		ate**
Rank	Listed in Descending Order	Total*	White	Black		White	Black
	Total Of All Causes	465	250		1,024.7		
1	Heart Diseases	104	59	44	229.2	268.5	196.8
2	Malignant Neoplasms	93	51	41		232.1	
3	Diabetes Mellitus	34	11	23	74.9	50.1	102.9
4	Emphysema and Other Chronic Lower Resp. Diseases	28	21	7	61.7	95.6	31.3
5	Accidents	26	16	10	57.3	72.8	44.7
6	Alzheimer's Disease	21	15	6	46.3	68.3	26.8
7	Cerebrovascular Disease	18	7	11	39.7	31.9	49.2
8	Influenza and Pneumonia	12	5	7	26.4	22.8	31.3
9	Nephritis, Nephrotic Syndrome And Nephrosis	9	3	5	19.8	13.7	22.4
10	Septicemia	8	5	3	17.6	22.8	13.4
11	Congenital Malformations and Chrom. Abnormalities	7	1	6	15.4	4.6	26.8
11	Hypertension/Hypertensive Renal Disease	7	3	4	15.4		17.9
13	Suicide	6	5	1	13.2	22.8	4.5
14	Homicide	5	0	5	11.0	0.0	22.4
14	Conditions Originating in the Perinatal Period**	5	0	5	8.7	0.0	15.8
16	Aortic Aneurysm and Dissection	3	2	1	6.6		4.5
16	Parkinson's Disease	3	1	2	6.6	4.6	8.9
18	Chronic Liver Disease And Cirrhosis	2	0	2	4.4	0.0	8.9
18	Pneumonitis Due to Solids and Liquids	2	0	2	4.4	0.0	8.9
18	Anemias	2	2	0	4.4	9.1	0.0
21	Complications Medical/Surgical Care	1	0	1	2.2	0.0	4.5
21	Malnutrition/Nutritional Deficiency	1	1	0	2.2	4.6	0.0
21	In Situ, Benign and Unspecified Neoplasms	1	1	0	2.2	4.6	0.0
	Not Included in Ranking						
	Symptoms, Signs, Ill-Defined Conditions	3	2	1	6.6	9.1	4.5
	All Other Causes	64	39	23	141.0	177.5	102.9

^{*} Total includes races other than white and black.

[#] Less than 0.05.

Age	 Total*	Total* White	Black	 Total*	Male - White	Black] Total*	Female White	Black
Total	465	250	210	251	134	116	214	116	94
Under 1 (Neonatal) (Postneonatal) 1-4 5-9 10-14 15-24 25-34 35-44 45-54 55-64	9 5 4 1 1 0 12 7 15 27 81	2 0 2 0 0 0 4 3 3 6 44	7 5 2 1 1 0 8 4 12 21 36	2 1 1 1 0 0 9 5 11 15 49	1 0 1 0 0 0 3 2 3 3 3	1 1 0 1 0 0 6 3 8 12 25	7 4 3 0 1 0 3 2 4 12 32	1 0 1 0 0 0 0 1 1 0 3 20	6 4 2 0 1 0 2 1 4 9
65-74 75-84 85 and over Unknown	118 100 94 0	68 61 59 0	50 37 33 0	75 54 30 0	42 35 21 0	33 18 9 0	43 46 64 0	26 26 38 0	17 19 24 0

Total	45,381
White	21,975
Black	22,357
Other	1,049

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		-Number-		Mortality Rate**			
Rank	Listed in Descending Order				Total*			
	Total Of All Causes	645	222			1,961.3		
1	Malignant Neoplasms	121	35	84	275.6	309.2		
2	Heart Diseases	103	38	65		335.7	204.5	
3	Diabetes Mellitus	57	21	35	129.8	185.5	110.1	
4	Accidents	46	19	27			85.0	
5	Cerebrovascular Disease	40	15	25	91.1	132.5	78.7	
6	Emphysema and Other Chronic Lower Resp. Diseases	36	25	11	82.0	220.9	34.6	
7	Nephritis, Nephrotic Syndrome And Nephrosis	30	3	27	68.3	26.5	85.0	
8	Hypertension/Hypertensive Renal Disease	22	4	18	50.1	35.3	56.6	
9	Homicide	16	0	16	36.4	0.0	50.3	
10	Alzheimer's Disease	15	10	5	34.2	88.3	15.7	
11	Chronic Liver Disease And Cirrhosis	7	2	4	15.9	17.7	12.6	
12	Influenza and Pneumonia	6	3	3	13.7	26.5	9.4	
12	Parkinson's Disease	6	4	2	13.7	35.3	6.3	
14	Malnutrition/Nutritional Deficiency	5	1	4	11.4		12.6	
14	Septicemia	5	0	5	11.4	0.0	15.7	
16	Suicide	3	1	2	6.8	8.8	6.3	
16	In Situ, Benign and Unspecified Neoplasms	3	2	1		17.7	3.1	
18	Complications Medical/Surgical Care	2	0	2	4.6		6.3	
18	Hernia	2	1	1			3.1	
18	Anemias	2	0	2	4.6	0.0	6.3	
21	Congenital Malformations and Chrom. Abnormalities	1	0	1	2.3	0.0	3.1	
21	Conditions Originating in the Perinatal Period**	1	0	1	1.6	0.0	2.0	
21	Maternal Causes**	1	0	1	160.0	0.0	204.1	
21	Hyperplasia of Prostate	1	0	1			7.0	
21	Cholelithiasis/Gallbladder Disorder	1	1	0	2.3		0.0	
21	HIV Disease	1	0	1			3.1	
21	Viral Hepatitis	1	1	0	2.3	8.8	0.0	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	14	3	10	31.9	26.5	31.5	
	All Other Causes	97	33	63	220.9		198.2	

^{*} Total includes races other than white and black.

[#] Less than 0.05.

Age	 Total*	Total* White	Black	 Total*	Male - White	Black	H Total*	emale White	Black
Total	645	222	417	324	109	212	321	113	205
Under 1 (Neonatal) (Postneonatal) 1-4 5-9 10-14 15-24 25-34 35-44 45-54 55-64	7 2 5 3 0 1 9 14 31 58	1 0 1 0 0 0 2 2 3 13 27	6 2 4 3 0 1 7 12 28 45 78	6 2 4 2 0 1 7 9 17 32	1 0 1 0 0 0 2 0 2 8 17	5 2 3 2 0 1 5 9 15 24 44	1 0 1 1 0 0 2 5 14 26	0 0 0 0 0 0 0 2 1 5	1 0 1 1 0 0 2 3 13 21 34
65-74 75-84 85 and over Unknown	147 138 132 0	55 52 67 0	91 83 63 0	81 64 44 0	28 22 29 0	52 40 15 0	66 74 88 0	27 30 38 0	39 43 48 0

Total 43,909
White 11,319
Black 31,782
Other 808

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		-Number-		Mortality Rate**			
Rank	Listed in Descending Order	Total*	White	Black	Total*	White	Black	
	Total Of All Causes	203	135	67	1,005.8	1,142.2	833.7	
1	Heart Diseases	52	38	14	257.6	321.5	174.2	
2	Malignant Neoplasms	48	33	15	237.8	279.2	186.7	
3	Accidents	11	7	4	54.5	59.2	49.8	
4	Cerebrovascular Disease	9	6	3	44.6	50.8	37.3	
5	Emphysema and Other Chronic Lower Resp. Diseases	8	6	2	39.6	50.8	24.9	
5	Alzheimer's Disease	8	7	1	39.6	59.2	12.4	
7	Influenza and Pneumonia	7	4	3	34.7			
8	Parkinson's Disease	5	4	1	24.8	33.8	12.4	
9	Conditions Originating in the Perinatal Period**	4	1	3	13.8	6.8	21.3	
10	Homicide	3	0	3	14.9	0.0	37.3	
10	Maternal Causes**	3	1	2	1,038.1	675.7	1,418.4	
10	Diabetes Mellitus	3	2	1	14.9	16.9	12.4	
13	Suicide	2	2	0	9.9	16.9	0.0	
13	Chronic Liver Disease And Cirrhosis	2	2	0	9.9	16.9	0.0	
15	Complications Medical/Surgical Care	1	1	0	5.0	8.5	0.0	
15	Nephritis, Nephrotic Syndrome And Nephrosis	1	1	0	5.0	8.5	0.0	
15	Pneumonitis Due to Solids and Liquids	1	0	1	5.0	0.0	12.4	
15	Aortic Aneurysm and Dissection	1	1	0	5.0	8.5	0.0	
15	Hypertension/Hypertensive Renal Disease	1	0	1	5.0	0.0	12.4	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	3	1	2	14.9	8.5	24.9	
	All Other Causes	30	18	11	148.6	152.3	136.9	

^{*} Total includes races other than white and black.

[#] Less than $0.0\overline{5}$.

Age	 Total*	Total* White	Black	 Total*	Male - White	Black	F Total*	emale White	 Black
Total	203	135	67	107	71	36	96	64	31
Under 1	4	1	3	2	1	1	2	0	2
(Neonatal)	3	1	2	2	1	1	1	0	1
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	4	2	2	4	2	2	0	0	0
25-34	7	2	5	4	1	3	3	1	2
35-44	5	2	3	2	1	1	3	1	2
45-54	14	8	6	11	5	6	3	3	0
55-64	31	22	9	20	13	7	11	9	2
65-74	33	18	14	18	10	8	15	8	6
75-84	55	44	11	33	28	5	22	16	6
85 and over	49	36	13	12	10	2	37	26	11
Unknown	0	0	0	0	0	0	0	0	0

Total 20,183 White 11,819 Black 8,036 Other 328

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		-Number-		Mortality Rate**			
Rank	Listed in Descending Order	Total*	White	Black	Total*	White		
	Total Of All Causes	124	101		1,279.8			
1	Heart Diseases	29	22	7	299.3	285.2	385.7	
2	Malignant Neoplasms	22	16	6	227.1	207.4	330.6	
3	Accidents	11	9	1	113.5	116.7	55.1	
4	Alzheimer's Disease	10	9	1	103.2	116.7	55.1	
5	Cerebrovascular Disease	7	5	2	72.2	64.8	110.2	
6	Emphysema and Other Chronic Lower Resp. Diseases	6	6	0	61.9	77.8	0.0	
7	Suicide	4	4	0	41.3	51.8	0.0	
8	Diabetes Mellitus	3	2	1	31.0	25.9	55.1	
9	Nephritis, Nephrotic Syndrome And Nephrosis	2	2	0	20.6	25.9	0.0	
9	Influenza and Pneumonia	2	2	0	20.6	25.9	0.0	
9	Septicemia	2	2	0	20.6	25.9	0.0	
12	Homicide	1	0	1	10.3	0.0	55.1	
12	Conditions Originating in the Perinatal Period**	1	0	1	8.3	0.0	47.6	
12	Chronic Liver Disease And Cirrhosis	1	1	0	10.3	13.0	0.0	
12	Atherosclerosis	1	1	0	10.3	13.0	0.0	
12	Parkinson's Disease	1	1	0	10.3	13.0	0.0	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	2	2	0	20.6	25.9	0.0	
	All Other Causes	19	17	2	196.1			

^{*} Total includes races other than white and black.

[#] Less than 0.05.

Age	Total*	Total* White	Black		Male - White	Black	I Total*	Female White	Black
Total	124	101	22	62	47	14	62	54	8
Under 1	1	0	1	0	0	0	1	0	1
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	2	1	0	1	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	0	0	0	1	1	0
25-34	4	3	1	2	1	1	2	2	0
35-44	4	3	1	3	2	1	1	1	0
45-54	4	3	1	3	2	1	1	1	0
55-64	22	18	4	13	12	1	9	6	3
65-74	20	15	5	12	8	4	8	7	1
75-84	39	34	5	21	16	5	18	18	0
85 and over	27	23	4	7	6	1	20	17	3
Unknown	0	0	0	0	0	0	0	0	0

-	
Total	9,689
White	7,715
Black	1,815
Other	159

 ${\tt Published: 09/30/2020 - Mississippi \ State \ Department \ of \ Health, \ Office \ of \ Public \ Health \ Statistics}$

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		-Number-		Mortality Rate**			
Rank	Listed in Descending Order	Total*	White	Black	Total*	White	Black	
	Total Of All Causes	129	46	82	1,494.8	1,891.4	1,345.8	
1	Heart Diseases	38	14	24	440.3	575.7	393.9	
2	Malignant Neoplasms	29	14	15	336.0	575.7	246.2	
3	Cerebrovascular Disease	8	1	7	92.7	41.1	114.9	
4	Accidents	7	1	6	81.1	41.1	98.5	
5	Emphysema and Other Chronic Lower Resp. Diseases	6	2	4	69.5	82.2	65.6	
5	Diabetes Mellitus	6	1	5	69.5	41.1	82.1	
7	Homicide	3	0	3	34.8	0.0	49.2	
7	Alzheimer's Disease	3	2	1	34.8	82.2	16.4	
9	Infections of Kidney	2	1	1	23.2	41.1	16.4	
9	Influenza and Pneumonia	2	0	2	23.2	0.0	32.8	
9	Parkinson's Disease	2	2	0	23.2	82.2	0.0	
9	Malnutrition/Nutritional Deficiency	2	2	0	23.2	82.2	0.0	
9	Septicemia	2	0	2	23.2	0.0	32.8	
14	Complications Medical/Surgical Care	1	0	1	11.6	0.0	16.4	
14	Cholelithiasis/Gallbladder Disorder	1	1	0	11.6	41.1	0.0	
14	Chronic Liver Disease And Cirrhosis	1	1	0	11.6	41.1	0.0	
14	Anemias	1	0	1	11.6	0.0	16.4	
14	In Situ, Benign and Unspecified Neoplasms	1	0	1	11.6	0.0	16.4	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	0	0	0	0.0	0.0	0.0	
	All Other Causes	14	4	9	162.2	164.5	147.7	

^{*} Total includes races other than white and black.

		Total*			Male -			Female	
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	129	46	82	69	20	48	60	26	34
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	1	0	1	1	0	1
25-34	1	0	1	1	0	1	0	0	0
35-44	5	0	5	4	0	4	1	0	1
45-54	15	5	10	10	4	6	5	1	4
55-64	20	8	12	9	3	6	11	5	6
65-74	32	10	22	18	5	13	14	5	9
75-84	28	11	17	16	7	9	12	4	8
85 and over	26	12	13	10	1	8	16	11	5
Unknown	0	0	0	0	0	0	0	0	0

Total 8,630 White 2,432 Black 6,093 Other 105

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates. # Less than 0.05.

Rank Listed in Descending Order Total* White Black Total* White Black Total* White Total	Rank	Leading Causes of Death Listed in Descending Order				Mo		
1 Heart Diseases								
2 Malignant Neoplasms		Total Of All Causes	231	145	85	1,286.5	1,594.3	1,011.4
2 Malignant Neoplasms	1	Heart Diagram	E 0	4.0	17	202 0	120 0	202 2
### Supplysema and Other Chronic Lower Resp. Diseases 17 14 3 94.7 153.9 35.7 A Alzheimer's Disease 16 12 4 89.1 131.9 47.6 Diabetes Mellitus 12 4 8 66.8 44.0 95.2 6 Accidents 11 6 5 61.3 66.0 59.5 6 Cerebrovascular Disease 11 6 5 61.3 66.0 59.5 6 Cerebrovascular Disease 11 6 5 61.3 66.0 59.5 7.7 Pneumonitis Due to Solids and Liquids 5 2 3 27.8 22.0 35.7 Pneumonitis Due to Solids and Liquids 4 3 1 22.3 33.0 11.9 10 Nephritis, Nephrotic Syndrome And Nephrosis 3 1 2 16.7 11.0 23.8 11 Homicide 2 0 2 11.1 0.0 23.8 12 Complications Medical/Surgical Care 1 1 0 5.6 11.0 0.0 23.8 12 Complications Medical/Surgical Care 1 1 0 5.6 11.0 0.0 12 Suicide 1 0 5.6 11.0 0.0 12 Conditions Originating in the Perinatal Period** 1 1 0 5.6 11.0 0.0 12 Conditions Originating in the Perinatal Period** 1 1 0 5.2 14.9 0.0 12 Maternal Causes** 1 1 0 523.6 1,492.5 0.0 12 Infections of Kidney 1 0 1 5.6 0.0 11.9 12 Chronic Liver Disease And Cirrhosis 1 1 0 5.6 11.0 0.0 12 Aortic Aneurysm and Dissection 1 0 1 5.6 0.0 11.9 12 Hypertension/Hypertensive Renal Disease 1 1 0 5.6 11.0 0.0 12 Parkinson's Disease 1 1 0 5.6 11.0 0.0 2.0 12 Anemias 1 1 0 5.6 11.0 0.0 2.0 12 Anemias 1 1 0 5.6 11.0 0.0 2.0 12 Anemias 1 1 0 5.6 11.0 0.0 2.0 12 Anemias 1 1 0 5.6 0.0 11.9 11.9 11.9 11.0 11.9 11.9 11.0 11.9 11.0 11.9 11.9	_							
## Alzheimer's Disease				2 O	20			
5 Diabetes Mellitus 12 4 8 66.8 44.0 95.2 6 Accidents 11 6 5 61.3 66.0 59.5 6 Cerebrovascular Disease 11 6 5 61.3 66.0 59.5 8 Influenza and Pneumonia 5 2 3 27.8 22.0 35.7 9 Pneumonitis Due to Solids and Liquids 4 3 1 22.3 33.0 11.9 10 Nephritis, Nephrotic Syndrome And Nephrosis 3 1 2 16.7 11.0 23.8 11 Homicide 2 0 2 11.1 0.0 23.8 12 Complications Medical/Surgical Care 1 1 0 5.6 11.0 0.0 12 Suicide 1 1 0 5.6 11.0 0.0 12 Congenital Malformations and Chrom. Abnormalities 1 1 0 5.6 11.0 0.0 12 Conditions Originating in the Perinatal Period** 1 1 0 5.6 11.0 0.0 12 Maternal Causes** 1 1 0 523.6 1,492.5 0.0 12 Infections of Kidney 1 0 1 5.6 0.0 11.9 12 Chronic Liver Disease And Cirrhosis 1 1 0 5.6 11.0 0.0 12 Aortic Aneurysm and Dissection 1 0 1 5.6 0.0 11.9 12 Hypertension/Hypertensive Renal Disease 1 1 0 5.6 11.0 0.0 12 Parkinson's Disease 1 1 0 5.6 11.0 0.0 12 Parkinson's Disease 1 1 0 5.6 11.0 0.0 12 Parkinson's Disease 1 1 0 5.6 11.0 0.0 12 Parkinson's Disease 1 1 0 5.6 11.0 0.0 12 Parkinson's Disease 1 1 0 5.6 11.0 0.0 12 Parkinson's Disease 1 1 0 5.6 11.0 0.0 12 Parkinson's Disease 1 1 1 0 5.6 11.0 0.0 12 Parkinson's Disease 1 1 1 0 5.6 11.0 0.0 12 Parkinson's Disease 1 1 1 0 5.6 11.0 0.0 12 Parkinson's Disease 1 1 1 0 5.6 11.0 0.0 12 Parkinson's Disease 1 1 1 0 5.6 11.0 0.0 12 Parkinson's Disease 1 1 1 0 5.6 11.0 0.0 12 Parkinson's Disease 1 1 1 0 5.6 11.0 0.0 12 Parkinson's Disease 1 1 1 0 5.6 11.0 0.0 12 Parkinson's Disease 1 1 1 0 5.6 11.0 0.0 12 Parkinson's Disease 1 1 1 0 5.6 11.0 0.0 12 Parkinson's Disease 1 1 1 0 5.6 11.0 0.0 11.9 12 Parkinson's Disease 1 1 1 0 5.6 11.0 0.0 11.9 12 Parkinson's Disease 1 1 1 0 5.6 11.0 0.0 11.9 12 Parkinson's Disease 1 1 1 0 5.6 11.0 0.0 11.9 12 Parkinson's Disease 1 1 1 0 5.6 11.0 0.0 11.9 12 Parkinson's Disease 1 1 1 0 5.6 11.0 0.0 11.9 12 Parkinson's Disease 1 1 1 0 5.6 11.0 0.0 11.9 12 Parkinson's Disease 1 1 1 0 5.6 11.0 0.0 11.9 12 Parkinson's Disease 1 1 1 0 5.6 11.0 0.0 11.9 12 Parkinson's Disease 1 1 1 0 5.6 11.0 0.0 11.9 12 Parkinson's Disease 1 1 1 0 5.6 11.0	-							
6 Accidents 6 Cerebrovascular Disease 7 Influenza and Pneumonia 8 Influenza and Pneumonia 9 Pneumonitis Due to Solids and Liquids 10 Nephritis, Nephrotic Syndrome And Nephrosis 11 1 6 5 61.3 66.0 59.5 1 11 6 5 61.3 66.0 59.5 2 3 27.8 22.0 35.7 3 Pneumonitis Due to Solids and Liquids 4 3 1 22.3 33.0 11.9 10 Nephritis, Nephrotic Syndrome And Nephrosis 3 1 2 16.7 11.0 23.8 11 Homicide 2 0 2 11.1 0.0 23.8 12 Complications Medical/Surgical Care 1 1 0 5.6 11.0 0.0 12 Suicide 1 1 0 5.6 11.0 0.0 12 Congenital Malformations and Chrom. Abnormalities 1 1 0 5.6 11.0 0.0 12 Conditions Originating in the Perinatal Period** 1 1 0 5.2 14.9 0.0 12 Conditions Originating in the Perinatal Period** 1 1 0 523.6 1,492.5 0.0 12 Infections of Kidney 1 1 0 5.6 0.0 11.9 12 Chronic Liver Disease And Cirrhosis 1 1 0 5.6 0.0 11.9 12 Aortic Aneurysm and Dissection 1 1 0 5.6 11.0 0.0 12 Parkinson's Disease 1 1 0 5.6 11.0 0.0 12 Parkinson's Disease 1 1 0 5.6 11.0 0.0 12 Parkinson's Disease 1 1 0 5.6 11.0 0.0 12 Anemias 1 1 0 5.6 11.0 0.0 13 Anemias 14 1 0 5.6 11.0 0.0 15 Anemias 15 Anemias 17 D 5.6 0.0 11.9 17 Anemias 18 Septicemia 19 D 5.6 11.0 0.0 19 Septicemia 10 1 5.6 0.0 11.9 10 0.0 11 0.0 11 0.0 12 Septicemia 11 0 5.6 0.0 11.9 11 0 5.6 0.0 11.9 11 0 5.6 0.0 11.9	_							
6 Cerebrovascular Disease	-							
8 Influenza and Pneumonia 9 Pneumonitis Due to Solids and Liquids 10 Nephritis, Nephrotic Syndrome And Nephrosis 3 1 2 16.7 11.0 23.8 11 Homicide 2 0 2 11.1 0.0 23.8 12 Complications Medical/Surgical Care 1 1 0 5.6 11.0 0.0 12 Suicide 1 1 0 5.6 11.0 0.0 12 Congenital Malformations and Chrom. Abnormalities 1 1 0 5.6 11.0 0.0 12 Conditions Originating in the Perinatal Period** 1 1 0 5.6 11.0 0.0 12 Maternal Causes** 1 1 0 5.6 11.0 0.0 12 Infections of Kidney 1 1 0 5.6 11.0 0.0 12 Chronic Liver Disease And Cirrhosis 1 1 0 5.6 11.0 0.0 12 Aortic Aneurysm and Dissection 1 0 1 5.6 0.0 11.9 12 Hypertension/Hypertensive Renal Disease 1 1 0 5.6 11.0 0.0 12 Parkinson's Disease 1 1 0 5.6 11.0 0.0 12 Anemias 1 1 0 5.6 11.0 0.0 13 Anemias 1 1 0 5.6 11.0 0.0 14 Anemias 1 1 0 5.6 11.0 0.0 15 Septicemia 1 1 0 5.6 11.0 0.0 16 Septicemia 1 1 0 5.6 11.0 0.0 17 Anemias 1 1 0 5.6 11.0 0.0 18 Septicemia 1 1 0 5.6 0.0 11.9 19 Not Included in Ranking Symptoms, Signs, Ill-Defined Conditions 2 2 0 11.1 22.0 0.0					5	61.3	66.0	59.5
9 Pneumonitis Due to Solids and Liquids 10 Nephritis, Nephrotic Syndrome And Nephrosis 11 Homicide 12 Complications Medical/Surgical Care 13 1 0 5.6 11.0 0.0 12 Suicide 14 1 0 5.6 11.0 0.0 15 Congenital Malformations and Chrom. Abnormalities 15 1 1 0 5.6 11.0 0.0 16 Conditions Originating in the Perinatal Period** 16 1 1 0 5.6 11.0 0.0 17 Maternal Causes** 17 1 0 5.2 14.9 0.0 18 Maternal Causes** 19 1 1 0 5.6 0.0 11.9 19 Chronic Liver Disease And Cirrhosis 10 1 5.6 0.0 11.9 11 Aortic Aneurysm and Dissection 11 1 0 5.6 11.0 0.0 12 Parkinson's Disease 12 Malnutrition/Nypertensive Renal Disease 13 1 0 5.6 11.0 0.0 18 Malnutrition/Nutritional Deficiency 19 Anemias 10 5.6 11.0 0.0 19 Anemias 10 5.6 11.0 0.0 10 5.6 11.0 0.0 11 5.6 0.0 11.9 12 Septicemia 10 5.6 11.0 0.0 13 Anemias 11 1 0 5.6 11.0 0.0 14 Anemias 15 Anemias 17 Anemias 18 Anemias 19 Anemias 19 Anemias 10 Anemias 11 Anemias 11 Anemias 11 Anemias 12 Anemias 13 Anemias 14 Anemias 15 Anemias 16 Anemias 17 Anemias 18 Anemias 19 Anemias 19 Anemias 10 Anemias 11 Anemias 11 Anemias 12 Anemias 13 Anemias 14 Anemias 15 Anemias 16 Anemias 17 Anemias 18 Anemias 19 Anemias 19 Anemias 10 Anemias 11 Anemias 11 Anemias 12 Anemias 13 Anemias 14 Anemias 15 Anemias 16 Anemias 17 Anemias 18 Anemias 19 Anemias 19 Anemias 10 Anemias 10 Anemias 11 Anemias 11 Anemias 12 Anemias 13 Anemias 14 Anemias 15 Anemias 16 Anemias 17 Anemias 18 Anemias 19 Anemias 19 Anemias 10 Anemias 11 Anemias 11 Anemias 11 Anemias 12 Anemias 13 Anemias 14 Anemias 15 Anemias 16 Anemias 17 Anemias 18 Anemias 19 Anemias 10 Anemias 11 Anemias 11 Anemias 11 Anemias 12 Anemias 13 Anemias 14 Anemias 15 Anemias 16 Anemias 17 Anemias 18 Anemias 19 Anemias 19 Anemias 10 Anemias 10 Anemias 11 Anemias 11 Anemias 11 Anemias 12 Anemias 13 Anemias 14 Anemias 15 Anemias 16 Anemias 17 Anemias 18 Anemias 18 Anemias 19 Anemias 19 Anemias 10 Anemias 10 Anemias 11 Anemias 11 Anemias 12 Anemias 13 Anemias 14 Anemias 15 Anemias 16 Anemias 17 Anemias 18 Anemia					5	61.3	66.0	59.5
10 Nephritis, Nephrotic Syndrome And Nephrosis 3 1 2 16.7 11.0 23.8 11 Homicide 2 0 2 11.1 0.0 23.8 12 Complications Medical/Surgical Care 1 1 0 5.6 11.0 0.0 12 Suicide 1 1 0 5.6 11.0 0.0 12 Congenital Malformations and Chrom. Abnormalities 1 1 0 5.6 11.0 0.0 12 Conditions Originating in the Perinatal Period** 1 1 0 5.2 14.9 0.0 12 Maternal Causes** 1 1 0 5.2 14.9 0.0 12 Infections of Kidney 1 0 1 5.6 0.0 11.9 12 Chronic Liver Disease And Cirrhosis 1 1 0 5.6 11.0 0.0 12 Aortic Aneurysm and Dissection 1 0 1 5.6 0.0 11.9 12 Hypertension/Hypertensive Renal Disease 1 1 0 5.6 11.0 0.0 12 Parkinson's Disease 1 1 0 5.6 11.0 0.0 12 Malnutrition/Nutritional Deficiency 1 1 0 5.6 11.0 0.0 12 Anemias 1 1 0 5.6 11.0 0.0 12 Septicemia 1 0 5.6 11.0 0.0 12 Septicemia 1 0 5.6 11.0 0.0 11.9 12 Septicemia 1 1 0 5.6 0.0 11.9 11.9 12 Septicemia 1 1 0 5.6 0.0 11.9 11.9 12 Septicemia 1 1 1 0 5.6 0.0 11.9 11.9 12 Septicemia 1 1 1 0 5.6 0.0 11.9 11.9 11.9 11.0 0.0 11.9 11.9 1					3	27.8		
11 Homicide 2 0 2 11.1 0.0 23.8 12 Complications Medical/Surgical Care 1 1 0 5.6 11.0 0.0 12 Suicide 1 0 5.6 11.0 0.0 12 Congenital Malformations and Chrom. Abnormalities 1 1 0 5.6 11.0 0.0 12 Conditions Originating in the Perinatal Period** 1 1 0 5.6 11.0 0.0 12 Maternal Causes** 1 1 0 523.6 1,492.5 0.0 12 Infections of Kidney 1 0 1 5.6 0.0 11.9 12 Chronic Liver Disease And Cirrhosis 1 1 0 5.6 11.0 0.0 12 Aortic Aneurysm and Dissection 1 0 1 5.6 0.0 11.9 12 Hypertension/Hypertensive Renal Disease 1 1 0 5.6 11.0 0.0 12 Parkinson's Disease 1 1 0 5.6 11.0 0.0 12 Parkinson's Disease 1 1 0 5.6 11.0 0.0 12 Anemias 1 1 0 5.6 11.0 0.0 12 Anemias 1 1 0 5.6 11.0 0.0 13 Septicemia 1 1 0 5.6 11.0 0.0 14 Anemias 1 1 0 5.6 11.0 0.0 15 Septicemia 1 1 0 5.6 0.0 11.9 17 Not Included in Ranking Symptoms, Signs, Ill-Defined Conditions 2 2 0 11.1 22.0 0.0			-	3				
12 Complications Medical/Surgical Care 1 1 1 0 5.6 11.0 0.0 12 Suicide 1 1 1 0 5.6 11.0 0.0 12 Congenital Malformations and Chrom. Abnormalities 1 1 0 5.6 11.0 0.0 12 Conditions Originating in the Perinatal Period** 1 1 0 5.2 14.9 0.0 12 Maternal Causes** 1 1 0 523.6 1,492.5 0.0 12 Infections of Kidney 1 0 1 5.6 0.0 11.9 12 Chronic Liver Disease And Cirrhosis 1 1 0 5.6 11.0 0.0 12 Aortic Aneurysm and Dissection 1 0 1 5.6 0.0 11.9 12 Hypertension/Hypertensive Renal Disease 1 1 0 5.6 11.0 0.0 12 Parkinson's Disease 1 1 0 5.6 11.0 0.0 12 Malnutrition/Nutritional Deficiency 1 1 0 5.6 11.0 0.0 12 Anemias 1 1 0 5.6 11.0 0.0 12 Septicemia 1 1 0 5.6 11.0 0.0 12 Septicemia 1 1 0 5.6 0.0 11.9 11.9 11.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.0 1.				Ţ				
12 Congenital Malformations and Chrom. Abnormalities 1 1 0 5.6 11.0 0.0 12 Conditions Originating in the Perinatal Period** 1 1 0 5.2 14.9 0.0 12 Maternal Causes** 1 1 0 523.6 1,492.5 0.0 12 Infections of Kidney 1 0 1 5.6 0.0 11.9 12 Chronic Liver Disease And Cirrhosis 1 1 0 5.6 11.0 0.0 12 Aortic Aneurysm and Dissection 1 0 5.6 11.0 0.0 12 Hypertension/Hypertensive Renal Disease 1 1 0 5.6 11.0 0.0 12 Parkinson's Disease 1 1 0 5.6 11.0 0.0 12 Malnutrition/Nutritional Deficiency 1 1 0 5.6 11.0 0.0 12 Anemias 1 1 0 5.6 11.0 0.0 12 Septicemia 1 1 0 5.6 11.0 0.0 12 Septicemia 1 1 0 5.6 11.0 0.0 11.9 11.9 11.0 11.0 11.9 11.0 11.9 11.0 11.0						11.1	0.0	23.8
12 Congenital Malformations and Chrom. Abnormalities 1 1 0 5.6 11.0 0.0 12 Conditions Originating in the Perinatal Period** 1 1 0 5.2 14.9 0.0 12 Maternal Causes** 1 1 0 523.6 1,492.5 0.0 12 Infections of Kidney 1 0 1 5.6 0.0 11.9 12 Chronic Liver Disease And Cirrhosis 1 1 0 5.6 11.0 0.0 12 Aortic Aneurysm and Dissection 1 0 5.6 11.0 0.0 12 Hypertension/Hypertensive Renal Disease 1 1 0 5.6 11.0 0.0 12 Parkinson's Disease 1 1 0 5.6 11.0 0.0 12 Malnutrition/Nutritional Deficiency 1 1 0 5.6 11.0 0.0 12 Anemias 1 1 0 5.6 11.0 0.0 12 Septicemia 1 1 0 5.6 11.0 0.0 12 Septicemia 1 1 0 5.6 11.0 0.0 11.9 11.9 11.0 11.0 11.9 11.0 11.9 11.0 11.0						5.6	11.0	0.0
12 Congenital Malformations and Chrom. Abnormalities 1 1 0 5.6 11.0 0.0 12 Conditions Originating in the Perinatal Period** 1 1 0 5.2 14.9 0.0 12 Maternal Causes** 1 1 0 523.6 1,492.5 0.0 12 Infections of Kidney 1 0 1 5.6 0.0 11.9 12 Chronic Liver Disease And Cirrhosis 1 1 0 5.6 11.0 0.0 12 Aortic Aneurysm and Dissection 1 0 5.6 11.0 0.0 12 Hypertension/Hypertensive Renal Disease 1 1 0 5.6 11.0 0.0 12 Parkinson's Disease 1 1 0 5.6 11.0 0.0 12 Malnutrition/Nutritional Deficiency 1 1 0 5.6 11.0 0.0 12 Anemias 1 1 0 5.6 11.0 0.0 12 Septicemia 1 1 0 5.6 11.0 0.0 12 Septicemia 1 1 0 5.6 11.0 0.0 11.9 11.9 11.0 11.0 11.9 11.0 11.9 11.0 11.0			_		0	5.6	11.0	0.0
12 Maternal Causes** 1 1 0 523.6 1,492.5 0.0 12 Infections of Kidney 1 1 0 1 5.6 0.0 11.9 12 Chronic Liver Disease And Cirrhosis 1 1 0 5.6 11.0 0.0 12 Aortic Aneurysm and Dissection 1 0 1 5.6 0.0 11.9 12 Hypertension/Hypertensive Renal Disease 1 1 0 5.6 11.0 0.0 12 Parkinson's Disease 1 1 0 5.6 11.0 0.0 12 Malnutrition/Nutritional Deficiency 1 1 0 5.6 11.0 0.0 12 Anemias 1 1 0 5.6 11.0 0.0 12 Septicemia 1 1 0 5.6 11.0 0.0 13 Septicemia 1 1 0 5.6 11.0 0.0 14 Septicemia 1 1 0 5.6 0.0 11.9 15 Septicemia 1 1 0 5.6 0.0 0.0 11.9			_			5.6	11.0	0.0
12 Infections of Kidney 12 Chronic Liver Disease And Cirrhosis 13 1 1 0 5.6 11.0 0.0 12 Aortic Aneurysm and Dissection 14 1 0 1 5.6 0.0 11.9 15 Hypertension/Hypertensive Renal Disease 15 1 1 0 5.6 11.0 0.0 17 Parkinson's Disease 18 1 1 0 5.6 11.0 0.0 18 Malnutrition/Nutritional Deficiency 19 1 1 0 5.6 11.0 0.0 19 Anemias 10 1 1 0 5.6 11.0 0.0 10 Septicemia 11 1 0 5.6 11.0 0.0 11 Septicemia 12 Not Included in Ranking Symptoms, Signs, Ill-Defined Conditions 10 1 1 1 22.0 0.0			-	_				
12 Chronic Liver Disease And Cirrhosis 1 1 0 5.6 11.0 0.0 12 Aortic Aneurysm and Dissection 1 0 1 5.6 0.0 11.9 12 Hypertension/Hypertensive Renal Disease 1 1 0 5.6 11.0 0.0 12 Parkinson's Disease 1 1 0 5.6 11.0 0.0 12 Malnutrition/Nutritional Deficiency 1 1 0 5.6 11.0 0.0 12 Anemias 1 0 5.6 11.0 0.0 12 Septicemia 1 1 0 5.6 11.0 0.0 12 Septicemia 1 0 1 5.6 0.0 11.9 11.9 11.0 12 Septicemia 2 2 0 11.1 22.0 0.0			_	1			1,492.5	0.0
12 Aortic Aneurysm and Dissection 1 0 1 5.6 0.0 11.9 12 Hypertension/Hypertensive Renal Disease 1 1 0 5.6 11.0 0.0 12 Parkinson's Disease 1 1 0 5.6 11.0 0.0 12 Malnutrition/Nutritional Deficiency 1 1 0 5.6 11.0 0.0 12 Anemias 1 1 0 5.6 11.0 0.0 12 Septicemia 1 0 5.6 11.0 0.0 13 Septicemia 2 2 0 11.1 22.0 0.0		Infections of Kidney	_	•	1	5.6	0.0	11.9
12 Aortic Aneurysm and Dissection 1 0 1 5.6 0.0 11.9 12 Hypertension/Hypertensive Renal Disease 1 1 0 5.6 11.0 0.0 12 Parkinson's Disease 1 1 0 5.6 11.0 0.0 12 Malnutrition/Nutritional Deficiency 1 1 0 5.6 11.0 0.0 12 Anemias 1 1 0 5.6 11.0 0.0 12 Septicemia 1 0 5.6 11.0 0.0 13 Septicemia 2 2 0 11.1 22.0 0.0	12	Chronic Liver Disease And Cirrhosis	1	1	0	5.6	11.0	0.0
12 Hypertension/Hypertensive Renal Disease 1 1 0 5.6 11.0 0.0 12 Parkinson's Disease 1 1 0 5.6 11.0 0.0 12 Malnutrition/Nutritional Deficiency 1 1 0 5.6 11.0 0.0 12 Anemias 1 1 0 5.6 11.0 0.0 12 Septicemia 1 0 1 5.6 0.0 11.9 Not Included in Ranking Symptoms, Signs, Ill-Defined Conditions 2 2 0 11.1 22.0 0.0	12	Aortic Aneurysm and Dissection			1	5.6	0.0	11.9
12 Parkinson's Disease 1 1 0 5.6 11.0 0.0 12 Malnutrition/Nutritional Deficiency 1 1 0 5.6 11.0 0.0 12 Anemias 1 1 0 5.6 11.0 0.0 12 Septicemia 1 0 1 5.6 0.0 11.9 Not Included in Ranking Symptoms, Signs, Ill-Defined Conditions 2 2 0 11.1 22.0 0.0	12	Hypertension/Hypertensive Renal Disease	1	1	0	5.6	11.0	0.0
12 Anemias 1 1 0 5.6 11.0 0.0 12 Septicemia 1 0 1 5.6 0.0 11.9 Not Included in Ranking Symptoms, Signs, Ill-Defined Conditions 2 2 0 11.1 22.0 0.0	12	Parkinson's Disease	1	1	0			
12 Septicemia 1 0 1 5.6 0.0 11.9 Not Included in Ranking Symptoms, Signs, Ill-Defined Conditions 2 2 0 11.1 22.0 0.0	12	Malnutrition/Nutritional Deficiency	1	1	0	5.6	11.0	0.0
Not Included in Ranking Symptoms, Signs, Ill-Defined Conditions 2 2 0 11.1 22.0 0.0	12	Anemias	1	1	0			0.0
Symptoms, Signs, Ill-Defined Conditions 2 2 0 11.1 22.0 0.0	12	Septicemia	1	0	1	5.6	0.0	11.9
Symptoms, Signs, Ill-Defined Conditions 2 2 0 11.1 22.0 0.0		Not Included in Ranking						
		<u> </u>	2.	2	0	11.1	22.0	0.0

^{*} Total includes races other than white and black.

[#] Less than 0.05.

Age	 Total*	Total*	 Black	 Total*		 Black] Total*	Temale	 Black
Total	231	145	85	114	73	40	117	72	45
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	1	1	0	0	0	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	2	2	3	1	2	1	1	0
25-34	6	2	4	4	1	3	2	1	1
35-44	6	1	5	3	1	2	3	0	3
45-54	11	5	5	3	1	1	8	4	4
55-64	32	14	18	16	6	10	16	8	8
65-74	46	29	17	32	22	10	14	7	7
75-84	52	34	18	28	21	7	24	13	11
85 and over	72	56	16	25	20	5	47	36	11
Unknown	0	0	0	0	0	0	0	0	0

Total 17,955
White 9,095
Black 8,404
Other 456 Other

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

	Leading Causes of Death		-Number-		Mortality Rate**			
Rank	Listed in Descending Order	Total*	White	Black	Total*	White	Black	
	Total Of All Causes	208	150	58	1,717.9	2,090.3	1,232.5	
1	Heart Diseases	69	50	19	569.9	696.8	403.7	
2	Malignant Neoplasms	46	27	19	379.9	376.3	403.7	
3	Emphysema and Other Chronic Lower Resp. Diseases	18	16	2	148.7	223.0	42.5	
4	Accidents	12	7	5	99.1	97.5	106.2	
5	Chronic Liver Disease And Cirrhosis	7	7	0	57.8	97.5	0.0	
5	Cerebrovascular Disease	7	6	1	57.8	83.6	21.2	
5	Alzheimer's Disease	7	6	1	57.8	83.6	21.2	
5	Diabetes Mellitus	7	4	3	57.8	55.7	63.7	
9	Nephritis, Nephrotic Syndrome And Nephrosis	4	1	3	33.0	13.9	63.7	
10	Complications Medical/Surgical Care	3	3	0	24.8	41.8	0.0	
10	Suicide	3	3	0	24.8	41.8	0.0	
10	Influenza and Pneumonia	3	2	1	24.8	27.9	21.2	
10	Hypertension/Hypertensive Renal Disease	3	2	1	24.8	27.9	21.2	
14	Aortic Aneurysm and Dissection	2	2	0	16.5	27.9	0.0	
15	In Situ, Benign and Unspecified Neoplasms	1	1	0	8.3	13.9	0.0	
15	Tuberculosis	1	0	1	8.3	0.0	21.2	
	Not Included in Ranking							
	Symptoms, Signs, Ill-Defined Conditions	2	1	1	16.5	13.9	21.2	
	All Other Causes	13	12	1	107.4		21.2	

^{*} Total includes races other than white and black.

[#] Less than 0.05.

			Total*		Male		Female		
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	208	150	58	101	69	32	107	81	26
Under 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	2	1	1	2	1	1	0	0	0
25-34	2	2	0	2	2	0	0	0	0
35-44	4	2	2	2	0	2	2	2	0
45-54	17	15	2	7	7	0	10	8	2
55-64	36	20	16	20	10	10	16	10	6
65-74	53	35	18	33	20	13	20	15	5
75-84	51	41	10	20	16	4	31	25	6
85 and over	42	33	9	14	12	2	28	21	7
Unknown	0	0	0	0	0	0	0	0	0

Total	12,108
White	7,176
Black	4,706
	•
Other	226

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.

Dank	Leading Causes of Death Listed in Descending Order				Mortality Rate** Total* White Black		
Ralik	Listed in Descending Order						
	Total Of All Causes	285				1,256.1	
1	Malignant Neoplasms	66	38	28	222.3	316.1	
2	Heart Diseases	52	27			224.6	
3	Diabetes Mellitus	24	10			83.2	
4	Emphysema and Other Chronic Lower Resp. Diseases	20	11			91.5	
5	Cerebrovascular Disease	18	12	6		99.8	
6	Accidents	14	8	6	47.2	66.6	35.4
7	Alzheimer's Disease	13	6	7	43.8	49.9	41.3
8	Homicide	8	2	6	26.9	16.6	35.4
9	Suicide	7	4	3			
9	Septicemia	7	2	5	23.6	16.6	29.5
11	Nephritis, Nephrotic Syndrome And Nephrosis	6	3	3	20.2	25.0	17.7
12	Pneumonitis Due to Solids and Liquids	3	3	0	10.1	25.0	0.0
12	Influenza and Pneumonia	3	1	2	10.1	8.3	11.8
14	HIV Disease	2	0	2	6.7	0.0	11.8
15	Legal Intervention	1	0	1	6.7 3.4	0.0	5.9
15	Congenital Malformations and Chrom. Abnormalities	1	0		3.4		5.9
15	Conditions Originating in the Perinatal Period**	1	1	0	3.2	12.8	0.0
15	Maternal Causes**	1	0	1	322.6	0.0	440.5
15	Chronic Liver Disease And Cirrhosis	1	1	0	3.4	8.3	
15	Hypertension/Hypertensive Renal Disease	1	0	1	3.4	0.0	5.9
15	Parkinson's Disease	1	1	0	3.4		0.0
15	Malnutrition/Nutritional Deficiency	1	1	0	3.4	8.3	0.0
15	Anemias	1	0	1	3.4	0.0	5.9
15	Salmonella Infection	1	1	0	3.4	8.3	0.0
	Not Included in Ranking						
	Symptoms, Signs, Ill-Defined Conditions	1	0	1	3.4	0.0	5.9
	All Other Causes	31	19			158.1	

^{*} Total includes races other than white and black.

[#] Less than 0.05.

_				Male			Female		
Age	Total*	White	Black	Total*	White	Black	Total*	White	Black
Total	285	151	134	156	80	76	129	71	58
Under 1	1	1	0	0	0	0	1	1	0
(Neonatal)	1	1	0	0	0	0	1	1	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	1	5	6	1	5	0	0	0
25-34	10	5	5	7	4	3	3	1	2
35-44	8	1	7	5	1	4	3	0	3
45-54	20	5	15	15	4	11	5	1	4
55-64	45	17	28	26	11	15	19	6	13
65-74	55	26	29	31	12	19	24	14	10
75-84	70	49	21	36	28	8	34	21	13
85 and over	69	46	23	30	19	11	39	27	12
Unknown	0	0	0	0	0	0	0	0	0

2019 Population
Total 29,690
White 12,021
Black 16,967 Other 702

^{**} Deaths per 100,000 population, except deaths from maternal causes are per 100,000 live births and deaths from conditions originating in the perinatal period are per 1,000 live births. Population figures are 2019 estimates.