


# VITAL STATISTICS

## MISSISSIPPI

### 1962



Public Health Statistics  
Mississippi State Board of Health  
Jackson, Mississippi  
A. L. Gray, M. D., Executive Officer

VITAL STATISTICS

MISSISSIPPI

1962

\*\*\*\*\*

MISSISSIPPI STATE BOARD OF HEALTH  
JACKSON, MISSISSIPPI

A. L. GRAY, M. D., EXECUTIVE OFFICER

## TABLE OF CONTENTS

	Page
<b>SYNOPSIS OF VITAL STATISTICS, MISSISSIPPI, 1962</b>	
Introduction .....	I
Live Births .....	II
Fetal Deaths .....	V
Deaths .....	VIII
Marriages .....	XVIII
Divorces .....	XX
 <b>POPULATION</b>	
Table 1. Population Estimates, by County, by Race, Mississippi, July 1, 1962 .....	1
 <b>LIVE BIRTHS</b>	
Table 2. By Place of Occurrence, and by Place of Residence of Mother, by Race, with Rates, Mississippi, 1962 .....	3
Table 3. By Place of Residence of Mother, by Race and Attendant, and by Sex, Mississippi, 1962 .....	6
 <b>FETAL DEATHS</b>	
Table 4. By Place of Occurrence, by Place of Residence of Mother, by Race and Attendant, and by Sex, Mississippi, 1962 .....	10
 <b>DEATHS</b>	
Table 5. By Cause of Death, by Race, Residence Data, Mississippi, 1962 .....	14
Table 6. By Place of Occurrence, and by Place of Residence, by Race, with Rates, Mississippi, 1962 .....	25
Table 7. By Cause Groups and Certain Selected Causes, by Race, Sex, and Age, with Total Rates, Residence Data, Mississippi, 1962 .....	28
 <b>DEATHS UNDER 1 YEAR</b>	
Table 8. By Selected Causes, by Race and Age, with Total Rates, Residence Data, Mississippi, 1962 .....	36

MARRIAGES AND DIVORCES

Table 9. Marriages by Place of Licensure, and by Place of Residence of Bride, by Race of Bride; Divorces by Place of Occurrence, by Race, Mississippi, 1962 .....	40
Table 10. Divorces by Cause of Divorce, by Race, Mississippi, 1962 ..	42
Divorces by Number of Minor Children, by Race, Mississippi, 1962 .....	42
Divorces by Number of Years Married, by Race, Mississippi, 1962 .....	42

SUMMARY TABLES

Table 11. <u>Live Births, Mississippi, 1913-1962</u> , by Year, by Race, with Rates, Occurrence Data 1913-1943, Residence Data, 1944-1962 .....	43
Table 12. <u>Deaths, Mississippi, 1913-1962</u> , by Year, by Race, with Rates, Occurrence Data 1913-1943, Residence Data 1944-1962 .....	45
Table 13. <u>Maternal Deaths, Mississippi, 1913-1962</u> , by Year, by Race, with Rates, Occurrence Data 1913-1943, Residence Data 1944-1962 .....	47
Table 14. <u>Deaths Under 1 Year, Mississippi, 1917-1962</u> , by Year, by Race, with Rates, Occurrence Data 1917-1943, Residence Data 1944-1962.....	49
Table 15. <u>Deaths Under 1 Month, Mississippi, 1924-1962</u> , by Year, by Race, with Rates, Occurrence Data 1924-1944, Residence Data 1945-1962 .....	51
Table 16. <u>Deaths from Heart Diseases, Vascular Lesions, Malignant Neoplasms, Accidents, and Influenza and Pneumonia, Mississippi, 1953-1962</u> , by Year and Race, with Rates, Residence Data .....	52
Table 17. <u>Marriages and Divorces, Mississippi, 1926-1962</u> , by Year, by Race, Occurrence Data .....	53
BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS, AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH, by Place of Occurrence, and by Place of Residence, by Race, with Rates, 1962	
County Tables .....	57
State Table .....	139

## SYNOPSIS OF 1962 VITAL STATISTICS

### INTRODUCTION

The 1962 Vital Statistics Bulletin is the twentieth consecutive issue prepared from data obtained from records of live births, fetal deaths, deaths, marriages, and divorces collected by the Division of Public Health Statistics.

#### Population and Rates (See Table 1.)

Population figures used in this bulletin are estimates as of July 1, 1962, prepared by the Division of Sociology and Rural Life, Mississippi State University. The new figures show an increase of about 80,000 or 3.7 per cent since the census of 1960, about 63,000 or 5.0 per cent more whites and about 16,400 or 1.8 per cent more nonwhites. County distributions showed that 58 counties gained population since 1960, in one there was no change, and 23 lost population.

These figures were used to calculate rates for the state and counties by race, but no age or sex-specific rates (except the infant and maternal death rates which are based on live births) and no city rates were calculated because current estimates by age and sex and by city are not available.

#### Urban-Rural Classification

Incorporated towns with populations of 2,500 or more according to the 1960 census were considered as urban areas. All other areas were classified as rural.

#### Occurrence and Residence Allocation

Births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence data, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred to Mississippi residents in other states and exclude records filed in this state for nonresidents. Residence assignment for births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent, except that deaths of inmates of institutions were reallocated to place of previous residence regardless of length of stay in the institution.

During 1962, transcripts were received from other states for 1,033 births to residents of Mississippi, and 1,484 births to nonresidents occurred in this state. Fetal death transcripts numbered 24 and certificates for nonresidents, 67. There were 924 death transcripts and 658 certificates for nonresidents. The transcripts came from 37 states and the District of Columbia, and 2 came from foreign countries.

Vital Statistics  
Mississippi - 1962

Table A shows the states which furnished the largest number of records; the four border states accounted for 84 per cent.

Table A. Transcripts received, by place of occurrence,  
and nonresident certificates

Place of Occurrence	Total Records	Live Births	Fetal Deaths	Deaths
<u>Transcripts</u>	<u>1,981</u>	<u>1,033</u>	<u>24</u>	<u>924</u>
Tennessee	977	494	17	466
Louisiana	327	143	1	183
Alabama	312	211	3	98
Arkansas	52	20	0	32
Illinois	43	14	0	29
Texas	35	8	1	26
Missouri	32	23	0	9
Kentucky	30	28	0	2
Other places	173	92	2	79
<u>Nonresident certificates</u>	<u>2,209</u>	<u>1,484</u>	<u>67</u>	<u>658</u>

Marriages were classified according to place of issuance of marriage license and also place of residence of bride. Since there is no exchange among the states of transcripts of marriage records for nonresidents, out-of-state marriages of Mississippi brides were not included in the tabulations. Divorces were classified only according to place where the divorce was granted.

Classification of Causes of Death

Causes of death were assigned according to the seventh revision (1955) of the International Statistical Classification of Diseases, Injuries, and Causes of Death. Only the underlying cause of death was coded. Since the seventh revision differs only slightly from the sixth revision used from 1949 through 1957, figures for 1949-1962 are comparable, but comparison of data by cause for these years with those for the years prior to 1949 should be made with caution.

LIVE BIRTHS (See Tables 2, 3, 11)

In 1962, there were 58,921 live births to residents of Mississippi. This was 602 or one per cent less than in 1961 and the smallest number recorded since 1945. The crude birth rate was 26.1 per 1,000 population, 4.4 per cent lower than in the previous year and the lowest since 1942. (Preliminary figures for the United States for 1962 show that the nation as a whole has experienced a similar decline.) Births to white mothers totaled 27,512, or slightly more than in 1961, but the birth rate of 20.8 was the lowest since 1936. County rates for the white population ranged from 9.6 in Carroll County to 31.2 in Harrison County. The number of births to nonwhite Mississippians was 31,409. This figure was 679 less than in 1961 and the rate of 33.5 also showed a drop. Birth rates for the nonwhites varied from 22.9 in Lamar County to 45.8 in Issaquena County.

Vital Statistics  
Mississippi - 1962

Urban-Rural

There were 22,392 children born to urban residents in 1962 and 36,529 to rural residents. Although only 38 per cent of the total births were to urban residents, 64 per cent occurred in urban places. Comparison of the data shows that about 10,000 white and about 6,000 nonwhite mothers who live in rural areas went into cities and towns for delivery.

Attendant

The distribution of live births by attendant and race is given in Table B. According to these figures, nearly 75 per cent of all births to Mississippi residents in 1962 occurred in hospitals or physicians' offices and clinics which provide in-patient care. Over 2 per cent were delivered by physicians in places other than hospitals and clinics, and the remaining 23 per cent had no medical attention at delivery. Less than one per cent of the white mothers, but 43 per cent of the non-white mothers were delivered by midwives and other non-medical personnel.

Table B. Live births by attendant and race

Attendant	Total		White		Nonwhite	
	No.	%	No.	%	No.	%
<b>Total</b>	<b>58,921</b>	<b>100.0</b>	<b>27,512</b>	<b>100.0</b>	<b>31,409</b>	<b>100.0</b>
Physician in hospital	43,932	74.6	27,310	99.3	16,622	52.9
Physician in home	1,422	2.4	95	0.3	1,327	4.2
Midwife	13,461	22.8	94	0.3	13,367	42.6
Other	106	0.2	13	*	93	0.3

\* Less than 0.06 per cent.

There has been a steady increase in the proportion of live births occurring in hospitals in recent years. (See Table C.) In 1962, about 75 per cent of the live births in Mississippi were in hospitals or clinics; in 1942 only 20 per cent were in hospitals, and in 1952, 55 per cent were in hospitals. Although the rate of increase recently has been more rapid for nonwhites than for whites, there is still a large discrepancy between the current percentages for these two groups.

Table C. Percentage of live births in hospitals and clinics,  
by race, 1942, 1952, 1958-1962

Year	Total	White	Nonwhite
1942	20.1	39.9	4.0
1952	54.8	91.5	26.5
1958	70.4	98.6	47.0
1959	72.1	98.9	49.1
1960	73.2	99.0	51.3
1961	73.2	99.2	51.0
1962	74.6	99.3	52.9

Vital Statistics  
Mississippi - 1962

Month

Table D shows the distribution of live births by month. The largest number and the highest daily average occurred in August, the smallest number in April, and the lowest daily average in May.

Table D. Live births and average per day, by month

Month	Births	Average per Day	Month	Births	Average per Day
January	5,162	166	July	5,192	167
February	4,638	166	August	5,458	176
March	4,985	161	September	5,154	172
April	4,443	148	October	4,989	161
May	4,547	147	November	4,762	159
June	4,481	149	December	5,110	165

Age of Mother

In Table E live births by age of mother are shown. The largest number occurred in the age group 20-24 years; 38 per cent of the white and 30 per cent of the nonwhite mothers were in this group. There was concentration in the periods 15-19 and 25-29 years also, and three-fourths of all births were to mothers age 15-29 years. A greater proportion of nonwhite than of white mothers were in the younger and older age groups.

Table E. Live births by age of mother and race,  
with per cent of total births

Age of Mother	Total		White		Nonwhite	
	No.	%	No.	%	No.	%
10-14	312	0.5	27	0.1	285	0.9
15-19	11,877	20.2	4,947	18.0	6,930	22.1
20-24	19,675	33.4	10,339	37.6	9,336	29.7
25-29	12,854	21.8	6,395	23.2	6,459	20.6
30-34	7,893	13.4	3,537	12.8	4,356	13.9
35-39	4,660	7.9	1,750	6.4	2,910	9.3
40-44	1,475	2.5	488	1.8	987	3.1
45-49	100	0.2	20	0.1	80	0.2
50-54	2	*	0	-	2	*
Unknown	73	0.1	9	*	64	0.2

\* Less than 0.06 per cent.

Sex

Male babies numbered 30,123 and females, 28,798. The sex ratio was 1,046 males per 1,000 females, and as usual, the ratio for whites was higher than that for nonwhites, 1,073 in comparison with 1,023.

Vital Statistics  
Mississippi - 1962

Plurality

Of the 59,372 live births that occurred in Mississippi in 1962, 1,324 or 2.2 per cent were from plural deliveries. The percentage for nonwhites (2.7) was greater than that for whites (1.6). Among the white population the sex ratio of 1,134 males to 1,000 females for plural deliveries was much higher than that of 1,071 for single deliveries, but among nonwhites the reverse was true, 948 for plural and 1,025 for single.

Immaturity

Infants weighing 5 1/2 pounds or less (or 2,500 grams or less) are considered to be immature. In 1962, 5,624 or 9.5 per cent of those born in the state fell into this classification. The rate of immaturity for nonwhites, 11.6 per cent, was higher than that calculated for whites, 7.1 per cent.

Legitimacy

In 1962, 8,647 children or 14.7 per cent of those born to Mississippi residents were born out of wedlock according to the information on the birth certificate. The figures for white babies were 444 or 1.6 per cent and for nonwhites were 8,203 or 26.1 per cent. The rate of illegitimate births among both whites and nonwhites has gone up steadily in recent years.

FETAL DEATHS (See Table 4)

The Mississippi regulations state that all fetal deaths, regardless of the length of gestation, should be registered. This all-inclusive registration was begun in 1952; prior to that year only fetal deaths of 20 or more weeks gestation were reported. Registration of both early and late fetal deaths is known to be incomplete and because of the presumably sizeable number unreported, any or all of the data presented here could give a false picture regarding fetal deaths. A total of 2,785 fetal death certificates were filed in the state in 1962 and there were 2,742 certificates for residents. The resident total was 240 more than in 1961, an increase of 9.6 per cent.

The fetal death ratio (fetal deaths per 1,000 live births) for the state was 46.5, the highest recorded in the 11 years of expanded reporting. The ratios for whites and nonwhites were nearly the same, 46.0 and 47.0 respectively. By county, the ratios for whites ranged from zero in Issaquena to 109.4 in Hinds County. The ratios for nonwhites varied from zero in Itawamba and Lamar Counties to 96.0 in Newton County. The wide ranges in county ratios and from year to year in certain counties can probably be attributed to variations in completeness of reporting rather than to actual differences.

Attendant

Fetal deaths by attendant and race are shown in Table F. Nearly 80 per cent were delivered in hospitals, but for 16 per cent there was no medical attendant at delivery. Over 97 per cent of the white fetal deaths were reported from hospitals, a

Vital Statistics  
Mississippi - 1962

slightly lower figure than that for white live births. Among deliveries of nonwhites, however, a greater proportion of fetal deaths (64 per cent) than of live births (53 per cent) were in hospitals. The probable underreporting of fetal deaths in the home and the tendency to transfer difficult and premature deliveries to a hospital may account for this difference.

Table F. Fetal deaths by attendant and race

Attendant	Total		White		Nonwhite	
	No.	%	No.	%	No.	%
<b>Total</b>	<b>2,742</b>	<b>100.0</b>	<b>1,267</b>	<b>100.0</b>	<b>1,475</b>	<b>100.0</b>
Physician in hospital	2,180	79.5	1,233	97.3	947	64.2
Physician in home	125	4.6	30	2.4	95	6.4
Midwife	417	15.2	3	0.2	414	28.1
Other	20	0.7	1	0.1	19	1.3

As shown in Table G, the proportion of fetal deaths reported in hospitals and clinics has increased steadily in recent years. Gains have been made by both races, but there is still a sizeable gap between them although it is not so large as that for live births.

Table G. Percentage of fetal deaths delivered in hospitals or clinics, by race, 1952, 1958-1962

Year	Total	White	Nonwhite
1952	54.9	90.0	40.3
1958	69.0	88.8	56.8
1959	73.5	94.4	59.6
1960	74.2	95.5	59.9
1961	75.2	93.4	61.9
<b>1962</b>	<b>79.5</b>	<b>97.3</b>	<b>64.2</b>

Age of Mother

The distribution of fetal deaths by age of mother is shown in Table H. As was true for the mothers of live born children, the peak was in the age group 20-24 years, but the distribution by age was notably different from the mothers of infants born alive. Smaller proportions of mothers of dead fetuses than of the mothers of infants born alive were in the 15-19 and 20-24 year groups; about the same percentages were in the 10-14 and 25-29 year groups, and considerably larger proportions of mothers of those born dead were in the groups 30 years and over.

Fetal deaths ratios for mothers age 15-19 and 20-24 were nearly the same and lower than any others. Beginning at age 30 the ratios increased rather sharply with each 5-year period. The only striking difference between the races was in the ratios for mothers 10-14 (white - 74.1, nonwhite - 49.1), but the numbers in this group were small and the ratios therefore not so reliable.

Vital Statistics  
Mississippi - 1962

Table H. Fetal deaths by age of mother and race, with fetal death ratios

Age of Mother	Total		White		Nonwhite	
	No.	Ratio*	No.	Ratio*	No.	Ratio*
10-14	16	51.3	2	74.1	14	49.1
15-19	436	36.7	187	37.8	249	35.9
20-24	717	36.4	396	38.3	321	34.4
25-29	588	45.7	291	45.5	297	46.0
30-34	447	56.6	202	57.1	245	56.2
35-39	372	79.8	138	78.8	234	80.4
40-44	131	88.8	42	86.1	89	90.2
45-49	13	130.0	5	#	8	#
50-54	1	#	0	-	1	#
Unknown	21		4		17	

\* Fetal deaths per 1,000 live births in specific age-race group.

# Ratio not calculated on less than 100 live births.

#### Sex

A sex ratio of 1,262 males to 1,000 females was calculated from the records with sex stated. This ratio was much lower than that for 1961, but the sex ratios have varied widely from year to year in Mississippi. The ratio for whites (1,217) was lower than the one for nonwhites (1,280), the reverse of the occurrence among live births.

#### Plurality

The percentage of fetal deaths from plural deliveries was greater than the percentage of live births from plural deliveries occurring in the state, 4.1 per cent in comparison with 2.2 per cent in 1962. For white fetal deaths the percentage was 2.2 and for nonwhites, 5.8.

#### Length of Gestation

A gestation period of less than 20 weeks was reported for 1,159 of the certificates for Mississippi residents; on 1,417 it was 20 weeks or more; and on 166 the number of weeks was not given. In each of the years 1954-1962, more fetal deaths under 20 weeks of gestation than fetal deaths after 20 or more weeks have been reported among the white population, and nearly all of the large increase in total fetal deaths in 1962 may be accounted for by the increase in the number of early fetal deaths of whites reported by hospitals.

#### Legitimacy

The rate of illegitimate births was slightly greater among fetal deaths than among live births, 16.3 per cent in comparison with 14.7 per cent. For the nonwhites the difference was small, but for whites the rate was more than double that for live births.

## VIII

### Vital Statistics Mississippi - 1962

#### DEATHS (See Tables 5-8, 12-16)

The death total for Mississippi residents in 1962 was 22,713, almost 1,500 or 7 per cent more than in 1961 and the largest number reported since 1940. A crude death rate of 10.0 per 1,000 population was calculated using the new population estimate. This rate was 3.1 per cent higher than the rate for 1961. Both races experienced notable rises in the number of deaths and in the death rate. The total of 11,868 deaths among white persons was the highest ever recorded in Mississippi.

There was a wide variation in the rates for individual counties. For whites, the rate for the state was 9.0 and county rates ranged from 5.9 in Rankin County to 15.5 in Yalobusha County. The state rate for nonwhites was 11.6 and the variation by county showed the lowest to be 7.2 in Rankin County and the highest, 15.6 in Warren County. Urban residents made up 37 per cent of the total, but 54 per cent of the deaths occurring in the state took place in urban areas.

#### Excess of Birth Rate over Death Rate

Since there was a drop in the birth rate and a rise in the death rate in 1962, the excess of the birth rate over the death rate or the natural increase in population was less than in the previous year. In fact, the excess of 16.1 per 1,000 population was the smallest since 1942. The excess of 11.8 for the white population was one of the smallest on record. For nonwhites the excess was 21.9.

#### Month

Table I shows the number of deaths by month with the average per day. The largest number and the highest daily average occurred in January and the lowest daily average and the smallest number of deaths were in August.

Table I. Deaths and average per day, by month

Month	Deaths	Average per day	Month	Deaths	Average per Day
January	2,312	74	July	1,919	62
February	1,949	70	August	1,617	52
March	2,092	67	September	1,686	56
April	1,826	61	October	1,809	58
May	1,784	58	November	1,878	63
June	1,689	56	December	2,152	69

#### Age at Death

The distribution of deaths by age and race is shown in Table J. In 1962, the median age at death for the total population was 67.2; for whites it was 70.0 and for nonwhites, 63.5. A little over 10 per cent of the deaths were among children under one year of age, and a proportion that was only slightly higher, 11.5 per cent,

Vital Statistics  
Mississippi - 1962

occurred in the groups 1-44 years, that is the next 44 years of life. The smallest number of deaths occurred in the decade 5-14 years of age. Retirement age (65 years) had been reached by 61 per cent of the white persons who died in 1962, but by only 48 per cent of the nonwhites.

Table J. Deaths by age and race

Age	Total		White		Nonwhite	
	No.	%	No.	%	No.	%
All Ages	22,713	100.0	11,868	100.0	10,845	100.0
Under 1	2,353	10.4	705	5.9	1,648	15.2
1-4	344	1.5	81	0.7	263	2.4
5-9	150	0.7	52	0.4	98	0.9
10-14	145	0.6	58	0.5	87	0.8
15-24	493	2.2	244	2.0	249	2.3
25-34	525	2.3	229	1.9	296	2.7
35-44	963	4.2	466	3.9	497	4.6
45-54	1,968	8.7	1,016	8.6	952	8.8
55-64	3,351	14.8	1,787	15.0	1,564	14.4
65-74	4,885	21.5	2,615	22.0	2,270	20.9
75-84	4,953	21.8	3,107	26.2	1,846	17.0
85 & over	2,574	11.3	1,507	12.7	1,067	9.8
Unknown	9	*	1	*	8	0.1

\* Less than 0.06 per cent.

Leading Causes of Death

The ten leading causes of death in Mississippi in 1962 are shown in Table K. These ten causes accounted for 79 per cent of the deaths of state residents. The first nine are the same and in the same order as those listed in 1961 but the gastritis group replaced chronic and unspecified nephritis and other renal sclerosis in tenth position in 1962.

Table K. Ten leading causes of death by race, with per cent of total deaths

Cause and International List Number	Total		White		Nonwhite	
	No.	%	No.	%	No.	%
1. Diseases of heart (400-443)	7,077	31.2	4,206	35.4	2,871	26.5
2. Vascular lesions affecting central nervous system (330-334)	3,112	13.7	1,552	13.1	1,560	14.4
3. Malignant neoplasms (140-205)	2,827	12.4	1,793	15.1	1,034	9.5
4. Accidents (800-962)	1,557	6.8	846	7.1	711	6.6
5. Certain diseases of early infancy (760-776)	1,249	5.5	452	3.8	797	7.3
6. Influenza & pneumonia (480-493)	879	3.9	362	3.0	517	4.8
7. General arteriosclerosis (450)	345	1.5	217	1.8	128	1.2
8. Diabetes mellitus (260)	306	1.3	165	1.4	141	1.3
9. Congenital malformations (750-759)	253	1.1	149	1.2	104	1.0
10. Gastritis, duodenitis, enteritis & colitis, except diarrhea of newborn (543, 571, 572)	247	1.1	59	0.5	188	1.7

Vital Statistics  
Mississippi - 1962

Leading Causes by Age

Table L shows the leading causes of death for each age group except infants (see infant mortality section). Each of these lists was different from the others, but a number of causes appeared repeatedly. Malignant neoplasms appeared in every group. The leading cause in all groups 1-44 years was accidents; this cause was listed fourth at 45-64 years and was sixth at 65 years and over. Diseases of heart was missing only from the 1-4 and 15-24 year groups, and influenza and pneumonia only from the 15-24 and 25-44 year groups. On the lists for all groups 25 years and over, vascular lesions affecting the central nervous system appeared. The list for the group 15-24 was unusual in that it contained both homicide and suicide, and the three external causes (accidents, homicide, and suicide) accounted for 62 per cent of the total at that age.

Ill-defined and Unknown Causes

Among the deaths occurring in Mississippi in 1962 were 2,423 with no satisfactory statement of cause. This figure was 10.8 per cent of the total; 6.1 per cent of those for white persons and 15.9 per cent of those for nonwhite persons were in this category. On 55 of these certificates senility was the only cause given; 664 showed ill-defined diseases of early infancy or immaturity unqualified; and there were 1,704 with other ill-defined or unknown causes of death. In Madison, Washington, and Yazoo Counties over 20 per cent of the records filed had no satisfactory statement of cause, and from 15 to 20 per cent in Amite, Carroll, Coahoma, DeSoto, Hancock, Holmes, Leflore, Sunflower, and Tunica Counties were of this type.

Deaths thus classified were so numerous that if placed on the list of leading causes of death they would rank fourth in the total population and second among the nonwhite population. They would also appear as one of the five leading causes in every age group. If it were possible to know and tabulate the true cause of death for these persons, the order of the leading causes might not be the same and even the causes listed might be different.

Specific Causes

Heart disease has been the leading cause of death in Mississippi each year 1925-1962 except 1929. In 1962, 7,077 deaths or 31.2 per cent of the total were assigned to this cause. Table M shows that the majority of these deaths were due to arteriosclerotic and degenerative heart diseases and that hypertensive heart diseases ranked second. The total for whites was much larger than that for nonwhites, but the rates were close together, 318.4 and 306.4 per 100,000 population respectively.

Vital Statistics  
Mississippi - 1962

Table L. Five leading causes of death by age group

Cause of Death	Age Group	No. of Deaths	% of Total
1-4 Years			
<u>All Causes</u>		<u>344</u>	<u>100.0</u>
1. Accidents		97	28.2
2. Influenza and pneumonia		67	19.5
3. Congenital malformations		20	5.8
4. Gastritis, duodenitis, enteritis, and colitis		19	5.5
5. Malignant neoplasms		17	4.9
5-14 years			
<u>All Causes</u>		<u>295</u>	<u>100.0</u>
1. Accidents		134	45.4
2. Malignant neoplasms		35	11.9
3. Influenza and pneumonia		24	8.1
4. Congenital malformations		11	3.7
5. Diseases of heart		9	3.0
15-24 years			
<u>All Causes</u>		<u>493</u>	<u>100.0</u>
1. Accidents		257	52.1
2. Homicide		29	5.9
3. Malignant neoplasms		24	4.9
3. Diseases and complications of pregnancy, childbirth, and the puerperium		24	4.9
5. Suicide		18	3.6
25-44 years			
<u>All Causes</u>		<u>1,488</u>	<u>100.0</u>
1. Accidents		327	22.0
2. Diseases of heart		244	16.4
3. Malignant neoplasms		199	13.4
4. Homicide		101	6.8
5. Vascular lesions affecting central nervous system		79	5.3
45-64 years			
<u>All Causes</u>		<u>5,319</u>	<u>100.0</u>
1. Diseases of heart		1,838	34.6
2. Malignant neoplasms		1,033	19.4
3. Vascular lesions affecting central nervous system		599	11.3
4. Accidents		308	5.8
5. Influenza and pneumonia		91	1.7
65 years and over			
<u>All Causes</u>		<u>12,412</u>	<u>100.0</u>
1. Diseases of heart		4,949	39.9
2. Vascular lesions affecting central nervous system		2,412	19.4
3. Malignant neoplasms		1,515	12.2
4. Influenza and pneumonia		450	3.6
5. General arteriosclerosis		333	2.7

Vital Statistics  
Mississippi - 1962

Table M. Deaths from diseases of the heart, by type and race

Cause and International List Number	Total	White	Nonwhite
<u>Diseases of the heart (400-443)</u>	<u>7,077</u>	<u>4,206</u>	<u>2,871</u>
Rheumatic fever (400-402)	6	2	4
Chronic rheumatic heart disease (410-416)	124	59	65
Arteriosclerotic and degenerative heart disease (420-422)	5,050	3,445	1,605
Other diseases of the heart (430-434)	623	273	350
Hypertensive heart disease (440-443)	1,274	427	847

Vascular lesions affecting the central nervous system, the second leading cause of death, accounted for 13.7 per cent of the total or 3,112. As may be seen in Table N, cerebral hemorrhage was the chief cause of this type of death. The death rate of 166.5 per 100,000 population for the nonwhites was considerably higher than that of 117.5 for the whites.

Table N. Deaths from vascular lesions affecting central nervous system, by type of lesion and race

Cause and International List Number	Total	White	Nonwhite
<u>Vascular lesions affecting central nervous system (300-334)</u>	<u>3,112</u>	<u>1,552</u>	<u>1,560</u>
Subarachnoid hemorrhage (330)	84	45	39
Cerebral hemorrhage (331)	1,879	846	1,033
Cerebral embolism and thrombosis (332)	738	465	273
Other and ill-defined (333, 334)	411	196	215

Malignant neoplasms which ranked third among the leading causes of death was responsible for 2,827 deaths in 1962, and the death rate was 125.2 per 100,000 population. Both the number and the rate have risen steadily for many years, but the rate for 1962 (based on the estimated population) was slightly lower than that for 1961. In Table O is given the age-sex-race distribution. The largest number of deaths occurred in the decade 65-74 years, but for nonwhite females, the peak was ten years earlier, at 55-64 years. Although 2 per cent of the deaths occurred among children under 15 years of age, only 10 per cent were among persons under 45. The two leading sites of fatal cancers were the digestive organs, including peritoneum, and the breast and genito-urinary organs.

Vital Statistics  
Mississippi - 1962

Table O. Deaths from malignant neoplasms, by age, sex, and race

Age	Total	Number of Deaths				Per Cent				
		Male		Female		Total	Male		Female	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
All Ages	2,827	993	503	800	531	100.0	100.0	100.0	100.0	100.0
Under 10	36	17	6	5	8	1.3	1.7	1.2	0.6	1.5
10-14	18	0	7	7	4	0.6	-	1.4	0.9	0.8
15-24	24	7	7	5	5	0.8	0.7	1.4	0.6	0.9
25-34	53	15	9	13	16	1.9	1.5	1.8	1.6	3.0
35-44	146	43	12	54	37	5.2	4.3	2.4	6.8	7.0
45-54	391	139	57	105	90	13.8	14.0	11.3	13.1	16.9
55-64	642	242	96	170	134	22.7	24.4	19.1	21.2	25.2
65-74	772	276	162	208	126	27.3	27.8	32.2	26.0	23.7
75-84	577	203	108	178	88	20.4	20.4	21.5	22.2	16.6
85 & over	166	50	39	55	22	5.9	5.0	7.8	6.9	4.1
Unknown	2	1	0	0	1	0.1	0.1	-	-	0.2

Chronic respiratory diseases have received increased attention from medical and public health personnel recently. Therefore, a new section has been added to this synopsis to deal with deaths from these causes. In discussing trends, no comparisons will be made for the years prior to 1949 because of the revisions in cause of death classification in 1949.

Table P. Deaths from chronic respiratory diseases, 1949, 1955, 1962

Cause and International List Number	1949	1955	1962
Tuberculosis of respiratory system (001-008)	552	189	119
Malignant neoplasms of respiratory system (160-165)	161	267	435
Malignant neoplasms of lung, bronchus, and trachea (162, 163)	140	229	392
Asthma (241)	55	56	43
Bronchitis, chronic and unqualified (501, 502)	22	23	40
Bronchitis with emphysema (502.0)	0	4	19
Other chronic interstitial pneumonia (525)	4	9	25
Bronchiectasis (526)	27	21	28
Emphysema (527.1)	6	25	111

As mentioned in the discussion on malignant neoplasms, the respiratory system is one of the leading sites of cancers and this type caused 435 deaths in 1962. (See Table P.) Deaths from respiratory cancer have increased by 170 per cent from 1949 to 1962, and most of the increase was in cancer of the lung, bronchus, and trachea. The other chronic respiratory disease which has shown a rapid rise in the number of deaths is emphysema; 6 deaths were recorded in 1949, 67 in 1961, and 111 in 1962. Deaths from chronic and unqualified bronchitis have shown an irregular, though generally upward, but when bronchitis with emphysema is considered apart from other bronchitis

Vital Statistics  
Mississippi - 1962

there has been a decided increase, though the total of 19 for 1962 was still small. For other chronic interstitial pneumonia the trend has also been upward, though irregular, and it caused 25 deaths in 1962. Deaths attributed to respiratory tuberculosis declined rapidly from 1949 to 1961 and then increased by 15.5 per cent to 119 in 1962. Only asthma and bronchiectasis which caused 43 and 28 deaths respectively in 1962 have shown no definite trend in the study period 1949-1962.

Influenza and pneumonia, the sixth leading cause of death, accounted for 879 deaths in 1962. Of these, 59 were attributed to influenza with pneumonia, 37 to influenza alone, and 783 to pneumonia. The total for 1962 was 158 more than in 1961, but not so many as in other epidemic years such as 1953, 1958, and 1960.

Typhoid fever and acute poliomyelitis are two communicable diseases which deserve mention as causes of death. In 1962, typhoid fever caused 3 deaths and in 1961 it caused 2 deaths. For 7 years prior to 1961 there had been no deaths assigned to this cause and it had been considered well under control. The year 1962 was the first in which no deaths were attributed to acute poliomyelitis in Mississippi, but there was one death from late effects of this disease.

Accidents, fourth leading cause of death among the total population and leading cause at ages 1-44 years, claimed the lives of 1,557 Mississippians in 1962. This was the largest number since 1940, but the rate of 69.0 per 100,000 population was the same as that for 1960. The largest number of accidental deaths occurred in December which had the highest total for deaths from motor vehicle accidents. January was the leading month for deaths from other types of accidents, but had the smallest total for motor vehicle deaths. The average number of accidental deaths per day in 1962 was 4.3.

The five leading causes of accidental death in 1962 are shown in Table Q by race. These same causes have appeared on the list for a number of years, and in 1962 were responsible for 74 per cent of all accidental deaths.

Table Q. Five leading causes of accidental deaths by race,  
with per cent of total accidental deaths

Type of Accident and International List Number	Total		White		Nonwhite	
	No.	%	No.	%	No.	%
1. Motor vehicle (810-835)	625	40.1	414	48.9	211	29.7
2. Fire and explosion of combustible material (916)	222	14.2	60	7.1	162	22.8
3. Falls (900-904)	158	10.1	121	14.3	37	5.2
4. Drowning, except in water transport (929)	80	5.1	31	3.7	49	6.9
5. Firearm (919)	68	4.4	38	4.5	30	4.2

A study of the 812 deaths due to nontransport accidents (International Codes 870-936) which occurred in Mississippi showed that the home far outranked any other location as the place of occurrence of the fatal accidents with 429 or 53 per cent of the total. The two chief reasons for fatal accidents in the home were fire and explosion

Vital Statistics  
Mississippi - 1962

of combustible material which caused 188 deaths and falls which caused 82 deaths. Slightly over three-fourths of the fatal home accidents were among either children under 15 or persons 65 and over.

Suicide and homicide were the assigned causes of 168 and 196 deaths respectively among Mississippi residents in 1962. Although neither appeared on the list of ten leading causes of death for the total population, suicide ranked in eleventh place among whites and homicide in eighth place among nonwhites. Relatively few females died from either of these causes. The rate of suicidal deaths among white persons was approximately 5 times that among nonwhites, but the rate of homicides among whites was about one-fifth that among nonwhites. Suicides were most frequent in the decades 45-54 and 55-64 years; for homicides the peak was at 25-34 years of age. The chief method used for both suicide and homicide was firearms and explosives.

Maternal deaths (deaths from deliveries and complications of pregnancy, childbirth, and the puerperium) numbered 55 in 1962 and the maternal death rate per 10,000 live births was 9.3. Both the number and the rate were larger than in 1961 but smaller than in 1960. For white mothers the 7 deaths and the rate of 2.5 were the lowest on record in this state. Among nonwhite mothers, however, there was an increase from 40 in 1961 to 48 in 1962 and the rate rose from 12.5 to 15.3. The chief causes of maternal deaths were toxemia, 22 deaths, and hemorrhage, 11 deaths.

In Table R are the age and race-specific maternal death rates. Usually the death rates are highest in the youngest and oldest age groups, but in 1962 there were no deaths at these ages. All rates for nonwhites were considerably higher than those for whites.

Table R. Maternal deaths by age and race, with rates

Age	Total		White		Nonwhite	
	No.	Rate*	No.	Rate*	No.	Rate*
All Ages	55	9.3	7	2.5	48	15.3
10-14	0	-	0	-	0	-
15-24	24	7.6	5	3.3	19	11.7
25-34	20	9.6	2	2.0	18	16.6
35-44	11	17.9	0	-	11	28.2
45-54	0	-	0	-	0	-

\* Deaths per 10,000 live births to mothers in specific age-race group.

Infant Mortality

There were 2,353 infant deaths in 1962, an increase of 103 over the total for 1961. Increases occurred in the number of deaths and the mortality rate for both race groups. The rate of 52.5 deaths per 1,000 live births among the nonwhite population was more than double the rate of 25.6 for white infants. Table S shows how the rates varied by race and age. For nonwhites the rates were higher in each successive age group, but for the whites there was a sharp drop after the neonatal period (the first 28 days of life).


Vital Statistics  
Mississippi - 1962

Table S. Infant deaths by age and race, with rates

Age	Total		White		Nonwhite	
	No.	Rate*	No.	Rate*	No.	Rate*
<u>Total under one year</u>	<u>2,353</u>	<u>39.9</u>	<u>705</u>	<u>25.6</u>	<u>1,648</u>	<u>52.5</u>
Under one day	714	12.1	270	9.8	444	14.1
One to 28 days	742	12.6	280	10.2	462	14.7
<u>28 days to one year</u>	<u>897</u>	<u>15.2</u>	<u>155</u>	<u>5.6</u>	<u>742</u>	<u>23.6</u>

\* Deaths per 1,000 live births.

The accompanying graph shows the infant mortality rates by race for 1920-1962. For both races the trend was downward for many years, but since 1946 the curve for the nonwhites has gone upward. Rates for the whites declined through 1955, but the curve has remained fairly level since that year.



Vital Statistics  
Mississippi - 1962

The five leading causes of infant deaths are given in Table T. These causes are the same ones which have appeared on the list every year for which comparable data are available, 1949-1962, but the order has varied. The substantial increase, from 78 in 1961 to 149 in 1962, in the number of nonwhite infants whose death was attributed to postnatal asphyxia and atelectasis pushed this cause to first place on the list in 1962. The five leading causes accounted for 39 per cent of the total infant deaths and 65 per cent of those with a definite cause given.

Table T. Leading causes of infant deaths by race, with rates

Cause of Death	Total		White		Nonwhite	
	No.	Rate*	No.	Rate*	No.	Rate*
<u>All Causes</u>	<u>2,353</u>	<u>39.9</u>	<u>705</u>	<u>25.6</u>	<u>1,648</u>	<u>52.5</u>
1. Postnatal asphyxia and atelectasis	269	4.6	120	4.4	149	4.7
2. Influenza and pneumonia, except pneumonia of newborn	206	3.5	30	1.1	176	5.6
3. Congenital malformations	187	3.2	111	4.0	76	2.4
4. Gastritis, duodenitis, enteritis, & colitis, except diarrhea of newborn	154	2.6	11	0.4	143	4.6
5. Birth injuries	110	1.9	47	1.7	63	2.0

\* Deaths per 1,000 live births.

Immaturity, which is no longer considered a separate classification in ranking causes of infant deaths, is still an important factor. It was mentioned with another condition or as the only cause on 851 death records, 44 per cent of those for white children and 33 per cent of those for nonwhites.

Study of the leading causes by age shows that among children who die in the first 24 hours, postnatal asphyxia and atelectasis ranked first and was responsible for more deaths than the next four leading causes together. This was also the leading cause at 1-27 days, but congenital malformations and pneumonia of the newborn in second and third places were important causes for this age group. Among infants 28 days to one year of age, influenza and pneumonia ranked first, the gastritis group second, and accidents third.

All data on causes of infant deaths are based on incomplete knowledge, as 933 or 40 per cent of the certificates in 1962 showed ill-defined causes or no cause at all. This situation has existed at least since 1949, the earliest year for which comparable data are available, with no definite improvement. If the true cause of death for this large group of infants could be determined, the leading causes might be different from those shown in the preceding table and greater knowledge would be available for preventive measures.

## XVIII

### Vital Statistics Mississippi - 1962

#### MARRIAGES (See Tables 9, 17)

A total of 22,007 marriages occurred in Mississippi in 1962. This was 397 more than in the preceding year. The total for whites was 14,432, slightly less than in 1961, and an increase among nonwhites raised that figure to 7,575.

#### Month

June was the month in which the largest number of marriages occurred and also the month with the highest daily average. (See Table U.) December ranked second and January, last.

Table U. Marriages and average per day, by month

Month	Marriages	Average per Day	Month	Marriages	Average per Day
<u>Total</u>	<u>22,007</u>	<u>60</u>			
January	1,346	43	July	1,969	64
February	1,488	53	August	2,177	70
March	1,766	57	September	1,847	62
April	1,553	52	October	1,584	51
May	1,643	53	November	1,720	57
June	2,620	87	December	2,294	74

#### Officiant

The officiant for 71 per cent of the marriages in the state was a minister. Most of the rest were performed by justices of the peace, although mayors, judges, and members of boards of supervisors officiated at a few.

#### Age of Bride and Groom

In Table V, the age distribution of brides and grooms is shown. There were 9,742 brides in their teens or 44 per cent of the total, and 4,409 or 20 per cent of the total number were under 18 years of age. Two brides, one white and one Negro, were only 12 years old, 22 were 13, and 115 were 14. No grooms were under 15 and the proportion of teen-agers (18 per cent) was far lower than that for the brides. At the other extreme, brides 75 years of age or older numbered 27 and the oldest was 86; 141 grooms were 75 years of age or more and the oldest was 100. In general, marriages were between persons of approximately the same age, but in some instances the differences between the age of the bride and the age of the groom were quite large. The greatest difference was in the marriage of a woman 41 and a man 100 years old. Other large differences were bride 31, groom 80 and bride 16, groom 64.

Vital Statistics  
Mississippi - 1962

Table V. Brides and grooms by age

Age	Bride		Groom	
	No.	%	No.	%
<u>Total</u>	<u>22,007</u>	<u>100.0</u>	<u>22,007</u>	<u>100.0</u>
Under 15	139	0.6	0	-
15	867	3.9	18	0.1
16	1,399	6.4	56	0.2
17	2,004	9.1	484	2.2
18	2,848	12.9	1,314	6.0
19	2,485	11.3	2,017	9.2
20-24	5,877	26.7	8,856	40.2
25-34	2,779	12.6	4,580	20.8
35-44	1,696	7.7	1,849	8.4
45-54	1,100	5.0	1,236	5.6
55-64	560	2.5	810	3.7
65-74	215	1.0	630	2.9
75 and over	27	0.1	141	0.6
Unknown	11	*	16	0.1

\* Less than 0.06 per cent.

Previous Marriages

In 64 per cent of the cases, it was the first marriage for both the bride and the groom. According to the figures in Table W, approximately the same percentage of brides and grooms (27.9 and 28.3) had been married before. Among the previously married were many more divorced persons than widowed persons. Brides who had been married two or more times before numbered 1,434 and made up 6.5 per cent of the total for the state; grooms in this category totaled 1,476 or 6.7 per cent. Two brides had 6 previous marriages each and one groom had been married 8 times before.

Table W. Number of previous marriages of brides and grooms

Previous Marriages	Bride		Groom	
	No.	%	No.	%
<u>Total</u>	<u>22,007</u>	<u>100.0</u>	<u>22,007</u>	<u>100.0</u>
None	15,798	71.8	15,734	71.5
One	4,714	21.4	4,752	21.6
Two	1,198	5.4	1,166	5.3
Three or more	236	1.1	310	1.4
Not stated	61	0.3	45	0.2

Nonresident Brides

There were 3,984 brides from out of state who were married in Mississippi in 1962. This was 18 per cent of the total; in 1957, prior to the passage of a stricter marriage law, two-thirds of the brides were from out of the state.

Vital Statistics  
Mississippi - 1962

Although the new law has been effective in bringing about a rapid decline in the number of persons coming from other states to be married, the brides who came to Mississippi in 1962 came from all but four of the other 49 states and from the District of Columbia, and there were 7 from foreign countries. Nearly 76 per cent of the out-of-state brides were from the bordering states of Alabama, Arkansas, Louisiana and Tennessee. Over three-fourths of the licenses for the nonresident brides were issued in counties bordering on these states. DeSoto County which is adjacent to Memphis, Tennessee, issued 959 licenses or one-fourth of the total for nonresident brides.

Out-of-State Use of Mississippi Certificates

A new marriage record containing more detailed information was put into use in Mississippi on July 1, 1956. These records have shown that, in each year since that time, some Mississippi licenses have been used for marriage ceremonies performed in other states. Because these marriages did not occur in Mississippi and are of questionable legality they have not been included in the annual tabulations. A special count of those occurring in 1962 showed that there were 107 such records. All but 16 of the licenses were issued in border counties and nearly half in Adams and Wilkinson Counties. More of these marriages occurred in Louisiana (76) than any other state. Either the bride or the groom or both were residents of the state of occurrence of marriage in 86 cases and in all but one of the others, they were residents of Mississippi.

DIVORCES (See Tables 9, 10, 17)

The number of divorces granted in Mississippi in 1962 was 5,467 or 254 more than in 1961 and the largest number since 1950. All of this increase occurred among the white population, as there was a slight decline among the nonwhites. The totals by race were 3,827 for whites and 1,640 for nonwhites.

Cause and Complainant

Eighty-nine per cent of the divorces were granted for either cruel and inhuman treatment or desertion, the two leading causes. Cruel and inhuman treatment was the leading cause listed for whites and accounted for 64 per cent of the total in that group. For nonwhites, desertion was the first-ranking cause and was listed on 66 per cent of the records. In 71 per cent of the cases among white persons the wife was the complainant, but among nonwhites the husband was the complainant nearly as frequently as the wife.

Minor Children

Divorces in which no minor children were involved amounted to 40 per cent of the total for whites and 57 per cent for nonwhites. Of the couples with minor children, 38 per cent had only one, but there were 5 cases with ten or more. A total of 6,242 minor children were involved in divorces granted in 1962.

Vital Statistics  
Mississippi - 1962

Duration of Marriage

Length of time married before obtaining a divorce ranged from less than one year to 59 years. Six per cent of the couples had been married less than a year and 35 per cent had been married less than 5 years. More white persons obtained divorces in the second year of marriage than in any other single year; for nonwhites, the fifth year ranked highest. Only 11 per cent of the divorces to white couples were granted after 20 years or more, but 35 per cent of those to non-white couples were in this category. Fifteen of the divorces among nonwhites were granted after 50 or more years of marriage. The average duration of marriage for persons obtaining divorces in 1962 was twice as long for nonwhites (17.7 years) as for whites (8.9 years).




TABLE 1  
POPULATION ESTIMATES\*  
MISSISSIPPI  
JULY 1, 1962

By County, by Race

<u>County</u>	<u>Total</u>	<u>White</u>	<u>Nonwhite</u>
<u>STATE</u>	<u>2,258,130</u>	<u>1,321,140</u>	<u>936,990</u>
Adams	38,570	19,340	19,230
Alcorn	27,300	23,930	3,370
Amite	15,320	6,940	8,380
Attala	20,650	11,840	8,810
Benton	7,800	4,260	3,540
Bolivar	56,330	18,880	37,450
Calhoun	16,390	11,910	4,480
Carroll	13,190	6,270	6,920
Chickasaw	17,720	10,750	6,970
Choctaw	8,500	6,240	2,260
Claiborne	10,250	2,720	7,530
Clarke	15,550	9,120	6,430
Clay	19,200	7,920	11,280
Coahoma	49,620	16,140	33,480
Copiah	27,790	12,910	14,880
Covington	14,270	9,360	4,910
DeSoto	24,330	10,890	13,440
Forrest	55,550	40,270	15,280
Franklin	9,720	5,750	3,970
George	11,120	9,540	1,580
Greene	8,320	6,420	1,900
Grenada	19,030	10,230	8,800
Hancock	14,920	12,110	2,810
Harrison	130,070	109,700	20,370
Hinds	198,680	115,540	83,140
Holmes	25,700	7,170	18,530
Humphreys	19,220	6,260	12,960
Issaquena	2,350	690	1,660
Itawamba	15,590	14,640	950
Jackson	62,930	50,760	12,170
Jasper	19,640	10,190	9,450
Jefferson	9,750	3,280	6,470
Jeff Davis	13,540	5,900	7,640
Jones	59,980	43,460	16,520
Kemper	10,750	4,320	6,430
Lafayette	21,250	14,140	7,110

Table 1 - Page 2  
 Population Estimates - Mississippi - July 1, 1962

County	Total	White	Nonwhite
Lamar	15,130	12,290	2,840
Lauderdale	70,500	49,170	21,330
Lawrence	9,840	6,380	3,460
Leake	19,570	11,440	8,130
Lee	41,330	30,330	11,000
Leflore	48,100	18,210	29,890
Lincoln	28,180	20,140	8,040
Lowndes	50,200	31,990	18,210
Madison	33,230	11,120	22,110
Marion	23,470	14,920	8,550
Marshall	25,020	7,550	17,470
Monroe	33,550	22,460	11,090
Montgomery	15,020	9,280	5,740
Neshoba	21,510	16,210	5,300
Newton	20,680	14,420	6,260
Noxubee	17,080	4,620	12,460
Oktibbeha	26,120	14,270	11,850
Panola	31,590	13,580	18,010
Pearl River	23,280	18,450	4,830
Perry	8,140	6,100	2,040
Pike	35,820	20,170	15,650
Pontotoc	19,180	15,620	3,560
Prentiss	17,650	15,330	2,320
Quitman	21,660	8,880	12,780
Rankin	36,230	21,330	14,900
Scott	22,090	14,120	7,970
Sharkey	11,440	3,680	7,760
Simpson	21,700	14,010	7,690
Smith	14,250	10,880	3,370
Stone	8,680	6,840	1,840
Sunflower	48,730	15,500	33,230
Tallahatchie	24,580	8,770	15,810
Tate	19,060	8,190	10,870
Tippah	16,390	13,730	2,660
Tishomingo	14,620	13,850	770
Tunica	17,230	3,640	13,590
Union	18,830	15,850	2,980
Walthall	12,780	7,020	5,760
Warren	43,570	22,980	20,590
Washington	76,480	35,120	41,360
Wayne	15,820	10,140	5,680
Webster	10,460	7,450	3,010
Wilkinson	12,080	2,990	9,090
Winston	19,980	12,080	7,900
Yalobusha	12,400	6,960	5,440
Yazoo	33,990	13,290	20,700

\* Prepared by the Division of Sociology and Rural Life,  
 Mississippi State University.

TABLE 2  
LIVE BIRTHS  
MISSISSIPPI  
1962

By Place of Occurrence, and by Place of Residence of Mother, by Race, with Rates

County	Place of Occurrence			Place of Residence			Rate*		
	Number		Non-white	Number		Non-white	Rate*		Non-white
	Total	White		Total	White		Total	White	
<b>STATE</b>	<b>59,372</b>	<b>27,859</b>	<b>31,513</b>	<b>58,921</b>	<b>27,512</b>	<b>31,409</b>	<b>26.1</b>	<b>20.8</b>	<b>33.5</b>
Adams	1,592	700	892	1,097	469	628	28.4	24.2	32.6
Alcorn	593	482	111	555	444	111	20.3	18.6	32.9
Amite	169	0	169	343	101	242	22.4	14.6	28.9
Attala	425	179	246	437	182	255	21.2	15.4	28.9
Benton	100	4	96	192	63	129	24.6	14.8	36.4
Bolivar	1,928	362	1,566	1,803	365	1,438	32.0	19.3	38.4
Calhoun	302	121	181	332	180	152	20.2	15.1	33.9
Carroll	176	21	155	232	60	172	17.6	9.6	24.8
Chickasaw	448	247	201	450	228	222	25.4	21.2	31.8
Choctaw	184	95	89	205	111	94	24.1	17.8	41.6
Claiborne	175	22	153	243	35	208	23.7	12.9	27.6
Clarke	142	78	64	343	164	179	22.0	18.0	27.8
Clay	441	171	270	460	177	283	24.0	22.3	25.1
Coahoma	1,573	373	1,200	1,560	337	1,223	31.4	20.9	36.5
Copiah	822	241	581	660	211	449	23.7	16.3	30.2
Covington	176	129	47	338	172	166	23.7	18.4	33.8
DeSoto	634	61	573	750	213	537	30.8	19.6	40.0
Forrest	1,619	1,181	438	1,421	908	513	25.6	22.5	33.6
Franklin	129	55	74	187	76	111	19.2	13.2	28.0
George	319	263	56	308	250	58	27.7	26.2	36.7
Greene	120	65	55	172	108	64	20.7	16.8	33.7
Grenada	499	165	334	521	191	330	27.4	18.7	37.5
Hancock	216	150	66	334	254	80	22.4	21.0	28.5
Harrison	4,560	3,740	820	4,216	3,425	791	32.4	31.2	38.8
Hinds	6,088	3,050	3,038	5,370	2,550	2,820	27.0	22.1	33.9
Holmes	703	105	598	693	102	591	27.0	14.2	31.9
Humphreys	571	68	503	597	101	496	31.1	16.1	38.3
Issaquena	33	1	32	88	12	76	37.4	17.4	45.8
Itawamba	76	58	18	276	250	26	17.7	17.1	27.4
Jackson	1,416	998	418	1,750	1,292	458	27.8	25.4	37.6
Jasper	115	66	49	421	161	260	21.4	15.8	27.5
Jefferson	93	0	93	231	38	193	23.7	11.6	29.8
Jeff Davis	267	131	136	289	113	176	21.3	19.2	23.0
Jones	2,399	1,145	1,254	1,282	799	483	21.4	18.4	29.2
Kemper	160	28	132	247	62	185	23.0	14.4	28.8
Lafayette	482	242	240	534	270	264	25.1	19.1	37.1

Table 2 - Page 2  
Live Births - Mississippi - 1962

County	Place of Occurrence			Place of Residence			Rate*		
	Number		Non-white	Number		Non-white	Rate*		Non-white
	Total	White		Total	White		Total	White	
Lamar	90	62	28	311	246	65	20.6	20.0	22.9
Lauderdale	2,207	1,261	946	1,781	1,040	741	25.3	21.2	34.7
Lawrence	160	55	105	259	135	124	26.3	21.2	35.8
Leake	316	142	174	378	164	214	19.3	14.3	26.3
Lee	1,296	955	341	1,007	673	334	24.4	22.2	30.4
Leflore	1,609	437	1,172	1,541	359	1,182	32.0	19.7	39.5
Lincoln	637	382	255	622	340	282	22.1	16.9	35.1
Lowndes	1,520	889	631	1,447	824	623	28.8	25.8	34.2
Madison	847	153	694	929	207	722	28.0	18.6	32.6
Marion	492	278	214	572	321	251	24.4	21.5	29.4
Marshall	692	111	581	749	158	591	29.9	20.9	33.8
Monroe	783	435	348	794	440	354	23.7	19.6	31.9
Montgomery	392	178	214	349	140	209	23.2	15.1	36.4
Neshoba	433	242	191	434	247	187	20.2	15.2	35.3
Newton	401	243	158	422	224	198	20.4	15.5	31.6
Noxubee	501	100	401	484	95	389	28.3	20.6	31.2
Oktibbeha	786	323	463	724	281	443	27.7	19.7	37.4
Panola	885	274	611	863	270	593	27.3	19.9	32.9
Pearl River	563	434	129	498	352	146	21.4	19.1	30.2
Perry	20	14	6	186	129	57	22.8	21.1	27.9
Pike	886	411	475	801	340	461	22.4	16.8	29.4
Pontotoc	306	212	94	333	234	99	17.4	15.0	27.8
Prentiss	420	350	70	375	310	65	21.2	20.2	28.0
Quitman	746	218	528	692	189	503	31.9	21.3	39.4
Rankin	296	88	208	900	516	384	24.8	24.2	25.8
Scott	548	341	207	537	286	251	24.3	20.2	31.5
Sharkey	232	37	195	365	64	301	31.9	17.4	38.8
Simpson	438	247	191	475	261	214	21.9	18.6	27.8
Smith	33	14	19	316	175	141	22.2	16.1	41.8
Stone	168	120	48	172	117	55	19.8	17.1	29.9
Sunflower	1,328	234	1,094	1,436	270	1,166	29.5	17.4	35.1
Tallahatchie	702	125	577	745	151	594	30.3	17.2	37.6
Tate	332	11	321	530	155	375	27.8	18.9	34.5
Tippah	394	294	100	345	252	93	21.0	18.4	35.0
Tishomingo	178	165	13	249	230	19	17.0	16.6	24.7
Tunica	602	59	543	599	66	533	34.8	18.1	39.2
Union	377	277	100	385	285	100	20.4	18.0	33.6
Walthall	470	267	203	299	124	175	23.4	17.7	30.4
Warren	1,482	593	889	1,127	508	619	25.9	22.1	30.1
Washington	2,547	966	1,581	2,437	914	1,523	31.9	26.0	36.8
Wayne	463	290	173	404	218	186	25.5	21.5	32.7
Webster	148	70	78	207	122	85	19.8	16.4	28.2
Wilkinson	405	175	230	343	65	278	28.4	21.7	30.6
Winston	335	141	194	377	154	223	18.9	12.7	28.2
Yalobusha	295	114	181	287	106	181	23.1	15.2	33.3
Yazoo	866	275	591	898	281	617	26.4	21.1	29.8
Out-of-State	1,033	902	131	1,484	1,249	235	-	-	-

Table 2 - Page 3  
Live Births - Mississippi - 1962

City**	Place of Occurrence			Place of Residence		
	Number		Non-white	Number		Non-white
	Total	White		Total	White	
Biloxi	2,869	2,588	281	1,711	1,480	231
Clarksdale	1,026	372	654	662	234	428
Cleveland	241	38	203	290	131	159
Columbus	994	588	406	753	390	363
Corinth	574	479	95	237	158	79
Greenville	1,472	771	701	1,254	578	676
Greenwood	847	435	412	600	241	359
Gulfport	1,558	1,139	419	895	604	291
Hattiesburg	1,581	1,178	403	923	528	395
Jackson	5,746	3,048	2,698	4,038	2,058	1,980
Laurel	2,337	1,105	1,232	674	332	342
McComb	645	369	276	282	163	119
Meridian	2,126	1,249	877	1,240	700	540
Natchez	1,587	700	887	693	293	400
Pascagoula	85	2	83	553	392	161
Tupelo	1,029	797	232	391	286	105
Vicksburg	1,464	592	872	787	350	437
Yazoo City	518	273	245	346	143	203
Total Urban#	38,070	21,865	16,205	22,392	12,153	10,239
Total Rural	21,302	5,994	15,308	36,529	15,359	21,170

\* Births per 1,000 population.

\*\* Cities having 10,000 population and over according to 1960 census.

# Includes all incorporated towns of 2,500 population or more according to 1960 census.

TABLE 3  
LIVE BIRTHS  
MISSISSIPPI  
1962

By Place of Residence of Mother, by Race and Attendant, and by Sex

County	TOTAL	WHITE			Total	Phys. in Hosp.	Other	NONWHITE	Phys. in Hosp.	Other	Male	Female	SEX
		Total	Phys. in Hosp.	Phys. in Home									
STATE	<u>58,921</u>	<u>27,512</u>	<u>27,310</u>	<u>95</u>	<u>107</u>	<u>31,409</u>	<u>16,622</u>	<u>1,327</u>	<u>13,460</u>	<u>30,123</u>	<u>28,798</u>		
Adams	1,097	469	468	1	0	628	617	3	8	549	548		
Alcorn	555	444	440	3	1	111	64	2	45	293	262		
Anite	343	101	101	0	0	242	71	0	171	174	169		
Attala	437	182	182	0	0	255	85	5	165	244	193		
Benton	192	63	59	3	1	129	33	4	92	95	97		
Bolivar	1,803	365	354	1	10	1,438	643	75	720	893	910		
Calhoun	332	180	177	3	0	152	78	5	69	170	162		
Carroll	232	60	60	0	0	172	41	4	127	103	129		
Chickasaw	450	228	225	3	0	222	108	27	87	233	217		
Choctaw	205	111	108	2	1	94	36	6	52	104	101		
Claiborne	243	35	35	0	0	208	70	2	136	133	110		
Clarke	343	164	164	0	0	179	133	10	36	176	167		
Clay	460	177	177	0	0	283	159	19	105	241	219		
Coahoma	1,560	337	336	0	1	1,223	618	8	597	773	787		
Copiah	660	211	210	0	1	449	384	6	59	366	294		
Covington	338	172	172	0	0	166	137	7	22	175	163		
DeSoto	750	213	213	0	0	537	263	5	269	394	356		
Forrest	1,421	908	905	2	1	513	364	1	148	747	674		
Franklin	187	76	76	0	0	111	95	2	14	88	99		
George	308	250	249	0	1	58	45	0	13	160	148		
Greene	172	108	104	4	0	64	38	2	24	89	83		
Grenada	521	191	191	0	0	330	65	80	185	270	251		
Hancock	334	254	253	0	1	80	41	1	38	169	165		
Harrison	4,216	3,425	3,407	1	17	791	450	45	296	2,224	1,992		

Table 3 - Page 2  
Live Births - Mississippi - 1962

County	TOTAL	WHITE			NONWHITE			SEX			
		Total	Phys. in Hosp.	Phys. in Home	Other	Total	Phys. in Hosp.	Phys. in Home	Other	Male	Female
Hinds	5,370	2,550	2,547	2	1	2,820	2,311	75	434	2,800	2,570
Holmes	693	102	100	2	0	591	97	12	482	365	328
Humphreys	597	101	99	1	1	496	79	2	415	292	305
Issaquena	88	12	10	2	0	76	47	1	28	47	41
Itawamba	276	250	243	7	0	26	25	1	0	138	138
Jackson	1,750	1,292	1,285	3	4	458	240	66	152	859	891
Jasper	421	161	160	0	1	260	226	4	30	205	216
Jefferson	231	38	38	0	0	193	100	0	93	114	117
Jeff Davis	289	113	112	0	1	176	97	7	72	159	130
Jones	1,282	799	798	0	1	483	455	6	22	636	646
Kemper	247	62	61	0	1	185	82	0	103	124	123
Lafayette	534	270	266	0	4	264	53	16	195	277	257
Lamar	311	246	246	0	0	65	61	1	3	166	145
Lauderdale	1,781	1,040	1,040	0	0	741	617	14	110	939	842
Lawrence	259	135	132	1	2	124	57	2	65	120	139
Leake	378	164	164	0	0	214	113	0	101	198	180
Lee	1,007	673	667	5	1	334	214	20	100	512	495
Leflore	1,541	359	357	1	1	1,182	163	27	992	759	782
Lincoln	622	340	338	0	2	282	232	1	49	327	295
Lowndes	1,447	824	819	1	4	623	242	9	372	750	697
Madison	929	207	206	1	0	722	219	19	484	471	458
Marion	572	321	316	3	2	251	99	39	113	283	289
Marshall	749	158	157	0	1	591	168	63	360	363	386
Monroe	794	440	437	0	3	354	168	33	153	408	386
Montgomery	349	140	140	0	0	209	74	6	129	164	185
Neshoba	434	247	246	0	1	187	136	1	50	210	224
Newton	422	224	221	3	0	198	125	50	23	205	217
Noxubee	484	95	95	0	0	389	106	3	280	238	246
Oktibbeha	724	281	276	5	0	443	237	1	205	386	338
Panola	863	270	264	5	1	593	349	71	173	411	452

Table 3 - Page 3  
Live Births - Mississippi - 1962

County	TOTAL	WHITE			NONWHITE			SEX		
		Total	Phys. in Hosp.	Phys. in Home	Other	Total	Phys. in Hosp.	Phys. in Home	Other	Male
Pearl River	498	352	352	0	0	146	138	0	8	252
Perry	186	129	129	0	0	57	52	2	3	107
Pike	801	340	339	0	1	461	290	1	170	410
Pontotoc	333	234	231	1	2	99	51	6	42	173
Prentiss	375	310	309	0	1	65	43	4	18	208
Quitman	692	189	186	1	2	503	350	12	141	357
Rankin	900	516	512	1	3	384	299	5	80	457
Scott	537	286	284	1	1	251	153	1	97	269
Sharkey	365	64	64	0	0	301	161	1	139	176
Simpson	475	261	261	0	0	214	157	0	57	255
Smith	316	175	174	1	0	141	122	5	14	158
Stone	172	117	117	0	0	55	21	0	34	83
Sunflower	1,436	270	260	6	4	1,166	397	148	621	715
Tallahatchie	745	151	145	0	6	594	115	31	448	375
Tate	530	155	149	5	1	375	58	52	265	271
Tippah	345	252	246	4	2	93	64	16	13	178
Tishomingo	249	230	229	1	0	19	19	0	0	122
Tunica	599	66	64	2	0	533	159	17	357	302
Union	385	285	274	2	9	100	28	4	68	188
Walthall	299	124	122	0	2	175	83	0	92	159
Warren	1,127	508	506	1	1	619	506	4	109	585
Washington	2,437	914	912	1	1	1,523	982	49	492	1,244
Wayne	404	218	217	0	1	186	133	3	50	228
Webster	207	122	119	3	0	85	40	12	33	99
Wilkinson	343	65	65	0	0	278	106	1	171	167
Winston	377	154	154	0	0	223	77	2	144	184
Yalobusha	287	106	105	0	1	181	72	78	31	149
Yazoo	898	281	279	0	2	617	116	4	497	463

1,193  
176  
193  
138  
435

1,193  
176  
193  
138  
435

Table 3 - Page 4  
Live Births - Mississippi - 1962

City*	TOTAL	WHITE			NONWHITE			SEX			
		Total	Phys. in Hosp.	Phys. in Home	Other	Total	Phys. in Hosp.	Phys. in Home	Other	Male	Female
Biloxi	1,711	1,480	1,477	0	3	231	170	16	45	889	822
Clarksdale	662	234	234	0	0	428	363	3	62	324	338
Cleveland	290	131	129	1	1	159	92	8	59	129	161
Columbus	753	390	387	0	3	363	138	5	220	380	373
Corinth	237	158	158	0	0	79	48	2	29	123	114
Greenville	1,254	578	578	0	0	676	462	15	199	638	616
Greenwood	600	241	241	0	0	359	98	3	258	301	299
Gulfport	895	604	600	1	3	291	164	25	102	487	408
Hattiesburg	923	528	527	1	0	395	281	1	113	491	432
Jackson	4,038	2,058	2,056	2	0	1,980	1,784	64	132	2,102	1,936
Laurel	674	332	332	0	0	342	329	5	8	338	336
McComb	282	163	163	0	0	119	95	0	24	147	135
Meridian	1,240	700	700	0	0	540	485	13	42	655	585
Natchez	693	293	293	0	0	400	396	1	3	351	342
Pascagoula	553	392	391	1	0	161	75	13	73	265	288
Tupelo	391	286	284	2	0	105	74	0	31	197	194
Vicksburg	787	350	349	1	0	437	360	3	74	418	369
Yazoo City	346	143	143	0	0	203	47	1	155	180	166

\* Cities having 10,000 population and over according to 1960 census.

TABLE 4  
FETAL DEATHS  
MISSISSIPPI  
1962

By Place of Occurrence, by Place of Residence of Mother, by Race and Attendant, and by Sex

County	Total by Occurrence	Total by Residence	WHITE				NONWHITE				SEX		
			Total	Phys. in Hosp.	Phys. in Home	Other	Total	Phys. in Hosp.	Phys. in Home	Other	Male	Female	Unde-termined
STATE	2,785	2,742	1,267	1,233	30	4	1,475	947	95	433	944	748	1,050
Adams	55	38	13	13	0	0	25	24	0	1	18	14	6
Alcorn	11	12	7	7	0	0	5	5	0	0	7	5	0
Amité	4	7	1	1	0	0	6	2	0	4	3	3	1
Attala	27	27	7	7	0	0	20	7	5	8	13	10	4
Benton	3	10	2	2	0	0	8	5	1	2	6	1	3
Bolivar	72	76	11	10	1	0	65	35	9	21	40	27	9
Calhoun	14	13	2	2	0	0	11	8	0	3	7	5	1
Carroll	7	17	2	2	0	0	15	8	1	6	9	3	5
Chickasaw	14	17	5	5	0	0	12	8	0	4	10	4	3
Choctaw	4	6	4	4	0	0	2	1	0	1	3	3	0
Claiborne	6	7	2	2	0	0	5	2	0	3	1	3	3
Clarke	5	12	4	4	0	0	8	6	0	2	8	4	0
Clay	7	7	2	2	0	0	5	1	0	4	6	1	0
Coahoma	62	58	4	4	0	0	54	35	2	17	28	24	6
Copiah	23	25	7	7	0	0	18	13	4	1	10	15	0
Covington	4	15	5	5	0	0	10	8	1	1	7	6	2
DeSoto	15	18	3	3	0	0	15	9	1	5	9	7	2
Forrest	67	58	34	34	0	0	24	13	1	10	14	13	31
Franklin	9	11	3	3	0	0	8	8	0	0	5	4	2
George	6	6	5	5	0	0	1	1	0	0	2	3	1
Greene	0	7	3	2	1	0	4	4	0	0	1	4	2
Grenada	22	21	5	5	0	0	16	4	3	9	11	6	4
Hancock	6	9	6	6	0	0	3	3	0	0	7	2	0
Harrison	261	222	194	194	0	0	28	21	0	7	30	36	156

Table 4 - Page 2  
Fetal Deaths - Mississippi - 1962

County	Total by Occurrence	Total by Residence	WHITE				NONWHITE				SEX		
			Total	Phys. in Hosp.	Phys. in Home	Other	Total	Phys. in Hosp.	Phys. in Home	Other	Male	Female	Unde- termined
Hinds	482	406	279	259	19	1	127	104	9	14	76	57	273
Holmes	44	49	6	6	0	0	43	21	3	19	21	18	10
Humphreys	23	30	2	2	0	0	28	13	0	15	12	14	4
Issaquena	3	5	0	0	0	0	5	2	0	3	5	0	0
Itawamba	3	11	11	0	0	0	0	0	0	0	4	4	3
Jackson	70	96	67	65	2	0	29	22	5	2	20	20	56
Jasper	3	14	6	6	0	0	8	7	0	1	6	4	4
Jefferson	4	14	3	3	0	0	11	7	0	4	8	3	3
Jeff Davis	10	12	2	2	0	0	10	5	1	4	5	4	3
Jones	110	64	42	42	0	0	22	18	0	4	19	16	29
Kemper	1	8	1	1	0	0	7	6	0	1	7	0	1
Lafayette	8	10	4	4	0	0	6	1	0	5	8	0	2
Lamar	1	10	10	10	0	0	0	0	0	0	0	1	2
Lauderdale	60	43	12	11	1	0	31	24	0	7	15	25	3
Lawrence	1	9	6	6	0	0	3	3	0	0	4	0	5
Leake	6	8	2	2	0	0	6	3	0	3	4	4	0
Lee	34	26	12	11	0	1	14	8	1	5	9	8	9
Leflore	120	107	36	36	0	0	71	39	7	25	24	24	59
Lincoln	20	27	12	12	0	0	15	14	1	0	11	6	10
Lowndes	49	47	23	23	0	0	24	9	1	14	26	15	6
Madison	51	55	5	4	1	0	50	23	0	27	29	14	12
Marion	11	19	14	14	0	0	5	4	0	1	6	6	7
Marshall	42	38	8	8	0	0	30	12	1	17	19	15	4
Monroe	16	17	10	10	0	0	7	5	1	1	9	4	4
Montgomery	10	9	3	3	0	0	6	5	1	0	4	1	4
Neshoba	15	16	10	9	0	1	6	4	0	2	9	4	3
Newton	32	32	13	13	0	0	19	17	2	0	8	7	17
Noxubee	28	24	2	2	0	0	22	11	0	11	9	15	0
Oktibbeha	28	27	11	11	0	0	16	7	0	9	14	10	3
Panola	22	28	3	3	0	0	25	19	3	3	15	11	2

Table 4 - Page 3  
Fetal Deaths - Mississippi - 1962

County	Total by Occurrence	Total by Residence	WHITE			NONWHITE			SEX		
			Total	Phys. in Hosp.	Other	Total	Phys. in Hosp.	Other	Male	Female	Unde- termined
Pearl River	10	11	7	7	0	0	4	3	0	6	4
Perry	0	4	3	3	0	0	1	1	0	0	1
Pike	37	37	13	13	0	0	24	22	0	2	3
Pontotoc	8	4	2	2	0	0	2	1	0	16	7
Prentiss	13	13	11	11	0	0	2	1	0	2	2
Quitman	31	34	2	2	0	0	32	24	1	7	2
Rankin	9	34	25	24	1	0	9	6	1	2	18
Scott	18	20	7	7	0	0	13	11	0	6	6
Sharkey	4	15	5	5	0	0	10	8	0	2	5
Simpson	10	16	7	7	0	0	9	8	0	1	5
Smith	1	17	11	11	0	0	6	6	0	7	6
Stone	0	3	2	2	0	0	1	1	0	1	0
Sunflower	44	48	9	7	2	0	39	17	4	18	1
Tallahatchie	31	34	7	7	0	0	27	8	4	15	10
Tate	14	24	4	4	0	0	20	6	2	12	1
Tippah	22	18	10	10	0	0	8	7	0	1	11
Tishomingo	2	3	2	2	0	0	1	1	0	3	0
Tunica	35	30	1	1	0	0	29	14	3	12	12
Union	39	32	26	26	0	0	6	6	0	0	2
Walthall	35	21	8	8	0	0	13	9	0	4	11
Warren	142	98	52	52	0	0	46	43	1	2	59
Washington	186	177	87	85	2	0	90	70	7	13	87
Wayne	12	12	4	4	0	0	8	3	2	3	1
Webster	5	8	2	2	0	0	6	4	2	0	0
Wilkinson	16	14	2	2	0	0	12	4	0	8	2
Winston	11	13	2	2	0	0	11	8	1	2	0
Yalobusha	9	8	4	4	0	0	4	3	1	0	3
Yazoo	30	34	6	5	0	1	28	8	1	19	2

Table 4 - Page 4  
Fetal Deaths - Mississippi - 1962

City*	Occurrence	Total by Residence	WHITE			NONWHITE			SEX			
			Total by Residence	Total	Phys. in Hosp.	Phys. in Home	Other	Total	Phys. in Hosp.	Phys. in Home	Other	Male
Biloxi	224	147	136	136	0	0	0	11	10	0	1	15
Clarksdale	46	23	3	3	0	0	0	20	17	2	1	9
Cleveland	7	5	1	1	0	0	0	4	3	1	0	2
Columbus	33	27	12	12	0	0	0	15	5	1	9	17
Corinth	11	7	3	3	0	0	0	4	4	0	0	4
Greenville	150	117	65	63	2	0	0	52	42	4	6	31
Greenwood	99	55	26	26	0	0	0	29	19	0	10	9
Gulfport	36	35	24	24	0	0	0	11	6	0	5	6
Hattiesburg	63	47	29	29	0	0	0	18	11	1	6	11
Jackson	469	352	255	238	16	1	97	85	7	5	58	48
Laurel	107	37	26	26	0	0	0	11	10	0	1	12
McComb	26	12	4	4	0	0	0	8	6	0	2	3
Meridian	57	32	11	10	1	0	0	21	17	0	4	12
Natchez	55	26	12	12	0	0	0	14	13	0	1	16
Pascagoula	2	34	24	24	0	0	0	10	9	1	0	3
Tupelo	14	5	2	1	0	1	3	1	1	1	2	2
Vicksburg	140	75	38	38	0	0	0	37	35	0	2	18
Yazoo City	19	15	4	3	0	1	11	3	0	0	8	8

\* Cities having 10,000 population and over according to 1960 census.

TABLE 5  
DEATHS  
MISSISSIPPI  
1962

By Cause of Death, by Race, Residence Data

International List Number*	Cause of Death**	Total	White	Non-white
001-999	<u>TOTAL ALL CAUSES</u>	22,713	11,868	10,845
001-019	<u>Tuberculosis, all forms</u>	128	56	72
002	Pulmonary	116	50	66
003	Pleural	1	1	0
008	Unspecified site	2	1	1
010	Meninges and central nervous system	4	2	2
015	Lymphatic system	1	0	1
016	Genito-urinary system	2	2	0
019	Disseminated	2	0	2
020-029	<u>Syphilis and its sequelae</u>	26	8	18
022	Aneurysm of aorta	6	3	3
023	Other cardiovascular	12	3	9
025	General paralysis of insane	2	0	2
026	Other central nervous system	3	1	2
027	Other late	2	1	1
029	Unqualified	1	0	1
040	Typhoid fever	3	1	2
042	Other Salmonella infections	1	0	1
044	Brucellosis (undulant fever)	1	0	1
045-048	<u>Dysentery, all forms</u>	16	3	13
045	Bacillary	7	0	7
046	Amebiasis	6	3	3
048	Unspecified forms	3	0	3
049	Food poisoning (infection and intoxication)	1	1	0
053	Septicemia and pyemia	31	14	17
055	Diphtheria	2	0	2
056	Whooping cough	7	0	7
057	Meningococcal infections	11	8	3
061	Tetanus	10	2	8
063	Gas gangrene	1	0	1
072	Leptospirosis	1	0	1
081	Late effects of acute poliomyelitis	1	0	1
082	Acute infectious encephalitis	12	5	7
085	Measles	11	2	9
086	Rubella (German measles)	1	1	0
087	Chickenpox	3	2	1
089	Mumps	2	0	2
092	Infectious hepatitis	18	7	11
096	Other diseases attributable to viruses	7	3	4
130	Infestation with worms of other, mixed, and unspecified type	3	2	1
132	Actinomycosis	1	0	1
133	Coccidioidomycosis	1	1	0

Table 5 - Page 2  
Deaths - Mississippi - 1962

International List Number *	Cause of Death**	Total	White	Non-white
134	Other fungus infections	7	3	4
138	Other infective and parasitic diseases	5	4	1
<u>140-205</u>	<u>Malignant neoplasms</u>	<u>2,827</u>	<u>1,793</u>	<u>1,034</u>
140-148	<u>Buccal cavity and pharynx</u>	57	40	17
140	Lip	4	2	2
141	Tongue	15	14	1
142	Salivary gland	6	3	3
143	Floor of mouth	1	1	0
144	Other parts of mouth and mouth unspecified	8	4	4
145	Oral mesopharynx	3	3	0
146	Nasopharynx	5	3	2
147	Hypopharynx	4	4	0
148	Pharynx, unspecified	11	6	5
<u>150-159</u>	<u>Digestive organs and peritoneum</u>	<u>948</u>	<u>591</u>	<u>357</u>
150	Esophagus	51	36	15
151	Stomach	218	99	119
152	Small intestine, including duodenum	11	6	5
153	Large intestine, except rectum	267	188	79
154	Rectum	77	51	26
155	Biliary passages and liver (stated to be primary site)	45	33	12
156	Liver (secondary and unspecified)	77	44	33
157	Pancreas	168	119	49
158	Peritoneum	7	5	2
159	Unspecified digestive organs	27	10	17
<u>160-165</u>	<u>Respiratory system</u>	<u>435</u>	<u>332</u>	<u>103</u>
160	Nose, nasal cavities, middle ear, and and accessory sinuses	8	3	5
161	Larynx	20	14	6
162	Bronchus and trachea, and lung specified as primary	161	122	39
163	Lung, unspecified as to whether primary or secondary	231	182	49
164	Mediastinum	7	4	3
165	Thoracic organs (secondary)	8	7	1
<u>170-181</u>	<u>Breast and genito-urinary organs</u>	<u>802</u>	<u>422</u>	<u>380</u>
170	Breast	216	143	73
171	Cervix uteri	128	52	76
172	Corpus uteri	6	2	4
173	Other parts of uterus, including chorio-nepithelioma	1	1	0
174	Uterus, unspecified	69	15	54
175	Ovary, Fallopian tube, and broad ligament	62	42	20
176	Other and unspecified female genital organs	7	3	4
177	Prostate	213	98	115
178	Testis	6	6	0
179	Other and unspecified male genital organs	2	0	2
180	Kidney	27	21	6
181	Bladder and other urinary organs	65	39	26

Table 5 - Page 3

Deaths - Mississippi - 1962

International List Number*	Cause of Death**	Total	White	Non-white
<u>190-199</u>	<u>Other and unspecified sites</u>	<u>351</u>	<u>244</u>	<u>107</u>
190	Melanoma of skin	24	22	2
191	Skin, other	42	36	6
192	Eye	2	1	1
193	Brain and other parts of nervous system	66	59	7
194	Thyroid gland	7	7	0
195	Other endocrine glands	2	0	2
196	Bone	29	16	13
197	Connective tissue	10	6	4
199	Other and unspecified sites	169	97	72
<u>200-205</u>	<u>Lymphatic and hematopoietic tissues</u>	<u>234</u>	<u>164</u>	<u>70</u>
200	Lymphosarcoma and reticulosarcoma	43	33	10
201	Hodgkin's disease	19	13	6
202	Other forms of lymphoma (reticulosis)	10	8	2
203	Multiple myeloma (plasmacytoma)	18	12	6
204	Leukemia and aleukemia	143	97	46
205	Mycosis fungoides	1	1	0
<u>210-229</u>	<u>Benign neoplasms</u>	<u>38</u>	<u>21</u>	<u>17</u>
211	Other parts of digestive system	2	1	1
212	Respiratory system	2	2	0
214	Uterine fibromyoma	11	2	9
216	Ovary	3	3	0
223	Brain and other parts of nervous system	12	6	6
224	Endocrine glands	5	4	1
225	Bone and cartilage	1	1	0
227	Other muscular and connective tissue	1	1	0
228	Hemangioma and lymphangioma	1	1	0
<u>230-239</u>	<u>Neoplasms of unspecified nature</u>	<u>21</u>	<u>12</u>	<u>9</u>
230	Digestive organs	1	1	0
231	Respiratory organs	1	1	0
237	Brain and other parts of nervous system	17	8	9
238	Skin and musculoskeletal system	1	1	0
239	Other and unspecified organs	1	1	0
241	Asthma	43	19	24
252	Thyrotoxicosis with or without goiter	11	2	9
253	Myxedema and cretinism	4	3	1
260	Diabetes mellitus	306	165	141
270	Disorders of pancreatic internal secretion other than diabetes mellitus	1	0	1
271	Diseases of parathyroid gland	1	0	1
272	Diseases of pituitary gland	2	1	1
277	Polyglandular dysfunction and other diseases of endocrine glands	1	1	0
280	Beriberi	1	0	1
281	Pellagra	1	0	1
286	Other avitaminoses and nutritional deficiency states	28	9	19
287	Obesity, not specified as of endocrine origin	7	4	3
289	Other metabolic diseases	6	5	1

Table 5 - Page 4  
Deaths - Mississippi - 1962

International List Number*	Cause of Death**	Total	White	Non-white
<u>290-293</u>	<u>Anemias</u>	<u>52</u>	<u>20</u>	<u>32</u>
290	Pernicious and other hyperchromic	5	1	4
291	Iron deficiency (hypochromic)	4	3	1
292	Other specified type	23	4	19
293	Unspecified type	20	12	8
294	Polycythemia	3	3	0
295	Hemophilia	2	1	1
296	Purpura and other hemorrhagic conditions	3	3	0
297	Agranulocytosis	1	1	0
298	Diseases of spleen	2	2	0
299	Other diseases of blood and blood forming organs	2	0	2
300	Schizophrenic disorders (dementia praecox)	2	1	1
301	Manic-depressive reaction	1	1	0
304	Senile psychosis	5	3	2
309	Other and unspecified psychoses	7	3	4
322	Alcoholism	26	12	14
325	Mental deficiency	5	1	4
<u>330-334</u>	<u>Vascular lesions affecting central nervous system</u>	<u>3,112</u>	<u>1,552</u>	<u>1,560</u>
330	Subarachnoid hemorrhage	84	45	39
331	Cerebral hemorrhage	1,879	846	1,033
332	Cerebral embolism and thrombosis	738	465	273
334	Other and ill-defined	411	196	215
340	Meningitis, except meningococcal and tuberculous	50	16	34
342	Intracranial and intraspinal abscess	5	1	4
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	6	4	2
344	Late effects of intracranial abscess or pyogenic infection	8	1	7
345	Multiple sclerosis	7	5	2
350	Paralysis agitans	22	21	1
351	Cerebral spastic infantile paralysis	10	4	6
352	Other cerebral paralysis	10	2	8
353	Epilepsy	28	9	19
355	Other diseases of brain	13	7	6
356	Motor neurone disease and muscular atrophy	19	11	8
357	Other diseases of spinal cord	4	1	3
364	Polyneuritis and polyradiculitis	2	1	1
370	Conjunctivitis and ophthalmia	1	0	1
391	Otitis media without mention of mastoiditis	2	0	2
392	Otitis media with mastoiditis	1	0	1
<u>400-443</u>	<u>Diseases of the heart</u>	<u>7,077</u>	<u>4,206</u>	<u>2,871</u>
401	Rheumatic fever with heart involvement	6	2	4
410	Diseases of mitral valve	55	25	30
411	Diseases of aortic valve specified as rheumatic	9	5	4
414	Other endocarditis specified as rheumatic	6	2	4
415	Other myocarditis specified as rheumatic	1	0	1
416	Other heart disease specified as rheumatic	53	27	26
420	Arteriosclerotic heart disease, including coronary disease	4,488	3,129	1,359
421	Chronic endocarditis not specified as rheumatic	71	40	31
422	Other myocardial degeneration	491	276	215

Table 5 - Page 5  
 Deaths - Mississippi - 1962

International List Number*	Cause of Death**	Total	White	Non-white
430	Acute and subacute endocarditis	14	5	9
431	Acute myocarditis not specified as rheumatic	10	6	4
433	Functional disease of heart	93	62	31
434	Other and unspecified diseases of heart	506	200	306
441	Essential malignant hypertensive heart disease	14	2	12
442	Hypertensive heart disease with arteriolar nephrosclerosis	234	95	139
443	Other and unspecified hypertensive heart disease	1,026	330	696
<u>444-447</u>	<u>Other hypertensive disease</u>	<u>224</u>	<u>85</u>	<u>139</u>
444	Essential benign	71	21	50
445	Essential malignant	68	19	49
446	With arteriolar nephrosclerosis	82	42	40
447	Other	3	3	0
450	General arteriosclerosis	345	217	128
<u>451-468</u>	<u>Other diseases of circulatory system</u>	<u>244</u>	<u>151</u>	<u>93</u>
451	Aortic aneurysm, non-syphilitic, and dissecting aneurysm	87	71	16
452	Other aneurysm, except of heart and aorta	6	2	4
454	Arterial embolism and thrombosis	9	9	0
455	Gangrene of unspecified cause	8	2	6
456	Other diseases of arteries	13	7	6
460	Varicose veins of lower extremities	3	2	1
461	Hemorrhoids	1	1	0
462	Varicose veins of other specified sites	7	1	6
463	Phlebitis and thrombophlebitis of lower extremities	5	3	2
464	Phlebitis and thrombophlebitis of other sites	9	4	5
465	Pulmonary embolism and infarction	53	28	25
466	Other venous embolism and thrombosis	20	12	8
467	Other diseases of circulatory system	22	8	14
468	Certain diseases of lymph nodes and lymph channels	1	1	0
471	Acute sinusitis	1	1	0
472	Acute pharyngitis	1	1	0
474	Acute laryngitis and tracheitis	2	1	1
475	Acute upper respiratory infection of multiple or unspecified sites	14	1	13
<u>480-483</u>	<u>Influenza</u>	<u>96</u>	<u>37</u>	<u>59</u>
480	With pneumonia	59	21	38
481	With other respiratory manifestations, and influenza unqualified	31	15	16
482	With digestive manifestations, but without respiratory symptoms	2	0	2
483	With nervous manifestations, but without digestive or respiratory symptoms	4	1	3
<u>490-493</u>	<u>Pneumonia</u>	<u>783</u>	<u>325</u>	<u>458</u>
490	Lobar	164	68	96
491	Broncho	288	122	166
492	Primary atypical	57	25	32

Table 5 - Page 6  
Deaths - Mississippi - 1962

International List Number*	Cause of Death**	Total	White	Non-white
493	Other and unspecified	274	110	164
<u>500-502</u>	<u>Bronchitis</u>	<u>50</u>	<u>27</u>	<u>23</u>
500	Acute	10	6	4
501	Unqualified	17	4	13
502	Chronic	23	17	6
513	Chronic sinusitis	1	0	1
517	Other diseases of upper respiratory tract	3	0	3
518	Empyema	1	1	0
519	Pleurisy	2	1	1
520	Spontaneous pneumothorax	2	0	2
521	Abscess of lung	6	2	4
522	Pulmonary congestion and hypostasis	11	7	4
523	Pneumoconiosis due to silica and silicates (occupational)	1	1	0
525	Other chronic interstitial pneumonia	25	21	4
526	Bronchiectasis	28	21	7
527	Other diseases of lung and pleural cavity	147	119	28
532	Other inflammatory diseases of supporting structures of teeth	1	1	0
536	Stomatitis	1	1	0
537	Diseases of salivary glands	2	2	0
538	Other diseases of buccal cavity	4	4	0
539	Diseases of esophagus	4	3	1
<u>540,541</u>	<u>Ulcer of stomach and duodenum</u>	<u>86</u>	<u>58</u>	<u>28</u>
540	Stomach	45	32	13
541	Duodenum	41	26	15
542	Gastrojejunal ulcer	1	1	0
543	Gastritis and duodenitis	4	1	3
544	Disorders of function of stomach	4	0	4
545	Other diseases of stomach and duodenum	4	2	2
<u>550-553</u>	<u>Appendicitis</u>	<u>20</u>	<u>7</u>	<u>13</u>
550	Acute	19	7	12
551	Unqualified	1	0	1
<u>560,561,570</u>	<u>Hernia and intestinal obstruction</u>	<u>108</u>	<u>56</u>	<u>52</u>
560	Hernia of abdominal cavity without mention of obstruction	10	7	3
561	Hernia of abdominal cavity with obstruction	14	7	7
570	Intestinal obstruction without mention of hernia	84	42	42
571	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	206	29	177
572	Chronic enteritis and ulcerative colitis	37	29	8
573	Functional disorders of intestines	1	0	1
574	Anal fissure and fistula	1	0	1
575	Abscess of anal and rectal regions	1	0	1
576	Peritonitis	4	4	0
578	Other diseases of intestines and peritoneum	49	29	20
580	Acute and subacute yellow atrophy of liver	3	3	0
581	Cirrhosis of liver	131	94	37
582	Suppurative hepatitis and liver abscess	2	0	2
583	Other diseases of liver	17	12	5

Table 5 - Page 7  
 Deaths - Mississippi - 1962

International List Number*	Cause of Death**	Total	White	Non-white
584,585	<u>Cholelithiasis, cholecystitis, and cholangitis</u>	33	26	7
584	Cholelithiasis	18	15	3
585	Cholecystitis and cholangitis, without mention of calculi	15	11	4
586	Other diseases of gallbladder and biliary ducts	10	5	5
587	Diseases of pancreas	26	19	7
590,591	<u>Acute nephritis and nephritis with edema</u>	42	15	27
590	Acute	22	7	15
591	With edema, including nephrosis	20	8	12
592-594	<u>Chronic and unspecified nephritis and other renal sclerosis</u>	210	73	137
592	Chronic nephritis	161	59	102
593	Nephritis not specified as acute or chronic	47	14	33
594	Other renal sclerosis	2	0	2
600	Infections of kidney	155	88	67
601	Hydronephrosis	5	4	1
602	Calculi of kidney and ureter	12	10	2
603	Other diseases of kidney and ureter	12	6	6
604	Calculi of other parts of urinary system	1	1	0
605	Cystitis	1	0	1
606	Other diseases of bladder	2	1	1
608	Stricture of urethra	5	1	4
609	Other diseases of urethra	4	2	2
610	Hyperplasia of prostate	91	38	53
611	Prostatitis	5	0	5
612	Other diseases of prostate	2	2	0
617	Other diseases of male genital organs	1	0	1
624	Salpingitis and oophoritis, unqualified	1	0	1
626	Diseases of parametrium and pelvic peritoneum (female)	2	0	2
630	Infective disease of uterus, vagina, and vulva	3	0	3
631	Uterovaginal prolapse	2	2	0
633	Other diseases of uterus	2	1	1
634	Disorders of menstruation	4	0	4
637	Other diseases of female genital organs	1	0	1
640-689	<u>Deliveries and complications of pregnancy, childbirth, and the puerperium</u>	55	7	48
642	Toxemias of pregnancy	19	1	18
644	Other hemorrhage of pregnancy	2	0	2
645	Ectopic pregnancy	3	1	2
646	Anemia of pregnancy	1	0	1
648	Other complications arising from pregnancy	3	1	2
650	Abortion without mention of sepsis or toxemia	1	1	0
651	Abortion with sepsis	2	0	2
660	Delivery without mention of complication	2	0	2
670	Delivery complicated by placenta previa or antepartum hemorrhage	3	0	3
671	Delivery complicated by retained placenta	2	0	2
672	Delivery complicated by other postpartum hemorrhage	4	0	4

Table 5 - Page 8  
 Deaths - Mississippi - 1962

International List Number*	Cause of Death**	Total	White	Non-white
675	Delivery complicated by prolonged labor of other origin	2	1	1
677	Delivery with other trauma	2	0	2
681	Sepsis of childbirth and the puerperium	3	0	3
684	Puerperal pulmonary embolism	3	1	2
685	Puerperal eclampsia	3	1	2
690	Boil and carbuncle	1	1	0
692	Other cellulitis and abscess without mention of lymphangitis	5	4	1
701	Eczema	1	0	1
704	Pemphigus	2	2	0
705	Erythematous conditions	6	4	2
710	Other hypertrophic and atrophic conditions of skin	3	2	1
715	Chronic ulcer of skin	12	6	6
722	Rheumatoid arthritis and allied conditions	17	14	3
723	Osteo-arthritis (arthrosis) and allied conditions	7	6	1
725	Arthritis, unspecified	9	3	6
730	Osteomyelitis and periostitis	3	1	2
731	Osteitis deformans	1	1	0
733	Other diseases of bone	5	1	4
735	Displacement of intervertebral disc	1	0	1
744	Other diseases of muscle, tendon, and fascia	12	8	4
<u>750-759</u>	<u>Congenital malformations</u>	<u>253</u>	<u>149</u>	<u>104</u>
750	Monstrosity	13	11	2
751	Spina bifida and meningocele	13	10	3
752	Congenital hydrocephalus	16	6	10
753	Other nervous system and sense organs	6	4	2
754	Circulatory system	131	70	61
755	Cleft palate and harelip	3	2	1
756	Digestive system	18	13	5
757	Genito-urinary system	15	13	2
758	Bone and joint	4	2	2
759	Other and unspecified, not elsewhere classified	34	18	16
<u>760-776</u>	<u>Certain diseases of early infancy</u>	<u>1,249</u>	<u>452</u>	<u>797</u>
760	Intracranial and spinal injury at birth	35	13	22
761	Other birth injury	75	34	41
762	Postnatal asphyxia and atelectasis	269	120	149
763	Pneumonia	78	18	60
764	Diarrhea	17	1	16
767	Umbilical sepsis	1	0	1
768	Other sepsis	14	5	9
769	Neonatal disorders arising from certain diseases of the mother during pregnancy	17	4	13
770	Hemolytic disease of newborn (erythroblastosis)	24	14	10
771	Hemorrhagic disease of newborn	14	6	8
772	Nutritional maladjustment	38	5	33
773	Ill-defined diseases peculiar to early infancy	169	99	70
774	Immaturity with mention of any other subsidiary condition	21	6	15

Table 5 - Page 9  
 Deaths - Mississippi - 1962

International List Number*	Cause of Death**	Total	White	Non-white
776	Immaturity, unqualified	477	127	350
<u>780-795</u>	<u>Symptoms, senility, and ill-defined conditions</u>	<u>1,743</u>	<u>470</u>	<u>1,273</u>
780	Certain symptoms referable to nervous system and special senses	4	1	3
782	Symptoms referable to cardiovascular and lymphatic system	53	28	25
783	Symptoms referable to respiratory system	5	1	4
784	Symptoms referable to upper gastro-intestinal tract	6	3	3
785	Symptoms referable to abdomen and lower gastro-intestinal tract	4	0	4
786	Symptoms referable to genito-urinary system	5	1	4
788	Other general symptoms	13	0	13
791	Headache	1	0	1
792	Uremia	11	5	6
794	Senility without mention of psychosis	57	16	41
795	Ill-defined and unknown causes	1,584	415	1,169
<u>800-962</u>	<u>Accidents</u>	<u>1,557</u>	<u>846</u>	<u>711</u>
<u>800-802</u>	<u>Railway</u>	<u>15</u>	<u>7</u>	<u>8</u>
800	Involving railroad employee	1	1	0
802	Involving other and unspecified person	14	6	8
<u>810-835</u>	<u>Motor vehicle</u>	<u>625</u>	<u>414</u>	<u>211</u>
810	Traffic, collision with railway train	15	15	0
812	Traffic, to pedestrian	101	37	64
813	Traffic, to pedal cyclist	4	1	3
815	Traffic, to rider or passenger of motorcycle in collision with other motor vehicle	5	5	0
816	Other traffic, two or more motor vehicles	247	190	57
818	Traffic, collision with animal or animal-drawn vehicle	4	2	2
819	Traffic, collision with fixed or unspecified object	30	23	7
821	Noncollision traffic, to rider of motorcycle	1	1	0
822	Traffic, overturning in roadway	20	13	7
823	Traffic, running off roadway	145	91	54
824	Traffic, other noncollision	14	9	5
825	Traffic, unspecified nature	24	20	4
830	Nontraffic, to pedestrian	5	3	2
833	Nontraffic, two or more motor vehicles	1	0	1
835	Nontraffic, other and unspecified nature	9	4	5
<u>840-845</u>	<u>Other road vehicle</u>	<u>4</u>	<u>0</u>	<u>4</u>
843	To rider of pedal cycle not involving collision with motor vehicle	1	0	1
844	To pedestrian caused by other nonmotor road vehicle	1	0	1
845	Other	2	0	2
<u>850-858</u>	<u>Water transport</u>	<u>37</u>	<u>27</u>	<u>10</u>
850	Submersion of occupant of small boat	33	25	8
851	Other injury by submersion	2	0	2
856	Caused by machinery	1	1	0

Table 5 - Page 10  
Deaths - Mississippi - 1962

International List Number*	Cause of Death**	Total	White	Non-white
857	Other specified	1	1	0
<u>860-866</u>	<u>Aircraft</u>	<u>16</u>	<u>16</u>	<u>0</u>
860	To personnel in military aircraft	2	2	0
863	To occupant of other specified aircraft	2	2	0
866	Other and unspecified	12	12	0
<u>870-895</u>	<u>Poisoning</u>	<u>29</u>	<u>15</u>	<u>14</u>
872	Aspirin and salicylates	4	2	2
874	Other analgesic and soporific drugs	7	7	0
876	Strychnine	1	1	0
878	Other and unspecified drugs	3	0	3
880	Alcohol	1	1	0
882	Industrial solvents	1	0	1
888	Other and unspecified solid and liquid substances	5	1	4
890	Utility (illuminating) gas	1	1	0
891	Motor vehicle exhaust gas	2	1	1
892	Other carbon monoxide gas	4	1	3
<u>900-904</u>	<u>Falls</u>	<u>158</u>	<u>121</u>	<u>37</u>
900	On stairs	8	5	3
901	From ladders	1	1	0
902	Other, from one level to another	32	22	10
903	On same level	35	28	7
904	Unspecified	82	65	17
910	Blow from falling or projected object	27	14	13
912	Caused by machinery	34	21	13
913	Caused by cutting and piercing instruments	4	1	3
914	Caused by electric current	14	10	4
915	Caused by explosion of pressure vessel	3	1	2
916	Caused by fire and explosion of combustible material	222	60	162
917	Caused by hot substance, corrosive liquid, and steam	10	4	6
919	Caused by firearm	68	38	30
921	Inhalation and ingestion of food causing obstruction or suffocation	30	16	14
922	Inhalation and ingestion of other object causing obstruction or suffocation	4	2	2
923	Foreign body entering other orifice	11	4	7
924	Mechanical suffocation in bed and cradle	37	7	30
925	Mechanical suffocation in other and unspecified circumstances	10	3	7
926	Lack of care of infants under 1 year of age	1	0	1
927	Caused by bites and stings of venomous animals and insects	1	0	1
928	Other, caused by animals	6	4	2
929	Drowning and submersion	80	31	49
931	Excessive heat and insolation	6	0	6
932	Excessive cold	31	3	28
933	Hunger, thirst, and exposure	13	2	11
934	Cataclysm	1	0	1
935	Lightning	12	4	8
936	Other and unspecified	15	5	10

Table 5 - Page 11  
 Deaths - Mississippi - 1962

International List Number*	Cause of Death**	Total	White	Non-white
946	Other complications due to non-therapeutic medical and surgical procedures	1	1	0
950	Therapeutic misadventure in surgical treatment	9	2	7
951	Therapeutic misadventure in infusion or transfusion	2	2	0
954	Therapeutic misadventure in anesthesia	3	0	3
960	Late effect of motor vehicle accident	3	2	1
961	Late effect of accidental poisoning	3	2	1
962	Late effect of other accidental injury	12	7	5
<u>963,970-979</u>	<u>Suicide</u>	<u>168</u>	<u>147</u>	<u>21</u>
970	By analgesic and soporific substances	6	6	0
971	By other solid and liquid substances	6	6	0
973	By other gases	1	1	0
974	By hanging and strangulation	10	9	1
975	By submersion (drowning)	4	3	1
976	By firearms and explosives	133	115	18
977	By cutting and piercing instruments	4	3	1
979	By other and unspecified means	4	4	0
<u>964,980-985</u>	<u>Homicide</u>	<u>196</u>	<u>45</u>	<u>151</u>
981	Assault by firearm and explosive	145	35	110
982	Assault by cutting and piercing instruments	26	3	23
983	Assault by other means	17	6	11
984	Injury by intervention of police	7	1	6
985	Execution	1	0	1

\* International List Numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Seventh Revision, 1955.

\*\* When cause of death and International List Number are omitted, no deaths were reported.

TABLE 6  
DEATHS  
MISSISSIPPI  
1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

County	Place of Occurrence			Place of Residence			Rate*		
	Number		Non-white	Number		Non-white	Rate*		Non-white
	Total	White		Total	White		Total	White	
<b>STATE</b>	<b>22,447</b>	<b>11,663</b>	<b>10,784</b>	<b>22,713</b>	<b>11,868</b>	<b>10,845</b>	<b>10.0</b>	<b>9.0</b>	<b>11.6</b>
Adams	496	202	294	398	146	252	10.3	7.5	13.1
Alcorn	279	234	45	282	240	42	10.3	10.0	12.5
Amite	81	31	50	148	70	78	9.7	10.1	9.3
Attala	221	125	96	245	139	106	11.9	11.7	12.0
Benton	50	28	22	73	44	29	9.4	10.3	8.2
Bolivar	650	129	521	645	161	484	11.4	8.5	12.9
Calhoun	151	109	42	174	131	43	10.6	11.0	9.6
Carroll	68	21	47	143	70	73	10.8	11.2	10.5
Chickasaw	183	95	88	191	107	84	10.8	10.0	12.0
Choctaw	82	58	24	97	72	25	11.4	11.5	11.1
Claiborne	95	21	74	129	36	93	12.6	13.2	12.4
Clarke	130	74	56	179	97	82	11.5	10.6	12.8
Clay	188	63	125	198	73	125	10.3	9.2	11.1
Coahoma	571	141	430	595	140	455	12.0	8.7	13.6
Copiah	278	129	149	348	176	172	12.5	13.6	11.6
Covington	110	68	42	146	95	51	10.2	10.1	10.4
DeSoto	142	47	95	212	88	124	8.7	8.1	9.2
Forrest	544	375	169	513	321	192	9.2	8.0	12.6
Franklin	91	52	39	125	76	49	12.9	13.2	12.3
George	89	74	15	94	78	16	8.4	8.2	10.1
Greene	61	45	16	90	68	22	10.8	10.6	11.6
Grenada	210	100	110	195	89	106	10.2	8.7	12.0
Hancock	117	92	25	142	113	29	9.5	9.3	10.3
Harrison	1,074	838	236	949	731	218	7.3	6.7	10.7
Hinds	2,379	1,225	1,154	1,656	800	856	8.3	6.9	10.3
Holmes	308	79	229	334	96	238	13.0	13.4	12.8
Humphreys	169	45	124	210	66	144	10.9	10.5	11.1
Issaquena	18	5	13	26	6	20	11.1	8.7	12.0
Itawamba	86	80	6	122	114	8	7.8	7.8	8.4
Jackson	359	256	103	424	309	115	6.7	6.1	9.4
Jasper	147	71	76	215	107	108	10.9	10.5	11.4
Jefferson	98	26	72	140	50	90	14.4	15.2	13.9
Jeff Davis	134	59	75	133	56	77	9.8	9.5	10.1
Jones	753	445	308	593	392	201	9.9	9.0	12.2
Kemper	92	41	51	114	52	62	10.6	12.0	9.6
Lafayette	156	91	65	188	116	72	8.8	8.2	10.1

Table 6 - Page 2  
 Deaths - Mississippi - 1962

County	Place of Occurrence			Place of Residence					
	Number		Non-white	Number			Total	White	Non-white
	Total	White		Total	White	Non-white			
Lamar	84	61	23	141	106	35	9.3	8.6	12.3
Lauderdale	949	604	345	755	461	294	10.7	9.4	13.8
Lawrence	75	46	29	115	74	41	11.7	11.6	11.8
Leake	163	108	55	204	135	69	10.4	11.8	8.5
Lee	411	286	125	388	261	127	9.4	8.6	11.5
Leflore	602	259	343	531	188	343	11.0	10.3	11.5
Lincoln	272	195	77	305	207	98	10.8	10.3	12.2
Lowndes	465	232	233	477	238	239	9.5	7.4	13.1
Madison	322	86	236	372	112	260	11.2	10.1	11.8
Marion	206	131	75	232	143	89	9.9	9.6	10.4
Marshall	247	70	177	259	78	181	10.4	10.3	10.4
Monroe	324	207	117	333	207	126	9.9	9.2	11.4
Montgomery	165	106	59	178	121	57	11.8	13.0	9.9
Neshoba	165	113	52	215	164	51	10.0	10.1	9.6
Newton	188	134	54	221	151	70	10.7	10.5	11.2
Noxubee	192	45	147	200	49	151	11.7	10.6	12.1
Oktibbeha	185	88	97	196	85	111	7.5	6.0	9.4
Panola	288	112	176	350	135	215	11.1	9.9	11.9
Pearl River	206	154	52	245	188	57	10.5	10.2	11.8
Perry	42	29	13	84	66	18	10.3	10.8	8.8
Pike	407	226	181	413	221	192	11.5	11.0	12.3
Pontotoc	206	177	29	222	193	29	11.6	12.4	8.1
Prentiss	190	165	25	174	146	28	9.8	9.5	12.1
Quitman	170	45	125	230	77	153	10.6	8.7	12.0
Rankin	411	200	211	233	126	107	6.4	5.9	7.2
Scott	195	125	70	215	134	81	9.7	9.5	10.2
Sharkey	109	25	84	137	40	97	12.0	10.9	12.5
Simpson	250	160	90	222	138	84	10.2	9.8	10.9
Smith	70	54	16	131	103	28	9.2	9.5	8.3
Stone	80	58	22	84	62	22	9.7	9.1	12.0
Sunflower	422	101	321	474	129	345	9.7	8.3	10.4
Tallahatchie	265	82	183	289	100	189	11.8	11.4	12.0
Tate	138	47	91	184	77	107	9.6	9.4	9.8
Tippah	130	111	19	162	142	20	9.9	10.3	7.5
Tishomingo	115	105	10	148	137	11	10.1	9.9	14.3
Tunica	222	31	191	232	33	199	13.5	9.1	14.6
Union	189	156	33	198	162	36	10.5	10.2	12.1
Walthall	115	67	48	118	64	54	9.2	9.1	9.4
Warren	690	256	434	541	219	322	12.4	9.5	15.6
Washington	807	286	521	837	256	581	10.9	7.3	14.0
Wayne	141	81	60	169	102	67	10.7	10.0	11.8
Webster	93	74	19	111	85	26	10.6	11.4	8.6
Wilkinson	131	48	83	135	36	99	11.2	12.0	10.9
Winston	191	133	58	221	153	68	11.1	12.7	8.6
Yalobusha	137	92	45	164	108	56	13.2	15.5	10.3
Yazoo	362	118	244	402	131	271	11.8	9.8	13.1
Out-of-State	924	703	221	658	498	160	-	-	-

Table 6 - Page 3  
Deaths - Mississippi - 1962

City**	Place of Occurrence			Place of Residence		
	Number		Non-white	Number		Non-white
	Total	White		Total	White	
Biloxi	314	250	64	267	204	63
Clarksdale	375	126	249	295	101	194
Cleveland	88	45	43	92	51	41
Columbus	343	184	159	296	154	142
Corinth	208	171	37	148	117	31
Greenville	521	216	305	445	149	296
Greenwood	383	186	197	272	125	147
Gulfport	485	371	114	300	214	86
Hattiesburg	484	335	149	344	198	146
Jackson	2,118	1,131	987	1,264	664	600
Laurel	602	326	276	320	170	150
McComb	229	145	84	158	92	66
Meridian	823	526	297	543	322	221
Natchez	447	192	255	284	105	179
Pascagoula	42	23	19	141	100	41
Tupelo	295	210	85	155	99	56
Vicksburg	597	226	371	378	155	223
Yazoo City	218	89	129	169	46	123
<b>Total Urban#</b>	<b>12,136</b>	<b>6,822</b>	<b>5,314</b>	<b>8,466</b>	<b>4,522</b>	<b>3,944</b>
<b>Total Rural</b>	<b>10,311</b>	<b>4,841</b>	<b>5,470</b>	<b>14,247</b>	<b>7,346</b>	<b>6,901</b>

\* Deaths per 1,000 population.

\*\* Cities having 10,000 population and over according to 1960 census.

# Includes all incorporated towns of 2,500 population or more according to 1960 census.

TABLE 7  
DEATHS  
MISSISSIPPI  
1962

By Cause Groups and Certain Selected Causes, by Race, Sex, and Age,  
with Total Rates, Residence Data

Inter-national List Number#	Cause of Death	Total		Race Rate*	Total by Race	Sex Rate*	Total by Race and Sex	Age						Unknown	
		Number	Rate*					1-4	5-9	10-14	15-24	25-34	35-44	45-54	
001-999	<u>ALL CAUSES</u>	<u>22,713</u>	<u>10.0</u>	W	<u>11,868</u>	M	<u>7,059</u>	<u>397</u>	<u>25</u>	<u>32</u>	<u>161</u>	<u>323</u>	<u>724</u>	<u>1,258</u>	<u>3,927</u>
				C	<u>10,845</u>	F	<u>4,809</u>	<u>308</u>	<u>42</u>	<u>27</u>	<u>72</u>	<u>143</u>	<u>292</u>	<u>529</u>	<u>3,302</u>
001-138	<u>Infective and parasitic diseases</u>	<u>311</u>	<u>13.8</u>	W	<u>123</u>	M	<u>77</u>	<u>6</u>	<u>2</u>	<u>3</u>	<u>0</u>	<u>0</u>	<u>14</u>	<u>15</u>	<u>34</u>
				C	<u>188</u>	F	<u>46</u>	<u>4</u>	<u>4</u>	<u>3</u>	<u>2</u>	<u>2</u>	<u>7</u>	<u>2</u>	<u>16</u>
001-019	Tuberculosis (all forms)	128	5.7	W	56	M	41	0	0	0	0	0	2	8	0
				C	72	M	44	0	0	0	0	1	2	3	8
001-008	Tuberculosis (respiratory system)	119	5.3	W	52	M	38	0	0	0	0	0	1	7	0
				C	67	M	41	0	0	0	0	0	2	3	8
020-029	Syphilis & sequelae	26	1.2	W	8	M	6	0	0	0	0	0	0	1	3
				C	18	F	2	0	0	0	0	0	0	0	2
							12	0	0	0	0	0	1	4	5
							6	0	0	0	0	0	2	0	4

Table 7 - Page 2  
Deaths - Mississippi - 1962

Inter-national List Number#	Cause of Death	Total		Race*	Rate*	Total by Race	Sex	Total by Race and Sex	Age	Unknown Over 65
		Number	Rate							
045-0048	Dysentery (all forms)	16	0.7	W	3	M	3	0	0	1
				C	13	F	0	0	0	0
050,051	Scarlet fever and streptococcal sore throat	0	-	W	0	M	7	4	1	1
				C	0	F	6	4	0	0
055	Diphtheria	2	0.1	W	0	M	0	0	0	0
				C	2	F	0	2	0	0
056	Whooping cough	7	0.3	W	0	M	0	0	0	0
				C	7	F	3	4	0	0
057	Meningococcal infections	11	0.5	W	8	M	2	1	2	1
				C	3	F	2	0	1	0
080	Acute poliomyelitis	0	-	W	0	M	0	0	0	0
				C	0	F	0	0	0	0
085	Measles	11	0.5	W	2	M	1	1	3	1
				C	9	F	4	5	1	2

Table 7 - Page 3  
Deaths - Mississippi - 1962

International List Number#		Cause of Death	Total		Race	Total by Race and Sex	Age	Unknown Over 65			
			Total by Race	Rate*							
140-205		Malignant neoplasms	2,827	125.2	W	1,793	M	993	1/0/0/0/0/0/0/0/0/0/0/0	529	1/0/0/0/0/0/0/0/0/0/0/0
210-239		Benign and unspecified neoplasms	59	2.6	W	33	M	15	1/0/0/0/0/0/0/0/0/0/0/0	441	1/0/0/0/0/0/0/0/0/0/0/0
240-289		Allergic, endocrine system, metabolic, & nutritional diseases	412	18.2	W	209	M	92	1/1/0/0/0/0/0/0/0/0/0/0	236	1/0/0/0/0/0/0/0/0/0/0/0
241		Asthma	43	1.9	W	19	M	16	0/0/0/0/0/0/0/0/0/0/0/0	13	0/0/0/0/0/0/0/0/0/0/0/0
260		Diabetes mellitus	306	13.6	W	165	M	70	1/1/1/1/1/1/1/1/1/1/1/1	46	0/0/0/0/0/0/0/0/0/0/0/0
290-299		Diseases of the blood and blood-forming organs	65	2.9	W	30	M	10	2/1/2/3/4/5/6/7/8/9/10/11	79	4/5/6/7/8/9/10/11/12/13/14/15
300-326		Mental, psychoneurotic, & personality disorders	46	2.0	W	21	M	15	1/0/0/0/0/0/0/0/0/0/0/0	1/0/0/0/0/0/0/0/0/0/0/0	4/3/3/3/4/5/6/7/8/9/10/11

Table 7 - Page 4  
Deaths - Mississippi - 1962

Inter-national List Number#	Cause of Death	Total Number	Rate*	Race by Race*	Total by Race	Total by Race and Sex	Xes	Under 65	Over 65	Unknown	Age							
											1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64
330-334	Vascular lesions affecting central nervous system	3,112	137.8	W	1,552	M	766	0	0	0	0	11	37	92	50	625	0	
				C	1,560	F	786	0	0	0	0	7	23	130	138	696	0	
340-398	Other diseases of the nervous system and sense organs	188	8.3	W	83	M	46	6	2	1	1	1	4	6	7	15	514	1
				C	105	F	37	3	1	1	1	1	1	2	3	6	577	1
340	Nonmeningococcal meningitis	50	2.2	W	16	M	8	3	2	0	0	0	0	0	0	1	1,043	1
				C	34	F	20	8	2	0	0	0	1	0	1	0	1,043	1
					14		11	0	0	0	0	0	0	0	0	0	1,043	1
400-468	Diseases of the circulatory system	7,890	349.4	W	4,659	M	2,871	5	0	0	0	2	18	90	19	289	1,915	0
				C	3,231	F	1,788	0	0	0	0	1	5	17	59	64	1,512	0
					1,674		1,557	7	1	1	1	11	22	22	61	173	1,104	0
400-402	Rheumatic fever	6	0.3	W	2	M	0	0	0	0	0	0	0	0	0	0	0	2
				C	4	F	2	0	0	0	0	0	0	0	0	0	0	0
410-416	Chronic rheumatic heart disease	124	5.5	W	59	M	36	0	0	0	0	2	3	8	8	8	15	0
				C	65	F	23	0	0	0	0	1	0	3	4	4	11	0
					31		0	0	0	0	1	2	3	0	3	4	18	0
					34		1	0	0	0	4	3	0	2	5	5	18	0
420-422	Arteriosclerotic and degenerative heart disease	5,050	223.6	W	3,445	M	2,220	2	0	0	0	12	75	236	452	1,443	0	
				C	1,605	F	1,225	0	0	1	0	2	12	38	133	1,039	0	
					851		851	2	1	0	0	5	14	83	158	588	0	
					754		754	2	2	0	0	5	19	57	141	527	0	

Table 7 - Page 5  
Deaths - Mississippi - 1962

International List Number#	Cause of Death	Total Number	Rate*	Race	Total by Race	Total by Sex	Age	Total by Race and Sex						Over 65	Unknown				
								5-6	7-11	12-17	18-24	25-34	35-44	45-54	55-64				
430-434	Other diseases of the heart	623	27.6	W	273	M 168 F 105	1	0	0	0	1	2	8	24	32	100	0		
				C	350	M 206 F 144	3	0	0	1	0	2	2	9	11	78	0		
440-443	Hypertension with heart disease	1,274	56.4	W	427	M 197 F 230	0	0	0	0	0	0	1	16	20	39	122	0	
				C	847	M 388 F 459	1	4	0	0	0	0	0	12	11	39	69	0	
444-447	Hypertension without mention of heart	224	9.9	W	85	M 46 F 39	0	0	0	0	0	0	0	1	4	9	157	0	
				C	139	M 84 F 55	0	0	0	0	0	0	0	1	2	7	209	0	
450	General arteriosclerosis	345	15.3	W	217	M 102 F 115	0	0	0	0	0	0	0	6	11	47	249	0	
				C	128	M 66 F 62	0	0	0	0	0	0	0	1	3	79	306	1	
470-527	Diseases of the respiratory system	1,174	52.0	W	566	M 351 F 215	20 20	6 4	2 7	2 6	5 4	2 4	3 4	10 6	10 6	56 21	243 12	0	
				C	608	M 325 F 283	116 90	28 38	7 6	2 2	1 1	0 1	1 0	7 1	13 1	19 19	154 27	109 101	0
480-483	Influenza	96	4.2	W	37	M 16 F 21	0	0	0	1	0	0	0	0	1	2	12	0	
				C	59	M 31 F 28	10 9	1 1	0 1	2 1	0 0	1 0	0 1	2 1	1 1	0 2	12	0	
490-493	Pneumonia (excluding pneumonia of newborn)	783	34.7	W	325	M 180 F 145	14 16	4 3	0 1	4 0	4 4	0 4	2 3	2 3	5 3	12 6	135 105	0 0	
				C	458	M 236 F 222	88 69	24 34	6 4	2 2	3 1	3 1	3 1	9 5	11 5	19 15	77 80	0 0	

Table 7 - Page 6  
Deaths - Mississippi - 1962

International List Number#	Cause of Death	Total	Rate*	Total	Rate*	Total	Rate*	Total	Rate*	Total	Rate*	Total	Rate*	Total	Rate*	
		Number	Race	Number	Race	Number	Race	Number	Race	Number	Race	Number	Race	Number	Race	
500-502	Bronchitis	50	2.2	W	27	M	21	2	1	0	5	11	0	65	Unknown	
		C	23	M	14	F	6	1	0	0	2	1	0	65	Over 64	
		F	9	F	6		2	0	0	0	0	1	0	65	65+	
530-587	<u>Diseases of the digestive system</u>	<u>760</u>	<u>33.6</u>	<u>W</u>	<u>386</u>	<u>M</u>	<u>226</u>	<u>14</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>45</u>	<u>112</u>	<u>0</u>	<u>65</u>	<u>Unknown</u>
		<u>C</u>	<u>374</u>	<u>F</u>	<u>160</u>	<u>M</u>	<u>210</u>	<u>7</u>	<u>2</u>	<u>0</u>	<u>0</u>	<u>21</u>	<u>97</u>	<u>0</u>	<u>65</u>	<u>Over 64</u>
								<u>90</u>	<u>8</u>	<u>0</u>	<u>0</u>	<u>14</u>	<u>47</u>	<u>0</u>	<u>65</u>	<u>65+</u>
								<u>66</u>	<u>6</u>	<u>0</u>	<u>0</u>	<u>16</u>	<u>37</u>	<u>0</u>	<u>65</u>	<u>75+</u>
540,541	Ulcer of stomach and duodenum	86	3.8	W	58	M	44	1	0	0	0	8	26	0	65	Unknown
		C	28	M	20	F	14	0	0	0	0	1	10	0	65	Over 64
		F	8	F	8		0	1	0	0	0	3	5	0	65	65+
560,561, 570	Intestinal obstruction and hernia	108	4.8	W	56	M	27	5	0	0	0	2	3	2	65	Unknown
		C	52	M	29	F	26	1	0	0	0	1	2	0	65	Over 64
		F	26	F	6		2	0	0	0	0	1	3	2	65	65+
												6	12	0	65	75+
543,571, 572	Gastritis, duodenitis, enteritis, & colitis, except diarrhea of the newborn	247	10.9	W	59	M	30	6	1	0	1	1	0	6	14	Unknown
		C	188	M	29	F	104	5	2	0	0	0	1	3	17	Over 64
		F	84	F	80		63	7	1	0	0	1	4	1	8	65+
581	Cirrhosis of liver	131	5.8	W	94	M	62	0	0	0	0	0	11	2	6	Unknown
		C	37	M	32	F	24	0	0	0	0	2	7	3	10	Over 64
		F	13		0		0	0	0	0	0	1	5	5	10	65+
590-637	<u>Diseases of the genito-urinary system</u>	<u>563</u>	<u>24.9</u>	<u>W</u>	<u>244</u>	<u>M</u>	<u>147</u>	<u>24</u>	<u>1</u>	<u>0</u>	<u>0</u>	<u>1</u>	<u>101</u>	<u>0</u>	<u>65</u>	<u>Unknown</u>
		<u>C</u>	<u>319</u>	<u>F</u>	<u>97</u>	<u>M</u>	<u>194</u>	<u>31</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>0</u>	<u>67</u>	<u>0</u>	<u>65</u>	<u>Over 64</u>
								<u>125</u>	<u>27</u>	<u>0</u>	<u>0</u>	<u>27</u>	<u>131</u>	<u>0</u>	<u>65</u>	<u>65+</u>

Table 7 - Page 7  
 Deaths - Mississippi - 1962

International List Number#	Cause of Death	Total		Total by Race and Sex	Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and over	Unknown	
		Race	Rate*													
590-594	Nephritis and nephrosis	252	11.2	W	88	M	53	1	0	0	1	4	4	2	13	24
				C	164	F	35	0	0	1	1	1	2	4	4	22
610	Hyperplasia of prostate	91	4.0	W	38	M	89	1	3	1	1	0	1	1	1	0
				C	53	M	75	2	4	0	0	2	2	7	10	52
640-689	Complications of pregnancy, child-birth, and the puerperium	55	9.3*	W	7	F	53	0	0	0	0	0	0	0	0	0
				C	48		48									
690-716	Diseases of the skin and cellular tissue	30	1.3	W	19	M	8	11	1	1	1	1	2	2	2	0
				C	11	F	10	10	0	0	0	0	0	0	0	0
720-749	Diseases of the bones and organs of movement	55	2.4	W	34	M	19	15	1	1	1	1	49	62	40	0
				C	21	F	13	8	0	0	0	0	47	36	0	0
750-759	Congenital malformations	253	11.2	W	149	M	69	80	57	47	47	47	262	190	435	362
				C	104	F	57	47	47	47	47	47	0	0	0	0
760-776	Certain diseases of early infancy	1,249	21.2*	W	452	M	262	190	435	362	362	362	0	0	0	0
				C	797	F	190	190	190	190	190	190	0	0	0	0

Table 7 - Page 8  
Deaths - Mississippi - 1962

International List Number#	Cause of Death	Total		Total by Race and Sex	Total by Race	Number	Rate*	Age								
		Total by Race	Rate by Race					10-14	15-24	25-34	35-44	45-54	55-64	65+	Unknown	
780-795	Symptoms, senility, and ill-defined conditions	1,743	77.2	W	470	M	337	10	2	1	0	3	20	52	88	160
				F	133	F	684	7	17	17	6	5	5	19	81	0
				M	129	M	589	120	6	6	2	12	13	73	101	317
				F	120	F						11	38	46	69	282
800-999	Accidents, poisonings, and violence	1,921	85.1	W	1,038	M	755	18	15	11	6	22	136	107	123	110
				F	283	F	615	13	12	12	6	41	41	22	19	114
				M	37	M	268	39	36	36	5	35	102	99	76	73
				F	39	F					20	25	17	15	20	65
810-835	Motor vehicle accidents	625	27.7	W	414	M	304	3	8	6	10	83	54	47	37	33
				F	110	F	211	3	4	11	4	31	11	8	8	23
				M	173	M			0	8	7	10	35	31	22	11
				F		F					3	1	9	2	7	19
800-802, 840-962	All other accidents	932	41.3	W	432	M	295	15	7	5	12	38	40	31	46	38
				F	137	F	500	10	8	1	1	8	0	5	7	63
				M	306	M			36	27	17	25	43	29	27	51
				F	194	F			37	32	16	4	10	6	7	51
963, 970-979	Suicide	168	7.4	W	147	M	124	0	0	0	0	13	10	17	32	31
				F	23	F	21	21	0	0	0	0	1	0	1	6
				M	16	M			5	0	0	0	3	2	2	3
				F	5	F						1	0	1	1	0
964, 980-985	Homicide	196	8.7	W	45	M	32	0	0	0	0	2	3	11	8	3
				F	13	F	151	0	0	0	0	1	1	4	4	2
				M	120	M			1	0	0	0	21	37	25	9
				F	31	F			0	0	0	1	5	9	11	1

# International List Numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Seventh Revision, 1955.

\* Total deaths per 1,000 population. Deaths from specific causes per 100,000 population. Deaths from maternal causes per 10,000 live births. Deaths from diseases of early infancy per 1,000 live births.

TABLE 8  
DEATHS UNDER 1 YEAR  
MISSISSIPPI  
1962

By Selected Causes, by Race and Age, with Total Rates, Residence Data

Cause of Death and International List Number#	Total	Rate*	Total by Race	DAYS OF AGE						MONTHS OF AGE								
				Under 1 day	1- 6	7- 13	14- 20	21- 27	Under 28 days	1	2	3	4	5	6	7	8	
<u>ALL CAUSES</u>	<u>2,353</u>	<u>39.9</u>	W C	<u>705</u> <u>1,648</u>	<u>270</u> <u>444</u>	<u>222</u> <u>287</u>	<u>27</u> <u>89</u>	<u>17</u> <u>57</u>	<u>14</u> <u>29</u>	<u>550</u> <u>906</u>	<u>31</u> <u>156</u>	<u>34</u> <u>116</u>	<u>21</u> <u>99</u>	<u>13</u> <u>87</u>	<u>11</u> <u>74</u>	<u>10</u> <u>46</u>	<u>6</u> <u>43</u>	<u>12</u> <u>44</u>
Dysentery, all forms (045-048)	8	0.1	W C	0 8	0 0	0 1	0 0	0 0	0 0	0 1	0 1	0 3	0 0	0 0	0 1	0 0	0 1	0 0
Septicemia and pyemia (053)	9	0.2	W C	2 7	0 0	0 0	0 0	0 0	0 0	0 1	0 2	0 1	0 0	0 0	0 0	0 1	0 1	0 0
Whooping cough (056)	6	0.1	W C	0 6	0 0	0 0	0 0	0 0	0 0	0 0	0 2	0 0	0 0	0 0	0 0	0 0	0 2	0 0
Meningococcal infections (057)	4	0.1	W C	4 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 1	0 0	0 1	0 0
Tetanus (061)	5	0.1	W C	0 5	0 0	0 2	0 1	0 0	0 5	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
Other infective and parasitic diseases	14	0.2	W C	4 10	0 0	0 0	0 0	0 0	0 0	0 1	0 1	0 0	0 0	0 0	0 3	0 2	0 1	0 0
Malignant neoplasms (140-205)	2	0.03	W C	1 1	0 0	0 0	0 0	0 0	0 0	0 1	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
Benign and unspecified neoplasms (210-239)	1	0.02	W C	1 0	0 0	0 0	0 0	0 0	0 0	0 1	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
Diseases of thymus gland (273)	0	-	W C	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
Meningitis, except meningococcal and tuberculous (340)	24	0.4	W C	5 19	0 0	0 2	0 0	0 1	0 0	1 3	0 3	0 2	0 1	0 0	1 3	2 1	1 1	0 1

Table 8 - Page 2  
Deaths Under 1 Year - Mississippi - 1962

Cause of Death and International List Number*	Total	Rate*	Total by Race	DAYS OF AGE						MONTHS OF AGE								
				Under 1 day	1- 6	7- 13	14- 20	21- 27	Under 28 days	1	2	3	4	5	6	7	8	
Other diseases of nervous system and sense organs (330-334, 341-398)	17	0.3	W C	4 13	0 0	0 0	1 0	0 0	0 0	1 0	0 1	0 1	1 3	0 1	1 0	0 0	0 0	
Acute upper respira- tory infections (470-475)	11	0.2	W C	0 11	0 0	0 0	0 1	0 0	0 1	0 1	0 2	0 1	0 3	0 0	0 0	0 0	0 0	
Influenza & pneumonia, except pneumonia of newborn (480-493)	206	3.5	W C	30 176	0 0	0 0	0 0	0 1	0 1	5 36	8 19	8 24	1 27	1 18	1 12	1 13	2 13	1 8
Bronchitis (500-502)	15	0.2	W C	3 12	0 0	0 0	0 1	0 1	0 0	0 0	0 1	0 1	0 3	0 1	0 0	1 1	0 0	
Other diseases of respiratory system (510-527)	14	0.2	W C	7 7	1 0	1 0	0 0	0 0	2 1	1 0	3 0	0 1	0 0	0 0	1 1	0 0	0 0	
Hernia & intestinal obstruction (560, 561, 570)	14	0.2	W C	6 8	2 0	1 1	0 1	0 0	0 0	3 2	0 2	1 0	0 1	0 0	0 0	0 0	0 0	
Gastritis, duodenitis, enteritis, & colitis, except diarrhea of new- born (543, 571, 572)	154	2.6	W C	11 143	0 0	0 0	0 0	0 0	0 0	4 31	0 23	1 16	0 14	0 11	2 14	1 11	2 8	
Other diseases of digestive system (530- 542, 544-553, 573-587)	9	0.2	W C	4 5	0 0	2 1	0 0	0 0	0 0	2 1	0 0	1 2	0 0	0 2	0 0	0 0	0 0	
Congenital malforma- tions (750-759)	187	3.2	W C	111 76	33 12	27 16	6 4	9 3	4 3	79 37	5 8	5 2	3 6	3 2	3 1	2 4	1 1	

Table 8 - Page 3  
Deaths Under 1 Year - Mississippi - 1962

Cause of Death and International List Number#	Total	Rate*	Total by Race	DAYS OF AGE						MONTHS OF AGE							
				Under 1 day	1- 6	7- 13	14- 20	21- 27	Under 28 days	1	2	3	4	5	6	7	8
Birth injuries (760, 761)	110	1.9	W C	47 63	26 41	20 19	1 3	0 0	0 0	47 63	0 0						
Postnatal asphyxia and atelectasis (762)	269	4.6	W C	120 149	66 90	50 47	2 1	0 4	0 1	118 143	2 0	0 0	0 0	0 0	0 2	1 1	0 0
Pneumonia of newborn (763)	78	1.3	W C	18 60	2 8	6 23	2 16	5 8	3 5	18 60	0 0						
Diarrhea of newborn (764)	17	0.3	W C	1 16	0 0	0 1	0 4	0 6	1 4	1 15	0 1	0 0	0 0	0 0	0 0	0 0	0 0
Other infections of newborn (765-768)	15	0.2	W C	5 10	1 1	2 3	1 2	0 3	1 1	5 10	0 0						
Neonatal disorders arising from certain diseases of mother during pregnancy (769)	17	0.3	W C	4 13	0 9	0 4	0 0	0 0	0 0	4 13	0 0						
Hemolytic diseases of newborn (erythroblas- tosis) (770)	24	0.4	W C	14 10	9 3	4 5	1 1	0 0	0 0	14 10	0 0						
Hemorrhagic disease of newborn (771)	14	0.2	W C	6 8	1 2	4 3	0 3	0 0	1 0	6 8	0 0						
Nutritional maladjust- ment (772)	38	0.6	W C	5 33	0 1	0 0	0 1	0 3	0 2	3 7	0 7	0 5	0 9	0 5	1 2	0 2	0 0
Ill-defined diseases peculiar to early infancy (773)	169	2.9	W C	99 70	35 32	61 22	2 5	1 1	0 1	99 61	0 4	0 2	0 1	0 1	0 1	0 0	0 0
Immaturity with mention of any other subsidiary condition (774)	21	0.4	W C	6 15	4 3	0 4	2 2	0 0	0 0	6 10	0 4	0 0	0 0	0 0	0 1	0 0	0 0

Table 8 - Page 4  
Deaths Under 1 Year - Mississippi - 1962

Cause of Death and International List Number #	Total	Rate*	Total by Race	DAYS OF AGE						MONTHS OF AGE							
				Under 1 day	1- 6	7- 13	14- 20	21- 27	Under 28 days	1	2	3	4	5	6	7	8
Immaturity, unqualified (776)	477	8.1	W C 350	127	81	37	5	0	0	123	2	0	2	0	0	0	0
Symptoms & ill-defined conditions (780-793, 795)	266	4.5	W C 249	17	2	0	1	1	1	5	3	4	2	1	2	0	0
All other diseases	31	0.5	W C 19	12	2	3	1	0	0	6	2	0	0	1	0	0	0
Accidents (800-962)	106	1.8	W C 75	31	0	4	2	1	3	10	2	5	4	1	0	2	3
Homicide (964, 980-984)	1	0.02	W C 1	0	0	0	0	0	0	0	0	0	0	0	0	0	0

# International List Numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Seventh Revision, 1955.

\* Deaths per 1,000 live births.

TABLE 9  
MARRIAGES AND DIVORCES  
MISSISSIPPI  
1962

Marriages by Place of Licensure, and by Place of Residence of Bride, by Race of Bride  
Divorces by Place of Occurrence, by Race

County	Marriages						Divorces		
	Place of Licensure			Residence of Bride					
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
<u>STATE</u>	<u>22,007</u>	<u>14,432</u>	<u>7,575</u>	<u>18,023</u>	<u>11,169</u>	<u>6,854</u>	<u>5,467</u>	<u>3,827</u>	<u>1,640</u>
Adams	365	237	128	284	166	118	131	87	44
Alcorn	636	583	53	265	236	29	78	71	7
Amite	96	54	42	85	46	39	17	13	4
Attala	164	76	88	173	92	81	34	23	11
Benton	64	32	32	59	29	30	16	9	7
Bolivar	444	201	243	460	209	251	95	51	44
Calhoun	152	125	27	139	113	26	31	25	6
Carroll	64	36	28	65	30	35	8	5	3
Chickasaw	175	113	62	147	94	53	45	36	9
Choctaw	97	67	30	77	52	25	9	8	1
Claiborne	74	27	47	70	19	51	32	5	27
Clarke	156	105	51	138	90	48	34	24	10
Clay	134	63	71	112	59	53	62	38	24
Coahoma	380	143	237	348	119	229	81	35	46
Copiah	194	108	86	192	103	89	74	30	44
Covington	94	67	27	121	82	39	26	23	3
DeSoto	1,149	644	505	148	66	82	36	18	18
Forrest	551	415	136	512	382	130	217	164	53
Franklin	72	43	29	72	43	29	23	14	9
George	187	173	14	91	83	8	9	9	0
Greene	113	95	18	70	53	17	17	15	2
Grenada	162	82	80	166	88	78	46	26	20
Hancock	431	395	36	90	75	15	61	52	9
Harrison	1,469	1,288	181	1,082	904	178	601	527	74
Hinds	1,682	1,067	615	1,671	1,073	598	547	389	158
Holmes	204	54	150	239	61	178	34	13	21
Humphreys	184	59	125	188	57	131	23	14	9
Issaquena	13	5	8	18	5	13	3	1	2
Itawamba	134	127	7	72	69	3	29	27	2
Jackson	757	608	149	541	437	104	178	143	35
Jasper	135	68	67	134	66	68	26	12	14
Jefferson	75	26	49	67	17	50	11	4	7
Jeff Davis	118	70	48	82	47	35	20	12	8
Jones	562	428	134	540	414	126	140	112	28
Kemper	75	23	52	63	21	42	18	12	6
Lafayette	134	81	53	126	67	59	48	32	16

Table 9 - Page 2  
Marriages and Divorces - Mississippi - 1962

County	Marriages						Divorces		
	Place of Licensure			Residence of Bride			Total	White	Non-white
	Total	White	Non-white	Total	White	Non-white			
Lamar	142	127	15	156	142	14	20	17	3
Lauderdale	601	428	173	585	410	175	205	168	37
Lawrence	87	62	25	119	78	41	31	26	5
Leake	133	84	49	115	77	38	31	25	6
Lee	384	297	87	393	303	90	95	76	19
Leflore	425	192	233	399	186	213	107	58	49
Lincoln	243	189	54	200	155	45	67	54	13
Lowndes	378	240	138	330	194	136	104	73	31
Madison	221	83	138	204	71	133	74	19	55
Marion	220	156	64	185	126	59	58	47	11
Marshall	272	135	137	189	74	115	54	31	23
Monroe	264	181	83	269	177	92	80	51	29
Montgomery	125	76	49	130	83	47	32	14	18
Neshoba	210	137	73	214	141	73	78	58	20
Newton	165	111	54	165	106	59	59	44	15
Noxubee	97	38	59	91	35	56	22	10	12
Oktibbeha	176	96	80	176	94	82	37	21	16
Panola	263	130	133	279	137	142	68	37	31
Pearl River	285	255	30	215	187	28	93	78	15
Perry	72	60	12	92	84	8	20	16	4
Pike	288	179	109	291	177	114	92	61	31
Pontotoc	161	132	29	126	104	22	34	31	3
Prentiss	216	201	15	172	160	12	49	49	0
Quitman	228	98	130	203	81	122	32	15	17
Rankin	280	195	85	240	156	84	57	47	10
Scott	195	130	65	199	132	67	65	39	26
Sharkey	111	34	77	88	26	62	20	7	13
Simpson	218	143	75	187	128	59	37	27	10
Smith	76	57	19	82	57	25	27	25	2
Stone	110	93	17	77	59	18	22	17	5
Sunflower	354	109	245	367	107	260	56	28	28
Tallahatchie	212	72	140	198	68	130	35	20	15
Tate	180	91	89	144	54	90	27	15	12
Tippah	190	157	33	156	131	25	27	19	8
Tishomingo	142	138	4	135	131	4	30	29	1
Tunica	138	38	100	121	26	95	41	19	22
Union	145	124	21	151	127	24	51	46	5
Walthall	140	96	44	74	44	30	25	20	5
Warren	405	261	144	353	217	136	138	84	54
Washington	830	482	348	634	307	327	212	115	97
Wayne	137	95	42	106	74	32	35	27	8
Webster	65	54	11	69	55	14	18	13	5
Wilkinson	378	294	84	91	21	70	18	5	13
Winston	167	93	74	151	83	68	38	14	24
Yalobusha	113	78	35	135	97	38	17	15	2
Yazoo	269	123	146	260	120	140	69	38	31
<u>Out-of-State</u>				3,984	3,263	721			

TABLE 10  
DIVORCES  
MISSISSIPPI  
1962  
By Cause of Divorce, by Race

Cause	Total	White	Non-white
<u>TOTAL</u>	<u>5,467</u>	<u>3,827</u>	<u>1,640</u>
Cruel and inhuman treatment	2,868	2,455	413
Desertion	1,995	918	1,077
Adultery	221	141	80
Drunkenness	275	238	37
Penitentiary	38	25	13
Insanity	9	6	3
Annulment	17	14	3
Bigamy	19	11	8
Miscellaneous and other	9	7	2
<u>Not stated</u>	<u>16</u>	<u>12</u>	<u>4</u>

By Number of Minor Children, by Race

Number of Minor Children	Total	White	Non-white
None	2,454	1,519	935
One	1,073	845	228
Two	864	693	171
Three or more	893	645	248
<u>Not stated</u>	<u>183</u>	<u>125</u>	<u>58</u>

By Number of Years Married, by Race

Number of Years Married	Total	White	Non-white
<u>TOTAL</u>	<u>5,467</u>	<u>3,827</u>	<u>1,640</u>
<u>Under five</u>	<u>1,927</u>	<u>1,634</u>	<u>293</u>
Under one	348	323	25
One	513	458	55
Two	400	331	69
Three	336	278	58
Four	330	244	86
<u>Five-nine</u>	<u>1,128</u>	<u>820</u>	<u>308</u>
<u>Ten-nineteen</u>	<u>1,334</u>	<u>883</u>	<u>451</u>
<u>Twenty and over</u>	<u>1,006</u>	<u>435</u>	<u>571</u>
<u>Not stated</u>	<u>72</u>	<u>55</u>	<u>17</u>

TABLE 11  
LIVE BIRTHS  
MISSISSIPPI  
1913-1962

By Year, by Race, with Rates, Occurrence Data 1913-1943,  
Residence Data 1944-1962

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1913	41,103	21,874	19,229	21.9	26.6	18.2
1914	40,623	21,360	19,263	21.4	25.7	18.0
1915	39,484	20,999	18,485	20.5	23.8	17.1
1916	39,033	20,130	18,903	20.0	23.6	17.2
1917	37,141	19,056	18,085	18.8	22.0	16.3
1918	39,391	20,005	19,386	19.7	22.8	17.2
1919	42,491	22,028	20,463	21.0	24.9	18.0
1920	43,743	22,438	21,305	24.4	26.3	22.7
1921	46,482	23,703	22,779	25.6	27.3	24.1
1922	43,723	21,286	22,437	23.4	24.1	23.6
1923	43,266	21,140	22,126	23.3	23.6	23.1
1924	43,960	22,180	21,780	23.4	24.3	22.5
1925	45,563	22,265	23,298	24.0	24.1	23.9
1926	50,449	24,600	25,849	26.2	26.2	26.3
1927	49,204	24,163	25,041	25.3	25.3	25.3
1928	48,126	23,642	24,484	24.5	24.4	24.5
1929	45,570	22,105	23,465	22.9	22.5	23.3
1930	47,982	23,192	24,790	23.8	23.2	24.0
1931	45,123	21,637	23,486	22.2	21.4	22.9
1932	46,481	21,883	24,598	22.6	21.4	23.9
1933	44,184	20,407	23,777	21.3	19.7	22.9
1934	47,905	22,342	25,563	23.0	21.4	24.6
1935	48,291	21,972	26,319	23.0	20.8	25.1
1936	49,261	22,194	27,067	23.3	20.8	25.7
1937	52,170	23,285	28,885	24.4	21.6	27.3
1938	53,729	24,046	29,683	25.0	22.1	27.8
1939	52,288	23,505	28,783	24.1	21.4	26.8
1940	52,526	23,084	29,442	24.0	20.9	27.3
1941	54,561	24,167	30,394	24.7	21.6	28.0
1942	56,521	25,306	31,215	25.4	22.4	28.6
1943	59,408	27,611	31,797	28.9	26.4	31.6
1944#	56,586	25,647	30,939	28.3	25.2	31.6
1945#	53,540	23,426	30,114	26.9	23.1	30.9
1946#	61,430	29,715	31,715	26.8	25.4	28.2
1947#	66,291	32,423	33,868	28.6	27.5	29.9
1948#	65,291	29,666	35,625	28.0	24.9	31.2
1949#	66,128	28,786	37,342	28.1	24.0	32.5

Table 11 - Page 2  
Live Births - Mississippi - 1913-1962

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1950#	64,427	27,188	37,239	29.6	22.9	37.6
1951#	65,512	27,798	37,714	30.1	23.4	38.1
1952#	64,509	28,073	36,436	29.6	23.6	36.8
1953#	64,061	28,312	35,749	29.4	23.8	36.1
1954#	64,748	28,781	35,967	29.7	24.2	36.3
1955#	63,244	27,546	35,698	29.0	23.2	36.0
1956#	62,178	27,278	34,900	29.5	23.8	36.2
1957#	60,712	26,804	33,908	28.8	23.4	35.2
1958#	59,189	26,812	32,377	27.1	20.9	35.9
1959#	60,562	27,979	32,583	27.2	20.9	36.6
1960#	59,210	27,198	32,012	27.2	21.6	34.8
1961#	59,523	27,435	32,088	27.3	21.8	34.8
1962#	58,921	27,512	31,409	26.1	20.8	33.5

\* Rate per 1,000 population.

1913-1920, population estimates based on U. S. Censuses of 1910 and 1920.

1921-1930, estimates based on U. S. Censuses of 1920 and 1930.

1931-1940, estimates based on U. S. Censuses of 1930 and 1940.

1941 and 1942, projected estimates based on U. S. Censuses of 1930 and 1940.

1943 and 1944, estimates of civilian population obtained from Ration Book Registration.

1945, estimate of civilian population, July 1, 1945, obtained from Bureau of Census Bulletin, Series P-46, No. 3, dated February 12, 1946.

1946-1949, projected estimates as of July 1, each year based on U. S. Censuses of 1930 and 1940.

1950-1955, U. S. Census population of April 1, 1950.

1956 and 1957, estimate as of July 1, 1956, prepared by Dr. Harald A. Pedersen, Sociology Department, Mississippi State University, with adjustments by Statistical Service, Mississippi State Board of Health.

1958, estimate as of January 1, prepared by Dr. George L. Wilber and Mr. Carl T. Robbins, Sociology Department, Mississippi State University.

1959, estimate as of January 1, prepared by Dr. George L. Wilber and Ellen Bryant, Sociology Department, Mississippi State University.

1960 and 1961, U. S. Census population of April 1, 1960.

1962, estimate as of July 1, prepared by the Division of Sociology and Rural Life, Mississippi State University.

# On basis of place of residence.

TABLE 12  
DEATHS  
MISSISSIPPI  
1913-1962

By Year, by Race, with Rates, Occurrence Data 1913-1943,  
Residence Data 1944-1962

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1913	21,305	7,643	13,662	11.4	9.3	13.0
1914	21,485	7,442	14,043	11.3	8.9	13.1
1915	24,001	8,088	15,913	12.5	9.6	14.7
1916	21,794	7,588	14,206	11.2	8.9	13.0
1917	23,579	8,048	15,531	11.9	9.3	14.0
1918	30,437	10,177	20,260	15.2	11.6	18.0
1919	22,667	8,142	14,525	12.7	9.5	15.5
1920	22,072	7,916	14,156	12.3	9.3	15.1
1921	19,991	7,308	12,683	11.0	8.4	13.4
1922	19,278	7,312	11,966	10.5	8.3	12.6
1923	20,363	7,688	12,675	11.0	8.6	13.2
1924	21,155	7,809	13,346	11.3	8.6	13.8
1925	22,229	8,143	14,086	11.7	8.8	14.4
1926	23,929	9,133	14,796	12.5	9.7	15.1
1927	23,257	8,765	14,492	12.0	9.2	14.6
1928	25,965	10,111	15,854	13.2	10.4	15.9
1929	25,868	10,048	15,820	13.0	10.2	15.7
1930	24,098	9,072	15,026	11.9	9.0	14.8
1931	22,007	8,641	13,366	10.8	8.5	13.0
1932	20,322	8,295	12,027	9.9	8.1	11.6
1933	21,617	8,898	12,719	10.4	8.6	12.2
1934	21,786	9,350	12,436	10.5	9.0	12.0
1935	21,285	9,186	12,099	10.1	8.7	11.6
1936	24,127	10,367	13,760	11.4	9.7	13.1
1937	24,005	10,055	13,950	11.2	9.3	13.2
1938	22,814	9,471	13,343	10.6	8.7	12.5
1939	22,701	9,464	13,237	10.5	8.6	12.3
1940	23,185	9,565	13,620	10.6	8.6	12.6
1941	22,573	9,442	13,131	10.2	8.4	12.1
1942	20,693	8,750	11,943	9.3	7.7	10.9
1943	20,850	9,139	11,711	10.2	8.7	11.6
1944#	20,199	8,830	11,369	10.1	8.7	11.6
1945#	19,024	8,452	10,572	9.6	8.3	10.8
1946#	19,321	8,995	10,326	8.4	7.7	9.2
1947#	20,007	9,238	10,769	8.6	7.8	9.5
1948#	20,183	9,216	10,967	8.6	7.7	9.6
1949#	20,489	9,233	11,256	8.7	7.7	9.8

Table 12 - Page 2  
 Deaths - Mississippi - 1913-1962

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1950#	20,567	9,466	11,101	9.4	8.0	11.2
1951#	21,007	9,593	11,414	9.6	8.1	11.5
1952#	20,657	9,387	11,270	9.5	7.9	11.4
1953#	20,492	9,495	10,997	9.4	8.0	11.1
1954#	19,353	9,453	9,900	8.9	8.0	10.0
1955#	19,403	9,501	9,902	8.9	8.0	10.0
1956#	19,780	9,969	9,811	9.4	8.7	10.2
1957#	20,476	10,339	10,137	9.7	9.0	10.5
1958#	21,541	10,811	10,730	9.9	8.4	11.9
1959#	20,890	10,742	10,148	9.4	8.0	11.4
1960#	21,713	11,204	10,509	10.0	8.9	11.4
1961#	21,232	11,063	10,169	9.7	8.8	11.0
1962#	22,713	11,868	10,845	10.0	9.0	11.6

\* Rate per 1,000 population. See footnote on Table 11 for source of population estimates.

# On basis of place of residence.

TABLE 13  
MATERNAL DEATHS  
MISSISSIPPI  
1913-1962

By Year, by Race, with Rates, Occurrence Data 1913-1943,  
Residence Data 1944-1962

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1913	447	162	285	108.8	74.1	148.2
1914	413	124	289	101.7	58.0	150.0
1915	289	88	201	73.2	41.9	108.7
1916	326	102	224	83.5	50.7	118.5
1917	297	105	192	80.0	55.1	106.2
1918	302	82	220	76.7	41.0	113.5
1919	407	173	234	95.8	78.5	114.4
1920	393	127	266	89.8	56.6	124.8
1921	391	145	246	84.1	61.2	108.0
1922	313	110	203	71.6	51.7	90.5
1923	321	108	213	74.2	51.1	96.3
1924	413	137	276	93.9	61.8	126.7
1925	435	143	292	95.5	64.2	125.3
1926	388	153	235	76.9	62.2	90.9
1927	409	134	275	83.1	55.4	109.8
1928	421	161	260	87.5	68.1	106.2
1929	410	152	258	90.0	68.8	110.0
1930	489	171	318	101.9	73.7	128.3
1931	352	131	221	78.0	60.5	94.1
1932	279	103	176	60.0	47.1	71.6
1933	315	116	199	71.3	56.8	83.7
1934	306	116	190	63.9	51.9	74.3
1935	334	137	197	69.2	62.4	74.8
1936	358	134	224	72.7	60.4	82.8
1937	370	150	220	70.9	64.4	76.2
1938	333	116	217	62.0	48.2	73.1
1939	311	97	214	59.5	41.3	74.3
1940	327	106	221	62.2	45.9	75.1
1941	293	93	200	53.7	38.5	65.8
1942	248	77	171	43.9	30.4	54.8
1943	233	66	167	39.2	23.9	52.5
1944#	225	72	153	39.8	28.1	49.4
1945#	216	64	152	40.3	27.3	50.5
1946#	199	67	132	32.4	22.5	41.6
1947#	175	50	125	26.4	15.4	36.9
1948#	177	38	139	27.1	12.8	39.0
1949#	147	32	115	22.2	11.1	30.8

Table 13 - Page 2  
 Maternal Deaths - Mississippi - 1913-1962

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1950#	165	30	135	25.6	11.0	36.2
1951#	143	28	115	21.8	10.1	30.5
1952#	119	15	104	18.4	5.3	28.5
1953#	119	24	95	18.6	8.5	26.6
1954#	104	11	93	16.1	3.8	25.8
1955#	76	12	64	12.0	4.4	17.9
1956#	74	12	62	11.9	4.4	17.8
1957#	75	14	61	12.4	5.2	18.0
1958#	53	10	43	9.0	3.7	13.3
1959#	55	9	46	9.1	3.2	14.1
1960#	59	8	51	10.0	2.9	15.9
1961#	49	9	40	8.2	3.3	12.5
1962#	55	7	48	9.3	2.5	15.3

\* Rate per 10,000 live births.

# On basis of place of residence.

TABLE 14  
DEATHS UNDER 1 YEAR  
MISSISSIPPI  
1917-1962

By Year, by Race, with Rates, Occurrence Data 1917-1943,  
Residence Data 1944-1962

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1917	3,689	1,296	2,393	99.3	68.0	132.3
1918	**	**	**	**	**	**
1919	3,554	**	**	83.6	**	**
1920	3,499	1,344	2,155	80.0	59.9	101.1
1921	3,157	1,243	1,914	67.9	52.4	84.0
1922	2,826	1,067	1,759	64.6	50.1	78.4
1923	2,908	1,104	1,804	67.2	52.2	81.5
1924	3,137	1,188	1,949	71.4	53.6	89.5
1925	3,176	1,179	1,997	69.7	53.0	85.7
1926	3,578	1,447	2,131	70.9	58.8	82.4
1927	3,291	1,303	1,988	66.9	54.0	79.4
1928	3,567	1,416	2,151	74.1	59.9	87.9
1929	3,275	1,268	2,007	71.9	57.4	85.5
1930	3,276	1,182	2,094	68.3	51.0	84.5
1931	2,547	961	1,586	56.4	44.4	67.5
1932	2,482	965	1,517	53.4	44.1	61.7
1933	2,800	1,035	1,765	63.4	50.7	74.2
1934	3,070	1,199	1,871	64.1	53.7	73.2
1935	2,587	1,044	1,543	53.6	47.5	58.6
1936	2,883	1,105	1,778	58.5	49.8	65.7
1937	3,098	1,174	1,924	59.4	50.4	66.6
1938	3,051	1,205	1,846	56.8	50.1	62.2
1939	2,908	1,135	1,773	55.6	48.3	61.6
1940	2,864	1,070	1,794	54.5	46.4	60.9
1941	2,969	1,113	1,856	54.4	46.1	61.1
1942	2,654	957	1,697	47.0	37.8	54.4
1943	2,774	1,137	1,637	46.7	41.2	51.5
1944#	2,489	974	1,515	44.0	38.0	49.0
1945#	2,192	846	1,346	40.9	36.1	44.7
1946#	2,298	1,005	1,293	37.4	33.8	40.8
1947#	2,428	1,009	1,419	36.6	31.1	41.9
1948#	2,470	988	1,482	37.8	33.3	41.6
1949#	2,612	900	1,712	39.5	31.3	45.8

Table 14 - Page 2  
 Deaths Under 1 Year - Mississippi - 1917-1962

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1950#	2,348	763	1,585	36.4	28.1	42.6
1951#	2,589	814	1,775	39.5	29.3	47.1
1952#	2,592	760	1,832	40.2	27.1	50.3
1953#	2,534	807	1,727	39.6	28.5	48.3
1954#	2,360	744	1,616	36.4	25.8	44.9
1955#	2,338	680	1,658	37.0	24.7	46.4
1956#	2,353	734	1,619	37.8	26.9	46.4
1957#	2,257	694	1,563	37.2	25.9	46.1
1958#	2,424	706	1,718	41.0	26.3	53.1
1959#	2,355	677	1,678	38.9	24.2	51.5
1960#	2,457	714	1,743	41.5	26.2	54.4
1961#	2,250	645	1,605	37.8	23.5	50.0
1962#	2,353	705	1,648	39.9	25.6	52.5

\* Rate per 1,000 live births.

# On basis of place of residence.

\*\* Not available.

TABLE 15  
DEATHS UNDER 1 MONTH\*  
MISSISSIPPI  
1924-1962

By Year, by Race, with Rates, Occurrence Data 1924-1944,  
Residence Data 1945-1962

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1924	1,598	730	868	36.4	32.9	39.8
1925	1,639	701	938	36.0	31.5	40.3
1926	1,731	823	908	34.3	33.4	35.1
1927	1,644	786	858	33.4	32.5	34.3
1928	1,788	804	984	37.2	34.0	40.2
1929	1,662	773	889	36.5	35.0	37.9
1930	1,692	715	977	35.3	30.8	39.4
1931	1,339	590	749	29.7	27.3	31.9
1932	1,361	572	789	29.3	26.1	32.1
1933	1,540	636	904	34.8	31.2	38.0
1934	1,505	644	861	31.4	28.8	33.7
1935	1,446	642	804	29.9	29.2	30.5
1936	1,494	676	818	30.3	30.4	30.2
1937	1,678	755	923	32.2	32.4	32.0
1938	1,688	747	941	31.4	31.1	31.7
1939	1,637	735	902	31.3	31.3	31.3
1940	1,613	680	933	30.7	29.4	31.7
1941	1,663	734	929	30.5	30.4	30.6
1942	1,544	638	906	27.3	25.2	29.0
1943	1,652	791	861	27.8	28.6	27.1
1944	1,436	661	775	25.2	25.4	25.1
1945#	1,351	624	727	25.2	26.6	24.1
1946#	1,561	794	767	25.4	26.7	24.2
1947#	1,595	750	845	24.1	23.1	24.9
1948#	1,674	773	901	25.6	26.0	25.3
1949#	1,594	661	933	24.1	23.0	25.0
1950#	1,446	560	886	22.4	20.6	23.8
1951#	1,679	626	1,053	25.6	22.5	27.9
1952#	1,658	581	1,077	25.7	20.7	29.6
1953#	1,630	635	995	25.4	22.4	27.8
1954#	1,521	601	920	23.5	20.9	25.6
1955#	1,440	527	913	22.8	19.1	25.6
1956#	1,451	581	870	23.3	21.3	24.9
1957#	1,425	540	885	23.5	20.1	26.1
1958#	1,475	540	935	24.9	20.1	28.9
1959#	1,450	515	935	23.9	18.4	28.7
1960#	1,497	550	947	25.3	20.2	29.6
1961#	1,401	509	892	23.5	18.6	27.8
1962#	1,456	550	906	24.7	20.0	28.8

\* Figures for 1949-1962 include only the deaths under 28 days.

\*\* Rate per 1,000 live births.

# On basis of place of residence.

DEATHS FROM HEART DISEASES, VASCULAR LESIONS,  
 MALIGNANT NEOPLASMS, ACCIDENTS, AND INFLUENZA,  
 MISSISSIPPI  
 1953-1962

By Year and Race, with Rates, Residence Data

Year	HEART DISEASES (400-443)				VASCULAR LESIONS (330-334)				MALIGNANT NEOPLASMS (140-205)				ACCIDENTS (800-962)		INFLUENZA & PNEUMONIA (480-493)		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White
1953 No. Rate*	5,790 265.7	3,196 268.9	2,594 261.9	2,404 110.3	1,125 94.6	1,279 129.2	2,230 102.3	1,348 113.4	882 89.1	1,450 66.5	739 62.2	711 71.8	931 42.7	347 29.2	584 59.0		
1954 No. Rate*	5,738 263.3	3,333 280.4	2,405 242.9	2,422 111.2	1,176 98.9	1,246 125.8	2,332 107.0	1,420 119.5	912 92.1	1,292 59.3	684 57.5	608 61.4	585 26.8	209 17.6	376 38.0		
1955 No. Rate*	5,994 275.1	3,525 296.6	2,469 249.3	2,447 112.3	1,169 98.3	1,278 129.0	2,317 106.3	1,402 118.0	915 92.4	1,349 61.9	696 58.6	653 65.9	634 29.1	220 18.5	414 41.8		
1956 No. Rate*	6,117 289.9	3,709 323.3	2,408 250.2	2,550 120.9	1,229 107.1	1,321 137.2	2,432 115.3	1,439 125.4	993 103.2	1,302 61.7	700 61.0	602 62.5	678 32.1	250 21.8	428 44.5		
1957 No. Rate*	6,378 302.3	3,711 323.5	2,667 277.1	2,800 132.7	1,420 123.8	1,380 143.9	2,496 118.3	1,482 129.2	1,014 105.3	1,302 61.7	707 61.6	595 61.8	794 37.6	301 37.6	493 51.2		
1958 No. Rate*	6,528 298.9	3,929 306.3	2,599 288.4	2,867 131.3	1,426 111.2	1,441 159.9	2,525 115.6	1,524 115.6	1,001 111.1	1,379 63.1	729 56.8	650 72.1	909 41.6	344 41.6	565 26.2		
1959 No. Rate*	6,233 279.9	3,774 282.5	2,459 276.0	2,683 120.5	1,386 103.7	1,297 145.6	2,600 116.7	1,580 118.3	1,020 114.5	1,501 67.4	837 62.6	664 74.5	768 74.5	328 34.5	440 24.6		
1960 No. Rate*	6,321 290.2	3,882 308.7	2,439 264.9	2,960 135.9	1,513 120.3	1,447 157.2	2,635 121.0	1,644 130.7	991 107.6	1,504 69.0	827 65.8	677 73.5	958 73.5	328 44.0	440 34.5		
1961 No. Rate*	6,561 301.2	4,022 319.8	2,539 275.8	2,891 132.7	1,512 116.4	1,464 155.0	2,747 126.2	1,732 137.7	1,016 110.4	1,427 65.5	760 60.4	667 72.4	721 33.1	389 33.1	569 24.4		
1962 No. Rate*	7,077 313.4	4,206 318.4	2,871 306.4	3,112 137.8	1,552 117.5	1,560 166.5	2,827 125.2	1,793 135.7	1,034 110.4	1,557 69.0	846 64.0	711 75.9	879 64.0	362 38.9	517 27.4		

\* Deaths per 100,000 population.


TABLE 17  
MARRIAGES AND DIVORCES  
MISSISSIPPI  
1926-1962

By Year, by Race, Occurrence Data

Year	MARRIAGES			DIVORCES		
	Total	White	Non-white	Total	White	Non-white
1926*	28,712			2,766		
1927*	29,048#	11,402	17,383	2,895		
1928	30,231#	11,662	18,257	3,009	1,435	1,574
1929	31,495#	12,864	18,388	3,172	1,598	1,574
1930	25,728#	10,815	14,751	2,743	1,487	1,256
1931	21,589#	9,952	11,629	2,015	1,308	707
1932	22,688#	10,147	12,453	1,918	1,308	610
1933	27,567#	12,201	15,300	1,955	1,396	559
1934	30,149#	13,497	16,541	2,446	1,704	742
1935	28,722#	12,955	15,635	2,425	1,681	744
1936	32,480#	14,120	18,196	2,520	1,690	830
1937	32,055#	14,802	17,246	2,977	1,984	993
1938	31,495	14,224	17,271	2,916	2,069	847
1939	31,956	15,370	16,586	3,034	2,166	868
1940	34,088	16,834	17,254	3,251	2,295	956
1941	42,142	21,611	20,531	3,831	2,444	1,387
1942	49,565	27,227	22,338	4,326	2,606	1,720
1943	46,030	23,445	22,585	5,851	3,062	2,789
1944	41,559	21,173	20,386	6,742	3,425	3,317
1945	44,871	24,738	20,133	6,727	3,919	2,808
1946	64,204	37,099	27,105	9,495	5,867	3,628
1947	53,584	30,514	23,070	7,004	4,323	2,681
1948	53,645	31,504	22,141	6,697	3,864	2,833
1949	52,765	32,191	20,574	6,285	3,621	2,664
1950	56,738	37,871	18,867	6,065	3,711	2,354
1951	57,321	37,857	19,464	5,464	3,601	1,863
1952	58,116	39,162	18,954	5,419	3,607	1,812
1953	61,751	42,961	18,790	5,204	3,515	1,689
1954	61,381	43,268	18,113	5,001	3,424	1,577
1955	66,423	47,618	18,805	4,845	3,372	1,473
1956	66,223	48,140	18,083	5,027	3,452	1,575
1957	62,495	46,868	15,627	4,974	3,350	1,624
1958	36,402	26,998	9,404	5,016	3,485	1,531
1959	20,447	13,547	6,900	5,108	3,557	1,551
1960	21,233	14,029	7,204	5,260	3,553	1,707
1961	21,610	14,438	7,172	5,213	3,545	1,668
1962	22,007	14,432	7,575	5,467	3,827	1,640

\* Total number of marriages for 1926 and total number of divorces for 1926 and 1927 furnished by U.S. Bureau of Census; distribution by race not available.

# Includes some records on which the race of the couple was not stated.




## BIRTHS, FETAL DEATHS, DEATHS

THE COUNTIES AND THE STATE OF MISSISSIPPI, 1962

## Footnotes for Tables on Pages 57-139

\* Total births and deaths per 1,000 population. Fetal deaths, deaths under 1 year, deaths under 28 days, and deaths from diseases of early infancy per 1,000 live births. Maternal deaths per 10,000 live births. Deaths from specific causes per 100,000 population.

# Pneumonia of the newborn (under 28 days) included in diseases of early infancy.



BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
ADAMS COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	1,592	700	892	1,097	469	628	28.4	24.2	32.6
Fetal deaths	55	16	39	38	13	25	34.6	27.7	39.8
Total deaths	496	202	294	398	146	252	10.3	7.5	13.1
Deaths under 1 year	70	23	47	46	13	33	41.9	27.7	52.5
Deaths under 28 days	54	21	33	36	12	24	32.8	25.6	38.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	1	1	0	2.6	5.2	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	1	0	1	1	0	1	2.6	-	5.2
Malignant neoplasms (140-205)	65	29	36	56	26	30	145.2	134.4	156.0
Benign & unspec. neoplasms (210-239)	2	0	2	2	0	2	5.2	-	10.4
Asthma (241)	1	0	1	2	1	1	5.2	5.2	5.2
Diabetes mellitus (260)	8	1	7	6	0	6	15.6	-	31.2
Anemias (290-293)	1	0	1	1	0	1	2.6	-	5.2
Intracranial lesions (330-334)	65	24	41	51	15	36	132.2	77.6	187.2
Nonmeningococcal meningitis (340)	2	0	2	0	0	0	-	-	-
Heart diseases (400-443)	165	67	98	139	49	90	360.4	253.4	468.0
Other hypertensive disease (444-447)	2	1	1	2	1	1	5.2	5.2	5.2
General arteriosclerosis (450)	11	5	6	10	4	6	25.9	20.7	31.2
Other circulatory diseases (451-468)	8	4	4	6	3	3	15.6	15.5	15.6
#Influenza & pneumonia (480-493)	16	4	12	12	4	8	31.1	20.7	41.6
Bronchitis (500-502)	1	1	0	1	1	0	2.6	5.2	-
Stomach & duodenal ulcers (540, 541)	1	1	0	1	1	0	2.6	5.2	-
Gastritis, etc. (543, 571, 572)	4	0	4	3	0	3	7.8	-	15.6
Hernia & intestinal obstruction (560, 561, 570)	8	5	3	2	1	1	5.2	5.2	5.2
Cirrhosis of liver (581)	4	2	2	3	1	2	7.8	5.2	10.4
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	3	0	3	2	0	2	5.2	-	10.4
Infections of kidney (600)	1	0	1	1	0	1	2.6	-	5.2
Hyperplasia of prostate (610)	4	2	2	2	1	1	5.2	5.2	5.2
Maternal causes (640-689)	4	0	4	4	0	4	36.5	-	63.7
Congenital malformations (750-759)	5	4	1	4	3	1	10.4	15.5	5.2
Diseases of early infancy (760-776)	50	17	33	33	9	24	30.1	19.2	38.2
Accidents (800-962)	32	20	12	25	12	13	64.8	62.0	67.6
Motor vehicle acc. (810-835)	13	11	2	8	6	2	20.7	31.0	10.4
Suicide (963, 970-979)	2	2	0	2	2	0	5.2	10.3	-
Homicide (964, 980-985)	4	0	4	3	0	3	7.8	-	15.6
III-defined (780-795)	8	1	7	8	2	6	20.7	10.3	31.2

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
ALCORN COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	593	482	111	555	444	111	20.3	18.6	32.9
Fetal deaths	11	6	5	12	7	5	21.6	15.8	45.0
Total deaths	279	234	45	282	240	42	10.3	10.0	12.5
Deaths under 1 year	12	9	3	12	9	3	21.6	20.3	27.0
Deaths under 28 days	9	8	1	8	7	1	14.4	15.8	9.0
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	3	3	0	4	3	1	14.6	12.5	29.7
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	42	34	8	43	36	7	157.5	150.4	207.7
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	3	3	0	6	6	0	22.0	25.1	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	50	43	7	49	43	6	179.5	179.7	178.0
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	98	87	11	96	87	9	351.6	363.6	267.1
Other hypertensive disease (444-447)	4	2	2	4	2	2	14.6	8.4	59.3
General arteriosclerosis (450)	4	3	1	5	4	1	18.3	16.7	29.7
Other circulatory diseases (451-468)	0	0	0	0	0	0	-	-	-
#Influenza & pneumonia (480-493)	7	6	1	6	5	1	22.0	20.9	29.7
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	5	3	2	5	3	2	18.3	12.5	59.3
Gastritis, etc. (543, 571, 572)	2	2	0	1	1	0	3.7	4.2	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	1	1	0	1	1	0	3.7	4.2	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	1	1	0	3.7	4.2	-
Maternal causes (640-689)	1	1	0	1	1	0	3.7	4.2	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	9	8	1	8	7	1	14.4	15.8	9.0
Accidents (800-962)	21	19	2	20	18	2	73.3	75.2	59.3
Motor vehicle acc. (810-835)	6	5	1	4	3	1	14.6	12.5	29.7
Suicide (963, 970-979)	2	2	0	1	1	0	3.7	4.2	-
Homicide (964, 980-985)	1	1	0	1	1	0	3.7	4.2	-
Ill-defined (780-795)	16	9	7	17	10	7	62.3	41.8	207.7

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
AMITE COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	169	0	169	343	101	242	22.4	14.6	28.9
Fetal deaths	4	0	4	7	1	6	20.4	9.9	24.8
Total deaths	81	31	50	148	70	78	9.7	10.1	9.3
Deaths under 1 year	7	0	7	17	2	15	49.6	19.8	62.0
Deaths under 28 days	2	0	2	7	1	6	20.4	9.9	24.8
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	1	0	1	6.5	-	11.9
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	1	0	1	6.5	-	11.9
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	7	2	5	24	15	9	156.6	216.1	107.4
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	0	0	0	1	0	1	6.5	-	11.9
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	10	3	7	14	4	10	91.4	57.6	119.3
Nonmeningococcal meningitis (340)	0	0	0	2	2	0	13.0	28.8	-
Heart diseases (400-443)	27	13	14	46	26	20	300.3	374.6	238.7
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	0	0	0	1	1	0	6.5	14.4	-
Other circulatory diseases (451-468)	0	0	0	1	1	0	6.5	14.4	-
#Influenza & pneumonia (480-493)	2	1	1	3	1	2	19.6	14.4	23.9
Bronchitis (500-502)	1	0	1	1	0	1	6.5	-	11.9
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Gastritis, etc. (543, 571, 572)	3	2	1	5	2	3	32.6	28.8	35.8
Hernia & intestinal obstruction (560, 561, 570)	1	0	1	3	0	3	19.6	-	35.8
Cirrhosis of liver (581)	1	0	1	1	0	1	6.5	-	11.9
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	2	2	0	13.0	28.8	-
Infections of kidney (600)	1	1	0	2	1	1	13.0	14.4	11.9
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	0	1	2	0	2	13.0	-	23.9
Diseases of early infancy (760-776)	3	0	3	9	1	8	26.2	9.9	33.0
Accidents (800-962)	7	1	6	10	4	6	65.3	57.6	71.6
Motor vehicle acc. (810-835)	5	1	4	6	2	4	39.2	28.8	47.7
Suicide (963, 970-979)	1	0	1	1	0	1	6.5	-	11.9
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	12	7	5	11	7	4	71.8	100.9	47.7

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
ATTALA COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	425	179	246	437	182	255	21.2	15.4	28.9
Fetal deaths	27	8	19	27	7	20	61.8	38.5	78.4
Total deaths	221	125	96	245	139	106	11.9	11.7	12.0
Deaths under 1 year	22	5	17	22	5	17	50.4	27.5	66.7
Deaths under 28 days	12	5	7	12	5	7	27.4	27.5	27.4
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	1	0	1	4.8	-	11.4
Syphilis (020-029)	1	0	1	1	0	1	4.8	-	11.4
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	32	20	12	38	25	13	184.0	211.1	147.6
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	5	3	2	5	3	2	24.2	25.3	22.7
Anemias (290-293)	2	0	2	3	1	2	14.5	8.4	22.7
Intracranial lesions (330-334)	36	23	13	37	22	15	179.2	185.8	170.3
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	71	41	30	75	46	29	363.2	388.5	329.2
Other hypertensive disease (444-447)	3	2	1	3	2	1	14.5	16.9	11.4
General arteriosclerosis (450)	4	4	0	4	4	0	19.4	33.8	-
Other circulatory diseases (451-468)	1	1	0	4	1	3	19.4	8.4	34.0
#Influenza & pneumonia (480-493)	8	3	5	7	1	6	33.9	8.4	68.1
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	1	1	0	2	2	0	9.7	16.9	-
Gastritis, etc. (543, 571, 572)	2	1	1	3	1	2	14.5	8.4	22.7
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	2	2	0	2	2	0	9.7	16.9	-
Infections of kidney (600)	1	1	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	2	1	1	2	1	1	9.7	8.4	11.4
Maternal causes (640-689)	1	0	1	2	0	2	45.8	-	78.4
Congenital malformations (750-759)	1	0	1	0	0	0	-	-	-
Diseases of early infancy (760-776)	13	5	8	14	5	9	32.0	27.5	35.3
Accidents (800-962)	9	2	7	10	3	7	48.4	25.3	79.4
Motor vehicle acc. (810-835)	4	0	4	4	1	3	19.4	8.4	34.0
Suicide (963, 970-979)	3	3	0	3	3	0	14.5	25.3	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	12	6	6	13	6	7	63.0	50.7	79.4

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
 AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
 BENTON COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	100	4	96	192	63	129	24.6	14.8	36.4
Fetal deaths	3	0	3	10	2	8	52.1	31.7	62.0
Total deaths	50	28	22	73	44	29	9.4	10.3	8.2
Deaths under 1 year	3	0	3	10	4	6	52.1	63.5	46.5
Deaths under 28 days	2	0	2	7	4	3	36.4	63.5	23.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	2	0	2	25.6	-	56.5
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	1	0	1	12.8	-	28.2
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	3	3	0	7	6	1	89.7	140.8	28.2
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	2	2	0	2	2	0	25.6	46.9	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	6	1	5	7	2	5	89.7	46.9	141.2
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	16	10	6	27	19	8	346.2	446.0	226.0
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	0	0	0	1	1	0	12.8	23.5	-
Other circulatory diseases (451-468)	0	0	0	0	0	0	-	-	-
#Influenza & pneumonia (480-493)	2	2	0	2	2	0	25.6	46.9	-
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Gastritis, etc. (543, 571, 572)	1	1	0	1	1	0	12.8	23.5	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	1	0	1	1	0	12.8	23.5	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	1	1	0	12.8	23.5	-
Diseases of early infancy (760-776)	1	0	1	4	3	1	20.8	47.6	7.8
Accidents (800-962)	9	6	3	4	3	1	51.3	70.4	28.2
Motor vehicle acc. (810-835)	4	3	1	0	0	0	-	-	-
Suicide (963, 970-979)	1	1	0	2	1	1	25.6	23.5	28.2
Homicide (964, 980-985)	1	0	1	1	0	1	12.8	-	28.2
Ill-defined (780-795)	5	1	4	6	1	5	76.9	23.5	141.2

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
BOLIVAR COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	1,928	362	1,566	1,803	365	1,438	32.0	19.3	38.4
Fetal deaths	72	5	67	76	11	65	42.2	30.1	45.2
Total deaths	650	129	521	645	161	484	11.4	8.5	12.9
Deaths under 1 year	81	4	77	83	6	77	46.0	16.4	53.5
Deaths under 28 days	51	4	47	52	6	46	28.8	16.4	32.0
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	0	2	2	0	2	3.6	-	5.3
Syphilis (020-029)	1	0	1	1	0	1	1.8	-	2.7
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	1	0	1	1	0	1	1.8	-	2.7
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	70	21	49	69	23	46	122.5	121.8	122.8
Benign & unspec. neoplasms (210-239)	1	0	1	2	0	2	3.6	-	5.3
Asthma (241)	1	0	1	1	0	1	1.8	-	2.7
Diabetes mellitus (260)	2	0	2	2	0	2	3.6	-	5.3
Anemias (290-293)	1	0	1	1	0	1	1.8	-	2.7
Intracranial lesions (330-334)	82	8	74	80	15	65	142.0	79.4	173.6
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	205	57	148	202	63	139	358.6	333.7	371.2
Other hypertensive disease (444-447)	4	0	4	3	0	3	5.3	-	8.0
General arteriosclerosis (450)	11	4	7	14	6	8	24.8	31.8	21.4
Other circulatory diseases (451-468)	3	1	2	6	4	2	10.6	21.2	5.3
#Influenza & pneumonia (480-493)	29	2	27	26	3	23	46.2	15.9	61.4
Bronchitis (500-502)	0	0	0	2	2	0	3.6	10.6	-
Stomach & duodenal ulcers (540, 541)	1	0	1	1	0	1	1.8	-	2.7
Gastritis, etc. (543, 571, 572)	10	1	9	8	0	8	14.2	-	21.4
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	1	0	1	1.8	-	2.7
Cirrhosis of liver (581)	4	0	4	3	0	3	5.3	-	8.0
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	8	0	8	5	1	4	8.9	5.3	10.7
Infections of kidney (600)	1	0	1	0	0	0	-	-	-
Hyperplasia of prostate (610)	1	0	1	1	0	1	1.8	-	2.7
Maternal causes (640-689)	3	0	3	4	0	4	22.2	-	27.8
Congenital malformations (750-759)	7	1	6	8	3	5	14.2	15.9	13.4
Diseases of early infancy (760-776)	45	3	42	46	5	41	25.5	13.7	28.5
Accidents (800-962)	46	11	35	52	15	37	92.3	79.4	98.8
Motor vehicle acc. (810-835)	22	5	17	21	6	15	37.3	31.8	40.0
Suicide (963, 970-979)	4	4	0	4	4	0	7.1	21.2	-
Homicide (964, 980-985)	6	0	6	5	0	5	8.9	-	13.4
Ill-defined (780-795)	72	9	63	69	9	60	122.5	47.7	160.2

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
CALHOUN COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	302	121	181	332	180	152	20.2	15.1	33.9
Fetal deaths	14	2	12	13	2	11	39.2	11.1	72.4
Total deaths	151	109	42	174	131	43	10.6	11.0	9.6
Deaths under 1 year	14	4	10	16	6	10	48.2	33.3	65.8
Deaths under 28 days	7	1	6	9	3	6	27.1	16.7	39.5
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	1	0	1	1	0	6.1	8.4	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	18	16	2	24	21	3	146.4	176.3	67.0
Benign & unspec. neoplasms (210-239)	0	0	0	1	1	0	6.1	8.4	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	4	4	0	5	4	1	30.5	33.6	22.3
Anemias (290-293)	1	1	0	1	1	0	6.1	8.4	-
Intracranial lesions (330-334)	12	8	4	17	13	4	103.7	109.2	89.3
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	66	49	17	71	54	17	433.2	453.4	379.5
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	0	0	0	0	0	0	-	-	-
Other circulatory diseases (451-468)	1	1	0	1	1	0	6.1	8.4	-
#Influenza & pneumonia (480-493)	6	5	1	6	5	1	36.6	42.0	22.3
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Gastritis, etc. (543, 571, 572)	2	1	1	3	1	2	18.3	8.4	44.6
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	2	2	0	2	2	0	12.2	16.8	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	1	0	1	1	0	1	30.1	-	65.8
Congenital malformations (750-759)	0	0	0	2	2	0	12.2	16.8	-
Diseases of early infancy (760-776)	5	2	3	5	2	3	15.1	11.1	19.7
Accidents (800-962)	10	6	4	10	7	3	61.0	58.8	67.0
Motor vehicle acc. (810-835)	5	5	0	5	4	1	30.5	33.6	22.3
Suicide (963, 970-979)	2	2	0	2	2	0	12.2	16.8	-
Homicide (964, 980-985)	2	1	1	1	1	0	6.1	8.4	-
Ill-defined (780-795)	15	7	8	15	7	8	91.5	58.8	178.6

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
CARROLL COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	176	21	155	232	60	172	17.6	9.6	24.8
Fetal deaths	7	0	7	17	2	15	73.3	33.3	87.2
Total deaths	68	21	47	143	70	73	10.8	11.2	10.5
Deaths under 1 year	5	0	5	10	1	9	43.1	16.7	52.3
Deaths under 28 days	3	0	3	6	1	5	25.9	16.7	29.1
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	7	4	3	15	12	3	113.7	191.4	43.4
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	0	1	1	0	1	7.6	-	14.4
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	7	1	6	26	12	14	197.1	191.4	202.3
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	20	13	7	49	32	17	371.5	510.4	245.7
Other hypertensive disease (444-447)	2	0	2	4	1	3	30.3	15.9	43.4
General arteriosclerosis (450)	2	0	2	2	0	2	15.2	-	28.9
Other circulatory diseases (451-468)	2	0	2	2	0	2	15.2	-	28.9
#Influenza & pneumonia (480-493)	0	0	0	4	3	1	30.3	47.8	14.4
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Gastritis, etc. (543, 571, 572)	0	0	0	3	1	2	22.7	15.9	28.9
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	0	0	0	1	1	0	7.6	15.9	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	0	1	2	0	2	15.2	-	-
Diseases of early infancy (760-776)	3	0	3	6	1	5	25.9	16.7	28.9
Accidents (800-962)	12	2	10	12	3	9	91.0	47.8	130.0
Motor vehicle acc. (810-835)	8	1	7	6	1	5	45.5	15.9	72.2
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	1	1	0	1	0	1	7.6	-	14.4
Ill-defined (780-795)	9	0	9	10	1	9	75.8	15.9	130.0

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
CHICKASAW COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	448	247	201	450	228	222	25.4	21.2	31.8
Fetal deaths	14	4	10	17	5	12	37.8	21.9	54.0
Total deaths	183	95	88	191	107	84	10.8	10.0	12.0
Deaths under 1 year	11	4	7	9	3	6	20.0	13.2	27.0
Deaths under 28 days	7	4	3	5	3	2	11.1	13.2	9.0
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	2	0	2	2	0	11.3	18.6	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	17	11	6	14	8	6	79.0	74.4	86.1
Benign & unspec. neoplasms (210-239)	2	1	1	1	0	1	5.6	-	14.3
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	0	1	0	0	0	-	-	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	36	18	18	37	21	16	208.8	195.3	229.6
Nonmeningococcal meningitis (340)	0	0	0	1	1	0	5.6	9.3	-
Heart diseases (400-443)	63	38	25	65	40	25	366.8	372.1	358.7
Other hypertensive disease (444-447)	5	0	5	4	0	4	22.6	-	57.4
General arteriosclerosis (450)	1	0	1	1	0	1	5.6	-	14.3
Other circulatory diseases (451-468)	2	2	0	3	2	1	16.9	18.6	14.3
#Influenza & pneumonia (480-493)	7	1	6	10	4	6	56.4	37.2	86.1
Bronchitis (500-502)	1	1	0	1	1	0	5.6	9.3	-
Stomach & duodenal ulcers (540, 541)	2	2	0	1	1	0	5.6	9.3	-
Gastritis, etc. (543, 571, 572)	1	0	1	2	2	0	11.3	18.6	-
Hernia & intestinal obstruction (560, 561, 570)	2	0	2	1	0	1	5.6	-	14.3
Cirrhosis of liver (581)	1	1	0	1	1	0	5.6	9.3	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	2	0	2	2	0	2	11.3	-	28.7
Infections of kidney (600)	2	0	2	2	1	1	11.3	9.3	14.3
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	1	0	1	2	0	2	44.4	-	90.1
Congenital malformations (750-759)	1	1	0	1	1	0	5.6	9.3	-
Diseases of early infancy (760-776)	5	2	3	4	2	2	8.9	8.8	9.0
Accidents (800-962)	15	10	5	14	10	4	79.0	93.0	57.4
Motor vehicle acc. (810-835)	4	2	2	4	3	1	22.6	27.9	14.3
Suicide (963, 970-979)	1	1	0	1	1	0	5.6	9.3	-
Homicide (964, 980-985)	0	0	0	2	1	1	11.3	9.3	14.3
III-defined (780-795)	7	2	5	9	4	5	50.8	37.2	71.7

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
CHOCTAW COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	184	95	89	205	111	94	24.1	17.8	41.6
Fetal deaths	4	2	2	6	4	2	29.3	36.0	21.3
Total deaths	82	58	24	97	72	25	11.4	11.5	11.1
Deaths under 1 year	3	1	2	6	3	3	29.3	27.0	31.9
Deaths under 28 days	2	1	1	5	3	2	24.4	27.0	21.3
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	12	12	0	18	16	2	211.8	256.4	88.5
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	1	1	0	1	1	0	11.8	16.0	-
Diabetes mellitus (260)	3	2	1	2	2	0	23.5	32.0	-
Anemias (290-293)	1	1	0	0	0	0	-	-	-
Intracranial lesions (330-334)	9	3	6	10	5	5	117.6	80.1	221.2
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	28	23	5	29	24	5	341.2	384.6	221.2
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	6	4	2	7	5	2	82.4	80.1	88.5
Other circulatory diseases (451-468)	2	2	0	1	1	0	11.8	16.0	-
#Influenza & pneumonia (480-493)	0	0	0	0	0	0	-	-	-
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	1	1	0	11.8	16.0	-
Gastritis, etc. (543, 571, 572)	2	1	1	2	1	1	23.5	16.0	44.2
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	1	0	1	11.8	-	44.2
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	4	2	2	4	2	2	47.0	32.0	88.5
Hyperplasia of prostate (610)	3	2	1	2	1	1	23.5	16.0	44.2
Maternal causes (640-689)	1	0	1	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	2	1	1	5	3	2	24.4	27.0	21.3
Accidents (800-962)	3	2	1	5	4	1	58.8	64.1	44.2
Motor vehicle acc. (810-835)	0	0	0	1	1	0	11.8	16.0	-
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	1	0	1	1	0	1	11.8	-	44.2
Ill-defined (780-795)	1	0	1	2	1	1	23.5	16.0	44.2

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
CLAIBORNE COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	175	22	153	243	35	208	23.7	12.9	27.6
Fetal deaths	6	2	4	7	2	5	28.8	57.1	24.0
Total deaths	95	21	74	129	36	93	12.6	13.2	12.4
Deaths under 1 year	12	1	11	14	2	12	57.6	57.1	57.7
Deaths under 28 days	8	1	7	10	2	8	41.2	57.1	38.5
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	0	1	9.8	-	13.3
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	1	0	1	1	0	1	9.8	-	13.3
Malignant neoplasms (140-205)	7	4	3	9	2	7	87.8	73.5	93.0
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	1	0	1	0	1	9.8	-	13.3
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	10	5	5	17	8	9	165.8	294.1	119.5
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	38	8	30	48	15	33	468.3	551.5	438.2
Other hypertensive disease (444-447)	4	0	4	5	0	5	48.8	-	66.4
General arteriosclerosis (450)	2	0	2	2	0	2	19.5	-	26.6
Other circulatory diseases (451-468)	1	0	1	1	0	1	9.8	-	13.3
#Influenza & pneumonia (480-493)	2	0	2	3	1	2	29.3	36.8	26.6
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Castritis, etc. (543, 571, 572)	2	0	2	2	0	2	19.5	-	26.6
Hernia & intestinal obstruction .. (560, 561, 570)	1	0	1	2	1	1	19.5	36.8	13.3
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	2	0	2	2	0	2	19.5	-	26.6
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	1	1	0	9.8	36.8	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	1	0	1	9.8	-	13.3
Diseases of early infancy (760-776)	8	1	7	9	2	7	37.0	57.1	33.6
Accidents (800-962)	3	1	2	8	5	3	78.0	183.8	39.8
Motor vehicle acc. (810-835)	1	0	1	5	3	2	48.8	110.3	26.6
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	1	0	1	1	0	1	9.8	-	13.3
Ill-defined (780-795)	10	0	10	12	1	11	117.1	36.8	146.1

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
CLARKE COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	142	78	64	343	164	179	22.0	18.0	27.8
Fetal deaths	5	3	2	12	4	8	35.0	24.4	44.7
Total deaths	130	74	56	179	97	82	11.5	10.6	12.8
Deaths under 1 year	7	3	4	14	4	10	40.8	24.4	55.9
Deaths under 28 days	4	2	2	9	3	6	26.2	18.3	33.5
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	1	1	0	1	1	0	6.4	11.0	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	14	6	8	22	9	13	141.5	98.7	202.2
Benign & unspec. neoplasms (210-239)	0	0	0	1	0	1	6.4	-	15.6
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	2	2	0	4	2	2	25.7	21.9	31.1
Anemias (290-293)	1	1	0	1	1	0	6.4	11.0	-
Intracranial lesions (330-334)	22	8	14	30	12	18	192.9	131.6	279.9
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	52	39	13	66	50	16	424.4	548.2	248.8
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	2	1	1	2	1	1	12.9	11.0	15.6
Other circulatory diseases (451-468)	0	0	0	1	0	1	6.4	-	15.6
#Influenza & pneumonia (480-493)	4	2	2	6	3	3	38.6	32.9	46.6
Bronchitis (500-502)	2	0	2	2	0	2	12.9	-	31.1
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	1	1	0	6.4	11.0	-
Chronic nephritis, etc. (592-594)	2	0	2	1	0	1	6.4	-	15.6
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	1	1	0	1	1	0	6.4	11.0	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	3	2	1	7	3	4	20.4	18.3	22.3
Accidents (800-962)	5	3	2	9	6	3	57.9	65.8	46.6
Motor vehicle acc. (810-835)	3	2	1	6	4	2	38.6	43.8	31.1
Suicide (963, 970-979)	1	1	0	1	1	0	6.4	11.0	-
Homicide (964, 980-985)	3	0	3	4	0	4	25.7	-	62.2
Ill-defined (780-795)	10	3	7	12	2	10	77.2	21.9	155.5

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
CLAY COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	441	171	270	460	177	283	24.0	22.3	25.1
Fetal deaths	7	2	5	7	2	5	15.2	11.3	17.7
Total deaths	188	63	125	198	73	125	10.3	9.2	11.1
Deaths under 1 year	8	0	8	8	0	8	17.4	-	28.3
Deaths under 28 days	4	0	4	4	0	4	8.7	-	14.1
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	27	12	15	29	15	14	151.0	189.4	124.1
Benign & unspec. neoplasms (210-239)	1	0	1	2	0	2	10.4	-	17.7
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	5	2	3	5	3	2	26.0	37.9	17.7
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	36	11	25	30	8	22	156.2	101.0	195.0
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	67	26	41	74	31	43	385.4	391.4	381.2
Other hypertensive disease (444-447)	0	0	0	1	0	1	5.2	-	8.9
General arteriosclerosis (450)	0	0	0	0	0	0	-	-	-
Other circulatory diseases (451-468)	2	0	2	4	0	4	20.8	-	35.5
#Influenza & pneumonia (480-493)	4	0	4	4	0	4	20.8	-	35.5
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	1	0	1	1	0	1	5.2	-	8.9
Gastritis, etc. (543, 571, 572)	1	0	1	2	1	1	10.4	12.6	8.9
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	1	1	0	5.2	12.6	-
Cirrhosis of liver (581)	1	0	1	1	0	1	5.2	-	8.9
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	2	0	2	3	1	2	15.6	12.6	17.7
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	4	0	4	4	0	4	20.8	-	35.5
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	0	1	1	0	1	5.2	-	8.9
Diseases of early infancy (760-776)	2	0	2	2	0	2	4.3	-	7.1
Accidents (800-962)	13	5	8	14	7	7	72.9	88.4	62.0
Motor vehicle acc. (810-835)	5	2	3	5	3	2	26.0	37.9	17.7
Suicide (963, 970-979)	0	0	0	1	1	0	5.2	12.6	-
Homicide (964, 980-985)	1	0	1	1	0	1	5.2	-	8.9
III-defined (780-795)	13	5	8	11	3	8	57.3	37.9	70.9

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
COAHOMA COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	1,573	373	1,200	1,560	337	1,223	31.4	20.9	36.5
Fetal deaths	62	4	58	58	4	54	37.2	11.9	44.2
Total deaths	571	141	430	595	140	455	12.0	8.7	13.6
Deaths under 1 year	117	17	100	104	10	94	66.7	29.7	76.9
Deaths under 28 days	73	13	60	63	8	55	40.4	23.7	45.0
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	0	2	5	1	4	10.1	6.2	11.9
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	1	1	0	2.0	6.2	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	1	0	1	1	0	1	2.0	-	3.0
Malignant neoplasms (140-205)	47	21	26	55	24	31	110.8	148.7	92.6
Benign & unspec. neoplasms (210-239)	1	0	1	1	0	1	2.0	-	3.0
Asthma (241)	3	1	2	2	0	2	4.0	-	6.0
Diabetes mellitus (260)	2	1	1	2	1	1	4.0	6.2	3.0
Anemias (290-293)	1	0	1	1	0	1	2.0	-	3.0
Intracranial lesions (330-334)	74	19	55	73	18	55	147.1	111.5	164.3
Nonmeningococcal meningitis (340)	1	0	1	2	1	1	2.0	6.2	3.0
Heart diseases (400-443)	157	44	113	168	46	122	338.6	285.0	364.4
Other hypertensive disease (444-447)	4	1	3	4	1	3	8.1	6.2	9.0
General arteriosclerosis (450)	4	0	4	4	0	4	8.1	-	11.9
Other circulatory diseases (451-468)	5	2	3	6	2	4	12.1	12.4	11.9
#Influenza & pneumonia (480-493)	40	4	36	43	6	37	86.6	37.2	110.5
Bronchitis (500-502)	0	0	0	1	0	1	2.0	-	3.0
Stomach & duodenal ulcers (540, 541)	1	1	0	1	1	0	2.0	6.2	-
Gastritis, etc. (543, 571, 572)	11	0	11	11	0	11	22.2	-	32.8
Hernia & intestinal obstruction (560, 561, 570)	3	0	3	2	0	2	4.0	-	6.0
Cirrhosis of liver (581)	5	2	3	5	2	3	10.1	12.4	9.0
Acute nephritis (590, 591)	2	1	1	1	0	1	2.0	-	3.0
Chronic nephritis, etc. (592-594)	9	1	8	11	1	10	22.2	6.2	29.9
Infections of kidney (600)	8	1	7	7	0	7	14.1	-	20.9
Hyperplasia of prostate (610)	0	0	0	1	0	1	2.0	-	3.0
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	5	2	3	4	1	3	8.1	6.2	9.0
Diseases of early infancy (760-776)	69	13	56	59	8	51	37.8	23.7	41.7
Accidents (800-962)	30	12	18	32	10	22	64.5	62.0	65.7
Motor vehicle acc. (810-835)	14	6	8	15	5	10	30.2	31.0	29.9
Suicide (963, 970-979)	4	4	0	6	6	0	12.1	37.2	-
Homicide (964, 980-985)	3	0	3	4	0	4	8.1	-	11.9
Ill-defined (780-795)	54	4	50	55	4	51	110.8	24.8	152.3

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
COPIAH COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	822	241	581	660	211	449	23.7	16.3	30.2
Fetal deaths	23	2	21	25	7	18	37.9	33.2	40.1
Total deaths	278	129	149	348	176	172	12.5	13.6	11.6
Deaths under 1 year	18	5	13	22	5	17	33.3	23.7	37.9
Deaths under 28 days	10	3	7	12	2	10	18.2	9.5	22.3
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	2	1	1	7.2	7.7	6.7
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	1	0	1	2	0	2	7.2	-	13.4
Malignant neoplasms (140-205)	42	24	18	55	32	23	197.9	247.9	154.6
Benign & unspec. neoplasms (210-239)	0	0	0	1	1	0	3.6	7.7	-
Asthma (241)	1	0	1	1	0	1	3.6	-	6.7
Diabetes mellitus (260)	2	0	2	2	0	2	7.2	-	13.4
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	32	17	15	38	22	16	136.7	170.4	107.5
Nonmeningococcal meningitis (340)	0	0	0	1	1	0	3.6	7.7	-
Heart diseases (400-443)	115	59	56	136	75	61	489.4	580.9	409.9
Other hypertensive disease (444-447)	1	0	1	2	1	1	7.2	7.7	6.7
General arteriosclerosis (450)	2	0	2	4	2	2	14.4	15.5	13.4
Other circulatory diseases (451-468)	3	2	1	4	3	1	14.4	23.2	6.7
#Influenza & pneumonia (480-493)	8	3	5	13	5	8	46.8	38.7	53.8
Bronchitis (500-502)	2	0	2	2	0	2	7.2	-	13.4
Stomach & duodenal ulcers (540, 541)	0	0	0	1	1	0	3.6	7.7	-
Gastritis, etc. (543, 571, 572)	0	0	0	1	0	1	3.6	-	6.7
Hernia & intestinal obstruction (560, 561, 570)	1	0	1	3	1	2	10.8	7.7	13.4
Cirrhosis of liver (581)	0	0	0	1	1	0	3.6	7.7	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	2	1	1	2	1	1	7.2	7.7	6.7
Infections of kidney (600)	3	3	0	3	3	0	10.8	23.2	-
Hyperplasia of prostate (610)	4	0	4	4	1	3	14.4	7.7	20.2
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	9	4	5	11	3	8	16.7	14.2	17.8
Accidents (800-962)	27	7	20	29	9	20	104.4	69.7	134.4
Motor vehicle acc. (810-835)	8	4	4	9	4	5	32.4	31.0	33.6
Suicide (963, 970-979)	1	0	1	2	1	1	7.2	7.7	6.7
Homicide (964, 980-985)	3	1	2	2	1	1	7.2	7.7	6.7
Ill-defined (780-795)	10	4	6	12	4	8	43.2	31.0	53.8

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
COVINGTON COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	176	129	47	338	172	166	23.7	18.4	33.8
Fetal deaths	4	1	3	15	5	10	44.4	29.1	60.2
Total deaths	110	68	42	146	95	51	10.2	10.1	10.4
Deaths under 1 year	3	1	2	5	1	4	14.8	5.8	24.1
Deaths under 28 days	3	1	2	5	1	4	14.8	5.8	24.1
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	15	10	5	19	15	4	133.1	160.2	81.5
Benign & unspec. neoplasms (210-239)	1	0	1	1	0	1	7.0	-	20.4
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	2	1	1	5	5	0	35.0	53.4	-
Anemias (290-293)	0	0	0	1	1	0	7.0	10.7	-
Intracranial lesions (330-334)	15	7	8	21	7	14	147.2	74.8	285.1
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	42	30	12	53	38	15	371.4	406.0	305.5
Other hypertensive disease (444-447)	1	1	0	1	1	0	7.0	10.7	-
General arteriosclerosis (450)	4	2	2	2	0	2	14.0	-	40.7
Other circulatory diseases (451-468)	2	1	1	4	2	2	28.0	21.4	40.7
#Influenza & pneumonia (480-493)	4	3	1	7	5	2	49.0	53.4	40.7
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	1	0	1	7.0	-	20.4
Gastritis, etc. (543, 571, 572)	1	1	0	2	2	0	14.0	21.4	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	0	1	3	2	1	21.0	21.4	20.4
Infections of kidney (600)	1	1	0	1	1	0	7.0	10.7	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	2	1	1	3	1	2	8.9	5.8	12.0
Accidents (800-962)	9	5	4	12	9	3	84.1	96.2	61.1
Motor vehicle acc. (810-835)	5	3	2	7	7	0	49.0	74.8	-
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	4	1	3	4	1	3	28.0	10.7	61.1

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
DESOTO COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	634	61	573	750	213	537	30.8	19.6	40.0
Fetal deaths	15	3	12	18	3	15	24.0	14.1	27.9
Total deaths	142	47	95	212	88	124	8.7	8.1	9.2
Deaths under 1 year	16	2	14	27	5	22	36.0	23.5	41.0
Deaths under 28 days	6	1	5	13	3	10	17.3	14.1	18.6
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	1	0	1	1	0	1	4.1	-	7.4
Meningococcal infections (057)	0	0	0	1	0	1	4.1	-	7.4
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	10	6	4	17	12	5	69.9	110.2	37.2
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	1	1	0	1	1	0	4.1	9.2	-
Diabetes mellitus (260)	0	0	0	1	1	0	4.1	9.2	-
Anemias (290-293)	1	0	1	2	0	2	8.2	-	14.9
Intracranial lesions (330-334)	23	9	14	34	17	17	139.7	156.1	126.5
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	44	21	23	59	30	29	242.5	275.5	215.8
Other hypertensive disease (444-447)	4	0	4	5	0	5	20.6	-	37.2
General arteriosclerosis (450)	1	0	1	3	1	2	12.3	9.2	14.9
Other circulatory diseases (451-468)	0	0	0	0	0	0	-	-	-
#Influenza & pneumonia (480-493)	4	2	2	8	5	3	32.9	45.9	22.3
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Gastritis, etc. (543, 571, 572)	1	0	1	3	1	2	12.3	9.2	14.9
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	2	1	1	8.2	9.2	7.4
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	1	0	1	4.1	-	7.4
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	2	1	1	26.7	46.9	18.6
Congenital malformations (750-759)	1	0	1	4	2	2	16.4	18.4	14.9
Diseases of early infancy (760-776)	7	1	6	13	2	11	17.3	9.4	20.5
Accidents (800-962)	10	3	7	14	7	7	57.5	64.3	52.1
Motor vehicle acc. (810-835)	5	2	3	7	5	2	28.8	45.9	14.9
Suicide (963, 970-979)	1	1	0	2	2	0	8.2	18.4	-
Homicide (964, 980-985)	5	0	5	6	0	6	24.7	-	44.6
Ill-defined (780-795)	24	2	22	27	4	23	111.0	36.7	171.1

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
FORREST COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	1,619	1,181	438	1,421	908	513	25.6	22.5	33.6
Fetal deaths	67	46	21	58	34	24	40.8	37.4	46.8
Total deaths	544	375	169	513	321	192	9.2	8.0	12.6
Deaths under 1 year	54	38	16	44	27	17	31.0	29.7	33.1
Deaths under 28 days	39	29	10	31	20	11	21.8	22.0	21.4
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	4	1	3	6	3	3	10.8	7.4	19.6
Syphilis (020-029)	1	0	1	1	0	1	1.8	-	6.5
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	2	2	0	1	1	0	1.8	2.5	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	83	62	21	72	51	21	129.6	126.6	137.4
Benign & unspec. neoplasms (210-239)	1	0	1	1	0	1	1.8	-	6.5
Asthma (241)	1	0	1	1	0	1	1.8	-	6.5
Diabetes mellitus (260)	11	4	7	12	4	8	21.6	9.9	52.4
Anemias (290-293)	2	1	1	3	2	1	5.4	5.0	6.5
Intracranial lesions (330-334)	58	43	15	55	36	19	99.0	89.4	124.3
Nonmeningococcal meningitis (340)	0	0	0	2	0	2	3.6	-	13.1
Heart diseases (400-443)	196	136	60	180	113	67	324.0	280.6	438.5
Other hypertensive disease (444-447)	5	3	2	2	2	0	3.6	5.0	-
General arteriosclerosis (450)	6	6	0	6	6	0	10.8	14.9	-
Other circulatory diseases (451-468)	4	1	3	6	2	4	10.8	5.0	26.2
#Influenza & pneumonia (480-493)	16	10	6	17	10	7	30.6	24.8	45.8
Bronchitis (500-502)	1	1	0	1	1	0	1.8	2.5	-
Stomach & duodenal ulcers (540, 541)	3	1	2	2	0	2	3.6	-	13.1
Gastritis, etc. (543, 571, 572)	3	1	2	1	0	1	1.8	-	6.5
Hernia & intestinal obstruction (560, 561, 570)	2	2	0	2	1	1	3.6	2.5	6.5
Cirrhosis of liver (581)	3	2	1	3	2	1	5.4	5.0	6.5
Acute nephritis (590, 591)	1	1	0	1	1	0	1.8	2.5	-
Chronic nephritis, etc. (592-594)	8	5	3	6	3	3	10.8	7.4	19.6
Infections of kidney (600)	6	3	3	8	5	3	14.4	12.4	19.6
Hyperplasia of prostate (610)	4	3	1	7	4	3	12.6	9.9	19.6
Maternal causes (640-689)	0	0	0	1	0	1	7.0	-	19.5
Congenital malformations (750-759)	14	13	1	8	7	1	14.4	17.4	6.5
Diseases of early infancy (760-776)	27	18	9	24	14	10	16.9	15.4	19.5
Accidents (800-962)	30	23	7	31	22	9	55.8	54.6	58.9
Motor vehicle acc. (810-835)	14	13	1	11	10	1	19.8	24.8	6.5
Suicide (963, 970-979)	3	3	0	2	2	0	3.6	5.0	-
Homicide (964, 980-985)	6	0	6	6	0	6	10.8	-	39.3
Ill-defined (780-795)	11	7	4	16	11	5	28.8	27.3	32.7

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
FRANKLIN COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	129	55	74	187	76	111	19.2	13.2	28.0
Fetal deaths	9	2	7	11	3	8	58.8	39.5	72.1
Total deaths	91	52	39	125	76	49	12.9	13.2	12.3
Deaths under 1 year	4	1	3	6	3	3	32.1	39.5	27.0
Deaths under 28 days	2	1	1	3	2	1	16.0	26.3	9.0
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	1	0	1	1	0	10.3	17.4	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	15	9	6	18	10	8	185.2	173.9	201.5
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	1	0	1	1	0	10.3	17.4	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	8	5	3	15	10	5	154.3	173.9	125.9
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	39	19	20	50	27	23	514.4	469.6	579.3
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	2	1	1	3	2	1	30.9	34.8	25.2
Other circulatory diseases (451-468)	0	0	0	0	0	0	-	-	-
#Influenza & pneumonia (480-493)	0	0	0	3	3	0	30.9	52.2	-
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	2	2	0	2	2	0	20.6	34.8	-
Gastritis, etc. (543, 571, 572)	1	1	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	2	2	0	5	4	1	51.4	69.6	25.2
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	1	0	1	1	0	1	10.3	-	25.2
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	1	0	1	1	0	10.3	17.4	-
Diseases of early infancy (760-776)	4	1	3	4	2	2	21.4	26.3	18.0
Accidents (800-962)	6	5	1	7	4	3	72.0	69.6	75.6
Motor vehicle acc. (810-835)	4	3	1	4	2	2	41.2	34.8	50.4
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	3	1	2	3	1	2	30.9	17.4	50.4

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
GEORGE COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	319	263	56	308	250	58	27.7	26.2	36.7
Fetal deaths	6	4	2	6	5	1	19.5	20.0	17.2
Total deaths	89	74	15	94	78	16	8.4	8.2	10.1
Deaths under 1 year	12	10	2	10	8	2	32.5	32.0	34.5
Deaths under 28 days	8	6	2	7	5	2	22.7	20.0	34.5
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	16	12	4	18	13	5	161.9	136.3	316.4
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	1	1	0	0	0	0	-	-	-
Diabetes mellitus (260)	2	2	0	1	1	0	9.0	10.5	-
Anemias (290-293)	1	1	0	1	1	0	9.0	10.5	-
Intracranial lesions (330-334)	13	11	2	12	10	2	107.9	104.8	126.6
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	24	19	5	26	21	5	233.8	220.1	316.4
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	1	1	0	1	1	0	9.0	10.5	-
Other circulatory diseases (451-468)	0	0	0	1	1	0	9.0	10.5	-
#Influenza & pneumonia (480-493)	2	1	1	1	0	1	9.0	-	63.3
Bronchitis (500-502)	0	0	0	1	1	0	9.0	10.5	-
Stomach & duodenal ulcers (540, 541)	0	0	0	1	1	0	9.0	10.5	-
Gastritis, etc. (543, 571, 572)	2	2	0	2	2	0	18.0	21.0	-
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	1	1	0	9.0	10.5	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	1	1	0	1	1	0	9.0	10.5	-
Chronic nephritis, etc. (592-594)	1	1	0	1	1	0	9.0	10.5	-
Infections of kidney (600)	3	3	0	2	2	0	9.0	10.5	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	18.0	21.0	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	2	2	0	2	2	0	18.0	21.0	-
Diseases of early infancy (760-776)	7	5	2	6	4	2	19.5	16.0	34.5
Accidents (800-962)	5	5	0	7	7	0	62.9	73.4	-
Motor vehicle acc. (810-835)	2	2	0	5	5	0	45.0	52.4	-
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	1	0	1	2	1	1	18.0	10.5	63.3
Ill-defined (780-795)	2	2	0	2	2	0	18.0	21.0	-

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
GREENE COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Total	White	Non-white
				Total	White	Non-white			
Live births	120	65	55	172	108	64	20.7	16.8	33.7
Fetal deaths	0	0	0	7	3	4	40.7	27.8	62.5
Total deaths	61	45	16	90	68	22	10.8	10.6	11.6
Deaths under 1 year	5	2	3	7	3	4	40.7	27.8	62.5
Deaths under 28 days	4	2	2	5	3	2	29.1	27.8	31.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	1	0	12.0	15.6	-
Syphilis (020-029)	1	1	0	1	1	0	12.0	15.6	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	13	9	4	19	14	5	228.4	218.1	263.2
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	0	0	0	2	1	1	24.0	15.6	52.6
Anemias (290-293)	0	0	0	1	0	1	12.0	-	52.6
Intracranial lesions (330-334)	5	4	1	11	8	3	132.2	124.6	157.9
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	21	17	4	28	24	4	336.5	373.8	210.5
Other hypertensive disease (444-447)	2	2	0	1	1	0	12.0	15.6	-
General arteriosclerosis (450)	3	2	1	5	4	1	60.1	62.3	52.6
Other circulatory diseases (451-468)	0	0	0	0	0	0	-	-	-
#Influenza & pneumonia (480-493)	0	0	0	0	0	0	-	-	-
Bronchitis (500-502)	1	0	1	2	0	2	24.0	-	105.3
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Gastritis, etc. (543, 571, 572)	1	1	0	1	1	0	12.0	15.6	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	1	0	2	2	0	24.0	31.2	-
Infections of kidney (600)	0	0	0	2	2	0	24.0	31.2	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	0	1	1	0	1	12.0	-	52.6
Diseases of early infancy (760-776)	2	2	0	3	3	0	17.4	27.8	-
Accidents (800-962)	7	4	3	6	3	3	72.1	46.7	157.9
Motor vehicle acc. (810-835)	3	2	1	3	2	1	36.0	31.2	52.6
Suicide (963, 970-979)	1	1	0	2	2	0	24.0	31.2	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	0	0	0	0	0	0	-	-	-

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
GRENADA COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	499	165	334	521	191	330	27.4	18.7	37.5
Fetal deaths	22	5	17	21	5	16	40.3	26.2	48.5
Total deaths	210	100	110	195	89	106	10.2	8.7	12.0
Deaths under 1 year	17	1	16	19	3	16	36.5	15.7	48.5
Deaths under 28 days	8	0	8	11	3	8	21.1	15.7	24.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	1	0	1	1	0	5.2	9.8	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	25	13	12	29	16	13	152.4	156.4	147.7
Benign & unspec. neoplasms (210-239)	1	1	0	1	1	0	5.2	9.8	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	0	0	0	1	0	1	5.2	-	11.4
Anemias (290-293)	1	0	1	1	0	1	5.2	-	11.4
Intracranial lesions (330-334)	58	20	38	50	15	35	262.7	146.6	397.7
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	56	40	16	49	35	14	257.5	342.1	159.1
Other hypertensive disease (444-447)	2	1	1	4	3	1	21.0	29.3	11.4
General arteriosclerosis (450)	3	2	1	2	1	1	10.5	9.8	11.4
Other circulatory diseases (451-468)	0	0	0	0	0	0	-	-	-
#Influenza & pneumonia (480-493)	10	4	6	8	2	6	42.0	19.6	68.2
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	1	0	1	5.2	-	11.4
Gastritis, etc. (543, 571, 572)	3	2	1	1	0	1	5.2	-	11.4
Hernia & intestinal obstruction (560, 561, 570)	1	0	1	0	0	0	-	-	-
Cirrhosis of liver (581)	1	1	0	1	1	0	5.2	9.8	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	1	1	0	5.2	9.8	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	0	1	2	1	1	10.5	9.8	11.4
Diseases of early infancy (760-776)	8	0	8	11	3	8	21.1	15.7	24.2
Accidents (800-962)	17	10	7	10	4	6	52.5	39.1	68.2
Motor vehicle acc. (810-835)	7	6	1	3	2	1	15.8	19.6	11.4
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	15	3	12	15	2	13	78.8	19.6	147.7

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
HANCOCK COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number		Non-white	Total	White	Non-white
				Total	White				
Live births	216	150	66	334	254	80	22.4	21.0	28.5
Fetal deaths	6	3	3	9	6	3	26.9	23.6	37.5
Total deaths	117	92	25	142	113	29	9.5	9.3	10.3
Deaths under 1 year	1	0	1	1	0	1	3.0	-	12.5
Deaths under 28 days	1	0	1	1	0	1	3.0	-	12.5
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	1	0	6.7	8.2	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	11	9	2	21	16	5	140.8	132.1	177.9
Benign & unspec. neoplasms (210-239)	1	1	0	2	2	0	13.4	16.5	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	3	3	0	3	3	0	20.1	24.8	-
Anemias (290-293)	1	1	0	2	2	0	13.4	16.5	-
Intracranial lesions (330-334)	17	16	1	15	13	2	100.5	107.3	71.2
Nonmeningococcal meningitis (340)	1	1	0	1	0	1	6.7	-	35.6
Heart diseases (400-443)	40	33	7	52	45	7	348.5	371.6	249.1
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	0	0	0	0	0	0	-	-	-
Other circulatory diseases (451-468)	2	2	0	3	3	0	20.1	24.8	-
#Influenza & pneumonia (480-493)	4	4	0	4	4	0	26.8	33.0	-
Bronchitis (500-502)	1	1	0	1	1	0	6.7	8.2	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	1	1	0	6.7	8.2	-
Cirrhosis of liver (581)	0	0	0	1	1	0	6.7	8.2	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	1	0	1	6.7	-	35.6
Infections of kidney (600)	2	2	0	2	2	0	13.4	16.5	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	1	0	1	1	0	1	3.0	-	12.5
Accidents (800-962)	8	5	3	11	8	3	73.7	66.1	106.8
Motor vehicle acc. (810-835)	1	1	0	5	5	0	33.5	41.3	-
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	19	9	10	16	8	8	107.2	66.1	284.7

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
HARRISON COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	4,560	3,740	820	4,216	3,425	791	32.4	31.2	38.8
Fetal deaths	261	229	32	222	194	28	52.6	56.6	35.4
Total deaths	1,074	838	236	949	731	218	7.3	6.7	10.7
Deaths under 1 year	113	79	34	104	72	32	24.7	21.0	40.4
Deaths under 28 days	84	66	18	77	60	17	18.3	17.5	21.5
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	7	5	2	10	8	2	7.7	7.3	9.8
Syphilis (020-029)	3	1	2	2	0	2	1.5	-	9.8
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	168	136	32	146	115	31	112.2	104.8	152.2
Benign & unspec. neoplasms (210-239)	5	3	2	7	5	2	5.4	4.6	9.8
Asthma (241)	2	2	0	2	2	0	1.5	1.8	-
Diabetes mellitus (260)	7	5	2	9	9	0	6.9	8.2	-
Anemias (290-293)	2	0	2	2	0	2	1.5	-	9.8
Intracranial lesions (330-334)	107	73	34	93	61	32	71.5	55.6	157.1
Nonmeningococcal meningitis (340)	3	1	2	1	0	1	0.8	-	4.9
Heart diseases (400-443)	318	281	37	266	236	30	204.5	215.1	147.3
Other hypertensive disease (444-447)	9	4	5	10	5	5	7.7	4.6	24.5
General arteriosclerosis (450)	7	6	1	8	7	1	6.2	6.4	4.9
Other circulatory diseases (451-468)	9	8	1	12	9	3	9.2	8.2	14.7
#Influenza & pneumonia (480-493)	41	30	11	33	23	10	25.4	21.0	49.1
Bronchitis (500-502)	4	3	1	1	1	0	0.8	0.9	-
Stomach & duodenal ulcers (540, 541)	3	3	0	1	0	1	0.8	-	4.9
Gastritis, etc. (543, 571, 572)	6	4	2	5	3	2	3.8	2.7	9.8
Hernia & intestinal obstruction (560, 561, 570)	8	7	1	7	6	1	5.4	5.5	4.9
Cirrhosis of liver (581)	15	12	3	13	10	3	10.0	9.1	14.7
Acute nephritis (590, 591)	2	1	1	2	1	1	1.5	0.9	4.9
Chronic nephritis, etc. (592-594)	11	7	4	10	6	4	7.7	5.5	19.6
Infections of kidney (600)	6	5	1	6	5	1	4.6	4.6	4.9
Hyperplasia of prostate (610)	1	0	1	1	0	1	0.8	-	4.9
Maternal causes (640-689)	1	1	0	1	1	0	2.4	2.9	-
Congenital malformations (750-759)	9	9	0	10	9	1	7.7	8.2	4.9
Diseases of early infancy (760-776)	70	54	16	64	49	15	15.2	14.3	19.0
Accidents (800-962)	68	51	17	64	50	14	49.2	45.6	68.7
Motor vehicle acc. (810-835)	25	22	3	23	21	2	17.7	19.1	9.8
Suicide (963, 970-979)	14	13	1	13	12	1	10.0	10.9	4.9
Homicide (964, 980-985)	10	5	5	11	5	6	8.4	4.6	29.4
Ill-defined (780-795)	104	66	38	94	58	36	72.3	52.9	176.7

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
HINDS COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	6,088	3,050	3,038	5,370	2,550	2,820	27.0	22.1	33.9
Fetal deaths	482	317	165	406	279	127	75.6	109.4	45.0
Total deaths	2,379	1,225	1,154	1,656	800	856	8.3	6.9	10.3
Deaths under 1 year	248	95	153	184	65	119	34.3	25.5	42.2
Deaths under 28 days	156	70	86	123	54	69	22.9	21.2	24.5
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	10	4	6	5	2	3	2.5	1.7	3.6
Syphilis (020-029)	1	0	1	2	1	1	1.0	0.9	1.2
Typhoid fever (040)	1	0	1	1	0	1	0.5	-	1.2
Dysentery (045-048)	4	1	3	2	1	1	1.0	0.9	1.2
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	1	0	1	1	0	1	0.5	-	1.2
Whooping cough (056)	1	0	1	1	0	1	0.5	-	1.2
Meningococcal infections (057)	1	1	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	1	0	1	0	0	0	-	-	-
Malignant neoplasms (140-205)	382	231	151	214	129	85	107.7	111.6	102.2
Benign & unspec. neoplasms (210-239)	12	6	6	4	3	1	2.0	2.6	1.2
Asthma (241)	3	3	0	1	1	0	0.5	0.9	-
Diabetes mellitus (260)	34	13	21	25	10	15	12.6	8.6	18.0
Anemias (290-293)	4	1	3	4	1	3	2.0	0.9	3.6
Intracranial lesions (330-334)	255	130	125	180	81	99	90.6	70.1	119.1
Nonmeningococcal meningitis (340)	20	5	15	10	1	9	5.0	0.9	10.8
Heart diseases (400-443)	606	347	259	471	256	215	237.1	221.5	258.6
Other hypertensive disease (444-447)	26	5	21	15	4	11	7.5	3.5	13.2
General arteriosclerosis (450)	31	26	5	21	16	5	10.6	13.8	5.0
Other circulatory diseases (451-468)	55	41	14	30	25	5	15.1	21.6	6.0
#Influenza & pneumonia (480-493)	84	37	47	59	20	39	29.7	17.3	46.9
Bronchitis (500-502)	8	4	4	8	4	4	4.0	3.5	4.8
Stomach & duodenal ulcers (540, 541)	16	10	6	6	2	4	3.0	1.7	4.8
Gastritis, etc. (543, 571, 572)	14	7	7	7	4	3	3.5	3.5	3.6
Hernia & intestinal obstruction (560, 561, 570)	11	7	4	3	2	1	1.5	1.7	1.2
Cirrhosis of liver (581)	26	23	3	13	11	2	8.5	9.5	2.4
Acute nephritis (590, 591)	11	2	9	5	1	4	2.5	0.9	4.8
Chronic nephritis, etc. (592-594)	30	10	20	16	5	11	8.0	4.3	13.2
Infections of kidney (600)	28	12	16	15	6	9	7.5	5.2	10.8
Hyperplasia of prostate (610)	12	5	7	5	1	4	2.5	0.9	4.8
Maternal causes (640-689)	4	1	3	2	1	1	3.7	3.9	3.5
Congenital malformations (750-759)	44	26	18	22	12	10	11.1	10.4	12.0
Diseases of early infancy (760-776)	135	54	81	108	43	65	20.1	16.9	23.0
Accidents (800-962)	156	76	80	121	62	59	60.9	53.7	71.0
Motor vehicle acc. (810-835)	67	35	32	57	31	26	28.7	26.8	31.3
Suicide (963, 970-979)	17	16	1	14	13	1	7.0	11.2	1.2
Homicide (964, 980-985)	18	2	16	14	2	12	7.0	1.7	14.4
Ill-defined (780-795)	169	37	132	165	37	128	83.0	32.0	154.0

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
 AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
 HOLMES COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	703	105	598	693	102	591	27.0	14.2	31.9
Fetal deaths	44	7	37	49	6	43	70.7	58.8	72.8
Total deaths	308	79	229	334	96	238	13.0	13.4	12.8
Deaths under 1 year	35	3	32	34	3	31	49.1	29.4	52.4
Deaths under 28 days	11	1	10	13	1	12	18.8	9.8	20.3
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	0	2	3	0	3	11.7	-	16.2
Syphilis (020-029)	1	0	1	1	0	1	3.9	-	5.4
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	42	23	19	48	27	21	186.8	376.6	113.3
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	1	0	1	1	0	1	3.9	-	5.4
Diabetes mellitus (260)	4	0	4	5	0	5	19.4	-	27.0
Anemias (290-293)	2	0	2	3	1	2	11.7	13.9	10.8
Intracranial lesions (330-334)	52	8	44	52	10	42	202.3	139.5	226.6
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	84	26	58	89	31	58	346.3	432.4	313.0
Other hypertensive disease (444-447)	4	0	4	5	0	5	19.4	-	27.0
General arteriosclerosis (450)	2	0	2	2	0	2	7.8	-	10.8
Other circulatory diseases (451-468)	3	2	1	7	4	3	27.2	55.8	16.2
#Influenza & pneumonia (480-493)	20	0	20	21	0	21	81.7	-	113.3
Bronchitis (500-502)	2	1	1	2	1	1	7.8	13.9	5.4
Stomach & duodenal ulcers (540, 541)	1	1	0	1	0	1	3.9	-	5.4
Gastritis, etc. (543, 571, 572)	1	0	1	1	0	1	3.9	-	5.4
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	2	1	1	7.8	13.9	5.4
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	2	1	1	3	1	2	11.7	13.9	10.8
Infections of kidney (600)	4	3	1	3	2	1	11.7	27.9	5.4
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	2	0	2	28.9	-	33.8
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	10	1	9	11	1	10	15.9	9.8	16.9
Accidents (800-962)	19	7	12	18	6	12	70.0	83.7	64.8
Motor vehicle acc. (810-835)	3	2	1	4	3	1	15.6	41.8	5.4
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	1	0	1	1	0	1	3.9	-	5.4
Ill-defined (780-795)	43	3	40	40	4	36	155.6	55.8	194.3

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
HUMPHREYS COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	571	68	503	597	101	496	31.1	16.1	38.3
Fetal deaths	23	1	22	30	2	28	50.2	19.8	56.4
Total deaths	169	45	124	210	66	144	10.9	10.5	11.1
Deaths under 1 year	26	2	24	34	3	31	57.0	29.7	62.5
Deaths under 28 days	11	0	11	15	1	14	25.1	9.9	28.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	0	1	5.2	-	7.7
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	19	7	12	26	12	14	135.3	191.7	108.0
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	2	1	1	2	1	1	10.4	16.0	7.7
Diabetes mellitus (260)	1	0	1	3	1	2	15.6	16.0	15.4
Anemias (290-293)	1	0	1	1	0	1	5.2	-	7.7
Intracranial lesions (330-334)	18	4	14	24	8	16	124.9	127.8	123.4
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	53	19	34	60	26	34	312.2	415.3	262.3
Other hypertensive disease (444-447)	3	1	2	2	1	1	10.4	16.0	7.7
General arteriosclerosis (450)	2	0	2	2	0	2	10.4	-	15.4
Other circulatory diseases (451-468)	0	0	0	1	1	0	5.2	16.0	-
#Influenza & pneumonia (480-493)	11	1	10	12	1	11	62.4	16.0	84.9
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	1	0	1	1	0	1	5.2	-	7.7
Gastritis, etc. (543, 571, 572)	5	1	4	6	1	5	31.2	16.0	38.6
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	1	1	0	2	2	0	10.4	31.9	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	6	0	6	8	0	8	41.6	-	61.7
Infections of kidney (600)	1	0	1	0	0	0	-	-	-
Hyperplasia of prostate (610)	1	0	1	2	0	2	10.4	-	15.4
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	0	1	1	0	1	5.2	-	7.7
Diseases of early infancy (760-776)	9	0	9	15	0	15	25.1	-	30.2
Accidents (800-962)	7	5	2	10	6	4	52.0	95.8	30.9
Motor vehicle acc. (810-835)	5	4	1	6	5	1	31.2	79.9	7.7
Suicide (963, 970-979)	1	1	0	1	1	0	5.2	16.0	-
Homicide (964, 980-985)	3	0	3	3	0	3	15.6	-	23.1
III-defined (780-795)	15	1	14	19	2	17	98.8	31.9	131.2

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
ISSAQENA COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	33	1	32	88	12	76	37.4	17.4	45.8
Fetal deaths	3	0	3	5	0	5	56.8	-	65.8
Total deaths	18	5	13	26	6	20	11.1	8.7	12.0
Deaths under 1 year	2	1	1	3	0	3	34.1	-	39.5
Deaths under 28 days	1	0	1	3	0	3	34.1	-	39.5
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	2	0	2	4	1	3	170.2	144.9	180.7
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	0	0	0	0	0	0	-	-	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	5	0	5	8	2	6	340.4	289.8	361.4
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	3	2	1	6	2	4	255.3	289.8	241.0
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	0	0	0	0	0	0	-	-	-
Other circulatory diseases (451-468)	1	0	1	1	0	1	42.6	-	60.2
#Influenza & pneumonia (480-493)	1	0	1	1	0	1	42.6	-	60.2
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	0	0	0	0	0	0	-	-	-
Accidents (800-962)	1	0	1	3	0	3	34.1	-	39.5
Motor vehicle acc. (810-835)	4	2	2	1	0	1	42.6	-	60.2
Suicide (963, 970-979)	2	2	0	0	0	0	-	-	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	0	0	0	0	0	0	-	-	-

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
ITAWAMBA COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	76	58	18	276	250	26	17.7	17.1	27.4
Fetal deaths	3	3	0	11	11	0	39.8	44.0	-
Total deaths	86	80	6	122	114	8	7.8	7.8	8.4
Deaths under 1 year	5	3	2	12	8	4	43.5	32.0	153.8
Deaths under 28 days	3	2	1	9	6	3	32.6	24.0	115.4
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	15	13	2	17	15	2	109.0	102.4	210.5
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	1	0	1	1	0	6.4	6.8	-
Anemias (290-293)	1	1	0	0	0	0	-	-	-
Intracranial lesions (330-334)	13	12	1	19	18	1	121.9	123.0	105.3
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	35	34	1	50	49	1	320.7	334.7	105.3
Other hypertensive disease (444-447)	1	1	0	1	1	0	6.4	6.8	-
General arteriosclerosis (450)	0	0	0	0	0	0	-	-	-
Other circulatory diseases (451-468)	1	1	0	3	3	0	19.2	20.5	-
#Influenza & pneumonia (480-493)	2	2	0	3	3	0	19.2	20.5	-
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	0	0	0	1	1	0	6.4	6.8	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	1	0	1	1	0	1	6.4	-	105.3
Accidents (800-962)	2	1	1	9	6	3	32.6	24.0	115.4
Motor vehicle acc. (810-835)	7	7	0	10	10	0	64.1	68.3	-
Suicide (963, 970-979)	1	1	0	1	1	0	6.4	6.8	-
Homicide (964, 980-985)	2	2	0	1	1	0	6.4	6.8	-
Ill-defined (780-795)	1	1	0	1	1	0	6.4	6.8	-

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
JACKSON COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	1,416	998	418	1,750	1,292	458	27.8	25.4	37.6
Fetal deaths	70	42	28	96	67	29	54.8	51.8	63.3
Total deaths	359	256	103	424	309	115	6.7	6.1	9.4
Deaths under 1 year	43	24	19	57	35	22	32.6	27.1	48.0
Deaths under 28 days	29	18	11	41	27	14	23.4	20.9	30.6
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	1	1	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	47	34	13	57	42	15	90.6	82.7	123.2
Benign & unspec. neoplasms (210-239)	1	1	0	1	1	0	1.6	2.0	-
Asthma (241)	3	1	2	3	1	2	4.8	2.0	16.4
Diabetes mellitus (260)	9	7	2	9	6	3	14.3	11.8	24.6
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	30	19	11	41	30	11	65.2	59.1	90.4
Nonmeningococcal meningitis (340)	1	1	0	2	2	0	3.2	3.9	-
Heart diseases (400-443)	109	89	20	120	98	22	190.7	193.1	180.8
Other hypertensive disease (444-447)	3	1	2	4	2	2	6.4	3.9	16.4
General arteriosclerosis (450)	10	9	1	9	8	1	14.3	15.8	8.2
Other circulatory diseases (451-468)	1	1	0	3	2	1	4.8	3.9	8.2
#Influenza & pneumonia (480-493)	16	7	9	18	9	9	28.6	17.7	74.0
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	3	2	1	3	2	1	4.8	3.9	8.2
Gastritis, etc. (543, 571, 572)	1	0	1	1	0	1	1.6	-	8.2
Hernia & intestinal obstruction (560, 561, 570)	2	0	2	2	0	2	3.2	-	16.4
Cirrhosis of liver (581)	5	5	0	5	5	0	7.9	9.8	-
Acute nephritis (590, 591)	1	1	0	1	1	0	1.6	2.0	-
Chronic nephritis, etc. (592-594)	3	2	1	3	2	1	4.8	3.9	8.2
Infections of kidney (600)	0	0	0	2	1	1	3.2	2.0	8.2
Hyperplasia of prostate (610)	1	1	0	1	1	0	1.6	2.0	8.2
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	5	5	0	10	9	1	15.9	17.7	8.2
Diseases of early infancy (760-776)	27	16	11	37	24	13	21.1	18.6	28.4
Accidents (800-962)	31	25	6	37	31	6	58.8	61.1	49.3
Motor vehicle acc. (810-835)	15	12	3	19	17	2	30.2	33.5	16.4
Suicide (963, 970-979)	1	1	0	3	3	0	4.8	5.9	-
Homicide (964, 980-985)	4	1	3	4	1	3	6.4	2.0	24.6
Ill-defined (780-795)	29	15	14	27	12	15	42.9	23.6	123.2

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
JASPER COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	115	66	49	421	161	260	21.4	15.8	27.5
Fetal deaths	3	2	1	14	6	8	33.2	37.3	30.8
Total deaths	147	71	76	215	107	108	10.9	10.5	11.4
Deaths under 1 year	10	1	9	24	3	21	57.0	18.6	80.8
Deaths under 28 days	3	1	2	13	3	10	30.9	18.6	38.5
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	17	9	8	30	14	16	152.7	137.4	169.3
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	1	0	3	3	0	15.3	29.4	-
Anemias (290-293)	0	0	0	1	0	1	5.1	-	10.6
Intracranial lesions (330-334)	18	13	5	30	22	8	152.7	215.9	84.6
Nonmeningococcal meningitis (340)	0	0	0	1	0	1	5.1	-	10.6
Heart diseases (400-443)	56	28	28	62	33	29	315.7	323.8	306.9
Other hypertensive disease (444-447)	1	0	1	1	0	1	5.1	-	10.6
General arteriosclerosis (450)	1	0	1	2	1	1	10.2	9.8	10.6
Other circulatory diseases (451-468)	2	2	0	4	2	2	20.4	19.6	21.2
#Influenza & pneumonia (480-493)	4	1	3	6	2	4	30.5	19.6	42.3
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Gastritis, etc. (543, 571, 572)	0	0	0	2	0	2	10.2	-	21.2
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	1	1	0	2	2	0	10.2	19.6	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	0	1	2	1	1	10.2	9.8	10.6
Infections of kidney (600)	1	0	1	1	0	1	5.1	-	10.6
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	2	1	1	47.5	62.1	38.5
Congenital malformations (750-759)	0	0	0	1	0	1	5.1	-	10.6
Diseases of early infancy (760-776)	3	1	2	13	3	10	30.9	18.6	38.5
Accidents (800-962)	24	8	16	26	11	15	132.4	107.9	158.7
Motor vehicle acc. (810-835)	12	6	6	15	9	6	76.4	88.3	63.5
Suicide (963, 970-979)	2	2	0	2	2	0	10.2	19.6	-
Homicide (964, 980-985)	1	0	1	2	0	2	10.2	-	21.2
Ill-defined (780-795)	7	2	5	10	3	7	50.9	29.4	74.1

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
JEFFERSON COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	93	0	93	231	38	193	23.7	11.6	29.8
Fetal deaths	4	0	4	14	3	11	60.6	78.9	57.0
Total deaths	98	26	72	140	50	90	14.4	15.2	13.9
Deaths under 1 year	6	0	6	12	1	11	51.9	26.3	57.0
Deaths under 28 days	1	0	1	5	1	4	21.6	26.3	20.7
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	10	2	8	21	8	13	215.4	243.9	200.9
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	1	0	1	1	0	10.2	30.5	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	17	3	14	23	7	16	235.9	213.4	247.3
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	33	14	19	41	21	20	420.5	640.2	309.1
Other hypertensive disease (444-447)	1	1	0	1	1	0	10.2	30.5	-
General arteriosclerosis (450)	4	1	3	6	3	3	61.5	91.5	46.4
Other circulatory diseases (451-468)	0	0	0	0	0	0	-	-	-
#Influenza & pneumonia (480-493)	1	0	1	2	0	2	20.5	-	30.9
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	1	0	1	10.2	-	15.4
Cirrhosis of liver (581)	0	0	0	1	1	0	10.2	30.5	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	0	1	4	0	4	41.0	-	61.8
Infections of kidney (600)	0	0	0	1	0	1	10.2	-	15.4
Hyperplasia of prostate (610)	1	0	1	1	0	1	10.2	-	15.4
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	1	0	1	5	1	4	21.6	26.3	20.7
Accidents (800-962)	12	1	11	12	1	11	123.1	30.5	170.0
Motor vehicle acc. (810-835)	3	0	3	2	0	2	20.5	-	30.9
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	0	0	0	1	0	1	10.2	-	15.4
Ill-defined (780-795)	13	2	11	13	2	11	133.3	61.0	170.0

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
JEFF DAVIS COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	267	131	136	289	113	176	21.3	19.2	23.0
Fetal deaths	10	1	9	12	2	10	41.5	17.7	56.8
Total deaths	134	59	75	133	56	77	9.8	9.5	10.1
Deaths under 1 year	14	2	12	17	2	15	58.8	17.7	85.2
Deaths under 28 days	8	1	7	11	1	10	38.1	8.8	56.8
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	1	0	1	7.4	-	13.1
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	22	14	8	14	8	6	103.4	135.6	78.5
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	0	1	3	0	3	22.2	-	39.3
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	22	6	16	22	6	16	162.5	101.7	209.4
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	45	23	22	42	24	18	310.2	406.8	235.6
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	1	1	0	2	2	0	14.8	33.9	-
Other circulatory diseases (451-468)	1	1	0	2	2	0	14.8	33.9	-
#Influenza & pneumonia (480-493)	6	2	4	7	2	5	51.7	33.9	65.4
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	1	0	1	7.4	-	13.1
Gastritis, etc. (543, 571, 572)	2	1	1	2	1	1	14.8	16.9	13.1
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	1	0	1	1	0	1	7.4	-	13.1
Hyperplasia of prostate (610)	1	0	1	2	0	2	14.8	-	26.2
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	3	1	2	3	1	2	22.2	16.9	26.2
Diseases of early infancy (760-776)	6	1	5	9	1	8	31.1	8.8	45.4
Accidents (800-962)	11	4	7	12	4	8	88.6	67.8	104.7
Motor vehicle acc. (810-835)	7	4	3	6	3	3	44.3	50.8	39.3
Suicide (963, 970-979)	1	1	0	1	1	0	7.4	16.9	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
<u>Ill-defined (780-795)</u>	6	1	5	6	1	5	44.3	16.9	65.4

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
JONES COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	2,399	1,145	1,254	1,282	799	483	21.4	18.4	29.2
Fetal deaths	110	56	54	64	42	22	49.9	52.6	45.5
Total deaths	753	445	308	593	392	201	9.9	9.0	12.2
Deaths under 1 year	99	28	71	49	17	32	38.2	21.3	66.2
Deaths under 28 days	64	21	43	31	14	17	24.2	17.5	35.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	2	1	1	3.3	2.3	6.0
Syphilis (020-029)	3	3	0	3	3	0	5.0	6.9	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	1	0	1	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	87	60	27	81	59	22	135.0	135.8	133.2
Benign & unspec. neoplasms (210-239)	1	1	0	2	2	0	3.3	4.6	-
Asthma (241)	1	0	1	1	0	1	1.7	-	6.0
Diabetes mellitus (260)	19	12	7	11	7	4	18.3	16.1	24.2
Anemias (290-293)	4	1	3	0	0	0	-	-	-
Intracranial lesions (330-334)	114	62	52	103	58	45	171.7	133.4	272.4
Nonmeningococcal meningitis (340)	4	0	4	2	0	2	3.3	-	12.1
Heart diseases (400-443)	180	120	60	156	114	42	260.1	262.3	254.2
Other hypertensive disease (444-447)	6	3	3	6	4	2	10.0	9.2	12.1
General arteriosclerosis (450)	9	8	1	7	6	1	11.7	13.8	6.0
Other circulatory disease (451-468)	14	7	7	13	9	4	21.7	20.7	24.2
#Influenza & pneumonia (480-493)	57	41	16	41	29	12	68.4	66.7	72.6
Bronchitis (500-502)	1	1	0	2	2	0	3.3	4.6	-
Stomach & duodenal ulcers (540, 541)	4	1	3	1	0	1	1.7	-	6.0
Gastritis, etc. (543, 571, 572)	12	2	10	5	1	4	8.3	2.3	24.2
Hernia & intestinal obstruction (560, 561, 570)	3	1	2	1	0	1	1.7	-	6.0
Cirrhosis of liver (581)	3	3	0	4	4	0	6.7	9.2	-
Acute nephritis (590, 591)	4	2	2	4	2	2	6.7	4.6	12.1
Chronic nephritis, etc. (592-594)	5	3	2	4	2	2	6.7	4.6	12.1
Infections of kidney (600)	7	5	2	2	2	0	3.3	4.6	-
Hyperplasia of prostate (610)	9	3	6	3	3	0	5.0	6.9	-
Maternal causes (640-689)	5	1	4	0	0	0	-	-	-
Congenital malformations (750-759)	14	9	5	11	7	4	18.3	16.1	24.2
Diseases of early infancy (760-776)	53	16	37	21	9	12	16.4	11.3	24.8
Accidents (800-962)	47	26	21	35	21	14	58.4	48.3	84.7
Motor vehicle acc. (810-835)	24	20	4	15	13	2	25.0	29.9	12.1
Suicide (963, 970-979)	4	4	0	4	4	0	6.7	9.2	-
Homicide (964, 980-985)	9	1	8	7	1	6	11.7	2.3	36.3
Ill-defined (780-795)	39	25	14	34	22	12	56.7	50.6	72.6

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
KEMPER COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Total	White	Non-white
				Total	White	Non-white			
Live births	160	28	132	247	62	185	23.0	14.4	28.8
Fetal deaths	1	0	1	8	1	7	32.4	16.1	37.8
Total deaths	92	41	51	114	52	62	10.6	12.0	9.6
Deaths under 1 year	3	0	3	7	1	6	28.3	16.1	32.4
Deaths under 28 days	0	0	0	3	1	2	12.1	16.1	10.8
<b>SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.</b>									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	6	4	2	11	9	2	102.3	208.3	31.1
Benign & unspec. neoplasms (210-239)	1	0	1	0	0	0	-	-	-
Asthma (241)	2	0	2	0	0	0	-	-	-
Diabetes mellitus (260)	1	1	0	2	1	1	18.6	23.1	15.6
Anemias (290-293)	1	1	0	1	1	0	9.3	23.1	-
Intracranial lesions (330-334)	12	6	6	16	9	7	148.8	208.3	108.9
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	35	20	15	38	20	18	353.5	463.0	279.9
Other hypertensive disease (444-447)	4	2	2	5	2	3	46.5	46.3	46.6
General arteriosclerosis (450)	0	0	0	0	0	0	-	-	-
Other circulatory diseases (451-468)	2	1	1	2	1	1	18.6	23.1	15.6
#Influenza & pneumonia (480-493)	3	0	3	3	0	3	27.9	-	46.6
Bronchitis (500-502)	1	0	1	1	0	1	9.3	-	15.6
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Gastritis, etc. (543, 571, 572)	2	0	2	2	0	2	18.6	-	31.1
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	1	1	0	2	2	0	18.6	46.3	-
Maternal causes (640-689)	1	1	0	2	2	0	18.6	46.3	-
Congenital malformations (750-759)	2	0	2	3	0	3	121.4	-	162.2
Diseases of early infancy (760-776)	0	0	0	0	0	0	-	-	-
Accidents (800-962)	4	1	3	10	2	8	93.0	46.3	124.4
Motor vehicle acc. (810-835)	1	0	1	3	0	3	27.9	-	46.6
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	1	0	1	1	0	1	9.3	-	15.6
Ill-defined (780-795)	12	2	10	12	2	10	111.6	46.3	155.5

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
LAFAYETTE COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	482	242	240	534	270	264	25.1	19.1	37.1
Fetal deaths	8	3	5	10	4	6	18.7	14.8	22.7
Total deaths	156	91	65	188	116	72	8.8	8.2	10.1
Deaths under 1 year	16	6	10	19	6	13	35.6	22.2	49.2
Deaths under 28 days	9	5	4	11	5	6	20.6	18.5	22.7
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	19	13	6	30	22	8	141.2	155.6	112.5
Benign & unspec. neoplasms (210-239)	1	1	0	1	1	0	4.7	7.1	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	1	0	1	1	0	4.7	7.1	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	24	13	11	31	20	11	145.9	141.4	154.7
Nonmeningococcal meningitis (340)	1	0	1	1	0	1	4.7	-	14.1
Heart diseases (400-443)	67	41	26	72	44	28	338.8	311.2	393.8
Other hypertensive disease (444-447)	1	0	1	1	0	1	4.7	-	14.1
General arteriosclerosis (450)	2	1	1	3	2	1	14.1	14.1	14.1
Other circulatory diseases (451-468)	0	0	0	1	0	1	4.7	-	14.1
#Influenza & pneumonia (480-493)	2	0	2	7	4	3	32.9	28.3	42.2
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	1	1	0	4.7	7.1	-
Gastritis, etc. (543, 571, 572)	2	1	1	2	1	1	9.4	7.1	14.1
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	1	1	0	4.7	7.1	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	9	5	4	11	5	6	20.6	18.5	22.7
Accidents (800-962)	14	9	5	10	5	5	47.0	35.4	70.3
Motor vehicle acc. (810-835)	4	3	1	4	2	2	18.8	14.1	28.1
Suicide (963, 970-979)	1	1	0	1	1	0	4.7	7.1	-
Homicide (964, 980-985)	2	1	1	2	1	1	9.4	7.1	14.1
Ill-defined (780-795)	6	3	3	6	3	3	28.2	21.2	42.2

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
LAMAR COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	90	62	28	311	246	65	20.6	20.0	22.9
Fetal deaths	1	1	0	10	10	0	32.2	40.6	-
Total deaths	84	61	23	141	106	35	9.3	8.6	12.3
Deaths under 1 year	3	2	1	13	9	4	41.8	36.6	61.5
Deaths under 28 days	2	1	1	9	6	3	28.9	24.4	46.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	1	0	2	2	0	13.2	16.3	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	1	1	0	6.6	8.1	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	13	10	3	24	20	4	158.6	162.7	140.8
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	1	1	0	1	1	0	6.6	8.1	-
Diabetes mellitus (260)	3	3	0	1	1	0	6.6	8.1	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	15	12	3	25	20	5	165.2	162.7	176.0
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	31	21	10	44	31	13	290.8	252.2	457.7
Other hypertensive disease (444-447)	0	0	0	1	0	1	6.6	-	35.2
General arteriosclerosis (450)	2	1	1	4	3	1	26.4	24.4	35.2
Other circulatory diseases (451-468)	0	0	0	1	1	0	6.6	8.1	-
#Influenza & pneumonia (480-493)	1	1	0	2	2	0	13.2	16.3	-
Bronchitis (500-502)	1	1	0	1	1	0	6.6	8.1	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Gastritis, etc. (543, 571, 572)	0	0	0	1	1	0	6.6	8.1	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	1	1	0	6.6	8.1	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	2	1	1	2	1	1	13.2	8.1	35.2
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	3	3	0	19.8	24.4	-
Diseases of early infancy (760-776)	1	0	1	7	4	3	22.5	16.3	46.2
Accidents (800-962)	6	4	2	11	8	3	72.7	65.1	105.6
Motor vehicle acc. (810-835)	1	1	0	4	4	0	26.4	32.5	-
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	1	1	0	1	0	1	6.6	-	35.2
Ill-defined (780-795)	4	3	1	3	2	1	19.8	16.3	35.2

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
LAUDERDALE COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	2,207	1,261	946	1,781	1,040	741	25.3	21.2	34.7
Fetal deaths	60	15	45	43	12	31	24.1	11.5	41.8
Total deaths	949	604	345	755	461	294	10.7	9.4	13.8
Deaths under 1 year	88	29	59	63	19	44	35.4	18.3	59.4
Deaths under 28 days	55	24	31	36	16	20	20.2	15.4	27.0
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	4	2	2	3	0	3	4.2	-	14.1
Syphilis (020-029)	1	1	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	100	73	27	87	60	27	123.4	122.0	126.6
Benign & unspec. neoplasms (210-239)	2	2	0	2	2	0	2.8	4.1	-
Asthma (241)	5	2	3	5	2	3	7.1	4.1	14.1
Diabetes mellitus (260)	15	8	7	11	7	4	15.6	14.2	18.8
Anemias (290-293)	2	1	1	2	1	1	2.8	2.0	4.7
Intracranial lesions (330-334)	145	100	45	99	61	38	140.4	124.0	178.2
Nonmeningococcal meningitis (340)	2	0	2	1	0	1	1.4	-	4.7
Heart diseases (400-443)	289	210	79	255	182	73	361.7	370.1	342.2
Other hypertensive disease (444-447)	6	1	5	2	1	1	2.8	2.0	4.7
General arteriosclerosis (450)	14	14	0	9	9	0	12.8	18.3	-
Other circulatory diseases (451-468)	9	5	4	9	6	3	12.8	12.2	14.1
#Influenza & pneumonia (480-493)	28	11	17	24	8	16	34.0	16.3	75.0
Bronchitis (500-502)	2	2	0	1	1	0	1.4	2.0	-
Stomach & duodenal ulcers (540, 541)	4	3	1	4	3	1	5.7	6.1	4.7
Gastritis, etc. (543, 571, 572)	11	4	7	10	4	6	14.2	8.1	28.1
Hernia & intestinal obstruction (560, 561, 570)	12	5	7	8	2	6	11.3	4.1	28.1
Cirrhosis of liver (581)	3	1	2	4	2	2	5.7	4.1	9.4
Acute nephritis (590, 591)	2	0	2	2	0	2	2.8	-	9.4
Chronic nephritis, etc. (592-594)	9	1	8	7	1	6	9.9	2.0	28.1
Infections of kidney (600)	7	6	1	4	3	1	5.7	6.1	4.7
Hyperplasia of prostate (610)	8	5	3	6	4	2	8.5	8.1	9.4
Maternal causes (640-689)	2	0	2	0	0	0	-	-	-
Congenital malformations (750-759)	7	3	4	6	3	3	8.5	6.1	14.1
Diseases of early infancy (760-776)	43	22	21	26	14	12	14.6	13.5	16.2
Accidents (800-962)	77	52	25	50	30	20	70.9	61.0	93.8
Motor vehicle acc. (810-835)	32	29	3	14	12	2	19.8	24.4	9.4
Suicide (963, 970-979)	9	9	0	9	9	0	12.8	18.3	-
Homicide (964, 980-985)	8	2	6	8	2	6	11.3	4.1	28.1
<u>Ill-defined</u> (780-795)	76	25	51	71	24	47	100.7	48.8	220.3

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
LAWRENCE COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	160	55	105	259	135	124	26.3	21.2	35.8
Fetal deaths	1	0	1	9	6	3	34.7	44.4	24.2
Total deaths	75	46	29	115	74	41	11.7	11.6	11.8
Deaths under 1 year	7	2	5	11	2	9	42.5	14.8	72.6
Deaths under 28 days	2	1	1	4	1	3	15.4	7.4	24.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	1	0	1	10.2	-	28.9
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	1	1	0	1	1	0	10.2	15.7	-
Malignant neoplasms (140-205)	10	7	3	16	12	4	162.6	188.1	115.6
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	0	1	1	0	1	10.2	-	28.9
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	11	4	7	14	6	8	142.3	94.0	231.2
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	27	20	7	43	33	10	437.0	517.2	289.0
Other hypertensive disease (444-447)	1	1	0	1	1	0	10.2	15.7	-
General arteriosclerosis (450)	3	1	2	3	1	2	30.5	15.7	57.8
Other circulatory diseases (451-468)	0	0	0	1	1	0	10.2	15.7	-
#Influenza & pneumonia (480-493)	1	0	1	4	2	2	40.6	31.3	57.8
Bronchitis (500-502)	1	1	0	1	1	0	10.2	15.7	-
Stomach & duodenal ulcers (540, 541)	1	1	0	1	1	0	10.2	15.7	-
Gastritis, etc. (543, 571, 572)	1	0	1	1	0	1	10.2	-	28.9
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	1	1	0	1	1	0	10.2	15.7	-
Acute nephritis (590, 591)	0	0	0	1	0	1	10.2	-	28.9
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	1	1	0	3	1	2	30.5	15.7	57.8
Hyperplasia of prostate (610)	0	0	0	1	0	1	10.2	-	28.9
Maternal causes (640-689)	0	0	0	1	0	1	38.6	-	80.6
Congenital malformations (750-759)	2	1	1	3	1	2	30.5	15.7	57.8
Diseases of early infancy (760-776)	3	1	2	5	1	4	19.3	7.4	32.2
Accidents (800-962)	2	1	1	4	4	0	40.6	62.7	-
Motor vehicle acc. (810-835)	1	0	1	2	2	0	20.3	31.3	-
Suicide (963, 970-979)	2	1	1	3	2	1	30.5	31.3	28.9
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	2	1	1	1	1	0	10.2	15.7	-

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
LEAKE COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	316	142	174	378	164	214	19.3	14.3	26.3
Fetal deaths	6	1	5	8	2	6	21.2	12.2	28.0
Total deaths	163	108	55	204	135	69	10.4	11.8	8.5
Deaths under 1 year	13	3	10	18	4	14	47.6	24.4	65.4
Deaths under 28 days	5	2	3	9	4	5	23.8	24.4	23.4
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	1	0	5.1	8.7	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	2	0	2	2	0	2	10.2	-	24.6
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	21	18	3	32	27	5	163.5	236.0	61.5
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	1	1	0	5.1	8.7	-
Diabetes mellitus (260)	4	3	1	5	3	2	25.5	26.2	24.6
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	23	12	11	26	15	11	132.8	131.1	135.3
Nonmeningococcal meningitis (340)	1	0	1	1	0	1	5.1	-	12.3
Heart diseases (400-443)	57	44	13	60	43	17	306.6	375.9	209.1
Other hypertensive disease (444-447)	10	5	5	10	5	5	51.1	43.7	61.5
General arteriosclerosis (450)	4	4	0	6	6	0	30.6	52.4	-
Other circulatory diseases (451-468)	1	1	0	2	2	0	10.2	17.5	-
#Influenza & pneumonia (480-493)	8	4	4	13	8	5	66.4	69.9	61.5
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	2	2	0	10.2	17.5	-
Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	1	1	0	2	1	1	10.2	8.7	12.3
Chronic nephritis, etc. (592-594)	1	0	1	1	0	1	5.1	-	12.3
Infections of kidney (600)	0	0	0	1	1	0	5.1	8.7	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	0	1	3	1	2	15.3	8.7	24.6
Diseases of early infancy (760-776)	5	2	3	7	3	4	18.5	18.3	18.7
Accidents (800-962)	14	9	5	15	10	5	76.6	87.4	61.5
Motor vehicle acc. (810-835)	5	4	1	5	4	1	25.5	35.0	12.3
Suicide (963, 970-979)	1	1	0	1	1	0	5.1	8.7	-
Homicide (964, 980-985)	0	0	0	1	1	0	5.1	8.7	-
Ill-defined (780-795)	2	0	2	4	1	3	20.4	8.7	36.9

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
LEE COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	1,296	955	341	1,007	673	334	24.4	22.2	30.4
Fetal deaths	34	23	11	26	12	14	25.8	17.8	41.9
Total deaths	411	286	125	388	261	127	9.4	8.6	11.5
Deaths under 1 year	53	31	22	44	25	19	43.7	37.1	56.9
Deaths under 28 days	40	26	14	33	21	12	32.8	31.2	35.9
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	1	0	2	2	0	4.8	6.6	-
Syphilis (020-029)	1	0	1	1	0	1	2.4	-	9.1
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	45	37	8	48	35	13	116.1	115.4	118.2
Benign & unspec. neoplasms (210-239)	0	0	0	1	1	0	2.4	3.3	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	5	2	3	5	2	3	12.1	6.6	27.3
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	40	30	10	44	34	10	106.5	112.1	90.9
Nonmeningococcal meningitis (340)	2	2	0	1	1	0	2.4	3.3	-
Heart diseases (400-443)	147	111	36	131	97	34	317.0	319.8	309.1
Other hypertensive disease (444-447)	5	4	1	5	4	1	12.1	13.2	9.1
General arteriosclerosis (450)	9	4	5	8	4	4	19.4	13.2	36.4
Other circulatory diseases (451-468)	3	3	0	3	2	1	7.2	6.6	9.1
#Influenza & pneumonia (480-493)	14	4	10	14	3	11	33.9	9.9	100.0
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	4	2	2	3	1	2	7.2	3.3	18.2
Gastritis, etc. (543, 571, 572)	3	1	2	1	0	1	2.4	-	9.1
Hernia & intestinal obstruction (560, 561, 570)	4	3	1	3	2	1	7.2	6.6	9.1
Cirrhosis of liver (581)	4	4	0	2	2	0	4.8	6.6	-
Acute nephritis (590, 591)	3	0	3	3	0	3	7.2	-	27.3
Chronic nephritis, etc. (592-594)	2	2	0	2	2	0	4.8	6.6	-
Infections of kidney (600)	3	3	0	5	4	1	12.1	13.2	9.1
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	2	0	2	2	0	2	19.9	-	59.9
Congenital malformations (750-759)	10	6	4	9	5	4	21.8	16.5	36.4
Diseases of early infancy (760-776)	32	20	12	25	15	10	24.8	22.3	29.9
Accidents (800-962)	28	22	6	26	21	5	62.9	69.2	45.4
Motor vehicle acc. (810-835)	10	8	2	10	8	2	24.2	26.4	18.2
Suicide (963, 970-979)	3	2	1	3	2	1	7.2	6.6	9.1
Homicide (964, 980-985)	6	5	1	5	4	1	12.1	13.2	9.1
Ill-defined (780-795)	14	7	7	15	8	7	36.3	26.4	63.6

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
LEFLORE COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	1,609	437	1,172	1,541	359	1,182	32.0	19.7	39.5
Fetal deaths	120	44	76	107	36	71	69.4	100.3	60.1
Total deaths	602	259	343	531	188	343	11.0	10.3	11.5
Deaths under 1 year	75	15	60	68	12	56	44.1	33.4	47.4
Deaths under 28 days	51	13	38	44	9	35	28.6	25.1	29.6
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	1	0	1	2.1	-	3.3
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	1	0	1	1	0	1	2.1	-	3.3
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	1	1	0	1	1	0	2.1	5.5	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	59	41	18	57	38	19	118.5	208.7	63.6
Benign & unspec. neoplasms (210-239)	1	1	0	1	0	1	2.1	-	3.3
Asthma (241)	1	0	1	1	0	1	2.1	-	3.3
Diabetes mellitus (260)	8	0	8	9	0	9	18.7	-	30.1
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	78	32	46	56	15	41	116.4	82.4	137.2
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	174	95	79	153	72	81	318.1	395.4	271.0
Other hypertensive disease (444-447)	8	4	4	7	2	5	14.6	11.0	16.7
General arteriosclerosis (450)	12	8	4	7	3	4	14.6	16.5	13.4
Other circulatory diseases (451-468)	6	3	3	4	1	3	8.3	5.5	10.0
#Influenza & pneumonia (480-493)	28	8	20	23	3	20	47.8	16.5	66.9
Bronchitis (500-502)	1	1	0	1	1	0	2.1	5.5	-
Stomach & duodenal ulcers (540, 541)	2	1	1	2	1	1	4.2	5.5	3.3
Gastritis, etc. (543, 571, 572)	9	2	7	7	1	6	14.6	5.5	20.1
Hernia & intestinal obstruction (560, 561, 570)	3	2	1	2	2	0	4.2	11.0	-
Cirrhosis of liver (581)	2	0	2	3	0	3	6.2	-	10.0
Acute nephritis (590, 591)	2	0	2	2	0	2	4.2	-	6.7
Chronic nephritis, etc. (592-594)	6	1	5	6	2	4	12.5	11.0	13.4
Infections of kidney (600)	0	0	0	2	0	2	4.2	-	6.7
Hyperplasia of prostate (610)	2	1	1	1	0	1	2.1	-	3.3
Maternal causes (640-689)	1	0	1	1	0	1	6.5	-	8.5
Congenital malformations (750-759)	6	4	2	8	6	2	16.6	32.9	6.7
Diseases of early infancy (760-776)	44	10	34	38	7	31	24.6	19.5	26.2
Accidents (800-962)	47	28	19	41	20	21	85.2	109.8	70.2
Motor vehicle acc. (810-835)	24	19	5	20	13	7	41.6	71.4	23.4
Suicide (963, 970-979)	3	1	2	4	2	2	8.3	11.0	6.7
Homicide (964, 980-985)	5	0	5	5	1	4	10.4	5.5	13.4
Ill-defined (780-795)	71	7	64	71	6	65	147.6	32.9	217.5

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
LINCOLN COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	637	382	255	622	340	282	22.1	16.9	35.1
Fetal deaths	20	15	5	27	12	15	43.4	35.3	53.2
Total deaths	272	195	77	305	207	98	10.8	10.3	12.2
Deaths under 1 year	17	8	9	19	7	12	30.5	20.6	42.6
Deaths under 28 days	11	6	5	12	6	6	19.3	17.6	21.3
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	2	1	1	7.1	5.0	12.4
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	27	25	2	30	25	5	106.4	124.1	62.2
Benign & unspec. neoplasms (210-239)	0	0	0	1	0	1	3.5	-	12.4
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	3	1	2	3	1	2	10.6	5.0	24.9
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	36	20	16	37	18	19	131.3	89.4	236.3
Nonmeningococcal meningitis (340)	0	0	0	1	0	1	3.5	-	12.4
Heart diseases (400-443)	131	96	35	140	99	41	496.8	491.6	510.0
Other hypertensive disease (444-447)	1	1	0	1	0	1	3.5	-	12.4
General arteriosclerosis (450)	6	5	1	6	5	1	21.3	24.8	12.4
Other circulatory diseases (451-468)	3	2	1	5	4	1	17.7	19.9	12.4
#Influenza & pneumonia (480-493)	2	1	1	7	5	2	24.8	24.8	24.9
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Gastritis, etc. (543, 571, 572)	2	0	2	3	0	3	10.6	-	37.3
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	2	2	0	7.1	9.9	-
Cirrhosis of liver (581)	2	2	0	2	2	0	7.1	9.9	-
Acute nephritis (590, 591)	1	1	0	1	1	0	3.5	5.0	-
Chronic nephritis, etc. (592-594)	3	3	0	3	3	0	10.6	14.9	-
Infections of kidney (600)	2	2	0	3	3	0	10.6	14.9	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	4	4	0	4	4	0	14.2	19.9	-
Diseases of early infancy (760-776)	8	4	4	9	4	5	14.5	11.8	17.7
Accidents (800-962)	12	10	2	17	14	3	60.3	69.5	37.3
Motor vehicle acc. (810-835)	6	6	0	6	6	0	21.3	29.8	-
Suicide (963, 970-979)	5	4	1	5	4	1	17.7	19.9	12.4
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
III-defined (780-795)	11	4	7	11	4	7	39.0	19.9	87.1

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
LOWNDES COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	1,520	889	631	1,447	824	623	28.8	25.8	34.2
Fetal deaths	49	24	25	47	23	24	32.5	27.9	38.5
Total deaths	465	232	233	477	238	239	9.5	7.4	13.1
Deaths under 1 year	52	18	34	51	19	32	35.2	23.0	51.4
Deaths under 28 days	29	15	14	28	15	13	19.4	18.2	20.9
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	1	1	3	2	1	6.0	6.2	5.5
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	1	1	0	1	1	0	2.0	3.1	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	52	41	11	51	42	9	101.6	131.3	49.4
Benign & unspec. neoplasms (210-239)	1	0	1	2	0	2	4.0	-	11.0
Asthma (241)	1	1	0	1	1	0	2.0	3.1	-
Diabetes mellitus (260)	4	2	2	6	3	3	12.0	9.4	16.5
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	50	24	26	56	25	31	111.6	78.1	170.2
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	135	70	65	134	69	65	266.9	215.7	356.9
Other hypertensive disease (444-447)	8	2	6	8	1	7	15.9	3.1	38.4
General arteriosclerosis (450)	11	6	5	11	7	4	21.9	21.9	22.0
Other circulatory diseases (451-468)	5	3	2	6	5	1	12.0	15.6	5.5
#Influenza & pneumonia (480-493)	23	5	18	24	4	20	47.8	12.5	109.8
Bronchitis (500-502)	1	0	1	2	1	1	4.0	3.1	5.5
Stomach & duodenal ulcers (540, 541)	0	0	0	1	1	0	2.0	3.1	-
Gastritis, etc. (543, 571, 572)	7	3	4	8	3	5	15.9	9.4	27.4
Hernia & intestinal obstruction (560, 561, 570)	3	0	3	3	0	3	6.0	-	16.5
Cirrhosis of liver (581)	1	1	0	2	1	1	4.0	3.1	5.5
Acute nephritis (590, 591)	1	1	0	1	1	0	2.0	3.1	-
Chronic nephritis, etc. (592-594)	5	1	4	6	1	5	12.0	3.1	27.4
Infections of kidney (600)	3	1	2	4	2	2	8.0	6.2	11.0
Hyperplasia of prostate (610)	1	1	0	1	1	0	2.0	3.1	-
Maternal causes (640-689)	1	0	1	1	0	1	6.9	-	16.0
Congenital malformations (750-759)	4	3	1	6	5	1	12.0	15.6	5.5
Diseases of early infancy (760-776)	26	14	12	24	13	11	16.6	15.8	17.6
Accidents (800-962)	43	20	23	38	18	20	75.7	56.3	109.8
Motor vehicle acc. (810-835)	23	12	11	13	8	5	25.9	25.0	27.4
Suicide (963, 970-979)	8	8	0	7	7	0	13.9	21.9	-
Homicide (964, 980-985)	6	1	5	6	1	5	12.0	3.1	27.4
Ill-defined (780-795)	40	9	31	41	9	32	81.7	28.1	175.7

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
MADISON COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	847	153	694	929	207	722	28.0	18.6	32.6
Fetal deaths	51	7	44	55	5	50	59.2	24.2	69.2
Total deaths	322	86	236	372	112	260	11.2	10.1	11.8
Deaths under 1 year	36	2	34	42	7	35	45.2	33.8	48.5
Deaths under 28 days	20	2	18	21	4	17	22.6	19.3	23.5
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	1	0	1	3.0	-	4.5
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	25	11	14	34	13	21	102.3	116.9	95.0
Benign & unspec. neoplasms (210-239)	0	0	0	1	0	1	3.0	-	4.5
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	3	1	2	3	1	2	9.0	9.0	9.0
Anemias (290-293)	3	0	3	3	0	3	9.0	-	13.6
Intracranial lesions (330-334)	42	8	34	45	10	35	135.4	89.9	158.3
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	90	35	55	103	42	61	310.0	377.7	275.9
Other hypertensive disease (444-447)	4	1	3	5	1	4	15.0	9.0	18.1
General arteriosclerosis (450)	5	3	2	6	4	2	18.0	36.0	9.0
Other circulatory diseases (451-468)	1	0	1	2	0	2	6.0	-	9.0
#Influenza & pneumonia (480-493)	9	2	7	18	8	10	54.2	71.9	45.2
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	1	0	1	3	2	1	9.0	18.0	4.5
Gastritis, etc. (543, 571, 572)	7	0	7	7	0	7	21.1	-	31.6
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	1	0	1	3.0	-	4.5
Cirrhosis of liver (581)	1	1	0	1	1	0	3.0	-	9.0
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	4	2	2	4	2	2	12.0	18.0	9.0
Infections of kidney (600)	2	1	1	3	2	1	9.0	18.0	4.5
Hyperplasia of prostate (610)	1	0	1	1	0	1	3.0	-	4.5
Maternal causes (640-689)	1	0	1	0	0	0	-	-	-
Congenital malformations (750-759)	2	0	2	6	3	3	18.0	27.0	13.6
Diseases of early infancy (760-776)	15	2	13	16	2	14	17.2	9.7	19.4
Accidents (800-962)	25	8	17	27	8	19	81.2	71.9	85.9
Motor vehicle acc. (810-835)	14	6	8	12	4	8	36.1	36.0	36.2
Suicide (963, 970-979)	1	1	0	1	1	0	3.0	9.0	-
Homicide (964, 980-985)	7	1	6	7	0	7	21.1	-	31.6
Ill-defined (780-795)	64	3	61	61	3	58	183.6	27.0	262.3

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
MARION COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	492	278	214	572	321	251	24.4	21.5	29.4
Fetal deaths	11	7	4	19	14	5	33.2	43.6	19.9
Total deaths	206	131	75	232	143	89	9.9	9.6	10.4
Deaths under 1 year	13	6	7	16	6	10	28.0	18.7	39.8
Deaths under 28 days	8	6	2	9	5	4	15.7	15.6	15.9
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	1	0	1	4.3	-	11.7
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	22	11	11	30	18	12	127.8	120.6	140.4
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	4	4	0	6	4	2	25.6	26.8	23.4
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	48	33	15	48	33	15	204.5	221.2	175.4
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	61	37	24	72	41	31	306.8	274.8	362.6
Other hypertensive disease (444-447)	2	1	1	2	1	1	8.5	6.7	11.7
General arteriosclerosis (450)	4	4	0	4	4	0	17.0	26.8	-
Other circulatory diseases (451-468)	3	3	0	6	4	2	25.6	26.8	23.4
#Influenza & pneumonia (480-493)	4	2	2	5	3	2	21.3	20.1	23.4
Bronchitis (500-502)	1	1	0	1	1	0	4.3	6.7	-
Stomach & duodenal ulcers (540, 541)	1	1	0	2	2	0	8.5	13.4	-
Gastritis, etc. (543, 571, 572)	2	1	1	2	1	1	8.5	6.7	11.7
Hernia & intestinal obstruction (560, 561, 570)	3	3	0	2	2	0	8.5	13.4	-
Cirrhosis of liver (581)	2	2	0	2	2	0	8.5	13.4	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	1	1	0	1	1	0	17.5	31.2	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	8	6	2	9	5	4	15.7	15.6	15.9
Accidents (800-962)	16	12	4	14	10	4	59.6	67.0	46.8
Motor vehicle acc. (810-835)	9	9	0	7	7	0	29.8	46.9	-
Suicide (963, 970-979)	1	1	0	1	1	0	4.3	6.7	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	19	5	14	19	5	14	81.0	33.5	163.7

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
MARSHALL COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	692	111	581	749	158	591	29.9	20.9	33.8
Fetal deaths	42	4	38	38	8	30	50.7	50.6	50.8
Total deaths	247	70	177	259	78	181	10.4	10.3	10.4
Deaths under 1 year	34	0	34	36	2	34	48.1	12.6	57.5
Deaths under 28 days	16	0	16	18	2	16	24.0	12.6	27.1
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	0	1	4.0	-	5.7
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	1	0	1	1	0	1	4.0	-	5.7
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	13	5	8	18	9	9	71.9	119.2	51.5
Benign & unspec. neoplasms (210-239)	0	0	0	1	1	0	4.0	13.2	-
Asthma (241)	1	0	1	1	0	1	4.0	-	5.7
Diabetes mellitus (260)	5	3	2	3	1	2	12.0	13.2	11.4
Anemias (290-293)	1	0	1	1	0	1	4.0	-	5.7
Intracranial lesions (330-334)	47	9	38	43	8	35	171.9	106.0	200.3
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	92	36	56	97	39	58	387.7	516.6	332.0
Other hypertensive disease (444-447)	1	0	1	1	0	1	4.0	-	5.7
General arteriosclerosis (450)	0	0	0	1	1	0	4.0	13.2	-
Other circulatory diseases (451-468)	0	0	0	2	2	0	8.0	26.5	-
#Influenza & pneumonia (480-483)	10	1	9	13	2	11	52.0	26.5	63.0
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	1	1	0	4.0	13.2	-
Gastritis, etc., (543, 571, 572)	7	0	7	5	0	5	20.0	-	28.6
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	1	0	1	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	4	2	2	3	1	2	12.0	13.2	11.4
Infections of kidney (600)	2	0	2	2	0	2	8.0	-	11.4
Hyperplasia of prostate (610)	1	0	1	2	1	1	8.0	13.2	5.7
Maternal causes (640-689)	2	0	2	2	0	2	26.7	-	33.8
Congenital malformations (750-759)	2	0	2	3	0	3	12.0	-	17.2
Diseases of early infancy (760-776)	14	0	14	16	2	14	21.4	12.6	23.7
Accidents (800-962)	16	8	8	14	3	11	56.0	39.7	63.0
Motor vehicle acc. (810-835)	11	8	3	7	3	4	28.0	39.7	22.9
Suicide (963, 970-979)	1	0	1	0	0	0	-	-	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	19	3	16	18	3	15	71.9	39.7	85.9

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
MONROE COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	783	435	348	794	440	354	23.7	19.6	31.9
Fetal deaths	16	7	9	17	10	7	21.4	22.7	19.8
Total deaths	324	207	117	333	207	126	9.9	9.2	11.4
Deaths under 1 year	34	17	17	32	17	15	40.3	38.6	42.4
Deaths under 28 days	21	11	10	21	11	10	26.4	25.0	28.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	1	0	1	1	0	1	3.0	-	9.0
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	34	25	9	36	25	11	107.3	111.3	99.2
Benign & unspec. neoplasms (210-239)	1	1	0	1	1	0	3.0	4.4	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	6	5	1	6	5	1	17.9	22.3	9.0
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	52	28	24	57	29	28	169.9	129.1	252.5
Nonmeningococcal meningitis (340)	1	0	1	0	0	0	-	-	-
Heart diseases (400-443)	106	74	32	108	74	34	321.9	329.5	306.6
Other hypertensive disease (444-447)	2	0	2	2	0	2	6.0	-	18.0
General arteriosclerosis (450)	7	6	1	7	5	2	20.9	22.3	18.0
Other circulatory diseases (451-468)	3	2	1	3	2	1	8.9	8.9	9.0
#Influenza & pneumonia (480-493)	5	3	2	6	3	3	17.9	13.4	27.0
Bronchitis (500-502)	2	1	1	2	1	1	6.0	4.4	9.0
Stomach & duodenal ulcers (540, 541)	2	2	0	2	2	0	6.0	8.9	-
Gastritis, etc. (543, 571, 572)	1	1	0	1	1	0	3.0	4.4	-
Hernia & intestinal obstruction (560, 561, 570)	3	1	2	3	1	2	8.9	4.4	18.0
Cirrhosis of liver (581)	1	1	0	2	2	0	6.0	8.9	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	7	1	6	7	0	7	20.9	-	63.1
Infections of kidney (600)	1	1	0	1	1	0	3.0	4.4	-
Hyperplasia of prostate (610)	3	0	3	3	0	3	8.9	-	27.0
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	2	1	1	2	1	1	6.0	4.4	9.0
Diseases of early infancy (760-776)	22	13	9	21	13	8	26.4	29.5	22.6
Accidents (800-962)	27	20	7	26	19	7	77.5	84.6	63.1
Motor vehicle acc. (810-835)	13	13	0	9	9	0	26.8	40.1	-
Suicide (963, 970-979)	6	4	2	6	4	2	17.9	17.8	18.0
Homicide (964, 980-985)	4	2	2	4	2	2	11.9	8.9	18.0
Ill-defined (780-795)	9	5	4	10	6	4	29.8	26.7	36.1

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
MONTGOMERY COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Total	White	Non-white
				Total	White	Non-white			
Live births	392	178	214	349	140	209	23.2	15.1	36.4
Fetal deaths	10	3	7	9	3	6	25.8	21.4	28.7
Total deaths	165	106	59	178	121	57	11.8	13.0	9.9
Deaths under 1 year	12	3	9	13	4	9	37.2	28.6	43.1
Deaths under 28 days	10	3	7	9	2	7	25.8	14.3	33.5
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	0	1	6.6	-	17.4
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	18	13	5	19	14	5	126.5	150.9	87.1
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	2	2	0	2	2	0	13.3	21.6	-
Anemias (290-293)	1	1	0	1	1	0	6.6	10.8	-
Intracranial lesions (330-334)	27	19	8	27	20	7	179.8	215.5	122.0
Nonmeningococcal meningitis (340)	0	0	0	1	0	1	6.6	-	17.4
Heart diseases (400-443)	70	50	20	67	49	18	446.1	528.0	313.6
Other hypertensive disease (444-447)	3	1	2	2	1	1	13.3	10.8	17.4
General arteriosclerosis (450)	2	2	0	2	2	0	13.3	21.6	-
Other circulatory diseases (451-468)	3	0	3	5	1	4	33.3	10.8	69.7
#Influenza & pneumonia (480-493)	3	1	2	3	2	1	20.0	21.6	17.4
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	1	1	0	1	1	0	6.6	10.8	-
Gastritis, etc. (543, 571, 572)	1	1	0	2	2	0	13.3	21.6	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	1	0	1	1	0	6.6	10.8	-
Infections of kidney (600)	0	0	0	1	1	0	6.6	10.8	-
Hyperplasia of prostate (610)	0	0	0	1	1	0	6.6	10.8	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	0	1	1	1	0	6.6	10.8	-
Diseases of early infancy (760-776)	9	3	6	8	2	6	22.9	14.3	28.7
Accidents (800-962)	8	3	5	17	10	7	113.2	107.8	122.0
Motor vehicle acc. (810-835)	4	3	1	9	7	2	59.9	75.4	34.8
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	1	0	1	0	0	0	-	-	-
Ill-defined (780-795)	5	2	3	7	4	3	46.6	43.1	52.3

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
NESHOBIA COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	433	242	191	434	247	187	20.2	15.2	35.3
Fetal deaths	15	9	6	16	10	6	36.9	40.5	32.1
Total deaths	165	113	52	215	164	51	10.0	10.1	9.6
Deaths under 1 year	17	7	10	22	11	11	50.7	44.5	58.8
Deaths under 28 days	12	6	6	16	7	9	36.9	28.3	48.1
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	1	1	2	1	1	9.3	6.2	18.9
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	13	10	3	17	15	2	79.0	92.5	37.7
Benign & unspec. neoplasms (210-239)	1	1	0	1	1	0	4.6	6.2	-
Asthma (241)	1	0	1	1	0	1	4.6	-	18.9
Diabetes mellitus (260)	4	0	4	4	0	4	18.6	-	75.5
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	39	30	9	50	41	9	232.4	252.9	169.8
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	44	38	6	58	52	6	269.6	320.8	113.2
Other hypertensive disease (444-447)	1	1	0	1	1	0	4.6	6.2	-
General arteriosclerosis (450)	4	1	3	5	2	3	23.2	12.3	56.6
Other circulatory diseases (451-468)	1	1	0	1	1	0	4.6	6.2	-
#Influenza & pneumonia (480-493)	2	1	1	5	3	2	23.2	18.5	37.7
Bronchitis (500-502)	0	0	0	1	1	0	4.6	6.2	-
Stomach & duodenal ulcers (540, 541)	0	0	0	1	1	0	4.6	6.2	-
Gastritis, etc. (543, 571, 572)	1	1	0	2	2	0	9.3	12.3	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	2	1	1	3	2	1	13.9	12.3	18.9
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	0	1	2	1	1	9.3	6.2	18.9
Infections of kidney (600)	0	0	0	2	2	0	9.3	12.3	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	5	2	3	6	2	4	27.9	12.3	75.5
Diseases of early infancy (760-776)	8	4	4	11	5	6	25.3	20.2	32.1
Accidents (800-962)	13	7	6	14	8	6	65.1	49.4	113.2
Motor vehicle acc. (810-835)	6	2	4	5	1	4	23.2	6.2	75.5
Suicide (963, 970-979)	3	3	0	4	4	0	18.6	24.7	-
Homicide (964, 980-985)	4	0	4	3	0	3	13.9	-	56.6
Ill-defined (780-795)	7	4	3	6	4	2	27.9	24.7	37.7

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
NEWTON COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number		Non-white	Total	White	Non-white
				Total	White				
Live births	401	243	158	422	224	198	20.4	15.5	31.6
Fetal deaths	32	17	15	32	13	19	75.8	58.0	96.0
Total deaths	188	134	54	221	151	70	10.7	10.5	11.2
Deaths under 1 year	11	3	8	15	3	12	35.5	13.4	60.6
Deaths under 28 days	4	1	3	7	2	5	16.6	8.9	25.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	2	0	2	9.7	-	31.9
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	1	1	0	1	1	0	4.8	6.9	-
Malignant neoplasms (140-205)	20	17	3	27	23	4	130.6	159.5	63.9
Benign & unspec. neoplasms (210-239)	1	1	0	1	1	0	4.8	6.9	-
Asthma (241)	0	0	0	1	0	1	4.8	-	16.0
Diabetes mellitus (260)	5	4	1	4	3	1	19.3	20.8	16.0
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	42	32	10	40	29	11	193.4	201.1	175.7
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	60	43	17	67	46	21	324.0	319.0	335.5
Other hypertensive disease (444-447)	5	2	3	4	1	3	19.3	6.9	47.9
General arteriosclerosis (450)	2	2	0	2	2	0	9.7	13.9	-
Other circulatory diseases (451-468)	3	3	0	4	4	0	19.3	27.7	-
#Influenza & pneumonia (480-493)	2	1	1	4	3	1	19.3	20.8	16.0
Bronchitis (500-502)	1	1	0	1	1	0	4.8	6.9	-
Stomach & duodenal ulcers (540-541)	3	3	0	3	3	0	14.5	20.8	-
Gastritis, etc. (543, 571, 572)	3	1	2	3	0	3	14.5	-	47.9
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	1	1	0	4.8	6.9	-
Cirrhosis of liver (581)	2	1	1	2	1	1	9.7	6.9	16.0
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	2	2	0	1	1	0	4.8	6.9	-
Infections of kidney (600)	0	0	0	2	1	1	9.7	6.9	15.0
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	1	1	0	2	1	1	47.4	44.6	50.5
Congenital malformations (750-759)	1	0	1	1	0	1	4.8	-	16.0
Diseases of early infancy (760-776)	4	1	3	7	2	5	16.6	8.9	25.2
Accidents (800-962)	11	8	3	18	13	5	87.0	90.2	79.9
Motor vehicle acc. (810-835)	6	6	0	8	8	0	38.7	55.5	-
Suicide (963, 970-979)	1	1	0	1	1	0	4.8	6.9	-
Homicide (964, 980-985)	2	1	1	1	0	1	4.8	-	16.0
Ill-defined (780-795)	12	5	7	14	6	8	67.7	41.6	127.8

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
NOXUBEE COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	501	100	401	484	95	389	28.3	20.6	31.2
Fetal deaths	28	3	25	24	2	22	49.6	21.0	56.6
Total deaths	192	45	147	200	49	151	11.7	10.6	12.1
Deaths under 1 year	20	1	19	18	2	16	37.2	21.0	41.1
Deaths under 28 days	8	1	7	6	1	5	12.4	10.5	12.8
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	0	2	2	0	2	11.7	-	16.0
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	21	11	10	26	12	14	152.2	259.7	112.4
Benign & unspec. neoplasms (210-239)	1	0	1	1	0	1	5.8	-	8.0
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	0	1	3	2	1	17.6	43.3	8.0
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	30	7	23	29	6	23	169.8	129.9	184.6
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	60	18	42	64	19	45	374.7	411.2	361.2
Other hypertensive disease (444-447)	4	0	4	3	0	3	17.6	-	24.1
General arteriosclerosis (450)	5	1	4	5	1	4	29.3	21.6	32.1
Other circulatory diseases (451-468)	0	0	0	0	0	0	-	-	-
#Influenza & pneumonia (480-493)	10	0	10	9	0	9	52.7	-	72.2
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Gastritis, etc. (543, 571, 572)	5	0	5	4	0	4	23.4	-	32.1
Hernia & intestinal obstruction (560, 561, 570)	1	0	1	1	0	1	5.8	-	8.0
Cirrhosis of liver (581)	0	0	0	1	1	0	5.8	21.6	-
Acute nephritis (590, 591)	2	0	2	2	0	2	11.7	-	16.0
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	4	2	2	3	1	2	17.6	21.6	16.0
Hyperplasia of prostate (610)	1	0	1	1	0	1	5.8	-	8.0
Maternal causes (640-689)	2	0	2	2	0	2	41.3	-	51.4
Congenital malformations (750-759)	0	0	0	1	1	0	5.8	21.6	-
Diseases of early infancy (760-776)	6	1	5	4	1	3	8.3	10.5	7.7
Accidents (800-962)	7	4	3	8	4	4	46.8	86.6	32.1
Motor vehicle acc. (810-835)	2	0	2	2	0	2	11.7	-	16.0
Suicide (963, 970-979)	2	0	2	2	0	2	11.7	-	16.0
Homicide (964, 980-985)	1	0	1	1	0	1	5.8	-	8.0
Ill-defined (780-795)	24	1	23	23	1	22	134.7	21.6	176.6

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
OKTIBBEHA COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Total	White	Non-white
				Total	White	Non-white			
Live births	786	323	463	724	281	443	27.7	19.7	37.4
Fetal deaths	28	11	17	27	11	16	37.3	39.1	36.1
Total deaths	185	88	97	196	85	111	7.5	6.0	9.4
Deaths under 1 year	13	5	8	13	4	9	18.0	14.2	20.3
Deaths under 28 days	9	5	4	8	4	4	11.0	14.2	9.0
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	20	14	6	25	18	7	95.7	126.1	59.1
Benign & unspec. neoplasms (210-239)	0	0	0	1	0	1	3.8	-	8.4
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	3	3	0	4	2	2	15.3	14.0	16.9
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	28	15	13	25	10	15	95.7	70.1	126.6
Nonmeningococcal meningitis (340)	0	0	0	1	0	1	3.8	-	8.4
Heart diseases (400-443)	67	33	34	65	31	34	248.8	217.2	286.9
Other hypertensive disease (444-447)	4	1	3	6	1	5	23.0	7.0	42.2
General arteriosclerosis (450)	4	3	1	4	3	1	15.3	21.0	8.4
Other circulatory diseases (451-468)	1	1	0	2	1	1	7.6	7.0	8.4
#Influenza & pneumonia (480-493)	6	1	5	7	2	5	26.8	14.0	42.2
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	1	0	1	3.8	-	8.4
Gastritis, etc. (543, 571, 572)	2	0	2	2	0	2	7.6	-	16.9
Hernia & intestinal obstruction (560, 561, 570)	1	0	1	1	0	1	3.8	-	8.4
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	1	0	1	3.8	-	8.4
Infections of kidney (600)	1	0	1	1	0	1	3.8	-	8.4
Hyperplasia of prostate (610)	0	0	0	1	1	0	3.8	7.0	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	4	1	3	4	1	3	15.3	7.0	25.3
Diseases of early infancy (760-776)	5	4	1	4	3	1	5.5	10.7	2.2
Accidents (800-962)	18	7	11	18	7	11	68.9	49.0	92.8
Motor vehicle acc. (810-835)	7	4	3	5	1	4	19.1	7.0	33.8
Suicide (963, 970-979)	1	0	1	1	0	1	3.8	-	8.4
Homicide (964, 980-985)	2	1	1	3	1	2	11.5	7.0	16.9
Ill-defined (780-795)	13	1	12	14	2	12	53.6	14.0	101.3

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
PANOLA COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	885	274	611	863	270	593	27.3	19.9	32.9
Fetal deaths	22	4	18	28	3	25	32.4	11.1	42.2
Total deaths	288	112	176	350	135	215	11.1	9.9	11.9
Deaths under 1 year	46	5	41	50	7	43	57.9	25.9	72.5
Deaths under 28 days	20	3	17	23	4	19	26.6	14.8	32.0
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	3	2	1	3	2	1	9.5	14.7	5.6
Syphilis (020-029)	1	0	1	1	0	1	3.2	-	5.6
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	1	0	1	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	33	17	16	36	17	19	114.0	125.2	105.5
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	2	2	0	1	1	0	3.2	7.4	-
Diabetes mellitus (260)	0	0	0	1	0	1	3.2	-	5.6
Anemias (290-293)	0	0	0	1	0	1	3.2	-	5.6
Intracranial lesions (330-334)	39	16	23	55	26	29	174.1	191.4	161.0
Nonmeningococcal meningitis (340)	0	0	0	1	0	1	3.2	-	5.6
Heart diseases (400-443)	96	48	48	111	54	57	351.4	397.6	316.5
Other hypertensive disease (444-447)	2	0	2	1	0	1	3.2	-	5.6
General arteriosclerosis (450)	7	4	3	8	4	4	25.3	29.4	22.2
Other circulatory diseases (451-468)	1	0	1	2	0	2	6.3	-	11.1
#Influenza & pneumonia (480-493)	13	3	10	19	6	13	60.1	44.2	72.2
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Gastritis, etc. (543, 571, 572)	9	2	7	10	2	8	31.6	14.7	44.4
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	3	2	1	9.5	14.7	5.6
Cirrhosis of liver (581)	1	1	0	2	2	0	6.3	14.7	-
Acute nephritis (590, 591)	2	1	1	2	1	1	6.3	7.4	5.6
Chronic nephritis, etc. (592-594)	2	0	2	2	0	2	6.3	-	11.1
Infections of kidney (600)	0	0	0	1	1	0	3.2	7.4	-
Hyperplasia of prostate (610)	1	0	1	2	1	1	6.3	7.4	5.6
Maternal causes (640-689)	2	0	2	2	0	2	23.2	-	33.7
Congenital malformations (750-759)	3	0	3	5	1	4	15.8	7.4	22.2
Diseases of early infancy (760-776)	16	3	13	17	3	14	19.7	11.1	23.6
Accidents (800-962)	16	5	11	21	4	17	66.5	29.4	94.4
Motor vehicle acc. (810-835)	5	3	2	6	2	4	19.0	14.7	22.2
Suicide (963, 970-979)	1	0	1	2	1	1	6.3	7.4	5.6
Homicide (964, 980-985)	3	2	1	2	1	1	6.3	7.4	5.6
Ill-defined (780-795)	20	0	20	21	0	21	66.5	-	116.6

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
PEARL RIVER COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	563	434	129	498	352	146	21.4	19.1	30.2
Fetal deaths	10	7	3	11	7	4	22.1	19.9	27.4
Total deaths	206	154	52	245	188	57	10.5	10.2	11.8
Deaths under 1 year	22	12	10	23	13	10	46.2	36.9	68.5
Deaths under 28 days	20	11	9	19	10	9	38.2	28.4	61.6
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	1	0	1	0	1	4.3	-	20.7
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	30	25	5	39	32	7	167.5	173.4	144.9
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	0	0	0	4	4	0	17.2	21.7	-
Anemias (290-293)	0	0	0	1	0	1	4.3	-	20.7
Intracranial lesions (330-334)	18	11	7	23	14	9	98.8	75.9	186.3
Nonmeningococcal meningitis (340)	0	0	0	1	1	0	4.3	5.4	-
Heart diseases (400-443)	64	52	12	72	61	11	309.3	330.6	227.7
Other hypertensive disease (444-447)	3	2	1	3	2	1	12.9	10.8	20.7
General arteriosclerosis (450)	10	7	3	11	8	3	47.2	43.4	62.1
Other circulatory diseases (451-468)	1	1	0	3	3	0	12.9	16.3	-
#Influenza & pneumonia (480-493)	10	5	5	13	8	5	55.8	43.4	103.5
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	3	3	0	4	4	0	17.2	21.7	-
Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	1	1	0	4.3	5.4	-
Cirrhosis of liver (581)	1	1	0	1	1	0	4.3	5.4	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	4	2	2	4	2	2	17.2	10.8	41.4
Infections of kidney (600)	1	1	0	2	2	0	8.6	10.8	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	4	4	0	4	4	0	17.2	21.7	-
Diseases of early infancy (760-776)	16	8	8	15	7	8	30.1	19.9	54.8
Accidents (800-962)	16	13	3	20	16	4	85.9	86.7	82.8
Motor vehicle acc. (810-835)	9	8	1	10	9	1	43.0	48.8	20.7
Suicide (963, 970-979)	2	2	0	2	2	0	8.6	10.8	-
Homicide (964, 980-985)	2	0	2	2	0	2	8.6	-	41.4
Ill-defined (780-795)	12	8	4	11	8	3	47.2	43.4	62.1

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
PERRY COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	20	14	6	186	129	57	22.8	21.1	27.9
Fetal deaths	0	0	0	4	3	1	21.5	23.2	17.5
Total deaths	42	29	13	84	66	18	10.3	10.8	8.8
Deaths under 1 year	1	0	1	9	6	3	48.4	46.5	52.6
Deaths under 28 days	0	0	0	6	4	2	32.2	31.0	35.1
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	1	1	0	12.3	16.4	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	4	3	1	9	8	1	110.6	131.1	49.0
Benign & unspec. neoplasms (210-239)	0	0	0	1	1	0	12.3	16.4	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	1	0	1	1	0	12.3	16.4	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	9	7	2	15	13	2	184.3	213.1	98.0
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	14	9	5	26	19	7	319.4	311.5	343.1
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	0	0	0	0	0	0	-	-	-
Other circulatory disease (451-468)	0	0	0	0	0	0	-	-	-
#Influenza & pneumonia (480-493)	0	0	0	0	0	0	-	-	-
Bronchitis (500-502)	1	1	0	1	1	0	12.3	16.4	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	1	1	0	12.3	16.4	-
Acute nephritis (590-591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	0	0	0	1	1	0	12.3	16.4	-
Hyperplasia of prostate (610)	0	0	0	1	0	1	12.3	-	49.0
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	4	4	0	49.1	65.6	-
Diseases of early infancy (760-776)	0	0	0	3	1	2	16.1	7.8	35.1
Accidents (800-962)	3	1	2	8	6	2	98.3	98.4	98.0
Motor vehicle acc. (810-835)	2	1	1	5	4	1	61.4	65.6	49.0
Suicide (963, 970-979)	0	0	0	1	1	0	12.3	16.4	-
Homicide (964, 980-985)	1	1	0	1	1	0	12.3	16.4	-
Ill-defined (780-795)	5	4	1	5	5	0	61.4	82.0	-

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
PIKE COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Total	White	Non-white
				Total	White	Non-white			
Live births	886	411	475	801	340	461	22.4	16.8	29.4
Fetal deaths	37	14	23	37	13	24	46.2	38.2	52.1
Total deaths	407	226	181	413	221	192	11.5	11.0	12.3
Deaths under 1 year	30	12	18	30	11	19	37.4	32.4	41.2
Deaths under 28 days	21	10	11	22	9	13	27.5	26.5	28.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	1	0	3	2	1	8.4	9.9	6.4
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	1	0	1	1	0	1	2.8	-	6.4
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	56	27	29	56	28	28	156.3	138.8	178.9
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	1	0	1	2.8	-	6.4
Diabetes mellitus (260)	5	1	4	6	3	3	16.8	14.9	19.2
Anemias (290-293)	1	0	1	1	0	1	2.8	-	6.4
Intracranial lesions (330-334)	67	39	28	69	39	30	192.6	193.4	191.7
Nonmeningococcal meningitis (340)	0	0	0	1	1	0	2.8	5.0	-
Heart diseases (400-443)	131	91	40	126	84	42	351.8	416.5	268.4
Other hypertensive disease (444-447)	2	1	1	2	1	1	5.6	5.0	6.4
General arteriosclerosis (450)	11	4	7	11	4	7	30.7	19.8	44.7
Other circulatory diseases (451-468)	4	3	1	5	2	3	14.0	9.9	19.2
#Influenza & pneumonia (480-493)	11	7	4	12	7	5	33.5	34.7	31.9
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	1	1	0	0	0	0	-	-	-
Gastritis, etc. (543, 571, 572)	5	2	3	5	2	3	14.0	9.9	19.2
Hernia & intestinal obstruction (560, 561, 570)	3	2	1	4	3	1	11.2	14.9	6.4
Cirrhosis of liver (581)	1	1	0	2	2	0	5.6	9.9	-
Acute nephritis (590, 591)	1	1	0	1	0	1	2.8	-	6.4
Chronic nephritis, etc. (592-594)	2	0	2	3	0	3	8.4	-	19.2
Infections of kidney (600)	0	0	0	1	0	1	2.8	-	6.4
Hyperplasia of prostate (610)	1	0	1	4	2	2	11.2	9.9	12.8
Maternal causes (640-689)	1	0	1	1	0	1	12.5	-	21.7
Congenital malformations (750-759)	3	3	0	3	3	0	8.4	14.9	-
Diseases of early infancy (760-776)	20	9	11	20	8	12	25.0	23.5	26.0
Accidents (800-962)	21	13	8	19	11	8	53.0	54.5	51.1
Motor vehicle acc. (810-835)	4	4	0	5	5	0	14.0	24.8	-
Suicide (963, 970-979)	5	5	0	4	4	0	11.2	19.8	-
Homicide (964, 980-985)	5	1	4	4	1	3	11.2	5.0	19.2
Ill-defined (780-795)	36	6	30	35	6	29	97.7	29.7	185.3

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
 AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
 PONTOTOC COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	306	212	94	333	234	99	17.4	15.0	27.8
Fetal deaths	8	4	4	4	2	2	12.0	8.5	20.2
Total deaths	206	177	29	222	193	29	11.6	12.4	8.1
Deaths under 1 year	12	8	4	14	10	4	42.0	42.7	40.4
Deaths under 28 days	10	8	2	12	10	2	36.0	42.7	20.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	2	0	3	3	0	15.6	19.2	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	25	23	2	29	27	2	151.2	172.8	56.2
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	0	1	2	1	1	10.4	6.4	28.1
Anemias (290-293)	1	1	0	1	1	0	5.2	6.4	-
Intracranial lesions (330-334)	21	18	3	19	16	3	99.1	102.4	84.3
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	95	88	7	97	88	9	505.7	563.4	252.8
Other hypertensive disease (444-447)	4	3	1	5	4	1	26.1	25.6	28.1
General arteriosclerosis (450)	0	0	0	0	0	0	-	-	-
Other circulatory diseases (451-468)	1	1	0	1	1	0	5.2	6.4	-
#Influenza & pneumonia (480-493)	9	8	1	11	11	0	57.4	70.4	-
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Gastritis, etc. (543, 571, 572)	0	0	0	1	0	1	5.2	-	28.1
Hernia & intestinal obstruction (560, 561, 570)	3	3	0	4	4	0	20.8	25.6	-
Cirrhosis of liver (581)	0	0	0	3	3	0	15.6	19.2	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	2	1	1	2	1	1	10.4	6.4	28.1
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	1	0	1	0	0	0	-	-	-
Congenital malformations (750-759)	1	1	0	2	2	0	10.4	12.8	-
Diseases of early infancy (760-776)	8	6	2	9	7	2	27.0	29.9	20.2
Accidents (800-962)	11	8	3	11	8	3	57.4	51.2	84.3
Motor vehicle acc. (810-835)	4	3	1	5	4	1	26.1	25.6	28.1
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	2	1	1	2	1	1	10.4	6.4	28.1
Ill-defined (780-795)	8	6	2	9	7	2	46.9	44.8	56.2

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
PRENTISS COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	420	350	70	375	310	65	21.2	20.2	28.0
Fetal deaths	13	11	2	13	11	2	34.7	35.5	30.8
Total deaths	190	165	25	174	146	28	9.8	9.5	12.1
Deaths under 1 year	8	5	3	9	6	3	24.0	19.4	46.2
Deaths under 28 days	5	4	1	6	5	1	16.0	16.1	15.4
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	2	0	2	11.3	-	86.2
Syphilis (020-029)	1	0	1	1	0	1	5.7	-	43.1
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	29	27	2	27	25	2	153.0	163.1	86.2
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	3	3	0	1	1	0	5.7	6.5	-
Anemias (290-293)	1	1	0	0	0	0	-	-	-
Intracranial lesions (330-334)	34	30	4	27	22	5	153.0	143.5	215.5
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	63	59	4	54	49	5	305.9	319.6	215.5
Other hypertensive disease (444-447)	5	4	1	4	3	1	22.7	19.6	43.1
General arteriosclerosis (450)	2	2	0	2	2	0	11.3	13.0	-
Other circulatory diseases (451-468)	1	1	0	1	1	0	5.7	6.5	-
#Influenza & pneumonia (480-493)	9	9	0	5	5	0	28.3	32.6	-
Bronchitis (500-502)	1	0	1	1	0	1	5.7	-	43.1
Stomach & duodenal ulcers (540, 541)	0	0	0	2	2	0	11.3	13.0	-
Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	1	1	0	1	1	0	5.7	6.5	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	1	1	0	5.7	6.5	-
Infections of kidney (600)	0	0	0	1	1	0	5.7	6.5	-
Hyperplasia of prostate (610)	2	1	1	2	1	1	11.3	6.5	43.1
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	3	2	1	4	3	1	22.7	19.6	43.1
Diseases of early infancy (760-776)	4	3	1	5	4	1	13.3	12.9	15.4
Accidents (800-962)	12	10	2	14	12	2	79.3	78.3	86.2
Motor vehicle acc. (810-835)	4	4	0	7	7	0	39.7	45.7	-
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	12	8	4	10	7	3	56.6	45.7	129.3

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
QUITMAN COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	746	218	528	692	189	503	31.9	21.3	39.4
Fetal deaths	31	2	29	34	2	32	49.1	10.6	63.6
Total deaths	170	45	125	230	77	153	10.6	8.7	12.0
Deaths under 1 year	30	7	23	33	10	23	47.7	52.9	45.7
Deaths under 28 days	15	3	12	18	5	13	26.0	26.4	25.8
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	1	0	1	4.6	-	7.8
Syphilis (020-029)	1	0	1	2	0	2	9.2	-	15.6
Typhoid fever (040)	2	1	1	1	0	1	4.6	-	7.8
Dysentery (045-048)	0	0	0	1	0	1	4.6	-	7.8
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	1	0	1	1	0	1	4.6	-	7.8
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	1	0	1	1	0	1	4.6	-	7.8
Malignant neoplasms (140-205)	17	4	13	29	9	20	133.9	101.4	156.5
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	2	2	0	9.2	22.5	-
Diabetes mellitus (260)	1	0	1	4	2	2	18.5	22.5	15.6
Anemias (290-293)	1	0	1	1	0	1	4.6	-	7.8
Intracranial lesions (330-334)	11	2	9	19	5	14	87.7	56.3	109.5
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	58	22	36	65	26	39	300.1	292.8	305.2
Other hypertensive disease (444-447)	1	1	0	1	1	0	4.6	11.3	-
General arteriosclerosis (450)	0	0	0	0	0	0	-	-	-
Other circulatory diseases (451-468)	0	0	0	1	0	1	4.6	-	7.8
#Influenza & pneumonia (480-493)	12	3	9	11	5	6	50.8	56.3	46.9
Bronchitis (500-502)	1	0	1	1	0	1	4.6	-	7.8
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Gastritis, etc. (543, 571, 572)	5	0	5	6	0	6	27.7	-	46.9
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	1	0	1	4.6	-	7.8
Chronic nephritis, etc. (592-594)	2	1	1	3	1	2	13.8	11.3	15.6
Infections of kidney (600)	2	0	2	6	1	5	27.7	11.3	39.1
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	4	2	2	5	3	2	23.1	33.8	15.6
Diseases of early infancy (760-776)	12	2	10	16	5	11	23.1	26.4	21.9
Accidents (800-962)	12	3	9	19	8	11	87.7	90.1	86.1
Motor vehicle acc. (810-835)	3	0	3	4	1	3	18.5	11.3	23.5
Suicide (963, 970-979)	1	1	0	2	2	0	9.2	22.5	-
Homicide (964, 980-985)	1	0	1	2	0	2	9.2	-	15.6
III-defined (780-795)	13	1	12	14	2	12	64.6	22.5	93.9

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
RANKIN COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	296	88	208	900	516	384	24.8	24.2	25.8
Fetal deaths	9	5	4	34	25	9	37.8	48.4	23.4
Total deaths	411	200	211	233	126	107	6.4	5.9	7.2
Deaths under 1 year	11	0	11	34	13	21	37.8	25.2	54.7
Deaths under 28 days	7	0	7	25	10	15	27.8	19.4	39.1
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	4	2	2	1	1	0	2.8	4.7	-
Syphilis (020-029)	1	0	1	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	2	1	1	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	1	0	1	1	0	1	2.8	-	6.7
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	46	26	20	38	26	12	104.9	121.9	80.5
Benign & unspec. neoplasms (210-239)	3	0	3	1	0	1	2.8	-	6.7
Asthma (241)	1	0	1	0	0	0	-	-	-
Diabetes mellitus (260)	4	3	1	3	2	1	8.3	9.4	6.7
Anemias (290-293)	3	3	0	0	0	0	-	-	-
Intracranial lesions (330-334)	57	20	37	27	12	15	74.5	56.2	100.7
Nonmeningococcal meningitis (340)	1	0	1	3	1	2	8.3	4.7	13.4
Heart diseases (400-443)	103	47	56	70	42	28	193.2	196.9	187.9
Other hypertensive disease (444-447)	2	1	1	2	0	2	5.5	-	13.4
General arteriosclerosis (450)	4	3	1	3	2	1	8.3	9.4	6.7
Other circulatory diseases (451-468)	28	8	20	4	3	1	11.0	14.1	6.7
#Influenza & pneumonia (480-493)	49	29	20	7	3	4	19.3	14.1	26.8
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	2	0	2	1	1	0	2.8	4.7	-
Gastritis, etc. (543, 571, 572)	1	0	1	2	1	1	5.5	4.7	6.7
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	3	2	1	2	2	0	5.5	9.4	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	1	0	2	1	1	5.5	4.7	6.7
Infections of kidney (600)	5	2	3	2	1	1	5.5	4.7	6.7
Hyperplasia of prostate (610)	0	0	0	2	1	1	5.5	4.7	6.7
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	3	1	2	8.3	4.7	13.4
Diseases of early infancy (760-776)	6	0	6	20	8	12	22.2	15.5	31.2
Accidents (800-962)	25	16	9	15	8	7	41.4	37.5	47.0
Motor vehicle acc. (810-835)	4	3	1	7	5	2	19.3	23.4	13.4
Suicide (963, 970-979)	1	1	0	1	1	0	2.8	4.7	-
Homicide (964, 980-985)	4	0	4	3	0	3	8.3	-	20.1
Ill-defined (780-795)	31	22	9	10	4	6	27.6	18.8	40.3

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
SCOTT COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	548	341	207	537	286	251	24.3	20.2	31.5
Fetal deaths	18	8	10	20	7	13	37.2	24.5	51.8
Total deaths	195	125	70	215	134	81	9.7	9.5	10.2
Deaths under 1 year	31	14	17	34	14	20	63.3	49.0	79.7
Deaths under 28 days	15	9	6	19	10	9	35.4	35.0	35.8
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	1	0	2	2	0	9.0	14.2	-
Syphilis (020-029)	1	0	1	1	0	1	4.5	-	12.5
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	1	1	0	4.5	7.1	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	21	14	7	20	12	8	90.5	85.0	100.4
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	1	1	0	0	0	0	-	-	-
Diabetes mellitus (260)	4	2	2	4	2	2	18.1	14.2	25.1
Anemias (290-293)	1	1	0	1	1	0	4.5	7.1	-
Intracranial lesions (330-334)	29	21	8	34	26	8	153.9	184.1	100.4
Nonmeningococcal meningitis (340)	1	1	0	1	1	0	4.5	7.1	-
Heart diseases (400-443)	68	48	20	70	47	23	316.9	332.9	288.6
Other hypertensive disease (444-447)	0	0	0	1	1	0	4.5	7.1	-
General arteriosclerosis (450)	4	2	2	5	3	2	22.6	21.2	25.1
Other circulatory diseases (451-468)	0	0	0	1	1	0	4.5	7.1	-
#Influenza & pneumonia (480-493)	8	6	2	5	3	2	22.6	21.2	25.1
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	4	2	2	4	2	2	18.1	14.2	25.1
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	4	2	2	4	2	2	18.1	14.2	25.1
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	3	2	1	3	2	1	13.6	14.2	12.5
Hyperplasia of prostate (610)	1	1	0	2	2	0	9.0	14.2	-
Maternal causes (640-689)	0	0	0	2	0	2	9.0	-	25.1
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	2	2	0	3	3	0	13.6	21.2	-
Accidents (800-962)	14	7	7	17	7	10	31.6	24.5	39.8
Motor vehicle acc. (810-835)	5	3	2	7	4	3	31.7	28.3	37.6
Suicide (963, 970-979)	3	3	0	5	4	1	22.6	28.3	12.5
Homicide (964, 980-985)	3	2	1	3	2	1	13.6	14.2	12.5
Ill-defined (780-795)	2	0	2	3	0	3	13.6	-	37.6

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
SHARKEY COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	232	37	195	365	64	301	31.9	17.4	38.8
Fetal deaths	4	0	4	15	5	10	41.1	78.1	33.2
Total deaths	109	25	84	137	40	97	12.0	10.9	12.5
Deaths under 1 year	10	0	10	15	2	13	41.1	31.2	43.2
Deaths under 28 days	6	0	6	9	1	8	24.6	15.6	26.6
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	2	0	2	17.5	-	25.8
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	5	1	4	9	3	6	78.7	81.5	77.3
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	1	0	1	2	0	2	17.5	-	25.8
Diabetes mellitus (260)	2	1	1	3	2	1	26.2	54.3	12.9
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	13	3	10	12	2	10	104.9	54.3	128.9
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	47	14	33	56	20	36	489.5	543.5	463.9
Other hypertensive disease (444-447)	1	0	1	2	0	2	17.5	-	25.8
General arteriosclerosis (450)	1	0	1	1	0	1	8.7	-	12.9
Other circulatory diseases (451-468)	0	0	0	0	0	0	-	-	-
#Influenza & pneumonia (480-493)	7	1	6	10	2	8	87.4	54.3	103.1
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Gastritis, etc. (543, 571, 572)	2	0	2	2	0	2	17.5	-	25.8
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	1	0	1	2	0	2	17.5	-	25.8
Acute nephritis (590, 591)	1	0	1	1	0	1	8.7	-	12.9
Chronic nephritis, etc. (592-594)	4	0	4	4	0	4	35.0	-	51.5
Infections of kidney (600)	2	2	0	3	2	1	26.2	54.3	12.9
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	7	0	7	10	1	9	27.4	15.6	29.9
Accidents (800-962)	4	1	3	6	4	2	52.4	108.7	25.8
Motor vehicle acc. (810-835)	1	1	0	4	4	0	35.0	108.7	-
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	5	0	5	5	1	4	43.7	27.2	51.5

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
SIMPSON COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	438	247	191	475	261	214	21.9	18.6	27.8
Fetal deaths	10	5	5	16	7	9	33.7	26.8	42.0
Total deaths	250	160	90	222	138	84	10.2	9.8	10.9
Deaths under 1 year	15	2	13	20	4	16	42.1	15.3	74.8
Deaths under 28 days	9	1	8	12	3	9	25.3	11.5	42.0
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	27	14	13	1	1	0	4.6	7.1	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	1	0	1	4.6	-	13.0
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	34	24	10	34	23	11	156.7	164.2	143.0
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	1	1	0	4.6	7.1	-
Diabetes mellitus (260)	6	4	2	5	3	2	23.0	21.4	26.0
Anemias (290-293)	1	0	1	1	0	1	4.6	-	13.0
Intracranial lesions (330-334)	40	23	17	34	23	11	156.7	164.2	143.0
Nonmeningococcal meningitis (340)	0	0	0	1	0	1	4.6	-	13.0
Heart diseases (400-443)	63	48	15	62	45	17	285.7	321.2	221.1
Other hypertensive disease (444-447)	1	1	0	1	0	1	4.6	-	13.0
General arteriosclerosis (450)	6	4	2	5	3	2	23.0	21.4	26.0
Other circulatory diseases (451-468)	2	2	0	2	2	0	9.2	14.3	-
#Influenza & pneumonia (480-493)	12	7	5	14	8	6	64.5	57.1	78.0
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	2	2	0	3	3	0	13.8	21.4	-
Gastritis, etc. (543, 571, 572)	3	0	3	3	0	3	13.8	-	39.0
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	1	1	0	1	1	0	4.6	7.1	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	2	2	0	3	2	1	13.8	14.3	13.0
Infections of kidney (600)	3	3	0	3	3	0	13.8	21.4	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	2	2	0	1	1	0	4.6	7.1	-
Diseases of early infancy (760-776)	9	1	8	12	3	9	25.3	11.5	42.0
Accidents (800-962)	13	10	3	11	5	6	50.7	35.7	78.0
Motor vehicle acc. (810-835)	5	4	1	5	2	3	23.0	14.3	39.0
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	1	0	1	2	0	2	9.2	-	26.0
Ill-defined (780-795)	14	5	9	13	5	8	59.9	35.7	104.0

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
 AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
 SMITH COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Total	White	Non-white
				Total	White	Non-white			
Live births	33	14	19	316	175	141	22.2	16.1	41.8
Fetal deaths	1	1	0	17	11	6	53.8	62.8	42.6
Total deaths	70	54	16	131	103	28	9.2	9.5	8.3
Deaths under 1 year	1	0	1	7	2	5	22.2	11.4	35.5
Deaths under 28 days	1	0	1	4	1	3	12.6	5.7	21.3
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	10	8	2	18	16	2	126.3	147.0	59.3
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	1	0	2	2	0	14.0	18.4	-
Anemias (290-293)	0	0	0	1	0	1	7.0	-	29.7
Intracranial lesions (330-334)	10	9	1	19	16	3	133.3	147.0	89.0
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	27	23	4	38	33	5	266.7	303.3	148.4
Other hypertensive disease (444-447)	0	0	0	2	1	1	14.0	9.2	29.7
General arteriosclerosis (450)	0	0	0	5	5	0	35.1	46.0	-
Other circulatory diseases (451-468)	0	0	0	1	0	1	7.0	-	29.7
#Influenza & pneumonia (480-493)	2	2	0	8	8	0	56.1	73.5	-
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	1	1	0	7.0	9.2	-
Gastritis, etc. (543, 571, 572)	0	0	0	2	1	1	14.0	9.2	29.7
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	1	1	0	7.0	9.2	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	1	0	2	2	0	14.0	18.4	-
Infections of kidney (600)	0	0	0	2	1	1	14.0	9.2	29.7
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	1	1	0	7.0	9.2	-
Diseases of early infancy (760-776)	1	0	1	3	0	3	9.5	-	21.3
Accidents (800-962)	11	5	6	16	9	7	112.3	82.7	207.7
Motor vehicle acc. (810-835)	4	3	1	6	5	1	42.1	46.0	29.7
Suicide (963, 970-979)	2	2	0	2	2	0	14.0	18.4	-
Homicide (964, 980-985)	1	0	1	1	0	1	7.0	-	29.7
Ill-defined (780-795)	2	2	0	2	2	0	14.0	18.4	-

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
STONE COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	168	120	48	172	117	55	19.8	17.1	29.9
Fetal deaths	0	0	0	3	2	1	17.4	17.1	18.2
Total deaths	80	58	22	84	62	22	9.7	9.1	12.0
Deaths under 1 year	11	6	5	10	6	4	58.1	51.3	72.7
Deaths under 28 days	7	4	3	6	4	2	34.9	34.2	36.4
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	1	0	1	11.5	-	54.3
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	9	7	2	10	8	2	115.2	117.0	108.7
Benign & unspec. neoplasms (210-239)	1	0	1	1	0	1	11.5	-	54.3
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	4	4	0	3	3	0	34.6	43.8	-
Anemias (290-293)	1	0	1	1	0	1	11.5	-	54.3
Intracranial lesions (330-334)	6	2	4	8	4	4	92.2	58.5	217.4
Nonmeningococcal meningitis (340)	0	0	0	1	1	0	11.5	14.6	-
Heart diseases (400-443)	29	23	6	28	22	6	322.6	321.6	326.1
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	2	1	1	1	0	1	11.5	-	54.3
Other circulatory diseases (451-468)	2	2	0	2	2	0	23.0	29.2	-
#Influenza & pneumonia (480-493)	2	2	0	2	2	0	23.0	29.2	-
Bronchitis (500-502)	1	0	1	1	0	1	11.5	-	54.3
Stomach & duodenal ulcers (540, 541)	1	1	0	1	1	0	11.5	14.6	-
Gastritis, etc. (543, 571, 572)	1	1	0	1	1	0	11.5	14.6	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	2	2	0	1	1	0	11.5	14.6	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	1	0	1	1	0	11.5	14.6	-
Diseases of early infancy (760-776)	6	3	3	5	3	2	29.1	25.6	36.4
Accidents (800-962)	7	6	1	5	4	1	57.6	58.5	54.3
Motor vehicle acc. (810-835)	3	2	1	3	2	1	34.6	29.2	54.3
Suicide (963, 970-979)	1	1	0	0	0	0	-	-	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	4	2	2	7	5	2	80.6	73.1	108.7

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
SUNFLOWER COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Total	White	Non-white
				Total	White	Non-white			
Live births	1,328	234	1,094	1,436	270	1,166	29.5	17.4	35.1
Fetal deaths	44	9	35	48	9	39	33.4	33.3	33.4
Total deaths	422	101	321	474	129	345	9.7	8.3	10.4
Deaths under 1 year	68	4	64	74	7	67	51.5	25.9	57.5
Deaths under 28 days	38	4	34	44	6	38	30.6	22.2	32.6
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	0	2	3	0	3	6.2	-	9.0
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	1	0	1	1	0	1	2.0	-	3.0
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	2	0	2	2	0	2	4.1	-	6.0
Malignant neoplasms (140-205)	37	13	24	49	18	31	100.6	116.1	93.3
Benign & unspec. neoplasms (210-239)	1	1	0	2	2	0	4.1	12.9	-
Asthma (241)	0	0	0	1	0	1	2.0	-	3.0
Diabetes mellitus (260)	3	3	0	4	4	0	8.2	25.8	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	59	12	47	65	14	51	133.4	90.3	153.5
Nonmeningococcal meningitis (340)	0	0	0	1	0	1	2.0	-	3.0
Heart diseases (400-443)	115	34	81	126	43	83	258.6	277.4	249.8
Other hypertensive disease (444-447)	4	1	3	6	2	4	12.3	12.9	12.0
General arteriosclerosis (450)	2	0	2	3	1	2	6.2	6.4	6.0
Other circulatory diseases (451-468)	3	1	2	4	2	2	8.2	12.9	6.0
#Influenza & pneumonia (480-493)	28	1	27	32	5	27	65.7	32.2	81.2
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	1	1	0	2	1	1	4.1	6.4	3.0
Gastritis, etc. (543, 571, 572)	10	0	10	10	1	9	20.5	6.4	27.1
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	1	0	1	2.0	-	3.0
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	1	1	0	2.0	6.4	-
Chronic nephritis, etc. (592-594)	3	0	3	4	1	3	8.2	6.4	9.0
Infections of kidney (600)	2	0	2	4	1	3	8.2	6.4	9.0
Hyperplasia of prostate (610)	1	0	1	3	1	2	6.2	6.4	6.0
Maternal causes (640-689)	4	1	3	2	0	2	13.9	-	17.2
Congenital malformations (750-759)	2	0	2	3	1	2	6.2	6.4	6.0
Diseases of early infancy (760-776)	34	4	30	40	6	34	27.8	22.2	29.2
Accidents (800-962)	40	16	24	41	14	27	84.1	90.3	81.2
Motor vehicle acc. (810-835)	17	9	8	18	8	10	36.9	51.6	30.1
Suicide (963, 970-979)	2	2	0	3	3	0	6.2	19.4	-
Homicide (964, 980-985)	6	2	4	3	0	3	6.2	-	9.0
Ill-defined (780-795)	45	4	41	44	4	40	90.3	25.8	120.4

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
TALLAHATCHIE COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	702	125	577	745	151	594	30.3	17.2	37.6
Fetal deaths	31	3	28	34	7	27	45.6	46.4	45.4
Total deaths	265	82	183	289	100	189	11.8	11.4	12.0
Deaths under 1 year	39	1	38	42	3	39	56.4	19.9	65.6
Deaths under 28 days	28	1	27	27	2	25	36.2	13.2	42.1
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	1	0	1	4.1	-	6.3
Syphilis (020-029)	1	0	1	1	0	1	4.1	-	6.3
Typhoid fever (040)	0	0	0	1	1	0	4.1	11.4	-
Dysentery (045-048)	1	0	1	1	0	1	4.1	-	6.3
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	28	13	15	35	17	18	142.4	193.8	113.8
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	3	1	2	3	1	2	12.2	11.4	12.6
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	27	7	20	39	13	26	158.7	148.2	164.4
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	96	34	62	94	36	58	382.4	410.5	366.8
Other hypertensive disease (444-447)	2	1	1	3	1	2	12.2	11.4	12.6
General arteriosclerosis (450)	3	3	0	5	4	1	20.3	45.6	6.3
Other circulatory diseases (451-468)	0	0	0	2	1	1	8.1	11.4	6.3
#Influenza & pneumonia (480-493)	2	0	2	5	2	3	20.3	22.8	19.0
Bronchitis (500-502)	1	0	1	1	0	1	4.1	-	6.3
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Gastritis, etc. (543, 571, 572)	4	0	4	6	1	5	24.4	11.4	31.6
Hernia & intestinal obstruction (560, 561, 570)	2	0	2	2	0	2	8.1	-	12.6
Cirrhosis of liver (581)	2	1	1	4	3	1	16.3	34.2	6.3
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	6	1	5	5	0	5	20.3	-	31.6
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	1	0	1	1	0	1	4.1	-	6.3
Maternal causes (640-689)	2	0	2	3	0	3	40.3	-	50.5
Congenital malformations (750-759)	4	0	4	3	0	3	12.2	-	19.0
Diseases of early infancy (760-776)	21	0	21	21	1	20	28.2	6.6	33.7
Accidents (800-962)	19	12	7	13	9	4	52.9	102.6	25.3
Motor vehicle acc. (810-835)	9	7	2	5	4	1	20.3	45.6	6.3
Suicide (963, 970-979)	1	1	0	1	1	0	4.1	11.4	-
Homicide (964, 980-985)	6	2	4	5	1	4	20.3	11.4	25.3
Ill-defined (780-795)	24	3	21	25	4	21	101.7	45.6	132.8

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
TATE COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	332	11	321	530	155	375	27.8	18.9	34.5
Fetal deaths	14	1	13	24	4	20	45.3	25.8	53.3
Total deaths	138	47	91	184	77	107	9.6	9.4	9.8
Deaths under 1 year	17	1	16	26	7	19	49.0	45.2	50.7
Deaths under 28 days	7	0	7	14	5	9	26.4	32.2	24.0
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	0	2	2	0	2	10.5	-	18.4
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	1	0	1	1	0	1	5.2	-	9.2
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	1	0	1	1	0	1	5.2	-	9.2
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	13	7	6	21	13	8	110.2	158.7	73.6
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	3	2	1	5	4	1	26.2	48.8	9.2
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	16	5	11	22	7	15	115.4	85.5	138.0
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	62	27	35	72	36	36	377.8	439.6	331.2
Other hypertensive disease (444-447)	0	0	0	1	0	1	5.2	-	9.2
General arteriosclerosis (450)	0	0	0	0	0	0	-	-	-
Other circulatory diseases (451-468)	1	0	1	1	0	1	5.2	-	9.2
#Influenza & pneumonia (480-493)	3	0	3	4	0	4	21.0	-	36.8
Bronchitis (500-502)	1	0	1	1	0	1	5.2	-	9.2
Stomach & duodenal ulcers (540, 541)	0	0	0	1	0	1	5.2	-	9.2
Gastritis, etc. (543, 571, 572)	1	0	1	3	0	3	15.7	-	27.6
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	2	1	1	10.5	12.2	9.2
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	2	1	1	2	1	1	10.5	12.2	9.2
Infections of kidney (600)	1	1	0	1	1	0	5.2	12.2	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	0	1	4	3	1	21.0	36.6	9.2
Diseases of early infancy (760-776)	5	0	5	9	3	6	17.0	19.4	16.0
Accidents (800-962)	10	3	7	8	2	6	42.0	24.4	55.2
Motor vehicle acc. (810-835)	6	3	3	2	1	1	10.5	12.2	9.2
Suicide (963, 970-979)	1	0	1	1	0	1	5.2	-	9.2
Homicide (964, 980-985)	2	0	2	3	1	2	15.7	12.2	18.4
Ill-defined (780-795)	10	0	10	11	0	11	57.7	-	101.2

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
TIPPAH COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	394	294	100	345	252	93	21.0	18.4	35.0
Fetal deaths	22	11	11	18	10	8	52.2	39.7	86.0
Total deaths	130	111	19	162	142	20	9.9	10.3	7.5
Deaths under 1 year	12	7	5	9	5	4	26.1	19.8	43.0
Deaths under 28 days	9	6	3	7	4	3	20.3	15.9	32.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	1	0	1	1	0	6.1	7.3	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	1	0	1	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	19	19	0	21	21	0	128.1	152.9	-
Benign & unspec. neoplasms (210-239)	0	0	0	1	0	1	6.1	-	37.6
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	1	0	1	1	0	6.1	7.3	-
Anemias (290-293)	0	0	0	1	1	0	6.1	7.3	-
Intracranial lesions (330-334)	17	12	5	29	24	5	176.9	174.8	188.0
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	56	49	7	61	54	7	372.2	393.3	263.2
Other hypertensive disease (444-447)	0	0	0	2	1	1	12.2	7.3	37.6
General arteriosclerosis (450)	3	3	0	3	3	0	18.3	21.8	-
Other circulatory diseases (451-468)	0	0	0	1	0	1	6.1	-	37.6
#Influenza & pneumonia (480-493)	1	1	0	4	4	0	24.4	29.1	-
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	1	1	0	6.1	7.3	-
Gastritis, etc. (543, 571, 572)	3	1	2	3	1	2	18.3	7.3	75.2
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	1	1	0	6.1	7.3	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	3	2	1	2	1	1	12.2	7.3	37.6
Diseases of early infancy (760-776)	5	4	1	4	3	1	11.6	11.9	10.8
Accidents (800-962)	10	8	2	13	12	1	79.3	87.4	37.6
Motor vehicle acc. (810-835)	7	6	1	5	5	0	30.5	36.4	-
Suicide (963, 970-979)	1	1	0	1	1	0	6.1	7.3	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	4	4	0	5	5	0	30.5	36.4	-

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
TISHOMINGO COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	178	165	13	249	230	19	17.0	16.6	24.7
Fetal deaths	2	1	1	3	2	1	12.0	8.7	52.6
Total deaths	115	105	10	148	137	11	10.1	9.9	14.3
Deaths under 1 year	3	3	0	7	7	0	28.1	30.4	-
Deaths under 28 days	2	2	0	5	5	0	20.1	21.7	-
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	1	0	2	2	0	13.7	14.4	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	16	15	1	19	18	1	130.0	130.0	129.9
Benign & unspec. neoplasms (210-239)	1	1	0	2	2	0	13.7	14.4	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	1	0	2	2	0	13.7	14.4	-
Anemias (290-293)	0	0	0	2	2	0	13.7	14.4	-
Intracranial lesions (330-334)	24	21	3	33	30	3	225.7	216.6	389.6
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	34	31	3	42	39	3	287.3	281.6	389.6
Other hypertensive disease (444-447)	1	0	1	1	0	1	6.8	-	129.9
General arteriosclerosis (450)	2	2	0	2	2	0	13.7	14.4	-
Other circulatory diseases (451-468)	1	1	0	2	2	0	13.7	14.4	-
#Influenza & pneumonia (480-493)	5	5	0	6	6	0	41.0	43.3	-
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	1	1	0	6.8	7.2	-
Gastritis, etc. (543, 571, 572)	0	0	0	1	1	0	6.8	7.2	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	1	1	0	6.8	7.2	-
Infections of kidney (600)	1	1	0	1	1	0	6.8	7.2	-
Hyperplasia of prostate (610)	1	0	1	1	0	1	6.8	-	129.9
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	3	3	0	20.5	21.7	-
Diseases of early infancy (760-776)	1	1	0	2	2	0	8.0	8.7	-
Accidents (800-962)	10	10	0	8	8	0	54.7	57.8	-
Motor vehicle acc. (810-835)	5	5	0	4	4	0	27.4	28.9	-
Suicide (963, 970-979)	3	3	0	3	3	0	20.5	21.7	-
Homicide (964, 980-985)	2	2	0	2	2	0	13.7	14.4	-
Ill-defined (780-795)	6	5	1	5	3	2	34.2	21.7	259.7

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
 AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
 TUNICA COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	602	59	543	599	66	533	34.8	18.1	39.2
Fetal deaths	35	1	34	30	1	29	50.1	15.2	54.4
Total deaths	222	31	191	232	33	199	13.5	9.1	14.6
Deaths under 1 year	54	2	52	55	3	52	91.8	45.4	97.6
Deaths under 28 days	28	2	26	28	3	25	46.7	45.4	46.9
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	2	0	2	11.6	-	14.7
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	1	0	1	1	0	1	5.8	-	7.4
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	1	0	1	1	0	1	5.8	-	7.4
Malignant neoplasms (140-205)	19	2	17	22	3	19	127.7	82.4	139.8
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	1	0	1	1	0	1	5.8	-	7.4
Diabetes mellitus (260)	1	0	1	2	0	2	11.6	-	14.7
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	26	6	20	30	6	24	174.1	164.8	176.6
Nonmeningococcal meningitis (340)	1	0	1	1	0	1	5.8	-	7.4
Heart diseases (400-443)	54	11	43	55	11	44	319.2	302.2	323.8
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	0	0	0	0	0	0	-	-	-
Other circulatory diseases (451-468)	0	0	0	0	0	0	-	-	-
#Influenza & pneumonia (480-493)	16	1	15	18	1	17	104.5	27.5	125.1
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Gastritis, etc. (543, 571, 572)	10	0	10	10	0	10	58.0	-	73.6
Hernia & intestinal obstruction (560, 561, 570)	1	0	1	1	0	1	5.8	-	7.4
Cirrhosis of liver (581)	5	1	4	5	1	4	29.0	27.5	29.4
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	0	1	2	0	2	11.6	-	14.7
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	2	0	2	1	0	1	16.7	-	18.8
Congenital malformations (750-759)	3	1	2	3	1	2	17.4	27.5	14.7
Diseases of early infancy (760-776)	20	1	19	20	2	18	33.4	30.3	33.8
Accidents (800-962)	21	2	19	19	3	16	110.3	82.4	117.7
Motor vehicle acc. (810-835)	10	2	8	9	2	7	52.2	54.9	51.5
Suicide (963, 970-979)	2	2	0	2	2	0	11.6	54.9	-
Homicide (964, 980-985)	3	1	2	2	1	1	11.6	27.5	7.4
Ill-defined (780-795)	31	3	28	29	2	27	168.3	54.9	198.7

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
UNION COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	377	277	100	385	285	100	20.4	18.0	33.6
Fetal deaths	39	32	7	32	26	6	83.1	91.2	60.0
Total deaths	189	156	33	198	162	36	10.5	10.2	12.1
Deaths under 1 year	9	6	3	10	7	3	26.0	24.6	30.0
Deaths under 28 days	8	6	2	8	6	2	20.8	21.0	20.0
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	1	0	5.3	6.3	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	24	22	2	27	22	5	143.4	138.8	167.8
Benign & unspec. neoplasms (210-239)	1	1	0	1	1	0	5.3	6.3	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	0	1	1	0	1	5.3	-	33.6
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	44	35	9	42	33	9	223.0	208.2	302.0
Nonmeningococcal meningitis (340)	1	1	0	1	1	0	5.3	6.3	-
Heart diseases (400-443)	64	53	11	64	53	11	339.9	334.4	369.1
Other hypertensive disease (444-447)	2	2	0	2	2	0	10.6	12.6	-
General arteriosclerosis (450)	3	3	0	3	3	0	15.9	18.9	-
Other circulatory diseases (451-468)	1	1	0	1	1	0	5.3	6.3	-
#Influenza & pneumonia (480-493)	5	5	0	8	8	0	42.5	50.5	-
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	1	1	0	1	1	0	5.3	6.3	-
Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	2	1	1	2	1	1	10.6	6.3	33.6
Cirrhosis of liver (581)	0	0	0	1	1	0	5.3	6.3	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	0	1	0	0	0	-	-	-
Infections of kidney (600)	1	1	0	1	1	0	5.3	6.3	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	2	2	0	3	3	0	15.9	18.9	-
Diseases of early infancy (760-776)	8	6	2	7	5	2	18.2	17.5	20.0
Accidents (800-962)	10	6	4	12	7	5	63.7	44.2	167.8
Motor vehicle acc. (810-835)	2	2	0	5	5	0	26.6	31.5	-
Suicide (963, 970-979)	6	6	0	6	6	0	31.9	37.8	-
Homicide (964, 980-985)	1	1	0	1	1	0	5.3	6.3	-
Ill-defined (780-795)	6	4	2	7	5	2	37.2	31.5	67.1

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
WALTHALL COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	470	267	203	299	124	175	23.4	17.7	30.4
Fetal deaths	35	22	13	21	8	13	70.2	64.5	74.3
Total deaths	115	67	48	118	64	54	9.2	9.1	9.4
Deaths under 1 year	12	4	8	10	3	7	33.4	24.2	40.0
Deaths under 28 days	8	4	4	6	3	3	20.1	24.2	17.1
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	1	1	0	7.8	14.2	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	1	1	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	16	14	2	12	9	3	93.9	128.2	52.1
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	3	3	0	2	2	0	15.6	28.5	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	19	9	10	19	9	10	148.7	128.2	173.6
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	34	22	12	33	18	15	258.2	256.4	260.4
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	2	1	1	2	1	1	15.6	14.2	17.4
Other circulatory diseases (451-468)	1	1	0	1	1	0	7.8	14.2	-
#Influenza & pneumonia (480-493)	5	1	4	6	1	5	46.9	14.2	86.8
Bronchitis (500-502)	1	0	1	1	0	1	7.8	-	17.4
Stomach & duodenal ulcers (540, 541)	1	1	0	1	1	0	7.8	14.2	-
Gastritis, etc. (543, 571, 572)	2	1	1	2	1	1	15.6	14.2	17.4
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	2	2	0	15.6	28.5	-
Cirrhosis of liver (581)	2	1	1	1	1	0	7.8	14.2	-
Acute nephritis (590, 591)	0	0	0	2	1	1	15.6	14.2	17.4
Chronic nephritis, etc. (592-594)	1	1	0	1	1	0	7.8	14.2	-
Infections of kidney (600)	1	0	1	1	0	1	7.8	14.2	-
Hyperplasia of prostate (610)	1	0	1	1	0	1	7.8	-	17.4
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	3	2	1	2	1	1	15.6	14.2	17.4
Diseases of early infancy (760-776)	6	2	4	5	2	3	16.7	16.1	17.1
Accidents (800-962)	3	0	3	9	5	4	70.4	71.2	69.4
Motor vehicle acc. (810-835)	0	0	0	3	3	0	23.5	42.7	-
Suicide (963, 970-979)	1	0	1	1	0	1	7.8	-	17.4
Homicide (964, 980-985)	2	1	1	2	0	2	15.6	-	34.7
Ill-defined (780-795)	2	1	1	4	3	1	31.3	42.7	17.4

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
WARREN COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	1,482	593	889	1,127	508	619	25.9	22.1	30.1
Fetal deaths	142	67	75	98	52	46	87.0	102.4	74.3
Total deaths	690	256	434	541	219	322	12.4	9.5	15.6
Deaths under 1 year	76	12	64	46	10	36	40.8	19.7	58.2
Deaths under 28 days	53	10	43	30	8	22	26.6	15.7	35.5
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	4	1	3	4	1	3	9.2	4.4	14.6
Syphilis (020-029)	1	0	1	1	0	1	2.3	-	4.8
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	1	0	1	1	0	1	2.3	-	4.8
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	93	44	49	72	37	35	165.2	161.0	170.0
Benign & unspec. neoplasms (210-239)	1	1	0	1	1	0	2.3	4.4	-
Asthma (241)	1	0	1	0	0	0	-	-	-
Diabetes mellitus (260)	15	4	11	8	2	6	18.4	8.7	29.1
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	102	33	69	88	30	58	202.0	130.5	281.7
Nonmeningococcal meningitis (340)	2	0	2	0	0	0	-	-	-
Heart diseases (400-443)	186	84	102	154	73	81	353.4	317.7	393.4
Other hypertensive disease (444-447)	6	3	3	5	3	2	11.5	13.0	9.7
General arteriosclerosis (450)	18	7	11	16	5	11	36.7	21.8	53.4
Other circulatory diseases (451-468)	2	1	1	3	2	1	6.9	8.7	4.8
#Influenza & pneumonia (480-493)	18	6	12	16	6	10	36.7	26.1	48.6
Bronchitis (500-502)	2	1	1	2	1	1	4.6	4.4	4.8
Stomach & duodenal ulcers (540, 541)	4	2	2	2	2	0	4.6	8.7	-
Gastritis, etc. (543, 571, 572)	7	0	7	5	0	5	11.5	-	24.3
Hernia & intestinal obstruction (560, 561, 570)	6	3	3	2	2	0	4.6	8.7	-
Cirrhosis of liver (581)	6	3	3	6	4	2	13.8	17.4	9.7
Acute nephritis (590, 591)	2	0	2	1	0	1	2.3	-	4.8
Chronic nephritis, etc. (592-594)	5	1	4	4	1	3	9.2	4.4	14.6
Infections of kidney (600)	4	0	4	4	0	4	9.2	-	19.4
Hyperplasia of prostate (610)	5	2	3	5	1	4	11.5	4.4	19.4
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	8	3	5	7	3	4	16.1	13.0	19.4
Diseases of early infancy (760-776)	52	8	44	29	6	23	25.7	11.8	37.2
Accidents (800-962)	50	23	27	30	18	12	68.8	78.3	58.3
Motor vehicle acc. (810-835)	17	8	9	8	4	4	18.4	17.4	19.4
Suicide (963, 970-979)	1	1	0	1	1	0	2.3	4.4	-
Homicide (964, 980-985)	6	1	5	6	1	5	13.8	4.4	24.3
Ill-defined (780-795)	57	15	42	53	14	39	121.6	60.9	189.4

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
 AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
 WASHINGTON COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	2,547	966	1,581	2,437	914	1,523	31.9	26.0	36.8
Fetal deaths	186	98	88	177	87	90	72.6	95.2	59.1
Total deaths	807	286	521	837	256	581	10.9	7.3	14.0
Deaths under 1 year	114	28	86	114	22	92	46.8	24.1	60.4
Deaths under 28 days	82	26	56	80	20	60	32.8	21.9	39.4
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	3	0	3	2	0	2	2.6	-	4.8
Syphilis (020-029)	0	0	0	1	0	1	1.3	-	2.4
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	1	0	1	1.3	-	2.4
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	94	46	48	92	36	56	120.3	102.5	135.4
Benign & unspec. neoplasms (210-239)	1	1	0	2	1	1	2.6	2.8	2.4
Asthma (241)	1	0	1	1	0	1	1.3	-	2.4
Diabetes mellitus (260)	8	2	6	8	2	6	10.5	5.7	14.5
Anemias (290-293)	1	0	1	1	0	1	1.3	-	2.4
Intracranial lesions (330-334)	82	25	57	87	21	66	113.8	59.8	159.6
Nonmeningococcal meningitis (340)	2	1	1	3	1	2	3.9	2.8	4.8
Heart diseases (400-443)	225	85	140	232	79	153	303.3	224.9	369.9
Other hypertensive disease (444-447)	12	8	4	13	7	6	17.0	19.9	14.5
General arteriosclerosis (450)	10	5	5	11	5	6	14.4	14.2	14.5
Other circulatory diseases (451-468)	7	3	4	8	2	6	10.5	5.7	14.5
#Influenza & pneumonia (480-493)	26	9	17	27	9	18	35.3	25.6	43.5
Bronchitis (500-502)	1	1	0	1	1	0	1.3	2.8	-
Stomach & duodenal ulcers (540, 541)	1	1	0	1	0	1	1.3	-	2.4
Gastritis, etc. (543, 571, 572)	14	1	13	14	1	13	18.3	2.8	31.4
Hernia & intestinal obstruction (560, 561, 570)	6	2	4	5	1	4	6.5	2.8	9.7
Cirrhosis of liver (581)	1	1	0	1	1	0	1.3	2.8	-
Acute nephritis (590, 591)	1	0	1	3	0	3	3.9	-	7.2
Chronic nephritis, etc. (592-594)	14	5	9	14	4	10	18.3	11.4	24.2
Infections of kidney (600)	3	2	1	4	2	2	5.2	5.7	4.8
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	4	0	4	5	1	4	20.5	10.9	26.3
Congenital malformations (750-759)	9	3	6	10	2	8	13.1	5.7	19.3
Diseases of early infancy (760-776)	71	24	47	69	19	50	28.3	20.8	32.8
Accidents (800-962)	58	30	28	59	28	31	77.1	79.7	75.0
Motor vehicle acc. (810-835)	24	12	12	21	12	9	27.4	34.2	21.8
Suicide (963, 970-979)	6	5	1	5	4	1	6.5	11.4	2.4
Homicide (964, 980-985)	6	1	5	7	1	6	9.2	2.8	14.5
Ill-defined (780-795)	121	18	103	126	19	107	164.7	54.1	258.7

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
WAYNE COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	463	290	173	404	218	186	25.5	21.5	32.7
Fetal deaths	12	5	7	12	4	8	29.7	18.3	43.0
Total deaths	141	81	60	169	102	67	10.7	10.0	11.8
Deaths under 1 year	14	4	10	20	8	12	49.5	36.7	64.5
Deaths under 28 days	10	4	6	13	6	7	32.2	27.5	37.6
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	1	1	2	1	1	12.6	9.9	17.6
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	15	12	3	16	14	2	101.1	138.1	35.2
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	1	0	0	0	0	-	-	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	24	14	10	24	15	9	151.7	147.9	158.4
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	51	30	21	55	33	22	347.7	325.4	387.3
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	2	1	1	2	1	1	12.6	9.9	17.6
Other circulatory diseases (451-468)	1	1	0	2	1	1	12.6	9.9	17.6
#Influenza & pneumonia (480-493)	4	2	2	7	6	1	44.2	59.2	17.6
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Gastritis, etc. (543, 571, 572)	0	0	0	3	0	3	19.0	-	52.8
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	2	2	0	12.6	19.7	-
Cirrhosis of liver (581)	0	0	0	1	1	0	6.3	9.9	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	1	0	1	2	0	2	49.5	-	107.5
Congenital malformations (750-759)	2	2	0	2	2	0	12.6	19.7	-
Diseases of early infancy (760-776)	6	2	4	10	5	5	24.8	22.9	26.9
Accidents (800-962)	12	7	5	18	11	7	113.8	108.5	123.2
Motor vehicle acc. (810-835)	6	6	0	9	8	1	56.9	78.9	17.6
Suicide (963, 970-979)	3	2	1	2	1	1	12.6	9.9	17.6
Homicide (964, 980-985)	3	1	2	3	1	2	19.0	9.9	35.2
Ill-defined (780-795)	11	2	9	12	3	9	75.8	29.6	158.4

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
 AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
 WEBSTER COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	148	70	78	207	122	85	19.8	16.4	28.2
Fetal deaths	5	1	4	8	2	6	38.6	16.4	70.6
Total deaths	93	74	19	111	85	26	10.6	11.4	8.6
Deaths under 1 year	3	0	3	4	0	4	19.3	-	47.0
Deaths under 28 days	2	0	2	3	0	3	14.5	-	35.3
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	1	0	1	1	0	9.6	13.4	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	13	10	3	18	14	4	172.1	187.9	132.9
Benign & unspec. neoplasms (210-239)	1	1	0	1	1	0	9.6	13.4	-
Asthma (241)	1	1	0	1	1	0	9.6	13.4	-
Diabetes mellitus (260)	2	1	1	2	1	1	19.1	13.4	33.2
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	25	21	4	28	22	6	267.7	295.3	199.3
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	24	20	4	31	27	4	296.4	362.4	132.9
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	2	1	1	1	0	1	9.6	-	33.2
Other circulatory diseases (451-468)	0	0	0	1	1	0	9.6	13.4	-
#Influenza & pneumonia (480-493)	3	2	1	3	2	1	28.7	26.8	33.2
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	2	1	1	19.1	13.4	33.2
Cirrhosis of liver (581)	1	1	0	1	1	0	9.6	13.4	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	0	0	0	1	0	1	9.6	-	33.2
Hyperplasia of prostate (610)	2	2	0	2	2	0	19.1	26.8	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	1	0	1	2	0	2	9.7	-	23.5
Accidents (800-962)	6	5	1	7	6	1	66.9	80.5	33.2
Motor vehicle acc. (810-835)	2	2	0	2	2	0	19.1	26.8	-
Suicide (963, 970-979)	1	1	0	1	1	0	9.6	13.4	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	7	4	3	5	2	3	47.8	26.8	99.7

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
WILKINSON COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	405	175	230	343	65	278	28.4	21.7	30.6
Fetal deaths	16	6	10	14	2	12	40.8	30.8	43.2
Total deaths	131	48	83	135	36	99	11.2	12.0	10.9
Deaths under 1 year	11	2	9	14	3	11	40.8	46.2	39.6
Deaths under 28 days	4	0	4	7	2	5	20.4	30.8	18.0
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	1	1	4	1	3	33.1	33.4	33.0
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	1	0	1	1	0	1	8.3	-	11.0
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	21	10	11	18	4	14	149.0	133.8	154.0
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	1	0	2	1	1	16.6	33.4	11.0
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	28	4	24	29	6	23	240.1	200.7	253.0
Nonmeningococcal meningitis (340)	2	2	0	1	0	1	8.3	-	11.0
Heart diseases (400-443)	30	17	13	29	12	17	240.1	401.3	187.0
Other hypertensive disease (444-447)	2	1	1	2	1	1	16.6	33.4	11.0
General arteriosclerosis (450)	2	2	0	2	2	0	16.6	66.9	-
Other circulatory diseases (451-468)	1	1	0	1	0	1	8.3	-	11.0
#Influenza & pneumonia (480-493)	4	0	4	6	0	6	49.7	-	66.0
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	1	1	0	0	0	0	-	-	-
Gastritis, etc. (543, 571, 572)	2	0	2	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	3	1	2	2	1	1	16.6	33.4	11.0
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	2	2	0	0	0	0	-	-	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	1	0	1	1	0	1	8.3	-	11.0
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	5	0	5	10	2	8	29.2	30.8	28.8
Accidents (800-962)	7	2	5	8	2	6	66.2	66.9	66.0
Motor vehicle acc. (810-835)	1	1	0	1	1	0	8.3	33.4	-
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
111-defined (780-795)	14	2	12	15	2	13	124.2	66.9	143.0

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
WINSTON COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	335	141	194	377	154	223	18.9	12.7	28.2
Fetal deaths	11	1	10	13	2	11	34.5	13.0	49.3
Total deaths	191	133	58	221	153	68	11.1	12.7	8.6
Deaths under 1 year	10	6	4	13	9	4	34.5	58.4	17.9
Deaths under 28 days	6	4	2	8	6	2	21.2	39.0	9.0
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	1	0	1	5.0	-	12.6
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	1	1	0	1	1	0	5.0	8.3	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	17	12	5	19	14	5	95.1	115.9	63.3
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	0	0	0	1	0	1	5.0	-	12.6
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	26	19	7	29	21	8	145.1	173.8	101.3
Nonmeningococcal meningitis (340)	0	0	0	1	0	1	5.0	-	12.6
Heart diseases (400-443)	89	60	29	97	67	30	485.5	554.6	379.7
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	2	2	0	3	3	0	15.0	24.8	-
Other circulatory diseases (451-468)	2	1	1	2	1	1	10.0	8.3	12.6
#Influenza & pneumonia (480-493)	12	10	2	11	9	2	55.0	74.5	25.3
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Gastritis, etc. (543, 571, 572)	1	0	1	1	0	1	5.0	-	12.6
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	2	2	0	2	2	0	-	-	-
Maternal causes (640-689)	1	0	1	1	0	1	26.5	-	44.8
Congenital malformations (750-759)	1	0	1	2	1	1	10.0	8.3	12.6
Diseases of early infancy (760-776)	6	4	2	8	6	2	21.2	39.0	9.0
Accidents (800-962)	11	8	3	16	10	6	80.1	82.8	75.9
Motor vehicle acc. (810-835)	2	2	0	4	4	0	20.0	33.1	-
Suicide (963, 970-979)	4	4	0	4	4	0	20.0	33.1	-
Homicide (964, 980-985)	1	1	0	2	1	1	10.0	8.3	12.6
Ill-defined (780-795)	7	2	5	8	3	5	40.0	24.8	63.3

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
YALOBUSHA COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	295	114	181	287	106	181	23.1	15.2	33.3
Fetal deaths	9	4	5	8	4	4	27.9	37.7	22.1
Total deaths	137	92	45	164	108	56	13.2	15.5	10.3
Deaths under 1 year	12	1	11	15	3	12	52.3	28.3	66.3
Deaths under 28 days	5	1	4	7	1	6	24.4	9.4	33.1
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	0	1	8.1	-	18.4
Syphilis (020-029)	2	2	0	2	2	0	16.1	28.7	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	14	13	1	22	20	2	177.4	287.4	36.8
Benign & unspec. neoplasms (210-239)	2	1	1	0	0	0	-	-	-
Asthma (241)	1	1	0	1	1	0	8.1	14.4	-
Diabetes mellitus (260)	2	1	1	4	2	2	32.2	28.7	36.8
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	33	25	8	31	22	9	250.0	316.1	165.4
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	35	24	11	37	27	10	298.4	387.9	183.8
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	2	2	0	3	3	0	24.2	43.1	-
Other circulatory diseases (451-468)	1	0	1	3	1	2	24.2	14.4	36.8
#Influenza & pneumonia (480-493)	7	6	1	8	6	2	64.5	86.2	36.8
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	1	0	1	8.1	-	18.4
Gastritis, etc. (543, 571, 572)	1	0	1	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	2	1	1	16.1	14.4	18.4
Cirrhosis of liver (581)	1	1	0	1	1	0	8.1	14.4	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	0	1	0	0	0	-	-	-
Infections of kidney (600)	1	1	0	1	1	0	8.1	14.4	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	0	1	2	0	2	16.1	-	36.8
Diseases of early infancy (760-776)	4	1	3	6	1	5	20.9	9.4	27.6
Accidents (800-962)	10	5	5	16	8	8	129.0	114.9	147.0
Motor vehicle acc. (810-835)	4	2	2	8	5	3	64.5	71.8	55.1
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	0	0	0	2	2	0	16.1	28.7	-
Ill-defined (780-795)	10	2	8	11	3	8	88.7	43.1	147.0

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
 AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
 YAZOO COUNTY, MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	866	275	591	898	281	617	26.4	21.1	29.8
Fetal deaths	30	5	25	34	6	28	37.9	21.4	45.4
Total deaths	362	118	244	402	131	271	11.8	9.8	13.1
Deaths under 1 year	38	12	26	44	12	32	49.0	42.7	51.9
Deaths under 28 days	21	11	10	22	10	12	24.5	35.6	19.4
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	1	1	3	1	2	8.8	7.5	9.7
Syphilis (020-029)	1	1	0	1	1	0	2.9	7.5	-
Typhoid fever (040)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	41	13	28	43	15	28	126.5	112.9	135.3
Benign & unspec. neoplasms (210-239)	1	0	1	1	0	1	2.9	-	4.8
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	3	1	2	3	1	2	8.8	7.5	9.7
Anemias (290-293)	1	1	0	1	1	0	2.9	7.5	-
Intracranial lesions (330-334)	56	11	45	64	13	51	188.3	97.8	246.4
Nonmeningococcal meningitis (340)	1	0	1	1	0	1	2.9	-	4.8
Heart diseases (400-443)	83	37	46	98	45	53	288.3	338.6	256.0
Other hypertensive disease (444-447)	8	0	8	8	0	8	23.5	-	38.6
General arteriosclerosis (450)	7	2	5	6	3	3	17.6	22.6	14.5
Other circulatory diseases (451-468)	0	0	0	0	0	0	-	-	-
#Influenza & pneumonia (480-493)	11	3	8	14	3	11	41.2	22.6	53.1
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Gastritis, etc. (543, 571, 572)	2	0	2	4	1	3	11.8	7.5	14.5
Hernia & intestinal obstruction (560, 561, 570)	1	0	1	1	0	1	2.9	-	4.8
Cirrhosis of liver (581)	0	0	0	1	1	0	2.9	7.5	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	4	0	4	4	0	4	11.8	-	19.3
Infections of kidney (600)	2	1	1	2	2	0	5.9	15.0	-
Hyperplasia of prostate (610)	3	1	2	2	1	1	5.9	7.5	4.8
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	20	9	11	22	10	12	24.5	35.6	19.4
Accidents (800-962)	30	10	20	32	8	24	94.1	60.2	115.9
Motor vehicle acc. (810-835)	13	9	4	12	6	6	35.3	45.1	29.0
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	3	1	2	3	1	2	8.8	7.5	9.7
Ill-defined (780-795)	63	16	47	67	14	53	197.1	105.3	256.0

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,  
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH  
STATE OF MISSISSIPPI, 1962

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	59372	27859	31513	58921	27512	31409	26.1	20.8	33.5
Fetal deaths	2785	1300	1485	2742	1267	1475	46.5	46.0	47.0
Total deaths	22447	11663	10784	22713	11868	10845	10.0	9.0	11.6
Deaths under 1 year	2340	691	1649	2353	705	1648	39.9	25.6	52.5
Deaths under 28 days	1449	545	904	1456	550	906	24.7	20.0	28.8
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	122	54	68	128	56	72	5.7	4.2	7.7
Syphilis (020-029)	25	9	16	26	8	18	1.2	0.6	1.9
Typhoid fever (040)	3	1	2	3	1	2	0.1	0.1	0.2
Dysentery (045-048)	17	3	14	16	3	13	0.7	0.2	1.4
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	2	0	2	2	0	2	0.1	-	0.2
Whooping cough (056)	7	0	7	7	0	7	0.3	-	0.7
Meningococcal infections (057)	10	8	2	11	8	3	0.5	0.6	0.3
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	11	2	9	11	2	9	0.5	0.2	1.0
Malignant neoplasms (140-205)	2746	1735	1011	2827	1793	1034	125.2	135.7	110.4
Benign & unspec. neoplasms (210-239)	53	28	25	59	33	26	2.6	2.5	2.8
Asthma (241)	44	20	24	43	19	24	1.9	1.4	2.6
Diabetes mellitus (260)	296	157	139	306	165	141	13.6	12.5	15.0
Anemias (290-293)	48	19	29	52	20	32	2.3	1.5	3.4
Intracranial lesions (330-334)	3086	1531	1555	3112	1552	1560	137.8	117.5	166.5
Nonmeningococcal meningitis (340)	50	15	35	50	16	34	2.2	1.2	3.6
Heart diseases (400-443)	7011	4154	2857	7077	4206	2871	313.4	318.4	306.4
Other hypertensive disease (444-447)	225	85	140	224	85	139	9.9	6.4	14.8
General arteriosclerosis (450)	339	213	126	345	217	128	15.3	16.4	13.7
Other circulatory diseases (451-468)	230	139	91	244	151	93	10.8	11.4	9.9
#Influenza & pneumonia (480-493)	873	358	515	879	362	517	38.9	27.4	55.2
Bronchitis (500-502)	46	24	22	50	27	23	2.2	2.0	2.4
Stomach & duodenal ulcers (540, 541)	82	56	26	86	58	28	3.8	4.4	3.0
Gastritis, etc. (543, 571, 572)	247	58	189	247	59	188	10.9	4.5	20.1
Hernia & intestinal obstruction (560, 561, 570)	112	60	52	108	56	52	4.8	4.2	5.5
Cirrhosis of liver (581)	125	87	38	131	94	37	5.8	7.1	3.9
Acute nephritis (590, 591)	41	14	27	42	15	27	1.8	1.1	2.9
Chronic nephritis, etc. (592-594)	211	72	139	210	73	137	9.3	5.5	14.6
Infections of kidney (600)	144	80	64	155	88	67	6.9	6.7	7.2
Hyperplasia of prostate (610)	88	35	53	91	38	53	4.0	2.9	5.6
Maternal causes (640-689)	54	6	48	55	7	48	9.3	2.5	15.3
Congenital malformations (750-759)	232	131	101	253	149	104	11.2	11.3	11.1
Diseases of early infancy (760-776)	1248	450	798	1249	452	797	21.2	16.4	25.4
Accidents (800-962)	1571	853	718	1557	846	711	69.0	64.0	75.9
Motor vehicle acc. (810-835)	662	435	227	625	414	211	27.7	31.3	22.5
Suicide (963, 970-979)	164	143	21	168	147	21	7.4	11.1	2.2
Homicide (964, 980-985)	200	49	151	196	45	151	8.7	3.4	16.1
Ill-defined (780-795)	1759	479	1280	1743	470	1273	77.2	35.6	135.9

See page 55 for footnotes.