


**VITAL STATISTICS
MISSISSIPPI
1965**



**Public Health Statistics
Mississippi State Board of Health
Jackson, Mississippi
A. L. Gray, M. D., Executive Officer**

VITAL STATISTICS

MISSISSIPPI

1965

MISSISSIPPI STATE BOARD OF HEALTH
JACKSON, MISSISSIPPI

A. L. GRAY, M. D., EXECUTIVE OFFICER

TABLE OF CONTENTS

	Page
SYNOPSIS OF VITAL STATISTICS, MISSISSIPPI, 1965	
Introduction	I
Live Births.....	II
Fetal Deaths	VI
Deaths	VIII
Marriages	XVIII
Divorces	XXI
 POPULATION	
Table 1. Estimated Population, by County, by Race, Mississippi, July 1, 1965	1
 LIVE BIRTHS	
Table 2. By Place of Occurrence, and by Place of Residence of Mother, by Race, with Rates, Mississippi, 1965	3
Table 3. By Place of Residence of Mother, by Race and Attendant, and by Sex, Mississippi, 1965	6
 FETAL DEATHS	
Table 4. By Place of Occurrence; by Place of Residence of Mother, by Race and Attendant, and by Sex, Mississippi, 1965	10
 DEATHS	
Table 5. By Cause of Death, by Race, Residence Data, Mississippi, 1965	14
Table 6. By Place of Occurrence, and by Place of Residence, by Race, with Rates, Mississippi, 1965	25
Table 7. By Cause Groups and Certain Selected Causes, by Race, Sex, and Age, with Total Rates, Residence Data, Mississippi, 1965	28
 DEATHS UNDER 1 YEAR	
Table 8. By Selected Causes, by Race and Age, with Total Rates, Residence Data, Mississippi, 1965	37

MARRIAGES AND DIVORCES

Table 9. Marriages by Place of Licensure, and by Place of Residence of Bride, by Race of Bride; Divorces by Place of Occurrence, by Race, Mississippi, 1965	41
Table 10. Divorces by Cause of Divorce, by Race, Mississippi, 1965 ...	43
Divorces by Number of Minor Children, by Race, Mississippi, 1965	43
Divorces by Number of Years Married, by Race, Mississippi, 1965	43

SUMMARY TABLES

Table 11. <u>Live Births, Mississippi, 1913-1965</u> , by Year, by Race, with Rates, Occurrence Data 1913-1943, Residence Data 1944-1965	44
Table 12. <u>Deaths, Mississippi, 1913-1965</u> , by Year, by Race, with Rates, Occurrence Data 1913-1943, Residence Data 1944-1965	46
Table 13. <u>Maternal Deaths, Mississippi, 1913-1965</u> , by Year, by Race, with Rates, Occurrence Data 1913-1943, Residence Data 1944-1965	48
Table 14. <u>Deaths Under 1 Year, Mississippi, 1917-1965</u> , by Year, by Race, with Rates, Occurrence Data 1917-1943, Residence Data 1944-1965	50
Table 15. <u>Deaths Under 1 Month, Mississippi, 1924-1965</u> , by Year, by Race, with Rates, Occurrence Data 1924-1944, Residence Data 1945-1965	52
Table 16. <u>Deaths from Heart Diseases, Vascular Lesions, Malignant Neoplasms, Accidents, and Influenza and Pneumonia, Mississippi, 1956-1965</u> , by Year, by Race, with Rates, Residence Data	53
Table 17. <u>Marriages and Divorces, Mississippi, 1926-1965</u> , by Year, by Race, Occurrence Data	54

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH,
by Place of Occurrence, and by Place of Residence, by Race, with Rates, 1965

County Tables	57
State Table	139

SYNOPSIS OF VITAL STATISTICS
MISSISSIPPI, 1965

INTRODUCTION

The 1965 Vital Statistics Bulletin is the twenty-third consecutive issue prepared from data obtained from records of live births, fetal deaths, deaths, marriages, and divorces collected by the Division of Public Health Statistics.

Population (See Table 1.)

Population figures used in this bulletin are estimates as of July 1, 1965, prepared by the Division of Sociology and Rural Life, Mississippi State University. These new estimates show an increase of approximately 152,000 people or 7 percent since the census of 1960. The rate of increase was about the same (7 percent) for both races, but the numerical gain of 87,000 for whites was greater than that of 65,000 for the nonwhites. Although the population has increased, comparison of this information with the natural increase (births minus deaths) reveals that migration from the state has continued. Out-migration greatly accelerated from 1963 to 1964 and accelerated again from 1964 to 1965. Figures for individual counties show that since 1960, 64 counties have gained population, 14 have lost, and 4 were considered to have had no change since the difference was less than 0.6 percent.

Rates

Rates for the state and counties by race were calculated using the new population estimates, but no age or sex-specific rates (except the infant and maternal death rates and the fetal death ratios which are all based on live births) and no city rates were calculated because current estimates by age and sex and by city are not available.

Urban-Rural Classification

Incorporated towns with populations of 2,500 or more according to the 1960 census were considered as urban areas. All other areas were classified as rural.

Occurrence and Residence Allocation

Births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent, except that deaths of inmates of institutions were reallocated to place of previous residence regardless of length of stay in the institution.

Vital Statistics
Mississippi - 1965

During 1965, transcripts were received from other states for 2,377 vital events (births, deaths, and fetal deaths) to residents of Mississippi, and 2,101 such events occurred in this state to nonresidents. (See Table A.) The four states which border on Mississippi (Alabama, Arkansas, Louisiana, and Tennessee) sent 87 percent of the transcripts, but they were received from a total of 39 states, the District of Columbia, and one foreign country.

Table A. Transcripts received, by place of occurrence,
and nonresident certificates

Place of Occurrence	Total Records	Live Births	Fetal Deaths	Deaths
<u>Transcripts</u>	<u>2,377</u>	<u>1,272</u>	<u>26</u>	<u>1,079</u>
Tennessee	1,301	698	22	581
Louisiana	411	219	0	192
Alabama	306	190	3	113
Texas	42	10	0	32
Arkansas	41	17	0	24
Illinois	39	12	0	27
Missouri	38	23	0	15
Other places	199	103	1	95
<u>Nonresident certificates</u>	<u>2,101</u>	<u>1,304</u>	<u>69</u>	<u>728</u>

Marriages were classified according to place of issuance of marriage license and also place of residence of bride. Since there is no exchange among the states of transcripts of marriage records for nonresidents, out-of-state marriages of Mississippi brides were not included in the tabulations. Divorces were classified only according to place where the decree was granted.

Classification of Causes of Death

Causes of death were assigned according to the seventh revision (1955) of the International Statistical Classification of Diseases, Injuries, and Causes of Death. Only the underlying cause of death was coded. Since the seventh revision differs only slightly from the sixth revision used from 1949 through 1957, figures for 1949-1965 are comparable, but comparison of data by cause for these years with those for the years prior to 1949 should be made with caution.

LIVE BIRTHS (See Tables 2, 3, 11.)

In 1965 Mississippi experienced the largest decline in births on record, both in actual numbers and percentage-wise. The total of 51,171 was 5,479 or 9.7 percent less than in 1964. Both the nation and this state have experienced a downward trend in recent years; however, the decline in Mississippi in 1965 was greater than the approximately 7 percent drop which provisional figures show for the country as a whole. The total number for Mississippi in 1965 was the lowest since 1936, and the rate of 22.0 births per 1,000 population was the lowest since 1933. The numerical decline for the white population amounted to 9.9 percent and for the nonwhite population, 9.5 percent.

Vital Statistics
Mississippi - 1965

Births to white persons numbered 23,369, but the rate of 17.4 was the lowest in the 53 years on record. In the counties, birth rates for whites ranged from 8.6 in Carroll County to 23.2 in Jackson County. For nonwhites the state total was 27,802 and the rate 28.2; county rates varied from 11.7 in Tishomingo County to 37.4 in Tunica County.

Urban-Rural Distribution

Tabulation of births by place of residence of mother showed that 19,119 children were born to urban residents and 32,052 to rural residents. However, although only 37 percent were born to urban residents, 66 percent occurred in urban places. It was estimated from comparison of figures on place of residence and place of occurrence that about 9,000 white mothers and about 6,000 nonwhite mothers from rural areas went to cities and towns for delivery.

Attendant

Information on attendant at delivery for births to Mississippi residents is given in Table B. According to these figures slightly over 77 percent were delivered in hospitals or physician's offices and clinics which provide in-patient care, 1.5 percent were delivered by physicians in places other than hospitals or clinics, and the remaining 21 percent had no medical attendant at delivery. However, midwives who performed most of the deliveries in the latter group must secure permits from the State Board of Health. There was a large disparity between the races in number and percentage of children delivered without medical attention; for whites the total was 79 or 0.3 percent, and for nonwhites 10,721 or 38.6 percent.

Table B. Live births by attendant and race

Attendant	Total		White		Nonwhite	
	No.	%	No.	%	No.	%
<u>Total</u>	<u>51,171</u>	<u>100.0</u>	<u>23,369</u>	<u>100.0</u>	<u>27,802</u>	<u>100.0</u>
Physician in hospital	39,579	77.3	23,238	99.4	16,341	58.8
Physician in home	792	1.5	52	0.2	740	2.7
Midwife	10,717	20.9	67	0.3	10,650	38.3
Other	83	0.2	12	*	71	0.2

* Less than 0.06 percent.

From the data in Table C it is evident that progress has been made in improving care at delivery. Twenty years ago in 1945, only 32 percent of the children were born in a hospital; in 1955 the percentage had risen to 62, and in 1965 it was 77. Although the rate of increase has been faster for nonwhites than for whites, the 58.8 percent reported for nonwhites in 1965 was less than that for whites 20 years ago and also far below the latest available national figure for nonwhites (89.0 percent in 1964).

Vital Statistics
Mississippi - 1965

Table C. Percentage of live births in hospitals and clinics,
by race, 1945, 1955, 1961-1965

Year	Total	White	Nonwhite
1945	32.3	63.3	8.1
1955	62.4	96.0	36.4
1961	73.2	99.2	51.0
1962	74.6	99.3	52.9
1963	74.9	99.3	53.4
1964	76.0	99.4	56.1
<u>1965</u>	<u>77.3</u>	<u>99.4</u>	<u>58.8</u>

Month

August was the month in which the largest number of births occurred, but September had the highest daily average. (See Table D.) The smallest number as well as the lowest daily average occurred in April.

Table D. Live births and average per day, by month

Month	Births	Average per Day	Month	Births	Average per Day
January	4,654	150	July	4,678	151
February	3,899	139	August	4,847	156
March	4,188	135	September	4,747	158
April	3,506	117	October	4,456	144
May	3,791	122	November	4,127	138
June	4,000	133	December	4,278	138

Age of Mother

Table E gives information on ages of mothers of children born in 1965. The largest group, one-third of the total, was 20-24 years of age. There was also concentration in the groups 15-19 and 25-29, with a total of 77 percent in the span 15-29 years of age. Teenage and sub-teenage mothers numbered 11,754 or 23 percent of the total, and 15 of them were only 12 years old. A greater proportion of nonwhite than of white mothers were either in the age groups under 20 or among the older groups (30 and over). However, the median age of white and nonwhite mothers was exactly the same, 24.0 years. Comparison of the age distributions for 1964 and 1965 shows declines among both races in all age groups except nonwhites aged 10-14. Eliminating the two extremes of age (10-14 and 45 and over) because of the small numbers involved, it was noted that the greatest percentage reduction among white mothers in 1965 was in the group 20-29 years of age, but for nonwhite mothers it was in the period 30-39 years of age.

Vital Statistics
Mississippi - 1965

Table E. Live births by age of mother and race,
with percent of total births

Age of Mother	Total		White		Nonwhite	
	No.	%	No.	%	No.	%
All Ages	51,171	100.0	23,369	100.0	27,802	100.0
10-14	299	0.6	22	0.1	277	1.0
15-19	11,455	22.4	4,514	19.3	6,941	25.0
20-24	17,128	33.5	8,806	37.7	8,322	29.9
25-29	10,925	21.3	5,461	23.4	5,464	19.6
30-34	6,265	12.2	2,782	11.9	3,483	12.5
35-39	3,707	7.2	1,381	5.9	2,326	8.4
40-44	1,246	2.4	377	1.6	869	3.1
45-49	89	0.2	19	0.1	70	0.2
Unknown	57	0.1	7	*	50	0.2

* Less than 0.06 percent.

Sex

Males numbered 25,934 and females 25,237. The sex ratio was 1,028 males per 1,000 females, and as usual, the ratio for whites was higher than for nonwhites, 1,058 in comparison with 1,002.

Plurality (See Plurality in Fetal Death section also.)

Among the live births to Mississippi residents in 1965 were 1,172 from plural deliveries. From this figure an incidence rate of 2.3 percent was calculated; for whites the rate was 1.7 percent and for nonwhites it was higher, 2.8 percent. The live births included eight triplets, two sets with all members born alive and two members of another set which included a fetal death.

Immaturity

Defining immaturity as birth weight of 5 1/2 pounds or less, 5,053 or 9.9 percent of the children born to Mississippi mothers were immature. The rate of immaturity for nonwhites, 12.3 percent, was much higher than that for whites, 6.9 percent.

Legitimacy

Mississippi women gave birth to 8,632 illegitimate children in 1965. This was 16.9 percent of the total. According to the statements on birth certificates, 536 or 2.3 percent of the white and 8,096 or 29.1 percent of the nonwhite babies were born to unmarried mothers. The percentage of illegitimate births among both the white and the nonwhite population has gone up in recent years. Tabulations by age of mother reveal that 83 percent of the children born in 1965 to mothers 10-14 years of age were illegitimate, 33 percent of those born to mothers 15-19, and from 10 to 17 percent of those born to mothers in the other age groups. Since large proportions of the children born to mothers under 20 years of age are illegitimate and young unmarried women apparently do not avail themselves of contraceptive measures (particularly the "pill" which requires a prescription) to the extent that married women do,

Vital Statistics
Mississippi - 1965

it is not surprising that the decline in births in 1965 was relatively small among mothers under 20 or that there was actually an increase noted in births to nonwhite mothers 10-14 years of age.

FETAL DEATHS (See Table 4.)

Regulations of the Mississippi State Board of Health specify that all fetal deaths, regardless of the length of gestation, shall be registered. Prior to 1952 only the reporting of fetal deaths of 20 or more weeks gestation was required. Registration of both early and late fetal deaths is still incomplete; and because of the presumably sizeable number unreported, any or all of the data presented here could give a false picture regarding fetal deaths.

There were 2,553 fetal death records filed in the state in 1965 and 2,510 records for Mississippi residents. These totals were considerably less than those for 1964, with the decline paralleling the decline noted in live births. However, the fetal death ratio (fetal deaths per 1,000 live births) of 49.0 for the total population was nearly the same as that for 1964. The rate for whites dropped to 45.1 and that for nonwhites increased to 52.4, thus widening the gap between the two racial groups and establishing the rate for nonwhites in 1965 as the highest in the 14 years of expanded reporting. In the counties ratios for whites varied from zero in seven counties to 125.0 in Claiborne County; ratios for nonwhites ranged from zero in Tishomingo County to 111.1 in Jasper County. These wide ranges in county ratios and also the differences from year to year in certain counties can probably be attributed more to variations in completeness of reporting than to actual differences. If it is assumed that the high ratios for certain counties are not exaggerated, but represent more complete reporting, it can be estimated from these ratios that one out of every nine pregnancies results in fetal death.

Attendant

Fetal deaths by attendant and race are shown in Table F. Over 79 percent were delivered in hospitals or clinics, but for 382 or 15 percent there was no medical attendant at delivery. Nearly 96 percent of the white fetal deaths were reported from hospitals, a slightly lower figure than that for white live births. Among deliveries of nonwhites however, a greater proportion of fetal deaths (68 percent) than of live births (59 percent) were in hospitals. The probable underreporting of fetal deaths in the home and the tendency to transfer difficult and premature deliveries to a hospital may account for this difference.

Table F. Fetal deaths by attendant and race

Attendant	Total		White		Nonwhite	
	No.	%	No.	%	No.	%
Total	2,510	100.0	1,054	100.0	1,456	100.0
Physician in hospital	1,993	79.4	1,010	95.8	983	67.5
Physician in home	135	5.4	41	3.9	94	6.4
Midwife	357	14.2	2	0.2	355	24.4
Other	25	1.0	1	0.1	24	1.6

As the figures in Table G show, there had been an increase up through 1962 in

Vital Statistics
Mississippi - 1965

the proportion of fetal deaths delivered in hospitals. For the nonwhites the trend since 1962 has still been upward though irregular; for the whites there have been fluctuations without a trend. The figures for 1965 show that there was still a large difference between the two races, but it was not so large as that for live births.

Table G. Percentage of fetal deaths delivered in hospitals and clinics, by race, 1955, 1961-1965

Year	Total	White	Nonwhite
1955	63.5	88.1	48.5
1961	75.2	93.4	61.9
1962	79.5	97.3	64.2
1963	79.0	94.6	65.9
1964	79.7	92.0	70.1
1965	79.4	95.8	67.5

Age of Mother

Fetal deaths and fetal death ratios by age of mother and race are shown in Table H. Ratios for mothers aged 15-19 and 20-24 were lower than any others. From age 25 on, the ratios increased in each successive age group; and in the groups 35 and over were more than twice those for ages 15-24. Ratios for mothers 10-14 were in the same range as those for mothers in their 30's. Differences by race were not large except in the age groups 35 and over; at 35-39 the ratio for nonwhites was considerably higher than for whites, and the reverse was true for the group 40-44.

Table H. Fetal deaths by age of mother and race, with fetal death ratios

Age of Mother	Total		White		Nonwhite	
	No.	Ratio*	No.	Ratio*	No.	Ratio*
All Ages	2,510	49.0	1,054	45.1	1,456	52.4
10-14	20	66.9	1	#	19	68.6
15-19	413	36.0	150	33.2	263	37.9
20-24	679	39.6	327	37.1	352	42.3
25-29	515	47.1	247	45.2	268	49.0
30-34	383	61.1	167	60.0	216	62.0
35-39	314	84.7	99	71.7	215	92.4
40-44	148	118.8	50	132.6	98	112.8
45-49	13	#	2	#	11	#
Unknown	25		11		14	

* Fetal deaths per 1,000 live births to mothers in specific age-race group.

Ratio not calculated on less than 100 live births.

Sex

A sex ratio of 1,409 males to 1,000 females was calculated from the records with sex stated. Although the sex ratio for fetal deaths is always much higher than the one for live births (1,028 in 1965), the reason for this is not known.

VIII

Vital Statistics Mississippi - 1965

Plurality

Among Mississippi residents the percentage of fetal deaths in plural deliveries was greater than the percentage of live births in plural deliveries, 5.1 percent in comparison with 2.3 percent. For white fetal deaths the rate was 3.0 percent, but for non-white fetal deaths it was more than twice as high, 6.7 percent.

Tabulations on the outcome of all plural deliveries in 1965 showed that there were 648 such events including 643 sets of twins and 5 sets of triplets. The children were all live born in 87 percent of the cases; in 6 percent there was a combination of live born babies and fetal deaths; and in 7 percent all were born dead. Among the sets of triplets were 2 with all members alive, 2 with all members dead, and the other set had 2 members born alive and the third one dead. By comparing mortality rates for single and plural deliveries it was found that 9.9 percent of the fetuses from plural deliveries, but only 4.5 percent of those from single deliveries were born dead. It was also noted that a higher percentage of the nonwhite than of the white fetuses from plural deliveries were dead at birth, 11.2 percent in comparison with 7.3 percent.

Length of Gestation

The stated length of gestation was less than 20 weeks for 1,151 fetal deaths, 20 weeks or more for 1,272, and not stated for 87. The proportion at less than 20 weeks was 68 percent for whites, but for nonwhites it was only 30 percent. This difference may be due partly to better reporting of early fetal deaths among whites and also to the fact that the late (20 weeks or more) fetal death ratio for nonwhites was 2 1/2 times that for whites.

Legitimacy

A larger percentage of fetal deaths than of live births was reported as illegitimate, 18.5 percent in comparison with 16.9 percent. The difference was small for nonwhites, but the rate for white fetal deaths was nearly twice as high as that for white live births.

DEATHS (See Tables 5-8, 12-16.)

The death total for Mississippi residents in 1965 was 22,652, or nearly a hundred more than in 1964. The crude death rate of 9.7 deaths per 1,000 total population was the same as in the previous year despite an increase in both number and rate for white persons and a decline in both number and rate for nonwhites. As a result of the increased mortality among the white population, the total of 12,376 for this group was the highest ever recorded in Mississippi.

There was a wide variation in the rates for individual counties. For whites, the county rates ranged from 5.6 in Jackson County to 14.9 in Jefferson and Yalobusha Counties, and the rate for the total white population of the state was 9.2. The state rate for nonwhites was 10.4, and the variation by county showed the lowest to be 5.7 in Greene County and the highest 15.4 in Warren County. Fifty-seven percent of the deaths occurring in the state took place in urban areas, but only 39 percent of the Mississippians who died were urban residents.

Vital Statistics
Mississippi - 1965

Natural Increase (Excess of Birth Rate over Death Rate)

Since there was a large drop in the birth rate and no change in the death rate in 1965, the excess of the birth rate over the death rate or the natural increase in population, was less than in 1964. In fact, the excess of 12.3 per 1,000 population was the smallest since 1936. For whites the excess was only 8.2, the smallest on record for Mississippi. The excess for nonwhites was 17.8 or more than double the rate for whites. Study of the rate of natural increase by county showed that the white population of eight counties did not experience any natural increase in 1965; in six of these (Amite, Carroll, Jefferson, Kemper, Wilkinson, and Yalobusha) the number of deaths actually exceeded the number of births to white persons and in two (Benton and Copiah) the number of births and deaths was exactly the same. Jackson County experienced the greatest rate of natural increase in white population with Harrison County ranking second.

Month

Table I shows that the largest number of deaths and also the highest average per day occurred in March. August ranked lowest in total number and in daily average.

Table I. Deaths and average per day, by month

Month	Deaths	Average per Day	Month	Deaths	Average per Day
January	1,964	63	July	1,794	58
February	1,943	69	August	1,711	55
March	2,163	70	September	1,738	58
April	1,765	59	October	1,948	63
May	1,813	58	November	1,927	64
June	1,755	58	December	2,131	69

Age at Death

The distribution of deaths by age and race is shown in Table J. In 1965 the median age at death for the total population was 67.6; for whites it was 70.4 and for nonwhites 63.5. Stating the contrast between the two racial groups in another way, 62 percent of the whites but only 48 percent of the nonwhites who died had reached 65, which is usually considered retirement age. Fewer deaths occurred at ages 5-14 than in any other ten-year period. The excessively high mortality among nonwhite infants was emphasized by the fact that more deaths occurred among this group than among nonwhites in the next 44 years of life (ages 1-44), 14.9 percent of the total in comparison with 14.4 percent.

Vital Statistics
Mississippi - 1965

Table J. Deaths by age and race

Age	Total		White		Nonwhite	
	No.	%	No.	%	No.	%
All Ages	22,652	100.0	12,376	100.0	10,276	100.0
Under 1	2,126	9.4	593	4.8	1,533	14.9
1-4	360	1.6	99	0.8	261	2.5
5-9	170	0.8	63	0.5	107	1.0
10-14	142	0.6	63	0.5	79	0.8
15-24	517	2.3	267	2.2	250	2.4
25-34	530	2.3	242	2.0	288	2.8
35-44	966	4.3	466	3.8	500	4.9
45-54	1,890	8.3	1,012	8.2	878	8.5
55-64	3,362	14.8	1,903	15.4	1,459	14.2
65-74	4,852	21.4	2,732	22.1	2,120	20.6
75-84	5,077	22.4	3,296	26.6	1,781	17.3
85 & over	2,651	11.7	1,640	13.2	1,011	9.8
Unknown	9	*	0	-	9	0.1

* Less than 0.06 percent.

Leading Causes of Death

The ten leading causes of death shown in Table K were responsible for 78 percent of the deaths of Mississippians in 1965. The first nine are the same as those listed in 1964 except that general arteriosclerosis and diabetes exchanged places. Homicide replaced chronic and unspecified nephritis and other renal sclerosis which ranked tenth in 1964.

Table K. Ten leading causes of death by race, with percent of total deaths

Cause and International List Number	Total		White		Nonwhite	
	No.	%	No.	%	No.	%
1. Diseases of heart (400-443)	7,038	31.1	4,429	35.8	2,609	25.4
2. Vascular lesions affecting central nervous system (330-334)	3,064	13.5	1,639	13.2	1,425	13.9
3. Malignant neoplasms (140-205)	2,931	12.9	1,867	15.1	1,064	10.4
4. Accidents (800-962)	1,610	7.1	881	7.1	729	7.1
5. Certain diseases of early infancy (760-776)	1,076	4.8	374	3.0	702	6.8
6. Influenza and pneumonia (480-493)	764	3.4	350	2.8	414	4.0
7. General arteriosclerosis (450)	382	1.7	251	2.0	131	1.3
8. Diabetes mellitus (260)	314	1.4	151	1.2	163	1.6
9. Other diseases of circulatory system (451-468)	311	1.4	202	1.6	109	1.1
10. Homicide (964, 980-985)	259	1.1	60	0.5	199	1.9

Vital Statistics
Mississippi - 1965

Table L. Five leading causes of death by age group

Cause of Death	Age Group	No. of Deaths	% of Total
1-4 years			
<u>All Causes</u>		<u>360</u>	<u>100.0</u>
1. Accidents		129	35.8
2. Influenza and pneumonia		45	12.5
3. Malignant neoplasms		23	6.4
4. Congenital malformations		22	6.1
5. <u>Gastritis, duodenitis, enteritis and colitis</u>		20	5.6
5-14 years			
<u>All Causes</u>		<u>312</u>	<u>100.0</u>
1. Accidents		153	49.0
2. Malignant neoplasms		29	9.3
3. Congenital malformations		19	6.1
4. Influenza and pneumonia		15	4.8
5. Diseases of heart		7	2.2
15-24 years			
<u>All Causes</u>		<u>517</u>	<u>100.0</u>
1. Accidents		300	58.0
2. Homicide		49	9.5
3. Malignant neoplasms		26	5.0
4. Diseases of heart		22	4.2
5. Diseases and complications of pregnancy, childbirth, and the puerperium		10	1.9
5. Congenital malformations		10	1.9
25-44 years			
<u>All Causes</u>		<u>1,496</u>	<u>100.0</u>
1. Accidents		362	24.2
2. Diseases of heart		243	16.2
3. Malignant neoplasms		198	13.2
4. Homicide		130	8.7
5. Vascular lesions affecting central nervous system		91	6.1
45-64 years			
<u>All Causes</u>		<u>5,252</u>	<u>100.0</u>
1. Diseases of heart		1,760	33.5
2. Malignant neoplasms		1,073	20.4
3. Vascular lesions affecting central nervous system		608	11.6
4. Accidents		297	5.6
5. Diabetes mellitus		97	1.8
5. Other diseases of circulatory system		97	1.8
65 years and over			
<u>All Causes</u>		<u>12,580</u>	<u>100.0</u>
1. Diseases of heart		4,992	39.7
2. Vascular lesions affecting central nervous system		2,348	18.7
3. Malignant neoplasms		1,581	12.6
4. Influenza and pneumonia		400	3.2
5. General arteriosclerosis		362	2.9

Vital Statistics
Mississippi - 1965

Leading Causes by Age

In Table L are listed the leading causes of death for each age group except infants (see infant mortality section). No two lists were alike, but a number of causes appeared repeatedly. All lists contained malignant neoplasms and all but that for children 1-4 contained diseases of the heart. Accidents ranked first among all groups under 45, fourth at ages 45-64, and, though not listed in the table, was sixth among those 65 or over. Vascular lesions were important in all groups 25 and over, and congenital malformations in all groups under 25 years of age. Children 1-4 and 5-14 and old people 65 or over were seriously affected by influenza and pneumonia.

Ill-defined and Unknown Causes

Among the deaths occurring in Mississippi in 1965 were 2,345 with no satisfactory statement of cause. This figure was 10.5 percent of the total; by race the proportions were 5.9 percent for whites and 16.1 percent for nonwhites. Senility was the only condition listed on 45 certificates, ill-defined diseases of early infancy on 600, and other ill-defined conditions or no cause at all on 1,700. Over 20 percent of the death records filed in five counties (Carroll, Holmes, Issaquena, Madison, and Noxubee) and from 15-20 percent of those filed in five other counties (Perry, Tunica, Warren, Washington, and Yazoo) lacked information for proper assignment of cause of death. Were it possible to know the true cause of death for those whose records were not satisfactory, the order of the leading causes might not be the same as presently shown and even the causes themselves might be different.

Specific Causes

Heart disease was the leading cause of death in Mississippi in 1965 and also every year from 1925 to the present except 1929. The toll for 1965 was 7,038 or 31 percent of all deaths. Both of these figures as well as the death rate for heart diseases were slightly higher than in 1964. The data in Table M show that arteriosclerotic and degenerative heart disease caused an overwhelming majority (75 percent) of these deaths. In 1965 there was a much larger gap between the rates for whites and nonwhites, 329.4 and 264.8 respectively, than there has been in recent years.

Table M. Deaths from diseases of the heart, by type and race

Cause and International List Number	Total	White	Nonwhite
Diseases of the heart (400-443)	7,038	4,429	2,609
Rheumatic fever (400-402)	5	1	4
Chronic rheumatic heart disease (410-416)	107	60	47
Arteriosclerotic and degenerative heart disease (420-422)	5,306	3,706	1,600
Other diseases of the heart (430-434)	516	260	256
Hypertensive heart disease (440-443)	1,104	402	702

Vascular lesions affecting central nervous system, the second leading cause of death, accounted for 3,064 deaths representing 13.5 percent of the total, but less than half as large a group as heart disease. There was no significant change from 1964 for the population as a whole, but an increase to 121.9 in the rate for whites and a decline

Vital Statistics
Mississippi - 1965

to 144.6 for nonwhites brought the rates for the two groups closer together than they have been in the past. According to the figures in Table N, cerebral hemorrhage was the most frequent type of fatal vascular lesion.

Table N. Deaths from vascular lesions affecting central nervous system, by type of lesion and race

Cause and International List Number	Total	White	Nonwhite
<u>Vascular lesions affecting central nervous system</u> (330-334)	<u>3,064</u>	<u>1,639</u>	<u>1,425</u>
Subarachnoid hemorrhage (330)	106	53	53
Cerebral hemorrhage (331)	1,896	952	944
Cerebral embolism and thrombosis (332)	709	446	263
Other and ill-defined (333, 334)	353	188	165

Malignant neoplasms, which ranked third among the leading causes of death, was responsible for 2,931 deaths in 1965. The death rate for this cause was higher for whites than for nonwhites, 138.9 per 100,000 population in comparison with 108.0. The two leading sites of fatal cancers were the digestive organs, including peritoneum, and the breast and genito-urinary organs with 884 and 822 deaths respectively. In Table O is given the age-race-sex distribution of deaths from malignant neoplasms. The largest number of deaths occurred in the decade 65-74 years of age, but the peak for nonwhite females was ten years earlier, at 55-64 years of age. Even though cancer was a leading cause of death in all age groups, the actual number occurring among young persons was small, and less than 10 percent of the total was among persons under 45 years of age.

Table O. Deaths from malignant neoplasms, by age, sex, and race

Age	Number of Deaths					Percent				
	Total	Male		Female		Total	Male		Female	
		White	Non-white	White	Non-white		White	Non-white	White	Non-white
All Ages	<u>2,931</u>	<u>1,051</u>	<u>532</u>	<u>816</u>	<u>532</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
Under 10	41	12	10	10	9	1.4	1.1	1.9	1.2	1.7
10-14	12	5	4	1	2	0.4	0.5	0.8	0.1	0.4
15-24	26	10	4	6	6	0.9	1.0	0.8	0.7	1.1
25-34	60	14	9	19	18	2.0	1.3	1.7	2.3	3.4
35-44	138	41	18	37	42	4.7	3.9	3.4	4.5	7.9
45-54	371	125	53	118	75	12.6	11.9	10.0	14.5	14.1
55-64	702	278	115	176	133	24.0	26.4	21.6	21.6	25.0
65-74	809	300	165	217	127	27.6	28.5	31.0	26.6	23.9
75-84	559	194	118	163	84	19.1	18.4	22.2	20.0	15.8
85 & over	213	72	36	69	36	7.3	6.8	6.8	8.4	6.8

Chronic respiratory diseases have become increasingly important as causes of both morbidity and mortality in recent years. The most important of these diseases are listed in Table P with mortality figures for 5, 10, and 15 years earlier. (Data for 20 or more years earlier are not comparable because of changes in cause-of-death classification.) A significant decline from 510 in 1950 to only 71 in 1965 has occurred in deaths caused by respiratory tuberculosis. All of the other diseases listed either show no trend at all (asthma and bronchiectasis) or an upward trend. The principal cause of death in this group was cancer of the respiratory system which has shown a mortality increase of 199 percent in 15 years. Emphysema, now second

Vital Statistics
Mississippi - 1965

as a cause of death among these diseases, was the underlying cause on only 5 certificates in 1950, but on 170 in 1965.

Table P. Deaths from chronic respiratory diseases, 1950, 1955, 1960, 1965

Cause and International List Number	1950	1955	1960	1965
Tuberculosis of respiratory system (001-008)	510	189	135	71
Malignant neoplasms of respiratory system (160-165)	173	267	357	518
Malignant neoplasms of lung, bronchus, and trachea (162, 163)	147	229	317	456
Asthma (241)	58	56	74	55
Bronchitis, chronic and unqualified (501, 502)	30	23	30	51
Bronchitis with emphysema (502.0)	1	4	10	37
Other chronic interstitial pneumonia (525)	7	9	20	29
Bronchiectasis (526)	18	21	25	22
Emphysema (527.1)	5	25	89	170
Other diseases of lung and pleural cavity (527.0, 527.2)	11	35	26	36

Influenza and pneumonia, acute respiratory diseases which ranked in sixth place among the leading causes of death, accounted for 764 deaths in 1965. A breakdown showed that 703 of these were due to pneumonia, 30 to influenza with pneumonia, and 31 to influenza without mention of pneumonia. For a number of years the death rate from pneumonia and influenza for nonwhites has been about double or sometimes more than double that for whites, but in 1965 the two rates were closer together although the difference was still large. The rate for whites was 26.0 per 100,000 population and for nonwhites, 42.0.

Accidents, fourth leading cause of death among the total population and the leading cause at ages 1-44, claimed the lives of 1,610 Mississippians in 1965. This toll was only two less than that for 1964 which was the highest on record except for 1936, the year the tornado hit Tupelo. The accidental death rate of 69.1 was also slightly less than that for 1964 and has been exceeded in only three other years in addition to 1964. December was the month in which the largest number of accidental deaths occurred; it was the month with the largest number of deaths due to motor vehicle accidents, but October ranked first for other types of accidents. The average number of accidental deaths per day in 1965 was 4.4.

The five leading causes of accidental death are listed in Table Q. These same causes have appeared on the list for a number of years, and in 1965 were responsible for 78 percent of all accidental deaths. The cause which far outnumbered all others was motor vehicle accidents. Records for this category which were set in 1964 were broken in 1965; the number of deaths occurring in the state (748), the number of residents who were killed (742), and the death rate among residents (31.8 per 100,000 population) were all higher than in any year prior to 1965.

Deaths occurring in Mississippi from nontransport accidents (International List Codes 870-936) numbered 760. Of these, 397 or 52 percent were due to accidents which took place in the home, and the two principal causes of home accidents were fire and explosion of combustible material (185 deaths) and falls (75 deaths). Seventy-three percent of the fatal home accidents were among either children under 15 or persons in the group 65 years of age and over.

Vital Statistics
Mississippi - 1965

Table Q. Five leading causes of accidental deaths by race,
with percent of total accidental deaths

Type of Accident and International List Number	Total		White		Nonwhite	
	No.	%	No.	%	No.	%
1. Motor vehicle (810-835)	742	46.1	473	53.7	269	36.9
2. Fire and explosion of combustible material (916)	213	13.2	61	6.9	152	20.8
3. Falls (900-904)	130	8.1	90	10.2	40	5.5
4. Drowning, except in water transport (929)	95	5.9	41	4.6	54	7.4
5. Firearm (919)	81	5.0	45	5.1	36	4.9

Suicide and homicide were the assigned causes of 155 and 259 deaths respectively among Mississippi residents in 1965. Suicide, not one of the ten leading causes of death among the total population, ranked twelfth among white persons. Homicide was the tenth leading cause for the total population, and was listed in seventh place for males and for nonwhites. The method used for about 70 percent of both suicides and homicides was firearms and explosives. Suicides were spread rather evenly through the age groups 35 and over, but homicides hit a peak in the group 25-34 years of age. Comparison of rates for the two racial groups showed that the suicide rate for white persons was about 5 1/2 times that for nonwhites, whereas the relationship between the homicide rates was reversed with the rate for nonwhites about 4 1/2 times that for whites.

Maternal deaths (deaths from deliveries and complications of pregnancy, child-birth, and the puerperium) numbered 40 in 1965 and the maternal death rate was 7.8 per 10,000 live births. The total was the lowest on record in this state and the rate was the second lowest. However, all through the 1960's the number and rate have gone up one year and down the next year without showing a trend in either direction. Even though both races experienced a decline in 1965, the difference remained large with the rate for nonwhites ten times the rate for whites. Toxemias caused 14 of the maternal deaths, and hemorrhage caused 7; no other cause was responsible for more than 3 deaths.

Age and race-specific rates are presented in Table R. Since there were only three deaths among white mothers and each of these was in a different age group, no meaningful statement can be made regarding this distribution. Among the nonwhites the lowest death rate occurred at ages 15-24; the rate increased at ages 25-34 and again at 35-44, but the one death among mothers 10-14 yielded the highest death rate of all. (Although there were no deaths in the age group 45-54, this group was excluded from these comments because the number of women who had children was less than 100.)

Vital Statistics
Mississippi - 1965


Table R. Maternal deaths by age and race, with rates

Age	Total		White		Nonwhite	
	No.	Rate*	No.	Rate*	No.	Rate*
All Ages	40	7.8	3	1.3	37	13.3
10-14	1	33.4	0	-	1	36.1
15-24	10	3.5	1	0.8	9	5.9
25-34	18	10.5	1	1.2	17	19.0
35-44	11	22.2	1	5.7	10	31.3
45-54	0	-	0	-	0	-

* Deaths per 10,000 live births to mothers in specific age-race group.

Infant Mortality

There were 2,126 infant deaths in 1965, or 104 less than in 1964, but because of the large decline in live births, the infant death rate (deaths per 1,000 live births) of 41.5 was higher than in the previous year. Rates for both racial groups increased, and the rate of 55.1 for nonwhites was more than double the rate of 25.4 for white infants. Study of the accompanying graph of infant mortality rates by race shows that the downward trend for whites stopped after 1955 with no improvement since that time. The curve for nonwhites has been going upward since 1946, that is, for 20 years.



Vital Statistics
Mississippi - 1965

Mississippi had the highest infant mortality rate in the United States in 1964 (latest year for which nation-wide data are available). The rate was 59 percent higher than for the country as a whole, 16 percent higher than for the District of Columbia which ranked second, and 27 percent higher than for South Carolina which ranked third.

Data in Table S show how Mississippi's infant mortality rates varied by age and race in 1965. For whites the rate dropped substantially after the neonatal period (the first 28 days of life), but for nonwhites the rate increased with age. Stating the contrast another way, the difference between rates for the two groups increased with age, and for children 28 days to one year of age the nonwhite mortality rate was five times that for white children. This excess mortality after the neonatal period contributed greatly to Mississippi's high infant death rate.

Table S. Infant deaths by age and race, with rates

Age	Total		White		Nonwhite	
	No.	Rate*	No.	Rate*	No.	Rate*
<u>Total under one year</u>	<u>2,126</u>	<u>41.5</u>	<u>593</u>	<u>25.4</u>	<u>1,533</u>	<u>55.1</u>
Under one day	604	11.8	239	10.2	365	13.1
One to 28 days	679	13.3	231	9.9	448	16.1
28 days to one year	843	16.5	123	5.3	720	25.9

* Deaths per 1,000 live births.

Table T lists the five leading causes of death among infants. The causes shown are the same ones which have been listed, though not in the same order, every year from 1949 to the present with the exception of 1963 when accidents replaced birth injuries. These five causes were responsible for 39 percent of the total infant deaths in 1965 and for 64 percent of those with a definite cause given. The death rates for congenital malformations and the gastritis group were the highest in the 17 years for which comparable data are available. As usual, pronounced contrasts between mortality rates for whites and nonwhites were noted for certain causes. For the gastritis group the rate for nonwhite infants was approximately 19 times that for white infants, and for influenza and pneumonia the rate for nonwhites was about 8 times that for whites.

Tabulation of the leading causes by age revealed that postnatal asphyxia and atelectasis ranked first among infants dying in the first day of life and was responsible for more deaths in this group than the next two leading causes which were birth injuries and congenital malformations. The leading cause at 1-27 days was also postnatal asphyxia and atelectasis, and congenital malformations ranked second. At the top of the list for children 28 days to one year of age was influenza and pneumonia with the gastritis group not far behind. Immaturity, which is no longer considered a separate classification in ranking causes of infant deaths, is still an important factor. It was mentioned with another condition or as the only cause on 726 death records, 44 percent of those for white children and 30 percent of those for nonwhites.

XVIII

Vital Statistics
Mississippi - 1965

Table T. Leading causes of infant deaths by race, with rates

Cause of Death and International List Number	Total		White		Nonwhite	
	No.	Rate*	No.	Rate*	No.	Rate*
<u>All Causes</u>	<u>2,126</u>	<u>41.5</u>	<u>593</u>	<u>25.4</u>	<u>1,533</u>	<u>55.1</u>
1. Postnatal asphyxia and atelectasis (762)	201	3.9	94	4.0	107	3.8
2. Influenza and pneumonia, except pneumonia of newborn (480-493)	190	3.7	19	0.8	171	6.2
3. Congenital malformations (750-759)	187	3.6	104	4.4	83	3.0
4. Gastritis, duodenitis, enteritis, & colitis, except diarrhea of new- born (543, 571, 572)	164	3.2	7	0.3	157	5.6
5. Birth injuries (760, 761)	78	1.5	33	1.4	45	1.6

* Deaths per 1,000 live births.

Because 840 or 40 percent of the infant death records in 1965 either had no cause of death or had ill-defined causes, the data previously presented regarding cause must be considered as incomplete or possibly erroneous. If correct information regarding cause of death could be obtained for this large number of records, this additional knowledge could be used in planning effective measures to prevent the great loss of life among infants.

MARRIAGES (See Tables 9, 17.)

A total of 23,343 marriages occurred in Mississippi in 1965, which was the sixth consecutive year in which there was an increase. Although the trend upward has been steady, the size of the yearly increases has been relatively small, averaging less than 500. Both the figure for whites (15,613) and that for nonwhites (7,730) were larger than in the previous year, and were part of the rising cycle which will probably continue because large numbers of children born during the post World War II baby boom are now marrying.

Month

June was the month in which the largest number of marriages occurred and also the month with the highest daily average. (See Table U.) August ranked second with July a close third.

Officiant

The officiant for 72 percent of the marriages was a minister. Most of the rest were performed by justices of the peace, although mayors, judges, and members of boards of supervisors officiated at a few.

Vital Statistics
Mississippi - 1965

Table U. Marriages and average per day, by month

Month	Marriages	Average per Day	Month	Marriages	Average per Day
<u>Total</u>	<u>23,343</u>	<u>64</u>			
January	1,652	53	July	2,387	77
February	1,500	54	August	2,418	78
March	1,523	49	September	1,868	62
April	1,567	52	October	1,714	55
May	1,940	62	November	1,838	61
June	2,648	88	December	2,288	74

Age of Bride and Groom

In Table V the age distribution of brides and grooms is shown. There were 10,166 teenage or subteenage brides and 4,577 of these were under 18 years of age; these two figures represented 44 and 20 percent of all brides. One bride was only 12 years old, 14 brides were age 13, and 101 brides were age 14. One groom was only 14, but the number and proportion of teenagers (4,229 and 18 percent) were much lower than those for brides. In contrast with these young persons, there were 35 brides and 178 grooms who were 75 years of age or older. The oldest bride was 88 and the oldest groom, 91. Although in most instances the difference between the ages of the two parties to the marriage was not large, three of the couples who married in 1965 were 50 or more years apart in age, and the greatest difference was in the marriage of a 23 year-old woman to an 81 year-old man. One of the 14 year-old brides married a man of 63, a difference in age of 49 years.

Table V. Brides and grooms by age

Age	Bride		Groom	
	No.	%	No.	%
<u>Total</u>	<u>23,343</u>	<u>100.0</u>	<u>23,343</u>	<u>100.0</u>
<u>Under 20</u>	<u>10,166</u>	<u>43.6</u>	<u>4,229</u>	<u>18.1</u>
12	1	*	0	-
13	14	*	0	-
14	101	0.4	1	*
15	828	3.5	7	*
16	1,465	6.3	62	0.3
17	2,168	9.3	575	2.5
18	3,261	14.0	1,587	6.8
19	2,328	10.0	1,997	8.6
20-24	6,503	27.8	9,782	41.9
25-34	2,926	12.5	4,516	19.3
35-44	1,724	7.4	1,916	8.2
45-54	1,108	4.7	1,271	5.4
55-64	624	2.7	825	3.5
65-74	236	1.0	597	2.6
75 & over	35	0.1	178	0.8
<u>Unknown</u>	<u>21</u>	<u>0.1</u>	<u>29</u>	<u>0.1</u>

* Less than 0.06 percent.

Vital Statistics
Mississippi - 1965

Previous Marriages

Both the bride and the groom were being married for the first time in 65 percent of the weddings in 1965. According to the figures in Table W, approximately the same percentage of brides and grooms (27.1 and 27.5) had been married before. Among the previously married were many more divorced (9,628) than widowed persons (3,122). Brides who had been married two or more times before numbered 1,500 and grooms in this category numbered 1,528. One bride and three grooms had six previous marriages each.

Table W. Number of previous marriages of brides and grooms

Previous Marriages	Bride		Groom	
	No.	%	No.	%
<u>Total</u>	<u>23,343</u>	<u>100.0</u>	<u>23,343</u>	<u>100.0</u>
None	16,963	72.7	16,868	72.3
One	4,822	20.6	4,900	21.0
Two	1,226	5.2	1,233	5.3
Three or more	274	1.2	295	1.3
Not stated	58	0.2	47	0.2

Nonresident Brides

There were 3,663 brides from out of state who were married in Mississippi in 1965, and 3,094 of them married grooms who also were from other states. The nonresident brides comprised 16 percent of the total. In 1957, prior to the passage of a stricter marriage law, two-thirds of the brides were from outside Mississippi. Although this law has been effective in bringing about a rapid decline in the number of persons coming from other states, the brides who came to Mississippi in 1965 were from 41 of the other 49 states, from the District of Columbia, and from foreign countries also (nine brides). Nearly 82 percent of these nonresident brides came from the bordering states of Alabama, Arkansas, Louisiana, and Tennessee. Eighty percent of the licenses for non-residents were issued in counties bordering on these four states. One of the border counties, DeSoto, which is adjacent to Memphis, Tennessee, issued 21 percent of the total for out-of-state brides.

Out-of-State Use of Mississippi Certificates

A new marriage record containing more detailed information was put into use in Mississippi on July 1, 1956. These records have shown that, in each year since that time, some Mississippi licenses have been used for marriage ceremonies performed in other states. Such marriages have not been included in the annual tabulations because they did not occur in this state and are of questionable legality. In 1965, according to a special count, 111 records showed the place of marriage as another state, with more in Louisiana (74) than anywhere else. Two-thirds of the 111 licenses were issued in counties which border Louisiana. Wilkinson County issued the largest number. The out-of-state place of residence of either the bride or the groom or of both was the place of marriage in 77 of the cases, and in all of the other 34 one or both participants were residents of Mississippi.

Vital Statistics
Mississippi - 1965

DIVORCES (See Tables 9, 10, 17.)

The number of divorces granted in Mississippi in 1965 was 5,730 or 99 more than in 1964 and the largest number since 1950. The total of 4,220 for the white population was the third highest on record for this state, but the figure of 1,510 for nonwhites showed a slight decline from the previous year.

Cause and Complainant

According to the information on the statistical records submitted by Chancery Clerks, 91 percent of the divorces were granted because of either cruel and inhuman treatment or desertion. The leading cause listed for whites was cruel and inhuman treatment, with 67 percent of the total. For nonwhites desertion ranked first and was the reason stated on 64 percent of the records. The wife was the complainant in 69 percent of the cases involving white persons, but the husband was the complainant in slightly more than half of those among nonwhites.

Minor Children

No minor children were involved in 41 percent of the divorces granted to white couples and in 58 percent of those granted to nonwhites. A total of 6,697 children were listed for the 3,047 couples who did have minor children. Five or more minor children each were involved in 221 cases, and in two of these there were ten children in each family.

Duration of Marriage

Seven percent of the couples who obtained divorces in 1965 had been married less than a year and 39 percent had been married less than five years. At the other end of the range were 26 couples who had been married for 50 or more years. The two racial groups differed greatly in duration of marriage. The median length of marriage for nonwhites (14.0 years) was 2 1/2 times that for whites (5.6 years). Another illustration of the large difference is that only 11 percent of the white couples who were divorced had been married for as long as 20 years, but 35 percent of the nonwhite couples were in this category.

Additional Information Needed

The statistical record of divorce used in Mississippi is a form which provides only limited information because of the omission of a number of pertinent items and also because of lack of clarity regarding some of the items which do appear on the form. No data at all are available concerning place of marriage, place of residence of the couple at time of separation, their ages at marriage, their ages at divorce, previous marriages, and socio-economic factors. Information which is presently tabulated on minor children, cause of divorce, and complainant probably is erroneous because of lack of definitions and instructions regarding how such facts should be entered on the form and also because of poor arrangement of the form. These deficiencies seriously hamper meaningful study of the divorce problem on a state level as

Vital Statistics
Mississippi - 1965

well as on a national level. Since Mississippi's record does not contain even what is considered minimum information, this state is not eligible to become part of the National Divorce Registration Area. Revision of the statistical record of divorce would be of great help in providing material for analysis of this serious social problem.

TABLE 1
ESTIMATED POPULATION*
MISSISSIPPI
JULY 1, 1965

By County, by Race

County	Total	White	Nonwhite
<u>STATE</u>	<u>2,329,854</u>	<u>1,344,513</u>	<u>985,341</u>
Adams	40,313	21,384	18,929
Alcorn	27,580	24,159	3,421
Amite	15,432	7,019	8,413
Attala	22,722	12,738	9,984
Benton	8,430	4,348	4,082
Bolivar	58,336	19,173	39,163
Calhoun	15,625	11,346	4,279
Carroll	11,414	5,231	6,183
Chickasaw	19,373	11,892	7,481
Choctaw	8,250	5,878	2,372
Claiborne	11,527	2,728	8,799
Clarke	17,169	10,289	6,880
Clay	19,527	8,801	10,726
Coahoma	47,116	14,612	32,504
Copiah	27,284	12,369	14,915
Covington	14,306	9,044	5,262
DeSoto	32,001	16,389	15,612
Forrest	59,142	42,470	16,672
Franklin	9,447	5,541	3,906
George	11,594	10,155	1,439
Greene	8,978	6,887	2,091
Grenada	21,181	11,021	10,160
Hancock	16,687	14,262	2,425
Harrison	123,950	100,701	23,249
Hinds	205,196	118,398	86,798
Holmes	28,600	7,989	20,611
Humphreys	20,364	5,437	14,927
Issaquena	3,555	1,214	2,341
Itawamba	16,447	15,569	878
Jackson	68,178	54,971	13,207
Jasper	16,203	7,938	8,265
Jefferson	10,230	2,479	7,751
Jeff Davis	13,777	5,815	7,962
Jones	58,115	41,361	16,754
Kemper	11,967	4,506	7,461
Lafayette	23,806	16,157	7,649

Table 1 - Page 2
 Estimated Population - Mississippi - July 1, 1965

County	Total	White	Nonwhite
Lamar	15,237	12,578	2,659
Lauderdale	75,802	50,660	25,142
Lawrence	9,860	6,056	3,804
Leake	18,224	10,000	8,224
Lee	46,215	35,117	11,098
Leflore	52,858	19,096	33,762
Lincoln	26,665	18,105	8,560
Lowndes	54,455	34,366	20,089
Madison	34,458	10,235	24,223
Marion	23,091	14,829	8,262
Marshall	26,034	8,105	17,929
Monroe	35,179	23,419	11,760
Montgomery	14,681	8,211	6,470
Neshoba	21,233	15,844	5,389
Newton	20,080	13,696	6,384
Noxubee	16,801	4,291	12,510
Oktibbeha	30,756	18,572	12,184
Panola	30,642	12,825	17,817
Pearl River	29,144	23,373	5,771
Perry	8,819	5,763	3,056
Pike	34,579	18,910	15,669
Pontotoc	18,363	14,590	3,773
Prentiss	19,809	17,169	2,640
Quitman	22,216	7,610	14,606
Rankin	39,083	25,014	14,069
Scott	23,015	14,384	8,631
Sharkey	11,304	3,262	8,042
Simpson	20,214	13,935	6,279
Smith	14,302	10,686	3,616
Stone	7,960	5,904	2,056
Sunflower	47,359	14,476	32,883
Tallahatchie	25,163	8,052	17,111
Tate	21,197	9,061	12,136
Tippah	16,097	13,153	2,944
Tishomingo	16,183	15,500	683
Tunica	17,439	3,911	13,528
Union	18,498	15,537	2,961
Walthall	13,759	7,655	6,104
Warren	45,493	24,617	20,876
Washington	79,168	33,637	45,531
Wayne	16,318	10,265	6,053
Webster	11,158	8,067	3,091
Wilkinson	12,333	3,426	8,907
Winston	18,938	10,311	8,627
Yalobusha	12,843	7,058	5,785
<u>Yazoo</u>	<u>33,007</u>	<u>12,911</u>	<u>20,096</u>

* Prepared by Division of Sociology and Rural Life,
 Mississippi State University.

TABLE 2
LIVE BIRTHS
MISSISSIPPI
1965

By Place of Occurrence, and by Place of Residence of Mother, by Race, with Rates

County	Place of Occurrence			Place of Residence					
	Number		Non-white	Number			Rate*		
	Total	White		Total	White	Non-white	Total	White	Non-white
STATE	51,203	23,334	27,869	51,171	23,369	27,802	22.0	17.4	28.2
Adams	1,348	554	794	929	378	551	23.0	17.7	29.1
Alcorn	538	443	95	508	416	92	18.4	17.2	26.9
Amite	133	5	128	275	85	190	17.8	12.1	22.6
Attala	437	180	257	437	170	267	19.2	13.3	26.7
Benton	96	1	95	166	51	115	19.7	11.7	28.2
Bolivar	1,736	301	1,435	1,633	314	1,319	28.0	16.4	33.7
Calhoun	256	102	154	271	154	117	17.3	13.6	27.3
Carroll	133	10	123	215	45	170	18.8	8.6	27.5
Chickasaw	397	208	189	409	210	199	21.1	17.6	26.6
Choctaw	150	65	85	152	77	75	18.4	13.1	31.6
Claiborne	124	20	104	216	40	176	18.7	14.7	20.0
Clarke	95	56	39	352	162	190	20.5	15.7	27.6
Clay	364	150	214	388	157	231	19.9	17.8	21.5
Coahoma	1,273	314	959	1,264	272	992	26.8	18.6	30.5
Copiah	689	178	511	539	165	374	19.8	13.3	25.1
Covington	162	108	54	296	153	143	20.7	16.9	27.2
DeSoto	502	42	460	785	320	465	24.5	19.5	29.8
Forrest	1,440	1,011	429	1,211	743	468	20.5	17.5	28.1
Franklin	130	53	77	154	70	84	16.3	12.6	21.5
George	334	278	56	280	227	53	24.2	22.4	36.8
Greene	59	33	26	181	126	55	20.2	18.3	26.3
Grenada	415	128	287	455	172	283	21.5	15.6	27.8
Hancock	202	151	51	357	299	58	21.4	21.0	23.9
Harrison	3,383	2,644	739	3,030	2,312	718	24.4	23.0	30.9
Hinds	5,282	2,559	2,723	4,576	2,085	2,491	22.3	17.6	28.7
Holmes	604	81	523	594	87	507	20.8	10.9	24.6
Humphreys	526	73	453	515	92	423	25.3	16.9	28.3
Issaquena	29	0	29	91	18	73	25.6	14.8	31.2
Itawamba	42	31	11	249	234	15	15.1	15.0	17.1
Jackson	1,370	976	394	1,689	1,274	415	24.8	23.2	31.4
Jasper	175	116	59	325	109	216	20.0	13.7	26.1
Jefferson	82	3	79	203	27	176	19.8	10.9	22.7
Jeff Davis	239	104	135	272	89	183	19.7	15.3	23.0
Jones	1,869	800	1,069	1,022	618	404	17.6	14.9	24.1
Kemper	162	33	129	222	43	179	18.6	9.5	24.0
Lafayette	472	290	182	466	267	199	19.6	16.5	26.0

Table 2 - Page 2
Live Births - Mississippi - 1965

County	Place of Occurrence			Place of Residence					
	Number			Number			Rate*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lamar	97	66	31	311	246	65	20.4	19.6	24.4
Lauderdale	2,038	1,021	1,017	1,601	841	760	21.1	16.6	30.2
Lawrence	89	34	55	183	92	91	18.6	15.2	23.9
Leake	268	104	164	353	147	206	19.4	14.7	25.0
Lee	1,261	970	291	981	691	290	21.2	19.7	26.1
Leflore	1,402	398	1,004	1,337	332	1,005	25.3	17.4	29.8
Lincoln	543	311	232	513	282	231	19.2	15.6	27.0
Lowndes	1,309	710	599	1,301	683	618	23.9	19.9	30.8
Madison	714	111	603	854	163	691	24.8	15.9	28.5
Marion	359	194	165	432	228	204	18.7	15.4	24.7
Marshall	518	47	471	648	134	514	24.9	16.5	28.7
Monroe	764	467	297	717	407	310	20.4	17.4	26.4
Montgomery	355	153	202	288	118	170	19.6	14.4	26.3
Neshoba	377	216	161	400	226	174	18.8	14.3	32.3
Newton	340	207	133	335	172	163	16.7	12.6	25.5
Noxubee	386	58	328	363	55	308	21.6	12.8	24.6
Oktibbeha	695	316	379	637	291	346	20.7	15.7	28.4
Panola	801	235	566	729	214	515	23.8	16.7	28.9
Pearl River	622	484	138	541	392	149	18.6	16.8	25.8
Perry	45	32	13	158	105	53	17.9	18.2	17.3
Pike	651	302	349	648	264	384	18.7	14.0	24.5
Pontotoc	331	241	90	292	208	84	15.9	14.2	22.3
Prentiss	432	352	80	407	332	75	20.5	19.3	28.4
Quitman	687	170	517	624	159	465	28.1	20.9	31.8
Rankin	164	61	103	738	433	305	18.9	17.3	21.7
Scott	451	279	172	477	264	213	20.7	18.4	24.7
Sharkey	137	16	121	300	59	241	26.5	18.1	30.0
Simpson	394	235	159	429	232	197	21.2	16.6	31.4
Smith	17	0	17	248	118	130	17.3	11.0	36.0
Stone	120	75	45	135	86	49	17.0	14.6	23.8
Sunflower	1,132	168	964	1,267	207	1,060	26.8	14.3	32.2
Tallahatchie	640	94	546	701	118	583	27.8	14.6	34.1
Tate	280	1	279	512	142	370	24.2	15.7	30.5
Tippah	322	253	69	272	207	65	16.9	15.7	22.1
Tishomingo	151	144	7	237	229	8	14.6	14.8	11.7
Tunica	543	39	504	573	67	506	32.8	17.1	37.4
Union	309	240	69	333	265	68	18.0	17.0	23.0
Walthall	407	212	195	280	101	179	20.4	13.2	29.3
Warren	1,493	606	887	1,046	516	530	23.0	21.0	25.4
Washington	2,192	746	1,446	2,060	677	1,383	26.0	20.1	30.4
Wayne	428	263	165	345	182	163	21.1	17.7	26.9
Webster	111	67	44	184	115	69	16.5	14.2	22.3
Wilkinson	271	98	173	260	44	216	21.1	12.8	24.2
Winston	329	145	184	356	149	207	18.8	14.4	24.0
Yalobusha	253	85	168	259	93	166	20.2	13.2	28.7
Yazoo	727	207	520	779	222	557	23.6	17.2	27.7
Out-of-State	1,272	1,063	209	1,304	1,028	276	-	-	-

Table 2 - Page 3
Live Births - Mississippi - 1965

City**	Place of Occurrence			Place of Residence		
	Number		Non-white	Number		Non-white
	Total	White		Total	White	
Biloxi	1,908	1,667	241	1,047	855	192
Clarksdale	869	312	557	522	198	324
Cleveland	564	209	355	315	126	189
Columbus	857	443	414	670	308	362
Corinth	502	420	82	234	173	61
Greenville	1,276	622	654	1,072	442	630
Greenwood	820	396	424	539	189	350
Gulfport	1,391	969	422	686	424	262
Hattiesburg	1,403	1,010	393	812	446	366
Jackson	5,090	2,557	2,533	3,420	1,603	1,817
Laurel	1,850	787	1,063	479	206	273
McComb	488	275	213	249	122	127
Meridian	1,974	1,014	960	1,100	573	527
Natchez	1,337	554	783	558	194	364
Pascagoula	664	475	189	543	396	147
Tupelo	1,053	847	206	387	293	94
Vicksburg	1,484	606	878	690	326	364
Yazoo City	387	205	182	301	109	192
Total Urban#	33,684	18,385	15,299	19,119	9,783	9,336
Total Rural	17,519	4,949	12,570	32,052	13,586	18,466

* Births per 1,000 population.

** Cities having 10,000 population and over according to 1960 census.

Includes all incorporated towns of 2,500 population or more according to 1960 census.

TABLE 3
LIVE BIRTHS
MISSISSIPPI
1965

By Place of Residence of Mother, by Race and Attendant, and by Sex

County	TOTAL	WHITE			NONWHITE			Male	Female	SEX
		Phys. in Hosp.	Phys. in Home	Other	Total	Phys. in Hosp.	Phys. in Home			
STATE	51,171	23,369	23,238	52	79	27,802	16,341	740	10,721	25,934
Adams	929	378	378	0	0	551	539	1	11	458
Alcorn	508	416	414	1	1	92	59	1	32	267
Amité	275	85	85	0	0	190	73	0	117	143
Attala	437	170	167	2	1	267	78	1	188	204
Benton	166	51	50	1	0	115	20	0	95	92
Bolivar	1,633	314	310	0	4	1,319	729	54	536	848
Calhoun	271	154	151	1	2	117	75	4	38	140
Carroll	215	45	44	1	0	170	58	0	112	110
Chickasaw	409	210	210	0	0	199	134	6	59	203
Choctaw	152	77	77	0	0	75	35	1	39	69
Claiborne	216	40	40	0	0	176	93	0	83	104
Clarke	352	162	161	1	0	190	161	2	27	181
Clay	388	157	157	0	0	231	136	7	88	195
Coahoma	1,264	272	271	0	1	992	542	2	448	666
Copiah	539	165	164	1	0	374	307	6	61	268
Covington	296	153	153	0	0	143	124	4	15	152
DeSoto	785	320	319	0	1	465	308	2	155	385
Forrest	1,211	743	739	0	4	468	330	0	138	602
Franklin	154	70	70	0	0	84	62	1	21	81
George	280	227	227	0	0	53	39	0	14	136
Greene	181	126	126	0	0	55	37	1	17	90
Grenada	455	172	172	0	0	283	71	70	142	228
Hancock	357	299	295	1	3	58	38	0	20	176
Harrison	3,030	2,312	2,297	2	13	718	456	30	232	1,465

Table 3 - Page 2
Live Births - Mississippi - 1965

County	TOTAL	WHITE			NONWHITE			SEX	
		Total	Phys. in Hosp.	Phys. in Home	Other	Total	Phys. in Hosp.	Phys. in Home	Male Female
Hinds	4,576	2,085	2,082	2	1	2,491	2,170	36	2,315 2,261
Holmes	594	87	86	1	0	507	68	5	301 293
Humphreys	515	92	92	0	0	423	104	0	266 249
Issaquena	91	18	18	0	0	73	45	0	51 40
Itawamba	249	234	231	3	0	15	13	2	0 127
Jackson	1,689	1,274	1,267	2	5	415	276	36	103 871
Jasper	325	109	108	1	0	216	190	4	22 170
Jefferson	203	27	27	0	0	176	104	1	71 95
Jeff Davis	272	89	89	0	0	183	122	5	56 142
Jones	1,022	618	616	0	2	404	390	3	11 535
Kemper	222	43	42	0	1	179	94	0	85 111
Lafayette	466	267	265	0	2	199	54	5	140 222
Lamar	311	246	245	1	0	65	61	2	2 159
Lauderdale	1,601	841	840	1	0	760	683	7	70 808
Lawrence	183	92	92	0	0	91	53	2	36 85
Leake	353	147	146	0	1	206	90	1	115 192
Lee	981	691	690	1	0	290	207	38	45 515
Leflore	1,337	332	329	2	1	1,005	219	4	782 681
Lincoln	513	282	282	0	0	231	224	0	7 275
Lowndes	1,301	683	674	2	7	618	259	1	358 666
Madison	854	163	163	0	0	691	223	16	452 452
Marion	432	228	222	5	1	204	95	33	76 200
Marshall	648	134	134	0	0	514	198	2	314 324
Monroe	717	407	402	3	2	310	180	15	115 361
Montgomery	288	118	117	1	0	170	84	4	82 143
Neshoba	400	226	225	1	0	174	137	1	36 207
Newton	335	172	172	0	0	163	108	42	13 173
Noxubee	363	55	54	1	0	308	125	1	182 173
Oktibbeha	637	291	290	1	0	346	153	4	189 310
Panola	729	214	214	0	0	515	358	42	115 382

Table 3 - Page 3
Live Births - Mississippi - 1965

County	TOTAL	WHITE				NONWHITE				SEX	
		Phys. in Hosp.	Phys. in Home	Other	Total	Phys. in Hosp.	Phys. in Home	Other	Male	Female	
Pearl River	541	392	391	1	0	149	137	2	10	272	269
Perry	158	105	105	0	0	53	47	1	5	75	83
Pike	648	264	264	0	0	384	258	3	123	322	326
Pontotoc	292	208	208	0	0	84	58	3	23	138	154
Prentiss	407	332	331	1	0	75	61	1	13	201	206
Quitman	624	159	158	0	1	465	352	11	102	306	318
Rankin	738	433	427	1	5	305	258	7	40	394	344
Scott	477	264	262	2	0	213	141	2	70	257	220
Sharkey	300	59	59	0	0	241	165	0	76	156	144
Simpson	429	232	232	0	0	197	166	2	29	203	226
Smith	248	118	118	0	0	130	113	9	8	129	119
Stone	135	86	86	0	0	49	21	0	28	72	63
Sunflower	1,267	207	201	2	4	1,060	324	76	660	609	658
Tallahatchie	701	118	116	0	2	583	120	19	444	345	356
Tate	512	142	140	2	0	370	92	36	242	263	249
Tippah	272	207	204	3	0	65	41	9	15	149	123
Tishomingo	237	229	229	0	0	8	8	0	0	128	109
Tunica	573	67	66	1	0	506	206	11	289	295	278
Union	333	265	261	0	4	68	25	6	37	170	163
Walthall	280	101	96	0	5	179	95	1	83	142	138
Warren	1,046	516	515	0	1	530	482	1	47	508	538
Washington	2,060	677	676	0	1	1,383	989	14	380	1,065	995
Wayne	345	182	182	0	0	163	131	0	32	176	169
Webster	184	115	115	0	0	69	44	4	21	94	90
Wilkinson	260	44	43	0	1	216	107	0	109	119	141
Winston	356	149	149	0	0	207	77	0	130	187	169
Yalobusha	259	93	93	0	0	166	121	17	28	122	137
Yazoo	779	222	220	0	2	557	111	0	446	362	417

Table 3 - Page 4
Live Births - Mississippi - 1965

City*	TOTAL	WHITE			NONWHITE			SEX			
		Total	Phys. in Hosp.	Phys. in Home	Other	Total	Phys. in Hosp.	Phys. in Home	Other	Male	Female
Biloxi	1,047	855	852	1	2	192	153	4	35	560	487
Clarksdale	522	198	198	0	0	324	279	1	44	286	236
Cleveland	315	126	126	0	0	189	119	12	58	161	154
Columbus	670	308	302	2	4	362	167	0	195	347	323
Corinth	234	173	171	1	1	61	37	1	23	125	109
Greenville	1,072	442	441	0	1	630	480	6	144	556	516
Greenwood	539	189	189	0	0	350	136	0	214	293	246
Gulfport	686	424	423	0	1	262	172	21	69	358	328
Hattiesburg	812	446	444	0	2	366	265	0	101	397	415
Jackson	3,420	1,603	1,600	2	1	1,817	1,657	27	133	1,725	1,695
Laurel	479	206	206	0	0	273	261	3	9	247	232
McComb	249	122	122	0	0	127	89	3	35	121	128
Meridian	1,100	573	572	1	0	527	507	7	13	553	547
Natchez	558	194	194	0	0	364	363	0	1	279	279
Pascagoula	543	396	394	0	2	147	93	13	41	292	251
Tupelo	387	293	293	0	0	94	78	10	6	203	184
Vicksburg	690	326	326	0	0	364	328	1	35	334	356
Yazoo City	301	109	109	0	0	192	52	0	140	144	157

* Cities having 10,000 population and over according to 1960 census.

TABLE 4
FETAL DEATHS
MISSISSIPPI
1965

By Place of Occurrence; by Place of Residence of Mother, by Race and Attendant, and by Sex

County	Occurrence	Total by Residence	WHITE			NONWHITE			SEX			
			Total	Phys. in Hosp.	Phys. in Home	Other	Total	Phys. in Hosp.	Phys. in Home	Other	Male	Female
STATE		<u>2,553</u>	<u>2,510</u>	<u>1,054</u>	<u>1,010</u>		<u>3</u>	<u>1,456</u>	<u>983</u>	<u>94</u>	<u>379</u>	<u>889</u>
Adams	77	40	28	27	1	0	12	12	0	0	11	5
Alcorn	11	11	7	7	0	0	4	2	0	2	6	4
Amité	2	10	0	0	0	0	10	8	0	2	2	0
Attala	24	23	12	12	0	0	11	6	1	4	10	4
Benton	4	4	1	0	1	0	3	0	0	3	1	1
Bolivar	60	62	11	11	0	0	51	28	5	18	23	22
Calhoun	8	9	3	2	1	0	6	3	1	2	2	6
Carroll	6	11	3	2	1	0	8	3	0	5	3	3
Chickasaw	26	24	9	8	1	0	15	9	1	5	4	11
Choctaw	5	5	1	1	0	0	4	2	0	2	3	0
Claiborne	7	15	5	5	0	0	10	6	0	4	10	3
Clarke	3	12	4	4	0	0	8	7	0	1	3	3
Clay	5	7	1	1	0	0	6	4	0	2	5	1
Coahoma	63	63	6	6	0	0	57	34	1	22	30	22
Copiah	16	12	3	2	1	0	9	8	1	0	4	4
Covington	3	12	4	4	0	0	8	8	0	0	5	5
DeSoto	20	25	4	4	0	0	21	9	1	11	13	12
Forrest	45	47	24	24	0	0	23	18	2	3	16	19
Franklin	3	5	1	1	0	0	4	3	0	1	2	2
George	8	8	5	5	0	0	3	0	0	3	3	0
Greene	3	9	5	5	0	0	4	2	0	2	5	2
Grenada	23	24	6	6	0	0	18	7	6	5	10	3
Hancock	6	6	3	3	0	0	3	2	1	0	2	0
Harrison	170	146	112	110	1	1	34	26	1	1	11	0

Table 4 - Page 2
Fetal Deaths - Mississippi - 1965

County	Total by Occurrence	Total by Residence	WHITE			NONWHITE			SEX		
			Total	Phys. in Hosp.	Phys. in Home	Other	Total	Phys. in Hosp.	Phys. in Home	Other	Male
Hinds	521	420	251	236	14	1	169	155	6	8	72
Holmes	33	37	2	2	0	0	35	16	4	15	50
Humphreys	18	23	1	1	0	0	22	6	2	14	14
Issaquena	0	1	0	0	0	0	1	1	0	0	5
Itawamba	2	7	6	0	0	1	1	0	0	0	6
Jackson	42	59	45	44	1	0	14	14	0	0	17
Jasper	9	28	4	4	0	0	24	22	1	1	6
Jefferson	3	8	0	0	0	0	8	5	0	3	10
Jeff Davis	6	14	2	2	0	0	12	9	1	2	2
Jones	141	62	40	36	4	0	22	21	1	0	16
Kemper	3	9	0	0	0	0	9	7	0	2	10
Lafayette	15	17	2	2	0	0	15	5	0	10	6
Lamar	2	7	6	6	0	0	1	1	0	0	1
Lauderdale	63	47	13	13	0	0	34	33	0	1	25
Lawrence	2	4	1	1	0	0	3	1	0	2	20
Leake	4	9	4	4	0	0	5	3	0	2	4
Lee	31	24	12	12	0	0	12	10	2	0	12
Leflore	105	101	26	20	6	0	75	36	11	28	47
Lincoln	18	20	7	7	0	0	13	12	1	0	8
Lowndes	44	43	16	16	0	0	27	20	2	5	15
Madison	28	43	8	8	0	0	35	21	2	12	18
Marion	33	38	23	23	0	0	15	5	3	7	8
Marshall	12	18	1	1	0	0	17	13	0	4	12
Monroe	20	16	5	5	0	0	11	10	1	0	7
Montgomery	24	23	6	5	1	0	17	7	3	7	12
Neshoba	12	12	0	0	0	0	12	11	1	0	5
Newton	26	21	10	10	0	0	11	8	1	2	5
Noxubee	19	19	1	1	0	0	18	14	0	4	15
Oktibbeha	24	22	4	4	0	0	18	5	1	12	13
Panola	24	30	6	6	0	0	24	17	4	3	9

Table 4 - Page 3
Fetal Deaths - Mississippi - 1965

County	Total by Occurrence	Total by Residence	WHITE			NONWHITE			SEX		
			Total in Hosp.	Phys. in Home	Other	Total in Hosp.	Phys. in Home	Other	Male	Female	Unde-termined
Pearl River	12	16	7	7	0	9	9	0	9	5	2
Perry	1	4	2	2	0	0	2	0	0	0	3
Pike	18	20	5	5	0	0	15	10	0	5	4
Pontotoc	3	5	4	4	0	0	1	0	1	2	1
Prentiss	6	9	8	8	0	0	1	1	0	7	0
Quitman	29	28	3	3	0	0	25	18	0	7	1
Rankin	3	51	34	33	1	0	17	16	0	11	4
Scott	5	13	6	6	0	0	7	5	1	4	3
Sharkey	8	16	2	2	0	0	14	11	3	0	4
Simpson	24	29	15	12	3	0	14	10	2	2	3
Smith	0	12	7	7	0	0	5	5	0	0	15
Stone	4	9	4	4	0	0	5	3	0	4	6
Sunflower	50	58	14	13	0	1	44	13	5	26	36
Tallahatchie	23	23	0	0	0	0	23	2	2	11	8
Tate	8	14	0	0	0	0	14	6	1	7	4
Tippah	23	19	14	13	1	0	5	3	0	6	0
Tishomingo	4	5	5	4	1	0	0	0	0	3	10
Tunica	32	33	1	1	0	0	32	14	3	15	1
Union	28	23	19	17	2	0	4	2	1	7	1
Walthall	16	8	1	1	0	0	7	4	0	3	12
Warren	129	74	39	39	0	0	35	33	1	16	1
Washington	170	162	72	72	0	0	90	79	2	9	38
Wayne	18	19	8	8	0	0	11	10	0	1	29
Webster	3	8	5	5	0	0	3	2	0	1	7
Wilkinson	9	17	3	3	0	0	14	6	0	8	0
Winston	10	11	3	3	0	0	8	6	0	2	3
Yalobusha	5	4	2	2	0	0	2	0	0	2	2
Yazoo	30	48	11	11	0	0	37	17	2	18	12

Table 4 - Page 4
Fetal Deaths - Mississippi - 1965

City*	Total by Occurrence	Total by Residence	WHITE			NONWHITE			SEX		
			Total	Phys. in Hosp.	Other	Total	Phys. in Hosp.	Phys. in Home	Other	Male	Female
Biloxi	143	100	88	87	1	0	12	10	1	12	8
Clarksdale	45	22	5	5	0	0	17	13	0	4	6
Cleveland	24	14	8	8	0	0	6	4	0	2	4
Columbus	38	28	11	11	0	0	17	10	2	5	4
Corinth	11	3	0	0	0	0	3	1	0	2	0
Greenville	145	105	52	52	0	0	53	52	1	0	24
Greenwood	89	58	18	13	5	0	40	17	9	14	20
Gulfport	27	19	5	5	0	0	14	9	1	4	11
Hattiesburg	42	37	21	21	0	0	16	14	1	1	15
Jackson	509	367	232	217	14	1	135	127	4	4	56
Laurel	141	33	19	15	4	0	14	13	1	0	7
McComb	6	6	4	4	0	0	2	1	0	1	2
Meridian	62	30	8	8	0	0	22	22	0	0	16
Natchez	77	28	23	22	1	0	5	5	0	0	4
Pascagoula	14	19	13	12	1	0	6	6	0	0	7
Tupelo	27	11	7	7	0	0	4	3	1	0	7
Vicksburg	129	56	30	30	0	0	26	24	1	1	10
Yazoo City	16	19	5	5	0	0	14	7	0	7	7

* Cities having 10,000 population and over according to 1960 census.

TABLE 5
DEATHS
MISSISSIPPI
1965

By Cause of Death, by Race, Residence Data

International List Number*	Cause of Death**	Total	White	Non-white
<u>001-999</u>	<u>TOTAL ALL CAUSES</u>	<u>22,652</u>	<u>12,376</u>	<u>10,276</u>
001-019	<u>Tuberculosis, all forms</u>	78	26	52
002	Pulmonary	68	24	44
003	Pleural	1	0	1
005	Tracheobronchial glandular with symptoms	1	0	1
008	Unspecified site	1	1	0
010	Meninges and central nervous system	3	0	3
011	Intestines, peritoneum, and mesenteric glands	2	0	2
015	Lymphatic system	1	1	0
016	Genito-urinary system	1	0	1
<u>020-029</u>	<u>Syphilis and its sequelae</u>	<u>28</u>	<u>7</u>	<u>21</u>
020	Congenital syphilis	4	1	3
021	Early syphilis	1	1	0
022	Aneurysm of aorta	10	4	6
023	Other cardiovascular syphilis	10	1	9
026	Other syphilis of central nervous system	2	0	2
029	Syphilis, unqualified	1	0	1
042	Other Salmonella infections	2	0	2
044	Brucellosis (undulant fever)	1	1	0
<u>045-048</u>	<u>Dysentery, all forms</u>	<u>13</u>	<u>1</u>	<u>12</u>
045	Bacillary	8	1	7
046	Amebiasis	1	0	1
048	Unspecified forms	4	0	4
049	Food poisoning (infection and intoxication)	2	0	2
051	Streptococcal sore throat	1	1	0
052	Erysipelas	1	1	0
053	Septicemia and pyemia	33	10	23
055	Diphtheria	1	0	1
056	Whooping cough	3	0	3
057	Meningococcal infections	12	7	5
061	Tetanus	6	3	3
072	Leptospirosis	2	2	0
081	Late effects of acute poliomyelitis	1	0	1
082	Acute infectious encephalitis	15	9	6
085	Measles	8	1	7
086	Rubella (German measles)	1	1	0
089	Mumps	1	0	1
092	Infectious hepatitis	12	7	5
096	Other diseases attributable to viruses	6	4	2
130	Infestation with worms of other, mixed, and unspecified type	2	0	2
134	Other fungus infections	16	9	7
138	Other infective and parasitic diseases	7	4	3

Table 5 - Page 2
Deaths - Mississippi - 1965

International List Number*	Cause of Death**	Total	White	Non-white
<u>140-205</u>	<u>Malignant neoplasms</u>	<u>2,931</u>	<u>1,867</u>	<u>1,064</u>
<u>140-148</u>	<u>Buccal cavity and pharynx</u>	<u>63</u>	<u>42</u>	<u>21</u>
140	Lip	2	1	1
141	Tongue	6	5	1
142	Salivary gland	9	6	3
143	Floor of mouth	3	2	1
144	Other parts of mouth and mouth unspecified	18	12	6
145	Oral mesopharynx	2	2	0
146	Nasopharynx	6	3	3
147	Hypopharynx	2	1	1
148	Pharynx, unspecified	15	10	5
<u>150-159</u>	<u>Digestive organs and peritoneum</u>	<u>884</u>	<u>511</u>	<u>373</u>
150	Esophagus	37	22	15
151	Stomach	216	90	126
152	Small intestine, including duodenum	6	5	1
153	Large intestine, except rectum	265	169	96
154	Rectum	71	36	35
155	Biliary passages and liver (stated to be primary site)	41	32	9
156	Liver (secondary and unspecified)	66	38	28
157	Pancreas	166	109	57
158	Peritoneum	3	3	0
159	Unspecified digestive organs	13	7	6
<u>160-165</u>	<u>Respiratory system</u>	<u>518</u>	<u>391</u>	<u>127</u>
160	Nose, nasal cavities, middle ear, and accessory sinuses	7	7	0
161	Larynx	37	22	15
162	Bronchus and trachea, and lung specified as primary	204	162	42
163	Lung, unspecified as to whether primary or secondary	252	187	65
164	Mediastinum	2	2	0
165	Thoracic organs (secondary)	16	11	5
<u>170-181</u>	<u>Breast and genito-urinary organs</u>	<u>822</u>	<u>468</u>	<u>354</u>
170	Breast	216	146	70
171	Cervix uteri	118	55	63
172	Corpus uteri	18	11	7
173	Other parts of uterus, including choriocarcinoma	1	0	1
174	Uterus, unspecified	69	22	47
175	Ovary, Fallopian tube, and broad ligament	75	52	23
176	Other and unspecified female genital organs	9	8	1
177	Prostate	184	92	92
178	Testis	6	4	2
179	Other and unspecified male genital organs	5	3	2
180	Kidney	42	30	12
181	Bladder and other urinary organs	79	45	34
<u>190-199</u>	<u>Other and unspecified sites</u>	<u>360</u>	<u>248</u>	<u>112</u>
190	Melanoma of skin	33	30	3
191	Skin, other	37	32	5

Table 5 - Page 3
 Deaths - Mississippi - 1965

International List Number*	Cause of Death**	Total	White	Non-white
192	Eye	5	3	2
193	Brain and other parts of nervous system	70	59	11
194	Thyroid gland	10	6	4
195	Other endocrine glands	2	1	1
196	Bone	20	15	5
197	Connective tissue	9	5	4
198	Lymph nodes (secondary and unspecified)	2	0	2
199	Other and unspecified sites	172	97	75
<u>200-205</u>	<u>Lymphatic and hematopoietic tissues</u>	<u>284</u>	<u>207</u>	<u>77</u>
200	Lymphosarcoma and reticulosarcoma	51	42	9
201	Hodgkin's disease	33	26	7
202	Other forms of lymphoma (reticulosis)	15	13	2
203	Multiple myeloma (plasmacytoma)	34	16	18
204	Leukemia and aleukemia	150	110	40
205	mycosis fungoides	1	0	1
<u>210-229</u>	<u>Benign neoplasms</u>	<u>30</u>	<u>16</u>	<u>14</u>
211	Other parts of digestive system	1	0	1
214	Uterine fibromyoma	6	0	6
215	Uterus, other	1	1	0
216	Ovary	5	1	4
219	Kidney and other urinary organs	2	1	1
223	Brain and other parts of nervous system	5	5	0
224	Endocrine glands	5	4	1
227	Muscular and connective tissue, other	3	3	0
228	Hemangioma and lymphangioma	2	1	1
<u>230-239</u>	<u>Neoplasms of unspecified nature</u>	<u>25</u>	<u>9</u>	<u>16</u>
230	Digestive organs	2	1	1
231	Respiratory organs	5	0	5
233	Uterus	1	0	1
236	Other genito-urinary organs	1	0	1
237	Brain and other parts of nervous system	11	6	5
239	Other and unspecified organs	5	2	3
241	Asthma	55	30	25
245	Other allergic disorders	1	1	0
251	Nontoxic nodular goiter	1	0	1
252	Thyrotoxicosis with or without goiter	7	1	6
253	Myxedema and cretinism	9	7	2
260	Diabetes mellitus			
270	Disorders of pancreatic internal secretion other than diabetes mellitus	314	151	163
272	Diseases of pituitary gland	1	0	1
273	Diseases of thymus gland	2	2	0
274	Diseases of adrenal glands	1	1	0
280	Beriberi ¹⁴	7	6	1
281	Pellagra ²⁶⁵	1	1	0
286	Other avitaminoses and nutritional deficiency states	2	1	1
287	Obesity, not specified as of endocrine origin	17	10	7
289	Other metabolic diseases	12	5	7
		18	12	6

Table 5 - Page 4
Deaths - Mississippi - 1965

International List Number*	Cause of Death**	Total	White	Non-white
<u>290-293</u>	<u>Anemias</u>	<u>53</u>	<u>21</u>	<u>32</u>
290	Pernicious and other hyperchromic anemias	2	2	0
291	Iron deficiency (hypochromic)	2	1	1
292	Other specified type	30	10	20
293	Unspecified type	19	8	11
294	Polycythemia	2	2	0
295	Hemophilia	2	2	0
296	Purpura and other hemorrhagic conditions	6	3	3
297	Agranulocytosis	5	4	1
298	Diseases of spleen	1	0	1
299	Other diseases of blood and blood-forming organs	3	1	2
302	Involutional melancholia	1	1	0
304	Senile psychosis	11	8	3
305	Presenile psychosis	2	2	0
307	Alcoholic psychosis	3	1	2
309	Other and unspecified psychoses	2	1	1
322	Alcoholism	20	10	10
323	Other drug addiction	2	2	0
325	Mental deficiency	4	1	3
<u>330-334</u>	<u>Vascular lesions affecting central nervous system</u>	<u>3,064</u>	<u>1,639</u>	<u>1,425</u>
330	Subarachnoid hemorrhage	106	53	53
331	Cerebral hemorrhage	1,896	952	944
332	Cerebral embolism and thrombosis	709	446	263
333	Spasm of cerebral arteries	1	1	0
334	Other and ill-defined	352	187	165
340	Meningitis, except meningococcal and tuberculous	51	15	36
342	Intracranial and intraspinal abscess	3	2	1
343	Encephalitis, myelitis, and encephalomyelitis (except acute infectious)	10	7	3
344	Late effects of intracranial abscess or pyogenic infection	9	5	4
345	Multiple sclerosis	10	9	1
350	Paralysis agitans	16	14	2
351	Cerebral spastic infantile paralysis	15	7	8
352	Other cerebral paralysis	16	1	15
353	Epilepsy	30	9	21
355	Other diseases of brain	19	10	9
356	Motor neurone disease and muscular atrophy	11	9	2
357	Other diseases of spinal cord	6	3	3
364	Polyneuritis and polyradiculitis	1	1	0
391	Otitis media without mention of mastoiditis	1	0	1
<u>400-443</u>	<u>Diseases of the heart</u>	<u>7,038</u>	<u>4,429</u>	<u>2,609</u>
401	Rheumatic fever with heart involvement	5	1	4
410	Diseases of mitral valve	46	29	17
411	Diseases of aortic valve specified as rheumatic	14	10	4
414	Other endocarditis specified as rheumatic	3	1	2
415	Other myocarditis specified as rheumatic	2	1	1
416	Other heart disease specified as rheumatic	42	19	23
420	Arteriosclerotic heart disease, including coronary disease	4,729	3,397	1,332

Table 5 - Page 5
 Deaths - Mississippi - 1965

International List Number*	Cause of Death**	Total	White	Non-white
421	Chronic endocarditis not specified as rheumatic	51	26	25
422	Other myocardial degeneration	526	283	243
430	Acute and subacute endocarditis	6	3	3
431	Acute myocarditis not specified as rheumatic	6	3	3
433	Functional disease of heart	92	64	28
434	Other and unspecified diseases of heart	412	190	222
441	Essential malignant hypertensive heart disease	19	7	12
442	Hypertensive heart disease with arteriolar nephrosclerosis	185	83	102
443	Other and unspecified hypertensive heart disease	900	312	588
<u>444-447</u>	<u>Other hypertensive disease</u>	<u>198</u>	<u>69</u>	<u>129</u>
444	Essential benign hypertension	54	13	41
445	Essential malignant hypertension	59	10	49
446	Hypertension with arteriolar nephrosclerosis	81	44	37
447	Other hypertensive disease without mention of heart	4	2	2
450	General arteriosclerosis	382	251	131
<u>451-468</u>	<u>Other diseases of circulatory system</u>	<u>311</u>	<u>202</u>	<u>109</u>
451	Aortic aneurysm, nonsyphilitic, and dissecting aneurysm	127	89	38
452	Other aneurysm, except of heart and aorta	11	9	2
453	Peripheral vascular disease	4	2	2
454	Arterial embolism and thrombosis	7	5	2
455	Gangrene of unspecified cause	5	2	3
456	Other diseases of arteries	11	6	5
460	Varicose veins of lower extremities	7	3	4
462	Varicose veins of other specified sites	6	3	3
463	Phlebitis and thrombophlebitis of lower extremities	12	7	5
464	Phlebitis and thrombophlebitis of other sites	8	6	2
465	Pulmonary embolism and infarction	62	40	22
466	Other venous embolism and thrombosis	27	17	10
467	Other diseases of circulatory system	24	13	11
470	Acute nasopharyngitis (common cold)	9	0	9
473	Acute tonsillitis	2	0	2
475	Acute upper respiratory infection of multiple or unspecified sites	6	2	4
<u>480-483</u>	<u>Influenza</u>	<u>61</u>	<u>29</u>	<u>32</u>
480	With pneumonia	30	9	21
481	With other respiratory manifestations, and influenza unqualified	30	19	11
483	With nervous manifestations, but without digestive or respiratory symptoms	1	1	0
<u>490-493</u>	<u>Pneumonia (excluding pneumonia of newborn)</u>	<u>703</u>	<u>321</u>	<u>382</u>
490	Lobar	118	43	75
491	Broncho	289	151	138
492	Primary atypical	40	20	20
493	Other and unspecified	256	107	149
<u>500-502</u>	<u>Bronchitis</u>	<u>63</u>	<u>48</u>	<u>15</u>
500	Acute	12	8	4

Table 5 - Page 6
 Deaths - Mississippi - 1965

International List Number*	Cause of Death**	Total	White	Non-white
501	Unqualified	9	2	7
502	Chronic	42	38	4
512	Chronic pharyngitis and nasopharyngitis	1	1	0
517	Other diseases of upper respiratory tract	1	0	1
518	Empyema	1	1	0
519	Pleurisy	1	0	1
520	Spontaneous pneumothorax	1	0	1
521	Abscess of lung	7	3	4
522	Pulmonary congestion and hypostasis	17	10	7
<u>525-527</u>	<u>Other bronchopulmonic diseases</u>	<u>257</u>	<u>210</u>	<u>47</u>
525	Other chronic interstitial pneumonia	29	21	8
526	Bronchiectasis	22	20	2
527	Other diseases of lung and pleural cavity	206	169	37
535	Other diseases of teeth and supporting structures	1	0	1
537	Diseases of salivary glands	2	2	0
538	Other diseases of buccal cavity	1	1	0
539	Diseases of esophagus	6	5	1
<u>540,541</u>	<u>Ulcer of stomach and duodenum</u>	<u>75</u>	<u>61</u>	<u>14</u>
540	Stomach	35	26	9
541	Duodenum	40	35	5
542	Gastrojejunal ulcer	3	2	1
543	Gastritis and duodenitis	4	2	2
544	Disorders of function of stomach	3	0	3
545	Other diseases of stomach and duodenum	3	2	1
<u>550-553</u>	<u>Appendicitis</u>	<u>23</u>	<u>11</u>	<u>12</u>
550	Acute	22	11	11
551	Unqualified	1	0	1
<u>560,561,570</u>	<u>Hernia and intestinal obstruction</u>	<u>140</u>	<u>80</u>	<u>60</u>
560	Hernia of abdominal cavity without mention of obstruction	11	10	1
561	Hernia of abdominal cavity with obstruction	21	10	11
570	Intestinal obstruction without mention of hernia	108	60	48
571	Gastro-enteritis and colitis, except ulcerative, age 4 weeks and over	212	23	189
572	Chronic enteritis and ulcerative colitis	36	33	3
573	Functional disorders of intestines	2	1	1
576	Peritonitis	13	3	10
578	Other diseases of intestines and peritoneum	50	32	18
580	Acute and subacute yellow atrophy of liver	4	3	1
581	Cirrhosis of liver	113	90	23
583	Other diseases of liver	14	6	8
<u>584,585</u>	<u>Cholelithiasis, cholecystitis, and cholangitis</u>	<u>37</u>	<u>30</u>	<u>7</u>
584	Cholelithiasis	22	19	3
585	Cholecystitis and cholangitis, without mention of calculi	15	11	4
586	Other diseases of gallbladder and biliary ducts	10	8	2
587	Diseases of pancreas	27	19	8
<u>590,591</u>	<u>Acute nephritis and nephritis with edema, including nephrosis</u>	<u>34</u>	<u>7</u>	<u>27</u>
590	Acute	18	2	16
591	With edema, including nephrosis	16	5	11

Table 5 - Page 7
 Deaths - Mississippi - 1965

International List Number*	Cause of Death**	Total	White	Non-white
<u>592-594</u>	<u>Chronic and unspecified nephritis and other renal sclerosis</u>	<u>210</u>	<u>70</u>	<u>140</u>
592	Chronic nephritis	148	45	103
593	Nephritis not specified as acute or chronic	62	25	37
600	Infections of kidney	175	97	78
601	Hydronephrosis	4	2	2
602	Calculi of kidney and ureter	11	9	2
603	Other diseases of kidney and ureter	17	9	8
604	Calculi of other parts of urinary system	2	2	0
605	Cystitis	3	2	1
606	Other diseases of bladder	2	2	0
608	Stricture of urethra	7	0	7
609	Other diseases of urethra	11	7	4
610	Hyperplasia of prostate	69	29	40
611	Prostatitis	5	1	4
612	Other diseases of prostate	1	0	1
613	Hydrocele	1	0	1
614	Orchitis and epididymitis	1	1	0
617	Other diseases of male genital organs	4	0	4
624	Salpingitis and oophoritis, unqualified	1	0	1
630	Infective disease of uterus, vagina, and vulva	2	1	1
633	Other diseases of uterus	2	1	1
637	Other diseases of female genital organs	1	1	0
<u>640-689</u>	<u>Deliveries and complications of pregnancy, childbirth, and the puerperium</u>	<u>40</u>	<u>3</u>	<u>37</u>
642	Toxemias of pregnancy	12	0	12
645	Ectopic pregnancy	1	0	1
648	Other complications arising from pregnancy	1	0	1
650	Abortion without mention of sepsis or toxemia	1	0	1
651	Abortion with sepsis	2	0	2
670	Delivery complicated by placenta previa or antepartum hemorrhage	4	0	4
672	Delivery complicated by other postpartum hemorrhage	3	0	3
674	Delivery complicated by disproportion or mal-position of fetus	2	0	2
676	Delivery with laceration of perineum, without mention of other laceration	1	0	1
677	Delivery with other trauma	3	0	3
678	Delivery with other complications of childbirth	3	2	1
681	Sepsis of childbirth and the puerperium	2	1	1
684	Puerperal pulmonary embolism	1	0	1
685	Puerperal eclampsia	2	0	2
688	Other and unspecified complications of the puerperium	2	0	2
692	Other cellulitis and abscess without mention of lymphangitis	6	4	2
703	Other dermatitis	1	0	1
704	Pemphigus	6	3	3
705	Erythematous conditions	3	2	1

Table 5 - Page 8
 Deaths - Mississippi - 1965

International List Number*	Cause of Death**	Total	White	Non-white
706	Psoriasis and similar disorders	1	0	1
710	Other hypertrophic and atrophic conditions of skin	4	2	2
715	Chronic ulcer of skin	10	3	7
720	Acute arthritis due to pyogenic organisms	1	0	1
722	Rheumatoid arthritis and allied conditions	13	10	3
723	Osteo-arthritis (arthrosis) and allied conditions	3	3	0
725	Arthritis, unspecified	5	2	3
726	Muscular rheumatism	1	0	1
730	Osteomyelitis and periostitis	2	1	1
733	Other diseases of bone	4	3	1
744	Other diseases of muscle, tendon, and fascia	12	10	2
745	Curvature of spine	2	2	0
<u>750-759</u>	<u>Congenital malformations</u>	<u>257</u>	<u>142</u>	<u>115</u>
750	Monstrosity	14	9	5
751	Spina bifida and meningocele	19	16	3
752	Congenital hydrocephalus	23	10	13
753	Nervous system and sense organs, other	7	5	2
754	Circulatory system	128	65	63
756	Digestive system	19	8	11
757	Genito-urinary system	12	9	3
758	Bone and joint	1	0	1
759	Other and unspecified, not elsewhere classified	34	20	14
<u>760-776</u>	<u>Certain diseases of early infancy</u>	<u>1,076</u>	<u>374</u>	<u>702</u>
760	Intracranial and spinal injury at birth	22	7	15
761	Other birth injury	56	26	30
762	Postnatal asphyxia and atelectasis	201	94	107
763	Pneumonia of newborn	57	17	40
764	Diarrhea of newborn	41	1	40
767	Umbilical sepsis	2	0	2
768	Other sepsis of newborn	21	6	15
769	Neonatal disorders arising from certain diseases of the mother during pregnancy	14	6	8
770	Hemolytic disease of newborn (erythroblastosis)	23	15	8
771	Hemorrhagic disease of newborn	14	3	11
772	Nutritional maladjustment	33	3	30
773	Ill-defined diseases peculiar to early infancy	163	79	84
774	Immaturity with mention of any other subsidiary condition	13	4	9
776	Immaturity, unqualified	416	113	303
<u>780-795</u>	<u>Symptoms, senility, and ill-defined conditions</u>	<u>1,715</u>	<u>499</u>	<u>1,216</u>
780	Certain symptoms referable to nervous system and special senses	3	1	2
782	Symptoms referable to cardiovascular and lymphatic system	42	27	15
783	Symptoms referable to respiratory system	5	1	4
784	Symptoms referable to upper gastro-intestinal tract	7	3	4

Table 5 - Page 9
 Deaths - Mississippi - 1965

International List Number*	Cause of Death**	Total	White	Non-white
785	Symptoms referable to abdomen and lower gastrointestinal tract	4	0	4
788	Other general symptoms	8	4	4
790	Nervousness and debility	1	0	1
791	Headache	1	1	0
792	Uremia	18	5	13
794	Senility without mention of psychosis	44	8	36
795	Ill-defined and unknown causes	1,582	449	1,133
<u>800-962</u>	<u>Accidents</u>	<u>1,610</u>	<u>881</u>	<u>729</u>
<u>800-802</u>	<u>Railway</u>	<u>25</u>	<u>13</u>	<u>12</u>
801	Involving passenger	1	1	0
802	Involving other and unspecified person	24	12	12
<u>810-835</u>	<u>Motor vehicle</u>	<u>742</u>	<u>473</u>	<u>269</u>
810	Traffic, collision with railway train	30	25	5
812	Traffic, to pedestrian	116	47	69
813	Traffic, to pedal cyclist	10	6	4
815	Traffic, to rider or passenger of motorcycle in collision with other motor vehicle	11	10	1
816	Traffic, other involving two or more motor vehicles	269	195	74
818	Traffic, collision with animal or animal-drawn vehicle	1	0	1
819	Traffic, collision with fixed or unspecified object	40	26	14
822	Traffic, overturning in roadway	14	6	8
823	Traffic, running off roadway	166	111	55
824	Traffic, other noncollision	17	6	11
825	Traffic, unspecified nature	46	31	15
830	Nontraffic, to pedestrian	13	5	8
832	Nontraffic, to rider or passenger of motorcycle	1	1	0
835	Nontraffic, other and unspecified nature	8	4	4
<u>840-845</u>	<u>Other road vehicle</u>	<u>2</u>	<u>1</u>	<u>1</u>
845	Other nonmotor	2	1	1
<u>850-858</u>	<u>Water transport</u>	<u>23</u>	<u>13</u>	<u>10</u>
850	Submersion of occupant of small boat	19	9	10
851	Other injury by submersion	2	2	0
855	Unspecified falls	1	1	0
857	Other specified	1	1	0
<u>860-866</u>	<u>Aircraft</u>	<u>18</u>	<u>18</u>	<u>0</u>
860	To personnel in military aircraft	2	2	0
863	To occupant of other specified aircraft	14	14	0
866	Other and unspecified	2	2	0
<u>870-895</u>	<u>Poisoning</u>	<u>36</u>	<u>21</u>	<u>15</u>
871	Barbituric acid and derivatives	4	3	1
872	Aspirin and salicylates	5	4	1
874	Other analgesic and soporific drugs	2	2	0
878	Other and unspecified drugs	3	2	1
880	Alcohol	1	0	1

Table 5 - Page 10
Deaths - Mississippi - 1965

International List Number*	Cause of Death**	Total	White	Non-white
883	Corrosive aromatics, acids, and caustic alkalis	2	2	0
885	Lead and its compounds	2	0	2
888	Other and unspecified solid and liquid substances	10	4	6
890	Utility (illuminating) gas	4	1	3
891	Motor vehicle exhaust gas	2	2	0
892	Other carbon monoxide gas	1	1	0
<u>900-904</u>	<u>Falls</u>	<u>130</u>	<u>90</u>	<u>40</u>
900	On stairs	4	2	2
901	From ladders	2	2	0
902	Other, from one level to another	26	10	16
903	On same level	27	22	5
904	Unspecified	71	54	17
910	Blow from falling or projected object or missile	21	9	12
912	Caused by machinery	48	31	17
913	Caused by cutting and piercing instrument	5	0	5
914	Caused by electric current	27	20	7
915	Caused by explosion of pressure vessel	1	1	0
916	Caused by fire and explosion of combustible material	213	61	152
918	Caused by radiation	1	0	1
919	Caused by firearm	81	45	36
921	Inhalation and ingestion of food causing obstruction or suffocation	22	7	15
922	Inhalation and ingestion of other object causing obstruction or suffocation	2	1	1
923	Foreign body entering other orifice	14	3	11
924	Mechanical suffocation in bed and cradle	19	4	15
925	Mechanical suffocation in other and unspecified circumstances	10	5	5
926	Lack of care of infants under 1 year of age	1	0	1
929	Drowning and submersion	95	41	54
931	Excessive heat and insolation	1	0	1
932	Excessive cold	7	0	7
933	Hunger, thirst, and exposure	11	2	9
935	Lightning	6	1	5
936	Other and unspecified	29	13	16
946	Other complications due to nontherapeutic medical and surgical procedures	2	2	0
950	Therapeutic misadventure in surgical treatment	6	3	3
954	Therapeutic misadventure in anesthesia	1	0	1
960	Late effect of motor vehicle accident	1	0	1
962	Late effect of other accidental injury	10	3	7
<u>963, 970-979</u>	<u>Suicide</u>	<u>155</u>	<u>137</u>	<u>18</u>
970	By poisoning with analgesic and soporific substances	9	9	0
971	By poisoning with other solid and liquid substances	5	5	0
972	By poisoning with gases in domestic use	1	1	0

Table 5 - Page 11
 Deaths - Mississippi - 1965

International List Number*	Cause of Death**	Total	White	Non-white
973	By poisoning with other gases	4	4	0
974	By hanging and strangulation	17	15	2
975	By submersion (drowning)	2	2	0
976	By firearms and explosives	110	95	15
977	By cutting and piercing instruments	2	2	0
978	By jumping from high place	3	3	0
979	By other and unspecified means	2	1	1
<u>964, 980-985</u>	<u>Homicide</u>	<u>259</u>	<u>60</u>	<u>199</u>
981	Assault by firearm and explosive	179	44	135
982	Assault by cutting and piercing instruments	44	5	39
983	Assault by other means	25	7	18
984	Injury by intervention of police	11	4	7

* International List Numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Seventh Revision, 1955.

** When cause of death and International List Number are omitted, no deaths were reported.

TABLE 6
DEATHS
MISSISSIPPI
1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

County	Place of Occurrence			Place of Residence					
	Number			Number			Rate*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
<u>STATE</u>	<u>22,301</u>	<u>12,201</u>	<u>10,100</u>	<u>22,652</u>	<u>12,376</u>	<u>10,276</u>	<u>9.7</u>	<u>9.2</u>	<u>10.4</u>
Adams	459	176	283	375	148	227	9.3	6.9	12.0
Alcorn	263	229	34	281	245	36	10.2	10.1	10.5
Amite	84	42	42	160	95	65	10.4	13.5	7.7
Attala	220	143	77	231	150	81	10.2	11.8	8.1
Benton	44	23	21	87	51	36	10.3	11.7	8.8
Bolivar	543	134	409	572	157	415	9.8	8.2	10.6
Calhoun	143	101	42	166	128	38	10.6	11.3	8.9
Carroll	55	19	36	99	50	49	8.7	9.6	7.9
Chickasaw	231	147	84	241	151	90	12.4	12.7	12.0
Choctaw	82	61	21	95	75	20	11.5	12.8	8.4
Claiborne	95	22	73	120	29	91	10.4	10.6	10.3
Clarke	121	74	47	212	126	86	12.3	12.2	12.5
Clay	165	74	91	179	80	99	9.2	9.1	9.2
Coahoma	554	167	387	562	152	410	11.9	10.4	12.6
Copiah	269	132	137	324	165	159	11.9	13.3	10.7
Covington	88	57	31	149	98	51	10.4	10.8	9.7
DeSoto	119	37	82	221	99	122	6.9	6.0	7.8
Forrest	600	410	190	553	354	199	9.4	8.3	11.9
Franklin	86	50	36	103	58	45	10.9	10.5	11.5
George	89	75	14	96	81	15	8.3	8.0	10.4
Greene	60	50	10	86	74	12	9.6	10.7	5.7
Grenada	230	122	108	209	95	114	9.9	8.6	11.2
Hancock	161	134	27	174	147	27	10.4	10.3	11.1
Harrison	1,172	923	249	986	761	225	8.0	7.6	9.7
Hinds	2,480	1,374	1,106	1,671	879	792	8.1	7.4	9.1
Holmes	320	76	244	361	84	277	12.6	10.5	13.4
Humphreys	187	39	148	226	58	168	11.1	10.7	11.2
Issaquena	22	5	17	36	11	25	10.1	9.1	10.7
Itawamba	93	85	8	133	124	9	8.1	8.0	10.2
Jackson	344	254	90	407	307	100	6.0	5.6	7.6
Jasper	119	63	56	179	100	79	11.0	12.6	9.6
Jefferson	68	19	49	115	37	78	11.2	14.9	10.1
Jeff Davis	133	71	62	157	80	77	11.4	13.8	9.7
Jones	690	423	267	570	396	174	9.8	9.6	10.4
Kemper	90	44	46	112	59	53	9.4	13.1	7.1
Lafayette	164	101	63	177	108	69	7.4	6.7	9.0

Table 6 - Page 2
 Deaths - Mississippi - 1965

County	Place of Occurrence			Place of Residence					
	Number		Non-white	Number			Rate*		
	Total	White		Total	White	Non-white	Total	White	Non-white
Lamar	71	56	15	118	91	27	7.7	7.2	10.2
Lauderdale	1,042	672	370	814	505	309	10.7	10.0	12.3
Lawrence	81	52	29	130	85	45	13.2	14.0	11.8
Leake	138	86	52	182	116	66	10.0	11.6	8.0
Lee	457	319	138	433	298	135	9.4	8.5	12.2
Leflore	590	241	349	537	183	354	10.2	9.6	10.5
Lincoln	278	200	78	297	200	97	11.1	11.0	11.3
Lowndes	408	198	210	426	212	214	7.8	6.2	10.6
Madison	305	95	210	360	115	245	10.4	11.2	10.1
Marion	199	131	68	235	154	81	10.2	10.4	9.8
Marshall	197	69	128	259	84	175	9.9	10.4	9.8
Monroe	338	229	109	362	237	125	10.3	10.1	10.6
Montgomery	162	101	61	170	110	60	11.6	13.4	9.3
Neshoba	168	126	42	208	156	52	9.8	9.8	9.6
Newton	189	128	61	232	153	79	11.6	11.2	12.4
Noxubee	156	43	113	176	50	126	10.5	11.6	10.1
Oktibbeha	210	107	103	231	119	112	7.5	6.4	9.2
Panola	275	106	169	331	129	202	10.8	10.0	11.3
Pearl River	208	150	58	239	179	60	8.2	7.6	10.4
Perry	68	48	20	109	80	29	12.4	13.9	9.5
Pike	401	235	166	413	235	178	11.9	12.4	11.4
Pontotoc	191	168	23	198	173	25	10.8	11.8	6.6
Prentiss	199	179	20	186	161	25	9.4	9.4	9.5
Quitman	164	35	129	216	74	142	9.7	9.7	9.7
Rankin	435	229	206	288	178	110	7.4	7.1	7.8
Scott	217	136	81	226	144	82	9.8	10.0	9.5
Sharkey	87	23	64	109	29	80	9.6	8.9	9.9
Simpson	227	153	74	223	165	58	11.0	11.8	9.2
Smith	62	48	14	134	100	34	9.4	9.4	9.4
Stone	72	55	17	73	53	20	9.2	9.0	9.7
Sunflower	401	111	290	459	141	318	9.7	9.7	9.7
Tallahatchie	210	65	145	246	90	156	9.8	11.2	9.1
Tate	141	44	97	194	76	118	9.2	8.4	9.7
Tippah	163	136	27	166	142	24	10.3	10.8	8.2
Tishomingo	133	124	9	170	162	8	10.5	10.4	11.7
Tunica	178	22	156	189	27	162	10.8	6.9	12.0
Union	166	139	27	186	157	29	10.0	10.1	9.8
Walthall	123	81	42	118	73	45	8.6	9.5	7.4
Warren	722	280	442	557	235	322	12.2	9.5	15.4
Washington	857	291	566	876	268	608	11.1	8.0	13.4
Wayne	160	101	59	176	104	72	10.8	10.1	11.9
Webster	79	64	15	119	99	20	10.7	12.3	6.5
Wilkinson	139	77	62	138	57	81	11.2	16.6	9.1
Winston	151	97	54	185	123	62	9.8	11.9	7.2
Yalobusha	127	79	48	164	105	59	12.8	14.9	10.2
Yazoo	313	116	197	369	137	232	11.2	10.6	11.5
Out-of-State	1,079	751	328	728	576	152	-	-	-

Table 6 - Page 3
Deaths - Mississippi - 1965

City**	Place of Occurrence			Place of Residence		
	Number		Non-white	Number		Non-white
	Total	White		Total	White	
Biloxi	337	288	49	260	210	50
Clarksdale	395	148	247	278	100	178
Cleveland	154	83	71	104	55	49
Columbus	321	164	157	270	133	137
Corinth	210	179	31	140	108	32
Greenville	564	237	327	497	181	316
Greenwood	404	163	241	299	118	181
Gulfport	475	345	130	316	223	93
Hattiesburg	528	356	172	379	225	154
Jackson	2,215	1,259	956	1,266	705	561
Laurel	561	313	248	280	154	126
McComb	242	159	83	188	123	65
Meridian	914	592	322	596	369	227
Natchez	415	165	250	282	111	171
Pascagoula	141	109	32	128	99	29
Tupelo	312	222	90	178	123	55
Vicksburg	639	251	388	394	166	228
Yazoo City	187	94	93	149	63	86
Total Urban#	12,665	7,308	5,357	8,833	4,877	3,956
Total Rural	9,636	4,893	4,743	13,819	7,499	6,320

* Deaths per 1,000 population.

** Cities having 10,000 population and over according to 1960 census.

Includes all incorporated towns of 2,500 population or more according to 1960 census.

TABLE 7
DEATHS
MISSISSIPPI
1965

By Cause Groups and Certain Selected Causes, by Race, Sex, and Age,
with Total Rates, Residence Data

International List Number#	Cause of Death	Total		Total by Race	Total by Race and Sex	Age							
		Total Number	Rate*			10-14	15-24	25-34	35-44	45-54	55-64	65 & Over	Unknown
001-999	<u>ALL CAUSES</u>	<u>22,652</u>	<u>9.7</u>	W 12,376	M 7,236	348	57	43	201	162	696	1,321	4,049
		C 10,276	M 5,140	F 5,562	M 4,714	245	42	28	80	142	316	582	3,619
001-138	<u>Infective and parasitic diseases</u>	252	10.8	W 94	M 60	3	8	0	0	0	5	0	26
		C 158	F 90	M 68	F 68	34	3	1	2	1	6	4	11
001-019	Tuberculosis (all forms)	78	3.3	W 26	M 21	0	0	0	0	0	1	0	7
		C 52	F 5	M 30	F 22	1	3	0	0	1	0	2	13
001-008	Tuberculosis (respiratory system)	71	3.0	W 25	M 20	0	0	0	0	0	1	0	7
		C 46	F 27	M 19	F 19	0	0	0	0	1	0	2	12
020-029	Syphilis & sequelae	28	1.2	W 7	M 3	0	0	0	0	0	0	0	3
		C 21	F 4	M 19	F 2	0	0	0	0	0	1	0	0

Table 7 - Page 2
Deaths - Mississippi - 1965

Inter-national List Number#	Cause of Death	Total		Total by Race*	Total by Race and Sex	Age									
		Number	Rate*			1-4 Under Age	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65+ Over Age	Unknown
045-048	Dysentery (all forms)	13	0.6	W	1	M	0	0	0	0	0	0	0	0	0
				C	12	F	1	0	0	0	0	0	0	0	0
						M	6	4	0	1	0	0	0	0	0
						F	6	4	1	0	0	0	0	0	0
050,051	Scarlet fever and streptococcal sore throat	1	**	W	1	M	1	0	0	0	0	0	0	0	0
				C	0	M	0	0	0	0	0	0	0	0	0
						F	0	0	0	0	0	0	0	0	0
055	Diphtheria	1	**	W	0	M	0	0	0	0	0	0	0	0	0
				C	1	M	1	0	0	0	0	0	0	0	0
						F	0	0	0	0	0	0	0	0	0
056	Whooping cough	3	0.1	W	0	M	0	0	0	0	0	0	0	0	0
				C	3	M	3	2	1	0	0	0	0	0	0
						F	0	0	0	0	0	0	0	0	0
057	Meningococcal infections	12	0.5	W	7	M	5	0	5	1	1	0	0	0	0
				C	5	M	3	2	1	0	1	0	0	0	0
						F	2	1	0	0	0	0	0	0	0
080	Acute poliomyelitis	0	-	W	0	M	0	0	0	0	0	0	0	0	0
				C	0	M	0	0	0	0	0	0	0	0	0
085	Measles	8	0.3	W	1	M	0	0	0	1	0	0	0	0	0
				C	7	M	3	2	1	2	1	0	0	0	0
						F	4	1	1	0	0	0	0	0	0

Table 7 - Page 3
Deaths - Mississippi - 1965

Inter-national List Number#	Cause of Death	Total	Total by Race	Total by Sex	Total by Race and Sex	Age							
		Number	Rate*	Rate	C	M	W	C	M	W	C	M	W
140-205	Malignant neoplasms	2,931	125.8	125.8	W	1,867	M	1,051	F	816	M	1,051	F
					C	1,064	M	532	F	532	M	532	F
210-239	Benign and unspecified neoplasms	55	2.4	2.4	W	25	M	17	F	10	M	17	F
					C	30	M	20	F	11	M	20	F
240-289	Allergic, endocrine system, metabolic, & nutritional diseases	448	19.2	19.2	W	228	M	106	F	122	M	86	F
					C	220	M	134	F	134	M	134	F
241	Asthma	55	2.4	2.4	W	30	M	22	F	8	M	22	F
					C	25	M	16	F	9	M	16	F
260	Diabetes mellitus	314	13.5	13.5	W	151	M	63	F	88	M	57	F
					C	163	M	106	F	106	M	106	F
290-299	Diseases of the blood and blood-forming organs	72	3.1	3.1	W	33	M	12	F	21	M	5	F
					C	39	M	23	F	23	M	23	F

Table 7 - Page 4
Deaths - Mississippi - 1965

Inter-national List Number#	Cause of Death	Total		Total by Race and Sex	Total by Race	Age	Over 65 yrs	Unknown
		Total Number	Rate*					
<u>300-326</u>	<u>Mental, psycho-neurotic, & personality disorders</u>	<u>45</u>	<u>1.9</u>	W	<u>26</u>	M	<u>17</u>	0
		C	<u>19</u>	M	<u>11</u>	F	<u>9</u>	0
							<u>1</u>	0
							<u>1</u>	0
<u>330-334</u>	<u>Vascular lesions affecting central nervous system</u>	<u>3,064</u>	<u>131.5</u>	W	<u>1,639</u>	M	<u>790</u>	0
		C	<u>1,425</u>	F	<u>849</u>	M	<u>701</u>	0
							<u>2</u>	0
							<u>0</u>	0
<u>340-398</u>	<u>Other diseases of the nervous system and sense organs</u>	<u>198</u>	<u>8.5</u>	W	<u>92</u>	M	<u>46</u>	0
		C	<u>106</u>	F	<u>46</u>	M	<u>57</u>	0
							<u>14</u>	0
							<u>1</u>	0
340	Nonmeningococcal meningitis	51	2.2	W	15	M	11	4
		C	36	M	4	F	1	0
							12	0
							11	0
							4	0
<u>400-468</u>	<u>Diseases of the circulatory system</u>	<u>7,929</u>	<u>340.3</u>	W	<u>4,951</u>	M	<u>2,911</u>	0
		C	<u>2,978</u>	F	<u>2,040</u>	M	<u>1,530</u>	0
							<u>1,448</u>	0
							<u>4</u>	0
400-402	Rheumatic fever	5	0.2	W	1	M	1	0
		C	4	M	0	F	0	0
							4	0
							0	0
410-416	Chronic rheumatic heart disease	107	4.6	W	60	M	32	0
		C	47	F	28	M	21	0
							26	0
							<u>5</u>	0
							<u>1</u>	0
							<u>0</u>	0
							<u>8</u>	0
							<u>5</u>	0
							<u>3</u>	0
							<u>6</u>	0
							<u>0</u>	0
							<u>31</u>	0

Table 7 - Page 5
Deaths - Mississippi - 1965

Inter-national List Number#	Cause of Death	Total		Total by Race and Sex		Total by Race		Total by Sex		Age										
		Total Number	Rate*	Males	Females	Males	Females	Males	Females	5-14	15-24	25-34	35-44	45-54	55-64	65-74	Over 75	Unknown		
420-422	Arteriosclerotic and degenerative heart disease	5,306	227.7	W	3,706	M	2,273	0	0	0	1	9	72	230	483	1,478	0			
		C	1,600	M	1,433	F	866	0	0	0	1	2	9	42	141	1,238	0			
				F	734		0	0	0	0	3	4	25	81	165	586	1			
430-434	Other diseases of the heart	516	22.1	W	260	M	154	0	0	0	1	1	1	2	1	3	10	87	0	
		C	256	M	106	F	147	3	1	0	0	1	2	1	6	14	35	84	0	
				F	109		3	0	0	0	1	1	3	7	6	23	65	0		
440-443	Hypertensive heart disease	1,104	47.4	W	402	M	166	0	0	0	0	0	0	2	4	25	135	0		
		C	702	M	236	F	314	0	0	0	0	0	0	1	1	13	23	198	0	
				F	388		0	0	0	0	0	0	1	2	15	30	61	203	2	
444-447	Other hypertensive disease	198	8.5	W	69	M	37	0	0	0	0	0	0	0	2	1	8	26	0	
		C	129	M	32	F	65	0	0	0	0	0	0	0	1	0	2	29	0	
				F	64		0	0	0	0	0	0	1	5	5	12	6	35	0	
450	General arteriosclerosis	382	16.4	W	251	M	127	0	0	0	0	0	0	0	2	1	7	117	0	
		C	131	M	124	F	65	0	0	0	0	0	0	0	1	0	2	121	0	
				F	66		0	0	0	0	0	0	0	0	0	0	4	61	0	
470-527	Diseases of the respiratory system	1,130	48.5	W	625	M	393	16	5	2	1	2	1	1	1	22	60	271	0	
		C	505	M	232	F	287	9	6	2	1	1	1	1	1	1	18	178	0	
				F	218		106	19	19	19	19	19	19	19	19	11	11	107	0	
																6	6	58	0	

Table 7 - Page 6
Deaths - Mississippi - 1965

Inter-national List Number#	Cause of Death	Total		Total by Race	Total by Sex	Age										
		Number	Rate*			5-9	10-14	15-24	25-34	35-44	45-54	55-64	65-74	Over 75	Unknown	
480-483	Influenza	61	2.6	W	29	M	10	1	0	0	0	0	1	8	0	
				C	32	F	19	0	0	0	0	0	1	16	0	
490-493	Pneumonia (excluding pneumonia of newborn)	703	30.2	W	321	M	171	10	3	2	1	2	7	14	123	0
				C	382	F	150	8	6	2	1	2	5	1	6	0
500-502	Bronchitis	63	2.7	W	48	M	40	1	1	0	0	0	4	6	0	0
				C	15	F	8	0	0	0	0	0	1	1	3	0
525-527	Other broncho-pulmonic diseases	257	11.0	W	210	M	165	2	1	0	0	0	1	3	9	0
				C	47	F	45	1	0	0	0	0	0	4	7	0
530-587	Diseases of the digestive system	779	33.4	W	414	M	234	16	1	1	0	2	5	31	46	0
				C	365	F	180	3	0	0	0	0	0	17	20	0
							196	93	8	0	0	0	10	19	0	0
							78	11	0	0	0	0	12	15	0	0
540,541	Ulcer of stomach and duodenum	75	3.2	W	61	M	47	0	0	0	0	0	0	3	11	0
				C	14	F	14	0	0	0	0	0	1	0	2	0
560,561, 570	Hernia and intestinal obstruction	140	6.0	W	80	M	40	8	0	0	1	0	0	2	3	0
				C	60	F	40	1	0	0	0	0	0	1	3	0
							33	4	0	0	0	0	0	2	3	0
							27	2	0	0	0	0	0	1	5	0

Table 7 - Page 7
Deaths - Mississippi - 1965

Table 7 - Page 8
 Deaths - Mississippi = 1965

Table 7 - Page 9
Deaths - Mississippi - 1965

36

International List Number#	Cause of Death	Total		Race*	Rate*	Number	Total by Race	Total by Sex and Race	Age											
		Total	Rate						1-4	5-14	15-24	25-34	35-44	45-54	55-64	65 and over	Unknown			
810-835	Motor vehicle accidents	742	31.8	W	473		357	M	1	6	4	10	108	58	48	57	26	39	0	
				C	269		116	F	1	9	5	4	31	12	15	9	14	16	0	
800-802, 840-962	All other accidents	868	37.2	W	408	M	296	M	9	18	13	16	47	32	40	34	36	51	0	
				C	460	M	112	F	3	7	7	2	28	1	11	8	5	8	60	0
963, 970-979	Suicide	155	6.6	W	137	M	106	M	0	0	0	0	4	8	21	27	21	25	0	
				C	18	M	31	F	0	0	0	0	0	1	6	10	5	4	0	
964, 980-985	Homicide	259	11.1	W	60	M	51	O	1	0	0	0	8	13	11	5	10	3	0	
				C	199	M	9	F	0	0	0	0	0	1	1	1	1	0	0	
						F	157	O	1	0	0	0	3	33	48	37	2	3	0	
							42	1	2	0	2	0	8	13	6	5	3	2	0	

International List Numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Seventh Revision, 1955.

* Total deaths per 1,000 population. Deaths from specific causes per 100,000 population. Deaths from maternal causes per 10,000 live births. Deaths from diseases of early infancy per 1,000 live births.

** Rate less than 0.06.

TABLE 8
DEATHS UNDER 1 YEAR
MISSISSIPPI
1965

By Selected Causes, by Race and Age, with Total Rates, Residence Data

Table 8 - Page 2
Deaths Under 1 Year - Mississippi - 1965

Cause of Death and International List Number*	Total Number	Total Rate*	Total by Race	Total by Age	MONTHS OF AGE										
					Under 1 day	1-6 days	7-13 days	14-20 days	21-27 days	1-2 weeks	3-4 weeks	5-6 weeks	7-8 weeks	9-10 weeks	11 weeks
Meningitis, except meningococcal and tuberculous (340)	28	0.5	W C	5 23	0	1	0	0	1	0	0	0	0	1	0
Other diseases of nervous system and sense organs (330-334, 341-398)	14	0.3	W C	7 7	0	0	0	0	0	1	2	1	0	0	1
Acute upper respiratory infections (470-475)	11	0.2	W C	1 10	0	0	0	0	0	0	1	2	0	0	0
Influenza & pneumonia, except pneumonia of newborn (480-493)	190	3.7	W C	19 171	0	0	0	1	0	1	6	3	0	1	2
Bronchitis (500-502)	10	0.2	W C	1 9	0	0	0	0	0	0	0	0	0	0	0
Other diseases of respiratory system (510-522, 525-527)	17	0.3	W C	4 13	0	2	0	0	0	2	1	0	0	0	0
Hernia & intestinal obstruction (560, 561, 570)	15	0.3	W C	9 6	1	1	0	0	2	1	1	4	1	2	0
Gastritis, duodenitis, enteritis, & colitis, except diarrhea of new- born (543, 571, 572)	164	3.2	W C	7 157	0	0	0	0	0	2	4	1	0	1	0
Other diseases of digestive system (530- 542, 544-533, 573-587)	11	0.2	W C	3 8	0	2	0	0	0	2	1	0	0	0	0
Congenital malfor- mations (750-759)	187	3.6	W C	104 83	31 17	6 17	7 10	1 5	1 0	75 49	12 9	8 6	4 5	0 4	1 2

Table 8 - Page 3
Deaths Under 1 Year - Mississippi - 1965

Table 8 - Page 4
Deaths Under 1 Year - Mississippi - 1965

40

Cause of Death and International List Number*	Total Number	Total Rate**	Total by Race	MONTHS OF AGE															
				Under 1 day	1- 6	7- 13	20	27	28 days	Under	1	2	3	4	5	6	7	8	9
Immaturity with mention of any other subsidiary condition (774)	13	0.2	W C	4 9	3 4	0 0	0 1	0 1		3 6	0 3	1 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0
Immaturity, unqualified (776)	416	8.1	W C	113 303	70 172	35 84	4 16	1 5	0 4	110 281	1 10	0 7	2 2	0 2	0 0	0 1	0 0	0 0	0 0
Symptoms & ill-defined conditions (780-793, 795)	248	4.8	W C	27 221	2 29	5 35	1 6	3 4	1 8	12 82	5 28	3 17	2 19	3 12	1 11	1 4	0 6	0 2	0 3
All other diseases	38	0.7	W C	10 28	0 2	0 2	1 0	1 0	1 0	2 6	3 1	1 6	0 1	1 5	1 1	0 0	1 3	0 0	1 2
Accidents (800-962)	77	1.5	W C	14 63	0 1	0 4	0 2	0 7	0 2	0 16	2 15	1 5	3 6	2 5	2 2	1 4	0 1	2 1	0 1
Homicide (964, 980-984)	1	**	W C	0 1	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	0 0	

International List Numbers are those of the International Statistical Classification of Diseases, Injuries, and Causes of Death, Seventh Revision, 1955.

* Deaths per 1,000 live births.

** Rate less than 0.06.

TABLE 9
MARRIAGES AND DIVORCES
MISSISSIPPI
1965

Marriages by Place of Licensure, and by Place of Residence of Bride, by Race of Bride
Divorces by Place of Occurrence, by Race

County	Marriages						Divorces		
	Place of Licensure			Residence of Bride			Total	White	Non-white
	Total	White	Non-white	Total	White	Non-white			
STATE	23,343	15,613	7,730	19,680	12,572	7,108	5,730	4,220	1,510
Adams	394	259	135	322	192	130	104	68	36
Alcorn	546	504	42	280	252	28	94	91	3
Amite	126	69	57	115	62	53	28	14	14
Attala	208	123	85	191	114	77	48	30	18
Benton	69	39	30	65	36	29	11	9	2
Bolivar	498	236	262	439	179	260	95	47	48
Calhoun	158	103	55	157	100	57	34	24	10
Carroll	71	34	37	73	39	34	7	3	4
Chickasaw	192	132	60	184	124	60	43	24	19
Choctaw	88	71	17	72	57	15	14	12	2
Claiborne	89	34	55	77	24	53	34	10	24
Clarke	155	104	51	130	85	45	30	18	12
Clay	148	78	70	118	55	63	26	15	11
Coahoma	401	150	251	377	132	245	90	47	43
Copiah	206	97	109	228	107	121	68	36	32
Covington	151	111	40	153	111	42	23	17	6
DeSoto	968	561	407	194	99	95	70	53	17
Forrest	638	482	156	584	436	148	228	184	44
Franklin	64	41	23	60	32	28	13	6	7
George	271	251	20	164	150	14	13	13	0
Greene	87	70	17	69	53	16	15	13	2
Grenada	173	107	66	181	111	70	49	25	24
Hancock	494	468	26	118	103	15	56	51	5
Harrison	1,470	1,282	188	1,240	1,057	183	678	590	88
Hinds	1,957	1,221	736	1,887	1,188	699	635	466	169
Holmes	160	61	99	197	68	129	29	10	19
Humphreys	160	71	89	157	60	97	17	9	8
Issaquena	29	17	12	18	6	12	5	4	1
Itawamba	146	138	8	83	78	5	19	17	2
Jackson	862	720	142	665	564	101	219	193	26
Jasper	117	70	47	128	82	46	18	11	7
Jefferson	91	36	55	78	25	53	9	2	7
Jeff Davis	152	77	75	92	47	45	21	4	17
Jones	553	457	96	555	454	101	138	118	20
Kemper	84	39	45	76	32	44	10	8	2
Lafayette	158	106	52	132	82	50	40	25	15

Table 9 - Page 2
 Marriages and Divorces - Mississippi - 1965

County	Marriages						Divorces		
	Place of Licensure			Residence of Bride			Total	White	Non-white
	Total	White	Non-white	Total	White	Non-white			
Lamar	126	112	14	150	131	19	32	27	5
Lauderdale	574	403	171	553	385	168	215	174	41
Lawrence	88	69	19	131	86	45	13	12	1
Leake	150	93	57	187	113	74	21	13	8
Lee	393	304	89	473	364	109	125	105	20
Leflore	468	214	254	466	226	240	97	69	28
Lincoln	248	188	60	219	165	54	54	41	13
Lowndes	442	275	167	411	242	169	139	103	36
Madison	284	113	171	256	89	167	81	33	48
Marion	258	172	86	232	156	76	65	55	10
Marshall	281	123	158	182	67	115	39	22	17
Monroe	292	213	79	279	192	87	87	71	16
Montgomery	164	100	64	154	91	63	51	35	16
Neshoba	183	134	49	161	116	45	61	50	11
Newton	167	109	58	197	126	71	23	10	13
Noxubee	128	41	87	127	43	84	38	20	18
Oktibbeha	179	105	74	185	112	73	36	21	15
Panola	259	132	127	262	135	127	40	19	21
Pearl River	393	322	71	287	223	64	134	114	20
Perry	95	73	22	90	71	19	17	16	1
Pike	329	223	106	304	195	109	112	86	26
Pontotoc	177	142	35	142	118	24	39	33	6
Prentiss	267	240	27	167	158	9	57	55	2
Quitman	191	87	104	193	89	104	28	13	15
Rankin	303	204	99	269	177	92	47	36	11
Scott	219	142	77	228	160	68	39	28	11
Sharkey	89	29	60	86	37	49	16	11	5
Simpson	209	154	55	182	124	58	71	56	15
Smith	87	74	13	97	76	21	38	36	2
Stone	106	87	19	87	67	20	22	15	7
Sunflower	259	111	148	280	114	166	52	30	22
Tallahatchie	221	88	133	187	69	118	40	18	22
Tate	264	149	115	172	87	85	26	15	11
Tippah	161	137	24	166	142	24	29	25	4
Tishomingo	120	116	4	110	106	4	24	24	0
Tunica	147	40	107	131	28	103	27	15	12
Union	175	144	31	168	140	28	28	23	5
Walthall	157	97	60	97	54	43	22	12	10
Warren	456	298	158	388	244	144	152	100	52
Washington	816	482	334	690	365	325	241	175	66
Wayne	171	116	55	114	73	41	54	39	15
Webster	130	101	29	92	75	17	8	5	3
Wilkinson	433	348	85	116	38	78	19	2	17
Winston	177	98	79	156	90	66	51	37	14
Yalobusha	97	67	30	114	72	42	20	15	5
Yazoo	276	125	151	283	145	138	69	39	30
Out-of-State				3,663	3,041	622			

TABLE 10
DIVORCES
MISSISSIPPI
1965

By Cause of Divorce, by Race

Cause	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>ALL CAUSES</u>	<u>5,730</u>	<u>4,220</u>	<u>1,510</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
Cruel and inhuman treatment	3,282	2,846	436	57.3	67.4	28.9
Desertion	1,942	974	968	33.9	23.1	64.1
Adultery	207	152	55	3.6	3.6	3.6
Drunkenness	193	171	22	3.4	4.0	1.4
Penitentiary	40	29	11	0.7	0.7	0.7
Insanity	14	12	2	0.2	0.3	0.1
Annulment	22	17	5	0.4	0.4	0.3
Bigamy	17	8	9	0.3	0.2	0.6
Miscellaneous and other	8	7	1	0.1	0.2	0.1
Not stated	5	4	1	0.1	0.1	0.1

By Number of Minor Children, by Race

Number of Minor Children	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>TOTAL DIVORCES</u>	<u>5,730</u>	<u>4,220</u>	<u>1,510</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
None	2,611	1,733	878	45.6	41.1	58.1
One	1,198	961	237	20.9	22.8	15.7
Two	901	770	131	15.7	18.2	8.7
Three or more	948	711	237	16.5	16.8	15.7
Not stated	72	45	27	1.2	1.1	1.8

By Number of Years Married, by Race

Number of Years Married	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>TOTAL DIVORCES</u>	<u>5,730</u>	<u>4,220</u>	<u>1,510</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>Under five</u>	<u>2,235</u>	<u>1,940</u>	<u>295</u>	<u>39.0</u>	<u>46.0</u>	<u>19.5</u>
Under one	403	377	26	7.0	8.9	1.7
One	626	549	77	10.9	13.0	5.1
Two	465	394	71	8.1	9.3	4.7
Three	392	328	64	6.8	7.8	4.2
Four	349	292	57	6.1	6.9	3.8
Five - nine	1,138	880	258	19.9	20.8	17.1
Ten - nineteen	1,321	905	416	23.0	21.4	27.5
Twenty and over	981	455	526	17.1	10.8	34.8
Not stated	55	40	15	1.0	0.9	1.0

TABLE 11
LIVE BIRTHS
MISSISSIPPI
1913-1965

By Year, by Race, with Rates, Occurrence Data 1913-1943,
Residence Data 1944-1965

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1913	41,103	21,874	19,229	21.9	26.6	18.2
1914	40,623	21,360	19,263	21.4	25.7	18.0
1915	39,484	20,999	18,485	20.5	23.8	17.1
1916	39,033	20,130	18,903	20.0	23.6	17.2
1917	37,141	19,056	18,085	18.8	22.0	16.3
1918	39,391	20,005	19,386	19.7	22.8	17.2
1919	42,491	22,028	20,463	21.0	24.9	18.0
1920	43,743	22,438	21,305	24.4	26.3	22.7
1921	46,482	23,703	22,779	25.6	27.3	24.1
1922	43,723	21,286	22,437	23.4	24.1	23.6
1923	43,266	21,140	22,126	23.3	23.6	23.1
1924	43,960	22,180	21,780	23.4	24.3	22.5
1925	45,563	22,265	23,298	24.0	24.1	23.9
1926	50,449	24,600	25,849	26.2	26.2	26.3
1927	49,204	24,163	25,041	25.3	25.3	25.3
1928	48,126	23,642	24,484	24.5	24.4	24.5
1929	45,570	22,105	23,465	22.9	22.5	23.3
1930	47,982	23,192	24,790	23.8	23.2	24.0
1931	45,123	21,637	23,486	22.2	21.4	22.9
1932	46,481	21,883	24,598	22.6	21.4	23.9
1933	44,184	20,407	23,777	21.3	19.7	22.9
1934	47,905	22,342	25,563	23.0	21.4	24.6
1935	48,291	21,972	26,319	23.0	20.8	25.1
1936	49,261	22,194	27,067	23.3	20.8	25.7
1937	52,170	23,285	28,885	24.4	21.6	27.3
1938	53,729	24,046	29,683	25.0	22.1	27.8
1939	52,288	23,505	28,783	24.1	21.4	26.8
1940	52,526	23,084	29,442	24.0	20.9	27.3
1941	54,561	24,167	30,394	24.7	21.6	28.0
1942	56,521	25,306	31,215	25.4	22.4	28.6
1943	59,408	27,611	31,797	28.9	26.4	31.6
1944#	56,586	25,647	30,939	28.3	25.2	31.6
1945#	53,540	23,426	30,114	26.9	23.1	30.9
1946#	61,430	29,715	31,715	26.8	25.4	28.2
1947#	66,291	32,423	33,868	28.6	27.5	29.9
1948#	65,291	29,666	35,625	28.0	24.9	31.2
1949#	66,128	28,786	37,342	28.1	24.0	32.5

Table 11 - Page 2
Live Births - Mississippi - 1913-1965

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1950#	64,427	27,188	37,239	29.6	22.9	37.6
1951#	65,512	27,798	37,714	30.1	23.4	38.1
1952#	64,509	28,073	36,436	29.6	23.6	36.8
1953#	64,061	28,312	35,749	29.4	23.8	36.1
1954#	64,748	28,781	35,967	29.7	24.2	36.3
1955#	63,244	27,546	35,698	29.0	23.2	36.0
1956#	62,178	27,278	34,900	29.5	23.8	36.2
1957#	60,712	26,804	33,908	28.8	23.4	35.2
1958#	59,189	26,812	32,377	27.1	20.9	35.9
1959#	60,562	27,979	32,583	27.2	20.9	36.6
1960#	59,210	27,198	32,012	27.2	21.6	34.8
1961#	59,523	27,435	32,088	27.3	21.8	34.8
1962#	58,921	27,512	31,409	26.1	20.8	33.5
1963#	57,316	26,823	30,493	25.0	19.9	32.4
1964#	56,650	25,942	30,708	24.5	18.9	32.5
1965#	51,171	23,369	27,802	22.0	17.4	28.2

* Births per 1,000 population.

1913-1920, population estimates based on U.S. Censuses of 1910 and 1920.

1921-1930, estimates based on U.S. Censuses of 1920 and 1930.

1931-1940, estimates based on U.S. Censuses of 1930 and 1940.

1941 and 1942, projected estimates based on U.S. Censuses of 1930 and 1940.

1943 and 1944, estimates of civilian population obtained from Ration Book Registration.

1945, estimate of civilian population, July 1, 1945, obtained from Bureau of Census Bulletin, Series P-46, No. 3, dated February 12, 1946.

1946-1949, projected estimates as of July 1, each year based on U.S. Censuses of 1930 and 1940.

1950-1955, U.S. Census population of April 1, 1950.

1956 and 1957, estimate as of July 1, 1956, prepared by Dr. Harald A. Pedersen, Sociology Department, Mississippi State University, with adjustments by Statistical Service, Mississippi State Board of Health.

1958, estimate as of January 1, prepared by Dr. George L. Wilber and Mr. Carl T. Robbins, Sociology Department, Mississippi State University.

1959, estimate as of January 1, prepared by Dr. George L. Wilber and Ellen Bryant, Sociology Department, Mississippi State University.

1960 and 1961, U.S. Census population of April 1, 1960.

1962-1965, estimates as of July 1, prepared by the Division of Sociology and Rural Life, Mississippi State University.

On basis of place of residence.

TABLE 12
DEATHS
MISSISSIPPI
1913-1965

By Year, by Race, with Rates, Occurrence Data 1913-1943,
Residence Data 1944-1965

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1913	21,305	7,643	13,662	11.4	9.3	13.0
1914	21,485	7,442	14,043	11.3	8.9	13.1
1915	24,001	8,088	15,913	12.5	9.6	14.7
1916	21,794	7,588	14,206	11.2	8.9	13.0
1917	23,579	8,048	15,531	11.9	9.3	14.0
1918	30,437	10,177	20,260	15.2	11.6	18.0
1919	22,667	8,142	14,525	12.7	9.5	15.5
1920	22,072	7,916	14,156	12.3	9.3	15.1
1921	19,991	7,308	12,683	11.0	8.4	13.4
1922	19,278	7,312	11,966	10.5	8.3	12.6
1923	20,363	7,688	12,675	11.0	8.6	13.2
1924	21,155	7,809	13,346	11.3	8.6	13.8
1925	22,229	8,143	14,086	11.7	8.8	14.4
1926	23,929	9,133	14,796	12.5	9.7	15.1
1927	23,257	8,765	14,492	12.0	9.2	14.6
1928	25,965	10,111	15,854	13.2	10.4	15.9
1929	25,868	10,048	15,820	13.0	10.2	15.7
1930	24,098	9,072	15,026	11.9	9.0	14.8
1931	22,007	8,641	13,366	10.8	8.5	13.0
1932	20,322	8,295	12,027	9.9	8.1	11.6
1933	21,617	8,898	12,719	10.4	8.6	12.2
1934	21,786	9,350	12,436	10.5	9.0	12.0
1935	21,285	9,186	12,099	10.1	8.7	11.6
1936	24,127	10,367	13,760	11.4	9.7	13.1
1937	24,005	10,055	13,950	11.2	9.3	13.2
1938	22,814	9,471	13,343	10.6	8.7	12.5
1939	22,701	9,464	13,237	10.5	8.6	12.3
1940	23,185	9,565	13,620	10.6	8.6	12.6
1941	22,573	9,442	13,131	10.2	8.4	12.1
1942	20,693	8,750	11,943	9.3	7.7	10.9
1943	20,850	9,139	11,711	10.2	8.7	11.6
1944#	20,199	8,830	11,369	10.1	8.7	11.6
1945#	19,024	8,452	10,572	9.6	8.3	10.8
1946#	19,321	8,995	10,326	8.4	7.7	9.2
1947#	20,007	9,238	10,769	8.6	7.8	9.5
1948#	20,183	9,216	10,967	8.6	7.7	9.6
1949#	20,489	9,233	11,256	8.7	7.7	9.8

Table 12 - Page 2
 Deaths - Mississippi - 1913-1965

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1950#	20,567	9,466	11,101	9.4	8.0	11.2
1951#	21,007	9,593	11,414	9.6	8.1	11.5
1952#	20,657	9,387	11,270	9.5	7.9	11.4
1953#	20,492	9,495	10,997	9.4	8.0	11.1
1954#	19,353	9,453	9,900	8.9	8.0	10.0
1955#	19,403	9,501	9,902	8.9	8.0	10.0
1956#	19,780	9,969	9,811	9.4	8.7	10.2
1957#	20,476	10,339	10,137	9.7	9.0	10.5
1958#	21,541	10,811	10,730	9.9	8.4	11.9
1959#	20,890	10,742	10,148	9.4	8.0	11.4
1960#	21,713	11,204	10,509	10.0	8.9	11.4
1961#	21,232	11,063	10,169	9.7	8.8	11.0
1962#	22,713	11,868	10,845	10.0	9.0	11.6
1963#	23,339	12,118	11,221	10.2	9.0	11.9
1964#	22,559	12,039	10,520	9.7	8.8	11.1
1965#	22,652	12,376	10,276	9.7	9.2	10.4

* Deaths per 1,000 population. See footnote on Table 11 for source of population estimates.

On basis of place of residence.

TABLE 13
MATERNAL DEATHS
MISSISSIPPI
1913-1965

By Year, by Race, with Rates, Occurrence Data 1913-1943,
Residence Data 1944-1965

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1913	447	162	285	108.8	74.1	148.2
1914	413	124	289	101.7	58.0	150.0
1915	289	88	201	73.2	41.9	108.7
1916	326	102	224	83.5	50.7	118.5
1917	297	105	192	80.0	55.1	106.2
1918	302	82	220	76.7	41.0	113.5
1919	407	173	234	95.8	78.5	114.4
1920	393	127	266	89.8	56.6	124.8
1921	391	145	246	84.1	61.2	108.0
1922	313	110	203	71.6	51.7	90.5
1923	321	108	213	74.2	51.1	96.3
1924	413	137	276	93.9	61.8	126.7
1925	435	143	292	95.5	64.2	125.3
1926	388	153	235	76.9	62.2	90.9
1927	409	134	275	83.1	55.4	109.8
1928	421	161	260	87.5	68.1	106.2
1929	410	152	258	90.0	68.8	110.0
1930	489	171	318	101.9	73.7	128.3
1931	352	131	221	78.0	60.5	94.1
1932	279	103	176	60.0	47.1	71.6
1933	315	116	199	71.3	56.8	83.7
1934	306	116	190	63.9	51.9	74.3
1935	334	137	197	69.2	62.4	74.8
1936	358	134	224	72.7	60.4	82.8
1937	370	150	220	70.9	64.4	76.2
1938	333	116	217	62.0	48.2	73.1
1939	311	97	214	59.5	41.3	74.3
1940	327	106	221	62.2	45.9	75.1
1941	293	93	200	53.7	38.5	65.8
1942	248	77	171	43.9	30.4	54.8
1943	233	66	167	39.2	23.9	52.5
1944#	225	72	153	39.8	28.1	49.4
1945#	216	64	152	40.3	27.3	50.5
1946#	199	67	132	32.4	22.5	41.6
1947#	175	50	125	26.4	15.4	36.9
1948#	177	38	139	27.1	12.8	39.0
1949#	147	32	115	22.2	11.1	30.8

Table 13 - Page 2
 Maternal Deaths - Mississippi - 1913-1965

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1950#	165	30	135	25.6	11.0	36.2
1951#	143	28	115	21.8	10.1	30.5
1952#	119	15	104	18.4	5.3	28.5
1953#	119	24	95	18.6	8.5	26.6
1954#	104	11	93	16.1	3.8	25.8
1955#	76	12	64	12.0	4.4	17.9
1956#	74	12	62	11.9	4.4	17.8
1957#	75	14	61	12.4	5.2	18.0
1958#	53	10	43	9.0	3.7	13.3
1959#	55	9	46	9.1	3.2	14.1
1960#	59	8	51	10.0	2.9	15.9
1961#	49	9	40	8.2	3.3	12.5
1962#	55	7	48	9.3	2.5	15.3
1963#	44	9	35	7.7	3.4	11.5
1964#	57	9	48	10.1	3.5	15.6
1965#	40	3	37	7.8	1.3	13.3

* Deaths per 10,000 live births.

On basis of place of residence.

TABLE 14
DEATHS UNDER 1 YEAR
MISSISSIPPI
1917-1965

By Year, by Race, with Rates, Occurrence Data 1917-1943,
Residence Data 1944-1965

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1917	3,689	1,296	2,393	99.3	68.0	132.3
1918	**	**	**	**	**	**
1919	3,554	**	**	83.6	**	**
1920	3,499	1,344	2,155	80.0	59.9	101.1
1921	3,157	1,243	1,914	67.9	52.4	84.0
1922	2,826	1,067	1,759	64.6	50.1	78.4
1923	2,908	1,104	1,804	67.2	52.2	81.5
1924	3,137	1,188	1,949	71.4	53.6	89.5
1925	3,176	1,179	1,997	69.7	53.0	85.7
1926	3,578	1,447	2,131	70.9	58.8	82.4
1927	3,291	1,303	1,988	66.9	54.0	79.4
1928	3,567	1,416	2,151	74.1	59.9	87.9
1929	3,275	1,268	2,007	71.9	57.4	85.5
1930	3,276	1,182	2,094	68.3	51.0	84.5
1931	2,547	961	1,586	56.4	44.4	67.5
1932	2,482	965	1,517	53.4	44.1	61.7
1933	2,800	1,035	1,765	63.4	50.7	74.2
1934	3,070	1,199	1,871	64.1	53.7	73.2
1935	2,587	1,044	1,543	53.6	47.5	58.6
1936	2,883	1,105	1,778	58.5	49.8	65.7
1937	3,098	1,174	1,924	59.4	50.4	66.6
1938	3,051	1,205	1,846	56.8	50.1	62.2
1939	2,908	1,135	1,773	55.6	48.3	61.6
1940	2,864	1,070	1,794	54.5	46.4	60.9
1941	2,969	1,113	1,856	54.4	46.1	61.1
1942	2,654	957	1,697	47.0	37.8	54.4
1943	2,774	1,137	1,637	46.7	41.2	51.5
1944#	2,489	974	1,515	44.0	38.0	49.0
1945#	2,192	846	1,346	40.9	36.1	44.7
1946#	2,298	1,005	1,293	37.4	33.8	40.8
1947#	2,428	1,009	1,419	36.6	31.1	41.9
1948#	2,470	988	1,482	37.8	33.3	41.6
1949#	2,612	900	1,712	39.5	31.3	45.8

Table 14 - Page 2
 Deaths Under 1 Year - Mississippi - 1917-1965

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1950#	2,348	763	1,585	36.4	28.1	42.6
1951#	2,589	814	1,775	39.5	29.3	47.1
1952#	2,592	760	1,832	40.2	27.1	50.3
1953#	2,534	807	1,727	39.6	28.5	48.3
1954#	2,360	744	1,616	36.4	25.8	44.9
1955#	2,338	680	1,658	37.0	24.7	46.4
1956#	2,353	734	1,619	37.8	26.9	46.4
1957#	2,257	694	1,563	37.2	25.9	46.1
1958#	2,424	706	1,718	41.0	26.3	53.1
1959#	2,355	677	1,678	38.9	24.2	51.5
1960#	2,457	714	1,743	41.5	26.2	54.4
1961#	2,250	645	1,605	37.8	23.5	50.0
1962#	2,353	705	1,648	39.9	25.6	52.5
1963#	2,372	610	1,762	41.4	22.7	57.8
1964#	2,230	599	1,631	39.4	23.1	53.1
1965#	2,126	593	1,533	41.5	25.4	55.1

* Deaths per 1,000 live births.

** Not available.

On basis of place of residence.

TABLE 15
DEATHS UNDER 1 MONTH*
MISSISSIPPI
1924-1965

By Year, by Race, with Rates, Occurrence Data 1924-1944,
Residence Data 1945-1965

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1924	1,598	730	868	36.4	32.9	39.8
1925	1,639	701	938	36.0	31.5	40.3
1926	1,731	823	908	34.3	33.4	35.1
1927	1,644	786	858	33.4	32.5	34.3
1928	1,788	804	984	37.2	34.0	40.2
1929	1,662	773	889	36.5	35.0	37.9
1930	1,692	715	977	35.3	30.8	39.4
1931	1,339	590	749	29.7	27.3	31.9
1932	1,361	572	789	29.3	26.1	32.1
1933	1,540	636	904	34.8	31.2	38.0
1934	1,505	644	861	31.4	28.8	33.7
1935	1,446	642	804	29.9	29.2	30.5
1936	1,494	676	818	30.3	30.4	30.2
1937	1,678	755	923	32.2	32.4	32.0
1938	1,688	747	941	31.4	31.1	31.7
1939	1,637	735	902	31.3	31.3	31.3
1940	1,613	680	933	30.7	29.4	31.7
1941	1,663	734	929	30.5	30.4	30.6
1942	1,544	638	906	27.3	25.2	29.0
1943	1,652	791	861	27.8	28.6	27.1
1944	1,436	661	775	25.2	25.4	25.1
1945#	1,351	624	727	25.2	26.6	24.1
1946#	1,561	794	767	25.4	26.7	24.2
1947#	1,595	750	845	24.1	23.1	24.9
1948#	1,674	773	901	25.6	26.0	25.3
1949#	1,594	661	933	24.1	23.0	25.0
1950#	1,446	560	886	22.4	20.6	23.8
1951#	1,679	626	1,053	25.6	22.5	27.9
1952#	1,658	581	1,077	25.7	20.7	29.6
1953#	1,630	635	995	25.4	22.4	27.8
1954#	1,521	601	920	23.5	20.9	25.6
1955#	1,440	527	913	22.8	19.1	25.6
1956#	1,451	581	870	23.3	21.3	24.9
1957#	1,425	540	885	23.5	20.1	26.1
1958#	1,475	540	935	24.9	20.1	28.9
1959#	1,450	515	935	23.9	18.4	28.7
1960#	1,497	550	947	25.3	20.2	29.6
1961#	1,401	509	892	23.5	18.6	27.8
1962#	1,456	550	906	24.7	20.0	28.8
1963#	1,449	470	979	25.3	17.5	32.1
1964#	1,372	460	912	24.2	17.7	29.7
1965#	1,283	470	813	25.1	20.1	29.2

* Figures for 1949-1965 include only the deaths under 28 days.

** Deaths per 1,000 live births.

On basis of place of residence.

TABLE 16
DEATHS FROM HEART DISEASES, VASCULAR LESIONS,
MALIGNANT NEOPLASMS, ACCIDENTS, AND INFLUENZA AND PNEUMONIA
MISSISSIPPI
1956-1965

By Year, by Race, with Rates, Residence Data

Year	HEART DISEASES (400-443)			VASCULAR LESIONS (330-334)			MALIGNANT NEOPLASMS (140-205)			ACCIDENTS (800-962)			INFLUENZA & PNEUMONIA (480-493)		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
1956 No.	6,117	3,709	2,408	2,550	1,229	1,321	2,432	1,439	993	1,302	700	602	678	250	428
Rate*	289.9	323.3	250.2	120.9	107.1	137.2	115.3	125.4	103.2	61.7	61.0	62.5	32.1	21.8	44.5
1957 No.	6,378	3,711	2,667	2,800	1,420	1,380	2,496	1,482	1,014	1,302	707	595	794	301	493
Rate*	302.3	323.5	277.1	132.7	123.8	143.9	118.3	129.2	105.3	61.7	61.6	61.8	37.6	26.2	51.2
1958 No.	6,528	3,929	2,599	2,867	1,426	1,441	2,525	1,524	1,001	1,379	729	650	909	344	565
Rate*	298.9	306.3	288.4	131.3	111.2	159.9	115.6	118.8	111.1	63.1	56.8	72.1	41.6	26.8	62.7
1959 No.	6,233	3,774	2,459	2,683	1,386	1,297	2,600	1,580	1,020	1,501	837	664	768	328	440
Rate*	279.9	282.5	276.0	120.5	103.7	145.6	116.7	118.3	114.5	67.4	62.6	74.5	34.5	24.6	49.4
1960 No.	6,321	3,882	2,439	2,960	1,513	1,447	2,635	1,644	991	1,504	827	677	958	389	569
Rate*	290.2	308.7	264.9	135.9	120.3	157.2	121.0	130.7	107.6	69.0	65.8	73.5	44.0	30.9	61.8
1961 No.	6,561	4,022	2,539	2,891	1,464	1,427	2,748	1,732	1,016	1,427	760	667	721	307	414
Rate*	301.2	319.8	275.8	132.7	116.4	155.0	126.2	137.7	110.4	65.5	60.4	72.4	33.1	24.4	45.0
1962 No.	7,077	4,206	2,871	3,112	1,552	1,560	2,827	1,793	1,034	1,557	84.6	71.1	87.9	362	517
Rate*	313.4	318.4	306.4	137.8	117.5	166.5	125.2	135.7	110.4	69.0	64.0	75.9	38.9	27.4	55.2
1963 No.	7,300	4,396	2,904	3,154	1,650	1,504	2,945	1,859	1,086	1,571	851	720	1,113	420	693
Rate*	318.8	325.9	308.5	137.7	122.3	159.8	128.6	137.8	115.4	68.6	63.1	76.5	48.6	31.1	73.6
1964 No.	6,981	4,313	2,668	3,077	1,588	1,489	2,968	1,861	1,107	1,612	898	714	791	308	483
Rate*	301.4	314.7	282.2	132.9	115.9	157.5	128.2	135.8	117.1	69.6	65.5	75.5	34.2	22.5	51.1
1965 No.	7,038	4,429	2,609	3,064	1,639	1,425	2,931	1,867	1,064	1,610	881	729	764	350	414
Rate*	302.1	329.4	264.8	131.5	121.9	144.6	125.8	138.9	108.0	69.1	65.5	74.0	32.8	26.0	42.0

* Deaths per 100,000 population.

TABLE 17
MARRIAGES AND DIVORCES
MISSISSIPPI
1926-1965

By Year, by Race, Occurrence Data

Year	MARRIAGES			DIVORCES		
	Total	White	Non-white	Total	White	Non-white
1926*	28,712			2,766		
1927*	29,048#	11,402	17,383	2,895		
1928	30,231#	11,662	18,257	3,009	1,435	1,574
1929	31,495#	12,864	18,388	3,172	1,598	1,574
1930	25,728#	10,815	14,751	2,743	1,487	1,256
1931	21,589#	9,952	11,629	2,015	1,308	707
1932	22,688#	10,147	12,453	1,918	1,308	610
1933	27,567#	12,201	15,300	1,955	1,396	559
1934	30,149#	13,497	16,541	2,446	1,704	742
1935	28,722#	12,955	15,635	2,425	1,681	744
1936	32,480#	14,120	18,196	2,520	1,690	830
1937	32,055#	14,802	17,246	2,977	1,984	993
1938	31,495	14,224	17,271	2,916	2,069	847
1939	31,956	15,370	16,586	3,034	2,166	868
1940	34,088	16,834	17,254	3,251	2,295	956
1941	42,142	21,611	20,531	3,831	2,444	1,387
1942	49,565	27,227	22,338	4,326	2,606	1,720
1943	46,030	23,445	22,585	5,851	3,062	2,789
1944	41,559	21,173	20,386	6,742	3,425	3,317
1945	44,871	24,738	20,133	6,727	3,919	2,808
1946	64,204	37,099	27,105	9,495	5,867	3,628
1947	53,584	30,514	23,070	7,004	4,323	2,681
1948	53,645	31,504	22,141	6,697	3,864	2,833
1949	52,765	32,191	20,574	6,285	3,621	2,664
1950	56,738	37,871	18,867	6,065	3,711	2,354
1951	57,321	37,857	19,464	5,464	3,601	1,863
1952	58,116	39,162	18,954	5,419	3,607	1,812
1953	61,751	42,961	18,790	5,204	3,515	1,689
1954	61,381	43,268	18,113	5,001	3,424	1,577
1955	66,423	47,618	18,805	4,845	3,372	1,473
1956	66,223	48,140	18,083	5,027	3,452	1,575
1957	62,495	46,868	15,627	4,974	3,350	1,624
1958	36,402	26,998	9,404	5,016	3,485	1,531
1959	20,447	13,547	6,900	5,108	3,557	1,551
1960	21,233	14,029	7,204	5,260	3,553	1,707
1961	21,610	14,438	7,172	5,213	3,545	1,668
1962	22,007	14,432	7,575	5,467	3,827	1,640
1963	22,140	14,508	7,632	5,452	3,930	1,522
1964	22,784	15,159	7,625	5,631	4,077	1,554
1965	23,343	15,613	7,730	5,730	4,220	1,510

* Total number of marriages for 1926 and total number of divorces for 1926 and 1927 furnished by U.S. Bureau of Census; distribution by race not available.

Includes some records on which the race of the couple was not stated.

BIRTHS, FETAL DEATHS, DEATHS


THE COUNTIES AND THE STATE OF MISSISSIPPI, 1965

Footnotes for Tables on Pages 57-139

* Total births and deaths per 1,000 population. Fetal deaths, deaths under 1 year, deaths under 28 days, and deaths from diseases of early infancy per 1,000 live births. Maternal deaths per 10,000 live births. Deaths from specific causes per 100,000 population.

** Rate less than 0.06.

Pneumonia and diarrhea of the newborn (under 28 days) included in diseases of early infancy.



BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
ADAMS COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Total	White	Non-white
				Total	White	Non-white			
Live births	1,348	554	794	929	378	551	23.0	17.7	29.1
Fetal deaths	77	48	29	40	28	12	43.0	74.1	21.8
Total deaths	459	176	283	375	148	227	9.3	6.9	12.0
Deaths under 1 year	36	6	30	20	3	17	21.5	7.9	30.8
Deaths under 28 days	32	5	27	18	2	16	19.4	5.3	29.0
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	0	1	2.5	-	5.3
Syphilis (020-029)	1	0	1	1	0	1	2.5	-	5.3
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	1	0	1	1	0	1	2.5	-	5.3
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	82	38	44	69	29	40	171.2	135.6	211.3
Benign & unspec. neoplasms (210-239)	1	0	1	1	0	1	2.5	-	5.3
Asthma (241)	3	1	2	2	1	1	5.0	4.7	5.3
Diabetes mellitus (260)	11	2	9	6	2	4	14.9	9.4	21.1
Anemias (290-293)	3	1	2	2	1	1	5.0	4.7	5.3
Intracranial lesions (330-334)	78	31	47	63	28	35	156.3	130.9	184.9
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	149	60	89	128	51	77	317.5	238.5	406.8
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	5	3	2	4	2	2	9.9	9.4	10.6
Other circulatory diseases (451-468)	4	4	0	3	3	0	7.4	14.0	-
#Influenza & pneumonia (480-493)	10	4	6	8	3	5	19.8	14.0	26.4
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	3	3	0	2	2	0	5.0	9.4	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	4	2	2	4	2	2	9.9	9.4	10.6
#Gastritis, etc. (543, 571, 572)	3	0	3	1	0	1	2.5	-	5.3
Cirrhosis of liver (581)	1	1	0	1	1	0	2.5	4.7	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	3	0	3	1	0	1	2.5	-	5.3
Infections of kidney (600)	8	1	7	4	0	4	9.9	-	21.1
Hyperplasia of prostate (610)	1	0	1	1	0	1	2.5	-	5.3
Maternal causes (640-689)	1	0	1	0	0	0	-	-	-
Congenital malformations (750-759)	2	1	1	2	1	1	5.0	4.7	5.3
Diseases of early infancy (760-776)	29	4	25	15	1	14	16.1	2.6	25.4
Accidents (800-962)	28	13	15	21	9	12	52.1	42.1	63.4
Motor vehicle accidents (810-835)	13	4	9	11	5	6	27.3	23.4	31.7
Suicide (963, 970-979)	1	1	0	2	2	0	5.0	9.4	-
Homicide (964, 980-985)	6	1	5	3	0	3	7.4	-	15.8
Ill-defined (780-795)	11	0	11	15	2	13	37.2	9.4	68.7

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
ALCORN COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	538	443	95	508	416	92	18.4	17.2	26.9
Fetal deaths	11	7	4	11	7	4	21.6	16.8	43.5
Total deaths	263	229	34	281	245	36	10.2	10.1	10.5
Deaths under 1 year	18	13	5	18	13	5	35.4	31.2	54.3
Deaths under 28 days	15	11	4	13	9	4	25.6	21.6	43.5
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	1	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	1	1	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	38	35	3	40	37	3	145.0	153.2	87.7
Benign & unspec. neoplasms (210-239)	1	1	0	1	1	0	3.6	4.1	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	1	0	2	2	0	7.2	8.3	-
Anemias (290-293)	2	2	0	2	2	0	7.2	8.3	-
Intracranial lesions (330-334)	41	34	7	49	42	7	177.7	173.8	204.6
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	102	88	14	102	87	15	369.8	360.1	438.5
Other hypertensive disease (444-447)	3	2	1	4	2	2	14.5	8.3	58.5
General arteriosclerosis (450)	1	1	0	3	3	0	10.9	12.4	-
Other circulatory diseases (451-468)	0	0	0	2	2	0	7.2	8.3	-
#Influenza & pneumonia (480-493)	7	5	2	8	6	2	29.0	24.8	58.5
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	3	3	0	4	4	0	14.5	16.6	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	3	3	0	4	4	0	14.5	16.6	-
Cirrhosis of liver (581)	2	2	0	3	3	0	10.9	12.4	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	3	3	0	3	3	0	10.9	12.4	-
Infections of kidney (600)	2	2	0	2	2	0	7.2	8.3	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	4	4	0	6	6	0	21.8	24.8	-
Diseases of early infancy (760-776)	9	6	3	8	5	3	15.7	12.0	32.6
Accidents (800-962)	15	14	1	14	13	1	50.8	53.8	29.2
Motor vehicle accidents (810-835)	7	7	0	6	6	0	21.8	24.8	-
Suicide (963, 970-979)	2	2	0	3	3	0	10.9	12.4	-
Homicide (964, 980-985)	1	1	0	1	1	0	3.6	4.1	-
Ill-defined (780-795)	12	10	2	12	10	2	43.5	41.4	58.5

See page 55 for footnotes!

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
AMITE COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	133	5	128	275	85	190	17.8	12.1	22.6
Fetal deaths	2	0	2	10	0	10	36.4	-	52.6
Total deaths	84	42	42	160	95	65	10.4	13.5	7.7
Deaths under 1 year	5	0	5	11	3	8	40.0	35.3	42.1
Deaths under 28 days	0	0	0	5	3	2	18.2	35.3	10.5
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	14	5	9	21	11	10	136.1	156.7	118.9
Benign & unspec. neoplasms (210-239)	0	0	0	1	1	0	6.5	14.2	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	0	0	0	2	0	2	13.0	-	23.8
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	13	6	7	25	15	10	162.0	213.7	118.9
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	34	20	14	50	31	19	324.0	441.6	225.8
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	0	0	0	0	0	0	-	-	-
Other circulatory diseases (451-468)	2	1	1	3	2	1	19.4	28.5	11.9
#Influenza & pneumonia (480-493)	3	0	3	5	1	4	32.4	14.2	47.5
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	1	1	0	3	3	0	19.4	42.7	-
Stomach & duodenal ulcers (540, 541)	0	0	0	2	2	0	13.0	28.5	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	2	2	0	13.0	28.5	-
#Gastritis, etc. (543, 571, 572)	1	0	1	3	0	3	19.4	-	35.6
Cirrhosis of liver (581)	0	0	0	1	1	0	6.5	14.2	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	1	1	0	2	2	0	13.0	28.5	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	3	2	1	19.4	28.5	11.9
Diseases of early infancy (760-776)	0	0	0	4	2	2	14.5	23.5	10.5
Accidents (800-962)	6	2	4	17	8	9	110.2	114.0	107.0
Motor vehicle accidents (810-835)	0	0	0	4	2	2	25.9	28.5	23.8
Suicide (963, 970-979)	1	1	0	1	1	0	6.5	14.2	-
Homicide (964, 980-985)	2	1	1	3	1	2	19.4	14.2	23.8
Ill-defined (780-795)	3	2	1	3	2	1	19.4	28.5	11.9

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
ATTALA COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	437	180	257	437	170	267	19.2	13.3	26.7
Fetal deaths	24	14	10	23	12	11	52.6	70.6	41.2
Total deaths	220	143	77	231	150	81	10.2	11.8	8.1
Deaths under 1 year	11	1	10	13	3	10	29.7	17.6	37.4
Deaths under 28 days	4	0	4	5	0	5	11.4	-	18.7
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	1	0	4.4	7.8	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	31	24	7	38	32	6	167.2	251.2	60.1
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	1	1	0	1	1	0	4.4	7.8	-
Diabetes mellitus (260)	2	1	1	1	0	1	4.4	-	10.0
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	36	24	12	36	22	14	158.4	172.7	140.2
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	81	53	28	80	51	29	352.1	400.4	290.5
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	2	1	1	2	1	1	8.8	7.8	10.0
Other circulatory diseases (451-468)	5	3	2	7	4	3	30.8	31.4	30.0
#Influenza & pneumonia (480-493)	11	8	3	9	7	2	39.6	55.0	20.0
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	5	4	1	5	4	1	22.0	31.4	10.0
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	2	1	1	8.8	7.8	10.0
#Gastritis, etc. (543, 571, 572)	1	1	0	1	1	0	4.4	7.8	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	1	0	2	1	1	8.8	7.8	10.0
Infections of kidney (600)	0	0	0	1	1	0	4.4	7.8	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	1	0	2	2	0	8.8	15.7	-
Diseases of early infancy (760-776)	4	0	4	5	0	5	11.4	-	18.7
Accidents (800-962)	18	11	7	17	11	6	74.8	86.4	60.1
Motor vehicle accidents (810-835)	11	7	4	9	5	4	39.6	39.2	40.1
Suicide (963, 970-979)	1	1	0	1	1	0	4.4	7.8	-
Homicide (964, 980-985)	3	2	1	3	1	2	13.2	7.8	20.0
Ill-defined (780-795)	12	4	8	10	3	7	44.0	23.6	70.1

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
BENTON COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	96	1	95	166	51	115	19.7	11.7	28.2
Fetal deaths	4	1	3	4	1	3	24.1	19.6	26.1
Total deaths	44	23	21	87	51	36	10.3	11.7	8.8
Deaths under 1 year	6	0	6	9	0	9	54.2	-	78.3
Deaths under 28 days	3	0	3	4	0	4	24.1	-	34.8
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	7	6	1	10	8	2	118.6	184.0	49.0
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	0	0	0	1	1	0	11.9	23.0	-
Anemias (290-293)	0	0	0	1	1	0	11.9	23.0	-
Intracranial lesions (330-334)	5	2	3	11	6	5	130.5	138.0	122.5
Nonmeningococcal meningitis (340)	0	0	0	2	0	2	23.7	-	49.0
Heart diseases (400-443)	9	6	3	28	21	7	332.1	483.0	171.5
Other hypertensive disease (444-447)	0	0	0	1	1	0	11.9	23.0	-
General arteriosclerosis (450)	2	0	2	3	1	2	35.6	23.0	49.0
Other circulatory diseases (451-468)	0	0	0	1	1	0	11.9	23.0	-
#Influenza & pneumonia (480-493)	1	0	1	4	1	3	47.4	23.0	73.5
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	1	1	0	11.9	23.0	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	0	0	0	1	0	1	11.9	-	24.5
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	1	0	1	1	0	11.9	23.0	-
Infections of kidney (600)	1	1	0	2	1	1	23.7	23.0	24.5
Hyperplasia of prostate (610)	1	0	1	1	0	1	11.9	-	24.5
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	1	0	1	1	0	11.9	23.0	-
Diseases of early infancy (760-776)	4	0	4	5	0	5	30.1	-	43.5
Accidents (800-962)	7	4	3	7	3	4	83.0	69.0	98.0
Motor vehicle accidents (810-835)	2	2	0	4	3	1	47.4	69.0	24.5
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	4	2	2	5	3	2	59.3	69.0	49.0

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
BOLIVAR COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	1,736	301	1,435	1,633	314	1,319	28.0	16.4	33.7
Fetal deaths	60	11	49	62	11	51	38.0	35.0	38.7
Total deaths	543	134	409	572	157	415	9.8	8.2	10.6
Deaths under 1 year	73	6	67	69	3	66	42.2	9.6	50.0
Deaths under 28 days	42	6	36	38	3	35	23.3	9.6	26.5
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	2	0	2	3.4	-	5.1
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	1	0	1	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	43	19	24	55	26	29	94.3	135.6	74.0
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	4	2	2	4	3	1	6.8	15.6	2.6
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	88	10	78	93	14	79	159.4	73.0	201.7
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	178	53	125	178	59	119	305.1	307.7	303.8
Other hypertensive disease (444-447)	3	0	3	3	0	3	5.1	-	7.7
General arteriosclerosis (450)	12	5	7	11	5	6	18.8	26.1	15.3
Other circulatory diseases (451-468)	3	2	1	3	2	1	5.1	10.4	2.6
#Influenza & pneumonia (480-493)	19	5	14	21	6	15	36.0	31.3	38.3
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	3	2	1	4	3	1	6.8	15.6	2.6
Stomach & duodenal ulcers (540, 541)	0	0	0	1	0	1	1.7	-	2.6
Hernia & intestinal obstruction (560, 561, 570)	3	1	2	3	1	2	5.1	5.2	5.1
#Gastritis, etc. (543, 571, 572)	19	2	17	18	2	16	30.8	10.4	40.8
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	1	0	1	1	0	1	1.7	-	2.6
Chronic nephritis, etc. (592-594)	16	0	16	13	0	13	22.3	-	33.2
Infections of kidney (600)	3	0	3	3	0	3	5.1	-	7.7
Hyperplasia of prostate (610)	1	0	1	3	1	2	5.1	5.2	5.1
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	0	1	2	1	1	3.4	5.2	2.6
Diseases of early infancy (760-776)	42	6	36	39	3	36	23.9	9.6	27.3
Accidents (800-962)	45	14	31	50	18	32	85.7	93.9	81.7
Motor vehicle accidents (810-835)	26	9	17	30	12	18	51.4	62.6	46.0
Suicide (963, 970-979)	0	0	0	1	1	0	1.7	5.2	-
Homicide (964, 980-985)	5	3	2	5	2	3	8.6	10.4	7.7
Ill-defined (780-795)	37	4	33	38	2	36	65.1	10.4	91.9

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
CALHOUN COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	256	102	154	271	154	117	17.3	13.6	27.3
Fetal deaths	8	2	6	9	3	6	33.2	19.5	51.3
Total deaths	143	101	42	166	128	38	10.6	11.3	8.9
Deaths under 1 year	19	2	17	18	2	16	66.4	13.0	136.8
Deaths under 28 days	9	1	8	8	1	7	29.5	6.5	59.8
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	9	6	3	17	14	3	108.8	123.4	70.1
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	2	2	0	2	2	0	12.8	17.6	-
Diabetes mellitus (260)	0	0	0	1	1	0	6.4	8.8	-
Anemias (290-293)	2	1	1	3	1	2	19.2	8.8	46.7
Intracranial lesions (330-334)	17	13	4	25	21	4	160.0	185.1	93.5
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	61	52	9	63	56	7	403.2	493.6	163.6
Other hypertensive disease (444-447)	2	2	0	1	1	0	6.4	8.8	-
General arteriosclerosis (450)	0	0	0	1	1	0	6.4	8.8	-
Other circulatory diseases (451-468)	2	2	0	3	3	0	19.2	26.4	-
#Influenza & pneumonia (480-493)	6	2	4	6	2	4	38.4	17.6	93.5
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	1	0	1	2	1	1	12.8	8.8	23.4
Stomach & duodenal ulcers (540, 541)	1	1	0	1	1	0	6.4	8.8	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	2	2	0	12.8	17.6	-
#Gastritis, etc. (543, 571, 572)	3	1	2	3	1	2	19.2	8.8	46.7
Cirrhosis of liver (581)	0	0	0	1	1	0	6.4	8.8	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	3	2	1	4	3	1	25.6	26.4	23.4
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	2	0	2	2	0	2	73.8	-	170.9
Congenital malformations (750-759)	1	0	1	1	0	1	6.4	-	23.4
Diseases of early infancy (760-776)	7	1	6	6	1	5	22.1	6.5	42.7
Accidents (800-962)	8	6	2	4	3	1	25.6	26.4	23.4
Motor vehicle accidents (810-835)	2	2	0	1	1	0	6.4	8.8	-
Suicide (963, 970-979)	2	2	0	2	2	0	12.8	17.6	-
Homicide (964, 980-985)	1	0	1	1	0	1	6.4	-	23.4
Ill-defined (780-795)	7	4	3	5	3	2	32.0	26.4	46.7

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
 AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
 CARROLL COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	133	10	123	215	45	170	18.8	8.6	27.5
Fetal deaths	6	1	5	11	3	8	51.2	66.7	47.0
Total deaths	55	19	36	99	50	49	8.7	9.6	7.9
Deaths under 1 year	6	0	6	12	0	12	55.8	-	70.6
Deaths under 28 days	3	0	3	7	0	7	32.6	-	41.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	1	0	1	8.8	-	16.2
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	1	1	0	8.8	19.1	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	5	3	2	11	10	1	96.4	191.2	16.2
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	1	0	2	2	0	17.5	38.2	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	5	1	4	11	5	6	96.4	95.6	97.0
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	13	7	6	25	16	9	219.0	305.9	145.6
Other hypertensive disease (444-447)	4	1	3	3	1	2	26.3	19.1	32.3
General arteriosclerosis (450)	0	0	0	0	0	0	-	-	-
Other circulatory diseases (451-468)	1	1	0	3	1	2	26.3	19.1	32.3
#Influenza & pneumonia (480-493)	2	1	1	3	1	2	26.3	19.1	32.3
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	1	1	0	8.8	19.1	-
Stomach & duodenal ulcers (540, 541)	0	0	0	1	1	0	8.8	19.1	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	0	0	0	2	1	1	17.5	19.1	16.2
Cirrhosis of liver (581)	0	0	0	1	1	0	8.8	19.1	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	1	0	1	8.8	-	16.2
Infections of kidney (600)	0	0	0	1	1	0	8.8	19.1	-
Hyperplasia of prostate (610)	0	0	0	1	1	0	8.8	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	1	0	1	8.8	-	16.2
Diseases of early infancy (760-776)	4	0	4	8	0	8	37.2	-	47.0
Accidents (800-962)	3	2	1	5	4	1	43.8	76.5	16.2
Motor vehicle accidents (810-835)	2	1	1	3	2	1	26.3	38.2	16.2
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	2	0	2	1	0	1	8.8	-	16.2
Ill-defined (780-795)	14	2	12	15	3	12	131.4	57.4	194.1

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
CHICKASAW COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	397	208	189	409	210	199	21.1	17.6	26.6
Fetal deaths	26	9	17	24	9	15	58.7	42.8	75.4
Total deaths	231	147	84	241	151	90	12.4	12.7	12.0
Deaths under 1 year	17	4	13	21	8	13	51.3	38.1	65.3
Deaths under 28 days	10	4	6	14	7	7	34.2	33.3	35.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	2	0	2	10.3	-	26.7
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	33	26	7	32	24	8	165.2	201.8	106.9
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	5	3	2	5	3	2	25.8	25.2	26.7
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	32	20	12	30	19	11	154.8	159.8	147.0
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	89	62	27	90	60	30	464.6	504.5	401.0
Other hypertensive disease (444-447)	6	4	2	6	4	2	31.0	33.6	26.7
General arteriosclerosis (450)	2	1	1	3	1	2	15.5	8.4	26.7
Other circulatory diseases (451-468)	3	2	1	4	3	1	20.6	25.2	13.4
#Influenza & pneumonia (480-493)	7	3	4	9	5	4	46.4	42.0	53.5
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	2	2	0	2	2	0	10.3	16.8	-
Stomach & duodenal ulcers (540, 541)	0	0	0	1	0	1	5.2	-	13.4
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	2	2	0	10.3	16.8	-
#Gastritis, etc. (543, 571, 572)	3	0	3	2	0	2	10.3	-	26.7
Cirrhosis of liver (581)	2	2	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	0	1	1	0	1	5.2	-	13.4
Infections of kidney (600)	4	1	3	3	1	2	15.5	8.4	26.7
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	2	2	0	3	3	0	15.5	25.2	-
Diseases of early infancy (760-776)	6	1	5	10	4	6	24.4	19.0	30.2
Accidents (800-962)	12	8	4	16	13	3	82.6	109.3	40.1
Motor vehicle accidents (810-835)	9	7	2	12	11	1	61.9	92.5	13.4
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	4	0	4	4	0	4	20.6	-	53.5
Ill-defined (780-795)	10	3	7	10	3	7	51.6	25.2	93.6

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
CHOCTAW COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	Non-white		Number			Rate*		
		White	white	Total	White	Non-white	Total	White	Non-white
Live births	150	65	85	152	77	75	18.4	13.1	31.6
Fetal deaths	5	0	5	5	1	4	32.9	13.0	53.3
Total deaths	82	61	21	95	75	20	11.5	12.8	8.4
Deaths under 1 year	4	2	2	3	1	2	19.7	13.0	26.7
Deaths under 28 days	3	2	1	2	1	1	13.2	13.0	13.3
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	5	5	0	8	8	0	97.0	136.1	-
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	1	1	0	1	1	0	12.1	17.0	-
Diabetes mellitus (260)	0	0	0	1	1	0	12.1	17.0	-
Anemias (290-293)	1	0	1	1	0	1	12.1	-	42.2
Intracranial lesions (330-334)	8	5	3	13	10	3	157.6	170.1	126.5
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	38	29	9	43	34	9	521.2	578.4	379.4
Other hypertensive disease (444-447)	1	0	1	0	0	0	-	-	-
General arteriosclerosis (450)	6	4	2	6	4	2	72.7	68.0	84.3
Other circulatory diseases (451-468)	0	0	0	1	1	0	12.1	17.0	-
#Influenza & pneumonia (480-493)	2	2	0	2	2	0	24.2	34.0	-
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	1	0	1	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	1	1	0	3	3	0	36.4	51.0	-
Hyperplasia of prostate (610)	1	1	0	2	1	1	24.2	17.0	42.2
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	3	2	1	2	1	1	13.2	13.0	13.3
Accidents (800-962)	7	6	1	4	3	1	48.5	51.0	42.2
Motor vehicle accidents (810-835)	2	2	0	2	2	0	24.2	34.0	-
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	1	1	0	1	1	0	12.1	17.0	-
Ill-defined (780-795)	2	1	1	3	2	1	36.4	34.0	42.2

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
CLAIBORNE COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	124	20	104	216	40	176	18.7	14.7	20.0
Fetal deaths	7	2	5	15	5	10	69.4	125.0	56.8
Total deaths	95	22	73	120	29	91	10.4	10.6	10.3
Deaths under 1 year	9	0	9	16	1	15	74.1	25.0	85.2
Deaths under 28 days	3	0	3	9	1	8	41.7	25.0	45.4
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	5	3	2	8	4	4	69.4	146.6	45.4
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	0	0	0	0	0	0	-	-	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	10	3	7	14	5	9	121.4	183.3	102.3
Nonmeningoococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	49	12	37	54	12	42	468.5	439.9	477.3
Other hypertensive disease (444-447)	2	0	2	3	0	3	26.0	-	34.1
General arteriosclerosis (450)	1	0	1	1	0	1	8.7	-	11.4
Other circulatory diseases (451-468)	0	0	0	1	0	1	8.7	-	11.4
#Influenza & pneumonia (480-493)	4	0	4	4	0	4	34.7	-	45.4
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	1	0	1	8.7	-	11.4
#Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	1	1	0	8.7	36.6	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	0	1	2	1	1	17.4	36.6	11.4
Infections of kidney (600)	0	0	0	1	0	1	8.7	-	11.4
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	1	0	1	8.7	-	11.4
Diseases of early infancy (760-776)	2	0	2	6	1	5	27.8	25.0	28.4
Accidents (800-962)	8	3	5	7	3	4	60.7	110.0	45.4
Motor vehicle accidents (810-835)	5	2	3	3	2	1	26.0	73.3	11.4
Suicide (963, 970-979)	1	0	1	1	0	1	8.7	-	11.4
Homicide (964, 980-985)	3	0	3	4	0	4	34.7	-	45.4
Ill-defined (780-795)	6	0	6	6	0	6	52.0	-	68.2

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
CLARKE COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	95	56	39	352	162	190	20.5	15.7	27.6
Fetal deaths	3	1	2	12	4	8	34.1	24.7	42.1
Total deaths	121	74	47	212	126	86	12.3	12.2	12.5
Deaths under 1 year	6	2	4	19	8	11	54.0	49.4	57.9
Deaths under 28 days	1	0	1	9	4	5	25.6	24.7	26.3
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	2	0	2	11.6	-	29.1
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	1	0	1	1	0	1	5.8	-	14.5
Malignant neoplasms (140-205)	15	12	3	25	17	8	145.6	165.2	116.3
Benign & unspec. neoplasms (210-239)	0	0	0	1	1	0	5.8	9.7	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	0	0	0	1	0	1	5.8	-	14.5
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	25	14	11	41	24	17	238.8	233.2	247.1
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	43	29	14	71	45	26	413.5	437.4	377.9
Other hypertensive disease (444-447)	0	0	0	1	1	0	5.8	9.7	-
General arteriosclerosis (450)	0	0	0	0	0	0	-	-	-
Other circulatory diseases (451-468)	1	1	0	2	1	1	11.6	9.7	14.5
#Influenza & pneumonia (480-493)	3	2	1	9	7	2	52.4	68.0	29.1
Bronchitis (500-502)	0	0	0	1	1	0	5.8	9.7	-
Other bronchopul. diseases (525-527)	1	1	0	3	3	0	17.5	29.2	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	1	1	0	5.8	9.7	-
#Gastritis, etc. (543, 571, 572)	2	0	2	5	1	4	29.1	9.7	58.1
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	3	0	3	3	0	3	17.5	-	43.6
Infections of kidney (600)	0	0	0	4	3	1	23.3	29.2	14.5
Hyperplasia of prostate (610)	0	0	0	1	0	1	5.8	-	14.5
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	1	0	1	5.8	-	14.5
Diseases of early infancy (760-776)	1	1	0	7	4	3	19.9	24.7	15.8
Accidents (800-962)	9	8	1	10	8	2	58.2	77.8	29.1
Motor vehicle accidents (810-835)	7	6	1	6	4	2	34.9	38.9	29.1
Suicide (963, 970-979)	2	2	0	1	1	0	5.8	9.7	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	13	3	10	17	5	12	99.0	48.6	174.4

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
CLAY COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	364	150	214	388	157	231	19.9	17.8	21.5
Fetal deaths	5	2	3	7	1	6	18.0	6.4	26.0
Total deaths	165	74	91	179	80	99	9.2	9.1	9.2
Deaths under 1 year	9	0	9	12	2	10	30.9	12.7	43.3
Deaths under 28 days	3	0	3	4	1	3	10.3	6.4	13.0
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	1	0	1	1	0	1	5.1	-	9.3
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	21	12	9	27	15	12	138.3	170.4	111.9
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	1	0	1	1	0	1	5.1	-	9.3
Diabetes mellitus (260)	4	3	1	3	2	1	15.4	22.7	9.3
Anemias (290-293)	1	0	1	1	0	1	5.1	-	9.3
Intracranial lesions (330-334)	33	16	17	31	13	18	158.8	147.7	167.8
Nonmeningococcal meningitis (340)	1	0	1	1	0	1	5.1	-	9.3
Heart diseases (400-443)	56	26	30	57	27	30	291.9	306.8	279.7
Other hypertensive disease (444-447)	2	1	1	3	1	2	15.4	11.4	18.6
General arteriosclerosis (450)	2	1	1	3	1	2	15.4	11.4	18.6
Other circulatory diseases (451-468)	0	0	0	2	2	0	10.2	22.7	-
#Influenza & pneumonia (480-493)	5	2	3	7	3	4	35.8	34.1	37.3
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	1	1	0	5.1	11.4	-
Stomach & duodenal ulcers (540, 541)	1	1	0	1	1	0	5.1	11.4	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	2	0	2	2	0	2	10.2	-	18.6
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	2	1	1	2	1	1	10.2	11.4	9.3
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	0	1	2	1	1	10.2	11.4	9.3
Diseases of early infancy (760-776)	3	0	3	4	1	3	10.3	6.4	13.0
Accidents (800-962)	20	9	11	17	8	9	87.0	90.9	83.9
Motor vehicle accidents (810-835)	10	6	4	5	5	0	25.6	56.8	-
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	2	0	2	4	0	4	20.5	-	37.3
Ill-defined (780-795)	7	2	5	6	1	5	30.7	11.4	46.6

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
COAHOMA COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	1,273	314	959	1,264	272	992	26.8	18.6	30.5
Fetal deaths	63	6	57	63	6	57	49.8	22.0	57.4
Total deaths	554	167	387	562	152	410	11.9	10.4	12.6
Deaths under 1 year	108	12	96	103	7	96	81.5	25.7	96.8
Deaths under 28 days	59	11	48	54	7	47	42.7	25.7	47.4
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	1	0	1	1	0	1	2.1	-	3.1
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	1	1	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	3	0	3	2	0	2	4.2	-	6.2
Malignant neoplasms (140-205)	70	27	43	80	31	49	169.8	212.2	150.8
Benign & unspec. neoplasms (210-239)	3	0	3	3	0	3	6.4	-	9.2
Asthma (241)	5	2	3	5	2	3	10.6	13.7	9.2
Diabetes mellitus (260)	4	1	3	4	1	3	8.5	6.8	9.2
Anemias (290-293)	2	0	2	2	0	2	4.2	-	6.2
Intracranial lesions (330-334)	53	17	36	52	13	39	110.4	89.0	120.0
Nonmeningococcal meningitis (340)	2	0	2	2	0	2	4.2	-	6.2
Heart diseases (400-443)	170	65	105	174	62	112	369.3	424.3	344.6
Other hypertensive disease (444-447)	5	1	4	4	1	3	8.5	6.8	9.2
General arteriosclerosis (450)	1	1	0	1	1	0	2.1	6.8	-
Other circulatory diseases (451-468)	6	4	2	6	2	4	12.7	13.7	12.3
#Influenza & pneumonia (480-493)	23	2	21	26	2	24	55.2	13.7	73.8
Bronchitis (500-502)	1	0	1	1	0	1	2.1	-	3.1
Other bronchopul. diseases (525-527)	9	5	4	8	3	5	17.0	20.5	15.4
Stomach & duodenal ulcers (540, 541)	1	1	0	1	1	0	2.1	6.8	-
Hernia & intestinal obstruction (560, 561, 570)	3	1	2	3	1	2	6.4	6.8	6.2
#Gastritis, etc. (543, 571, 572)	18	1	17	19	2	17	40.3	13.7	52.3
Cirrhosis of liver (581)	2	1	1	3	2	1	6.4	13.7	3.1
Acute nephritis (590, 591)	1	1	0	1	1	0	2.1	6.8	-
Chronic nephritis, etc. (592-594)	3	2	1	4	2	2	8.5	13.7	6.2
Infections of kidney (600)	7	2	5	6	1	5	12.7	6.8	15.4
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	2	0	2	2	0	2	15.8	-	20.2
Congenital malformations (750-759)	6	1	5	6	1	5	12.7	6.8	15.4
Diseases of early infancy (760-776)	57	11	46	51	6	45	40.3	22.0	45.4
Accidents (800-962)	38	12	26	37	7	30	78.5	47.9	92.3
Motor vehicle accidents (810-835)	14	6	8	13	3	10	27.6	20.5	30.8
Suicide (963, 970-979)	2	1	1	2	1	1	4.2	6.8	3.1
Homicide (964, 980-985)	6	0	6	6	0	6	12.7	-	18.4
Ill-defined (780-795)	30	1	29	28	3	25	59.4	20.5	76.9

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
COPIAH COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	689	178	511	539	165	374	19.8	13.3	25.1
Fetal deaths	16	4	12	12	3	9	22.3	18.2	24.1
Total deaths	269	132	137	324	165	159	11.9	13.3	10.7
Deaths under 1 year	19	3	16	29	6	23	53.8	36.4	61.5
Deaths under 28 days	7	2	5	17	5	12	31.5	30.3	32.1
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	0	0	0	-	-	-
Syphilis (020-029)	1	0	1	1	0	1	3.7	-	6.7
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	35	21	14	44	27	17	161.3	218.3	114.0
Benign & unspec. neoplasms (210-239)	0	0	0	1	0	1	3.7	-	6.7
Asthma (241)	1	0	1	1	0	1	3.7	-	6.7
Diabetes mellitus (260)	3	0	3	3	0	3	11.0	-	20.1
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	42	14	28	50	18	32	183.2	145.5	214.5
Nonmeningococcal meningitis (340)	0	0	0	1	0	1	3.7	-	6.7
Heart diseases (400-443)	98	59	39	109	69	40	399.5	557.8	268.2
Other hypertensive disease (444-447)	4	0	4	4	0	4	14.7	-	26.8
General arteriosclerosis (450)	10	5	5	9	4	5	33.0	32.3	33.5
Other circulatory diseases (451-468)	5	3	2	7	5	2	25.6	40.4	13.4
#Influenza & pneumonia (480-493)	16	9	7	16	8	8	58.6	64.7	53.6
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	5	5	0	8	7	1	29.3	56.6	6.7
Stomach & duodenal ulcers (540, 541)	1	1	0	1	1	0	3.7	8.1	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	2	1	1	7.3	8.1	6.7
#Gastritis, etc. (543, 571, 572)	3	0	3	2	0	2	7.3	-	13.4
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	3	1	2	3	2	1	11.0	16.2	6.7
Hyperplasia of prostate (610)	1	0	1	1	0	1	3.7	-	6.7
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	1	0	2	1	1	7.3	8.1	6.7
Diseases of early infancy (760-776)	7	1	6	14	4	10	26.0	24.2	26.7
Accidents (800-962)	14	4	10	23	10	13	84.3	80.8	87.2
Motor vehicle acc. (810-835)	5	1	4	8	4	4	29.3	32.3	26.8
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	2	1	1	3	1	2	11.0	8.1	13.4
Ill-defined (780-795)	8	3	5	11	3	8	40.3	24.2	53.6

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
COVINGTON COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	162	108	54	296	153	143	20.7	16.9	27.2
Fetal deaths	3	3	0	12	4	8	40.5	26.1	55.9
Total deaths	88	57	31	149	98	51	10.4	10.8	9.7
Deaths under 1 year	5	2	3	16	7	9	54.0	45.8	62.9
Deaths under 28 days	2	1	1	8	6	2	27.0	39.2	14.0
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	2	1	1	14.0	11.0	19.0
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	14	11	3	23	19	4	160.8	210.1	76.0
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260),	3	3	0	3	3	0	21.0	33.2	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	19	12	7	23	17	6	160.8	188.0	114.0
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	22	16	6	40	26	14	279.6	287.5	266.0
Other hypertensive disease (444-447)	0	0	0	1	0	1	7.0	-	19.0
General arteriosclerosis (450)	2	2	0	2	2	0	14.0	22.1	-
Other circulatory diseases (451-468)	1	1	0	1	1	0	7.0	11.0	-
#Influenza & pneumonia (480-493)	5	2	3	10	4	6	69.9	44.2	114.0
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	2	2	0	2	2	0	14.0	22.1	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	1	0	1	7.0	-	19.0
#Gastritis, etc. (543, 571, 572)	2	0	2	4	0	4	28.0	-	76.0
Cirrhosis of liver (581)	0	0	0	1	1	0	7.0	11.0	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	2	0	2	2	0	2	14.0	-	38.0
Infections of kidney (600)	0	0	0	2	2	0	14.0	22.1	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	2	1	1	3	2	1	21.0	22.1	19.0
Diseases of early infancy (760-776)	1	0	1	5	3	2	16.9	19.6	14.0
Accidents (800-962)	3	2	1	10	8	2	69.9	88.4	38.0
Motor vehicle accidents (810-835)	2	2	0	5	5	0	35.0	55.3	-
Suicide (963, 970-979)	1	1	0	2	2	0	14.0	22.1	-
Homicide (964, 980-985)	2	1	1	0	0	0	-	-	-
Ill-defined (780-795)	4	3	1	5	3	2	35.0	33.2	38.0

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
DESOTO COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Total	White	Non-white
				Total	White	Non-white			
Live births	502	42	460	785	320	465	24.5	19.5	29.8
Fetal deaths	20	0	20	25	4	21	31.8	12.5	45.2
Total deaths	119	37	82	221	99	122	6.9	6.0	7.8
Deaths under 1 year	13	0	13	28	5	23	35.7	15.6	49.5
Deaths under 28 days	9	0	9	21	4	17	26.8	12.5	36.6
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	1	0	1	1	0	1	3.1	-	6.4
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	1	1	0	3.1	6.1	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	16	8	8	32	16	16	100.0	97.6	102.5
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	0	1	5	4	1	15.6	24.4	6.4
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	11	2	9	19	6	13	59.4	36.6	83.3
Nonmeningococcal meningitis (340)	0	0	0	1	0	1	3.1	-	6.4
Heart diseases (400-443)	36	15	21	60	31	29	187.5	189.2	185.8
Other hypertensive disease (444-447)	1	0	1	3	1	2	9.4	6.1	12.8
General arteriosclerosis (450)	3	0	3	4	0	4	12.5	-	25.6
Other circulatory diseases (451-468)	1	0	1	4	2	2	12.5	12.2	12.8
#Influenza & pneumonia (480-493)	8	2	6	12	4	8	37.5	24.4	51.2
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	1	1	0	3.1	6.1	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	2	1	1	4	1	3	12.5	6.1	19.2
Cirrhosis of liver (581)	1	1	0	4	4	0	12.5	24.4	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	1	1	0	1	1	0	3.1	6.1	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	0	1	4	2	2	12.5	12.2	12.8
Diseases of early infancy (760-776)	7	0	7	16	2	14	20.4	6.2	30.1
Accidents (800-962)	10	3	7	20	11	9	62.5	67.1	57.6
Motor vehicle accidents (810-835)	3	2	1	10	7	3	31.2	42.7	19.2
Suicide (963, 970-979)	1	1	0	2	2	0	6.2	12.2	-
Homicide (964, 980-985)	2	1	1	2	1	1	6.2	6.1	6.4
Ill-defined (780-795)	12	2	10	13	3	10	40.6	18.3	64.0

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
 AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
 FORREST COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	1,440	1,011	429	1,211	743	468	20.5	17.5	28.1
Fetal deaths	45	28	17	47	24	23	38.8	32.3	49.1
Total deaths	600	410	190	553	354	199	9.4	8.3	11.9
Deaths under 1 year	42	21	21	40	17	23	33.0	22.9	49.1
Deaths under 28 days	25	16	9	22	12	10	18.2	16.2	21.4
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	1	0	3	1	2	5.1	2.4	12.0
Syphilis (020-029)	1	0	1	1	0	1	1.7	-	6.0
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	1	0	1	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	81	68	13	76	60	16	128.5	141.3	96.0
Benign & unspec. neoplasms (210-239)	1	1	0	2	2	0	3.4	4.7	-
Asthma (241)	5	4	1	3	2	1	5.1	4.7	6.0
Diabetes mellitus (260)	13	6	7	15	7	8	25.4	16.5	48.0
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	74	55	19	70	46	24	118.4	108.3	144.0
Nonmeningococcal meningitis (340)	3	3	0	1	1	0	1.7	2.4	-
Heart diseases (400-443)	194	140	54	176	127	49	297.6	299.0	293.9
Other hypertensive disease (444-447)	4	2	2	4	2	2	6.8	4.7	12.0
General arteriosclerosis (450)	13	12	1	12	10	2	20.3	23.5	12.0
Other circulatory diseases (451-468)	11	8	3	13	9	4	22.0	21.2	24.0
#Influenza & pneumonia (480-493)	21	13	8	25	13	12	42.3	30.6	72.0
Bronchitis (500-502)	1	1	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	13	10	3	11	8	3	18.6	18.8	18.0
Stomach & duodenal ulcers (540, 541)	2	2	0	3	3	0	5.1	7.1	-
Hernia & intestinal obstruction (560, 561, 570)	4	4	0	3	3	0	5.1	7.1	-
#Gastritis, etc. (543, 571, 572)	5	1	4	6	1	5	10.1	2.4	30.0
Cirrhosis of liver (581)	4	4	0	3	3	0	5.1	7.1	-
Acute nephritis (590, 591)	1	0	1	1	0	1	1.7	-	6.0
Chronic nephritis, etc. (592-594)	5	2	3	6	2	4	10.1	4.7	24.0
Infections of kidney (600)	6	0	6	7	1	6	11.8	2.4	36.0
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	1	0	1	2	0	2	16.5	-	42.7
Congenital malformations (750-759)	10	7	3	8	7	1	13.5	16.5	6.0
Diseases of early infancy (760-776)	21	12	9	18	10	8	14.9	13.4	17.1
Accidents (800-962)	42	26	16	28	15	13	47.3	35.3	78.0
Motor vehicle accidents (810-835)	21	16	5	12	8	4	20.3	18.8	24.0
Suicide (963, 970-979)	7	5	2	4	2	2	6.8	4.7	12.0
Homicide (964, 980-985)	6	1	5	5	1	4	8.4	2.4	24.0
Ill-defined (780-795)	26	9	17	26	8	18	44.0	18.8	108.0

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
FRANKLIN COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	130	53	77	154	70	84	16.3	12.6	21.5
Fetal deaths	3	0	3	5	1	4	32.5	14.3	47.6
Total deaths	86	50	36	103	58	45	10.9	10.5	11.5
Deaths under 1 year	7	1	6	9	2	7	58.4	28.6	83.3
Deaths under 28 days	3	1	2	6	2	4	39.0	28.6	47.6
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	1	0	1	10.6	-	25.6
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	11	10	1	15	11	4	158.8	198.5	102.4
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	4	2	2	3	1	2	31.8	18.0	51.2
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	11	7	4	11	6	5	116.4	108.3	128.0
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	32	17	15	36	21	15	381.1	379.0	384.0
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	1	1	0	2	2	0	21.2	36.1	-
Other circulatory diseases (451-468)	0	0	0	0	0	0	-	-	-
#Influenza & pneumonia (480-493)	4	1	3	4	2	2	42.3	36.1	51.2
Bronchitis (500-502)	1	0	1	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	1	1	0	10.6	18.0	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	2	1	1	2	1	1	21.2	18.0	25.6
Cirrhosis of liver (581)	1	1	0	1	1	0	10.6	18.0	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	1	0	1	10.6	-	25.6
Infections of kidney (600)	2	1	1	4	1	3	42.3	18.0	76.8
Hyperplasia of prostate (610)	1	0	1	1	0	1	10.6	-	25.6
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	2	1	1	5	2	3	32.5	28.6	35.7
Accidents (800-962)	7	6	1	8	7	1	84.7	126.3	25.6
Motor vehicle accidents (810-835)	5	5	0	5	5	0	52.9	90.2	-
Suicide (963, 970-979)	1	1	0	1	1	0	10.6	18.0	-
Homicide (964, 980-985)	1	1	0	1	1	0	10.6	18.0	-
Ill-defined (780-795)	1	0	1	2	0	2	21.2	-	51.2

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
 AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
 GEORGE COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	334	278	56	280	227	53	24.2	22.4	36.8
Fetal deaths	8	5	3	8	5	3	28.6	22.0	56.6
Total deaths	89	75	14	96	81	15	8.3	8.0	10.4
Deaths under 1 year	8	4	4	8	4	4	28.6	17.6	75.5
Deaths under 28 days	3	3	0	4	4	0	14.3	17.6	-
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	1	0	8.6	9.8	-
Syphilis (020-029)	1	1	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	11	11	0	17	17	0	146.6	167.4	-
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	2	2	0	1	1	0	8.6	9.8	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	11	10	1	9	8	1	77.6	78.8	69.5
Nonmeningococcal meningitis (340)	0	0	0	1	1	0	8.6	9.8	-
Heart diseases (400-443)	27	25	2	27	25	2	232.9	246.2	139.0
Other hypertensive disease (444-447)	1	1	0	2	1	1	17.2	9.8	69.5
General arteriosclerosis (450)	0	0	0	0	0	0	-	-	-
Other circulatory diseases (451-468)	1	1	0	1	1	0	8.6	9.8	-
#Influenza & pneumonia (480-493)	0	0	0	0	0	0	-	-	-
Bronchitis (500-502)	1	1	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	2	2	0	3	3	0	25.9	29.5	-
Stomach & duodenal ulcers (540, 541)	0	0	0	2	2	0	17.2	19.7	-
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	1	1	0	8.6	9.8	-
#Gastritis, etc. (543, 571, 572)	4	1	3	3	0	3	25.9	-	208.5
Cirrhosis of liver (581)	2	2	0	2	2	0	17.2	19.7	-
Acute nephritis (590, 591)	1	1	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	2	1	1	2	1	1	17.2	9.8	69.5
Infections of kidney (600)	0	0	0	1	1	0	8.6	9.8	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	3	3	0	4	4	0	14.3	17.6	-
Accidents (800-962)	12	8	4	12	8	4	103.5	78.8	278.0
Motor vehicle accidents (810-835)	7	5	2	6	4	2	51.8	39.4	139.0
Suicide (963, 970-979)	0	0	0	1	1	0	8.6	9.8	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	4	2	2	4	2	2	34.5	19.7	139.0

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
GREENE COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	59	33	26	181	126	55	20.2	18.3	26.3
Fetal deaths	3	1	2	9	5	4	49.7	39.7	72.7
Total deaths	60	50	10	86	74	12	9.6	10.7	5.7
Deaths under 1 year	2	1	1	6	5	1	33.1	39.7	18.2
Deaths under 28 days	1	0	1	4	3	1	22.1	23.8	18.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	1	1	0	11.1	14.5	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	3	2	1	8	6	2	89.1	87.1	95.6
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	0	1	2	1	1	22.3	14.5	47.8
Anemias (290-293)	1	1	0	1	1	0	11.1	14.5	-
Intracranial lesions (330-334)	4	4	0	11	11	0	122.5	159.7	-
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	30	25	5	36	30	6	401.0	435.6	286.9
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	1	1	0	1	1	0	11.1	14.5	-
Other circulatory diseases (451-468)	4	4	0	4	4	0	44.6	58.1	-
#Influenza & pneumonia (480-493)	2	1	1	3	2	1	33.4	29.0	47.8
Bronchitis (500-502)	0	0	0	1	1	0	11.1	14.5	-
Other bronchopul. diseases (525-527)	1	1	0	1	1	0	11.1	14.5	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	2	2	0	22.3	29.0	-
#Gastritis, etc. (543, 571, 572)	0	0	0	1	1	0	11.1	14.5	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	1	1	0	1	1	0	11.1	14.5	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	1	0	1	1	0	11.1	14.5	-
Diseases of early infancy (760-776)	1	0	1	4	3	1	22.1	23.8	18.2
Accidents (800-962)	6	6	0	3	3	0	33.4	43.6	-
Motor vehicle accidents (810-835)	1	1	0	2	2	0	22.3	29.0	-
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	1	0	1	2	1	1	22.3	14.5	47.8

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
GRENADA COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	415	128	287	455	172	283	21.5	15.6	27.8
Fetal deaths	23	6	17	24	6	18	52.7	34.9	63.6
Total deaths	230	122	108	209	95	114	9.9	8.6	11.2
Deaths under 1 year	19	3	16	22	4	18	48.4	23.2	63.6
Deaths under 28 days	11	3	8	12	4	8	26.4	23.2	28.3
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	2	1	1	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	28	18	10	31	20	11	146.4	181.5	108.3
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	0	0	0	0	0	0	-	-	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	54	25	29	43	14	29	203.0	127.0	285.4
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	73	49	24	58	34	24	273.8	308.5	236.2
Other hypertensive disease (444-447)	3	2	1	1	0	1	4.7	-	9.8
General arteriosclerosis (450)	4	3	1	2	1	1	9.4	9.1	9.8
Other circulatory diseases (451-468)	1	1	0	2	2	0	9.4	18.1	-
#Influenza & pneumonia (480-493)	8	4	4	9	3	6	42.5	27.2	59.0
Bronchitis (500-502)	0	0	0	1	1	0	4.7	9.1	-
Other bronchopul. diseases (525-527)	1	0	1	3	2	1	14.2	18.1	9.8
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	2	2	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	1	0	1	1	0	1	4.7	-	9.8
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	1	1	0	1	1	0	4.7	9.1	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	1	1	0	2	1	1	9.4	9.1	9.8
Hyperplasia of prostate (610)	2	1	1	2	1	1	9.4	9.1	9.8
Maternal causes (640-689)	1	0	1	1	0	1	22.0	-	35.3
Congenital malformations (750-759)	0	0	0	1	0	1	4.7	-	9.8
Diseases of early infancy (760-776)	9	3	6	10	4	6	22.0	23.2	21.2
Accidents (800-962)	17	7	10	17	6	11	80.3	54.4	108.3
Motor vehicle accidents (810-835)	6	3	3	5	1	4	23.6	9.1	39.4
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	1	0	1	2	0	2	9.4	-	19.7
Ill-defined (780-795)	18	3	15	18	3	15	85.0	27.2	147.6

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
HANCOCK COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	202	151	51	357	299	58	21.4	21.0	23.9
Fetal deaths	6	3	3	6	3	3	16.8	10.0	51.7
Total deaths	161	134	27	174	147	27	10.4	10.3	11.1
Deaths under 1 year	12	11	1	16	15	1	44.8	50.2	17.2
Deaths under 28 days	11	10	1	14	13	1	39.2	43.5	17.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	2	1	1	12.0	7.0	41.2
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	6	6	0	13	13	0	77.9	91.2	-
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	4	2	2	6	4	2	36.0	28.0	82.5
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	19	15	4	18	12	6	107.9	84.1	247.4
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	64	55	9	67	58	9	401.5	406.7	371.1
Other hypertensive disease (444-447)	1	0	1	2	1	1	12.0	7.0	41.2
General arteriosclerosis (450)	5	4	1	7	6	1	41.9	42.1	41.2
Other circulatory diseases (451-468)	0	0	0	1	1	0	6.0	7.0	-
#Influenza & pneumonia (480-493)	1	1	0	2	2	0	12.0	14.0	-
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	1	1	0	1	1	0	6.0	7.0	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	1	1	0	6.0	7.0	-
#Gastritis, etc. (543, 571, 572)	1	1	0	1	1	0	6.0	7.0	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	2	2	0	2	2	0	12.0	14.0	-
Infections of kidney (600)	4	4	0	2	2	0	12.0	14.0	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	3	2	1	3	2	1	18.0	14.0	41.2
Diseases of early infancy (760-776)	7	7	0	10	10	0	28.0	33.4	-
Accidents (800-962)	13	10	3	10	9	1	59.9	63.1	41.2
Motor vehicle accidents (810-835)	2	1	1	5	5	0	30.0	35.0	-
Suicide (963, 970-979)	2	1	1	3	2	1	18.0	14.0	41.2
Homicide (964, 980-985)	2	0	2	2	0	2	12.0	-	82.5
III-defined (780-795)	18	16	2	16	14	2	95.9	98.2	82.5

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
 AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
 HARRISON COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	3,383	2,644	739	3,030	2,312	718	24.4	23.0	30.9
Fetal deaths	170	136	34	146	112	34	48.2	48.4	47.4
Total deaths	1,172	923	249	986	761	225	8.0	7.6	9.7
Deaths under 1 year	105	70	35	96	62	34	31.7	26.8	47.4
Deaths under 28 days	76	57	19	70	51	19	23.1	22.0	26.5
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	0	2	1	0	1	0.8	-	4.3
Syphilis (020-029)	1	1	0	1	1	0	0.8	1.0	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	175	148	27	133	113	20	107.3	112.2	86.0
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	4	4	0	3	3	0	2.4	3.0	-
Diabetes mellitus (260)	15	10	5	14	9	5	11.3	8.9	21.5
Anemias (290-293)	0	0	0	1	0	1	0.8	-	4.3
Intracranial lesions (330-334)	88	68	20	90	69	21	72.6	68.5	90.3
Nonmeningococcal meningitis (340)	3	1	2	2	1	1	1.6	1.0	4.3
Heart diseases (400-443)	372	314	58	298	249	49	240.4	247.3	210.8
Other hypertensive disease (444-447)	8	3	5	9	1	8	7.3	1.0	34.4
General arteriosclerosis (450)	10	9	1	7	6	1	5.6	6.0	4.3
Other circulatory diseases (451-468)	18	13	5	17	12	5	13.7	11.9	21.5
#Influenza & pneumonia (480-493)	41	30	11	23	17	6	18.6	16.9	25.8
Bronchitis (500-502)	6	4	2	5	3	2	4.0	3.0	8.6
Other bronchopul. diseases (525-527)	19	18	1	12	11	1	9.7	10.9	4.3
Stomach & duodenal ulcers (540, 541)	6	5	1	6	5	1	4.8	5.0	4.3
Hernia & intestinal obstruction (560, 561, 570)	9	7	2	8	6	2	6.4	6.0	8.6
#Gastritis, etc. (543, 571, 572)	10	5	5	8	3	5	6.4	3.0	21.5
Cirrhosis of liver (581)	11	8	3	12	9	3	9.7	8.9	12.9
Acute nephritis (590, 591)	1	0	1	1	0	1	0.8	-	4.3
Chronic nephritis, etc. (592-594)	7	3	4	7	3	4	5.6	3.0	17.2
Infections of kidney (600)	6	6	0	6	6	0	4.8	6.0	-
Hyperplasia of prostate (610)	4	3	1	4	3	1	3.2	3.0	4.3
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	14	10	4	14	10	4	11.3	9.9	17.2
Diseases of early infancy (760-776)	61	46	15	57	42	15	18.8	18.2	20.9
Accidents (800-962)	85	71	14	77	65	12	62.1	64.5	51.6
Motor vehicle accidents (810-835)	42	39	3	37	33	4	29.8	32.8	17.2
Suicide (963, 970-979)	12	11	1	9	9	0	7.3	8.9	-
Homicide (964, 980-985)	8	5	3	10	7	3	8.1	7.0	12.9
Ill-defined (780-795)	128	80	48	110	66	44	88.7	65.5	189.2

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
HINDS COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	5,282	2,559	2,723	4,576	2,085	2,491	22.3	17.6	28.7
Fetal deaths	521	303	218	420	251	169	91.8	120.4	67.8
Total deaths	2,480	1,374	1,106	1,671	879	792	8.1	7.4	9.1
Deaths under 1 year	233	89	144	149	53	96	32.6	25.4	38.5
Deaths under 28 days	155	71	84	102	43	59	22.3	20.6	23.7
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	11	1	10	6	1	5	2.9	0.8	5.8
Syphilis (020-029)	4	3	1	1	0	1	0.5	-	1.2
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	5	2	3	3	1	2	1.5	0.8	2.3
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	435	270	165	245	146	99	119.4	123.3	114.0
Benign & unspec. neoplasms (210-239)	9	6	3	2	0	2	1.0	-	2.3
Asthma (241)	5	3	2	1	0	1	0.5	-	1.2
Diabetes mellitus (260)	34	12	22	29	9	20	14.1	7.6	23.0
Anemias (290-293)	9	4	5	5	3	2	2.4	2.5	2.3
Intracranial lesions (330-334)	264	140	124	195	103	92	95.0	87.0	106.0
Nonmeningococcal meningitis (340)	16	6	10	10	4	6	4.9	3.4	6.9
Heart diseases (400-443)	582	364	218	442	266	176	215.4	224.7	202.8
Other hypertensive disease (444-447)	15	5	10	9	4	5	4.4	3.4	5.8
General arteriosclerosis (450)	36	30	6	24	19	5	11.7	16.0	5.8
Other circulatory diseases (451-468)	53	31	22	31	18	13	15.1	15.2	15.0
#Influenza & pneumonia (480-493)	57	25	32	49	21	28	23.9	17.7	32.2
Bronchitis (500-502)	8	7	1	5	4	1	2.4	3.4	1.2
Other bronchopul. diseases (525-527)	51	38	13	26	18	8	12.7	15.2	9.2
Stomach & duodenal ulcers (540, 541)	15	12	3	8	6	2	3.9	5.1	2.3
Hernia & intestinal obstruction (560, 561, 570)	21	11	10	6	3	3	2.9	2.5	3.4
#Gastritis, etc. (543, 571, 572)	15	7	8	12	4	8	5.8	3.4	9.2
Cirrhosis of liver (581)	22	17	5	16	11	5	7.8	9.3	5.8
Acute nephritis (590, 591)	9	1	8	8	1	7	3.9	0.8	8.1
Chronic nephritis, etc. (592-594)	22	7	15	8	1	7	3.9	0.8	8.1
Infections of kidney (600)	18	8	10	11	7	4	5.4	5.9	4.6
Hyperplasia of prostate (610)	9	3	6	4	1	3	1.9	0.8	3.4
Maternal causes (640-689)	2	0	2	3	0	3	6.6	-	12.0
Congenital malformations (750-759)	56	30	26	29	15	14	14.1	12.7	16.1
Diseases of early infancy (760-776)	118	53	65	80	33	47	17.5	15.8	18.9
Accidents (800-962)	174	101	73	103	58	45	50.2	49.0	51.8
Motor vehicle accidents (810-835)	80	59	21	50	35	15	24.4	29.6	17.3
Suicide (963, 970-979)	22	20	2	21	20	1	10.2	16.9	1.2
Homicide (964, 980-985)	40	11	29	29	7	22	14.1	5.9	25.3
Ill-defined (780-795)	207	62	145	184	61	123	89.7	51.5	141.7

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
HOLMES COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	604	81	523	594	87	507	20.8	10.9	24.6
Fetal deaths	33	1	32	37	2	35	62.3	23.0	69.0
Total deaths	320	76	244	361	84	277	12.6	10.5	13.4
Deaths under 1 year	38	5	33	39	5	34	65.6	57.5	67.1
Deaths under 28 days	22	4	18	23	4	19	38.7	46.0	37.5
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	2	0	2	7.0	-	9.7
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	31	10	21	32	7	25	111.9	87.6	121.3
Benign & unspec. neoplasms (210-239)	1	0	1	1	0	1	3.5	-	4.8
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	4	0	4	5	1	4	17.5	12.5	19.4
Anemias (290-293)	0	0	0	1	1	0	3.5	12.5	-
Intracranial lesions (330-334)	43	13	30	47	12	35	164.3	150.2	169.8
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	73	27	46	87	32	55	304.2	400.6	266.8
Other hypertensive disease (444-447)	5	0	5	5	0	5	17.5	-	24.2
General arteriosclerosis (450)	2	1	1	2	1	1	7.0	12.5	4.8
Other circulatory diseases (451-468)	3	1	2	4	1	3	14.0	12.5	14.6
#Influenza & pneumonia (480-493)	14	2	12	16	4	12	55.9	50.1	58.2
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	3	1	2	3	1	2	10.5	12.5	9.7
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	3	1	2	3	1	2	10.5	12.5	9.7
#Gastritis, etc. (543, 571, 572)	5	1	4	6	2	4	21.0	25.0	19.4
Cirrhosis of liver (581)	2	1	1	3	2	1	10.5	25.0	4.8
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	4	0	4	5	0	5	17.5	-	24.2
Infections of kidney (600)	1	0	1	1	0	1	3.5	-	4.8
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	3	2	1	3	2	1	10.5	25.0	4.8
Diseases of early infancy (760-776)	18	2	16	19	2	17	32.0	23.0	33.5
Accidents (800-962)	16	1	15	17	0	17	59.4	-	82.5
Motor vehicle accidents (810-835)	3	1	2	2	0	2	7.0	-	9.7
Suicide (963, 970-979)	1	0	1	3	2	1	10.5	25.0	4.8
Homicide (964, 980-985)	5	0	5	7	0	7	24.5	-	34.0
Ill-defined (780-795)	71	7	64	73	6	67	255.2	75.1	325.1

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
HUMPHREYS COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	526	73	453	515	92	423	25.3	16.9	28.3
Fetal deaths	18	0	18	23	1	22	44.7	10.9	52.0
Total deaths	187	39	148	226	58	168	11.1	10.7	11.2
Deaths under 1 year	25	3	22	27	3	24	52.4	32.6	56.7
Deaths under 28 days	16	2	14	18	2	16	35.0	21.7	37.8
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	1	1	2	1	1	9.8	18.4	6.7
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	22	6	16	27	7	20	132.6	128.7	134.0
Benign & unspec. neoplasms (210-239)	2	1	1	1	0	1	4.9	-	6.7
Asthma (241)	1	0	1	1	0	1	4.9	-	6.7
Diabetes mellitus (260)	0	0	0	2	0	2	9.8	-	13.4
Anemias (290-293)	1	0	1	1	0	1	4.9	-	6.7
Intracranial lesions (330-334)	21	2	19	23	4	19	112.9	73.6	127.3
Nonmeningococcal meningitis (340)	1	0	1	1	0	1	4.9	-	6.7
Heart diseases (400-443)	57	15	42	64	22	42	314.3	404.6	281.4
Other hypertensive disease (444-447)	2	0	2	3	1	2	14.7	18.4	13.4
General arteriosclerosis (450)	4	0	4	3	0	3	14.7	-	20.1
Other circulatory diseases (451-468)	1	0	1	3	0	3	14.7	-	20.1
#Influenza & pneumonia (480-493)	5	2	3	6	2	4	29.5	36.8	26.8
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	3	2	1	4	2	2	19.6	36.8	13.4
Stomach & duodenal ulcers (540, 541)	1	0	1	1	0	1	4.9	-	6.7
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	5	1	4	24.6	18.4	26.8
#Gastritis, etc. (543, 571, 572)	4	0	4	4	0	4	19.6	-	26.8
Cirrhosis of liver (581)	0	0	0	1	1	0	4.9	18.4	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	14	0	14	13	0	13	63.8	-	87.1
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	1	0	1	19.4	-	23.6
Congenital malformations (750-759)	0	0	0	1	0	1	4.9	-	6.7
Diseases of early infancy (760-776)	15	2	13	17	2	15	33.0	21.7	35.5
Accidents (800-962)	16	5	11	24	10	14	117.8	183.9	93.8
Motor vehicle accidents (810-835)	2	1	1	4	2	2	19.6	36.8	13.4
Suicide (963, 970-979)	1	1	0	1	1	0	4.9	18.4	-
Homicide (964, 980-985)	3	1	2	2	1	1	9.8	18.4	6.7
Ill-defined (780-795)	10	1	9	10	1	9	49.1	18.4	60.3

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
ISSAQENA COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	29	0	29	91	18	73	25.6	14.8	31.2
Fetal deaths	0	0	0	1	0	1	11.0	-	13.7
Total deaths	22	5	17	36	11	25	10.1	9.1	10.7
Deaths under 1 year	4	0	4	7	0	7	76.9	-	95.9
Deaths under 28 days	4	0	4	7	0	7	76.9	-	95.9
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	1	0	1	4	1	3	112.5	82.4	128.2
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	0	0	0	0	0	0	-	-	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	4	0	4	4	0	4	112.5	-	170.9
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	5	1	4	7	3	4	196.9	247.1	170.9
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	0	0	0	0	0	0	-	-	-
Other circulatory diseases (451-468)	0	0	0	0	0	0	-	-	-
#Influenza & pneumonia (480-493)	1	0	1	2	1	1	56.2	82.4	42.7
Bronchitis (500-502)	1	0	1	1	0	1	28.1	-	42.7
Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	1	0	1	28.1	-	42.7
#Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	1	0	1	2	0	2	56.2	-	85.4
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	1	0	1	28.1	-	42.7
Diseases of early infancy (760-776)	3	0	3	5	0	5	54.9	-	68.5
Accidents (800-962)	2	2	0	2	2	0	56.2	164.7	-
Motor vehicle accidents (810-835)	0	0	0	1	1	0	28.1	82.4	-
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	1	1	0	1	1	0	28.1	82.4	-
Ill-defined (780-795)	3	1	2	4	2	2	112.5	164.7	85.4

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
ITAWAMBA COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	42	31	11	249	234	15	15.1	15.0	17.1
Fetal deaths	2	1	1	7	6	1	28.1	25.6	66.7
Total deaths	93	85	8	133	124	9	8.1	8.0	10.2
Deaths under 1 year	2	1	1	6	5	1	24.1	21.4	66.7
Deaths under 28 days	1	1	0	5	5	0	20.1	21.4	-
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	13	13	0	20	19	1	121.6	122.0	113.9
Benign & unspec. neoplasms (210-239)	0	0	0	1	1	0	6.1	6.4	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	1	0	1	1	0	6.1	6.4	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	26	22	4	30	28	2	182.4	179.8	227.8
Nonmeningococcal meningitis (340)	0	0	0	1	1	0	6.1	6.4	-
Heart diseases (400-443)	37	36	1	51	49	2	310.1	314.7	227.8
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	2	2	0	1	1	0	6.1	6.4	-
Other circulatory diseases (451-468)	0	0	0	2	1	1	12.2	6.4	113.9
#Influenza & pneumonia (480-493)	2	1	1	5	4	1	30.4	25.7	113.9
Bronchitis (500-502)	0	0	0	1	1	0	6.1	6.4	-
Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	1	1	0	6.1	6.4	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	2	2	0	12.2	12.8	-
#Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	1	1	0	6.1	6.4	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	1	1	0	6.1	6.4	-
Diseases of early infancy (760-776)	0	0	0	3	3	0	12.0	12.8	-
Accidents (800-962)	7	5	2	7	5	2	42.6	32.1	227.8
Motor vehicle accidents (810-835)	3	3	0	3	3	0	18.2	19.3	-
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	1	1	0	0	0	0	-	-	-
Ill-defined (780-795)	2	2	0	2	2	0	12.2	12.8	-

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
JACKSON COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	1,370	976	394	1,689	1,274	415	24.8	23.2	31.4
Fetal deaths	42	27	15	59	45	14	34.9	35.3	33.7
Total deaths	344	254	90	407	307	100	6.0	5.6	7.6
Deaths under 1 year	30	17	13	35	20	15	20.7	15.7	36.1
Deaths under 28 days	21	14	7	23	15	8	13.6	11.8	19.3
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	1	1	2	1	1	2.9	1.8	7.6
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	1	1	0	1	1	0	1.5	1.8	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	2	1	1	2	1	1	2.9	1.8	7.6
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	39	27	12	58	41	17	85.1	74.6	128.7
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	7	6	1	7	6	1	10.3	10.9	7.6
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	31	20	11	35	24	11	51.3	43.6	83.3
Nonmeningococcal meningitis (340)	1	0	1	2	0	2	2.9	-	15.1
Heart diseases (400-443)	98	78	20	114	95	19	167.2	172.8	143.9
Other hypertensive disease (444-447)	5	2	3	4	2	2	5.9	3.6	15.1
General arteriosclerosis (450)	4	3	1	3	2	1	4.4	3.6	7.6
Other circulatory diseases (451-468)	6	4	2	7	5	2	10.3	9.1	15.1
#Influenza & pneumonia (480-493)	8	5	3	14	9	5	20.5	16.4	37.8
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	11	9	2	15	14	1	22.0	25.5	7.6
Stomach & duodenal ulcers (540, 541)	1	1	0	3	3	0	4.4	5.4	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	1	1	0	1.5	1.8	-
#Gastritis, etc. (543, 571, 572)	0	0	0	1	1	0	1.5	1.8	-
Cirrhosis of liver (581)	3	3	0	3	3	0	4.4	5.4	-
Acute nephritis (590, 591)	0	0	0	1	1	0	1.5	1.8	-
Chronic nephritis, etc. (592-594)	2	0	2	2	0	2	2.9	-	15.1
Infections of kidney (600)	2	2	0	2	2	0	2.9	3.6	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	2	1	1	1	0	1	5.9	-	24.1
Congenital malformations (750-759)	5	4	1	6	4	2	8.8	7.3	15.1
Diseases of early infancy (760-776)	16	10	6	16	10	6	9.5	7.8	14.4
Accidents (800-962)	36	28	8	39	27	12	57.2	49.1	90.9
Motor vehicle accidents (810-835)	14	11	3	15	10	5	22.0	18.2	37.8
Suicide (963, 970-979)	6	6	0	4	4	0	5.9	7.3	-
Homicide (964, 980-985)	5	2	3	5	2	3	7.3	3.6	22.7
Ill-defined (780-795)	39	32	7	39	33	6	57.2	60.0	45.4

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
JASPER COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	175	116	59	325	109	216	20.0	13.7	26.1
Fetal deaths	9	4	5	28	4	24	86.2	36.7	111.1
Total deaths	119	63	56	179	100	79	11.0	12.6	9.6
Deaths under 1 year	11	3	8	14	2	12	43.1	18.3	55.6
Deaths under 28 days	6	2	4	7	1	6	21.5	9.2	27.8
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	1	0	1	6.2	-	12.1
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	14	6	8	21	10	11	129.6	126.0	133.1
Benign & unspec. neoplasms (210-239)	0	0	0	1	1	0	6.2	12.6	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	3	2	1	3	2	1	18.5	25.2	12.1
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	19	7	12	32	18	14	197.5	226.8	169.4
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	44	28	16	54	34	20	333.3	428.3	242.0
Other hypertensive disease (444-447)	2	1	1	3	1	2	18.5	12.6	24.2
General arteriosclerosis (450)	1	1	0	2	2	0	12.3	25.2	-
Other circulatory diseases (451-468)	1	1	0	2	2	0	12.3	25.2	-
#Influenza & pneumonia (480-493)	2	1	1	5	3	2	30.8	37.8	24.2
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	2	2	0	2	2	0	12.3	25.2	-
Stomach & duodenal ulcers (540, 541)	0	0	0	1	0	1	6.2	-	12.1
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	3	2	1	4	2	2	24.7	25.2	24.2
Cirrhosis of liver (581)	1	0	1	1	0	1	6.2	-	12.1
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	3	2	1	18.5	25.2	12.1
Infections of kidney (600)	5	4	1	3	3	0	18.5	37.8	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	1	0	1	1	0	6.2	12.6	-
Diseases of early infancy (760-776)	5	2	3	6	1	5	18.5	9.2	23.1
Accidents (800-962)	7	3	4	20	11	9	123.4	138.6	108.9
Motor vehicle accidents (810-835)	1	0	1	11	7	4	67.9	88.2	48.4
Suicide (963, 970-979)	1	0	1	3	2	1	18.5	25.2	12.1
Homicide (964, 980-985)	1	0	1	2	0	2	12.3	-	24.2
Ill-defined (780-795)	6	1	5	7	1	6	43.2	12.6	72.6

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
JEFFERSON COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	82	3	79	203	27	176	19.8	10.9	22.7
Fetal deaths	3	0	3	8	0	8	39.4	-	45.4
Total deaths	68	19	49	115	37	78	11.2	14.9	10.1
Deaths under 1 year	2	1	1	3	1	2	14.8	37.0	11.4
Deaths under 28 days	0	0	0	1	0	1	4.9	-	5.7
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	9	3	6	17	8	9	166.2	322.7	116.1
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	0	0	0	2	1	1	19.6	40.3	12.9
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	10	2	8	20	5	15	195.5	201.7	193.5
Nonmeningoococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	25	6	19	38	10	28	371.4	403.4	361.2
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	1	0	1	1	0	1	9.8	-	12.9
Other circulatory diseases (451-468)	0	0	0	0	0	0	-	-	-
#Influenza & pneumonia (480-493)	4	0	4	6	1	5	58.6	40.3	64.5
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	1	1	0	9.8	40.3	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	1	1	0	1	1	0	9.8	40.3	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	0	1	2	0	2	19.6	-	25.8
Infections of kidney (600)	1	0	1	2	0	2	19.6	-	25.8
Hyperplasia of prostate (610)	2	1	1	2	1	1	19.6	40.3	12.9
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	0	0	0	1	0	1	4.9	-	5.7
Accidents (800-962)	8	2	6	11	2	9	107.5	80.7	116.1
Motor vehicle accidents (810-835)	4	2	2	6	2	4	58.6	80.7	51.6
Suicide (963, 970-979)	0	0	0	1	1	0	9.8	40.3	-
Homicide (964, 980-985)	1	0	1	2	0	2	19.6	-	25.8
Ill-defined (780-795)	2	2	0	2	2	0	19.6	80.7	-

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
JEFF DAVIS COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	239	104	135	272	89	183	19.7	15.3	23.0
Fetal deaths	6	0	6	14	2	12	51.5	22.5	65.6
Total deaths	133	71	62	157	80	77	11.4	13.8	9.7
Deaths under 1 year	4	1	3	8	1	7	29.4	11.2	38.2
Deaths under 28 days	3	1	2	7	1	6	25.7	11.2	32.8
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	2	1	1	14.5	17.2	12.6
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	22	11	11	24	12	12	174.2	206.4	150.7
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	1	1	0	1	1	0	7.2	17.2	-
Diabetes mellitus (260)	3	2	1	3	1	2	21.8	17.2	25.1
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	20	7	13	19	7	12	137.9	120.4	150.7
Nonmeningococcal meningitis (340)	0	0	0	1	1	0	7.2	17.2	-
Heart diseases (400-443)	43	33	10	43	32	11	312.1	550.3	138.2
Other hypertensive disease (444-447)	0	0	0	1	0	1	7.2	-	12.6
General arteriosclerosis (450)	8	1	7	8	1	7	58.1	17.2	87.9
Other circulatory diseases (451-468)	1	1	0	5	4	1	36.3	68.8	12.6
#Influenza & pneumonia (480-493)	4	0	4	4	0	4	29.0	-	50.2
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	2	2	0	1	1	0	7.2	17.2	-
Stomach & duodenal ulcers (540, 541)	1	1	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	1	1	0	7.2	17.2	-
#Gastritis, etc. (543, 571, 572)	0	0	0	1	1	0	7.2	17.2	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	3	2	1	3	2	1	21.8	34.4	12.6
Infections of kidney (600)	1	0	1	1	0	1	7.2	-	12.6
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	2	1	1	2	1	1	14.5	17.2	12.6
Diseases of early infancy (760-776)	3	1	2	7	1	6	25.7	11.2	32.8
Accidents (800-962)	8	3	5	17	8	9	123.4	137.6	113.0
Motor vehicle accidents (810-835)	2	1	1	7	6	1	50.8	103.2	12.6
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	1	0	1	1	0	1	7.2	-	12.6
Ill-defined (780-795)	5	3	2	6	3	3	43.6	51.6	37.7

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
JONES COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	1,869	800	1,069	1,022	618	404	17.6	14.9	24.1
Fetal deaths	141	57	84	62	40	22	60.7	64.7	54.4
Total deaths	690	423	267	570	396	174	9.8	9.6	10.4
Deaths under 1 year	74	20	54	34	14	20	33.3	22.6	49.5
Deaths under 28 days	50	19	31	24	11	13	23.5	17.8	32.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	1	1	1	1	0	1.7	2.4	-
Syphilis (020-029)	1	0	1	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	75	50	25	70	55	15	120.4	133.0	89.5
Benign & unspec. neoplasms (210-239)	2	2	0	1	1	0	1.7	2.4	-
Asthma (241)	1	1	0	2	1	1	3.4	2.4	6.0
Diabetes mellitus (260)	17	7	10	9	4	5	15.5	9.7	29.8
Anemias (290-293)	1	0	1	1	0	1	1.7	-	6.0
Intracranial lesions (330-334)	107	77	30	89	68	21	153.1	164.4	125.3
Nonmeningococcal meningitis (340)	1	1	0	1	1	0	1.7	2.4	-
Heart diseases (400-443)	176	131	45	161	128	33	277.0	309.5	197.0
Other hypertensive disease (444-447)	13	2	11	6	1	5	10.3	2.4	29.8
General arteriosclerosis (450)	9	5	4	7	4	3	12.0	9.7	17.9
Other circulatory diseases (451-468)	11	6	5	11	4	7	18.9	9.7	41.8
#Influenza & pneumonia (480-493)	32	18	14	21	14	7	36.1	33.8	41.8
Bronchitis (500-502)	3	2	1	2	1	1	3.4	2.4	6.0
Other bronchopul. diseases (525-527)	3	3	0	7	6	1	12.0	14.5	6.0
Stomach & duodenal ulcers (540, 541)	3	2	1	2	2	0	3.4	4.8	-
Hernia & intestinal obstruction (560, 561, 570)	5	2	3	4	3	1	6.9	7.2	6.0
#Gastritis, etc. (543, 571, 572)	8	0	8	1	0	1	1.7	-	6.0
Cirrhosis of liver (581)	6	5	1	2	2	0	3.4	4.8	-
Acute nephritis (590, 591)	2	0	2	2	0	2	3.4	-	11.9
Chronic nephritis, etc. (592-594)	8	3	5	4	1	3	6.9	2.4	17.9
Infections of kidney (600)	12	8	4	11	8	3	18.9	19.3	17.9
Hyperplasia of prostate (610)	5	2	3	4	2	2	6.9	4.8	11.9
Maternal causes (640-689)	2	1	1	1	1	0	9.8	16.2	-
Congenital malformations (750-759)	8	5	3	4	3	1	6.9	7.2	6.0
Diseases of early infancy (760-776)	42	15	27	21	9	12	20.5	14.6	29.7
Accidents (800-962)	57	37	20	61	43	18	105.0	104.0	107.4
Motor vehicle accidents (810-835)	31	22	9	35	27	8	60.2	65.3	47.7
Suicide (963, 970-979)	4	4	0	4	4	0	6.9	9.7	-
Homicide (964, 980-985)	7	1	6	5	1	4	8.6	2.4	23.9
Ill-defined (780-795)	43	20	23	40	18	22	68.8	43.5	131.3

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
KEMPER COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	162	33	129	222	43	179	18.6	9.5	24.0
Fetal deaths	3	0	3	9	0	9	40.5	-	50.3
Total deaths	90	44	46	112	59	53	9.4	13.1	7.1
Deaths under 1 year	2	1	1	6	2	4	27.0	46.5	22.3
Deaths under 28 days	1	1	0	4	2	2	18.0	46.5	11.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	1	0	1	8.4	-	13.4
Syphilis (020-029)	0	0	0	1	1	0	8.4	22.2	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	4	2	2	7	3	4	58.5	66.6	53.6
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	0	1	2	0	2	16.7	-	26.8
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	15	3	12	18	6	12	150.4	133.2	160.8
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	44	23	21	49	27	22	409.4	599.2	294.9
Other hypertensive disease (444-447)	1	0	1	1	0	1	8.4	-	13.4
General arteriosclerosis (450)	0	0	0	3	3	0	25.1	66.6	-
Other circulatory diseases (451-468)	0	0	0	1	1	0	8.4	22.2	-
#Influenza & pneumonia (480-493)	4	4	0	5	5	0	41.8	111.0	-
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	1	1	0	1	1	0	8.4	22.2	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	0	0	0	1	0	1	8.4	-	13.4
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	1	1	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	3	3	0	2	2	0	16.7	44.4	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	1	1	0	1	1	0	8.4	22.2	-
Maternal causes (640-689)	1	1	0	1	1	0	45.0	232.6	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	1	1	0	4	2	2	18.0	46.5	11.2
Accidents (800-962)	2	1	1	0	0	0	-	-	-
Motor vehicle accidents (810-835)	0	0	0	0	0	0	-	-	-
Suicide (963, 970-979)	2	2	0	2	2	0	16.7	44.4	-
Homicide (964, 980-985)	1	0	1	1	0	1	8.4	-	13.4
Ill-defined (780-795)	6	0	6	7	0	7	58.5	-	93.8

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
LAFAYETTE COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	472	290	182	466	267	199	19.6	16.5	26.0
Fetal deaths	15	1	14	17	2	15	36.4	7.5	75.0
Total deaths	164	101	63	177	108	69	7.4	6.7	9.0
Deaths under 1 year	21	5	16	22	6	16	47.1	22.5	80.0
Deaths under 28 days	13	5	8	13	5	8	27.8	18.7	40.0
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	1	0	1	1	0	4.2	6.2	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	20	14	6	23	14	9	96.6	86.6	117.7
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	0	1	1	0	1	4.2	-	13.1
Anemias (290-293)	0	0	0	1	0	1	4.2	-	13.1
Intracranial lesions (330-334)	18	12	6	25	18	7	105.0	111.4	91.5
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	63	48	15	63	48	15	264.6	297.1	196.1
Other hypertensive disease (444-447)	3	1	2	4	2	2	16.8	12.4	26.1
General arteriosclerosis (450)	5	4	1	4	3	1	16.8	18.6	13.1
Other circulatory diseases (451-468)	0	0	0	0	0	0	-	-	-
#Influenza & pneumonia (480-493)	5	1	4	6	2	4	25.2	12.4	52.3
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	4	3	1	3	2	1	12.6	12.4	13.1
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	1	1	0	4.2	6.2	-
#Gastritis, etc. (543, 571, 572)	2	0	2	1	0	1	4.2	-	13.1
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	2	1	1	2	1	1	8.4	6.2	13.1
Chronic nephritis, etc. (592-594)	2	0	2	2	0	2	8.4	-	26.1
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	1	0	1	1	0	1	21.4	-	50.0
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	12	5	7	12	5	7	25.7	18.7	35.0
Accidents (800-962)	9	5	4	10	6	4	42.0	37.1	52.3
Motor vehicle accidents (810-835)	3	1	2	4	2	2	16.8	12.4	26.1
Suicide (963, 970-979)	1	1	0	2	2	0	8.4	12.4	-
Homicide (964, 980-985)	2	0	2	2	0	2	8.4	-	26.1
Ill-defined (780-795)	9	3	6	8	2	6	33.6	12.4	78.4

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
LAMAR COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	97	66	31	311	246	65	20.4	19.6	24.4
Fetal deaths	2	1	1	7	6	1	22.5	24.4	15.4
Total deaths	71	56	15	118	91	27	7.7	7.2	10.2
Deaths under 1 year	4	2	2	9	6	3	28.9	24.4	46.2
Deaths under 28 days	3	2	1	7	6	1	22.5	24.4	15.4
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	1	0	1	6.6	-	37.6
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	7	3	4	13	8	5	85.3	63.6	188.0
Benign & unspec. neoplasms (210-239)	0	0	0	1	1	0	6.6	8.0	-
Asthma (241)	0	0	0	1	1	0	6.6	8.0	-
Diabetes mellitus (260)	4	4	0	5	5	0	32.8	39.8	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	12	7	5	20	14	6	131.2	111.3	225.6
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	28	25	3	29	23	6	190.3	182.8	225.6
Other hypertensive disease (444-447)	0	0	0	1	0	1	6.6	-	37.6
General arteriosclerosis (450)	0	0	0	2	2	0	13.1	15.9	-
Other circulatory diseases (451-468)	2	2	0	2	2	0	13.1	15.9	-
#Influenza & pneumonia (480-493)	3	3	0	6	6	0	39.4	47.7	-
Bronchitis (500-502)	0	0	0	3	3	0	19.7	23.8	-
Other bronchopul. diseases (525-527)	2	2	0	4	4	0	26.2	31.8	-
Stomach & duodenal ulcers (540, 541)	1	1	0	1	1	0	6.6	8.0	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	2	0	2	13.1	-	75.2
#Gastritis, etc. (543, 571, 572)	1	1	0	1	1	0	6.6	8.0	-
Cirrhosis of liver (581)	0	0	0	1	1	0	6.6	8.0	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	1	1	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	1	0	1	6.6	-	37.6
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	1	0	4	2	2	26.2	15.9	75.2
Diseases of early infancy (760-776)	2	2	0	5	5	0	16.1	20.3	-
Accidents (800-962)	5	4	1	8	6	2	52.5	47.7	75.2
Motor vehicle accidents (810-835)	3	3	0	6	5	1	39.4	39.8	37.6
Suicide (963, 970-979)	0	0	0	1	1	0	6.6	8.0	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	0	0	0	3	3	0	19.7	23.8	-

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
LAUDERDALE COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	2,038	1,021	1,017	1,601	841	760	21.1	16.6	30.2
Fetal deaths	63	17	46	47	13	34	29.4	15.4	44.7
Total deaths	1,042	672	370	814	505	309	10.7	10.0	12.3
Deaths under 1 year	90	36	54	65	25	40	40.6	29.7	52.6
Deaths under 28 days	57	28	29	41	20	21	25.6	23.8	27.6
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	0	2	2	1	1	2.6	2.0	4.0
Syphilis (020-029)	2	1	1	1	0	1	1.3	-	4.0
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	100	75	25	87	62	25	114.8	122.4	99.4
Benign & unspec. neoplasms (210-239)	2	1	1	2	0	2	2.6	-	8.0
Asthma (241)	5	3	2	3	1	2	4.0	2.0	8.0
Diabetes mellitus (260)	6	3	3	5	3	2	6.6	5.9	8.0
Anemias (290-293)	2	1	1	2	1	1	2.6	2.0	4.0
Intracranial lesions (330-334)	152	112	40	110	76	34	145.1	150.0	135.2
Nonmeningococcal meningitis (340)	3	0	3	2	0	2	2.6	-	8.0
Heart diseases (400-443)	313	231	82	233	167	66	307.4	329.6	262.5
Other hypertensive disease (444-447)	14	7	7	9	5	4	11.9	9.9	15.9
General arteriosclerosis (450)	25	18	7	18	11	7	23.7	21.7	27.8
Other circulatory diseases (451-468)	12	11	1	13	12	1	17.1	23.7	4.0
#Influenza & pneumonia (480-493)	37	24	13	27	15	12	35.6	29.6	47.7
Bronchitis (500-502)	4	4	0	3	3	0	4.0	5.9	-
Other bronchopul. diseases (525-527)	9	8	1	9	8	1	11.9	15.8	4.0
Stomach & duodenal ulcers (540, 541)	1	1	0	1	1	0	1.3	2.0	-
Hernia & intestinal obstruction (560, 561, 570)	7	2	5	7	3	4	9.2	5.9	15.9
#Gastritis, etc. (543, 571, 572)	11	4	7	7	3	4	9.2	5.9	15.9
Cirrhosis of liver (581)	11	10	1	9	8	1	11.9	15.8	4.0
Acute nephritis (590, 591)	2	1	1	2	1	1	2.6	2.0	4.0
Chronic nephritis, etc. (592-594)	4	2	2	3	1	2	4.0	2.0	8.0
Infections of kidney (600)	13	6	7	7	4	3	9.2	7.9	11.9
Hyperplasia of prostate (610)	8	3	5	4	0	4	5.3	-	15.9
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	11	8	3	7	5	2	9.2	9.9	8.0
Diseases of early infancy (760-776)	47	24	23	35	18	17	21.9	21.4	22.4
Accidents (800-962)	61	34	27	50	29	21	66.0	57.2	83.5
Motor vehicle accidents (810-835)	35	23	12	27	19	8	35.6	37.5	31.8
Suicide (963, 970-979)	8	8	0	9	8	1	11.9	15.8	4.0
Homicide (964, 980-985)	9	2	7	7	1	6	9.2	2.0	23.9
Ill-defined (780-795)	126	46	80	113	42	71	149.1	82.9	282.4

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
LAWRENCE COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number		Non-white	Total	White	Non-white
				Total	White				
Live births	89	34	55	183	92	91	18.6	15.2	23.9
Fetal deaths	2	0	2	4	1	3	21.8	10.9	33.0
Total deaths	81	52	29	130	85	45	13.2	14.0	11.8
Deaths under 1 year	4	1	3	11	3	8	60.1	32.6	87.9
Deaths under 28 days	3	1	2	8	3	5	43.7	32.6	54.9
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	2	1	1	20.3	16.5	26.3
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	9	7	2	12	10	2	121.7	165.1	52.6
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	0	0	0	1	1	0	10.1	16.5	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	22	11	11	28	15	13	284.0	247.7	341.7
Nonmeningococcal meningitis (340)	0	0	0	1	0	1	10.1	-	26.3
Heart diseases (400-443)	26	21	5	39	29	10	395.5	478.9	262.9
Other hypertensive disease (444-447)	1	1	0	2	2	0	20.3	33.0	-
General arteriosclerosis (450)	1	0	1	1	0	1	10.1	-	26.3
Other circulatory diseases (451-468)	0	0	0	1	1	0	10.1	16.5	-
#Influenza & pneumonia (480-493)	3	1	2	4	2	2	40.6	33.0	52.6
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	1	1	0	10.1	16.5	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	2	1	1	20.3	16.5	26.3
#Gastritis, etc. (543, 571, 572)	1	0	1	2	0	2	20.3	-	52.6
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	4	4	0	4	4	0	40.6	66.0	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	1	0	1	10.1	-	26.3
Diseases of early infancy (760-776)	2	1	1	6	3	3	32.8	32.6	33.0
Accidents (800-962)	3	2	1	10	8	2	101.4	132.1	52.6
Motor vehicle accidents (810-835)	2	1	1	5	4	1	50.7	66.0	26.3
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	1	0	1	1	0	1	10.1	-	26.3
Ill-defined (780-795)	4	4	0	5	5	0	50.7	82.6	-

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
 AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
 LEAKE COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	268	104	164	353	147	206	19.4	14.7	25.0
Fetal deaths	4	1	3	9	4	5	25.5	27.2	24.3
Total deaths	138	86	52	182	116	66	10.0	11.6	8.0
Deaths under 1 year	12	2	10	17	5	12	48.2	34.0	58.2
Deaths under 28 days	5	2	3	10	5	5	28.3	34.0	24.3
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	0	1	5.5	-	12.2
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	18	14	4	22	17	5	120.7	170.0	60.8
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	0	0	0	2	2	0	11.0	20.0	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	28	15	13	36	21	15	197.5	210.0	182.4
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	45	35	10	53	42	11	290.8	420.0	133.8
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	7	5	2	9	5	4	49.4	50.0	48.6
Other circulatory diseases (451-468)	1	1	0	2	2	0	11.0	20.0	-
#Influenza & pneumonia (480-493)	3	1	2	5	2	3	27.4	20.0	36.5
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	1	1	0	2	1	1	11.0	10.0	12.2
Stomach & duodenal ulcers (540, 541)	0	0	0	1	1	0	5.5	10.0	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	1	1	0	5.5	10.0	-
#Gastritis, etc. (543, 571, 572)	2	0	2	1	0	1	5.5	-	12.2
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	2	1	1	4	3	1	21.9	30.0	12.2
Infections of kidney (600)	1	1	0	2	2	0	11.0	20.0	-
Hyperplasia of prostate (610)	0	0	0	1	1	0	5.5	10.0	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	2	1	1	11.0	10.0	12.2
Diseases of early infancy (760-776)	6	2	4	10	4	6	28.3	27.2	29.1
Accidents (800-962)	7	3	4	8	2	6	43.9	20.0	73.0
Motor vehicle accidents (810-835)	5	3	2	3	1	2	16.5	10.0	24.3
Suicide (963, 970-979)	0	0	0	1	1	0	5.5	10.0	-
Homicide (964, 980-985)	2	0	2	3	1	2	16.5	10.0	24.3
Ill-defined (780-795)	10	5	5	8	3	5	43.9	30.0	60.8

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
LEE COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	1,261	970	291	981	691	290	21.2	19.7	26.1
Fetal deaths	31	20	11	24	12	12	24.5	17.4	41.4
Total deaths	457	319	138	433	298	135	9.4	8.5	12.2
Deaths under 1 year	46	27	19	41	21	20	41.8	30.4	69.0
Deaths under 28 days	30	20	10	26	14	12	26.5	20.3	41.4
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	2	0	2	2	0	4.3	5.7	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	1	1	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	70	56	14	64	52	12	138.5	148.1	108.1
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	1	0	1	1	0	1	2.2	-	9.0
Diabetes mellitus (260)	3	1	2	3	2	1	6.5	5.7	9.0
Anemias (290-293)	1	0	1	0	0	0	-	-	-
Intracranial lesions (330-334)	48	35	13	57	44	13	123.3	125.3	117.1
Nonmeningococcal meningitis (340)	1	1	0	1	1	0	2.2	2.8	-
Heart diseases (400-443)	166	119	47	162	117	45	350.5	333.2	405.5
Other hypertensive disease (444-447)	1	1	0	1	1	0	2.2	2.8	-
General arteriosclerosis (450)	8	4	4	11	8	3	23.8	22.8	27.0
Other circulatory disease (451-468)	7	4	3	4	2	2	8.6	5.7	18.0
#Influenza & pneumonia (480-493)	17	13	4	17	13	4	36.8	37.0	36.0
Bronchitis (500-502)	3	1	2	2	0	2	4.3	-	18.0
Other bronchopul. diseases (525-527)	3	2	1	2	1	1	4.3	2.8	9.0
Stomach & duodenal ulcers (540, 541)	5	4	1	1	1	0	2.2	2.8	-
Hernia & intestinal obstruction (560, 561, 570)	8	5	3	4	2	2	8.6	5.7	18.0
#Gastritis, etc. (543, 571, 572)	2	2	0	1	1	0	2.2	2.8	-
Cirrhosis of liver (581)	4	2	2	3	1	2	6.5	2.8	18.0
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	2	0	2	2	0	2	4.3	-	18.0
Infections of kidney (600)	3	2	1	3	1	2	6.5	2.8	18.0
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	1	0	1	1	0	1	10.2	-	34.5
Congenital malformations (750-759)	8	5	3	9	5	4	19.5	14.2	36.0
Diseases of early infancy (760-776)	29	18	11	24	12	12	24.5	17.4	41.4
Accidents (800-962)	37	27	10	35	22	13	75.7	62.6	117.1
Motor vehicle accidents (810-835)	22	16	6	19	12	7	41.1	34.2	63.1
Suicide (963, 970-979)	1	0	1	1	0	1	2.2	-	9.0
Homicide (964, 980-985)	6	2	4	6	2	4	13.0	5.7	36.0
III-defined (780-795)	3	2	1	2	1	1	4.3	2.8	9.0

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
LEFLORE COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	1,402	398	1,004	1,337	332	1,005	25.3	17.4	29.8
Fetal deaths	105	30	75	101	26	75	75.5	78.3	74.6
Total deaths	590	241	349	537	183	354	10.2	9.6	10.5
Deaths under 1 year	71	16	55	66	14	52	49.4	42.2	51.7
Deaths under 28 days	40	10	30	38	9	29	28.4	27.1	28.8
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	1	1	3	1	2	5.7	5.2	5.9
Syphilis (020-029)	1	0	1	1	0	1	1.9	-	3.0
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	1	1	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	79	33	46	83	29	54	157.0	151.9	159.9
Benign & unspec. neoplasms (210-239)	2	1	1	2	1	1	3.8	5.2	3.0
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	8	4	4	6	1	5	11.4	5.2	14.8
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	69	21	48	65	20	45	123.0	104.7	133.3
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	173	104	69	130	62	68	245.9	324.7	201.4
Other hypertensive disease (444-447)	8	3	5	7	2	5	13.2	10.5	14.8
General arteriosclerosis (450)	11	4	7	10	3	7	18.9	15.7	20.7
Other circulatory diseases (451-468)	6	1	5	9	3	6	17.0	15.7	17.8
#Influenza & pneumonia (480-493)	17	3	14	16	3	13	30.3	15.7	38.5
Bronchitis (500-502)	4	3	1	4	3	1	7.6	15.7	3.0
Other bronchopul. diseases (525-527)	2	2	0	2	1	1	3.8	5.2	3.0
Stomach & duodenal ulcers (540, 541)	1	1	0	1	1	0	1.9	5.2	-
Hernia & intestinal obstruction (560, 561, 570)	3	2	1	2	1	1	3.8	5.2	3.0
#Gastritis, etc. (543, 571, 572)	6	0	6	5	0	5	9.5	-	14.8
Cirrhosis of liver (581)	1	1	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	8	1	7	7	1	6	13.2	5.2	17.8
Infections of kidney (600)	8	5	3	9	4	5	17.0	20.9	14.8
Hyperplasia of prostate (610)	3	0	3	4	0	4	7.6	-	11.8
Maternal causes (640-689)	3	0	3	3	0	3	22.4	-	29.8
Congenital malformations (750-759)	8	2	6	8	2	6	15.1	10.5	17.8
Diseases of early infancy (760-776)	38	11	27	35	10	25	26.2	30.1	24.9
Accidents (800-962)	39	14	25	38	14	24	71.9	73.3	71.1
Motor vehicle accidents (810-835)	14	6	8	16	7	9	30.3	36.6	26.6
Suicide (963, 970-979)	6	5	1	5	4	1	9.5	20.9	3.0
Homicide (964, 980-985)	8	1	7	9	1	8	17.0	5.2	23.7
Ill-defined (780-795)	60	14	46	55	11	44	104.0	57.6	130.3

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
LINCOLN COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	543	311	232	513	282	231	19.2	15.6	27.0
Fetal deaths	18	8	10	20	7	13	39.0	24.8	56.3
Total deaths	278	200	78	297	200	97	11.1	11.0	11.3
Deaths under 1 year	18	5	13	24	5	19	46.8	17.7	82.2
Deaths under 28 days	8	4	4	9	4	5	17.5	14.2	21.6
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	1	0	3.8	5.5	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	33	25	8	38	28	10	142.5	154.6	116.8
Benign & unspec. neoplasms (210-239)	1	0	1	1	0	1	3.8	-	11.7
Asthma (241)	4	4	0	5	5	0	18.8	27.6	-
Diabetes mellitus (260)	3	3	0	4	3	1	15.0	16.6	11.7
Anemias (290-293)	1	1	0	1	1	0	3.8	5.5	-
Intracranial lesions (330-334)	30	22	8	37	26	11	138.8	143.6	128.5
Nonmeningococcal meningitis (340)	1	0	1	1	0	1	3.8	-	11.7
Heart diseases (400-443)	116	91	25	117	89	28	438.8	491.6	327.1
Other hypertensive disease (444-447)	2	1	1	2	1	1	7.5	5.5	11.7
General arteriosclerosis (450)	6	4	2	7	5	2	26.2	27.6	23.4
Other circulatory diseases (451-468)	2	1	1	3	2	1	11.2	11.0	11.7
#Influenza & pneumonia (480-493)	12	9	3	10	7	3	37.5	38.7	35.0
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	2	2	0	1	1	0	3.8	5.5	-
Stomach & duodenal ulcers (540, 541)	1	1	0	2	1	1	7.5	5.5	11.7
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	1	1	0	3.8	5.5	-
#Gastritis, etc. (543, 571, 572)	3	1	2	4	1	3	15.0	5.5	35.0
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	1	0	1	1	0	1	3.8	-	11.7
Chronic nephritis, etc. (592-594)	2	2	0	2	2	0	7.5	11.0	-
Infections of kidney (600)	2	2	0	1	0	1	3.8	-	11.7
Hyperplasia of prostate (610)	0	0	0	1	0	1	3.8	-	11.7
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	2	2	0	2	2	0	7.5	11.0	-
Diseases of early infancy (760-776)	6	3	3	7	3	4	13.6	10.6	17.3
Accidents (800-962)	22	17	5	18	11	7	67.5	60.8	81.8
Motor vehicle accidents (810-835)	15	14	1	10	7	3	37.5	38.7	35.0
Suicide (963, 970-979)	2	2	0	2	2	0	7.5	11.0	-
Homicide (964, 980-985)	2	0	2	2	0	2	7.5	-	23.4
Ill-defined (780-795)	14	5	9	15	4	11	56.2	22.1	128.5

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
LOWNDES COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	1,309	710	599	1,301	683	618	23.9	19.9	30.8
Fetal deaths	44	17	27	43	16	27	33.0	23.4	43.7
Total deaths	408	198	210	426	212	214	7.8	6.2	10.6
Deaths under 1 year	46	14	32	45	16	29	34.6	23.4	46.9
Deaths under 28 days	28	12	16	29	15	14	22.3	22.0	22.6
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	2	0	3	2	1	5.5	5.8	5.0
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	1	0	1	1	0	1	1.8	-	5.0
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	46	30	16	46	28	18	84.5	81.5	89.6
Benign & unspec. neoplasms (210-239)	1	0	1	2	1	1	3.7	2.9	5.0
Asthma (241)	0	0	0	1	1	0	1.8	2.9	-
Diabetes mellitus (260)	6	3	3	7	4	3	12.8	11.6	14.9
Anemias (290-293)	1	0	1	1	0	1	1.8	-	5.0
Intracranial lesions (330-334)	61	31	30	62	34	28	113.8	98.9	139.4
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	121	57	64	133	63	70	244.2	183.3	348.4
Other hypertensive disease (444-447)	7	4	3	7	4	3	12.8	11.6	14.9
General arteriosclerosis (450)	10	8	2	11	9	2	20.2	26.2	10.0
Other circulatory diseases (451-468)	5	4	1	5	4	1	9.2	11.6	5.0
#Influenza & pneumonia (480-493)	16	4	12	16	3	13	29.4	8.7	64.7
Bronchitis (500-502)	0	0	0	1	1	0	1.8	2.9	-
Other bronchopul. diseases (525-527)	1	1	0	1	1	0	1.8	2.9	-
Stomach & duodenal ulcers (540, 541)	3	2	1	4	3	1	7.3	8.7	5.0
Hernia & intestinal obstruction (560, 561, 570)	2	1	1	3	2	1	5.5	5.8	5.0
#Gastritis, etc. (543, 571, 572)	5	2	3	6	3	3	11.0	8.7	14.9
Cirrhosis of liver (581)	1	0	1	1	0	1	1.8	-	5.0
Acute nephritis (590, 591)	1	1	0	1	1	0	1.8	2.9	-
Chronic nephritis, etc. (592-594)	1	0	1	1	0	1	1.8	-	5.0
Infections of kidney (600)	2	1	1	1	1	0	1.8	2.9	-
Hyperplasia of prostate (610)	1	1	0	2	1	1	3.7	2.9	5.0
Maternal causes (640-689)	2	0	2	2	0	2	15.4	-	32.4
Congenital malformations (750-759)	3	1	2	5	3	2	9.2	8.7	10.0
Diseases of early infancy (760-776)	21	11	10	20	12	8	15.4	17.6	12.9
Accidents (800-962)	38	19	19	34	16	18	62.4	46.6	89.6
Motor vehicle accidents (810-835)	18	11	7	15	8	7	27.5	23.3	34.8
Suicide (963, 970-979)	0	0	0	1	1	0	1.8	2.9	-
Homicide (964, 980-985)	1	0	1	1	0	1	1.8	-	5.0
Ill-defined (780-795)	35	6	29	34	5	29	62.4	14.5	144.4

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
MADISON COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	714	111	603	854	163	691	24.8	15.9	28.5
Fetal deaths	28	5	23	43	8	35	50.4	49.1	50.6
Total deaths	305	95	210	360	115	245	10.4	11.2	10.1
Deaths under 1 year	45	2	43	52	4	48	60.9	24.5	69.5
Deaths under 28 days	23	2	21	28	4	24	32.8	24.5	34.7
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	0	2	3	0	3	8.7	-	12.4
Syphilis (020-029)	0	0	0	1	1	0	2.9	9.8	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	27	11	16	39	17	22	113.2	166.1	90.8
Benign & unspec. neoplasms (210-239)	2	1	1	2	1	1	5.8	9.8	4.1
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	5	0	5	6	1	5	17.4	9.8	20.6
Anemias (290-293)	1	0	1	2	0	2	5.8	-	8.2
Intracranial lesions (330-334)	45	11	34	52	13	39	150.9	127.0	161.0
Nonmeningococcal meningitis (340)	0	0	0	1	0	1	2.9	-	4.1
Heart diseases (400-443)	68	33	35	84	39	45	243.8	381.0	185.8
Other hypertensive disease (444-447)	3	2	1	4	1	3	11.6	9.8	12.4
General arteriosclerosis (450)	1	1	0	1	1	0	2.9	9.8	-
Other circulatory diseases (451-468)	2	1	1	5	2	3	14.5	19.5	12.4
#Influenza & pneumonia (480-493)	15	7	8	14	4	10	40.6	39.1	41.3
Bronchitis (500-502)	2	0	2	3	1	2	8.7	9.8	8.2
Other bronchopul. diseases (525-527)	1	1	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	1	1	0	1	1	0	2.9	9.8	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	5	1	4	5	1	4	14.5	9.8	16.5
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	1	0	1	1	0	1	2.9	-	4.1
Chronic nephritis, etc. (592-594)	4	2	2	5	3	2	14.5	29.3	8.2
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	1	0	1	1	0	1	11.7	-	14.5
Congenital malformations (750-759)	1	0	1	4	2	2	11.6	19.5	8.2
Diseases of early infancy (760-776)	15	2	13	18	3	15	21.1	18.4	21.7
Accidents (800-962)	18	8	10	17	7	10	49.3	68.4	41.3
Motor vehicle accidents (810-835)	10	6	4	9	5	4	26.1	48.8	16.5
Suicide (963, 970-979)	1	1	0	1	1	0	2.9	9.8	-
Homicide (964, 980-985)	4	0	4	5	0	5	14.5	-	20.6
III-defined (780-795)	74	10	64	74	11	63	214.8	107.5	260.1

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
MARION COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	359	194	165	432	228	204	18.7	15.4	24.7
Fetal deaths	33	21	12	38	23	15	88.0	100.9	73.5
Total deaths	199	131	68	235	154	81	10.2	10.4	9.8
Deaths under 1 year	11	3	8	10	3	7	23.1	13.2	34.3
Deaths under 28 days	9	3	6	8	3	5	18.5	13.2	24.5
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	1	1	3	1	2	13.0	6.7	24.2
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	37	31	6	41	32	9	177.6	215.8	108.9
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	0	1	1	0	1	4.3	-	12.1
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	32	21	11	34	21	13	147.2	141.6	157.3
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	41	30	11	54	41	13	233.8	276.5	157.3
Other hypertensive disease (444-447)	2	0	2	2	0	2	8.7	-	24.2
General arteriosclerosis(450)	5	5	0	6	6	0	26.0	40.5	-
Other circulatory diseases (451-468)	2	2	0	3	3	0	13.0	20.2	-
#Influenza & pneumonia (480-493)	5	1	4	5	1	4	21.6	6.7	48.4
Bronchitis (500-502)	1	1	0	1	1	0	4.3	6.7	-
Other bronchopul. diseases (525-527)	5	3	2	8	6	2	34.6	40.5	24.2
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	1	1	0	4.3	6.7	-
#Gastritis, etc. (543, 571, 572)	1	0	1	1	0	1	4.3	-	12.1
Cirrhosis of liver (581)	2	2	0	2	2	0	8.7	13.5	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	2	1	1	3	2	1	13.0	13.5	12.1
Infections of kidney (600)	0	0	0	3	2	1	13.0	13.5	12.1
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	2	1	1	2	1	1	8.7	6.7	12.1
Diseases of early infancy (760-776)	7	3	4	6	3	3	13.9	13.2	14.7
Accidents (800-962)	16	11	5	23	12	11	99.6	80.9	133.1
Motor vehicle accidents (810-835)	7	5	2	7	4	3	30.3	27.0	36.3
Suicide (963, 970-979)	5	5	0	5	5	0	21.6	33.7	-
Homicide (964, 980-985)	4	1	3	3	1	2	13.0	6.7	24.2
Ill-defined (780-795)	23	9	14	21	9	12	90.9	60.7	145.2

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
MARSHALL COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	518	47	471	648	134	514	24.9	16.5	28.7
Fetal deaths	12	1	11	18	1	17	27.8	7.5	33.1
Total deaths	197	69	128	259	84	175	9.9	10.4	9.8
Deaths under 1 year	15	0	15	25	3	22	38.6	22.4	42.8
Deaths under 28 days	9	0	9	16	3	13	24.7	22.4	25.3
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	0	2	2	0	2	7.7	-	11.2
Syphilis (020-029)	0	0	0	1	0	1	3.8	-	5.6
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	1	0	1	1	0	1	3.8	-	5.6
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	22	10	12	32	15	17	122.9	185.1	94.8
Benign & unspec. neoplasms (210-239)	0	0	0	1	0	1	3.8	-	5.6
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	5	2	3	7	2	5	26.9	24.7	27.9
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	29	7	22	37	9	28	142.1	111.0	156.2
Nonmeningococcal meningitis (340)	0	0	0	2	0	2	7.7	-	11.2
Heart diseases (400-443)	69	31	38	79	33	46	303.4	407.2	256.6
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	4	3	1	6	3	3	23.0	37.0	16.7
Other circulatory diseases (451-468)	2	0	2	4	0	4	15.4	-	22.3
#Influenza & pneumonia (480-493)	2	1	1	3	0	3	11.5	-	16.7
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	2	2	0	7.7	24.7	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	2	1	1	2	1	1	7.7	12.3	5.6
#Gastritis, etc. (543, 571, 572)	1	0	1	3	0	3	11.5	-	16.7
Cirrhosis of liver (581)	1	0	1	2	0	2	7.7	-	11.2
Acute nephritis (590, 591)	0	0	0	1	0	1	3.8	-	5.6
Chronic nephritis, etc. (592-594)	8	4	4	8	3	5	30.7	37.0	27.9
Infections of kidney (600)	0	0	0	1	0	1	3.8	-	5.6
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	2	0	2	5	2	3	19.2	24.7	16.7
Diseases of early infancy (760-776)	8	0	8	12	2	10	18.5	14.9	19.4
Accidents (800-962)	12	5	7	15	7	8	57.6	86.4	44.6
Motor vehicle acc. (810-835)	5	3	2	7	5	2	26.9	61.7	11.2
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	4	0	4	4	0	4	15.4	-	22.3
Ill-defined (780-795)	21	5	16	22	4	18	84.5	49.4	100.4

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
MONROE COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	764	467	297	717	407	310	20.4	17.4	26.4
Fetal deaths	20	8	12	16	5	11	22.3	12.3	35.5
Total deaths	338	229	109	362	237	125	10.3	10.1	10.6
Deaths under 1 year	22	11	11	21	10	11	29.3	24.6	35.5
Deaths under 28 days	15	10	5	14	9	5	19.5	22.1	16.1
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	1	0	1	1	0	1	2.8	-	8.5
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough(056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	1	1	0	1	1	0	2.8	4.3	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	34	28	6	39	32	7	110.9	136.6	59.5
Benign & unspec. neoplasms (210-239)	2	2	0	1	1	0	2.8	4.3	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	5	4	1	6	4	2	17.0	17.1	17.0
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	58	29	29	62	28	34	176.2	119.6	289.1
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	122	99	23	130	102	28	369.5	435.5	238.1
Other hypertensive disease (444-447)	3	1	2	3	1	2	8.5	4.3	17.0
General arteriosclerosis (450)	17	15	2	15	13	2	42.6	55.5	17.0
Other circulatory diseases (451-468)	1	1	0	2	1	1	5.7	4.3	8.5
#Influenza & pneumonia (480-493)	9	4	5	11	5	6	31.3	21.4	51.0
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	2	2	0	2	2	0	5.7	8.5	-
Stomach & duodenal ulcers (540, 541)	1	0	1	3	2	1	8.5	8.5	8.5
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	3	3	0	8.5	12.8	-
#Gastritis, etc. (543, 571, 572)	4	2	2	4	2	2	11.4	8.5	17.0
Cirrhosis of liver (581)	1	1	0	1	1	0	2.8	4.3	-
Acute nephritis (590, 591)	1	0	1	1	0	1	2.8	-	8.5
Chronic nephritis, etc. (592-594)	12	2	10	11	1	10	31.3	4.3	85.0
Infections of kidney (600)	3	3	0	3	3	0	8.5	12.8	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	1	0	1	1	0	1	13.9	-	32.2
Congenital malformations (750-759)	5	4	1	4	3	1	11.4	12.8	8.5
Diseases of early infancy (760-776)	12	6	6	11	5	6	15.3	12.3	19.4
Accidents (800-962)	22	16	6	22	14	8	62.5	59.8	68.0
Motor vehicle accidents (810-835)	14	9	5	14	7	7	39.8	29.9	59.5
Suicide (963, 970-979)	2	2	0	2	2	0	5.7	8.5	-
Homicide (964, 980-985)	2	0	2	3	1	2	8.5	4.3	17.0
Ill-defined (780-795)	6	0	6	8	2	6	22.7	8.5	51.0

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
MONTGOMERY COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	355	153	202	288	118	170	19.6	14.4	26.3
Fetal deaths	24	5	19	23	6	17	79.9	50.8	100.0
Total deaths	162	101	61	170	110	60	11.6	13.4	9.3
Deaths under 1 year	15	3	12	13	4	9	45.1	33.9	52.9
Deaths under 28 days	9	2	7	7	2	5	24.3	16.9	29.4
SELECTED CAUSES OF DEATH									
AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	1	0	1	6.8	-	15.4
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	13	8	5	16	10	6	109.0	121.8	92.7
Benign & unspec. neoplasms (210-239)	2	1	1	2	1	1	13.6	12.2	15.4
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	2	2	0	0	0	0	-	-	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	26	16	10	26	16	10	177.1	194.9	154.6
Nonmeningococcal meningitis (340)	0	0	0	1	1	0	6.8	12.2	-
Heart diseases (400-443)	78	55	23	80	57	23	544.9	694.2	355.5
Other hypertensive disease (444-447)	1	0	1	2	0	2	13.6	-	30.9
General arteriosclerosis (450)	1	1	0	1	1	0	6.8	12.2	-
Other circulatory diseases (451-468)	3	2	1	3	3	0	20.4	36.5	-
#Influenza & pneumonia (480-493)	4	3	1	3	3	0	20.4	36.5	-
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	1	1	0	1	1	0	6.8	12.2	-
Stomach & duodenal ulcers (540, 541)	1	1	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	2	2	0	13.6	24.4	-
#Gastritis, etc. (543, 571, 572)	1	0	1	1	0	1	6.8	-	15.4
Cirrhosis of liver (581)	2	2	0	3	3	0	20.4	36.5	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	4	2	2	4	3	1	27.2	36.5	15.4
Diseases of early infancy (760-776)	9	2	7	6	1	5	20.8	8.5	29.4
Accidents (800-962)	4	2	2	8	5	3	54.5	60.9	46.4
Motor vehicle acc. (810-835)	0	0	0	3	2	1	20.4	24.4	15.4
Suicide (963, 970-979)	1	1	0	1	1	0	6.8	12.2	-
Homicide (964, 980-985)	1	0	1	1	0	1	6.8	-	15.4
Ill-defined (780-795)	5	1	4	6	2	4	40.9	24.4	61.8

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
NESHOBIA COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Total	White	Non-white
				Total	White	Non-white			
Live births	377	216	161	400	226	174	18.8	14.3	32.3
Fetal deaths	12	1	11	12	0	12	30.0	-	69.0
Total deaths	168	126	42	208	156	52	9.8	9.8	9.6
Deaths under 1 year	8	4	4	11	5	6	27.5	22.1	34.5
Deaths under 28 days	4	2	2	6	2	4	15.0	8.8	23.0
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	1	1	0	1	1	0	4.7	6.3	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	32	29	3	32	28	4	150.7	176.7	74.2
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	2	1	1	2	1	1	9.4	6.3	18.6
Diabetes mellitus (260)	3	1	2	2	0	2	9.4	-	37.1
Anemias (290-293)	1	0	1	0	0	0	-	-	-
Intracranial lesions (330-334)	29	22	7	34	26	8	160.1	164.1	148.4
Nonmeningococcal meningitis (340)	1	0	1	1	0	1	4.7	-	18.6
Heart diseases (400-443)	44	39	5	65	56	9	306.1	353.4	167.0
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	1	0	1	1	1	0	4.7	6.3	-
Other circulatory diseases (451-468)	3	3	0	4	3	1	18.8	18.9	18.6
#Influenza & pneumonia (480-493)	3	2	1	4	3	1	18.8	18.9	18.6
Bronchitis (500-502)	1	1	0	1	1	0	4.7	6.3	-
Other bronchopul. diseases (525-527)	2	2	0	2	2	0	9.4	12.6	-
Stomach & duodenal ulcers (540, 541)	1	1	0	1	1	0	4.7	6.3	-
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	2	2	0	9.4	12.6	-
#Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	1	1	0	4.7	6.3	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	1	1	0	4.7	6.3	-
Infections of kidney (600)	1	1	0	1	1	0	4.7	6.3	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	1	0	1	0	0	0	-	-	-
Congenital malformations (750-759)	1	1	0	3	2	1	14.1	12.6	18.6
Diseases of early infancy (760-776)	4	2	2	4	2	2	10.0	8.8	11.5
Accidents (800-962)	16	10	6	18	12	6	84.8	75.7	111.3
Motor vehicle accidents (810-835)	5	3	2	7	5	2	33.0	31.6	37.1
Suicide (963, 970-979)	1	1	0	0	0	0	-	-	-
Homicide (964, 980-985)	2	0	2	3	1	2	14.1	6.3	37.1
Ill-defined (780-795)	8	2	6	13	3	10	61.2	18.9	185.6

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
NEWTON COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Total	White	Non-white
				Total	White	Non-white			
Live births	340	207	133	335	172	163	16.7	12.6	25.5
Fetal deaths	26	14	12	21	10	11	62.7	58.1	67.5
Total deaths	189	128	61	232	153	79	11.6	11.2	12.4
Deaths under 1 year	8	3	5	17	7	10	50.7	40.7	61.3
Deaths under 28 days	4	2	2	8	5	3	23.9	29.1	18.4
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	2	1	1	1	1	0	5.0	7.3	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	30	26	4	31	27	4	154.4	197.1	62.6
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	1	1	0	5.0	7.3	-
Diabetes mellitus (260)	5	3	2	5	3	2	24.9	21.9	31.3
Anemias (290-293)	1	0	1	2	0	2	10.0	-	31.3
Intracranial lesions (330-334)	36	17	19	39	19	20	194.2	138.7	313.3
Nonmeningococcal meningitis (340)	0	0	0	1	0	1	5.0	-	15.7
Heart diseases (400-443)	70	56	14	80	64	16	398.4	467.3	250.6
Other hypertensive disease (444-447)	3	3	0	3	3	0	14.9	21.9	-
General arteriosclerosis (450)	1	0	1	3	2	1	14.9	14.6	15.7
Other circulatory diseases (451-468)	1	0	1	1	0	1	5.0	-	15.7
#Influenza & pneumonia (480-493)	4	1	3	5	2	3	24.9	14.6	47.0
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	1	1	0	1	1	0	5.0	7.3	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	1	0	1	2	0	2	10.0	-	31.3
#Gastritis, etc. (543, 571, 572)	2	0	2	3	0	3	14.9	-	47.0
Cirrhosis of liver (581)	1	1	0	1	1	0	5.0	7.3	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	1	1	0	5.0	7.3	-
Infections of kidney (600)	0	0	0	1	0	1	5.0	-	15.7
Hyperplasia of prostate (610)	0	0	0	3	3	0	14.9	21.9	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	0	1	3	1	2	14.9	7.3	31.3
Diseases of early infancy (760-776)	3	2	1	8	5	3	23.9	29.1	18.4
Accidents (800-962)	11	7	4	14	6	8	69.7	43.8	125.3
Motor vehicle acc. (810-835)	10	6	4	11	4	7	54.8	29.2	109.6
Suicide (963, 970-979)	3	3	0	3	3	0	14.9	21.9	-
Homicide (964, 980-985)	2	1	1	4	1	3	19.9	7.3	47.0
Ill-defined (780-795)	8	3	5	13	6	7	64.7	43.8	109.6

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
NOXUBEE COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	386	58	328	363	55	308	21.6	12.8	24.6
Fetal deaths	19	2	17	19	1	18	52.3	18.2	58.4
Total deaths	156	43	113	176	50	126	10.5	11.6	10.1
Deaths under 1 year	15	0	15	18	1	17	49.6	18.2	55.2
Deaths under 28 days	8	0	8	9	0	9	24.8	-	29.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	0	1	6.0	-	8.0
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	1	0	1	1	0	1	6.0	-	8.0
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	14	6	8	19	10	9	113.1	233.0	71.9
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	2	0	2	2	0	2	11.9	-	16.0
Anemias (290-293)	1	0	1	1	0	1	6.0	-	8.0
Intracranial lesions (330-334)	18	3	15	15	2	13	89.3	46.6	103.9
Nonmeningococcal meningitis (340)	2	0	2	2	0	2	11.9	-	16.0
Heart diseases (400-443)	41	18	23	48	20	28	285.7	466.1	223.8
Other hypertensive disease (444-447)	1	0	1	4	2	2	23.8	46.6	16.0
General arteriosclerosis (450)	3	1	2	4	1	3	23.8	23.3	24.0
Other circulatory diseases (451-468)	1	0	1	2	0	2	11.9	-	16.0
#Influenza & pneumonia (480-493)	4	1	3	5	1	4	29.8	23.3	32.0
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	3	2	1	3	2	1	17.8	46.6	8.0
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	1	0	1	1	0	1	6.0	-	8.0
#Gastritis, etc. (543, 571, 572)	1	0	1	1	0	1	6.0	-	8.0
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	0	1	1	0	1	6.0	-	8.0
Infections of kidney (600)	1	0	1	3	0	3	17.8	-	24.0
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	2	0	2	2	0	2	55.1	-	64.9
Congenital malformations (750-759)	1	0	1	3	1	2	17.8	23.3	16.0
Diseases of early infancy (760-776)	8	0	8	9	0	9	24.8	-	29.2
Accidents (800-962)	16	7	9	16	6	10	95.2	139.8	79.9
Motor vehicle accidents (810-835)	5	4	1	4	3	1	23.8	69.9	8.0
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	1	1	0	1	1	0	6.0	23.3	-
Ill-defined (780-795)	28	2	26	27	2	25	160.7	46.6	199.8

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
OKTIBBEHA COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Total	White	Non-white
				Total	White	Non-white			
Live births	695	316	379	637	291	346	20.7	15.7	28.4
Fetal deaths	24	3	21	22	4	18	34.5	13.7	52.0
Total deaths	210	107	103	231	119	112	7.5	6.4	9.2
Deaths under 1 year	18	5	13	20	7	13	31.4	24.0	37.6
Deaths under 28 days	11	4	7	13	6	7	20.4	20.6	20.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	1	1	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	34	23	11	35	23	12	113.8	123.8	98.5
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	4	2	2	3	1	2	9.8	5.4	16.4
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	22	9	13	26	12	14	84.5	64.6	114.9
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	95	50	45	100	56	44	325.1	301.5	361.1
Other hypertensive disease (444-447)	1	0	1	2	1	1	6.5	5.4	8.2
General arteriosclerosis (450)	3	2	1	3	2	1	9.8	10.8	8.2
Other circulatory diseases (451-468)	1	0	1	3	1	2	9.8	5.4	16.4
#Influenza & pneumonia (480-493)	7	2	5	7	2	5	22.8	10.8	41.0
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	2	2	0	2	2	0	6.5	10.8	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	1	1	0	3.2	5.4	-
#Gastritis, etc. (543, 571, 572)	2	0	2	2	0	2	6.5	-	16.4
Cirrhosis of liver (581)	0	0	0	1	1	0	3.2	5.4	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	1	0	1	3.2	-	8.2
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	1	1	0	0	0	0	-	-	-
Maternal causes (640-689)	1	0	1	0	0	0	-	-	-
Congenital malformations (750-759)	3	0	3	4	1	3	13.0	5.4	24.6
Diseases of early infancy (760-776)	8	4	4	9	5	4	14.1	17.2	11.6
Accidents (800-962)	13	6	7	17	7	10	55.3	37.7	82.1
Motor vehicle acc. (810-835)	7	4	3	11	5	6	35.8	26.9	49.2
Suicide (963, 970-979)	3	2	1	2	1	1	6.5	5.4	8.2
Homicide (964, 980-985)	1	0	1	2	0	2	6.5	-	16.4
Ill-defined (780-795)	4	0	4	5	0	5	16.2	-	41.0

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
PANOLA COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	801	235	566	729	214	515	23.8	16.7	28.9
Fetal deaths	24	4	20	30	6	24	41.2	28.0	46.6
Total deaths	275	106	169	331	129	202	10.8	10.0	11.3
Deaths under 1 year	45	3	42	47	5	42	64.5	23.4	81.6
Deaths under 28 days	22	1	21	22	3	19	30.2	14.0	36.9
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	0	1	3.3	-	5.6
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	3	0	3	2	0	2	6.5	-	11.2
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	30	13	17	41	20	21	133.8	155.9	117.9
Benign & unspec. neoplasms (210-239)	1	1	0	1	1	0	3.3	7.8	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	3	1	2	2	2	0	6.5	15.6	-
Anemias (290-293)	2	1	1	3	2	1	9.8	15.6	5.6
Intracranial lesions (330-334)	46	17	29	47	17	30	153.4	132.6	168.4
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	80	37	43	101	46	55	329.6	358.7	308.7
Other hypertensive disease (444-447)	2	0	2	3	0	3	9.8	-	16.8
General arteriosclerosis (450)	4	2	2	5	3	2	16.3	23.4	11.2
Other circulatory diseases (451-468)	0	0	0	4	1	3	13.0	7.8	16.8
#Influenza & pneumonia (480-493)	8	3	5	13	5	8	42.4	39.0	44.9
Bronchitis (500-502)	3	3	0	2	2	0	6.5	15.6	-
Other bronchopul. diseases (525-527)	6	4	2	5	3	2	16.3	23.4	11.2
Stomach & duodenal ulcers (540, 541)	1	1	0	1	1	0	3.3	7.8	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	2	0	2	2	0	2	6.5	-	11.2
Cirrhosis of liver (581)	1	1	0	1	1	0	3.3	7.8	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	0	1	0	0	0	-	-	-
Infections of kidney (600)	1	0	1	1	0	1	3.3	-	5.6
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	4	0	4	5	0	5	16.3	-	28.1
Diseases of early infancy (760-776)	20	1	19	20	3	17	27.4	14.0	33.0
Accidents (800-962)	31	12	19	36	9	27	117.5	70.2	151.5
Motor vehicle accidents (810-835)	19	7	12	13	1	12	42.4	7.8	67.4
Suicide (963, 970-979)	3	3	0	2	2	0	6.5	15.6	-
Homicide (964, 980-985)	2	0	2	3	0	3	9.8	-	16.8
Ill-defined (780-795)	12	2	10	17	4	13	55.5	31.2	73.0

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
PEARL RIVER COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	622	484	138	541	392	149	18.6	16.8	25.8
Fetal deaths	12	5	7	16	7	9	29.6	17.8	60.4
Total deaths	208	150	58	239	179	60	8.2	7.6	10.4
Deaths under 1 year	21	11	10	27	15	12	49.9	38.3	80.5
Deaths under 28 days	18	10	8	22	12	10	40.7	30.6	67.1
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	1	0	1	1	0	1	3.4	-	17.3
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	25	20	5	29	25	4	99.5	107.0	69.3
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	0	0	0	0	0	0	-	-	-
Anemias (290-293)	1	1	0	1	1	0	3.4	4.3	-
Intracranial lesions (330-334)	21	13	8	20	14	6	68.6	59.9	104.0
Nonmeningococcal meningitis (340)	0	0	0	1	1	0	3.4	4.3	-
Heart diseases (400-443)	65	50	15	83	66	17	284.8	282.4	294.6
Other hypertensive disease (444-447)	2	2	0	1	1	0	3.4	4.3	-
General arteriosclerosis (450)	11	7	4	9	5	4	30.9	21.4	69.3
Other circulatory diseases (451-468)	3	3	0	4	4	0	13.7	17.1	-
#Influenza & pneumonia (480-493)	5	4	1	7	5	2	24.0	21.4	34.6
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	1	1	0	1	1	0	3.4	4.3	-
Stomach & duodenal ulcers (540, 541)	1	1	0	2	2	0	6.9	8.6	-
Hernia & intestinal obstruction (560, 561, 570)	1	0	1	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	4	2	2	4	2	2	13.7	8.6	34.6
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	1	1	0	3.4	4.3	-
Infections of kidney (600)	1	1	0	2	2	0	6.9	8.6	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	2	0	2	2	0	2	37.0	-	134.2
Congenital malformations (750-759)	2	2	0	4	4	0	13.7	17.1	-
Diseases of early infancy (760-776)	16	8	8	18	8	10	33.3	20.4	67.1
Accidents (800-962)	24	20	4	23	18	5	78.9	77.0	86.6
Motor vehicle acc. (810-835)	13	12	1	9	8	1	30.9	34.2	17.3
Suicide (963, 970-979)	1	1	0	2	2	0	6.9	8.6	-
Homicide (964, 980-985)	0	0	0	1	1	0	3.4	4.3	-
Ill-defined (780-795)	12	8	4	10	7	3	34.3	29.9	52.0

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
 AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
 PERRY COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	45	32	13	158	105	53	17.9	18.2	17.3
Fetal deaths	1	1	0	4	2	2	25.3	19.0	37.7
Total deaths	68	48	20	109	80	29	12.4	13.9	9.5
Deaths under 1 year	2	1	1	3	1	2	19.0	9.5	37.7
Deaths under 28 days	0	0	0	1	0	1	6.3	-	18.9
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	1	1	0	1	1	0	11.3	17.4	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	9	7	2	15	12	3	170.1	208.2	98.2
Benign & unspec. neoplasms (210-239)	1	0	1	1	0	1	11.3	-	32.7
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	1	0	2	1	1	22.7	17.4	32.7
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	5	3	2	9	7	2	102.0	121.5	65.4
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	24	19	5	36	31	5	408.2	537.9	163.6
Other hypertensive disease (444-447)	0	0	0	1	0	1	11.3	-	32.7
General arteriosclerosis (450)	1	0	1	4	3	1	45.4	52.0	32.7
Other circulatory diseases (451-468)	2	2	0	5	5	0	56.7	86.8	-
#Influenza & pneumonia (480-493)	0	0	0	1	1	0	11.3	17.4	-
Bronchitis (500-502)	0	0	0	1	1	0	11.3	17.4	-
Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	2	2	0	2	2	0	22.7	34.7	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	3	3	0	3	3	0	34.0	52.0	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	0	0	0	0	0	0	-	-	-
Accidents (800-962)	5	4	1	8	4	4	90.7	69.4	130.9
Motor vehicle accidents (810-835)	3	3	0	4	2	2	45.4	34.7	65.4
Suicide (963, 970-979)	1	1	0	2	2	0	22.7	34.7	-
Homicide (964, 980-985)	2	0	2	2	0	2	22.7	-	65.4
Ill-defined (780-795)	11	5	6	10	5	5	113.4	86.8	163.6

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
PIKE COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	651	302	349	648	264	384	18.7	14.0	24.5
Fetal deaths	18	3	15	20	5	15	30.9	18.9	39.1
Total deaths	401	235	166	413	235	178	11.9	12.4	11.4
Deaths under 1 year	28	6	22	25	4	21	38.6	15.2	54.7
Deaths under 28 days	16	4	12	14	2	12	21.6	7.6	31.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	1	0	3	2	1	8.7	10.6	6.4
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	39	24	15	46	29	17	133.0	153.4	108.5
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	1	0	1	2.9	-	6.4
Diabetes mellitus (260)	3	3	0	4	3	1	11.6	15.9	6.4
Anemias (290-293)	0	0	0	2	0	2	5.8	-	12.8
Intracranial lesions (330-334)	96	58	38	85	50	35	245.8	264.4	223.4
Nonmeningococcal meningitis (340)	1	0	1	1	0	1	2.9	-	6.4
Heart diseases (400-443)	126	77	49	133	81	52	384.6	428.3	331.9
Other hypertensive disease (444-447)	5	3	2	5	3	2	14.4	15.9	12.8
General arteriosclerosis (450)	8	7	1	10	9	1	28.9	47.6	6.4
Other circulatory diseases (451-468)	4	3	1	2	1	1	5.8	5.3	6.4
#Influenza & pneumonia (480-493)	9	6	3	8	5	3	23.1	26.4	19.1
Bronchitis (500-502)	4	3	1	6	4	2	17.4	21.2	12.8
Other bronchopul. diseases (525-527)	4	4	0	5	5	0	14.4	26.4	-
Stomach & duodenal ulcers (540, 541)	3	3	0	3	3	0	8.7	15.9	-
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	2	1	1	5.8	5.3	6.4
#Gastritis, etc. (543, 571, 572)	7	2	5	5	2	3	14.4	10.6	19.1
Cirrhosis of liver (581)	1	1	0	2	2	0	5.8	10.6	-
Acute nephritis (590, 591)	0	0	0	1	0	1	2.9	-	6.4
Chronic nephritis, etc. (592-594)	0	0	0	1	1	0	2.9	5.3	-
Infections of kidney (600)	1	1	0	1	1	0	2.9	5.3	-
Hyperplasia of prostate (610)	0	0	0	1	1	0	2.9	5.3	-
Maternal causes (640-689)	0	0	0	1	1	0	2.9	5.3	-
Congenital malformations (750-759)	3	2	1	3	2	1	15.4	-	26.0
Diseases of early infancy (760-776)	11	3	8	9	1	8	13.9	3.8	20.8
Accidents (800-962)	23	16	7	21	13	8	60.7	68.7	51.0
Motor vehicle acc. (810-835)	10	6	4	9	5	4	26.0	26.4	25.5
Suicide (963, 970-979)	2	2	0	1	1	0	2.9	5.3	-
Homicide (964, 980-985)	3	1	2	3	1	2	8.7	5.3	12.8
Ill-defined (780-795)	33	7	26	32	5	27	92.5	26.4	172.3

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
PONTOTOC COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	331	241	90	292	208	84	15.9	14.2	22.3
Fetal deaths	3	2	1	5	4	1	17.1	19.2	11.9
Total deaths	191	168	23	198	173	25	10.8	11.8	6.6
Deaths under 1 year	9	4	5	10	4	6	34.2	19.2	71.4
Deaths under 28 days	8	3	5	8	3	5	27.4	14.4	59.5
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	1	0	1	5.4	-	26.5
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	21	20	1	20	19	1	108.9	130.2	26.5
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	4	3	1	3	2	1	16.3	13.7	26.5
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	19	17	2	21	20	1	114.4	137.1	26.5
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	93	85	8	91	82	9	495.6	562.0	238.5
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	1	1	0	1	1	0	5.4	6.8	-
Other circulatory diseases (451-468)	1	1	0	3	2	1	16.3	13.7	26.5
#Influenza & pneumonia (480-493)	11	11	0	9	9	0	49.0	61.7	-
Bronchitis (500-502)	0	0	0	1	1	0	5.4	6.8	-
Other bronchopul. diseases (525-527)	3	3	0	4	4	0	21.8	27.4	-
Stomach & duodenal ulcers (540, 541)	1	1	0	1	1	0	5.4	6.8	-
Hernia & intestinal obstruction (560, 561, 570)	3	3	0	1	1	0	5.4	6.8	-
#Gastritis, etc. (543, 571, 572)	0	0	0	1	1	0	5.4	6.8	-
Cirrhosis of liver (581)	1	0	1	2	1	1	10.9	6.8	26.5
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	1	1	0	5.4	6.8	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	2	2	0	3	3	0	16.3	20.6	-
Diseases of early infancy (760-776)	6	2	4	6	2	4	20.5	9.6	47.6
Accidents (800-962)	16	14	2	19	17	2	103.5	116.5	53.0
Motor vehicle accidents (810-835)	12	11	1	15	14	1	81.7	96.0	26.5
Suicide (963, 970-979)	1	1	0	1	1	0	5.4	6.8	-
Homicide (964, 980-985)	1	0	1	1	0	1	5.4	-	26.5
Ill-defined (780-795)	2	0	2	3	0	3	16.3	-	79.5

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
PRENTISS COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	432	352	80	407	332	75	20.5	19.3	28.4
Fetal deaths	6	5	1	9	8	1	22.1	24.1	13.3
Total deaths	199	179	20	186	161	25	9.4	9.4	9.5
Deaths under 1 year	6	5	1	6	5	1	14.7	15.1	13.3
Deaths under 28 days	5	4	1	5	4	1	12.3	12.0	13.3
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	1	0	1	5.0	-	37.9
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	25	24	1	29	27	2	146.4	157.3	75.8
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	1	1	0	1	1	0	5.0	5.8	-
Diabetes mellitus (260)	5	4	1	6	5	1	30.3	29.1	37.9
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	37	32	5	33	28	5	166.6	163.1	189.4
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	68	63	5	57	51	6	287.7	297.0	227.3
Other hypertensive disease (444-447)	3	2	1	3	2	1	15.1	11.6	37.9
General arteriosclerosis (450)	12	12	0	4	4	0	20.2	23.3	-
Other circulatory diseases (451-468)	2	1	1	3	1	2	15.1	5.8	75.8
#Influenza & pneumonia (480-493)	5	3	2	4	2	2	20.2	11.6	75.8
Bronchitis (500-502)	1	1	0	1	1	0	5.0	5.8	-
Other bronchopul. diseases (525-527)	5	5	0	4	4	0	20.2	23.3	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	4	4	0	20.2	23.3	-
#Gastritis, etc. (543, 571, 572)	1	1	0	1	1	0	5.0	5.8	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	0	0	0	1	1	0	5.0	5.8	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	5	4	1	5	4	1	12.3	12.0	13.3
Accidents (800-962)	11	10	1	14	12	2	70.7	69.9	75.8
Motor vehicle acc. (810-835)	5	5	0	6	6	0	30.3	34.9	-
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	10	9	1	8	7	1	40.4	40.8	37.9

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
QUITMAN COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	687	170	517	624	159	465	28.1	20.9	31.8
Fetal deaths	29	4	25	28	3	25	44.9	18.9	53.8
Total deaths	164	35	129	216	74	142	9.7	9.7	9.7
Deaths under 1 year	34	3	31	36	5	31	57.7	31.4	66.7
Deaths under 28 days	19	2	17	22	4	18	35.2	25.2	38.7
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	1	0	1	4.5	-	6.8
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	2	0	2	9.0	-	13.7
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	1	1	0	4.5	13.1	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	1	0	1	4.5	-	6.8
Malignant neoplasms (140-205)	14	6	8	24	16	8	108.0	210.2	54.8
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	3	0	3	3	0	3	13.5	-	20.5
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	19	5	14	31	13	18	139.5	170.8	123.2
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	54	8	46	65	17	48	292.6	223.4	328.6
Other hypertensive disease (444-447)	1	0	1	1	0	1	4.5	-	6.8
General arteriosclerosis (450)	1	0	1	2	1	1	9.0	13.1	6.8
Other circulatory diseases (451-468)	0	0	0	1	1	0	4.5	13.1	-
#Influenza & pneumonia (480-493)	12	2	10	10	2	8	45.0	26.3	54.8
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	2	1	1	9.0	13.1	6.8
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	3	0	3	2	0	2	9.0	-	13.7
Cirrhosis of liver (581)	1	0	1	1	0	1	4.5	-	6.8
Acute nephritis (590, 591)	1	0	1	1	0	1	4.5	-	6.8
Chronic nephritis, etc. (592-594)	1	0	1	2	0	2	9.0	-	13.7
Infections of kidney (600)	2	2	0	3	3	0	13.5	39.4	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	17	2	15	20	4	16	32.0	25.2	34.4
Accidents (800-962)	14	5	9	18	7	11	81.0	92.0	75.3
Motor vehicle accidents (810-835)	5	2	3	6	3	3	27.0	39.4	20.5
Suicide (963, 970-979)	2	2	0	2	2	0	9.0	26.3	-
Homicide (964, 980-985)	1	0	1	2	0	2	9.0	-	13.7
Ill-defined (780-795)	12	0	12	14	1	13	63.0	13.1	89.0

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
RANKIN COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Total	White	Non-white
				Total	White	Non-white			
Live births	164	61	103	738	433	305	18.9	17.3	21.7
Fetal deaths	3	1	2	51	34	17	69.1	78.5	55.7
Total deaths	435	229	206	288	178	110	7.4	7.1	7.8
Deaths under 1 year	8	2	6	26	11	15	35.2	25.4	49.2
Deaths under 28 days	3	2	1	16	10	6	21.7	23.1	19.7
SELECTED CAUSES OF DEATH									
AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	2	0	1	1	0	2.6	4.0	-
Syphilis (020-029)	1	0	1	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	1	1	0	1	1	0	2.6	4.0	-
Malignant neoplasms (140-205)	51	30	21	44	28	16	112.6	111.9	113.7
Benign & unspec. neoplasms (210-239)	1	0	1	2	1	1	5.1	4.0	7.1
Asthma (241)	1	1	0	1	1	0	2.6	4.0	-
Diabetes mellitus (260)	5	3	2	4	3	1	10.2	12.0	7.1
Anemias (290-293)	2	2	0	2	2	0	5.1	8.0	-
Intracranial lesions (330-334)	73	53	20	34	23	11	87.0	91.9	78.2
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	106	54	52	83	60	23	212.4	239.9	163.5
Other hypertensive disease (444-447)	1	1	0	1	1	0	2.6	4.0	-
General arteriosclerosis (450)	10	3	7	6	3	3	15.4	12.0	21.3
Other circulatory diseases (451-468)	24	9	15	4	3	1	10.2	12.0	7.1
#Influenza & pneumonia (480-493)	28	9	19	8	4	4	20.5	16.0	28.4
Bronchitis (500-502)	1	1	0	2	2	0	5.1	8.0	-
Other bronchopul. diseases (525-527)	5	5	0	3	3	0	7.7	12.0	-
Stomach & duodenal ulcers (540, 541)	1	1	0	1	1	0	2.6	4.0	-
Hernia & intestinal obstruction (560, 561, 570)	5	2	3	1	1	0	2.6	4.0	-
#Gastritis, etc. (543, 571, 572)	2	1	1	2	1	1	5.1	4.0	7.1
Cirrhosis of liver (581)	1	1	0	2	1	1	5.1	4.0	7.1
Acute nephritis (590, 591)	1	0	1	1	0	1	2.6	-	7.1
Chronic nephritis, etc. (592-594)	1	1	0	0	0	0	-	-	-
Infections of kidney (600)	10	6	4	2	1	1	5.1	4.0	7.1
Hyperplasia of prostate (610)	1	1	0	1	1	0	2.6	4.0	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	3	2	1	5	3	2	12.8	12.0	14.2
Diseases of early infancy (760-776)	1	0	1	13	7	6	17.6	16.2	19.7
Accidents (800-962)	30	14	16	27	15	12	69.1	60.0	85.3
Motor vehicle acc. (810-835)	6	4	2	13	9	4	33.3	36.0	28.4
Suicide (963, 970-979)	1	1	0	0	0	0	-	-	-
Homicide (964, 980-985)	6	0	6	7	1	6	17.9	4.0	42.6
Ill-defined (780-795)	29	11	18	20	4	16	51.2	16.0	113.7

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
SCOTT COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	451	279	172	477	264	213	20.7	18.4	24.7
Fetal deaths	5	2	3	13	6	7	27.2	22.7	32.9
Total deaths	217	136	81	226	144	82	9.8	10.0	9.5
Deaths under 1 year	10	7	3	15	11	4	31.4	41.7	18.8
Deaths under 28 days	6	5	1	11	9	2	23.1	34.1	9.4
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	2	0	2	2	0	8.7	13.9	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	18	11	7	21	14	7	91.2	97.3	81.1
Benign & unspec. neoplasms (210-239)	1	1	0	1	1	0	4.3	7.0	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	2	0	2	2	0	2	8.7	-	23.2
Anemias (290-293)	1	1	0	1	1	0	4.3	7.0	-
Intracranial lesions (330-334)	33	16	17	33	18	15	143.4	125.1	173.8
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	96	66	30	92	60	32	399.7	417.1	370.8
Other hypertensive disease (444-447)	4	2	2	3	1	2	13.0	7.0	23.2
General arteriosclerosis (450)	9	5	4	8	4	4	34.8	27.8	46.3
Other circulatory diseases (451-468)	3	2	1	4	3	1	17.4	20.8	11.6
#Influenza & pneumonia (480-493)	6	2	4	5	2	3	21.7	13.9	34.8
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	5	4	1	5	4	1	21.7	27.8	11.6
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	1	1	0	4.3	7.0	-
#Gastritis, etc. (543, 571, 572)	2	2	0	2	2	0	8.7	13.9	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	7	5	2	5	4	1	21.7	27.8	11.6
Infections of kidney (600)	1	1	0	3	2	1	13.0	13.9	11.6
Hyperplasia of prostate (610)	1	1	0	1	1	0	4.3	7.0	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	2	0	2	3	1	2	13.0	7.0	23.2
Diseases of early infancy (760-776)	7	5	2	10	8	2	21.0	30.3	9.4
Accidents (800-962)	7	3	4	8	4	4	34.8	27.8	46.3
Motor vehicle accidents (810-835)	4	2	2	4	3	1	17.4	20.8	11.6
Suicide (963, 970-979)	3	3	0	3	3	1	13.0	20.8	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	5	3	2	8	4	4	34.8	27.8	46.3

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
SHARKEY COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	137	16	121	300	59	241	26.5	18.1	30.0
Fetal deaths	8	0	8	16	2	14	53.3	33.9	58.1
Total deaths	87	23	64	109	29	80	9.6	8.9	9.9
Deaths under 1 year	14	1	13	19	3	16	63.3	50.8	66.4
Deaths under 28 days	11	0	11	16	2	14	53.3	33.9	58.1
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	1	0	1	1	0	1	8.8	-	12.4
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	8	2	6	14	3	11	123.8	92.0	136.8
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	0	0	0	0	0	0	-	-	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	11	2	9	15	5	10	132.7	153.3	124.3
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	35	11	24	38	12	26	336.2	367.9	323.3
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	1	1	0	1	1	0	8.8	30.6	-
Other circulatory diseases (451-468)	0	0	0	0	0	0	-	-	-
#Influenza & pneumonia (480-493)	8	3	5	6	3	3	53.1	92.0	37.3
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	1	0	1	8.8	-	12.4
#Gastritis, etc. (543, 571, 572)	1	0	1	1	0	1	8.8	-	12.4
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	0	1	2	0	2	17.7	-	24.9
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	1	0	1	8.8	-	12.4
Maternal causes (640-689)	0	0	0	1	0	1	33.3	-	41.5
Congenital malformations (750-759)	1	0	1	1	0	1	8.8	-	12.4
Diseases of early infancy (760-776)	7	0	7	11	1	10	36.7	16.9	41.5
Accidents (800-962)	7	4	3	5	1	4	44.2	30.6	49.7
Motor vehicle acc. (810-835)	4	3	1	1	0	1	8.8	-	12.4
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	4	0	4	5	1	4	44.2	30.6	49.7

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
SIMPSON COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	394	235	159	429	232	197	21.2	16.6	31.4
Fetal deaths	24	14	10	29	15	14	67.6	64.6	71.1
Total deaths	227	153	74	223	165	58	11.0	11.8	9.2
Deaths under 1 year	9	3	6	16	8	8	37.3	34.5	40.6
Deaths under 28 days	6	1	5	11	5	6	25.6	21.6	30.4
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	21	6	15	1	0	1	4.9	-	15.9
Syphilis (020-029)	1	0	1	1	0	1	4.9	-	15.9
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	27	19	8	34	24	10	168.2	172.2	159.3
Benign & unspec. neoplasms (210-239)	1	0	1	2	1	1	9.9	7.2	15.9
Asthma (241)	2	1	1	2	1	1	9.9	7.2	15.9
Diabetes mellitus (260)	3	2	1	2	1	1	9.9	7.2	15.9
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	29	23	6	29	23	6	143.5	165.0	95.6
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	70	59	11	68	58	10	336.4	416.2	159.3
Other hypertensive disease (444-447)	2	1	1	2	1	1	9.9	7.2	15.9
General arteriosclerosis (450)	7	5	2	9	7	2	44.5	50.2	31.8
Other circulatory diseases (451-468)	3	2	1	2	1	1	9.9	7.2	15.9
#Influenza & pneumonia (480-493)	8	6	2	8	7	1	39.6	50.2	15.9
Bronchitis (500-502)	2	2	0	1	1	0	4.9	7.2	-
Other bronchopul. diseases (525-527)	4	1	3	2	2	0	9.9	14.4	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	1	0	1	2	1	1	9.9	7.2	15.9
#Gastritis, etc. (543, 571, 572)	2	1	1	1	0	1	4.9	-	15.9
Cirrhosis of liver (581)	1	1	0	1	1	0	4.9	7.2	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	1	1	0	4.9	7.2	-
Infections of kidney (600)	3	0	3	3	0	3	14.8	-	47.8
Hyperplasia of prostate (610)	2	2	0	2	2	0	9.9	14.4	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	1	0	4	3	1	19.8	21.5	15.9
Diseases of early infancy (760-776)	6	1	5	11	5	6	25.6	21.6	30.4
Accidents (800-962)	9	6	3	9	7	2	44.5	50.2	31.8
Motor vehicle accidents (810-835)	3	2	1	3	2	1	14.8	14.4	15.9
Suicide (963, 970-979)	4	4	0	4	4	0	19.8	28.7	-
Homicide (964, 980-985)	3	1	2	4	1	3	19.8	7.2	47.8
Ill-defined (780-795)	6	3	3	7	4	3	34.6	28.7	47.8

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
SMITH COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	17	0	17	248	118	130	17.3	11.0	36.0
Fetal deaths	0	0	0	12	7	5	48.2	58.8	38.5
Total deaths	62	48	14	134	100	34	9.4	9.4	9.4
Deaths under 1 year	5	1	4	16	4	12	64.2	33.6	92.3
Deaths under 28 days	1	1	0	6	2	4	24.1	16.8	30.8
SELECTED CAUSES OF DEATH									
AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	1	0	1	1	0	1	7.0	-	27.6
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	3	2	1	14	11	3	97.9	102.9	83.0
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	1	1	0	7.0	9.4	-
Diabetes mellitus (260)	0	0	0	1	0	1	7.0	-	27.6
Anemias (290-293)	1	0	1	1	0	1	7.0	-	27.6
Intracranial lesions (330-334)	9	9	0	17	16	1	118.9	149.7	27.6
Nonmeningococcal meningitis (340)	0	0	0	1	1	0	7.0	9.4	-
Heart diseases (400-443)	23	20	3	41	38	3	286.7	355.6	83.0
Other hypertensive disease (444-447)	0	0	0	2	1	1	14.0	9.4	27.6
General arteriosclerosis (450)	6	5	1	7	5	2	48.9	46.8	55.3
Other circulatory diseases (451-468)	2	2	0	4	4	0	28.0	37.4	-
#Influenza & pneumonia (480-493)	5	2	3	9	3	6	62.9	28.1	165.9
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	1	1	0	7.0	9.4	-
Stomach & duodenal ulcers (540, 541)	1	1	0	1	1	0	7.0	9.4	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	4	3	1	28.0	28.1	27.6
#Gastritis, etc. (543, 571, 572)	0	0	0	4	3	1	28.0	28.1	27.6
Cirrhosis of liver (581)	0	0	0	2	0	2	14.0	-	55.3
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	1	1	0	7.0	9.4	-
Infections of kidney (600)	0	0	0	1	0	1	7.0	-	27.6
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	2	1	1	14.0	9.4	27.6
Diseases of early infancy (760-776)	0	0	0	4	1	3	16.1	8.4	23.1
Accidents (800-962)	6	2	4	8	5	3	55.9	46.8	83.0
Motor vehicle acc. (810-835)	2	1	1	2	1	1	14.0	9.4	27.6
Suicide (963, 970-979)	2	2	0	2	2	0	14.0	18.7	-
Homicide (964, 980-985)	1	1	0	2	1	1	14.0	9.4	27.6
Ill-defined (780-795)	1	1	0	3	1	2	21.0	9.4	55.3

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
STONE COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	120	75	45	135	86	49	17.0	14.6	23.8
Fetal deaths	4	1	3	9	4	5	66.7	46.5	102.0
Total deaths	72	55	17	73	53	20	9.2	9.0	9.7
Deaths under 1 year	1	1	0	1	0	1	7.4	-	20.4
Deaths under 28 days	1	1	0	0	0	0	-	-	-
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	1	0	1	12.6	-	48.6
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	7	5	2	7	5	2	87.9	84.7	97.3
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	1	0	1	1	0	12.6	16.9	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	9	6	3	9	6	3	113.1	101.6	145.9
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	35	31	4	29	25	4	364.3	423.4	194.6
Other hypertensive disease (444-447)	0	0	0	1	1	0	12.6	16.9	-
General arteriosclerosis (450)	0	0	0	0	0	0	-	-	-
Other circulatory diseases (451-468)	0	0	0	0	0	0	-	-	-
#Influenza & pneumonia (480-493)	0	0	0	0	0	0	-	-	-
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	1	1	0	3	3	0	37.7	50.8	-
Stomach & duodenal ulcers (540, 541)	1	1	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	0	0	0	1	0	1	12.6	-	48.6
Cirrhosis of liver (581)	2	2	0	2	2	0	25.1	33.9	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	1	1	0	1	1	0	12.6	16.9	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	1	1	0	0	0	0	-	-	-
Accidents (800-962)	7	3	4	11	6	5	138.2	101.6	243.2
Motor vehicle accidents (810-835)	4	3	1	5	4	1	62.8	67.8	48.6
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	3	1	2	3	1	2	37.7	16.9	97.3
III-defined (780-795)	4	2	2	4	2	2	50.2	33.9	97.3

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
SUNFLOWER COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Total	White	Non-white
				Total	White	Non-white			
Live births	1,132	168	964	1,267	207	1,060	26.8	14.3	32.2
Fetal deaths	50	8	42	58	14	44	45.8	67.6	41.5
Total deaths	401	111	290	459	141	318	9.7	9.7	9.7
Deaths under 1 year	65	5	60	76	9	67	60.0	43.5	63.2
Deaths under 28 days	28	4	24	33	6	27	26.0	29.0	25.5
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	3	0	3	6.3	-	9.1
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	41	9	32	54	20	34	114.0	138.2	103.4
Benign & unspec. neoplasms (210-239)	0	0	0	1	0	1	2.1	-	3.0
Asthma (241)	1	0	1	2	1	1	4.2	6.9	3.0
Diabetes mellitus (260)	7	5	2	6	4	2	12.7	27.6	6.1
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	73	20	53	80	24	56	168.9	165.8	170.3
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	107	40	67	118	45	73	249.2	310.8	222.0
Other hypertensive disease (444-447)	1	0	1	1	0	1	2.1	-	3.0
General arteriosclerosis (450)	1	0	1	1	0	1	2.1	-	3.0
Other circulatory diseases (451-468)	2	1	1	4	3	1	8.4	20.7	3.0
#Influenza & pneumonia (480-493)	33	5	28	39	10	29	82.3	69.1	88.2
Bronchitis (500-502)	1	1	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	1	0	1	1	0	1	2.1	-	3.0
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	2	0	2	4.2	-	6.1
#Gastritis, etc. (543, 571, 572)	9	0	9	9	0	9	19.0	-	27.4
Cirrhosis of liver (581)	2	2	0	2	2	0	4.2	13.8	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	3	1	2	4	1	3	8.4	6.9	9.1
Infections of kidney (600)	5	0	5	6	1	5	12.7	6.9	15.2
Hyperplasia of prostate (610)	2	0	2	2	0	2	4.2	-	6.1
Maternal causes (640-689)	1	0	1	1	0	1	7.9	-	9.4
Congenital malformations (750-759)	5	2	3	9	4	5	19.0	27.6	15.2
Diseases of early infancy (760-776)	23	2	21	26	3	23	20.5	14.5	21.7
Accidents (800-962)	30	15	15	25	11	14	52.8	76.0	42.6
Motor vehicle acc. (810-835)	18	11	7	13	7	6	27.4	48.4	18.2
Suicide (963, 970-979)	3	2	1	3	2	1	6.3	13.8	3.0
Homicide (964, 980-985)	10	3	7	7	1	6	14.8	6.9	18.2
Ill-defined (780-795)	27	1	26	34	4	30	71.8	27.6	91.2

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
TALLAHATCHIE COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	640	94	546	701	118	583	27.8	14.6	34.1
Fetal deaths	23	0	23	23	0	23	32.8	-	39.4
Total deaths	210	65	145	246	90	156	9.8	11.2	9.1
Deaths under 1 year	32	4	28	33	3	30	47.1	25.4	51.4
Deaths under 28 days	19	3	16	19	2	17	27.1	16.9	29.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	1	0	1	1	0	1	4.0	-	5.8
Dysentery (045-048)	1	0	1	1	0	1	4.0	-	5.8
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	19	8	11	28	12	16	111.3	149.0	93.5
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	1	0	1	1	0	1	4.0	-	5.8
Diabetes mellitus (260)	0	0	0	0	0	0	-	-	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	20	6	14	25	12	13	99.4	149.0	76.0
Nonmeningococcal meningitis (340)	1	0	1	1	0	1	4.0	-	5.8
Heart diseases (400-443)	79	31	48	91	40	51	361.6	496.8	298.0
Other hypertensive disease (444-447)	4	1	3	3	1	2	11.9	12.4	11.7
General arteriosclerosis (450)	5	1	4	4	1	3	15.9	12.4	17.5
Other circulatory diseases (451-468)	2	1	1	3	1	2	11.9	12.4	11.7
#Influenza & pneumonia (480-493)	6	2	4	6	2	4	23.8	24.8	23.4
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	1	1	0	2	2	0	7.9	24.8	-
Stomach & duodenal ulcers (540, 541)	1	0	1	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	1	1	0	4.0	12.4	-
#Gastritis, etc. (543, 571, 572)	3	0	3	4	0	4	15.9	-	23.4
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	2	1	1	3	2	1	11.9	24.8	5.8
Infections of kidney (600)	1	0	1	1	0	1	4.0	-	5.8
Hyperplasia of prostate (610)	1	0	1	1	0	1	4.0	-	5.8
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	4	1	3	4	2	2	15.9	24.8	11.7
Diseases of early infancy (760-776)	16	3	13	17	2	15	24.2	16.9	25.7
Accidents (800-962)	14	5	9	16	5	11	63.6	62.1	64.3
Motor vehicle accidents (810-835)	4	0	4	6	1	5	23.8	12.4	29.2
Suicide (963, 970-979)	0	0	0	2	2	0	7.9	24.8	-
Homicide (964, 980-985)	2	2	0	2	2	0	7.9	24.8	-
Ill-defined (780-795)	19	1	18	21	2	19	83.4	24.8	111.0

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
TATE COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	280	1	279	512	142	370	24.2	15.7	30.5
Fetal deaths	8	0	8	14	0	14	27.3	-	37.8
Total deaths	141	44	97	194	76	118	9.2	8.4	9.7
Deaths under 1 year	16	0	16	22	3	19	43.0	21.1	51.4
Deaths under 28 days	4	0	4	8	3	5	15.6	21.1	13.5
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	2	0	2	2	0	2	9.4	-	16.5
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	21	11	10	29	14	15	136.8	154.5	123.6
Benign & unspec. neoplasms (210-239)	0	0	0	1	0	1	4.7	-	8.2
Asthma (241)	1	0	1	1	0	1	4.7	-	8.2
Diabetes mellitus (260)	1	0	1	3	0	3	14.2	-	24.7
Anemias (290-293)	0	0	0	1	0	1	4.7	-	8.2
Intracranial lesions (330-334)	17	2	15	27	8	19	127.4	88.3	156.6
Nonmeningococcal meningitis (340)	0	0	0	1	0	1	4.7	-	8.2
Heart diseases (400-443)	65	21	44	70	27	43	330.2	298.0	354.3
Other hypertensive disease (444-447)	0	0	0	1	0	1	4.7	-	8.2
General arteriosclerosis (450)	0	0	0	1	1	0	4.7	11.0	-
Other circulatory diseases (451-468)	0	0	0	2	1	1	9.4	11.0	8.2
#Influenza & pneumonia (480-493)	1	0	1	3	1	2	14.2	11.0	16.5
Bronchitis (500-502)	0	0	0	1	1	0	4.7	11.0	-
Other bronchopul. diseases (525-527)	0	0	0	2	2	0	9.4	22.1	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	1	0	1	4	1	3	18.9	11.0	24.7
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	2	2	0	9.4	22.1	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	0	0	0	-	-	-
Diseases of early infancy (760-776)	4	0	4	8	3	5	15.6	21.1	13.5
Accidents (800-962)	8	6	2	13	10	3	61.3	110.4	24.7
Motor vehicle acc. (810-835)	4	3	1	7	5	2	33.0	55.2	16.5
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	1	0	1	1	0	1	4.7	-	8.2
Ill-defined (780-795)	14	3	11	13	2	11	61.3	22.1	90.6

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
TIPPAH COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Live births	322	253	69	272	207	65	16.9	15.7	22.1
Fetal deaths	23	18	5	19	14	5	69.8	67.6	76.9
Total deaths	163	136	27	166	142	24	10.3	10.8	8.2
Deaths under 1 year	9	3	6	11	7	4	40.4	33.8	61.5
Deaths under 28 days	7	2	5	10	6	4	36.8	29.0	61.5
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	22	20	2	23	19	4	142.9	144.4	135.9
Benign & unspec. neoplasms (210-239)	1	1	0	1	1	0	6.2	7.6	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	4	4	0	3	3	0	18.6	22.8	-
Anemias (290-293)	1	1	0	0	0	0	-	-	-
Intracranial lesions (330-334)	22	19	3	18	16	2	111.8	121.6	67.9
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	61	50	11	64	55	9	397.6	418.2	305.7
Other hypertensive disease (444-447)	0	0	0	1	0	1	6.2	-	34.0
General arteriosclerosis (450)	3	3	0	3	3	0	18.6	22.8	-
Other circulatory diseases (451-468)	2	2	0	1	1	0	6.2	7.6	-
#Influenza & pneumonia (480-493)	3	3	0	4	4	0	24.8	30.4	-
Bronchitis (500-502)	0	0	0	1	1	0	6.2	7.6	-
Other bronchopul. diseases (525-527)	1	1	0	2	2	0	12.4	15.2	-
Stomach & duodenal ulcers (540, 541)	1	1	0	1	1	0	6.2	7.6	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	2	1	1	1	1	0	6.2	7.6	-
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	1	0	1	1	0	6.2	7.6	-
Infections of kidney (600)	2	1	1	1	1	0	6.2	7.6	-
Hyperplasia of prostate (610)	1	1	0	1	1	0	6.2	7.6	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	3	2	1	4	3	1	24.8	22.8	34.0
Diseases of early infancy (760-776)	6	1	5	9	5	4	33.1	24.2	61.5
Accidents (800-962)	15	15	0	14	14	0	87.0	106.4	-
Motor vehicle accidents (810-835)	9	9	0	5	5	0	31.1	38.0	-
Suicide (963, 970-979)	2	2	0	2	2	0	12.4	15.2	-
Homicide (964, 980-985)	1	0	1	2	1	1	12.4	7.6	34.0
Ill-defined (780-795)	4	4	0	5	5	0	31.1	38.0	-

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
TISHOMINGO COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Total	White	Non-white
				Total	White	Non-white			
Live births	151	144	7	237	229	8	14.6	14.8	11.7
Fetal deaths	4	4	0	5	5	0	21.1	21.8	-
Total deaths	133	124	9	170	162	8	10.5	10.4	11.7
Deaths under 1 year	0	0	0	3	2	1	12.6	8.7	125.0
Deaths under 28 days	0	0	0	2	1	1	8.4	4.4	125.0
SELECTED CAUSES OF DEATH									
AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	20	19	1	31	30	1	191.6	193.5	146.4
Benign & unspec. neoplasms (210-239)	0	0	0	1	1	0	6.2	6.4	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	1	0	1	1	0	6.2	6.4	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	32	29	3	32	30	2	197.7	193.5	292.8
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	53	51	2	57	55	2	352.2	354.8	292.8
Other hypertensive disease (444-447)	1	1	0	1	1	0	6.2	6.4	-
General arteriosclerosis (450)	3	3	0	7	7	0	43.2	45.2	-
Other circulatory diseases (451-468)	0	0	0	1	1	0	6.2	6.4	-
#Influenza & pneumonia (480-493)	4	4	0	6	6	0	37.1	38.7	-
Bronchitis (500-502)	0	0	0	1	1	0	6.2	6.4	-
Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	1	1	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 571, 570)	1	1	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	0	0	0	1	1	0	6.2	6.4	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	1	1	0	1	1	0	6.2	6.4	-
Hyperplasia of prostate (610)	1	0	1	1	0	1	6.2	-	146.4
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	1	0	1	1	0	6.2	6.4	-
Diseases of early infancy (760-776)	0	0	0	2	1	1	8.4	4.4	125.0
Accidents (800-962)	5	4	1	11	11	0	68.0	71.0	-
Motor vehicle acc. (810-835)	1	0	1	7	7	0	43.2	45.2	-
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	8	7	1	9	8	1	55.6	51.6	146.4

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
TUNICA COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	543	39	504	573	67	506	32.8	17.1	37.4
Fetal deaths	32	0	32	33	1	32	57.6	14.9	63.2
Total deaths	178	22	156	189	27	162	10.8	6.9	12.0
Deaths under 1 year	31	4	27	29	2	27	50.6	29.8	53.4
Deaths under 28 days	20	4	16	18	2	16	31.4	29.8	31.6
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	16	2	14	23	4	19	131.9	102.3	140.4
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	0	0	0	0	0	0	-	-	-
Anemias (290-293)	2	0	2	2	0	2	11.5	-	14.8
Intracranial lesions (330-334)	25	3	22	28	6	22	160.6	153.4	162.6
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	46	6	40	53	9	44	303.9	230.1	325.2
Other hypertensive disease (444-447)	2	0	2	2	0	2	11.5	-	14.8
General arteriosclerosis (450)	4	0	4	5	0	5	28.7	-	37.0
Other circulatory diseases (451-468)	0	0	0	0	0	0	-	-	-
#Influenza & pneumonia (480-493)	5	0	5	6	0	6	34.4	-	44.4
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	1	1	0	5.7	25.6	-
#Gastritis, etc. (543, 571, 572)	4	0	4	3	0	3	17.2	-	22.2
Cirrhosis of liver (581)	2	1	1	2	1	1	11.5	25.6	7.4
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	1	0	1	5.7	-	7.4
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	1	0	1	1	0	1	17.4	-	19.8
Congenital malformations (750-759)	1	0	1	1	0	1	5.7	-	7.4
Diseases of early infancy (760-776)	13	1	12	11	0	11	19.2	-	21.7
Accidents (800-962)	27	5	22	23	3	20	131.9	76.7	147.8
Motor vehicle accidents (810-835)	17	5	12	12	3	9	68.8	76.7	66.5
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	3	0	3	3	0	3	17.2	-	22.2
III-defined (780-795)	24	4	20	22	3	19	126.2	76.7	140.4

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
UNION COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	309	240	69	333	265	68	18.0	17.0	23.0
Fetal deaths	28	22	6	23	19	4	69.1	71.7	58.8
Total deaths	166	139	27	186	157	29	10.0	10.1	9.8
Deaths under 1 year	7	5	2	7	5	2	21.0	18.9	29.4
Deaths under 28 days	4	4	0	5	5	0	15.0	18.9	-
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	1	0	1	1	0	1	5.4	-	33.8
Malignant neoplasms (140-205)	27	22	5	31	26	5	167.6	167.3	168.9
Benign & unspec. neoplasms (210-239)	1	1	0	1	1	0	5.4	6.4	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	3	2	1	3	2	1	16.2	12.9	33.8
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	31	24	7	29	23	6	156.8	148.0	202.6
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	59	54	5	68	61	7	367.6	392.6	236.4
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	6	6	0	6	6	0	32.4	38.6	-
Other circulatory diseases (451-468)	2	2	0	2	2	0	10.8	12.9	-
#Influenza & pneumonia (480-493)	5	4	1	5	4	1	27.0	25.7	33.8
Bronchitis (500-502)	1	1	0	1	1	0	5.4	6.4	-
Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	1	1	0	5.4	6.4	-
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	2	1	1	10.8	6.4	33.8
#Gastritis, etc. (543, 571, 572)	0	0	0	0	0	0	-	-	-
Cirrhosis of liver (581)	1	1	0	1	1	0	5.4	6.4	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	0	0	0	1	1	0	5.4	6.4	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	1	1	0	1	1	0	5.4	6.4	-
Maternal causes (640-689)	1	1	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	0	1	1	0	1	5.4	-	33.8
Diseases of early infancy (760-776)	5	5	0	5	5	0	15.0	18.9	-
Accidents (800-962)	7	5	2	10	8	2	54.0	51.5	67.5
Motor vehicle acc. (810-835)	2	2	0	2	2	0	10.8	12.9	-
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	2	1	1	3	2	1	16.2	12.9	33.8
<u>Ill-defined (780-795)</u>	8	5	3	8	5	3	43.2	32.2	101.3

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
WALTHALL COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	407	212	195	280	101	179	20.4	13.2	29.3
Fetal deaths	16	9	7	8	1	7	28.6	9.9	39.1
Total deaths	123	81	42	118	73	45	8.6	9.5	7.4
Deaths under 1 year	11	4	7	10	2	8	35.7	19.8	44.7
Deaths under 28 days	6	4	2	5	2	3	17.8	19.8	16.8
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	11	8	3	11	7	4	79.9	91.4	65.5
Benign & unspec. neoplasms (210-239)	1	0	1	1	0	1	7.3	-	16.4
Asthma (241)	2	1	1	2	1	1	14.5	13.1	16.4
Diabetes mellitus (260)	2	2	0	1	1	0	7.3	13.1	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	13	6	7	18	10	8	130.8	130.6	131.1
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	47	34	13	38	27	11	276.2	352.7	180.2
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	2	2	0	2	2	0	14.5	26.1	-
Other circulatory diseases (451-468)	0	0	0	1	1	0	7.3	13.1	-
#Influenza & pneumonia (480-493)	6	3	3	6	3	3	43.6	39.2	49.1
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	3	3	0	2	2	0	14.5	26.1	-
Stomach & duodenal ulcers (540, 541)	1	1	0	1	1	0	7.3	13.1	-
Hernia & intestinal obstruction (560, 561, 570)	0	0	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	1	0	1	1	0	1	7.3	-	16.4
Cirrhosis of liver (581)	1	1	0	1	1	0	7.3	13.1	-
Acute nephritis (590, 591)	1	0	1	1	0	1	7.3	-	16.4
Chronic nephritis, etc. (592-594)	0	0	0	0	0	0	-	-	-
Infections of kidney (600)	1	1	0	1	1	0	7.3	13.1	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	1	0	1	1	0	1	35.7	-	55.9
Congenital malformations (750-759)	2	1	1	2	1	1	14.5	13.1	16.4
Diseases of early infancy (760-776)	7	4	3	6	2	4	21.4	19.8	22.3
Accidents (800-962)	10	8	2	12	7	5	87.2	91.4	81.9
Motor vehicle accidents (810-835)	6	5	1	8	4	4	58.1	52.2	65.5
Suicide (963, 970-979)	1	0	1	1	0	1	7.3	-	16.4
Homicide (964, 980-985)	0	0	0	1	0	1	7.3	-	16.4
Ill-defined (780-795)	4	2	2	5	3	2	36.3	39.2	32.8

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
WARREN COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	1,493	606	887	1,046	516	530	23.0	21.0	25.4
Fetal deaths	129	53	76	74	39	35	70.8	75.7	66.0
Total deaths	722	280	442	557	235	322	12.2	9.5	15.4
Deaths under 1 year	81	12	69	51	11	40	48.8	21.4	75.5
Deaths under 28 days	60	11	49	36	10	26	34.4	19.4	49.0
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	2	1	1	4.4	4.1	4.8
Syphilis (020-029)	2	0	2	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	107	50	57	77	42	35	169.2	170.6	167.6
Benign & unspec. neoplasms (210-239)	2	0	2	0	0	0	-	-	-
Asthma (241)	2	1	1	1	0	1	2.2	-	4.8
Diabetes mellitus (260)	16	4	12	10	3	7	22.0	12.2	33.5
Anemias (290-293)	2	0	2	1	0	1	2.2	-	4.8
Intracranial lesions (330-334)	79	32	47	65	24	41	142.9	97.5	196.4
Nonmeningococcal meningitis (340)	1	0	1	1	0	1	2.2	-	4.8
Heart diseases (400-443)	187	92	95	157	73	84	345.1	296.5	402.4
Other hypertensive disease (444-447)	7	1	6	5	1	4	11.0	4.1	19.2
General arteriosclerosis (450)	8	6	2	9	7	2	19.8	28.4	9.6
Other circulatory diseases (451-468)	14	8	6	11	7	4	24.2	28.4	19.2
#Influenza & pneumonia (480-493)	15	9	6	12	7	5	26.4	28.4	24.0
Bronchitis (500-502)	6	3	3	5	3	2	11.0	12.2	9.6
Other bronchopul. diseases (525-527)	4	4	0	7	6	1	15.4	24.4	4.8
Stomach & duodenal ulcers (540, 541)	3	1	2	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	12	2	10	4	2	2	8.8	8.1	9.6
#Gastritis, etc. (543, 571, 572)	4	0	4	3	0	3	6.6	-	14.4
Cirrhosis of liver (581)	3	3	0	4	4	0	8.8	16.2	-
Acute nephritis (590, 591)	1	0	1	1	0	1	2.2	-	4.8
Chronic nephritis, etc. (592-594)	7	2	5	5	2	3	11.0	8.1	14.4
Infections of kidney (600)	5	4	1	4	3	1	8.8	12.2	4.8
Hyperplasia of prostate (610)	3	1	2	1	1	0	2.2	4.1	-
Maternal causes (640-689)	5	0	5	2	0	2	19.1	-	37.7
Congenital malformations (750-759)	12	2	10	6	1	5	13.2	4.1	24.0
Diseases of early infancy (760-776)	59	10	49	40	9	31	38.3	17.5	58.5
Accidents (800-962)	50	20	30	40	20	20	87.9	81.2	95.8
Motor vehicle acc. (810-835)	17	8	9	13	9	4	28.6	36.6	19.2
Suicide (963, 970-979)	3	3	0	2	2	0	4.4	8.1	-
Homicide (964, 980-985)	8	4	4	7	4	3	15.4	16.2	14.4
Ill-defined (780-795)	66	9	57	61	7	54	134.1	28.4	258.7

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
WASHINGTON COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	2,192	746	1,446	2,060	677	1,383	26.0	20.1	30.4
Fetal deaths	170	84	86	162	72	90	78.7	106.4	65.1
Total deaths	857	291	566	876	268	608	11.1	8.0	13.4
Deaths under 1 year	105	17	88	103	17	86	50.0	25.1	62.2
Deaths under 28 days	60	15	45	56	14	42	27.2	20.7	30.4
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	2	0	2	3	0	3	3.8	-	6.6
Syphilis (020-029)	2	1	1	3	1	2	3.8	3.0	4.4
Dysentery (045-048)	1	0	1	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	1	0	1	1	0	1	1.3	-	2.2
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	1	0	1	1	0	1	1.3	-	2.2
Malignant neoplasms (140-205)	97	46	51	108	48	60	136.4	142.7	131.8
Benign & unspec. neoplasms (210-239)	9	3	6	9	3	6	11.4	8.9	13.2
Asthma (241)	2	0	2	2	0	2	2.5	-	4.4
Diabetes mellitus (260)	14	6	8	15	5	10	18.9	14.9	22.0
Anemias (290-293)	5	2	3	6	2	4	7.6	5.9	8.8
Intracranial lesions (330-334)	89	27	62	94	25	69	118.7	74.3	151.5
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	221	90	131	223	85	138	281.7	252.7	303.1
Other hypertensive disease (444-447)	5	1	4	6	0	6	7.6	-	13.2
General arteriosclerosis (450)	11	8	3	12	8	4	15.2	23.8	8.8
Other circulatory diseases (451-468)	9	8	1	10	7	3	12.6	20.8	6.6
#Influenza & pneumonia (480-493)	37	14	23	39	11	28	49.3	32.7	61.5
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	12	10	2	14	12	2	17.7	35.7	4.4
Stomach & duodenal ulcers (540, 541)	3	1	2	3	1	2	3.8	3.0	4.4
Hernia & intestinal obstruction (560, 561, 570)	7	2	5	9	1	8	11.4	3.0	17.6
#Gastritis, etc. (543, 571, 572)	13	0	13	13	0	13	16.4	-	28.6
Cirrhosis of liver (581)	3	1	2	2	0	2	2.5	-	4.4
Acute nephritis (590, 591)	2	0	2	2	0	2	2.5	-	4.4
Chronic nephritis, etc. (592-594)	11	0	11	13	0	13	16.4	-	28.6
Infections of kidney (600)	6	2	4	6	1	5	7.6	3.0	11.0
Hyperplasia of prostate (610)	2	1	1	1	0	1	1.3	-	2.2
Maternal causes (640-689)	1	0	1	1	0	1	4.8	-	2.2
Congenital malformations (750-759)	6	3	3	7	4	3	8.8	11.9	7.2
Diseases of early infancy (760-776)	50	11	39	45	10	35	21.8	14.8	6.6
Accidents (800-962)	64	26	38	64	24	40	80.8	71.4	25.3
Motor vehicle accidents (810-835)	19	10	9	23	13	10	29.0	38.6	22.0
Suicide (963, 970-979)	4	3	1	4	3	1	5.0	8.9	2.2
Homicide (964, 980-985)	15	2	13	16	2	14	20.2	5.9	30.7
Ill-defined (780-795)	118	7	111	113	5	108	142.7	14.9	237.2

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
WAYNE COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	428	263	165	345	182	163	21.1	17.7	26.9
Fetal deaths	18	9	9	19	8	11	55.1	44.0	67.5
Total deaths	160	101	59	176	104	72	10.8	10.1	11.9
Deaths under 1 year	24	11	13	24	6	18	69.6	33.0	110.4
Deaths under 28 days	14	9	5	12	6	6	34.8	33.0	36.8
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	1	0	1	1	0	6.1	9.7	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	1	0	1	6.1	-	16.5
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	1	0	1	1	0	1	6.1	-	16.5
Malignant neoplasms (140-205)	15	9	6	21	13	8	128.7	126.6	132.2
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	5	3	2	6	4	2	36.8	39.0	33.0
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	21	10	11	25	12	13	153.2	116.9	214.8
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	54	41	13	58	43	15	355.4	418.9	247.8
Other hypertensive disease (444-447)	1	0	1	1	0	1	6.1	-	16.5
General arteriosclerosis (450)	1	1	0	1	1	0	6.1	9.7	-
Other circulatory diseases (451-468)	0	0	0	1	1	0	6.1	9.7	-
#Influenza & pneumonia (480-493)	6	4	2	5	3	2	30.6	29.2	33.0
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	2	2	0	1	1	0	6.1	9.7	-
Stomach & duodenal ulcers (540, 541)	1	1	0	1	1	0	6.1	9.7	-
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	1	0	1	6.1	-	16.5
#Gastritis, etc. (543, 571, 572)	3	0	3	3	0	3	18.4	-	49.6
Cirrhosis of liver (581)	0	0	0	1	1	0	6.1	9.7	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	2	2	0	2	2	0	12.2	19.5	-
Infections of kidney (600)	1	1	0	3	2	1	18.4	19.5	16.5
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	1	0	1	1	0	1	29.0	-	61.3
Congenital malformations (750-759)	2	1	1	2	1	1	12.2	9.7	16.5
Diseases of early infancy (760-776)	11	7	4	10	4	6	29.0	22.0	36.8
Accidents (800-962)	15	10	5	11	6	5	67.4	58.4	82.6
Motor vehicle acc. (810-835)	10	9	1	6	5	1	36.8	48.7	16.5
Suicide (963, 970-979)	1	1	0	1	1	0	6.1	9.7	-
Homicide (964, 980-985)	4	1	3	4	1	3	24.5	9.7	49.6
Ill-defined (780-795)	7	4	3	7	4	3	42.9	39.0	49.6

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
WEBSTER COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	111	67	44	184	115	69	16.5	14.2	22.3
Fetal deaths	3	3	0	8	5	3	43.5	43.5	43.5
Total deaths	79	64	15	119	99	20	10.7	12.3	6.5
Deaths under 1 year	5	1	4	8	3	5	43.5	26.1	72.5
Deaths under 28 days	3	1	2	5	3	2	27.2	26.1	29.0
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	8	6	2	15	12	3	134.4	148.8	97.0
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	2	2	0	4	4	0	35.8	49.6	-
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	18	16	2	17	15	2	152.4	185.9	64.7
Nonmeningococcal meningitis (340)	0	0	0	0	0	0	-	-	-
Heart diseases (400-443)	24	23	1	37	35	2	331.6	433.9	64.7
Other hypertensive disease (444-447)	0	0	0	0	0	0	-	-	-
General arteriosclerosis (450)	1	1	0	2	2	0	17.9	24.8	-
Other circulatory diseases (451-468)	1	1	0	1	1	0	9.0	12.4	-
#Influenza & pneumonia (480-493)	2	2	0	3	3	0	26.9	37.2	-
Bronchitis (500-502)	1	1	0	1	1	0	9.0	12.4	-
Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	1	1	0	1	1	0	9.0	12.4	-
#Gastritis, etc. (543, 571, 572)	1	0	1	2	0	2	17.9	-	64.7
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	1	0	1	1	0	9.0	12.4	-
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	0	0	0	1	1	0	9.0	12.4	-
Maternal causes (640-689)	0	0	0	1	0	1	54.3	-	144.9
Congenital malformations (750-759)	1	1	0	1	1	0	9.0	12.4	-
Diseases of early infancy (760-776)	3	0	3	5	2	3	27.2	17.4	43.5
Accidents (800-962)	7	5	2	14	10	4	125.5	124.0	129.4
Motor vehicle accidents (810-835)	2	2	0	6	4	2	53.8	49.6	64.7
Suicide (963, 970-979)	2	2	0	2	2	0	17.9	24.8	-
Homicide (964, 980-985)	3	0	3	2	0	2	17.9	-	64.7
Ill-defined (780-795)	1	0	1	2	1	1	17.9	12.4	32.4

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
WILKINSON COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	271	98	173	260	44	216	21.1	12.8	24.2
Fetal deaths	9	0	9	17	3	14	65.4	68.2	64.8
Total deaths	139	77	62	138	57	81	11.2	16.6	9.1
Deaths under 1 year	11	2	9	14	2	12	53.8	45.4	55.6
Deaths under 28 days	3	1	2	5	1	4	19.2	22.7	18.5
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	1	0	1	1	0	1	8.1	-	11.2
Syphilis (020-029)	0	0	0	0	0	0	-	-	-
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	17	13	4	15	9	6	121.6	262.7	67.4
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	1	0	1	8.1	-	11.2
Diabetes mellitus (260)	3	0	3	7	0	7	56.8	-	78.6
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	10	4	6	15	7	8	121.6	204.3	89.8
Nonmeningococcal meningitis (340)	1	0	1	1	0	1	8.1	-	11.2
Heart diseases (400-443)	42	32	10	40	26	14	324.3	758.9	157.2
Other hypertensive disease (444-447)	2	1	1	2	1	1	16.2	29.2	11.2
General arteriosclerosis (450)	3	1	2	4	1	3	32.4	29.2	33.7
Other circulatory diseases (451-468)	4	2	2	2	1	1	16.2	29.2	11.2
#Influenza & pneumonia (480-493)	2	0	2	2	0	2	16.2	-	22.4
Bronchitis (500-502)	0	0	0	0	0	0	-	-	-
Other bronchopul. diseases (525-527)	3	2	1	1	0	1	8.1	-	11.2
Stomach & duodenal ulcers (540, 541)	3	2	1	1	0	1	8.1	-	11.2
Hernia & intestinal obstruction (560, 561, 570)	2	2	0	0	0	0	-	-	-
#Gastritis, etc. (543, 571, 572)	1	0	1	2	0	2	16.2	-	22.4
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	0	1	1	0	1	8.1	-	11.2
Infections of kidney (600)	0	0	0	1	0	1	8.1	-	11.2
Hyperplasia of prostate (610)	3	1	2	3	1	2	24.3	29.2	22.4
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	1	0	1	0	0	0	-	-	-
Diseases of early infancy (760-776)	3	1	2	5	1	4	19.2	22.7	18.5
Accidents (800-962)	13	8	5	12	6	6	97.3	175.1	67.4
Motor vehicle acc. (810-835)	8	5	3	6	2	4	48.6	58.4	44.9
Suicide (963, 970-979)	0	0	0	0	0	0	-	-	-
Homicide (964, 980-985)	0	0	0	1	0	1	8.1	-	11.2
III-defined (780-795)	15	2	13	15	2	13	121.6	58.4	146.0

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
WINSTON COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	329	145	184	356	149	207	18.8	14.4	24.0
Fetal deaths	10	4	6	11	3	8	30.9	20.1	38.6
Total deaths	151	97	54	185	123	62	9.8	11.9	7.2
Deaths under 1 year	12	5	7	12	5	7	33.7	33.6	33.8
Deaths under 28 days	9	4	5	9	4	5	25.3	26.8	24.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	1	0	1	1	0	1	5.3	-	11.6
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	16	12	4	21	16	5	110.9	155.2	58.0
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	3	0	3	3	0	3	15.8	-	34.8
Anemias (290-293)	1	1	0	1	1	0	5.3	9.7	-
Intracranial lesions (330-334)	21	14	7	27	20	7	142.6	194.0	81.1
Nonmeningococcal meningitis (340)	2	0	2	2	0	2	10.6	-	23.2
Heart diseases (400-443)	50	39	11	61	48	13	322.1	465.5	150.7
Other hypertensive disease (444-447)	2	0	2	4	0	4	21.1	-	46.4
General arteriosclerosis (450)	3	3	0	4	4	0	21.1	38.8	-
Other circulatory diseases (451-468)	3	2	1	3	2	1	15.8	19.4	11.6
#Influenza & pneumonia (480-493)	2	2	0	2	2	0	10.6	19.4	-
Bronchitis (500-502)	0	0	0	1	1	0	5.3	9.7	-
Other bronchopul. diseases (525-527)	3	2	1	5	3	2	26.4	29.1	23.2
Stomach & duodenal ulcers (540, 541)	0	0	0	0	0	0	-	-	-
Hernia & intestinal obstruction (560, 561, 570)	1	0	1	1	0	1	5.3	-	11.6
#Gastritis, etc. (543, 571, 572)	4	2	2	5	2	3	26.4	19.4	34.8
Cirrhosis of liver (581)	0	0	0	0	0	0	-	-	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	1	0	1	2	0	2	10.6	-	23.2
Infections of kidney (600)	0	0	0	0	0	0	-	-	-
Hyperplasia of prostate (610)	1	0	1	1	0	1	5.3	-	11.6
Maternal causes (640-689)	0	0	0	1	0	1	28.1	-	48.3
Congenital malformations (750-759)	2	1	1	2	1	1	10.6	9.7	11.6
Diseases of early infancy (760-776)	5	3	2	5	3	2	14.0	20.1	9.7
Accidents (800-962)	13	6	7	14	8	6	73.9	77.6	69.5
Motor vehicle accidents (810-835)	7	5	2	6	5	1	31.7	48.5	11.6
Suicide (963, 970-979)	0	0	0	1	1	0	5.3	9.7	-
Homicide (964, 980-985)	0	0	0	0	0	0	-	-	-
Ill-defined (780-795)	9	4	5	10	4	6	52.8	38.8	69.5

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
YALOBUSHA COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Total	White	Non-white
				Total	White	Non-white			
Live births	253	85	168	259	93	166	20.2	13.2	28.7
Fetal deaths	5	3	2	4	2	2	15.4	21.5	12.0
Total deaths	127	79	48	164	105	59	12.8	14.9	10.2
Deaths under 1 year	11	1	10	13	2	11	50.2	21.5	66.3
Deaths under 28 days	6	0	6	9	2	7	34.7	21.5	42.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	1	0	1	1	0	1	7.8	-	17.3
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	13	8	5	18	12	6	140.2	170.0	103.7
Benign & unspec. neoplasms (210-239)	0	0	0	0	0	0	-	-	-
Asthma (241)	0	0	0	0	0	0	-	-	-
Diabetes mellitus (260)	1	0	1	2	0	2	15.6	-	34.6
Anemias (290-293)	1	0	1	0	0	0	-	-	-
Intracranial lesions (330-334)	27	19	8	26	18	8	202.4	255.0	138.3
Nonmeningococcal meningitis (340)	1	1	0	1	1	0	7.8	14.2	-
Heart diseases (400-443)	39	30	9	53	41	12	412.7	580.9	207.4
Other hypertensive disease (444-447)	0	0	0	3	2	1	23.4	28.3	17.3
General arteriosclerosis (450)	0	0	0	0	0	0	-	-	-
Other circulatory diseases (451-468)	2	1	1	5	4	1	38.9	56.7	17.3
#Influenza & pneumonia (480-493)	2	2	0	4	4	0	31.1	56.7	-
Bronchitis (500-502)	0	0	0	1	1	0	7.8	14.2	-
Other bronchopul. diseases (525-527)	0	0	0	0	0	0	-	-	-
Stomach & duodenal ulcers (540, 541)	1	1	0	2	1	1	15.6	14.2	17.3
Hernia & intestinal obstruction (560, 561, 570)	3	2	1	2	1	1	15.6	14.2	17.3
#Gastritis, etc. (543, 571, 572)	1	0	1	1	0	1	7.8	-	17.3
Cirrhosis of liver (581)	1	1	0	1	1	0	7.8	14.2	-
Acute nephritis (590, 591)	0	0	0	0	0	0	-	-	-
Chronic nephritis, etc. (592-594)	2	0	2	2	0	2	15.6	-	34.6
Infections of kidney (600)	2	2	0	2	2	0	15.6	28.3	-
Hyperplasia of prostate (610)	0	0	0	0	0	0	-	-	-
Maternal causes (640-689)	0	0	0	0	0	0	-	-	-
Congenital malformations (750-759)	0	0	0	1	0	1	7.8	-	17.3
Diseases of early infancy (760-776)	7	0	7	10	2	8	38.6	21.5	48.2
Accidents (800-962)	4	3	1	10	7	3	77.9	99.2	51.8
Motor vehicle acc. (810-835)	1	1	0	4	4	0	31.1	56.7	-
Suicide (963, 970-979)	2	1	1	2	1	1	15.6	14.2	17.3
Homicide (964, 980-985)	0	0	0	1	0	1	7.8	-	17.3
Ill-defined (780-795)	9	2	7	9	2	7	70.1	28.3	121.0

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
YAZOO COUNTY, MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence			Rate*		
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	727	207	520	779	222	557	23.6	17.2	27.7
Fetal deaths	30	7	23	48	11	37	61.6	49.5	66.4
Total deaths	313	116	197	369	137	232	11.2	10.6	11.5
Deaths under 1 year	27	7	20	34	6	28	43.6	27.0	50.3
Deaths under 28 days	15	6	9	18	5	13	23.1	22.5	23.3
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	0	0	0	0	0	0	-	-	-
Syphilis (020-029)	0	0	0	1	0	1	3.0	-	5.0
Dysentery (045-048)	0	0	0	0	0	0	-	-	-
Scarlet fever & streptococcal sore throat (050, 051)	0	0	0	0	0	0	-	-	-
Diphtheria (055)	0	0	0	0	0	0	-	-	-
Whooping cough (056)	0	0	0	0	0	0	-	-	-
Meningococcal infections (057)	0	0	0	0	0	0	-	-	-
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	0	0	0	0	0	0	-	-	-
Malignant neoplasms (140-205)	53	29	24	58	31	27	175.7	240.1	134.4
Benign & unspec. neoplasms (210-239)	0	0	0	2	1	1	6.0	7.7	5.0
Asthma (241)	1	0	1	1	0	1	3.0	-	5.0
Diabetes mellitus (260)	5	0	5	6	1	5	18.2	7.7	24.9
Anemias (290-293)	0	0	0	0	0	0	-	-	-
Intracranial lesions (330-334)	34	13	21	40	16	24	121.2	123.9	119.4
Nonmeningococcal meningitis (340)	0	0	0	1	0	1	3.0	-	5.0
Heart diseases (400-443)	82	38	44	94	44	50	284.8	340.8	248.8
Other hypertensive disease (444-447)	5	0	5	5	0	5	15.1	-	24.9
General arteriosclerosis (450)	4	1	3	4	1	3	12.1	7.7	14.9
Other circulatory diseases (451-468)	3	2	1	5	2	3	15.1	15.5	14.9
#Influenza & pneumonia (480-493)	10	2	8	12	3	9	36.4	23.2	44.8
Bronchitis (500-502)	1	1	0	1	1	0	3.0	7.7	-
Other bronchopul. diseases (525-527)	1	1	0	1	1	0	3.0	7.7	-
Stomach & duodenal ulcers (540, 541)	0	0	0	1	1	0	3.0	7.7	-
Hernia & intestinal obstruction (560, 561, 570)	2	0	2	2	0	2	6.0	-	10.0
#Gastritis, etc. (543, 571, 572)	4	1	3	5	2	3	15.1	15.5	14.9
Cirrhosis of liver (581)	0	0	0	2	2	0	6.0	15.5	-
Acute nephritis (590, 591)	2	0	2	2	0	2	6.0	-	10.0
Chronic nephritis, etc. (592-594)	3	1	2	5	0	5	15.1	-	24.9
Infections of kidney (600)	0	0	0	1	0	1	3.0	-	5.0
Hyperplasia of prostate (610)	3	1	2	2	1	1	6.0	7.7	5.0
Maternal causes (640-689)	1	0	1	1	0	1	12.8	-	18.0
Congenital malformations (750-759)	1	0	1	1	0	1	3.0	-	5.0
Diseases of early infancy (760-776)	12	5	7	15	4	11	19.2	18.0	19.7
Accidents (800-962)	13	2	11	18	4	14	54.5	31.0	69.7
Motor vehicle accidents (810-835)	9	1	8	12	4	8	36.4	31.0	39.8
Suicide (963, 970-979)	3	2	1	5	3	2	15.1	23.2	10.0
Homicide (964, 980-985)	6	1	5	8	2	6	24.2	15.5	29.8
Ill-defined (780-795)	51	9	42	54	8	46	163.6	62.0	228.9

See page 55 for footnotes.

BIRTHS, FETAL DEATHS, TOTAL DEATHS, DEATHS UNDER 1 YEAR, DEATHS UNDER 28 DAYS,
AND DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES OF DEATH
STATE OF MISSISSIPPI, 1965

By Place of Occurrence, and by Place of Residence, by Race, with Rates

	Occurrence			Residence					
	Total	White	Non-white	Number			Rate*		
				Total	White	Non-white	Total	White	Non-white
Live births	51203	23334	27869	51171	23369	27802	22.0	17.4	28.2
Fetal deaths	2553	1104	1449	2510	1054	1456	49.0	45.1	52.4
Total deaths	22301	12201	10100	22652	12376	10276	9.7	9.2	10.4
Deaths under 1 year	2092	573	1519	2126	593	1533	41.5	25.4	55.1
Deaths under 28 days	1267	459	808	1283	470	813	25.1	20.1	29.2
SELECTED CAUSES OF DEATH AND INTERNATIONAL LIST NO.									
Tuberculosis (001-019)	78	25	53	78	26	52	3.3	1.9	5.3
Syphilis (020-029)	30	9	21	28	7	21	1.2	0.5	2.1
Dysentery (045-048)	14	2	12	13	1	12	0.6	0.1	1.2
Scarlet fever & streptococcal sore throat (050, 051)	1	1	0	1	1	0	**	0.1	-
Diphtheria (055)	1	0	1	1	0	1	**	-	0.1
Whooping cough (056)	3	0	3	3	0	3	0.1	-	0.3
Meningococcal infections (057)	14	9	5	12	7	5	0.5	0.5	0.5
Acute poliomyelitis (080)	0	0	0	0	0	0	-	-	-
Measles (085)	8	1	7	8	1	7	0.3	0.1	0.7
Malignant neoplasms (140-205)	2828	1806	1022	2931	1867	1064	125.8	138.9	108.0
Benign & unspec. neoplasms (210-239)	51	24	27	55	25	30	2.4	1.8	3.0
Asthma (241)	57	33	24	55	30	25	2.4	2.2	2.5
Diabetes mellitus (260)	308	148	160	314	151	163	13.5	11.2	16.5
Anemias (290-293)	51	20	31	53	21	32	2.3	1.6	3.2
Intracranial lesions (330-334)	3011	1600	1411	3064	1639	1425	131.5	121.9	144.6
Nonmeningococcal meningitis (340)	43	13	30	51	15	36	2.2	1.1	3.6
Heart diseases (400-443)	6974	4413	2561	7038	4429	2609	302.1	329.4	264.8
Other hypertensive disease (444-447)	193	69	124	198	69	129	8.5	5.1	13.1
General arteriosclerosis (450)	385	256	129	382	251	131	16.4	18.7	13.3
Other circulatory diseases (451-468)	284	183	101	311	202	109	13.3	15.0	11.1
#Influenza & pneumonia (480-493)	752	345	407	764	350	414	32.8	26.0	42.0
Bronchitis (500-502)	58	42	16	63	48	15	2.7	3.6	1.5
Other bronchopul. diseases (525-527)	254	207	47	257	210	47	11.0	15.6	4.8
Stomach & duodenal ulcers (540, 541)	75	60	15	75	61	14	3.2	4.5	1.4
Hernia & intestinal obstruction (560, 561, 570)	135	75	60	140	80	60	6.0	6.0	6.1
#Gastritis, etc. (543, 571, 572)	247	55	192	252	58	194	10.8	4.3	19.7
Cirrhosis of liver (581)	105	83	22	113	90	23	4.8	6.7	2.3
Acute nephritis (590, 591)	34	8	26	34	7	27	1.4	0.5	2.7
Chronic nephritis, etc. (592-594)	207	66	141	210	70	140	9.0	5.2	14.2
Infections of kidney (600)	172	94	78	175	97	78	7.5	7.2	7.9
Hyperplasia of prostate (610)	68	29	39	69	29	40	3.0	2.2	4.0
Maternal causes (640-689)	41	4	37	40	3	37	7.8	1.3	13.3
Congenital malformations (750-759)	239	126	113	257	142	115	11.0	10.6	11.7
Diseases of early infancy (760-776)	1069	369	700	1076	374	702	21.0	16.0	25.2
Accidents (800-962)	1600	896	704	1610	881	729	69.1	65.5	74.0
Motor vehicle acc. (810-835)	748	491	257	742	473	269	31.8	35.2	27.3
Suicide (963, 970-979)	148	130	18	155	137	18	6.6	10.2	1.8
Homicide (964, 980-985)	255	62	193	259	60	199	11.1	4.5	20.2
Ill-defined (780-795)	1745	519	1226	1715	499	1216	73.6	37.1	123.4

See page 55 for footnotes.