

VITAL STATISTICS

MISSISSIPPI

1981

MISSISSIPPI STATE DEPARTMENT OF HEALTH
OFFICE OF PUBLIC HEALTH STATISTICS
DAVID LOHRISCH, PH.D., DIRECTOR

P. O. BOX 1700
JACKSON, MISSISSIPPI 39205
TELEPHONE NUMBER 601-354-6607

TABLE OF CONTENTS

Page

INTRODUCTION

Description of Bulletin	1
Definitions of Live Birth and Fetal Death	1
Occurrence and Residence Allocation	1
Population	2
Rates	2
Classification of Cause of Death	2

SUMMARY TABLES, 1981

LIVE BIRTHS

Table A1.	Live Births and Percentage Distribution, by Type of Facility, Attendant, and Race	5
Table A2.	Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1940, 1950, 1960, 1970-1981	6
Table A3.	Live Births and Average per Day, by Month	6
Table A4.	Live Births, Percentage Distribution, and Fertility Rates, by Age of Mother and Race	7
Table A5.	Live Births and Percentage Distribution, by Years of School Completed by Father and Mother and Race	8
Table A6.	Illegitimate Live Births and Percent of Total Live Births in Specified Group, by Age of Mother and Race	8
Table A7.	Live Births, Percentage Distribution, Fertility Rates, and Median Age of Mother, by Total-Birth Order and Race	9
Table A8.	Median Number of Months between Last Delivery to Mothers Who Had Had Previous Pregnancies and Live Birth in 1981, by Race and Outcome of Last Delivery	10
Table A9.	Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time during Pregnancy Care Began, and Race	10
Table A10.	Live Births and Percentage Distribution, by Maturity and Race ..	11
Table A11.	Congenital Malformations Reported on Live Birth Certificates, by System or Organs Affected and Race	11

FETAL DEATHS

Table B1.	Reportable Fetal Deaths and Percentage Distribution, by Place of Delivery, Attendant, and Race	12
Table B2.	Reportable Fetal Deaths and Fetal Death Ratios, by Age of Mother and Race	13
Table B3.	Percentage Distribution of Live Births and Reportable Fetal Deaths, by Whether Mother Received Prenatal Care and Race	13
Table B4.	Reportable Fetal Deaths and Fetal Death Ratios, by Completed Weeks of Gestation and Race, 1979-1981	14

DEATHS

Table C1.	Deaths and Average per Day, by Month	15
Table C2.	Deaths, Percentage Distribution, and Rates, by Age and Race	15
Table C3.	Deaths by Age, Race, and Sex, and Male/Female Ratios by Age and Race	16
Table C4.	Death Rates, by Age, Race, and Sex	16
Table C5.	Deaths and Percent of Total Deaths from Ten Leading Causes, by Cause and Race	17
Table C6.	Deaths, Percent of Total Deaths, and Rates for Five Leading Causes, by Age and Cause	18

SUMMARY TABLES, 1981

DEATHS (continued)

Table C7.	Deaths and Rates from Malignant Neoplasms, by Primary Site, Sex, and Race	19
Table C8.	Deaths from Major Chronic Respiratory Diseases, 1956, 1961, 1966, 1971, 1976, 1981	19
Table C9	Deaths and Percent of Total Accidental Deaths from Five Leading Causes of Accidental Death, by Cause and Race	20
Table C10.	Deaths from Selected Types of Accidents, by Sex, also by Age	21
Table C11.	Motor Vehicle Accident Deaths Occurring in Mississippi and Rates, also Motor Vehicle Accident Deaths of Mississippi Residents and Rates, by Year, 1950, 1955, 1960, 1965, 1970-1981	22
Table C12.	Infant Deaths, Percentage Distribution, and Mortality Rates, by Age and Race	23
Table C13.	Deaths and Mortality Rates for Six Leading Causes of Infant Deaths, by Cause and Race	23

MARRIAGES

Table D1.	Marriages and Average per Day, by Month	24
Table D2.	Brides and Grooms and Percentage Distribution, by Age and Race	24
Table D3.	Median Age of Bride and Groom, for All Marriages and First Marriages, by Race	25
Table D4.	Brides and Grooms and Percentage Distribution, by Marriage Order and Race	25
Table D5	Brides and Grooms and Percentage Distribution, by Previous Marital Status and Race	26
Table D6.	Marriages and Percentage Distribution, by Residence of Bride and Groom and Race of Bride	27

DIVORCES

Table E1.	Divorces and Percentage Distribution, by Cause and Race	28
Table E2.	Divorces and Percentage Distribution, by Number of Minor Children and Race	28
Table E3.	Divorces and Percentage Distribution, by Number of Years Married and Race	29

MAJOR TABLES, 1981

LIVE BIRTHS

Table 1.	Live Births, by Place of Occurrence and Race, also Live Births and Rates, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 1981	33
Table 2.	Live Births, by County of Residence, Race, and Attendant, also by County of Residence and Sex, Mississippi, 1981	36
Table 3.	Fertility Rates, by County of Residence and Race, Mississippi, 1981	39
Table 4A.	Total Live Births, by County of Residence and Age of Mother, Mississippi, 1981	40
Table 4B.	White Live Births, by County of Residence and Age of Mother, Mississippi, 1981	42

MAJOR TABLES, 1981

LIVE BIRTHS (continued)

Table 4C.	Nonwhite Live Births, by County of Residence and Age of Mother, Mississippi, 1981	44
Table 5.	Illegitimate Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1981	46
Table 6A.	Total Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1981	48
Table 6B.	White Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1981	50
Table 6C.	Nonwhite Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1981	52
Table 7.	Immature Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1981	54
Table 8.	Premature Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1981	56

FETAL DEATHS

Table 9.	Reportable Fetal Deaths, by County of Occurrence and Race, also Reportable Fetal Deaths and Fetal Death Ratios, by County of Residence and Race, Mississippi, 1981	58
----------	--	----

DEATHS

Table 10.	Deaths, by Place of Occurrence and Race, also Deaths and Rates, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 1981	60
Table 11.	Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 1981	63
Table 12A.	Infant, Neonatal, and Postneonatal Deaths, by County of Residence and Race, Mississippi, 1981	70
Table 12B.	Infant, Neonatal, and Postneonatal Mortality Rates, by County of Residence and Race, Mississippi, 1977-1981 (5-Year Average)	72
Table 13.	Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 1981	74
Table 14.	Accidental Deaths, by County of Occurrence and Type of Accident, Mississippi, 1981	76

MARRIAGES

Table 15.	Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 1981	78
-----------	--	----

DIVORCES

Table 16.	Divorces and Rates, by County of Occurrence and Race, Mississippi, 1981	80
-----------	---	----

TIME SERIES TABLES

Table 17.	Live Births and Rates, by Year and Race, Mississippi, 1913-1981, (Occurrence Data 1913-1943, Residence Data 1944-1981)	85
-----------	--	----

TIME SERIES TABLES (continued)

Table 18.	Deaths and Rates, by Year and Race, Mississippi, 1913-1981, (Occurrence Data 1913-1943, Residence Data 1944-1981)	87
Table 19.	Maternal Deaths and Mortality Rates, by Year and Race, Mississippi, 1913-1981, (Occurrence Data 1913-1943, Residence Data 1944-1981)	89
Table 20.	Infant Deaths and Mortality Rates, by Year and Race, Mississippi, 1917-1981, (Occurrence Data 1917-1943, Residence Data 1944-1981)	91
Table 21.	Neonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1981, (Occurrence Data 1924-1944, Residence Data 1945-1981)	93
Table 22.	Postneonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1981, (Occurrence Data 1924-1943, Residence Data 1944-1981)	95
Table 23.	Marriages and Divorces, by Year and Race, Occurrence Data, Mississippi, 1926-1981	97

VITAL STATISTICS
MISSISSIPPI, 1981

INTRODUCTION

Description of Bulletin

The information on live births, fetal deaths, deaths, marriages, and divorces which is presented in this bulletin was obtained from official records submitted to the Mississippi State Department of Health as required by statute and regulation. Live birth and fetal death records were prepared by hospitals, clinics, physicians, and midwives. Responsibility for the preparation of death certificates was shared by hospitals, nursing homes and other institutions which provide care or custody, funeral homes, physicians, and coroners. Marriage records were completed partly by brides and grooms, partly by persons who performed marriage ceremonies, and partly by circuit clerks. Chancery clerks prepared the statistical records of divorce.

This publication consists of three parts. The first part includes summary tables for the state as a whole for 1981; the second part contains major statistical tables for 1981. Time series tables numbered 17 through 23 are presented in the third part.

Definitions of Live Birth and Fetal Death

The definitions adopted by the Mississippi State Department of Health for use in Mississippi are those formulated by the World Health Organization and recommended by the National Center for Health Statistics. They are as follows:

Live birth - the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

Fetal death - death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Even though the definition of fetal death is all-inclusive, the State Department of Health does not require the reporting of all fetal deaths. Since January 1, 1976, fetal death reports have been required only for spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more. There is a separate reporting system (with no names or addresses) for all induced terminations of pregnancy.

Occurrence and Residence Allocation

Live births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Introduction

Mississippi - 1981

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for live births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent except that deaths of inmates of institutions were reallocated to the location of the institution regardless of length of stay.

Marriages were classified according to place of issuance of the marriage license, place of occurrence of marriage, and place of residence of the bride. However, the figures on brides who were Mississippi residents are incomplete since there is no exchange among the states of transcripts of marriage records for nonresidents and the out-of-state marriages of Mississippi brides could not be included. Divorces were classified only according to place where the decree was granted, as there is no information regarding place of residence on the record.

Population

Figures from the U.S. Census of April 1, 1980, were used in this bulletin, and several types of rates and special compilations were prepared which can be done only when detailed population data of the type which comes from the decennial census are available.

Rates

Population-based rates for the state included those for live births, total deaths, and deaths from specific causes, except maternal and certain conditions originating in the perinatal period. Figures on live births were used as the base for calculating fetal death ratios as well as rates for maternal deaths, infant, neonatal, and postneonatal deaths, and deaths from certain conditions originating in the perinatal period, as the birth counts represent the groups at risk more accurately than do general population figures.

Classification of Cause of Death

Causes of death were assigned according to the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death. The Ninth Revision was first used in 1979, and is not markedly different from the Eighth Revision. However, the periodic changes in the classification system which have occurred through the years have resulted in an unavoidable lack of comparability for some causes, and caution should be used in analyzing long-term trends.

SUMMARY TABLES, 1981

In this section, all tables on live births, fetal deaths, and deaths present residence data unless otherwise specified; all information on marriages and divorces is occurrence data.

LIVE BIRTHS

Table A1. Live births and percentage distribution, by type of facility, attendant, and race Mississippi, 1981

Type of Facility and Race	Number						Percent					
	Total	Physi- cian	Certi- fied Nurse Midwife	Granny Midwife	Other Named Person	Un- known	Total	Physi- cian	Certi- fied Nurse Midwife	Granny Midwife	Other Named Person	Un- known
<u>Total</u>	46,228	44,031	1,951	143	87	16	100.0	95.2	4.2	0.3	0.2	*
Hospital	45,911	43,952	1,943	0	12	4	99.3	95.1	4.2	-	*	*
Home, etc.	297	73	8	142	63	11	0.6	0.2	*	0.3	0.1	*
Enroute to hos- pital	16	5	0	0	11	0	*	*	-	-	*	-
Unknown place	4	1	0	1	1	1	*	*	-	-	*	*
<u>White</u>	23,777	23,423	272	45	34	3	100.0	98.5	1.1	0.2	0.1	*
Hospital	23,681	23,409	267	0	3	2	99.6	98.4	1.1	-	*	*
Home, etc.	91	13	5	45	27	1	0.4	*	*	0.2	0.1	*
Enroute to hos- pital	4	0	0	0	4	0	*	-	-	-	*	-
Unknown place	1	1	0	0	0	0	*	*	-	-	-	-
<u>Nonwhite</u>	22,451	20,608	1,679	98	53	13	100.0	91.8	7.5	0.4	0.2	*
Hospital	22,230	20,543	1,676	0	9	2	99.0	91.5	7.5	-	*	*
Home, etc.	206	60	3	97	36	10	0.9	0.3	*	0.4	0.2	*
Enroute to hos- pital	12	5	0	0	7	0	*	*	-	-	*	-
Unknown place	3	0	0	1	1	1	*	-	-	-	*	*

* Less than 0.06 percent.

Table A2. Percentage of live births in hospitals or clinics,
by year and race, 1940, 1950, 1960, 1970-1981

Year	Total	White	Non- white	Year	Total	White	Non- white
1940	14.1	27.1	3.9	1970*	90.0	99.7	79.7
				1971*	92.2	99.6	84.2
1950	46.1	83.3	18.9	1972*	95.2	99.8	90.4
				1973*	96.4	99.7	92.8
1960	73.2	99.0	51.3	1974*	97.4	99.7	94.8
				1975*	97.9	99.6	96.0
				1976*	98.5	99.7	97.3
				1977*	98.9	99.7	98.1
				1978*	99.1	99.7	98.4
				1979*	99.3	99.7	98.9
				1980*	99.4	99.7	99.1
				1981*	99.3	99.6	99.0

* Includes births in any facility which provides medical care; prior to 1970 only births in facilities providing inpatient care were included.

Table A3. Live births and average per day, by month
Mississippi, 1981

Month	Births	Average per Day	Month	Births	Average per Day
<u>Total</u>	<u>46,228</u>	<u>127</u>			
January	3,965	128	July	4,284	138
February	3,491	125	August	4,443	143
March	3,560	115	September	4,459	149
April	3,231	108	October	4,040	130
May	3,291	106	November	3,810	127
June	3,509	117	December	4,145	134

Table A4. Live births, percentage distribution, and fertility rates,
by age of mother and race
Mississippi, 1981

Age of Mother	Number			Percent			Fertility Rate*		
	Total	White	Non- white	Total	White	Non- white	Total	White	Non- white
<u>Total</u>	<u>46,228</u>	<u>23,777</u>	<u>22,451</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>81.1</u>	<u>65.5</u>	<u>108.5</u>
10-14	347	52	295	0.8	0.2	1.3	3.1	0.8	6.0
15-19	10,082	3,794	6,288	21.8	16.0	28.0	78.8	52.4	113.4
20-24	16,179	8,604	7,575	35.0	36.2	33.7	137.1	122.0	159.5
25-29	12,331	7,340	4,991	26.7	30.9	22.2	122.4	114.8	135.6
30-34	5,468	3,173	2,295	11.8	13.3	10.2	61.9	52.4	82.9
35-39	1,440	696	744	3.1	2.9	3.3	20.1	13.7	36.2
40-44	344	113	231	0.7	0.5	1.0	5.4	2.5	12.1
45-49	24	3	21	**	**	0.1	0.4	0.1	1.2
Unknown	13	2	11	**	**	**			

* For total group - live births per 1,000 females 15-44 years of age; for specific age groups - live births per 1,000 females in specified group.

** Less than 0.06 percent.

Table A5. Live births and percentage distribution,
by years of school completed by father and mother and race
Mississippi, 1981

Years of School Completed by Father and Mother	Number			Percent*			Cumulative Percent*		
	Total	White	Non- white	Total	White	Non- white	Total	White	Non- white
FATHER									
Median years completed*	12.6	12.7	12.3						
<u>Total legitimate births</u>	<u>32,888</u>	<u>22,388</u>	<u>10,500</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>			
0-6 years	748	335	413	2.3	1.5	4.0	2.3	1.5	4.0
7-9 years	3,335	2,089	1,246	10.2	9.4	12.1	12.5	10.9	16.1
10, 11 years	4,957	2,812	2,145	15.2	12.6	20.8	27.7	23.5	37.0
12 years	11,931	8,019	3,912	36.6	36.0	38.0	64.3	59.4	75.0
1-3 years college	5,959	4,378	1,581	18.3	19.6	15.4	82.6	79.0	90.3
4 or more years college	5,668	4,672	996	17.4	20.9	9.7	100.0	100.0	100.0
Unknown	290	83	207						
MOTHER									
Median years completed*	12.4	12.6	12.1						
<u>Total births</u>	<u>46,228</u>	<u>23,777</u>	<u>22,451</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>			
0-6 years	661	215	446	1.4	0.9	2.0	1.4	0.9	2.0
7-9 years	6,284	2,540	3,744	13.6	10.7	16.7	15.0	11.6	18.7
10, 11 years	9,253	3,281	5,972	20.0	13.8	26.7	35.1	25.4	45.4
12 years	16,971	9,352	7,619	36.8	39.4	34.0	71.9	64.8	79.4
1-3 years college	7,877	4,670	3,207	17.1	19.6	14.3	88.9	84.4	93.7
4 or more years college	5,108	3,696	1,412	11.1	15.6	6.3	100.0	100.0	100.0
Unknown	74	23	51						

* Calculations exclude births to parents with education unknown; calculations for fathers also exclude illegitimate births.

Table A6. Illegitimate live births, percent of total live births in
specified group, by age of mother and race
Mississippi, 1981

Age of Mother	Number			Percent		
	Total	White	Non- white	Total	White	Non- white
<u>Total</u>	<u>13,340</u>	<u>1,389</u>	<u>11,951</u>	<u>28.8</u>	<u>5.8</u>	<u>53.2</u>
10-14	322	32	290	92.8	61.5	98.3
15-19	5,960	654	5,306	59.1	17.2	84.4
20-24	4,407	479	3,928	27.2	5.6	51.8
25-29	1,719	149	1,570	13.9	2.0	31.4
30-34	638	47	591	11.7	1.5	25.8
35-39	203	23	180	14.1	3.3	24.2
40-44	77	4	73	22.4	3.5	31.6
45-49	10	1	9	41.7	33.3	42.8
Unknown	4	0	4			

Table A7. Live births, percentage distribution, fertility rates, and median age of mother, by total-birth order and race Mississippi, 1981

Total-Birth Order*	Number		Percent			Fertility Rate**			Median Age of Mother			
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
<u>Total</u>	<u>46,228</u>	<u>23,777</u>	<u>22,451</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>81.1</u>	<u>65.5</u>	<u>108.5</u>	<u>23.9</u>	<u>24.7</u>	<u>22.9</u>
First	16,126	9,176	6,950	34.9	38.6	31.0	28.3	25.3	33.6	20.6	21.9	19.0
Second	13,686	7,870	5,816	29.6	33.1	25.9	24.0	21.7	28.1	24.0	25.0	22.2
Third	8,111	3,984	4,127	17.5	16.8	18.4	14.2	11.0	19.9	25.8	27.1	24.5
Fourth	4,003	1,584	2,419	8.6	6.7	10.8	7.0	4.4	11.7	27.1	28.5	26.1
Fifth	1,951	615	1,336	4.2	2.6	6.0	3.4	1.7	6.4	28.3	29.9	27.5
Sixth	903	225	678	2.0	0.9	3.0	1.6	0.6	3.3	29.7	30.5	29.4
Seventh	502	89	413	1.1	0.4	1.8	0.9	0.2	2.0	31.8	33.3	31.6
Eighth	284	64	220	0.6	0.3	1.0	0.5	0.2	1.1	33.2	33.9	33.1
Ninth	172	20	152	0.4	0.1	0.7	0.3	#	0.7	34.3	34.8	34.2
Tenth & over	307	31	276	0.7	0.1	1.2	0.5	0.1	1.3	36.9	36.0	37.0
Unknown	183	119	64	0.4	0.5	0.3	0.3	0.3	0.3			

* Includes all live births plus all fetal deaths regardless of length of gestation.

** Live births per 1,000 females 15-44 years of age.

Less than 0.06.

Table A8. Median number of months between last delivery to mothers who had had previous pregnancies and live births in 1981, by race and outcome of last delivery

Race	Total*	Outcome of Last Delivery	
		Live Birth	Fetal Death
<u>Total</u>	<u>32.6</u>	<u>35.0</u>	<u>20.6</u>
White	34.8	38.1	20.0
Nonwhite	30.3	31.8	21.7

* Excludes those with outcome of last delivery unknown.

Table A9. Live births and percentage distribution, by whether mother received prenatal care, time during pregnancy care began, and race Mississippi, 1981

Prenatal Care and Time Care Began	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>Total</u>	<u>46,228</u>	<u>23,777</u>	<u>22,451</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
No prenatal care	403	124	279	0.9	0.5	1.2
<u>Some prenatal care</u>	<u>45,703</u>	<u>23,609</u>	<u>22,094</u>	<u>98.9</u>	<u>99.3</u>	<u>98.4</u>
First trimester	34,273	20,051	14,222	74.1	84.3	63.3
Second trimester	9,659	2,998	6,661	20.9	12.6	29.7
Third trimester	1,669	521	1,148	3.6	2.2	5.1
Unknown month	102	39	63	0.2	0.2	0.3
Unknown whether any prenatal care	122	44	78	0.3	0.2	0.3

Table A10. Live births and percentage distribution, by maturity and race
Mississippi, 1981

Maturity*	Number			Percent		
	Total	White	Non- white	Total	White	Non- white
<u>Total</u>	<u>46,228</u>	<u>23,777</u>	<u>22,451</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
Immature only**	1,776	615	1,161	3.8	2.6	5.2
Premature only**	3,668	1,204	2,464	7.9	5.1	11.0
Both immature and premature	2,240	726	1,514	4.8	3.0	6.7
Total immature	4,016	1,341	2,675	8.7	5.6	11.9
Total premature	5,908	1,930	3,978	12.8	8.1	17.7
Total immature and/or premature	7,684	2,545	5,139	16.6	10.7	22.9
Neither immature nor premature**	38,544	21,232	17,312	83.4	89.3	77.1

* Immature - birthweight $5\frac{1}{2}$ pounds (2,500 grams) or less; premature - gestation less than 37 weeks (calculated by subtracting the date of the last normal menstrual period prior to delivery from the date of birth).

** Births classified as immature only or as premature only include some for which the other measurement was unknown. Those classified as neither immature nor premature include some for which one or both measurements were unknown.

Table A11. Congenital malformations reported on live birth certificates,
by system or organs affected and race
Mississippi, 1981

System or Organs Affected and International Classification Number*	Total	White	Non- white
<u>Total malformations reported</u>	<u>375</u>	<u>181</u>	<u>194</u>
Musculoskeletal system (754-756)	169	56	113
Digestive system (749-751)	59	45	14
Genital organs (752)	36	18	18
Nervous system (740-742)	32	18	14
Circulatory system (745-747)	17	9	8
All others	62	35	27

* From the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

FETAL DEATHS

Table B1. Reportable* fetal deaths and percentage distribution,
by place of delivery, attendant, and race
Mississippi, 1981

Place of Delivery and Attendant	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>Total</u>	<u>648</u>	<u>222</u>	<u>426</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>Hospital</u>	<u>630</u>	<u>219</u>	<u>411</u>	<u>97.2</u>	<u>98.6</u>	<u>96.5</u>
Physician	607	215	392	93.7	96.8	92.0
Certified nurse midwife	15	2	13	2.3	0.9	3.0
Other	8	2	6	1.2	0.9	1.4
<u>Other named place</u>	<u>17</u>	<u>3</u>	<u>14</u>	<u>2.6</u>	<u>1.4</u>	<u>3.3</u>
Physician	8	1	7	1.2	0.4	1.6
"Granny" midwife	1	0	1	0.2	-	0.2
Other	5	0	5	0.8	-	1.2
Unknown	3	2	1	0.5	0.9	0.2
<u>Unknown</u>	<u>1</u>	<u>0</u>	<u>1</u>	<u>0.2</u>	<u>-</u>	<u>0.2</u>
Unknown	1	0	1	0.2	-	0.2

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

Table B2. Reportable* fetal deaths and fetal death ratios,
by age of mother and race
Mississippi, 1981

Age of Mother	Number			Ratio**		
	Total	White	Non- white	Total	White	Non- white
<u>Total</u>	<u>648</u>	<u>222</u>	<u>426</u>	<u>14.0</u>	<u>9.3</u>	<u>19.0</u>
10-14	10	0	10	28.8	-	33.9
15-19	141	49	92	14.0	12.9	14.6
20-24	216	73	143	13.4	8.5	18.9
25-29	139	54	85	11.3	7.4	17.0
30-34	87	29	58	15.9	9.1	25.3
35-39	34	14	20	23.6	20.1	26.9
40-44	14	2	12	40.7	17.7	51.9
45-49	4	1	3	#	#	#
Unknown	3	0	3	#	-	#

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

** Reportable fetal deaths per 1,000 live births to mothers in specified group.

Ratio not calculated on less than 100 live births.

Table B3. Percentage distribution of live births and reportable* fetal deaths,
by whether mother received prenatal care and race,
Mississippi, 1981

Prenatal Care	Live Births			Reportable* Fetal Deaths		
	Total	White	Non- white	Total	White	Non- white
<u>Total</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
No care	0.9	0.5	1.2	6.6	5.8	7.0
Some care	98.9	99.3	98.4	81.0	84.7	79.1
Unknown whether any care	0.3	0.2	0.3	12.3	9.4	13.8

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

Table B4. Reportable* fetal deaths and fetal death ratios,
by completed weeks of gestation and race, 1979-1981

Completed Weeks of Gestation**	Total			White			Nonwhite		
	1979	1980	1981	1979	1980	1981	1979	1980	1981
REPORTABLE* FETAL DEATHS									
<u>Total</u>	<u>665</u>	<u>707</u>	<u>648</u>	<u>209</u>	<u>247</u>	<u>222</u>	<u>456</u>	<u>460</u>	<u>426</u>
Under 20	29	25	31	5	9	8	24	16	23
<u>20 and over</u>	<u>602</u>	<u>624</u>	<u>553</u>	<u>195</u>	<u>221</u>	<u>200</u>	<u>407</u>	<u>403</u>	<u>353</u>
20-22	84	77	69	31	21	18	53	56	51
23-27	119	140	123	30	50	39	89	90	84
28-36	197	192	188	55	57	56	142	135	132
37 and over	202	215	173	79	93	87	123	122	86
Unknown	34	58	64	9	17	14	25	41	50
FETAL DEATH RATIOS#									
<u>Total</u>	<u>14.5</u>	<u>14.8</u>	<u>14.0</u>	<u>8.9</u>	<u>10.0</u>	<u>9.3</u>	<u>20.3</u>	<u>19.9</u>	<u>19.0</u>
Under 20	0.6	0.5	0.7	0.2	0.4	0.3	1.1	0.7	1.0
<u>20 and over</u>	<u>13.1</u>	<u>13.0</u>	<u>12.0</u>	<u>8.3</u>	<u>9.0</u>	<u>8.4</u>	<u>18.1</u>	<u>17.4</u>	<u>15.7</u>
20-22	1.8	1.6	1.5	1.3	0.8	0.8	2.4	2.4	2.3
23-27	2.6	2.9	2.7	1.3	2.0	1.6	4.0	3.9	3.7
28-36	4.3	4.0	4.1	2.3	2.3	2.4	6.3	5.8	5.9
37 and over	4.4	4.5	3.7	3.4	3.8	3.6	5.5	5.3	3.8
Unknown	0.7	1.2	1.4	0.4	0.7	0.6	1.1	1.8	2.2

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

** Calculated by subtracting the date of the last normal menstrual period prior to delivery from the date of delivery.

Reportable fetal deaths per 1,000 live births.

DEATHS

Table C1. Deaths and average per day, by month
Mississippi, 1981

Month	Deaths	Average per Day	Month	Deaths	Average per Day
<u>Total</u>	<u>23,405</u>	<u>64</u>			
January	2,509	81	July	1,903	61
February	1,957	70	August	1,862	60
March	1,995	64	September	1,878	63
April	1,804	60	October	1,847	60
May	1,879	61	November	1,897	63
June	1,839	61	December	2,035	66

Table C2. Deaths, percentage distribution, and rates, by age and race
Mississippi, 1981

Age	Number			Percent			Rate*		
	Total	White	Non- white	Total	White	Non- white	Total	White	Non- white
<u>Total</u>	<u>23,405</u>	<u>14,876</u>	<u>8,529</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>9.3</u>	<u>9.2</u>	<u>9.4</u>
Under 1	711	248	463	3.0	1.7	5.4	15.4	10.1	21.4
1-4	130	42	88	0.6	0.3	1.0	0.8	0.4	1.1
5-9	78	44	34	0.3	0.3	0.4	0.4	0.4	0.3
10-14	92	51	41	0.4	0.3	0.5	0.4	0.4	0.4
15-24	636	421	215	2.7	2.8	2.5	1.3	1.4	1.1
25-34	669	350	319	2.8	2.4	3.7	1.8	1.4	2.6
35-44	746	416	330	3.2	2.8	3.9	2.9	2.2	4.6
45-54	1,641	1,018	623	7.0	6.8	7.3	7.1	6.0	10.0
55-64	3,361	2,145	1,216	14.4	14.4	14.2	15.5	13.7	20.1
65-74	5,625	3,674	1,951	24.0	24.7	22.9	31.2	30.2	33.4
75-84	5,957	3,944	2,013	25.4	26.5	23.6	69.3	68.7	70.6
85 and over	3,739	2,519	1,220	16.0	16.9	14.3	159.0	166.0	146.4
Unknown	20	4	16	0.1	**	0.2			

* Deaths per 1,000 population.

** Less than 0.06 percent.

Table C3. Deaths by age, race, and sex, and male/female ratios
by age and race
Mississippi, 1981

Age	Total			White			Nonwhite		
	Male	Female	Males per Female	Male	Female	Males per Female	Male	Female	Males per Female
<u>Total</u>	<u>12,923</u>	<u>10,482</u>	<u>1.23</u>	<u>8,224</u>	<u>6,652</u>	<u>1.24</u>	<u>4,699</u>	<u>3,830</u>	<u>1.23</u>
Under 1	404	307	1.32	152	96	1.58	252	211	1.19
1-4	78	52	1.50	24	18	1.33	54	34	1.59
5-9	51	27	1.89	27	17	1.59	24	10	2.40
10-14	61	31	1.97	33	18	1.83	28	13	2.15
15-24	485	151	3.21	317	104	3.05	168	47	3.57
25-34	459	210	2.18	242	108	2.24	217	102	2.13
35-44	506	240	2.11	289	127	2.28	217	113	1.92
45-54	1,074	567	1.89	693	325	2.13	381	242	1.57
55-64	2,155	1,206	1.79	1,460	685	2.13	695	521	1.33
65-74	3,341	2,284	1.46	2,244	1,430	1.57	1,097	854	1.28
75-84	2,927	3,030	0.97	1,920	2,024	0.95	1,007	1,006	1.00
85 and over	1,368	2,371	0.58	820	1,699	0.48	548	672	0.82
Unknown	14	6		3	1		11	5	
Median age	68.5	75.5		68.9	77.0		67.8	72.3	

Table C4. Death rates*, by age, race, and sex
Mississippi, 1981

Age	Total		White		Nonwhite	
	Male	Female	Male	Female	Male	Female
<u>Total</u>	<u>10.6</u>	<u>8.0</u>	<u>10.4</u>	<u>8.0</u>	<u>11.0</u>	<u>8.0</u>
Under 1	17.1	13.6	12.0	8.0	23.0	19.8
1-4	0.9	0.6	0.5	0.4	1.4	0.9
5-9	0.4	0.2	0.4	0.3	0.5	0.2
10-14	0.5	0.3	0.5	0.3	0.6	0.3
15-24	2.0	0.6	2.1	0.7	1.7	0.4
25-34	2.5	1.1	1.9	0.9	3.9	1.6
35-44	4.0	1.8	3.1	1.3	6.9	2.8
45-54	9.9	4.6	8.4	3.7	14.6	6.6
55-64	21.9	10.2	20.1	8.2	27.0	15.1
65-74	43.0	22.3	43.1	20.6	42.9	26.0
75-84	89.4	57.0	92.2	55.3	84.4	60.7
85 and over	180.4	148.9	184.4	158.4	174.7	129.2

* Deaths per 1,000 population.

Table C5. Deaths and percent of total deaths from ten leading causes, by cause and race
Mississippi, 1981

Cause and International Classification Number	Number			Percent		
	Total	White	Non- white	Total	White	Non- white
<u>Total of ten leading causes</u>	<u>18,957</u>	<u>12,296</u>	<u>6,661</u>	<u>81.0</u>	<u>82.6</u>	<u>78.1</u>
1. Heart diseases (390-398, 402, 404-429)	8,441	5,689	2,752	36.1	38.2	32.3
2. Malignant neoplasms (140-208)	4,304	2,910	1,394	18.4	19.6	16.3
3. Cerebrovascular diseases (430-438)	2,193	1,304	889	9.4	8.8	10.4
4. Accidents (800-949)	1,568	1,010	558	6.7	6.8	6.5
5. Emphysema and other chronic obstructive pulmonary diseases (490-496)	549	465	84	2.3	3.1	1.0
6. Pneumonia and influenza (480-487)	528	371	157	2.2	2.5	1.8
7. Diabetes mellitus (250)	388	188	200	1.6	1.3	2.3
8. Certain conditions originating in the perinatal period (760-779)	361	104	257	1.5	0.7	3.0
9. Homicide and legal intervention (960-978)	351	119	232	1.5	0.8	2.7
10. Nephritis, nephrotic syndrome, and nephrosis (580-589)	274	136	138	1.2	0.9	1.6

Table C6. Deaths and percent of total deaths, and rates for five leading causes,
by age and cause
Mississippi, 1981

Age	Cause and International Classification Number	Number	Percent	Rate*
1-4	<u>All causes</u>	<u>130</u>	<u>100.0</u>	<u>0.8</u>
	1. Accidents (800-949)	58	44.6	34.3
	2. Congenital anomalies (740-759)	15	11.5	8.9
	3. Heart diseases (390-398, 402, 404-429)	12	9.2	7.1
	4. Malignant neoplasms (140-208)	4	3.1	2.4
	5. Meningitis (320-322)	3	2.3	1.8
5-14	<u>All causes</u>	<u>170</u>	<u>100.0</u>	<u>0.4</u>
	1. Accidents (800-949)	85	50.0	19.1
	2. Malignant neoplasms (140-208)	13	7.6	2.9
	3. Homicide and legal intervention (960-978)	9	5.3	2.0
	4. Heart diseases (390-398, 402, 404-429)	8	4.7	1.8
	5. Congenital anomalies (740-759)	4	2.4	0.9
15-24	<u>All causes</u>	<u>636</u>	<u>100.0</u>	<u>1.3</u>
	1. Accidents (800-949)	385	60.5	78.2
	2. Homicide and legal intervention (960-978)	61	9.6	12.4
	3. Suicide (950-959)	52	8.2	10.6
	4. Malignant neoplasms (140-208)	34	5.3	6.9
	5. Heart diseases (390-398, 402, 404-429)	22	3.4	4.5
25-44	<u>All causes</u>	<u>1,415</u>	<u>100.0</u>	<u>2.2</u>
	1. Accidents (800-949)	412	29.1	65.4
	2. Heart diseases (390-398, 402, 404-429)	204	14.4	32.4
	3. Malignant neoplasms (140-208)	192	13.6	30.5
	4. Homicide and legal intervention (960-978)	177	12.5	28.1
	5. Suicide (950-959)	89	6.3	14.1
45-64	<u>All causes</u>	<u>5,002</u>	<u>100.0</u>	<u>11.2</u>
	1. Heart diseases (390-398, 402, 404-429)	1,709	34.2	381.2
	2. Malignant neoplasms (140-208)	1,373	27.4	306.3
	3. Cerebrovascular diseases (430-438)	310	6.2	69.2
	4. Accidents (800-949)	273	5.4	60.9
	5. Chronic liver disease and cirrhosis (571)	121	2.4	27.0
65 and over	<u>All causes</u>	<u>15,321</u>	<u>100.0</u>	<u>52.9</u>
	1. Heart diseases (390-398, 402, 404-429)	6,463	42.2	2,233.6
	2. Malignant neoplasms (140-208)	2,684	17.5	927.6
	3. Cerebrovascular diseases (430-438)	1,827	11.9	631.4
	4. Emphysema and other chronic obstructive pulmonary diseases (490-496)	427	2.8	147.6
	5. Pneumonia and influenza (480-487)	412	2.7	142.4

* Deaths from all causes per 1,000 population in specified group and deaths from specific causes per 100,000 population in specified group.

Table C7. Deaths and rates from malignant neoplasms,
by primary site, sex, and race
Mississippi, 1981

Primary Site (ranked according to number of deaths among total population) and International Classification Number	Number				Rate*			
	Male		Female		Male		Female	
	White	Non-white	White	Non-white	White	Non-white	White	Non-white
<u>Total</u>	<u>1,651</u>	<u>809</u>	<u>1,259</u>	<u>585</u>	<u>209.4</u>	<u>190.2</u>	<u>152.3</u>	<u>121.8</u>
1. Respiratory and intrathoracic organs (160-165)	733	273	229	72	92.9	64.2	27.7	15.0
2. Digestive organs and peritoneum (150-159)	307	185	319	157	38.9	43.5	38.6	32.7
3. Genital organs (179-187)	162	155	138	107	20.5	36.4	16.7	22.3
4. Lymphatic and hematopoietic tissue (200-208)	142	53	127	49	18.0	12.5	15.4	10.2
5. Breast (174, 175)	2	1	202	90	0.2	0.2	24.4	18.7
6. Urinary organs (188, 189)	76	33	41	19	9.6	7.8	5.0	4.0
7. Brain (191)	43	10	43	5	5.4	2.4	5.2	1.0
8. Lip, oral cavity, and pharynx (140-149)	35	16	15	4	4.4	3.8	1.8	0.8
9. Skin (172, 173)	29	1	28	6	3.7	0.2	3.4	1.2
10. Bone and connective tissue (170, 171)	13	10	14	8	1.6	2.4	1.7	1.7
- Other and unspecified sites (190, 192-199)	109	72	103	68	13.8	16.9	12.5	14.2

* Deaths per 100,000 population in specified group.

Table C8. Deaths from major chronic respiratory diseases,
Mississippi, 1956, 1961, 1966, 1971, 1976, 1981

Cause and International Classification Number	1956	1961	1966	1971	1976	1981
Tuberculosis of respiratory system (010-012)	176	103	101	34	39	21
Malignant neoplasms of respiratory system (160-165)	223	389	498	741	949	1,307
Malignant neoplasms of trachea, bronchus, and lung (162)	200	362	476	700	914	1,263
Chronic and unqualified bronchitis (490, 491)	18	35	43	54	35	28
Emphysema (492)	27	67	183	210	181	102
Asthma (493)	49	52	39	22	19	34
(Adjusted figures*)	(27)	(36)	(27)			

* Adjusted according to comparability ratios prepared by the National Center for Health Statistics in order to compensate for breaks in comparability caused by revisions of the cause-of-death classification system in 1958 and 1968.

Table C9. Deaths and percent of total accidental deaths from five leading causes of accidental death, by cause and race Mississippi, 1981

Type of Accident and International Classification Number	Number			Percent		
	Total	White	Non- white	Total	White	Non- white
<u>Total of five leading causes</u>	<u>1,210</u>	<u>780</u>	<u>430</u>	<u>77.2</u>	<u>77.2</u>	<u>77.1</u>
1. Motor vehicle (810-825)	793	564	229	50.6	55.8	41.0
2. Fires and flames (890-899)	151	59	92	9.6	5.8	16.5
3. Falls (880-888)	97	73	24	6.2	7.2	4.3
4. Drowning and submersion (except in transport accidents) (910)	90	39	51	5.7	3.9	9.1
5. Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffocation (911, 912)	79	45	34	5.0	4.4	6.1

Table C10. Deaths from selected types of accidents, by sex, also by age
Mississippi residents, 1981

Type of Accident and International Classification Number	Sex		Age							Un- known	
	Male	Female	Under 1	1-4	5-14	15- 24	25- 34	35- 44	45- 64		65 & Over
<u>ALL ACCIDENTS</u>	<u>1,158</u>	<u>410</u>	<u>27</u>	<u>58</u>	<u>85</u>	<u>385</u>	<u>264</u>	<u>148</u>	<u>273</u>	<u>328</u>	<u>0</u>
Motor vehicle (810-825)	598	195	1	17	45	261	173	85	125	86	0
Water transport (830-838)	23	2	0	0	1	11	5	4	3	1	0
Submersion, drowning (830, 832)	22	0	0	0	0	9	4	4	0	1	0
Other (831, 833-838)	1	2	0	0	0	2	1	0	0	0	0
Air and space transport (840-845)	8	3	0	0	1	3	4	3	0	0	0
Poisoning (850-869)	37	14	2	1	1	5	13	4	15	10	0
By drugs, medicaments, and bio- logicals (850-858)	19	6	2	1	0	1	8	3	5	5	0
By other solid and liquid sub- stances, gases, and vapors (860-869)	18	8	0	0	1	4	5	1	10	5	0
Falls (880-888)	44	53	2	0	0	6	4	2	13	70	0
Fires and flames (890-899)	104	47	2	18	6	6	8	13	34	64	0
Drowning and submersion (except in transport accidents) (910)	80	10	0	11	18	36	9	4	9	3	0
Inhalation and ingestion of food or other object causing obstruction of respiratory tract or suffoca- tion (911, 912)	39	40	14	2	0	4	7	4	19	29	0
Mechanical suffocation (including in bed or cradle) (913)	11	2	3	5	2	0	1	1	1	0	0
Struck by, striking against, and caught in or between objects (916-918)	28	1	0	0	2	7	6	5	8	1	0
Caused by machinery (919)	27	0	0	0	1	5	3	5	9	4	0
Caused by firearm missile (922)	64	9	0	2	8	23	15	8	13	4	0
Caused by electric current (925)	19	1	0	0	0	6	6	5	2	1	0

Table C11. Motor vehicle accident deaths occurring in Mississippi and rates, also motor vehicle accident deaths of Mississippi residents and rates, by year, 1950, 1955, 1960, 1965, 1970-1981

Year	Occurrence Data		Residence Data	
	Number	Rate*	Number	Rate*
1950	530	**	515	23.6
1955	568	**	541	24.8
1960	676	9.3	620	28.5
1965	748	8.4	742	31.8
1970	960	8.2	937	42.3
1971	1,011	8.2	984	44.4
1972	1,019	7.8	989	43.8
1973	956	7.0	954	41.2
1974	711	5.2	717	30.7
1975	671	4.7	681	29.1
1976	725	4.7	696	29.4
1977	763	4.8	771	32.3
1978	884	5.2	877	36.5
1979	801	4.7	783	32.5
1980	796	4.8	743	29.5
1981	792	**	793	31.5

* Deaths in Mississippi per 100,000,000 miles of vehicle travel; deaths of residents per 100,000 population.

** Not available.

Table C12. Infant deaths, percentage distribution, and mortality rates by age and race
Mississippi, 1981

Age	Number			Percent			Rate*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Total under 1 year	711	248	463	100.0	100.0	100.0	15.4	10.4	20.6
Neonatal (under 28 days)	486	166	320	68.4	66.9	69.1	10.5	7.0	14.2
Hebdomadal (under 7 days)	411	140	271	57.8	56.4	58.5	8.9	5.9	12.1
Under 1 day	267	89	178	37.6	35.9	38.4	5.8	3.7	7.9
1-6 days	144	51	93	20.2	20.6	20.1	3.1	2.1	4.1
7-27 days	75	26	49	10.5	10.5	10.6	1.6	1.1	2.2
Postneonatal (28 days to 1 year)	225	82	143	31.6	33.1	30.9	4.9	3.4	6.4

* Deaths per 1,000 live births.

Table C13. Deaths and mortality rates for ten leading causes of infant deaths,
by cause and race
Mississippi, 1981

Cause and International Classification Number	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
All causes	711	248	463	15.4	10.4	20.6
1. Congenital anomalies (740-759)	108	62	46	2.3	2.6	2.0
2. Disorders relating to short gestation and unsepcified low birthweight (765)	76	10	66	1.6	0.4	2.9
3. Sudden infant death syndrome (798.0)	74	22	52	1.6	0.9	2.3
4. Respiratory distress syndrome (769)	73	31	42	1.6	1.3	1.9
5. Maternal complications of pregnancy (761)	30	12	18	0.6	0.5	0.8
6. Infections specific to the perinatal period (771)	28	6	22	0.6	0.2	1.0
7. Accidents (800-949)	27	9	18	0.6	0.4	0.8
8. Symptoms, signs, and ill-defined conditions (excluding SIDS) (780-797, 798.1-799)	25	5	20	0.5	0.2	0.9
9. Intrauterine hypoxia and birth asphyxia (768)	24	7	17	0.5	0.3	0.8
10. Complications of placenta, cord, and membranes (762)	20	9	11	0.4	0.4	0.5

* Deaths per 1,000 live births.

MARRIAGES

Table D1. Marriages and average per day, by month
Mississippi, 1981

Month	Marriages	Average per Day	Month	Marriages	Average per Day
<u>Total</u>	<u>28,002</u>	<u>77</u>			
January	1,888	61	July	2,472	80
February	1,905	68	August	2,901	94
March	2,023	65	September	2,065	69
April	2,091	70	October	2,126	68
May	2,721	88	November	2,113	70
June	3,082	103	December	2,615	84

Table D2. Brides and grooms and percentage distribution, by age and race
Mississippi, 1981

Age	Number						Percent					
	Bride			Groom			Bride			Groom		
	Total	White	Non- white	Total	White	Non- white	Total	White	Non- white	Total	White	Non- white
<u>Total</u>	<u>28,002</u>	<u>20,877</u>	<u>7,125</u>	<u>28,002</u>	<u>20,871</u>	<u>7,131</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>Under 20</u>	<u>7,558</u>	<u>6,039</u>	<u>1,519</u>	<u>3,181</u>	<u>2,651</u>	<u>530</u>	<u>27.0</u>	<u>28.9</u>	<u>21.3</u>	<u>11.4</u>	<u>12.7</u>	<u>7.4</u>
13	5	3	2	0	0	0	*	*	*	-	-	-
14	60	49	11	1	1	0	0.2	0.2	0.2	*	*	-
15	422	383	39	10	9	1	1.5	1.8	0.5	*	*	*
16	891	745	146	54	49	5	3.2	3.6	2.0	0.2	0.2	0.1
17	1,524	1,254	270	389	359	30	5.4	6.0	3.8	1.4	1.7	0.4
18	2,386	1,899	487	1,104	957	147	8.5	9.1	6.8	3.9	4.6	2.1
19	2,270	1,706	564	1,623	1,276	347	8.1	8.2	7.9	5.8	6.1	4.9
20-24	9,048	6,412	2,636	9,814	7,071	2,743	32.3	30.7	37.0	35.0	33.9	38.5
25-34	6,916	5,007	1,909	8,886	6,466	2,420	24.7	24.0	26.8	31.7	31.0	33.9
35-44	2,367	1,851	516	3,034	2,396	638	8.4	8.9	7.2	10.8	11.5	8.9
45-54	1,172	883	289	1,541	1,236	305	4.2	4.2	4.0	5.5	5.9	4.3
55-64	564	409	155	872	620	252	2.0	2.0	2.2	3.1	3.0	3.5
65-74	319	234	85	474	306	168	1.1	1.1	1.2	1.7	1.5	2.4
75 & over	52	41	11	192	123	69	0.2	0.2	0.2	0.7	0.6	1.0
Unknown	6	1	5	8	2	6	*	*	0.1	*	*	0.1

* Less than 0.06 percent.

Table D3. Median age of bride and groom,
for all marriages and first marriages, by race
Mississippi, 1981

All and First Marriages	Bride			Groom		
	Total	White	Non- white	Total	White	Non- white
All marriages	23.3	23.1	23.7	25.7	25.7	25.7
First marriages	20.8	20.0	22.3	22.9	22.6	23.7

Table D4. Brides and grooms and percentage distribution,
by marriage order and race
Mississippi, 1981

Marriage Order	Number						Percent					
	Bride			Groom			Bride			Groom		
	Total	White	Non- white	Total	White	Non- white	Total	White	Non- white	Total	White	Non- white
<u>Total</u>	<u>28,002</u>	<u>20,877</u>	<u>7,125</u>	<u>28,002</u>	<u>20,871</u>	<u>7,131</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
First	16,773	11,474	5,299	16,563	11,521	5,042	59.9	55.0	74.4	59.1	55.2	70.7
<u>Remarriage</u>	<u>11,208</u>	<u>9,387</u>	<u>1,821</u>	<u>11,408</u>	<u>9,326</u>	<u>2,082</u>	<u>40.0</u>	<u>45.0</u>	<u>25.6</u>	<u>40.7</u>	<u>44.7</u>	<u>29.2</u>
Second	8,048	6,513	1,535	8,262	6,561	1,701	28.7	31.2	21.5	29.5	31.4	23.8
<u>Over two</u>	<u>3,145</u>	<u>2,860</u>	<u>285</u>	<u>3,121</u>	<u>2,745</u>	<u>376</u>	<u>11.2</u>	<u>13.7</u>	<u>4.0</u>	<u>11.1</u>	<u>13.2</u>	<u>5.3</u>
Third	2,434	2,186	248	2,382	2,075	307	8.7	10.5	3.5	8.5	9.9	4.3
Fourth	555	524	31	579	527	52	2.0	2.5	0.4	2.1	2.5	0.7
Fifth	125	119	6	121	106	15	0.4	0.6	0.1	0.4	0.5	0.2
Sixth	23	23	0	28	27	1	0.1	0.1	-	0.1	0.1	#
Seventh	6	6	0	4	4	0	#	#	-	#	#	-
Eighth	0	0	0	5	4	1	-	-	-	#	#	#
Ninth	1	1	0	0	0	0	#	#	-	-	-	-
Tenth	1	1	0	1	1	0	#	#	-	#	#	-
Eleventh	0	0	0	1	1	0	-	-	-	#	#	-
Unknown*	15	14	1	25	20	5	#	0.1	#	0.1	0.1	0.1
Unknown**	21	16	5	31	24	7	0.1	0.1	0.1	0.1	0.1	0.1

* Previously married but number of previous marriages unknown.

** Unknown whether previously married.

Less than 0.06 percent.

Table D5. Brides and grooms and percentage distribution,
by previous marital status and race
Mississippi, 1981

Previous Marital Status	Bride			Groom		
	Total	White	Non- white	Total	White	Non- white
NUMBER						
<u>Total</u>	<u>28,002</u>	<u>20,877</u>	<u>7,125</u>	<u>28,002</u>	<u>20,871</u>	<u>7,131</u>
Not previously married	16,773	11,474	5,299	16,563	11,521	5,042
<u>Remarriages</u>	<u>11,208</u>	<u>9,387</u>	<u>1,821</u>	<u>11,408</u>	<u>9,326</u>	<u>2,082</u>
Widowed	1,353	1,004	349	1,048	743	305
Divorced*	9,777	8,321	1,456	10,311	8,553	1,758
Unknown**	78	62	16	49	30	19
Unknown#	21	16	5	31	24	7
PERCENT						
<u>Total</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
Not previously married	59.9	55.0	74.4	59.1	55.2	70.7
<u>Remarriages</u>	<u>40.0</u>	<u>45.0</u>	<u>25.6</u>	<u>40.7</u>	<u>44.7</u>	<u>29.2</u>
Widowed	4.8	4.8	4.9	3.7	3.6	4.3
Divorced*	34.9	39.8	20.4	36.8	41.0	24.6
Unknown**	0.3	0.3	0.2	0.2	0.1	0.3
Unknown#	0.1	0.1	0.1	0.1	0.1	0.1

* Includes those whose last marriage was annulled.

** Unknown whether widowed or divorced.

Unknown whether any previous marriage.

Table D6. Marriages and percentage distribution,
by residence of bride and groom and race of bride
Mississippi, 1981

Residence of Groom	Race and Residence of Bride																	
	Total						White						Nonwhite					
	Total	Missis- sippi	Other	Un- known	Total	Missis- sippi	Other	Un- known	Total	Missis- sippi	Other	Un- known	Total	Missis- sippi	Other	Un- known		
NUMBER																		
Total	28,002	25,651	2,338	13	20,877	18,953	1,916	8	7,125	6,698	422	5	6,473	6,364	106	3		
Mississippi	24,701	24,118	574	9	18,228	17,754	468	6	6,473	6,364	106	3	6,473	6,364	106	3		
Other	3,283	1,518	1,764	1	2,636	1,187	1,448	1	647	331	316	0	647	331	316	0		
Unknown	18	15	0	3	13	12	0	1	5	3	0	2	5	3	0	2		
PERCENT																		
Total	100.0	91.6	8.3	*	100.0	90.8	9.2	*	100.0	94.0	5.9	0.1	90.8	89.3	1.5	*		
Mississippi	88.2	86.1	2.0	*	87.3	85.0	2.2	*	90.8	89.3	1.5	*	90.8	89.3	1.5	*		
Other	11.7	5.4	6.3	*	12.6	5.7	6.9	*	9.1	4.6	4.4	-	9.1	4.6	4.4	-		
Unknown	0.1	*	-	*	0.1	*	-	*	0.1	*	-	*	0.1	*	-	*		

* Less than 0.06 percent.

DIVORCES

Table E1. Divorces and percentage distribution, by cause and race*
Mississippi, 1981

Cause	Number				Percent			
	Total	White	Non-white	Un-known	Total	White	Non-white	Un-known
<u>Total</u>	<u>14,182</u>	<u>10,403</u>	<u>2,795</u>	<u>984</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
Irreconcilable differences	7,163	5,614	798	751	50.5	54.0	28.6	76.3
Cruel and inhuman treatment	5,535	4,133	1,305	97	39.0	39.7	46.7	9.8
Desertion	968	377	557	34	6.8	3.6	19.9	3.4
Adultery	204	128	62	14	1.4	1.2	2.2	1.4
Drunkenness	86	60	25	1	0.6	0.6	0.9	0.1
Penitentiary	43	26	16	1	0.3	0.2	0.6	0.1
Annulment	23	19	4	0	0.2	0.2	0.1	-
Bigamy	14	5	8	1	0.1	**	0.3	0.1
Miscellaneous and other	11	9	1	1	0.1	0.1	**	0.1
Unknown	135	32	19	84	1.0	0.3	0.7	8.5

* Divorces of mixed-race couples are included in figures for nonwhites.

** Less than 0.06 percent.

Table E2. Divorces and percentage distribution, by number of minor children and race*
Mississippi, 1981

Number of Minor Children	Number				Percent			
	Total	White	Non-white	Un-known	Total	White	Non-white	Un-known
<u>Total divorces</u>	<u>14,182</u>	<u>10,403</u>	<u>2,795</u>	<u>984</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
None	6,209	4,856	932	421	43.8	46.7	33.3	42.8
One	3,768	2,734	797	237	26.6	26.3	28.5	24.1
Two	2,606	1,889	561	156	18.4	18.2	20.1	15.8
Three or more	1,388	859	477	52	9.8	8.2	17.1	5.3
Unknown	211	65	28	118	1.5	0.6	1.0	12.0

* Divorces of mixed-race couples are included in figures for nonwhites.

Table E3. Divorces and percentage distribution, by number of years married and race*
Mississippi, 1981

Number of Years Married	Number				Percent			
	Total	White	Non-white	Un-known	Total	White	Non-white	Un-known
<u>Total divorces</u>	<u>14,182</u>	<u>10,403</u>	<u>2,795</u>	<u>984</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
<u>Under five</u>	<u>6,191</u>	<u>5,018</u>	<u>937</u>	<u>236</u>	<u>43.6</u>	<u>48.2</u>	<u>33.5</u>	<u>24.0</u>
Under one	1,045	912	86	47	7.4	8.8	3.1	4.8
One	1,522	1,283	192	47	10.7	12.3	6.9	4.8
Two	1,383	1,128	207	48	9.8	10.8	7.4	4.9
Three	1,227	940	232	55	8.6	9.0	8.3	5.6
Four	1,014	755	220	39	7.1	7.2	7.9	4.0
Five-nine	3,409	2,435	842	132	24.0	23.4	30.1	13.4
Ten-nineteen	2,706	2,004	606	96	19.1	19.3	21.7	9.8
Twenty and over	1,251	874	346	31	8.8	8.4	12.4	3.2
Unknown	625	72	64	489	4.4	0.7	2.3	49.7

* Divorces of mixed-race couples are included in figures for nonwhites.

MAJOR TABLES

1981

TABLE 1
LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE,
ALSO LIVE BIRTHS AND RATES, BY PLACE OF RESIDENCE AND RACE,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 1981

County	Occurrence Data			Residence Data					
	Number			Number			Rate*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
<u>STATE</u>	<u>45,783</u>	<u>23,570</u>	<u>22,213</u>	<u>46,228</u>	<u>23,777</u>	<u>22,451</u>	<u>18.3</u>	<u>14.7</u>	<u>24.8</u>
Adams	1,342	651	691	732	317	415	19.2	16.2	22.4
Alcorn	158	140	18	458	382	76	13.9	13.0	21.2
Amite	4	0	4	220	93	127	16.4	13.3	19.9
Attala	178	125	53	304	129	175	15.3	10.7	22.4
Benton	1	0	1	130	63	67	15.9	12.5	21.6
Bolivar	1,628	263	1,365	1,089	232	857	23.7	13.6	29.6
Calhoun	0	0	0	249	143	106	15.9	12.3	26.4
Carroll	1	0	1	134	65	69	13.7	12.2	15.5
Chickasaw	50	7	43	339	165	174	19.0	14.5	26.9
Choctaw	97	22	75	158	84	74	17.6	13.0	29.0
Claiborne	156	13	143	239	51	188	19.5	16.6	20.4
Clarke	17	6	11	313	176	137	18.5	16.0	23.1
Clay	425	104	321	453	160	293	21.5	15.3	27.6
Coahoma	1,150	307	843	770	169	601	20.8	12.9	25.2
Copiah	231	87	144	458	154	304	17.3	11.3	23.6
Covington	179	77	102	342	164	178	21.5	15.8	32.3
DeSoto	3	3	0	815	639	176	15.1	14.4	18.1
Forrest	2,667	1,804	863	1,160	691	469	17.6	14.5	25.6
Franklin	79	37	42	151	81	70	18.4	15.7	22.8
George	166	129	37	289	246	43	18.9	17.8	28.9
Greene	30	14	16	154	102	52	15.7	13.0	26.1
Grenada	618	283	335	351	151	200	16.7	12.4	22.6
Hancock	131	114	17	387	345	42	15.8	15.8	15.9
Harrison	3,274	2,422	852	2,883	2,089	794	18.3	16.8	23.6
Hinds	7,084	2,424	4,660	4,783	1,935	2,848	19.0	14.2	24.8
Holmes	375	27	348	510	79	431	22.2	12.0	26.3
Humphreys	181	7	174	318	78	240	22.8	16.5	26.0
Issaquena	1	0	1	47	18	29	18.7	16.3	20.6
Itawamba	17	15	2	275	249	26	13.4	13.0	19.7
Jackson	1,933	1,407	526	2,022	1,479	543	17.1	15.6	23.3
Jasper	2	1	1	320	102	218	18.5	11.6	25.6
Jefferson	49	1	48	209	17	192	22.8	10.3	25.5
Jeff Davis	23	6	17	262	98	164	18.9	15.3	22.0
Jones	1,694	857	837	1,070	689	381	17.3	14.6	26.1
Kemper	5	1	4	163	48	115	16.1	10.5	20.6
Lafayette	462	282	180	362	195	167	11.7	8.6	19.7
Lamar	75	55	20	478	403	75	20.1	19.1	27.8
Lauderdale	2,553	1,447	1,106	1,399	775	624	18.1	14.8	25.0
Lawrence	71	28	43	229	142	87	18.3	16.4	22.4
Leake	87	44	43	341	171	170	18.1	14.9	23.2
Lee	2,147	1,558	589	974	648	326	17.1	14.3	27.5
Leflore	1,315	381	934	847	236	611	20.4	14.1	24.6

Table 1 - Page 2
Live Births - Mississippi - 1981

County	Occurrence Data			Residence Data					
	Number			Number			Rate*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	360	240	120	512	293	219	17.0	13.9	24.1
Lowndes	964	670	294	1,094	608	486	19.1	16.4	24.1
Madison	29	5	24	836	326	510	20.1	17.9	21.8
Marion	7	5	2	502	305	197	19.5	17.0	25.4
Marshall	6	3	3	555	215	340	18.9	15.8	21.7
Monroe	1,376	1,006	370	655	371	284	18.0	14.5	26.2
Montgomery	239	84	155	225	99	126	16.8	12.6	23.0
Neshoba	182	71	111	403	225	178	16.9	13.2	26.5
Newton	107	52	55	304	172	132	15.2	12.3	22.2
Noxubee	228	27	201	300	95	205	22.7	20.4	24.0
Oktibbeha	772	309	463	593	257	336	16.5	11.1	26.1
Panola	422	91	331	606	194	412	21.5	13.6	29.7
Pearl River	449	346	103	548	427	121	16.2	14.9	23.4
Perry	86	62	24	184	124	60	18.6	16.1	27.9
Pike	1,117	633	484	647	273	374	17.9	13.4	23.7
Pontotoc	82	64	18	298	235	63	14.2	13.3	19.1
Prentiss	94	83	11	336	276	60	14.0	12.9	22.7
Quitman	61	14	47	263	75	188	20.8	13.6	26.4
Rankin	2,245	1,833	412	1,204	940	264	17.3	16.7	20.1
Scott	100	78	22	456	263	193	18.6	16.6	22.2
Sharkey	46	3	43	215	41	174	27.0	15.2	33.0
Simpson	86	43	43	423	239	184	18.0	14.8	25.4
Smith	26	15	11	234	144	90	15.5	12.1	28.0
Stone	2	0	2	184	125	59	18.9	16.7	26.2
Sunflower	394	119	275	753	164	589	21.6	12.6	27.0
Tallahatchie	219	43	176	375	104	271	21.8	14.3	27.4
Tate	244	73	171	361	166	195	17.9	13.4	25.1
Tippah	236	123	113	297	216	81	15.8	13.7	27.0
Tishomingo	139	134	5	267	260	7	14.5	14.7	9.2
Tunica	80	5	75	218	32	186	22.6	12.5	26.2
Union	477	372	105	331	278	53	15.2	14.9	17.4
Walthall	192	79	113	250	112	138	18.2	13.8	24.4
Warren	1,492	631	861	983	500	483	19.0	15.7	24.4
Washington	1,302	547	755	1,665	510	1,155	23.0	16.1	28.4
Wayne	339	152	187	436	245	191	22.8	19.3	29.6
Webster	192	118	74	174	124	50	16.9	15.0	24.6
Wilkinson	218	69	149	200	52	148	20.0	15.8	22.0
Winston	190	91	99	327	142	185	16.8	12.2	23.7
Yalobusha	162	66	96	215	106	109	16.4	13.1	21.6
Yazoo	162	62	100	612	191	421	22.4	14.5	29.7
Out of state	2,327	1,672	655	1,882	1,465	417			

Table 1 - Page 3
Live Births - Mississippi - 1981

Town**	Residence Data					
	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
Biloxi	1,002	730	272	20.3	18.8	25.7
Brookhaven	190	73	117	17.6	11.4	26.7
Canton	284	51	233	25.5	13.3	31.9
Clarksdale	452	99	353	21.4	12.4	26.8
Cleveland	327	120	207	22.5	13.8	35.4
Clinton	215	173	42	14.7	12.8	36.4
Columbus	491	214	277	17.9	14.2	22.5
Corinth	152	104	48	11.0	9.2	19.1
Greenville	942	249	693	23.2	15.4	28.4
Greenwood	445	138	307	22.1	14.5	28.9
Grenada	198	68	130	15.7	9.6	23.3
Gulfport	754	455	299	19.0	15.5	28.9
Hattiesburg	761	379	382	18.6	14.4	26.3
Jackson	3,913	1,506	2,407	19.3	14.2	24.9
Laurel	401	178	223	18.3	13.5	25.6
McComb	234	103	131	19.0	13.2	29.0
Meridian	806	360	446	17.3	12.4	25.2
Moss Point	369	88	281	19.4	13.5	22.5
Natchez	406	154	252	18.4	14.6	21.9
Ocean Springs	246	217	29	17.0	16.4	23.2
Pascagoula	552	422	130	18.8	17.6	24.5
Pearl	347	313	34	16.7	17.1	13.8
Picayune	187	108	79	18.0	15.5	23.2
Southaven	228	221	7	14.2	13.9	45.4
Starkville	258	140	118	17.0	12.7	28.4
Tupelo	424	276	148	17.7	14.2	33.2
Vicksburg	510	156	354	20.0	13.0	26.3
Yazoo City	304	75	229	24.5	11.8	37.5

* Live births per 1,000 population.

** Towns of 10,000 population or more.

TABLE 2
LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE, AND ATTENDANT,
ALSO BY COUNTY OF RESIDENCE AND SEX,
MISSISSIPPI, 1981

County	Total	White			Nonwhite			Sex			
		Total	Hosp. or Clinic	Phys., Other Place	Other	Total	Hosp. or Clinic	Phys., Other Place	Other	Male	Female
<u>STATE</u>	<u>46,228</u>	<u>23,777</u>	<u>23,681</u>	<u>14</u>	<u>82</u>	<u>22,451</u>	<u>22,230</u>	<u>65</u>	<u>156</u>	<u>23,680</u>	<u>22,548</u>
Adams	732	317	317	0	0	415	414	0	1	346	386
Alcorn	458	382	382	0	0	76	76	0	0	238	220
Amite	220	93	93	0	0	127	123	0	4	119	101
Attala	304	129	128	0	1	175	159	1	15	156	148
Benton	130	63	63	0	0	67	65	2	0	60	70
Bolivar	1,089	232	232	0	0	857	850	1	6	552	537
Calhoun	249	143	143	0	0	106	106	0	0	130	119
Carroll	134	65	65	0	0	69	68	0	1	66	68
Chickasaw	339	165	165	0	0	174	174	0	0	189	150
Choctaw	158	84	84	0	0	74	71	0	3	79	79
Claiborne	239	51	51	0	0	188	188	0	0	131	108
Clarke	313	176	176	0	0	137	136	0	1	149	164
Clay	453	160	160	0	0	293	293	0	0	223	230
Coahoma	770	169	169	0	0	601	601	0	0	402	368
Copiah	458	154	153	0	1	304	301	2	1	236	222
Covington	342	164	163	0	1	178	177	0	1	165	177
DeSoto	815	639	636	0	3	176	176	0	0	438	377
Forrest	1,160	691	685	2	4	469	468	1	0	598	562
Franklin	151	81	81	0	0	70	70	0	0	65	86
George	289	246	246	0	0	43	43	0	0	148	141
Greene	154	102	102	0	0	52	52	0	0	87	67
Grenada	351	151	151	0	0	200	198	1	1	180	171
Hancock	387	345	342	1	2	42	42	0	0	211	176
Harrison	2,883	2,089	2,078	2	9	794	791	1	2	1,493	1,390

Table 2 - Page 2
Live Births - Mississippi - 1981

County	Total	White				Nonwhite				Sex	
		Total	Hosp. or Clinic	Phys., Other Place	Other	Total	Hosp. or Clinic	Phys., Other Place	Other	Male	Female
Hinds	4,783	1,935	1,923	1	11	2,848	2,827	10	11	2,429	2,354
Holmes	510	79	78	0	1	431	426	1	4	248	262
Humphreys	318	78	78	0	0	240	237	2	1	145	173
Issaquena	47	18	18	0	0	29	28	0	1	30	17
Itawamba	275	249	248	1	0	26	26	0	0	134	141
Jackson	2,022	1,479	1,477	0	2	543	539	0	4	1,022	1,000
Jasper	320	102	101	0	1	218	217	0	1	174	146
Jefferson	209	17	17	0	0	192	191	0	1	109	100
Jeff Davis	262	98	97	0	1	164	162	1	1	118	144
Jones	1,070	689	683	0	6	381	381	0	0	564	506
Kemper	163	48	48	0	0	115	114	0	1	87	76
Lafayette	362	195	195	0	0	167	162	1	4	175	187
Lamar	478	403	399	0	4	75	75	0	0	219	259
Lauderdale	1,399	775	774	1	0	624	624	0	0	720	679
Lawrence	229	142	142	0	0	87	85	1	1	116	113
Leake	341	171	171	0	0	170	165	1	4	161	180
Lee	974	648	647	1	0	326	324	2	0	498	476
Leflore	847	236	236	0	0	611	603	3	5	432	415
Lincoln	512	293	293	0	0	219	218	0	1	265	247
Lowndes	1,094	608	607	0	1	486	479	3	4	581	513
Madison	836	326	326	0	0	510	508	1	1	450	386
Marion	502	305	302	0	3	197	195	0	2	257	245
Marshall	555	215	212	0	3	340	340	0	0	272	283
Monroe	655	371	370	1	0	284	283	0	1	330	325
Montgomery	225	99	99	0	0	126	126	0	0	111	114
Neshoba	403	225	225	0	0	178	178	0	0	214	189
Newton	304	172	172	0	0	132	130	2	0	162	142
Noxubee	300	95	95	0	0	205	203	1	1	159	141
Oktoberbeha	593	257	257	0	0	336	334	0	2	304	289
Panola	606	194	192	0	2	412	397	4	11	327	279

Table 2 - Page 3
Live Births - Mississippi - 1981

County	Total	White			Nonwhite			Sex			
		Total	Hosp. or Clinic	Phys., Other Place	Other	Total	Hosp. or Clinic	Phys., Other Place	Other	Male	Female
Pearl River	548	427	426	1	0	121	0	0	274	274	0
Perry	184	124	123	0	1	60	1	0	90	90	0
Pike	647	273	267	0	6	374	3	14	341	306	35
Pontotoc	298	235	234	0	1	63	1	0	149	149	0
Prentiss	336	276	276	0	0	60	1	0	184	152	32
Quitman	263	75	75	0	0	188	0	1	139	124	15
Rankin	1,204	940	937	1	2	264	1	0	612	592	20
Scott	456	263	263	0	0	193	2	1	232	224	8
Sharkey	215	41	41	0	0	174	0	2	115	100	15
Simpson	423	239	237	0	2	184	2	0	221	202	19
Smith	234	144	143	0	1	90	0	1	115	119	0
Stone	184	125	125	0	0	59	0	2	108	76	32
Sunflower	753	164	164	0	0	589	2	1	370	383	0
Tallahatchie	375	104	104	0	0	271	1	3	197	178	19
Tate	361	166	166	0	0	195	2	0	180	181	0
Tippah	297	216	216	0	0	81	0	0	138	159	0
Tishomingo	267	260	259	0	1	7	0	0	136	131	6
Tunica	218	32	32	0	0	186	0	0	118	100	18
Union	331	278	277	1	0	53	0	0	163	168	0
Walthall	250	112	106	0	6	138	0	13	135	115	20
Warren	983	500	498	0	2	483	0	0	484	499	0
Washington	1,665	510	510	0	0	1,155	5	7	852	813	39
Wayne	436	245	243	1	1	191	0	1	232	204	28
Webster	174	124	124	0	0	50	0	0	97	77	20
Wilkinson	200	52	52	0	0	148	1	0	104	96	8
Winston	327	142	141	0	1	185	0	0	172	155	17
Yalobusha	215	106	106	0	0	109	0	0	115	100	15
Yazoo	612	191	189	0	2	421	1	12	333	279	54

NOTE: "Hosp. or Clinic" includes delivery by physician, CNM, or any other named person. "Other" includes delivery by any person other than a physician, at any place other than a hospital or clinic.

TABLE 3
 FERTILITY RATES*, BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 1981

County	Total	White	Non- white	County	Total	White	Non- white
<u>STATE</u>	<u>81.1</u>	<u>65.5</u>	<u>108.5</u>				
Adams	83.9	72.0	96.1	Lincoln	81.4	67.7	111.9
Alcorn	62.6	58.8	93.1	Lowndes	74.8	63.1	97.6
Amite	83.6	69.9	97.5	Madison	85.3	72.9	95.7
Attala	81.0	58.5	113.2	Marion	94.9	81.7	126.3
Benton	79.7	65.6	100.0	Marshall	83.5	72.0	92.9
Bolivar	106.3	59.7	134.7	Monroe	84.4	68.9	119.8
Calhoun	78.7	62.9	119.0	Montgomery	86.1	66.1	112.9
Carroll	66.0	61.0	71.5	Neshoba	83.0	67.0	118.8
Chickasaw	89.5	70.3	120.7	Newton	75.9	63.2	103.0
Choctaw	85.1	65.2	130.3	Noxubee	113.0	110.7	114.0
Claiborne	77.8	91.7	74.7	Oktibbeha	60.2	39.6	100.0
Clarke	88.8	76.5	112.1	Panola	105.1	66.6	144.5
Clay	96.4	70.9	119.9	Pearl River	72.4	67.0	101.1
Coahoma	97.8	60.0	118.9	Perry	83.6	71.0	131.9
Copiah	81.4	56.0	105.8	Pike	85.3	66.3	107.9
Covington	101.0	75.9	145.3	Pontotoc	68.2	64.6	85.6
DeSoto	61.4	57.1	85.0	Prentiss	65.0	60.8	95.1
Forrest	68.8	56.6	100.7	Quitman	105.7	68.0	135.6
Franklin	91.7	82.8	104.6	Rankin	70.2	66.4	88.6
George	86.8	82.0	131.1	Scott	87.6	78.6	104.0
Greene	74.6	62.3	122.1	Sharkey	130.5	78.5	154.5
Grenada	76.1	57.9	99.7	Simpson	85.7	71.4	116.2
Hancock	76.8	77.1	74.2	Smith	74.9	59.8	125.2
Harrison	77.8	72.2	97.8	Stone	84.6	75.5	113.7
Hinds	74.4	57.4	93.2	Sunflower	108.8	64.4	134.8
Holmes	108.5	60.3	127.1	Tallahatchie	107.7	73.6	131.1
Humphreys	111.9	83.4	125.8	Tate	75.7	56.9	105.4
Issaquena	83.0	72.0	91.8	Tippah	76.0	65.8	130.0
Itawamba	62.6	60.7	89.6	Tishomingo	68.9	69.9	44.0
Jackson	71.2	65.2	95.3	Tunica	112.2	63.9	129.1
Jasper	90.5	60.2	118.3	Union	74.2	72.3	85.6
Jefferson	105.0	63.4	111.4	Walthall	91.7	72.2	117.4
Jeff Davis	93.0	77.7	105.5	Warren	83.3	67.6	109.6
Jones	78.4	66.4	116.7	Washington	105.4	73.1	130.9
Kemper	82.0	55.0	103.0	Wayne	102.4	86.8	132.9
Lafayette	45.4	33.0	80.4	Webster	85.2	76.7	117.4
Lamar	84.8	80.2	122.5	Wilkinson	94.1	80.4	100.1
Lauderdale	81.6	67.1	111.7	Winston	83.4	62.5	112.2
Lawrence	83.8	75.8	101.4	Yalobusha	82.6	69.1	102.0
Leake	91.5	77.6	111.5	Yazoo	110.5	72.4	145.1
Lee	72.8	61.5	114.8				
Leflore	90.6	67.8	104.2				

* Live births per 1,000 female population 15-44 years of age.

TABLE 4A
TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1981

County	Total	Age of Mother								Un- known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>46,228</u>	<u>347</u>	<u>10,082</u>	<u>16,179</u>	<u>12,331</u>	<u>5,468</u>	<u>1,440</u>	<u>344</u>	<u>24</u>	<u>13</u>
Adams	732	7	154	260	221	72	13	5	0	0
Alcorn	458	3	78	165	141	57	13	1	0	0
Amite	220	1	54	68	55	29	11	2	0	0
Attala	304	6	65	120	71	23	11	7	1	0
Benton	130	1	29	51	24	17	4	4	0	0
Bolivar	1,089	11	318	356	245	121	31	6	1	0
Calhoun	249	4	65	99	57	19	4	1	0	0
Carroll	134	0	26	45	43	15	4	1	0	0
Chickasaw	339	1	79	109	93	37	19	1	0	0
Choctaw	158	2	33	53	43	19	6	2	0	0
Claiborne	239	2	58	71	71	30	5	2	0	0
Clarke	313	5	65	112	85	38	6	2	0	0
Clay	453	2	104	137	133	54	19	4	0	0
Coahoma	770	13	234	257	175	60	29	2	0	0
Copiah	458	5	125	155	118	42	11	2	0	0
Covington	342	3	81	138	78	29	10	3	0	0
DeSoto	815	2	138	295	236	105	34	5	0	0
Forrest	1,160	10	231	401	327	149	32	10	0	0
Franklin	151	0	28	56	48	13	5	1	0	0
George	289	4	64	106	71	27	15	2	0	0
Greene	154	1	37	66	31	11	6	2	0	0
Grenada	351	1	91	118	86	37	14	4	0	0
Hancock	387	0	82	140	99	53	11	2	0	0
Harrison	2,883	14	605	1,087	773	314	69	19	1	1
Hinds	4,783	34	854	1,571	1,450	700	146	26	1	1
Holmes	510	5	137	180	107	51	20	9	1	0
Humphreys	318	5	93	94	80	30	12	4	0	0
Issaquena	47	0	14	19	10	4	0	0	0	0
Itawamba	275	0	51	113	67	35	9	0	0	0
Jackson	2,022	7	336	786	547	238	58	17	2	1
Jasper	320	4	72	118	69	41	12	4	0	0
Jefferson	209	5	46	71	49	25	12	1	0	0
Jeff Davis	262	5	67	83	58	35	10	4	0	0
Jones	1,070	6	226	385	285	133	29	6	0	0
Kemper	163	1	40	49	44	15	10	4	0	0
Lafayette	362	1	64	129	99	58	8	3	0	0
Lamar	478	1	75	176	149	62	13	2	0	0
Lauderdale	1,399	9	279	508	370	179	41	12	1	0
Lawrence	229	2	49	81	68	20	7	2	0	0
Leake	341	3	69	118	91	41	13	4	1	1
Lee	974	5	199	362	253	115	33	7	0	0
Leflore	847	13	223	299	180	97	29	5	1	0

Table 4A - Page 2
 Total Live Births - Mississippi - 1981

County	Total	Age of Mother								Un- known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
Lincoln	512	4	108	162	158	57	19	3	1	0
Lowndes	1,094	6	188	423	314	115	37	10	1	0
Madison	836	7	167	256	265	117	16	8	0	0
Marion	502	3	113	205	107	57	13	3	0	1
Marshall	555	4	132	187	138	68	23	2	1	0
Monroe	655	4	143	224	177	82	21	3	1	0
Montgomery	225	1	63	73	57	23	7	1	0	0
Neshoba	403	4	96	138	104	37	19	4	1	0
Newton	304	2	72	98	84	37	8	3	0	0
Noxubee	300	2	73	91	88	36	8	2	0	0
Oktibbeha	593	1	122	189	170	77	24	8	2	0
Panola	606	6	150	193	153	79	16	8	0	1
Pearl River	548	6	106	204	160	59	10	3	0	0
Perry	184	1	37	68	49	23	5	1	0	0
Pike	647	6	134	250	150	72	27	8	0	0
Pontotoc	298	1	51	109	86	36	14	1	0	0
Prentiss	336	0	77	127	81	40	9	2	0	0
Quitman	263	1	81	89	56	25	8	3	0	0
Rankin	1,204	0	179	378	393	209	40	5	0	0
Scott	456	5	119	157	108	50	15	2	0	0
Sharkey	215	5	67	65	48	21	4	3	0	2
Simpson	423	4	101	149	110	46	10	2	1	0
Smith	234	2	59	80	53	27	8	4	1	0
Stone	184	1	35	63	51	29	4	1	0	0
Sunflower	753	12	216	256	163	80	18	7	1	0
Tallahatchie	375	4	125	138	60	34	11	3	0	0
Tate	361	3	88	121	87	40	16	3	1	2
Tippah	297	2	45	117	79	34	16	4	0	0
Tishomingo	267	0	61	94	66	38	8	0	0	0
Tunica	218	2	82	72	30	23	6	1	1	1
Union	331	1	63	122	100	29	14	2	0	0
Walthall	250	3	47	91	62	35	9	3	0	0
Warren	983	6	192	348	275	122	32	7	1	0
Washington	1,665	21	431	578	413	171	45	5	1	0
Wayne	436	1	111	142	122	48	9	3	0	0
Webster	174	0	37	60	52	20	4	1	0	0
Wilkinson	200	2	58	55	52	19	10	4	0	0
Winston	327	2	71	95	95	47	11	4	0	2
Yalobusha	215	2	46	86	59	16	4	2	0	0
Yazoo	612	6	168	219	156	40	18	5	0	0

TABLE 4B
WHITE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1981

County	Total	Age of Mother								Un- known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>23,777</u>	<u>52</u>	<u>3,794</u>	<u>8,604</u>	<u>7,340</u>	<u>3,173</u>	<u>696</u>	<u>113</u>	<u>3</u>	<u>2</u>
Adams	317	0	45	114	118	33	6	1	0	0
Alcorn	382	2	64	135	119	51	10	1	0	0
Amite	93	0	16	35	23	14	4	1	0	0
Attala	129	1	21	62	38	6	1	0	0	0
Benton	63	0	11	27	10	11	1	3	0	0
Bolivar	232	1	37	85	75	27	7	0	0	0
Calhoun	143	1	31	59	36	13	3	0	0	0
Carroll	65	0	4	27	21	11	2	0	0	0
Chickasaw	165	0	28	50	56	22	9	0	0	0
Choctaw	84	0	14	29	25	11	4	1	0	0
Claiborne	51	0	10	14	20	4	3	0	0	0
Clarke	176	1	30	71	49	23	1	1	0	0
Clay	160	1	27	60	48	20	3	1	0	0
Coahoma	169	0	21	57	56	22	12	1	0	0
Copiah	154	0	35	54	51	13	1	0	0	0
Covington	164	1	35	68	40	15	5	0	0	0
DeSoto	639	2	90	235	203	86	20	3	0	0
Forrest	691	3	110	238	213	102	20	5	0	0
Franklin	81	0	7	33	29	10	2	0	0	0
George	246	2	54	89	62	25	13	1	0	0
Greene	102	0	23	47	19	9	3	1	0	0
Grenada	151	0	26	48	46	22	8	1	0	0
Hancock	345	0	74	125	89	47	9	1	0	0
Harrison	2,089	3	396	845	580	215	39	10	0	1
Hinds	1,935	3	184	567	744	372	59	6	0	0
Holmes	79	0	14	34	18	12	1	0	0	0
Humphreys	78	1	11	24	32	7	3	0	0	0
Issaquena	18	0	2	6	6	4	0	0	0	0
Itawamba	249	0	46	104	58	32	9	0	0	0
Jackson	1,479	3	245	594	409	173	43	12	0	0
Jasper	102	0	18	38	24	17	4	1	0	0
Jefferson	17	0	2	9	5	1	0	0	0	0
Jeff Davis	98	0	22	38	30	7	1	0	0	0
Jones	689	3	112	255	203	92	19	5	0	0
Kemper	48	0	4	15	21	4	2	2	0	0
Lafayette	195	0	21	60	68	39	5	2	0	0
Lamar	403	1	57	150	129	55	10	1	0	0
Lauderdale	775	1	108	292	237	106	25	6	0	0
Lawrence	142	0	26	54	44	13	3	2	0	0
Leake	171	2	25	70	49	19	4	1	1	0
Lee	648	0	121	219	193	89	21	5	0	0
Leflore	236	1	35	79	74	41	6	0	0	0

Table 4B - Page 2
 White Live Births - Mississippi - 1981

County	Total	Age of Mother								Un- known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
Lincoln	293	0	53	95	104	32	8	0	1	0
Lowndes	608	1	78	254	201	58	15	1	0	0
Madison	326	1	26	91	137	66	3	2	0	0
Marion	305	1	61	130	67	32	11	2	0	1
Marshall	215	0	37	81	61	26	10	0	0	0
Monroe	371	0	77	126	107	49	12	0	0	0
Montgomery	99	0	24	27	33	9	6	0	0	0
Neshoba	225	2	42	86	66	19	8	2	0	0
Newton	172	1	26	62	56	23	3	1	0	0
Noxubee	95	0	10	32	33	17	3	0	0	0
Oktibbeha	257	0	31	81	90	44	9	2	0	0
Panola	194	0	34	64	58	29	6	3	0	0
Pearl River	427	1	75	159	128	51	10	3	0	0
Perry	124	0	29	40	35	17	2	1	0	0
Pike	273	1	42	105	75	38	11	1	0	0
Pontotoc	235	0	32	89	75	26	12	1	0	0
Prentiss	276	0	62	112	65	29	6	2	0	0
Quitman	75	0	13	25	26	5	6	0	0	0
Rankin	940	0	110	282	339	180	26	3	0	0
Scott	263	2	63	85	71	34	8	0	0	0
Sharkey	41	0	7	9	16	9	0	0	0	0
Simpson	239	1	57	86	64	25	5	0	1	0
Smith	144	0	29	55	35	18	6	1	0	0
Stone	125	0	20	42	38	22	2	1	0	0
Sunflower	164	0	26	58	52	25	3	0	0	0
Tallahatchie	104	1	22	37	26	16	2	0	0	0
Tate	166	1	28	59	50	19	7	2	0	0
Tippah	216	1	31	85	56	27	14	2	0	0
Tishomingo	260	0	59	92	64	37	8	0	0	0
Tunica	32	0	2	12	6	8	3	1	0	0
Union	278	1	48	100	88	27	12	2	0	0
Walthall	112	0	18	44	34	15	1	0	0	0
Warren	500	0	54	185	168	76	15	2	0	0
Washington	510	2	80	178	165	73	12	0	0	0
Wayne	245	0	38	90	80	28	8	1	0	0
Webster	124	0	21	42	40	16	4	1	0	0
Wilkinson	52	0	7	17	18	4	6	0	0	0
Winston	142	0	18	49	48	21	5	1	0	0
Yalobusha	106	1	17	50	28	9	1	0	0	0
Yazoo	191	1	25	73	67	19	6	0	0	0

TABLE 4C
NONWHITE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1981

County	Total	Age of Mother								Un- known
		Under 15	15-19	20-25	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>22,451</u>	<u>295</u>	<u>6,288</u>	<u>7,575</u>	<u>4,991</u>	<u>2,295</u>	<u>744</u>	<u>231</u>	<u>21</u>	<u>11</u>
Adams	415	7	109	146	103	39	7	4	0	0
Alcorn	76	1	14	30	22	6	3	0	0	0
Amite	127	1	38	33	32	15	7	1	0	0
Attala	175	5	44	58	33	17	10	7	1	0
Benton	67	1	18	24	14	6	3	1	0	0
Bolivar	857	10	281	271	170	94	24	6	1	0
Calhoun	106	3	34	40	21	6	1	1	0	0
Carroll	69	0	22	18	22	4	2	1	0	0
Chickasaw	174	1	51	59	37	15	10	1	0	0
Choctaw	74	2	19	24	18	8	2	1	0	0
Claiborne	188	2	48	57	51	26	2	2	0	0
Clarke	137	4	35	41	36	15	5	1	0	0
Clay	293	1	77	77	85	34	16	3	0	0
Coahoma	601	13	213	200	119	38	17	1	0	0
Copiah	304	5	90	101	67	29	10	2	0	0
Covington	178	2	46	70	38	14	5	3	0	0
DeSoto	176	0	48	60	33	19	14	2	0	0
Forrest	469	7	121	163	114	47	12	5	0	0
Franklin	70	0	21	23	19	3	3	1	0	0
George	43	2	10	17	9	2	2	1	0	0
Greene	52	1	14	19	12	2	3	1	0	0
Grenada	200	1	65	70	40	15	6	3	0	0
Hancock	42	0	8	15	10	6	2	1	0	0
Harrison	794	11	209	242	193	99	30	9	1	0
Hinds	2,848	31	670	1,004	706	328	87	20	1	1
Holmes	431	5	123	146	89	39	19	9	1	0
Humphreys	240	4	82	70	48	23	9	4	0	0
Issaquena	29	0	12	13	4	0	0	0	0	0
Itawamba	26	0	5	9	9	3	0	0	0	0
Jackson	543	4	121	192	138	65	15	5	2	1
Jasper	218	4	54	80	45	24	8	3	0	0
Jefferson	192	5	44	62	44	24	12	1	0	0
Jeff Davis	164	5	45	45	28	28	9	4	0	0
Jones	381	3	114	130	82	41	10	1	0	0
Kemper	115	1	36	34	23	11	8	2	0	0
Lafayette	167	1	43	69	31	19	3	1	0	0
Lamar	75	0	18	26	20	7	3	1	0	0
Lauderdale	624	8	171	216	133	73	16	6	1	0
Lawrence	87	2	23	27	24	7	4	0	0	0
Leake	170	1	44	48	42	22	9	3	0	1
Lee	326	5	78	143	60	26	12	2	0	0
Leflore	611	12	188	220	106	56	23	5	1	0

Table 4C - Page 2
 Nonwhite Live Births - Mississippi - 1981

County	Total	Age of Mother								Un- known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
Lincoln	219	4	55	67	54	25	11	3	0	0
Lowndes	486	5	110	169	113	57	22	9	1	0
Madison	510	6	141	165	128	51	13	6	0	0
Marion	197	2	52	75	40	25	2	1	0	0
Marshall	340	4	95	106	77	42	13	2	1	0
Monroe	284	4	66	98	70	33	9	3	1	0
Montgomery	126	1	39	46	24	14	1	1	0	0
Neshoba	178	2	54	52	38	18	11	2	1	0
Newton	132	1	46	36	28	14	5	2	0	0
Noxubee	205	2	63	59	55	19	5	2	0	0
Oktibbeha	336	1	91	108	80	33	15	6	2	0
Panola	412	6	116	129	95	50	10	5	0	1
Pearl River	121	5	31	45	32	8	0	0	0	0
Perry	60	1	8	28	14	6	3	0	0	0
Pike	374	5	92	145	75	34	16	7	0	0
Pontotoc	63	1	19	20	11	10	2	0	0	0
Prentiss	60	0	15	15	16	11	3	0	0	0
Quitman	188	1	68	64	30	20	2	3	0	0
Rankin	264	0	69	96	54	29	14	2	0	0
Scott	193	3	56	72	37	16	7	2	0	0
Sharkey	174	5	60	56	32	12	4	3	0	2
Simpson	184	3	44	63	46	21	5	2	0	0
Smith	90	2	30	25	18	9	2	3	1	0
Stone	59	1	15	21	13	7	2	0	0	0
Sunflower	589	12	190	198	111	55	15	7	1	0
Tallahatchie	271	3	103	101	34	18	9	3	0	0
Tate	195	2	60	62	37	21	9	1	1	2
Tippah	81	1	14	32	23	7	2	2	0	0
Tishomingo	7	0	2	2	2	1	0	0	0	0
Tunica	186	2	80	60	24	15	3	0	1	1
Union	53	0	15	22	12	2	2	0	0	0
Walthall	138	3	29	47	28	20	8	3	0	0
Warren	483	6	138	163	107	46	17	5	1	0
Washington	1,155	19	351	400	248	98	33	5	1	0
Wayne	191	1	73	52	42	20	1	2	0	0
Webster	50	0	16	18	12	4	0	0	0	0
Wilkinson	148	2	51	38	34	15	4	4	0	0
Winston	185	2	53	46	47	26	6	3	0	2
Yalobusha	109	1	29	36	31	7	3	2	0	0
Yazoo	421	5	143	146	89	21	12	5	0	0

TABLE 5
 ILLEGITIMATE LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
 BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 1981

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>STATE</u>	<u>13,340</u>	<u>1,389</u>	<u>11,951</u>	<u>28.8</u>	<u>5.8</u>	<u>53.2</u>
Adams	264	18	246	36.1	5.7	59.3
Alcorn	57	23	34	12.4	6.0	44.7
Amite	63	4	59	28.6	4.3	46.4
Attala	78	7	71	25.6	5.4	40.6
Benton	30	3	27	23.1	4.8	40.3
Bolivar	574	5	569	52.7	2.2	66.4
Calhoun	67	12	55	26.9	8.4	51.9
Carroll	28	1	27	20.9	1.5	39.1
Chickasaw	82	7	75	24.2	4.2	43.1
Choctaw	34	0	34	21.5	-	45.9
Claiborne	103	3	100	43.1	5.9	53.2
Clarke	83	12	71	26.5	6.8	51.8
Clay	142	12	130	31.3	7.5	44.4
Coahoma	401	10	391	52.1	5.9	65.0
Copiah	165	7	158	36.0	4.5	52.0
Covington	91	10	81	26.6	6.1	45.5
DeSoto	139	38	101	17.0	5.9	57.4
Forrest	277	50	227	23.9	7.2	48.4
Franklin	36	2	34	23.8	2.5	48.6
George	31	12	19	10.7	4.9	44.2
Greene	25	6	19	16.2	5.9	36.5
Grenada	109	9	100	31.0	6.0	50.0
Hancock	59	40	19	15.2	11.6	45.2
Harrison	526	157	369	18.2	7.5	46.5
Hinds	1,541	103	1,438	32.2	5.3	50.5
Holmes	232	2	230	45.5	2.5	53.4
Humphreys	161	2	159	50.6	2.6	66.2
Issaquena	22	0	22	46.8	-	75.9
Itawamba	28	16	12	10.2	6.4	46.2
Jackson	405	132	273	20.0	8.9	50.3
Jasper	96	5	91	30.0	4.9	41.7
Jefferson	112	1	111	53.6	5.9	57.8
Jeff Davis	68	1	67	26.0	1.0	40.8
Jones	204	26	178	19.1	3.8	46.7
Kemper	49	1	48	30.1	2.1	41.7
Lafayette	89	8	81	24.6	4.1	48.5
Lamar	57	19	38	11.9	4.7	50.7
Lauderdale	363	43	320	25.9	5.5	51.3
Lawrence	41	4	37	17.9	2.8	42.5
Leake	76	13	63	22.3	7.6	37.0
Lee	174	49	125	17.9	7.6	38.3
Leflore	400	21	379	47.2	8.9	62.0

Table 5 - Page 2
 Illegitimate Live Births - Mississippi - 1981

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Lincoln	124	13	111	24.2	4.4	50.7
Lowndes	280	27	253	25.6	4.4	52.0
Madison	314	15	299	37.6	4.6	58.6
Marion	104	19	85	20.7	6.2	43.1
Marshall	213	12	201	38.4	5.6	59.1
Monroe	144	16	128	22.0	4.3	45.1
Montgomery	76	5	71	33.8	5.0	56.3
Neshoba	86	11	75	21.3	4.9	42.1
Newton	67	8	59	22.0	4.6	44.7
Noxubee	125	3	122	41.7	3.2	59.5
Oktibbeha	172	8	164	29.0	3.1	48.8
Panola	260	20	240	42.9	10.3	58.2
Pearl River	95	30	65	17.3	7.0	53.7
Perry	32	3	29	17.4	2.4	48.3
Pike	199	14	185	30.8	5.1	49.5
Pontotoc	38	9	29	12.8	3.8	46.0
Prentiss	46	20	26	13.7	7.2	43.3
Quitman	127	4	123	48.3	5.3	65.4
Rankin	155	44	111	12.9	4.7	42.0
Scott	109	18	91	23.9	6.8	47.2
Sharkey	119	1	118	55.3	2.4	67.8
Simpson	89	12	77	21.0	5.0	41.8
Smith	48	6	42	20.5	4.2	46.7
Stone	32	3	29	17.4	2.4	49.2
Sunflower	387	13	374	51.4	7.9	63.5
Tallahatchie	198	13	185	52.8	12.5	68.3
Tate	105	6	99	29.1	3.6	50.8
Tippah	31	10	21	10.4	4.6	25.9
Tishomingo	15	11	4	5.6	4.2	57.1
Tunica	130	0	130	59.6	-	69.9
Union	40	15	25	12.1	5.4	47.2
Walthall	61	8	53	24.4	7.1	38.4
Warren	301	23	278	30.6	4.6	57.6
Washington	783	34	749	47.0	6.7	64.8
Wayne	117	15	102	26.8	6.1	53.4
Webster	36	9	27	20.7	7.2	54.0
Wilkinson	88	3	85	44.0	5.8	57.4
Winston	101	3	98	30.9	2.1	53.0
Yalobusha	63	5	58	29.3	4.7	53.2
Yazoo	248	6	242	40.5	3.1	57.5

TABLE 6A
TOTAL ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1981

County	Total	Age of Mother								Un- known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>13,340</u>	<u>322</u>	<u>5,960</u>	<u>4,407</u>	<u>1,719</u>	<u>638</u>	<u>203</u>	<u>77</u>	<u>10</u>	<u>4</u>
Adams	264	7	106	88	50	8	3	2	0	0
Alcorn	57	2	21	24	9	1	0	0	0	0
Amite	63	1	30	14	15	2	1	0	0	0
Attala	78	6	36	21	8	3	2	1	1	0
Benton	30	1	16	7	5	1	0	0	0	0
Bolivar	574	10	266	184	78	28	5	3	0	0
Calhoun	67	4	33	19	7	2	1	1	0	0
Carroll	28	0	18	8	1	1	0	0	0	0
Chickasaw	82	1	44	24	5	6	1	1	0	0
Choctaw	34	2	15	8	5	3	1	0	0	0
Claiborne	103	2	43	33	15	8	1	1	0	0
Clarke	83	4	32	23	13	9	1	1	0	0
Clay	142	1	61	41	23	13	2	1	0	0
Coahoma	401	13	192	129	53	7	6	1	0	0
Copiah	165	5	79	49	20	7	5	0	0	0
Covington	91	2	38	36	12	1	0	2	0	0
DeSoto	139	2	61	47	17	9	3	0	0	0
Forrest	277	9	124	98	32	11	3	0	0	0
Franklin	36	0	16	14	5	1	0	0	0	0
George	31	2	13	11	3	0	1	1	0	0
Greene	25	1	14	7	2	0	1	0	0	0
Grenada	109	1	59	34	9	3	3	0	0	0
Hancock	59	0	21	25	8	4	0	1	0	0
Harrison	526	13	244	176	60	24	7	2	0	0
Hinds	1,541	33	621	546	224	82	27	6	1	1
Holmes	232	5	102	74	34	12	2	3	0	0
Humphreys	161	5	71	46	25	9	4	1	0	0
Issaquena	22	0	12	10	0	0	0	0	0	0
Itawamba	28	0	10	8	6	4	0	0	0	0
Jackson	405	6	167	152	52	18	4	4	1	1
Jasper	96	4	43	36	4	7	1	1	0	0
Jefferson	112	5	39	40	16	7	4	1	0	0
Jeff Davis	68	4	34	18	8	4	0	0	0	0
Jones	204	5	98	67	19	10	5	0	0	0
Kemper	49	1	25	13	3	3	2	2	0	0
Lafayette	89	1	38	31	9	7	3	0	0	0
Lamar	57	0	25	24	6	2	0	0	0	0
Lauderdale	363	8	163	121	40	23	6	1	1	0
Lawrence	41	2	22	9	7	1	0	0	0	0
Leake	76	2	30	19	18	3	1	2	1	0
Lee	174	5	78	55	19	9	6	2	0	0
Leflore	400	13	179	135	49	18	5	1	0	0

Table 6A - Page 2
 Total Illegitimate Live Births - Mississippi - 1981

County	Total	Age of Mother								Un- known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
Lincoln	124	4	50	43	18	6	1	2	0	0
Lowndes	280	6	109	102	38	11	8	6	0	0
Madison	314	7	139	106	44	13	2	3	0	0
Marion	104	3	48	41	6	4	2	0	0	0
Marshall	213	3	95	62	33	15	4	1	0	0
Monroe	144	4	59	41	23	11	3	2	1	0
Montgomery	76	1	38	23	9	5	0	0	0	0
Neshoba	86	3	40	22	13	5	3	0	0	0
Newton	67	1	39	16	8	1	2	0	0	0
Noxubee	125	2	56	35	18	13	0	1	0	0
Oktibbeha	172	1	72	55	28	11	5	0	0	0
Panola	260	6	115	78	42	13	4	1	0	1
Pearl River	95	6	43	31	13	3	0	0	0	0
Perry	32	1	9	13	5	3	1	0	0	0
Pike	199	6	82	74	22	7	6	2	0	0
Pontotoc	38	1	19	11	0	6	2	0	0	0
Prentiss	46	0	24	10	8	3	1	0	0	0
Quitman	127	1	63	42	12	8	0	1	0	0
Rankin	155	0	70	56	18	7	4	0	0	0
Scott	109	4	53	36	9	5	2	0	0	0
Sharkey	119	5	60	37	15	2	0	0	0	0
Simpson	89	4	45	26	9	4	0	1	0	0
Smith	48	2	28	7	9	1	1	0	0	0
Stone	32	1	15	12	2	2	0	0	0	0
Sunflower	387	12	175	127	43	18	8	3	1	0
Tallahatchie	198	4	100	71	14	5	2	2	0	0
Tate	105	3	53	34	9	4	1	0	1	0
Tippah	31	1	14	12	3	1	0	0	0	0
Tishomingo	15	0	9	3	1	2	0	0	0	0
Tunica	130	2	72	38	11	7	0	0	0	0
Union	40	1	16	14	6	1	2	0	0	0
Walthall	61	3	21	24	8	2	2	1	0	0
Warren	301	6	136	108	33	10	5	2	1	0
Washington	783	20	337	277	108	30	9	1	1	0
Wayne	117	1	66	33	10	7	0	0	0	0
Webster	36	0	19	14	1	2	0	0	0	0
Wilkinson	88	2	45	20	15	5	0	1	0	0
Winston	101	2	43	29	19	7	0	0	0	1
Yalobusha	63	2	26	24	9	0	1	1	0	0
Yazoo	248	4	118	76	33	8	5	4	0	0

TABLE 6B
 WHITE ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
 MISSISSIPPI, 1981

County	Total	Age of Mother								Un- known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>1,389</u>	<u>32</u>	<u>654</u>	<u>479</u>	<u>149</u>	<u>47</u>	<u>23</u>	<u>4</u>	<u>1</u>	<u>0</u>
Adams	18	0	9	5	4	0	0	0	0	0
Alcorn	23	1	10	10	1	1	0	0	0	0
Amite	4	0	2	0	2	0	0	0	0	0
Attala	7	1	5	1	0	0	0	0	0	0
Benton	3	0	1	1	1	0	0	0	0	0
Bolivar	5	0	3	2	0	0	0	0	0	0
Calhoun	12	1	5	5	0	1	0	0	0	0
Carroll	1	0	0	1	0	0	0	0	0	0
Chickasaw	7	0	5	1	0	0	1	0	0	0
Choctaw	0	0	0	0	0	0	0	0	0	0
Claiborne	3	0	3	0	0	0	0	0	0	0
Clarke	12	0	6	2	0	4	0	0	0	0
Clay	12	0	5	6	1	0	0	0	0	0
Coahoma	10	0	4	4	1	0	0	1	0	0
Copiah	7	0	4	2	1	0	0	0	0	0
Covington	10	0	4	5	1	0	0	0	0	0
DeSoto	38	2	20	11	4	0	1	0	0	0
Forrest	50	2	20	17	5	5	1	0	0	0
Franklin	2	0	0	2	0	0	0	0	0	0
George	12	0	7	3	2	0	0	0	0	0
Greene	6	0	3	1	2	0	0	0	0	0
Grenada	9	0	4	3	0	0	2	0	0	0
Hancock	40	0	16	18	5	1	0	0	0	0
Harrison	157	2	64	66	19	3	3	0	0	0
Hinds	103	3	42	38	14	4	2	0	0	0
Holmes	2	0	2	0	0	0	0	0	0	0
Humphreys	2	1	0	1	0	0	0	0	0	0
Issaquena	0	0	0	0	0	0	0	0	0	0
Itawamba	16	0	7	5	2	2	0	0	0	0
Jackson	132	2	59	50	13	5	1	2	0	0
Jasper	5	0	4	1	0	0	0	0	0	0
Jefferson	1	0	0	1	0	0	0	0	0	0
Jeff Davis	1	0	0	1	0	0	0	0	0	0
Jones	26	2	12	10	2	0	0	0	0	0
Kemper	1	0	1	0	0	0	0	0	0	0
Lafayette	8	0	3	4	1	0	0	0	0	0
Lamar	19	0	11	6	2	0	0	0	0	0
Lauderdale	43	0	20	16	5	1	1	0	0	0
Lawrence	4	0	2	1	1	0	0	0	0	0
Leake	13	1	3	4	3	1	0	0	1	0
Lee	49	0	25	10	9	4	1	0	0	0
Leflore	21	1	9	7	3	1	0	0	0	0

Table 6B - Page 2

White Illegitimate Live Births - Mississippi - 1981

County	Total	Age of Mother								Un- known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
Lincoln	13	0	7	5	1	0	0	0	0	0
Lowndes	27	1	12	11	2	0	1	0	0	0
Madison	15	1	9	4	1	0	0	0	0	0
Marion	19	1	12	5	0	0	1	0	0	0
Marshall	12	0	8	3	0	0	1	0	0	0
Monroe	16	0	13	1	2	0	0	0	0	0
Montgomery	5	0	3	2	0	0	0	0	0	0
Neshoba	11	1	4	2	4	0	0	0	0	0
Newton	8	0	3	2	3	0	0	0	0	0
Noxubee	3	0	2	1	0	0	0	0	0	0
Oktibbeha	8	0	3	4	1	0	0	0	0	0
Panola	20	0	9	6	2	0	3	0	0	0
Pearl River	30	0	15	8	5	2	0	0	0	0
Perry	3	0	1	2	0	0	0	0	0	0
Pike	14	1	6	3	1	1	1	1	0	0
Pontotoc	9	0	3	3	0	1	2	0	0	0
Prentiss	20	0	13	4	2	1	0	0	0	0
Quitman	4	0	1	2	0	1	0	0	0	0
Rankin	44	0	18	18	6	2	0	0	0	0
Scott	18	2	13	3	0	0	0	0	0	0
Sharkey	1	0	1	0	0	0	0	0	0	0
Simpson	12	1	9	2	0	0	0	0	0	0
Smith	6	0	4	2	0	0	0	0	0	0
Stone	3	0	1	2	0	0	0	0	0	0
Sunflower	13	0	7	4	1	1	0	0	0	0
Tallahatchie	13	1	7	5	0	0	0	0	0	0
Tate	6	1	2	2	1	0	0	0	0	0
Tippah	10	0	4	5	1	0	0	0	0	0
Tishomingo	11	0	8	2	0	1	0	0	0	0
Tunica	0	0	0	0	0	0	0	0	0	0
Union	15	1	7	6	0	0	1	0	0	0
Walthall	8	0	3	5	0	0	0	0	0	0
Warren	23	0	10	11	2	0	0	0	0	0
Washington	34	1	17	10	4	2	0	0	0	0
Wayne	15	0	8	3	2	2	0	0	0	0
Webster	9	0	5	4	0	0	0	0	0	0
Wilkinson	3	0	2	1	0	0	0	0	0	0
Winston	3	0	1	1	1	0	0	0	0	0
Yalobusha	5	1	2	2	0	0	0	0	0	0
Yazoo	6	0	1	2	3	0	0	0	0	0

TABLE 6C
NONWHITE ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1981

County	Total	Age of Mother								Un- known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>11,951</u>	<u>290</u>	<u>5,306</u>	<u>3,928</u>	<u>1,570</u>	<u>591</u>	<u>180</u>	<u>73</u>	<u>9</u>	<u>4</u>
Adams	246	7	97	83	46	8	3	2	0	0
Alcorn	34	1	11	14	8	0	0	0	0	0
Amite	59	1	28	14	13	2	1	0	0	0
Attala	71	5	31	20	8	3	2	1	1	0
Benton	27	1	15	6	4	1	0	0	0	0
Bolivar	569	10	263	182	78	28	5	3	0	0
Calhoun	55	3	28	14	7	1	1	1	0	0
Carroll	27	0	18	7	1	1	0	0	0	0
Chickasaw	75	1	39	23	5	6	0	1	0	0
Choctaw	34	2	15	8	5	3	1	0	0	0
Claiborne	100	2	40	33	15	8	1	1	0	0
Clarke	71	4	26	21	13	5	1	1	0	0
Clay	130	1	56	35	22	13	2	1	0	0
Coahoma	391	13	188	125	52	7	6	0	0	0
Copiah	158	5	75	47	19	7	5	0	0	0
Covington	81	2	34	31	11	1	0	2	0	0
DeSoto	101	0	41	36	13	9	2	0	0	0
Forrest	227	7	104	81	27	6	2	0	0	0
Franklin	34	0	16	12	5	1	0	0	0	0
George	19	2	6	8	1	0	1	1	0	0
Greene	19	1	11	6	0	0	1	0	0	0
Grenada	100	1	55	31	9	3	1	0	0	0
Hancock	19	0	5	7	3	3	0	1	0	0
Harrison	369	11	180	110	41	21	4	2	0	0
Hinds	1,438	30	579	508	210	78	25	6	1	1
Holmes	230	5	100	74	34	12	2	3	0	0
Humphreys	159	4	71	45	25	9	4	1	0	0
Issaquena	22	0	12	10	0	0	0	0	0	0
Itawamba	12	0	3	3	4	2	0	0	0	0
Jackson	273	4	108	102	39	13	3	2	1	1
Jasper	91	4	39	35	4	7	1	1	0	0
Jefferson	111	5	39	39	16	7	4	1	0	0
Jeff Davis	67	4	34	17	8	4	0	0	0	0
Jones	178	3	86	57	17	10	5	0	0	0
Kemper	48	1	24	13	3	3	2	2	0	0
Lafayette	81	1	35	27	8	7	3	0	0	0
Lamar	38	0	14	18	4	2	0	0	0	0
Lauderdale	320	8	143	105	35	22	5	1	1	0
Lawrence	37	2	20	8	6	1	0	0	0	0
Leake	63	1	27	15	15	2	1	2	0	0
Lee	125	5	53	45	10	5	5	2	0	0
Leflore	379	12	170	128	46	17	5	1	0	0

Table 6C - Page 2

Nonwhite Illegitimate Live births - Mississippi - 1981

County	Total	Age of Mother								Un- known
		Under 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
Lincoln	111	4	43	38	17	6	1	2	0	0
Lowndes	253	5	97	91	36	11	7	6	0	0
Madison	299	6	130	102	43	13	2	3	0	0
Marion	85	2	36	36	6	4	1	0	0	0
Marshall	201	3	87	59	33	15	3	1	0	0
Monroe	128	4	46	40	21	11	3	2	1	0
Montgomery	71	1	35	21	9	5	0	0	0	0
Neshoba	75	2	36	20	9	5	3	0	0	0
Newton	59	1	36	14	5	1	2	0	0	0
Noxubee	122	2	54	34	18	13	0	1	0	0
Oktibbeha	164	1	69	51	27	11	5	0	0	0
Panola	240	6	106	72	40	13	1	1	0	1
Pearl River	65	5	28	23	8	1	0	0	0	0
Perry	29	1	8	11	5	3	1	0	0	0
Pike	185	5	76	71	21	6	5	1	0	0
Pontotoc	29	1	16	8	0	4	0	0	0	0
Prentiss	26	0	11	6	6	2	1	0	0	0
Quitman	123	1	62	40	12	7	0	1	0	0
Rankin	111	0	52	38	12	5	4	0	0	0
Scott	91	2	40	33	9	5	2	0	0	0
Sharkey	118	5	59	37	15	2	0	0	0	0
Simpson	77	3	36	24	9	4	0	1	0	0
Smith	42	2	24	5	9	1	1	0	0	0
Stone	29	1	14	10	2	2	0	0	0	0
Sunflower	374	12	168	123	42	17	8	3	1	0
Tallahatchie	185	3	93	66	14	5	2	2	0	0
Tate	99	2	51	32	8	4	1	0	1	0
Tippah	21	1	10	7	2	1	0	0	0	0
Tishomingo	4	0	1	1	1	1	0	0	0	0
Tunica	130	2	72	38	11	7	0	0	0	0
Union	25	0	9	8	6	1	1	0	0	0
Walthall	53	3	18	19	8	2	2	1	0	0
Warren	278	6	126	97	31	10	5	2	1	0
Washington	749	19	320	267	104	28	9	1	1	0
Wayne	102	1	58	30	8	5	0	0	0	0
Webster	27	0	14	10	1	2	0	0	0	0
Wilkinson	85	2	43	19	15	5	0	1	0	0
Winston	98	2	42	28	18	7	0	0	0	1
Yalobusha	58	1	24	22	9	0	1	1	0	0
Yazoo	242	4	117	74	30	8	5	4	0	0

TABLE 7
 IMMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
 BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 1981

County	Number			Percent		
	Total	White	Non- white	Total	White	Non- white
<u>STATE</u>	<u>4,016</u>	<u>1,341</u>	<u>2,675</u>	<u>8.7</u>	<u>5.6</u>	<u>11.9</u>
Adams	77	17	60	10.5	5.4	14.4
Alcorn	33	26	7	7.2	6.8	9.2
Amite	23	7	16	10.4	7.5	12.6
Attala	34	12	22	11.2	9.3	12.6
Benton	8	2	6	6.2	3.2	9.0
Bolivar	121	12	109	11.1	5.2	12.7
Calhoun	23	7	16	9.2	4.9	15.1
Carroll	7	1	6	5.2	1.5	8.7
Chickasaw	30	8	22	8.8	4.8	12.6
Choctaw	6	2	4	3.8	2.4	5.4
Claiborne	17	3	14	7.1	5.9	7.4
Clarke	21	6	15	6.7	3.4	10.9
Clay	32	6	26	7.1	3.8	8.9
Coahoma	72	2	70	9.4	1.2	11.6
Copiah	55	12	43	12.0	7.8	14.1
Covington	27	10	17	7.9	6.1	9.6
DeSoto	58	34	24	7.1	5.3	13.6
Forrest	90	35	55	7.8	5.1	11.7
Franklin	13	7	6	8.6	8.6	8.6
George	22	16	6	7.6	6.5	14.0
Greene	11	4	7	7.1	3.9	13.5
Grenada	39	12	27	11.1	7.9	13.5
Hancock	29	24	5	7.5	7.0	11.9
Harrison	223	133	90	7.7	6.4	11.3
Hinds	464	117	347	9.7	6.0	12.2
Holmes	66	1	65	12.9	1.3	15.1
Humphreys	27	6	21	8.5	7.7	8.8
Issaquena	4	2	2	8.5	11.1	6.9
Itawamba	14	13	1	5.1	5.2	3.8
Jackson	120	64	56	5.9	4.3	10.3
Jasper	36	9	27	11.2	8.8	12.4
Jefferson	18	1	17	8.6	5.9	8.8
Jeff Davis	22	3	19	8.4	3.1	11.6
Jones	88	40	48	8.2	5.8	12.6
Kemper	16	0	16	9.8	-	13.9
Lafayette	24	6	18	6.6	3.1	10.8
Lamar	29	21	8	6.1	5.2	10.7
Lauderdale	112	44	68	8.0	5.7	10.9
Lawrence	16	8	8	7.0	5.6	9.2
Leake	42	16	26	12.3	9.4	15.3
Lee	91	42	49	9.3	6.5	15.0
Leflore	94	23	71	11.1	9.7	11.6

Table 7 - Page 2
 Immature Live Births - Mississippi - 1981

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
Lincoln	33	12	21	6.4	4.1	9.6
Lowndes	96	36	60	8.8	5.9	12.3
Madison	90	18	72	10.8	5.5	14.1
Marion	43	18	25	8.6	5.9	12.7
Marshall	44	12	32	7.9	5.6	9.4
Monroe	60	18	42	9.2	4.8	14.8
Montgomery	21	5	16	9.3	5.0	12.7
Neshoba	38	16	22	9.4	7.1	12.4
Newton	22	12	10	7.2	7.0	7.6
Noxubee	31	8	23	10.3	8.4	11.2
Oktibbeha	47	9	38	7.9	3.5	11.3
Panola	43	4	39	7.1	2.1	9.5
Pearl River	42	20	22	7.7	4.7	18.2
Perry	18	9	9	9.8	7.2	15.0
Pike	56	15	41	8.6	5.5	11.0
Pontotoc	30	21	9	10.1	8.9	14.3
Prentiss	24	16	8	7.1	5.8	13.3
Quitman	26	4	22	9.9	5.3	11.7
Rankin	81	48	33	6.7	5.1	12.5
Scott	44	20	24	9.6	7.6	12.4
Sharkey	20	0	20	9.3	-	11.5
Simpson	36	16	20	8.5	6.7	10.9
Smith	25	12	13	10.7	8.3	14.4
Stone	11	5	6	6.0	4.0	10.2
Sunflower	65	7	58	8.6	4.3	9.8
Tallahatchie	42	9	33	11.2	8.6	12.2
Tate	39	7	32	10.8	4.2	16.4
Tippah	23	16	7	7.7	7.4	8.6
Tishomingo	20	19	1	7.5	7.3	14.3
Tunica	28	4	24	12.8	12.5	12.9
Union	20	13	7	6.0	4.7	13.2
Walthall	15	6	9	6.0	5.4	6.5
Warren	65	12	53	6.6	2.4	11.0
Washington	188	32	156	11.3	6.3	13.5
Wayne	33	12	21	7.6	4.9	11.0
Webster	15	10	5	8.6	8.1	10.0
Wilkinson	16	2	14	8.0	3.8	9.4
Winston	25	5	20	7.6	3.5	10.8
Yalobusha	18	8	10	8.4	7.5	9.2
Yazoo	69	11	58	11.3	5.8	13.8

* Birthweight 2,500 grams or less.

TABLE 8
 PREMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
 BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 1981

County	Number			Percent		
	Total	White	Non-white	Total	White	Non-white
<u>STATE</u>	<u>5,908</u>	<u>1,930</u>	<u>3,978</u>	<u>12.8</u>	<u>8.1</u>	<u>17.7</u>
Adams	116	21	95	15.8	6.6	22.9
Alcorn	43	29	14	9.4	7.6	18.4
Amite	32	13	19	14.5	14.0	15.0
Attala	47	13	34	15.5	10.1	19.4
Benton	16	2	14	12.3	3.2	20.9
Bolivar	183	14	169	16.8	6.0	19.7
Calhoun	29	10	19	11.6	7.0	17.9
Carroll	15	4	11	11.2	6.2	15.9
Chickasaw	43	13	30	12.7	7.9	17.2
Choctaw	12	0	12	7.6	-	16.2
Claiborne	25	4	21	10.5	7.8	11.2
Clarke	34	16	18	10.9	9.1	13.1
Clay	54	12	42	11.9	7.5	14.3
Coahoma	123	16	107	16.0	9.5	17.8
Copiah	81	15	66	17.7	9.7	21.7
Covington	41	14	27	12.0	8.5	15.2
DeSoto	69	46	23	8.5	7.2	13.1
Forrest	134	49	85	11.6	7.1	18.1
Franklin	13	6	7	8.6	7.4	10.0
George	27	22	5	9.3	8.9	11.6
Greene	17	8	9	11.0	7.8	17.3
Grenada	56	15	41	16.0	9.9	20.5
Hancock	32	26	6	8.3	7.5	14.3
Harrison	315	196	119	10.9	9.4	15.0
Hinds	679	157	522	14.2	8.1	18.3
Holmes	95	4	91	18.6	5.1	21.1
Humphreys	47	10	37	14.8	12.8	15.4
Issaquena	8	1	7	17.0	5.6	24.1
Itawamba	21	15	6	7.6	6.0	23.1
Jackson	201	118	83	9.9	8.0	15.3
Jasper	51	9	42	15.9	8.8	19.3
Jefferson	30	2	28	14.4	11.8	14.6
Jeff Davis	34	8	26	13.0	8.2	15.8
Jones	125	56	69	11.7	8.1	18.1
Kemper	20	2	18	12.3	4.2	15.6
Lafayette	45	12	33	12.4	6.2	19.8
Lamar	35	28	7	7.3	6.9	9.3
Lauderdale	151	55	96	10.8	7.1	15.4
Lawrence	24	15	9	10.5	10.6	10.3
Leake	48	15	33	14.1	8.8	19.4
Lee	120	56	64	12.3	8.6	19.6
Leflore	144	28	116	17.0	11.9	19.0

Table 8 - Page 2
Premature Live Births - Mississippi - 1981

County	Number			Percent		
	Total	White	Non- white	Total	White	Non- white
Lincoln	58	25	33	11.3	8.5	15.1
Lowndes	135	41	94	12.3	6.7	19.3
Madison	112	25	87	13.4	7.7	17.0
Marion	59	22	37	11.8	7.2	18.8
Marshall	77	19	58	13.9	8.8	17.0
Monroe	88	34	54	13.4	9.2	19.0
Montgomery	36	8	28	16.0	8.1	22.2
Neshoba	49	23	26	12.2	10.2	14.6
Newton	30	13	17	9.9	7.6	12.9
Noxubee	51	10	41	17.0	10.5	20.0
Oktibbeha	71	20	51	12.0	7.8	15.2
Panola	101	16	85	16.7	8.2	20.6
Pearl River	59	36	23	10.8	8.4	19.0
Perry	18	11	7	9.8	8.9	11.7
Pike	108	29	79	16.7	10.6	21.1
Pontotoc	42	25	17	14.1	10.6	27.0
Prentiss	36	25	11	10.7	9.0	18.3
Quitman	40	4	36	15.2	5.3	19.1
Rankin	119	76	43	9.9	8.1	16.3
Scott	58	31	27	12.7	11.8	14.0
Sharkey	36	2	34	16.7	4.9	19.5
Simpson	55	17	38	13.0	7.1	20.6
Smith	31	15	16	13.2	10.4	17.8
Stone	18	6	12	9.8	4.8	20.3
Sunflower	105	14	91	13.9	8.5	15.4
Tallahatchie	66	11	55	17.6	10.6	20.3
Tate	64	15	49	17.7	9.0	25.1
Tippah	33	22	11	11.1	10.2	13.6
Tishomingo	24	22	2	9.0	8.5	28.6
Tunica	34	2	32	15.6	6.2	17.2
Union	32	24	8	9.7	8.6	15.1
Walthall	42	11	31	16.8	9.8	22.5
Warren	92	27	65	9.4	5.4	13.4
Washington	268	43	225	16.1	8.4	19.5
Wayne	34	12	22	7.8	4.9	11.5
Webster	18	13	5	10.3	10.5	10.0
Wilkinson	12	0	12	6.0	-	8.1
Winston	36	8	28	11.0	5.6	15.1
Yalobusha	27	7	20	12.6	6.6	18.3
Yazoo	99	11	88	16.2	5.8	20.9

* Gestation less than 37 weeks.

TABLE 9

REPORTABLE* FETAL DEATHS, BY COUNTY OF OCCURRENCE AND RACE,
 ALSO REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS, BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 1981

County	Occurrence Data			Residence Data					
	Number			Number			Ratio**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
<u>STATE</u>	<u>654</u>	<u>222</u>	<u>432</u>	<u>648</u>	<u>222</u>	<u>426</u>	<u>14.0</u>	<u>9.3</u>	<u>19.0</u>
Adams	9	2	7	3	0	3	4.1	-	7.2
Alcorn	5	3	2	8	5	3	17.5	13.1	39.5
Amite	0	0	0	1	0	1	4.5	-	7.9
Attala	1	0	1	8	1	7	26.3	7.8	40.0
Benton	0	0	0	0	0	0	-	-	-
Bolivar	24	2	22	21	3	18	19.3	12.9	21.0
Calhoun	0	0	0	2	2	0	8.0	14.0	-
Carroll	0	0	0	0	0	0	-	-	-
Chickasaw	0	0	0	8	3	5	23.6	18.2	28.7
Choctaw	3	1	2	3	1	2	19.0	11.9	27.0
Claiborne	1	0	1	5	1	4	20.9	19.6	21.3
Clarke	0	0	0	1	0	1	3.2	-	7.3
Clay	10	0	10	6	1	5	13.2	6.2	17.1
Coahoma	27	2	25	15	0	15	19.5	-	25.0
Copiah	1	0	1	7	2	5	15.3	13.0	16.4
Covington	1	0	1	7	2	5	20.5	12.2	28.1
DeSoto	0	0	0	6	3	3	7.4	4.7	17.0
Forrest	33	21	12	14	6	8	12.1	8.7	17.0
Franklin	0	0	0	0	0	0	-	-	-
George	0	0	0	3	2	1	10.4	8.1	23.2
Greene	0	0	0	0	0	0	-	-	-
Grenada	12	4	8	8	2	6	22.8	13.2	30.0
Hancock	0	0	0	1	1	0	2.6	2.9	-
Harrison	41	23	18	37	23	14	12.8	11.0	17.6
Hinds	143	29	114	84	17	67	17.6	8.8	23.5
Holmes	1	0	1	5	0	5	9.8	-	11.6
Humphreys	3	0	3	7	0	7	22.0	-	29.2
Issaquena	0	0	0	0	0	0	-	-	-
Itawamba	0	0	0	2	2	0	7.3	8.0	-
Jackson	31	22	9	29	20	9	14.3	13.5	16.6
Jasper	0	0	0	4	0	4	12.5	-	18.3
Jefferson	0	0	0	2	0	2	9.6	-	10.4
Jeff Davis	1	1	0	5	4	1	19.1	40.8	6.1
Jones	23	7	16	15	7	8	14.0	10.2	21.0
Kemper	0	0	0	1	0	1	6.1	-	8.7
Lafayette	5	2	3	1	0	1	2.8	-	6.0
Lamar	3	2	1	9	8	1	18.8	19.8	13.3
Lauderdale	21	12	9	11	8	3	7.9	10.3	4.8
Lawrence	0	0	0	2	1	1	8.7	7.0	11.5
Leake	0	0	0	1	0	1	2.9	-	5.9
Lee	29	10	19	14	4	10	14.4	6.2	30.7
Leflore	28	1	27	16	0	16	18.9	-	26.2

Table 9 - Page 2
Fetal Deaths - Mississippi - 1981

County	Occurrence Data			Residence Data					
	Number			Number			Ratio**		
	Total	White	Non- white	Total	White	Non- white	Total	White	Non- white
Lincoln	2	1	1	3	1	2	5.8	3.4	9.1
Lowndes	10	7	3	16	7	9	14.6	11.5	18.5
Madison	3	0	3	10	0	10	12.0	-	19.6
Marion	0	0	0	7	5	2	13.9	16.4	10.2
Marshall	1	0	1	8	3	5	14.4	14.0	14.7
Monroe	16	12	4	11	7	4	16.8	18.9	14.1
Montgomery	2	0	2	4	1	3	17.8	10.1	23.8
Neshoba	7	2	5	7	3	4	17.4	13.3	22.5
Newton	2	1	1	5	2	3	16.4	11.6	22.7
Noxubee	3	0	3	4	0	4	13.3	-	19.5
Oktibbeha	9	3	6	6	3	3	10.1	11.7	8.9
Panola	4	0	4	8	2	6	13.2	10.3	14.6
Pearl River	10	8	2	10	6	4	18.2	14.0	33.0
Perry	2	1	1	4	3	1	21.7	24.2	16.7
Pike	12	4	8	11	2	9	17.0	7.3	24.1
Pontotoc	1	1	0	5	2	3	16.8	8.5	47.6
Prentiss	1	0	1	4	2	2	11.9	7.2	33.3
Quitman	1	0	1	5	0	5	19.0	-	26.6
Rankin	26	12	14	7	6	1	5.8	6.4	3.8
Scott	0	0	0	8	1	7	17.5	3.8	36.3
Sharkey	2	0	2	7	0	7	32.6	-	40.2
Simpson	3	0	3	9	2	7	21.3	8.4	38.0
Smith	0	0	0	2	0	2	8.5	-	22.2
Stone	0	0	0	1	1	0	5.4	8.0	-
Sunflower	8	3	5	12	2	10	15.9	12.2	17.0
Tallahatchie	1	0	1	3	0	3	8.0	-	11.1
Tate	3	0	3	6	1	5	16.6	6.0	25.6
Tippah	8	7	1	12	10	2	40.4	46.3	24.7
Tishomingo	0	0	0	1	0	1	3.7	-	142.8
Tunica	0	0	0	4	0	4	18.3	-	21.5
Union	6	4	2	3	2	1	9.1	7.2	18.9
Walthall	2	0	2	3	1	2	12.0	8.9	14.5
Warren	17	4	13	14	5	9	14.2	10.0	18.6
Washington	18	1	17	26	2	24	15.6	3.9	20.8
Wayne	2	1	1	5	2	3	11.5	8.2	15.7
Webster	5	1	4	4	2	2	23.0	16.1	40.0
Wilkinson	5	2	3	4	3	1	20.0	57.7	6.8
Winston	2	1	1	7	1	6	21.4	7.0	32.4
Yalobusha	0	0	0	1	0	1	4.6	-	9.2
Yazoo	4	2	2	9	3	6	14.7	15.7	14.2
Out of state	19	8	11	25	8	17			

* Spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more.

** Reportable fetal deaths per 1,000 live births.

TABLE 10
DEATHS, BY PLACE OF OCCURRENCE AND RACE,
ALSO DEATHS AND RATES, BY PLACE OF RESIDENCE AND RACE,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 1981

County	Occurrence Data			Residence Data					
	Number			Number			Rate*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
<u>STATE</u>	<u>22,995</u>	<u>14,576</u>	<u>8,419</u>	<u>23,405</u>	<u>14,876</u>	<u>8,529</u>	<u>9.3</u>	<u>9.2</u>	<u>9.4</u>
Adams	474	235	239	398	190	208	10.5	9.7	11.2
Alcorn	258	227	31	291	249	42	8.8	8.4	11.7
Amite	48	25	23	150	90	60	11.2	12.9	9.4
Attala	207	138	69	250	160	90	12.6	13.3	11.5
Benton	30	16	14	77	51	26	9.4	10.1	8.4
Bolivar	467	155	312	470	171	299	10.2	10.1	10.3
Calhoun	94	80	14	159	134	25	10.2	11.5	6.2
Carroll	19	14	5	88	60	28	9.0	11.2	6.3
Chickasaw	123	82	41	178	114	64	10.0	10.0	9.9
Choctaw	70	47	23	91	67	24	10.1	10.4	9.4
Claiborne	81	18	63	109	21	88	8.9	6.8	9.6
Clarke	132	78	54	199	114	85	11.7	10.4	14.3
Clay	152	86	66	204	109	95	9.7	10.4	9.0
Coahoma	423	162	261	394	140	254	10.7	10.7	10.6
Copiah	176	91	85	271	131	140	10.2	9.6	10.9
Covington	123	83	40	183	124	59	11.5	11.9	10.7
DeSoto	129	91	38	318	239	79	5.9	5.4	8.1
Forrest	794	562	232	668	471	197	10.1	9.9	10.8
Franklin	92	61	31	102	65	37	12.4	12.6	12.1
George	94	84	10	137	123	14	9.0	8.9	9.4
Greene	46	34	12	102	83	19	10.4	10.6	9.5
Grenada	236	141	95	233	131	102	11.1	10.7	11.5
Hancock	168	144	24	225	197	28	9.2	9.0	10.6
Harrison	1,597	1,302	295	1,334	1,084	250	8.5	8.7	7.4
Hinds	3,584	2,067	1,517	2,072	1,166	906	8.2	8.6	7.9
Holmes	198	57	141	245	69	176	10.7	10.5	10.7
Humphreys	154	41	113	169	55	114	12.1	11.6	12.4
Issaquena	2	0	2	12	4	8	4.8	3.6	5.7
Itawamba	107	96	11	193	174	19	9.4	9.1	14.4
Jackson	636	501	135	674	533	141	5.7	5.6	6.0
Jasper	97	51	46	151	85	66	8.7	9.7	7.8
Jefferson	61	10	51	98	22	76	10.7	13.4	10.1
Jeff Davis	107	51	56	149	69	80	10.8	10.8	10.7
Jones	623	432	191	622	451	171	10.0	9.5	11.7
Kemper	60	32	28	105	56	49	10.3	12.3	8.8
Lafayette	227	162	65	214	151	63	6.9	6.7	7.4
Lamar	236	191	45	153	125	28	6.4	5.9	10.4
Lauderdale	1,074	746	328	816	559	257	10.6	10.7	10.3
Lawrence	94	72	22	119	91	28	9.5	10.5	7.2
Leake	149	106	43	212	146	66	11.3	12.7	9.0
Lee	904	704	200	509	384	125	8.9	8.5	10.6
Leflore	531	249	282	495	231	264	11.9	13.8	10.6

Table 10 - Page 2
Deaths - Mississippi - 1981

County	Occurrence Data			Residence Data					
	Number			Number			Rate*		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	302	207	95	344	240	104	11.4	11.4	11.4
Lowndes	464	288	176	416	256	160	7.2	6.9	7.9
Madison	230	91	139	351	146	205	8.4	8.0	8.8
Marion	153	108	45	222	152	70	8.6	8.4	9.0
Marshall	159	66	93	249	116	133	8.5	8.5	8.5
Monroe	312	227	85	372	272	100	10.2	10.6	9.2
Montgomery	168	98	70	153	94	59	11.4	11.9	10.8
Neshoba	140	105	35	237	184	53	10.0	10.8	7.9
Newton	183	144	39	239	187	52	12.0	13.4	8.7
Noxubee	93	32	61	125	46	79	9.5	9.9	9.2
Oktibbeha	211	111	100	223	124	99	6.2	5.4	7.7
Panola	258	131	127	304	155	149	10.8	10.8	10.8
Pearl River	236	199	37	326	266	60	9.6	9.3	11.6
Perry	58	51	7	82	61	21	8.3	7.9	9.8
Pike	450	300	150	441	285	156	12.2	14.0	9.9
Pontotoc	150	134	16	214	193	21	10.2	11.0	6.4
Prentiss	144	131	13	228	209	19	9.5	9.8	7.2
Quitman	71	24	47	145	62	83	11.5	11.2	11.7
Rankin	380	276	104	542	420	122	7.8	7.5	9.3
Scott	170	125	45	220	160	60	9.0	10.1	6.9
Sharkey	62	23	39	98	36	62	12.3	13.3	11.8
Simpson	177	116	61	224	152	72	9.6	9.4	9.9
Smith	84	63	21	137	114	23	9.1	9.6	7.2
Stone	77	64	13	87	71	16	9.0	9.5	7.1
Sunflower	226	86	140	311	127	184	8.9	9.7	8.4
Tallahatchie	122	54	68	183	89	94	10.7	12.3	9.5
Tate	137	81	56	186	119	67	9.2	9.6	8.6
Tippah	149	136	13	196	169	27	10.4	10.7	9.0
Tishomingo	137	131	6	187	181	6	10.1	10.2	7.9
Tunica	82	24	58	108	34	74	11.2	13.2	10.4
Union	258	222	36	237	207	30	10.9	11.1	9.9
Walthall	129	87	42	160	104	56	11.6	12.8	9.9
Warren	525	283	242	468	256	212	9.1	8.0	10.7
Washington	744	284	460	695	253	442	9.6	8.0	10.8
Wayne	146	99	47	167	122	45	8.7	9.6	7.0
Webster	105	86	19	120	100	20	11.6	12.1	9.8
Wilkinson	141	66	75	125	49	76	12.5	14.9	11.3
Winston	174	122	52	213	144	69	10.9	12.3	8.8
Yalobusha	94	63	31	133	89	44	10.1	11.0	8.7
Yazoo	217	114	103	298	143	155	10.9	10.8	11.0
Out of state	1,319	1,008	311	909	708	201			

Table 10 - Page 3
Deaths - Mississippi - 1981

Town**	Residence Data					
	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
Biloxi	397	333	64	8.0	8.6	6.0
Brookhaven	172	118	54	15.9	18.4	12.3
Canton	160	63	97	14.4	16.5	13.3
Clarksdale	249	103	146	11.8	12.9	11.1
Cleveland	135	71	64	9.3	8.2	10.9
Clinton	105	70	35	7.2	5.2	30.3
Columbus	257	147	110	9.4	9.8	8.9
Corinth	132	103	29	9.5	9.1	11.6
Greenville	454	168	286	11.2	10.4	11.7
Greenwood	335	168	167	16.6	17.7	15.7
Grenada	155	90	65	12.3	12.7	11.6
Gulfport	484	360	124	12.2	12.3	12.0
Hattiesburg	470	308	162	11.5	11.7	11.1
Jackson	1,703	989	714	8.4	9.3	7.4
Laurel	299	181	118	13.6	13.7	13.6
McComb	196	142	54	15.9	18.2	11.9
Meridian	580	380	200	12.4	13.1	11.3
Moss Point	113	54	59	5.9	8.3	4.7
Natchez	261	122	139	11.8	11.6	12.1
Ocean Springs	106	98	8	7.3	7.4	6.4
Pascagoula	212	163	49	7.2	6.8	9.2
Pearl	82	80	2	3.9	4.4	0.8
Picayune	143	97	46	13.8	13.9	13.5
Southaven	63	58	5	3.9	3.6	32.5
Starkville	118	79	39	7.8	7.2	9.4
Tupelo	265	207	58	11.1	10.6	13.0
Vicksburg	323	162	161	12.7	13.5	11.9
Yazoo City	173	75	98	13.9	11.8	16.1

* Deaths per 1,000 population.

** Towns of 10,000 population or more.

Table 11 - Page 3
Deaths - Mississippi - 1981

Inter-national Classification Number*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age									65 and Over	Unknown
		Number	Rate#					Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64		
320-389	<u>Diseases of the nervous system and sense organs</u>	221	8.8	W	152	M	86	6	2	1	1	6	2	4	7	11	46	0
				NW	69	F	39	5	2	0	2	1	1	1	5	7	33	0
320-322	Meningitis	25	1.0	W	13	M	8	4	0	0	0	1	0	0	1	1	1	0
				NW	12	F	5	3	0	0	0	0	0	0	1	0	0	1
345	Epilepsy	25	1.0	W	8	M	6	0	0	0	0	0	2	1	0	2	1	0
				NW	17	F	2	0	0	1	1	0	0	0	0	0	0	0
390-459	<u>Diseases of the circulatory system</u>	11,230	445.5	W	7,383	M	3,857	6	2	2	4	8	15	72	305	664	2,778	1
				NW	3,847	F	1,924	3	2	1	1	3	3	15	26	93	243	3,138
390-398, 402, 404-429	Heart diseases	8,441	334.9	W	5,689	M	3,128	5	2	1	3	8	10	67	270	578	2,183	1
				NW	2,752	F	2,561	3	2	1	1	1	10	17	70	188	2,267	1
401,403	Hypertension	102	4.0	W	43	M	15	0	0	0	0	0	0	0	1	3	11	0
				NW	59	F	28	0	0	0	0	0	0	0	0	0	2	26
430-438	Cerebrovascular diseases	2,193	87.0	W	1,304	M	539	0	0	1	1	0	4	4	26	59	444	0
				NW	889	F	765	0	0	0	0	2	3	8	19	35	41	692
							464	1	0	0	0	1	3	25	49	372	0	

Table 11 - Page 4
Deaths - Mississippi - 1981

Inter- national Classi- fication Number*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age									65 and Over	Unknown
		Number	Rate#					1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64			
440	Atherosclerosis	256	10.2	W	178	M	74	0	0	0	0	0	0	0	1	5	68	0
				NW	78	F	104	0	0	0	0	0	0	0	1	2	101	0
				W	965	M	592	4	0	0	6	8	6	23	89	89	455	0
460-519	Diseases of the <u>respiratory system</u>	1,293	51.3	NW	328	F	373	3	0	1	1	2	4	11	37	314	0	
				W	328	M	207	10	1	0	2	8	4	18	24	133	0	
				NW		F	121	13	2	1	3	5	3	7	15	75	0	
480-486	Pneumonia	466	18.5	W	331	M	166	1	0	0	1	4	3	10	23	124	0	
				NW	135	F	165	2	0	1	0	1	1	2	11	147	0	
				W	40	M	19	0	0	0	0	0	0	0	3	16	0	
487	Influenza	62	2.4	NW	22	F	21	0	0	0	0	0	0	0	2	19	0	
				W	40	M	19	0	0	0	0	0	0	0	3	16	0	
				NW	22	F	8	0	1	0	0	1	0	0	0	6	0	
				W	90	M	70	0	0	0	0	2	0	4	15	49	0	
492	Emphysema	102	4.0	NW	12	F	20	0	0	0	0	0	0	1	2	17	0	
				W	90	M	70	0	0	0	0	0	0	0	3	49	0	
				NW	12	F	10	0	0	0	0	0	0	1	3	6	0	
				W	375	M	260	0	0	0	1	1	0	6	39	213	0	
490,491, 493-496	Other chronic ob- structive pulmonary diseases and allied conditions	447	17.7	NW	72	F	115	0	0	0	0	0	2	5	17	90	0	
				W	486	M	242	1	2	0	0	4	17	45	54	119	0	
				NW	211	F	244	1	0	0	1	3	5	24	38	170	0	
520-579	Diseases of the <u>digestive system</u>	697	27.6	W	102	M	102	6	0	0	0	2	12	12	17	52	0	
				NW	109	F	109	4	2	1	2	2	5	9	16	66	1	

Table 11 - Page 6
Deaths - Mississippi - 1981

Inter-national Classification Number*	Cause*	Age Group	Total by Race	Sex	Total by Race and Sex	Age										Unknown	
						Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over		
710-739	Diseases of the musculoskeletal system and connective tissue	W	64	2.5	40	13	0	0	0	0	0	0	1	0	0	10	0
		NW			24	7	0	0	0	0	0	0	0	0	0	0	15
740-759	Congenital anomalies	W	158	6.3	95	53	6	1	0	4	2	0	1	2	0	2	0
		NW			63	42	4	1	4	2	2	1	0	0	0	3	0
760-779	Certain conditions originating in the perinatal period	W	361	7.8	104	66	0	0	0	0	0	0	0	0	0	0	0
		NW			257	38	0	0	0	0	0	0	0	0	0	0	0
780-799	Symptoms, signs, and ill-defined conditions	W	1,368	54.3	565	327	0	0	0	1	1	12	28	76	195	0	
		NW			803	238	0	0	0	0	3	3	12	19	188	0	
800-999	All external causes	W	2,189	86.8	1,353	981	8	18	25	278	191	125	92	105	132	1	
		NW			836	372	8	5	7	76	56	35	37	25	119	0	
810-825	Motor vehicle accidents	W	793	31.5	564	413	4	8	14	162	90	41	30	32	32	0	
		NW			229	151	1	4	3	54	25	17	10	10	26	0	
800-807, 826-949	All other accidents and adverse effects	W	775	30.7	446	315	5	6	9	71	45	35	29	47	65	0	
		NW			329	131	3	1	0	10	11	2	10	6	81	0	
					84	7	8	12	41	30	21	13	34	56	0		
					84	11	8	2	2	5	5	6	3	40	0		

Table 11 - Page 7
Deaths - Mississippi - 1981

Inter-national Classification Number*	Cause*	Total		Race	Total by Race	Sex	Total by Race and Sex	Age									Under 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 and Over	Unknown
		Number	Rate#					15-24	10-14	5-9	1-4	Under 1															
950-959	Suicide	243	9.6	W	209	M	148	0	0	0	1	34	30	24	20	14	0	0	0	0	0	0	0	0	0	0	
						F	61	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
960-978	Homicide and legal intervention	351	13.9	NW	34	M	27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
						F	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
960-978	Homicide and legal intervention	351	13.9	W	119	M	94	1	1	1	7	25	24	11	11	9	1	3	1	7	25	24	11	11	9	1	
						F	25	0	0	0	3	5	4	6	2	2	4	6	2	2	0	0	3	5	4	6	2
960-978	Homicide and legal intervention	351	13.9	NW	232	M	190	1	1	1	43	68	28	19	17	11	0	0	2	43	68	28	19	17	11	0	
						F	42	0	0	0	8	17	6	4	6	1	6	4	1	1	0	0	0	8	17	6	4

* Numbers and causes are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Total deaths per 1,000 population. Deaths from specific causes per 100,000 population, except deaths from maternal causes (classification numbers 630-676) are per 100,000 live births and deaths from certain conditions originating in the perinatal period (classification numbers 760-779) are per 1,000 live births.

TABLE 12A
 INFANT, NEONATAL, AND POSTNEONATAL DEATHS*, BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 1981

County	Infant Deaths			Neonatal Deaths			Postneonatal Deaths		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
<u>STATE</u>	<u>711</u>	<u>248</u>	<u>463</u>	<u>486</u>	<u>166</u>	<u>320</u>	<u>225</u>	<u>82</u>	<u>143</u>
Adams	14	4	10	10	4	6	4	0	4
Alcorn	6	3	3	4	1	3	2	2	0
Amite	1	0	1	0	0	0	1	0	1
Attala	8	3	5	5	1	4	3	2	1
Benton	1	0	1	1	0	1	0	0	0
Bolivar	24	2	22	19	1	18	5	1	4
Calhoun	5	3	2	4	3	1	1	0	1
Carroll	0	0	0	0	0	0	0	0	0
Chickasaw	11	0	11	11	0	11	0	0	0
Choctaw	1	0	1	0	0	0	1	0	1
Claiborne	3	0	3	3	0	3	0	0	0
Clarke	4	2	2	3	2	1	1	0	1
Clay	6	2	4	4	2	2	2	0	2
Coahoma	22	3	19	14	2	12	8	1	7
Copiah	2	0	2	1	0	1	1	0	1
Covington	11	3	8	7	2	5	4	1	3
DeSoto	7	6	1	5	4	1	2	2	0
Forrest	14	10	4	12	8	4	2	2	0
Franklin	1	1	0	1	1	0	0	0	0
George	4	3	1	3	2	1	1	1	0
Greene	3	1	2	2	0	2	1	1	0
Grenada	6	2	4	5	2	3	1	0	1
Hancock	6	5	1	4	3	1	2	2	0
Harrison	37	27	10	20	17	3	17	10	7
Hinds	72	12	60	52	8	44	20	4	16
Holmes	9	0	9	1	0	1	8	0	8
Humphreys	10	2	8	8	1	7	2	1	1
Issaquena	2	0	2	1	0	1	1	0	1
Itawamba	4	4	0	2	2	0	2	2	0
Jackson	24	14	10	22	12	10	2	2	0
Jasper	7	2	5	3	1	2	4	1	3
Jefferson	3	0	3	2	0	2	1	0	1
Jeff Davis	2	0	2	1	0	1	1	0	1
Jones	25	14	11	17	9	8	8	5	3
Kemper	3	0	3	3	0	3	0	0	0
Lafayette	4	2	2	2	1	1	2	1	1
Lamar	6	4	2	3	2	1	3	2	1
Lauderdale	18	11	7	11	6	5	7	5	2
Lawrence	1	0	1	1	0	1	0	0	0
Leake	5	0	5	4	0	4	1	0	1
Lee	16	7	9	8	2	6	8	5	3
Leflore	21	5	16	17	4	13	4	1	3

Table 12A - Page 2
 Infant, Neonatal, and Postneonatal Deaths - Mississippi - 1981

County	Infant Deaths			Neonatal Deaths			Postneonatal Deaths		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	9	4	5	5	2	3	4	2	2
Lowndes	15	8	7	8	4	4	7	4	3
Madison	17	6	11	13	5	8	4	1	3
Marion	5	1	4	3	1	2	2	0	2
Marshall	7	1	6	5	1	4	2	0	2
Monroe	7	3	4	3	1	2	4	2	2
Montgomery	5	1	4	1	0	1	4	1	3
Neshoba	5	1	4	4	1	3	1	0	1
Newton	3	1	2	2	1	1	1	0	1
Noxubee	5	1	4	2	1	1	3	0	3
Oktibbeha	9	2	7	7	2	5	2	0	2
Panola	15	2	13	9	0	9	6	2	4
Pearl River	6	4	2	2	2	0	4	2	2
Perry	3	2	1	3	2	1	0	0	0
Pike	10	2	8	10	2	8	0	0	0
Pontotoc	4	3	1	3	2	1	1	1	0
Prentiss	1	0	1	0	0	0	1	0	1
Quitman	4	0	4	3	0	3	1	0	1
Rankin	10	7	3	8	5	3	2	2	0
Scott	6	3	3	4	2	2	2	1	1
Sharkey	7	1	6	5	1	4	2	0	2
Simpson	9	2	7	4	0	4	5	2	3
Smith	3	2	1	2	2	0	1	0	1
Stone	1	1	0	1	1	0	0	0	0
Sunflower	11	2	9	8	0	8	3	2	1
Tallahatchie	13	4	9	10	4	6	3	0	3
Tate	7	3	4	7	3	4	0	0	0
Tippah	5	3	2	2	1	1	3	2	1
Tishomingo	7	7	0	5	5	0	2	2	0
Tunica	2	0	2	1	0	1	1	0	1
Union	1	0	1	1	0	1	0	0	0
Walthall	1	0	1	1	0	1	0	0	0
Warren	17	4	13	14	2	12	3	2	1
Washington	20	3	17	14	3	11	6	0	6
Wayne	9	3	6	7	3	4	2	0	2
Webster	3	2	1	2	2	0	1	0	1
Wilkinson	2	0	2	1	0	1	1	0	1
Winston	3	1	2	1	1	0	2	0	2
Yalobusha	2	0	2	2	0	2	0	0	0
Yazoo	13	1	12	7	1	6	6	0	6

* Infant deaths are those of children under one year of age; neonatal deaths are those of infants under 28 days of age; postneonatal deaths are those of infants ages 28 days to one year.

TABLE 12B
 INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES*, BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 1977-1981 (5-YEAR AVERAGE)

County	Infant**			Neonatal**			Postneonatal**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
<u>STATE</u>	<u>17.4</u>	<u>11.4</u>	<u>23.8</u>	<u>11.6</u>	<u>8.1</u>	<u>15.3</u>	<u>5.8</u>	<u>3.3</u>	<u>8.5</u>
Adams	16.6	9.0	21.9	11.7	6.2	15.6	4.8	2.8	6.3
Alcorn	13.3	11.4	23.3	9.1	7.9	15.5	4.2	3.5	7.8
Amite	15.1	2.1	25.0	9.8	-	17.2	5.3	2.1	7.8
Attala	16.6	5.5	27.1	11.3	2.7	19.4	5.3	2.7	7.7
Benton	7.6	6.1	9.0	6.1	6.1	6.0	1.5	-	3.0
Bolivar	25.8	14.6	29.0	17.4	10.6	19.4	8.4	4.1	9.7
Calhoun	21.6	16.0	29.6	12.1	11.6	12.7	9.5	4.4	16.9
Carroll	20.5	-	36.4	10.2	-	18.2	10.2	-	18.2
Chickasaw	18.1	5.9	29.4	13.6	2.3	23.9	4.5	3.5	5.4
Choctaw	8.8	6.9	11.1	2.5	-	5.5	6.3	6.9	5.5
Claiborne	26.3	8.5	30.5	19.7	8.5	22.4	6.6	-	8.1
Clarke	15.8	9.8	22.8	10.6	8.6	12.8	5.3	1.2	10.0
Clay	17.9	9.1	22.9	12.2	7.8	14.8	5.6	1.3	8.1
Coahoma	24.2	10.6	28.2	15.8	8.5	17.9	8.5	2.1	10.4
Copiah	16.9	4.4	24.3	8.4	1.1	12.8	8.4	3.3	11.5
Covington	28.2	14.1	40.5	19.7	11.3	27.0	8.5	2.8	13.5
DeSoto	13.7	12.3	17.8	10.0	9.4	11.9	3.7	2.9	5.9
Forrest	17.9	14.6	23.2	13.6	11.6	16.7	4.3	2.9	6.5
Franklin	20.9	25.7	16.3	11.1	17.1	5.4	9.7	8.6	10.9
George	12.8	11.2	21.4	7.4	7.2	8.5	5.4	4.0	12.8
Greene	16.6	17.0	15.5	10.0	7.8	15.5	6.6	9.3	-
Grenada	17.7	12.2	22.6	15.1	11.1	18.7	2.6	1.1	3.9
Hancock	8.4	8.4	7.8	5.0	5.2	3.9	3.3	3.2	3.9
Harrison	12.7	11.3	16.4	8.0	7.7	8.7	4.7	3.6	7.7
Hinds	13.7	6.9	18.3	9.2	5.3	11.7	4.6	1.6	6.6
Holmes	18.7	11.8	20.1	10.9	11.8	10.8	7.8	-	9.4
Humphreys	34.7	14.9	40.1	22.5	11.9	25.4	12.2	3.0	14.7
Issaquena	29.0	-	44.8	19.3	-	29.8	9.7	-	14.9
Itawamba	14.1	14.9	7.4	8.2	9.1	-	5.9	5.8	7.4
Jackson	14.8	11.5	23.7	11.0	8.5	17.7	3.8	3.0	6.0
Jasper	20.5	15.6	23.1	11.4	10.4	12.0	9.0	5.2	11.1
Jefferson	16.0	-	17.7	13.1	-	14.6	2.8	-	3.1
Jeff Davis	16.3	9.4	19.7	11.6	9.4	12.7	4.7	-	6.9
Jones	18.1	13.1	27.4	11.4	7.8	18.1	6.8	5.4	9.3
Kemper	17.7	6.9	23.4	8.3	-	12.6	9.4	6.9	10.8
Lafayette	12.9	11.6	14.5	7.4	8.1	6.7	5.5	3.6	7.8
Lamar	8.5	7.6	13.5	5.5	5.3	6.8	3.0	2.3	6.8
Lauderdale	16.7	13.6	20.4	11.8	8.8	15.4	4.9	4.8	5.0
Lawrence	8.8	4.6	14.5	6.2	3.1	10.3	2.6	1.5	4.1
Leake	15.6	9.2	21.3	10.6	6.6	14.2	5.0	2.6	7.1
Lee	18.3	14.2	27.1	11.6	8.6	17.8	6.8	5.6	9.2
Leflore	26.9	17.3	31.1	18.9	12.8	21.5	8.0	4.5	9.6

Table 12B - Page 2

Infant, Neonatal, and Postneonatal Mortality Rates - Mississippi - 1981

County	Infant**			Neonatal**			Postneonatal**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	14.4	9.1	21.5	9.2	5.6	14.0	5.2	3.5	7.5
Lowndes	18.8	14.6	23.8	12.8	10.6	15.3	6.0	4.0	8.5
Madison	16.5	8.0	21.3	9.9	6.0	12.2	6.5	2.0	9.1
Marion	15.8	11.4	22.5	9.0	7.1	11.8	6.8	4.3	10.7
Marshall	17.1	12.9	19.5	10.6	8.0	12.0	6.6	5.0	7.4
Monroe	16.7	14.3	20.0	9.6	8.8	10.8	7.1	5.5	9.2
Montgomery	18.4	16.6	19.7	7.9	8.3	7.6	10.5	8.3	12.1
Neshoba	14.5	7.0	23.7	9.7	5.2	15.1	4.8	1.7	8.6
Newton	17.6	14.0	21.8	11.9	9.4	15.0	5.7	4.7	6.8
Noxubee	24.3	13.6	28.0	12.5	10.9	13.0	11.8	2.7	14.9
Oktibbeha	23.5	12.9	32.4	15.8	9.1	21.4	7.7	3.8	11.0
Panola	27.2	11.3	35.4	16.4	7.2	21.1	10.8	4.1	14.2
Pearl River	14.9	12.8	22.9	9.1	7.8	14.1	5.8	5.0	8.8
Perry	18.8	17.5	21.5	14.8	14.6	15.4	4.0	2.9	6.2
Pike	19.7	10.7	26.4	14.2	8.6	18.3	5.5	2.1	8.1
Pontotoc	15.9	13.9	23.6	11.7	11.3	13.5	4.1	2.6	10.1
Prentiss	13.0	8.6	34.1	7.7	7.2	10.2	5.3	1.4	23.9
Quitman	25.5	7.9	31.7	14.5	5.3	17.7	11.0	2.6	14.0
Rankin	9.8	8.3	15.0	6.6	5.5	10.3	3.2	2.8	4.7
Scott	18.6	13.8	24.2	14.4	11.2	18.2	4.2	2.6	6.0
Sharkey	20.1	12.0	22.4	12.8	12.0	13.0	7.3	-	9.4
Simpson	15.5	13.0	18.7	11.2	11.3	11.0	4.4	1.7	7.7
Smith	22.7	17.3	32.0	12.6	13.3	11.4	10.1	4.0	20.5
Stone	13.4	11.4	17.0	8.5	9.5	6.8	4.9	1.9	10.2
Sunflower	27.2	10.2	32.0	21.9	7.9	25.9	5.3	2.2	6.1
Tallahatchie	29.7	19.0	33.2	20.7	14.8	22.6	9.0	4.2	10.6
Tate	20.2	16.0	23.6	11.2	9.8	12.3	9.0	6.2	11.3
Tippah	22.9	18.0	38.7	17.0	12.0	33.1	5.9	6.0	5.5
Tishomingo	12.9	13.5	-	8.9	9.3	-	4.0	4.2	-
Tunica	29.3	15.6	31.9	15.9	10.4	16.9	13.4	5.2	14.9
Union	11.4	8.7	20.8	8.5	6.6	15.6	2.8	2.2	5.2
Walthall	17.4	8.8	23.9	12.1	7.0	15.9	5.3	1.8	8.0
Warren	19.5	12.7	26.5	14.1	9.8	18.5	5.4	2.9	8.0
Washington	17.3	11.8	19.9	11.3	9.9	12.0	6.0	1.9	7.9
Wayne	16.6	11.8	22.5	11.8	8.8	15.4	4.8	2.9	7.1
Webster	22.2	17.8	30.4	15.2	16.1	13.5	7.0	1.8	16.9
Wilkinson	19.1	8.4	23.0	13.5	8.4	15.3	5.6	-	7.7
Winston	14.9	11.3	17.5	10.7	9.9	11.3	4.2	1.4	6.2
Yalobusha	22.3	15.0	29.4	18.6	13.1	23.9	3.7	1.9	5.5
Yazoo	23.9	12.8	29.9	13.5	6.9	17.1	10.4	5.9	12.8

* Deaths per 1,000 live births.

** Infant - age less than one year; neonatal - age less than 28 days; postneonatal - age 28 days to one year.

TABLE 13
 INFANT DEATHS* FROM SELECTED CAUSES, BY RACE AND AGE,
 ALSO MORTALITY RATES FOR SELECTED CAUSES,
 MISSISSIPPI RESIDENTS, 1981

Cause of Death and International Classification Number**	Total		Race	Total by Race	Under 28 Days of Age						28 Days and Over
	Number	Rate#			Total	Under 1 Day	1-6	7-13	14-20	21-27	
<u>ALL CAUSES</u>	<u>711</u>	<u>15.4</u>	W	<u>248</u>	<u>166</u>	<u>89</u>	<u>51</u>	<u>13</u>	<u>7</u>	<u>6</u>	<u>82</u>
			NW	<u>463</u>	<u>320</u>	<u>178</u>	<u>93</u>	<u>22</u>	<u>15</u>	<u>12</u>	<u>143</u>
Meningococcal infection (036)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
Septicemia (038)	6	0.1	W	3	0	0	0	0	0	0	3
			NW	3	0	0	0	0	0	0	3
Other infectious and parasitic diseases (001-035, 037, 039-139)	8	0.2	W	2	0	0	0	0	0	0	2
			NW	6	0	0	0	0	0	0	6
Meningitis (320-322)	14	0.3	W	7	3	0	0	1	2	0	4
			NW	7	3	0	0	2	0	1	4
Acute upper respiratory infections (460-465)	5	0.1	W	1	0	0	0	0	0	0	1
			NW	4	0	0	0	0	0	0	4
Bronchitis and bronchiolitis (466, 490, 491)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
Pneumonia and influenza (480-487)	14	0.3	W	3	1	0	0	1	0	0	2
			NW	11	3	1	1	0	0	1	8
Hernia and intestinal obstruction (550-553, 560)	2	##	W	1	1	1	0	0	0	0	0
			NW	1	1	1	0	0	0	0	0
Congenital anomalies (740-759)	108	2.3	W	62	50	26	18	2	1	3	12
			NW	46	36	16	15	2	3	0	10
Maternal conditions unrelated to pregnancy (760)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
Maternal complications of pregnancy (761)	30	0.6	W	12	12	12	0	0	0	0	0
			NW	18	18	15	2	0	1	0	0
Complications of placenta, cord, and membranes (762)	20	0.4	W	9	9	9	0	0	0	0	0
			NW	11	11	9	2	0	0	0	0
Other complications of labor and delivery (763)	5	0.1	W	1	1	1	0	0	0	0	0
			NW	4	4	2	2	0	0	0	0
Disorders relating to short gestation and unspecified low birthweight (765)	76	1.6	W	10	10	8	2	0	0	0	0
			NW	66	64	64	0	0	0	0	2

Table 13 - Page 2
 Infant Deaths - Mississippi - 1981

Cause of Death and International Classification Number**	Total		Race	Total by Race	Under 28 Days of Age						28 Days and Over
	Number	Rate#			Total	Under 1 Day	1-6	7-13	14-20	21-27	
Birth trauma (767)	9	0.2	W	4	4	0	0	3	1	0	0
			NW	5	5	1	2	1	1	0	0
Intrauterine hypoxia and birth asphyxia (768)	24	0.5	W	7	7	4	3	0	0	0	0
			NW	17	17	7	9	1	0	0	0
Respiratory distress syndrome (769)	73	1.6	W	31	31	14	14	2	1	0	0
			NW	42	42	22	18	2	0	0	0
Infections specific to the perinatal period (771)	28	0.6	W	6	6	1	3	2	0	0	0
			NW	22	21	2	10	6	2	1	1
Neonatal hemorrhage (772)	9	0.2	W	1	1	0	1	0	0	0	0
			NW	8	8	2	4	1	1	0	0
Hemorrhagic disease of newborn (776.0)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
Sudden infant death syndrome (798.0)	74	1.6	W	22	2	0	1	0	0	1	20
			NW	52	9	0	0	2	3	4	43
All other symptoms, signs, and ill-defined conditions (780-797, 798.1-799)	25	0.5	W	5	0	0	0	0	0	0	5
			NW	20	3	2	1	0	0	0	17
Accidents (800-949)	27	0.6	W	9	3	0	1	0	1	1	6
			NW	18	2	0	2	0	0	0	16
All other causes	154	3.3	W	52	25	13	8	2	1	1	27
			NW	102	73	34	25	5	4	5	29

* Deaths of children under 1 year of age.

** Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

Deaths per 1,000 live births.

Less than 0.06.

TABLE 14
ACCIDENTAL DEATHS, BY COUNTY OF OCCURRENCE AND TYPE OF ACCIDENT,
MISSISSIPPI, 1981

County	Total	Motor Vehicle	Water Transport	Poisoning	Falls	Fires and Flames	Drowning and Submersion	Fire-arms	All Other
<u>STATE</u>	<u>1,567</u>	<u>792</u>	<u>22</u>	<u>53</u>	<u>95</u>	<u>147</u>	<u>98</u>	<u>75</u>	<u>285</u>
Adams	19	7	1	0	2	1	0	1	7
Alcorn	17	7	0	2	1	0	1	1	5
Amite	9	3	0	0	1	1	1	1	2
Attala	11	0	0	1	3	4	0	0	3
Benton	6	6	0	0	0	0	0	0	0
Bolivar	22	10	0	0	3	2	2	0	5
Calhoun	11	6	0	0	0	0	0	3	2
Carroll	4	4	0	0	0	0	0	0	0
Chickasaw	10	7	0	0	0	0	1	1	1
Choctaw	8	5	0	0	0	1	1	0	1
Claiborne	17	11	1	0	2	2	1	0	0
Clarke	9	3	0	2	1	3	0	0	0
Clay	14	7	0	0	0	1	1	3	2
Coahoma	20	10	1	1	0	4	1	0	3
Copiah	16	10	0	0	0	0	1	3	2
Covington	7	4	0	0	0	2	0	1	0
DeSoto	18	11	0	0	0	3	3	0	1
Forrest	56	31	2	0	6	3	2	3	9
Franklin	7	4	0	0	0	1	1	0	1
George	6	4	0	0	0	0	0	0	2
Greene	8	3	0	2	0	1	0	1	1
Grenada	8	8	0	0	0	0	0	0	0
Hancock	21	13	1	0	1	1	2	0	3
Harrison	110	48	2	12	7	3	11	1	26
Hinds	181	79	0	10	20	11	11	8	42
Holmes	11	7	0	0	1	1	0	0	2
Humphreys	11	2	1	0	1	3	0	3	1
Issaquena	1	1	0	0	0	0	0	0	0
Itawamba	15	10	0	1	0	3	0	0	1
Jackson	70	37	4	1	4	4	8	4	8
Jasper	6	2	0	0	0	1	1	0	2
Jefferson	10	6	0	0	0	0	2	1	1
Jeff Davis	5	0	0	0	0	2	0	0	3
Jones	36	21	0	3	2	2	1	1	6
Kemper	4	3	0	0	0	1	0	0	0
Lafayette	16	9	0	1	1	1	0	0	4
Lamar	10	3	0	0	2	1	1	1	2
Lauderdale	55	37	1	0	6	1	3	0	7
Lawrence	8	6	0	0	0	0	0	1	1
Leake	15	10	0	1	0	1	0	1	2
Lee	54	30	1	2	3	6	4	3	5
Leflore	21	7	0	1	3	3	0	3	4

Table 14 - Page 2
 Accidental Deaths - Mississippi - 1981

County	Total	Motor Vehicle	Water Transport	Poisoning	Falls	Fires and Flames	Drowning and Submersion	Fire-arms	All Other
Lincoln	15	9	0	0	0	1	0	1	4
Lowndes	44	27	1	1	4	2	3	3	3
Madison	19	12	0	0	0	1	2	1	3
Marion	7	6	0	0	1	0	0	0	0
Marshall	25	19	0	1	0	2	0	0	3
Monroe	27	13	0	0	1	4	2	1	6
Montgomery	10	8	0	0	1	0	1	0	0
Neshoba	9	4	0	0	0	3	1	0	1
Newton	14	6	0	1	0	2	0	2	3
Noxubee	6	3	0	0	1	0	0	1	1
Oktibbeha	12	2	0	0	2	1	3	1	3
Panola	22	19	0	0	1	0	2	0	0
Pearl River	18	11	0	1	0	0	1	4	1
Perry	6	1	0	0	0	0	1	1	3
Pike	15	8	0	0	0	1	4	0	2
Pontotoc	6	2	0	0	0	2	0	0	2
Prentiss	10	4	0	0	0	2	1	1	2
Quitman	6	5	0	0	0	0	0	1	0
Rankin	44	19	0	2	2	1	2	0	18
Scott	11	6	0	0	0	1	0	1	3
Sharkey	5	3	0	0	0	1	0	0	1
Simpson	12	8	0	0	0	0	0	1	3
Smith	5	2	0	1	1	0	0	0	1
Stone	6	5	0	0	0	0	1	0	0
Sunflower	11	7	0	0	0	1	1	0	2
Tallahatchie	11	3	1	0	1	1	3	1	1
Tate	10	7	0	0	0	0	1	0	2
Tippah	15	4	0	0	0	5	1	1	4
Tishomingo	10	7	0	0	0	1	0	2	0
Tunica	10	8	0	0	0	1	0	0	1
Union	15	9	0	2	1	1	1	0	1
Walthall	6	2	0	0	0	1	1	1	1
Warren	27	7	2	1	2	4	2	2	7
Washington	67	16	0	3	6	22	1	0	19
Wayne	15	6	1	0	0	0	2	1	5
Webster	11	3	0	0	1	3	1	0	3
Wilkinson	12	6	2	0	0	4	0	0	0
Winston	10	5	0	0	0	1	0	2	2
Yalobusha	4	1	0	0	0	0	0	0	3
Yazoo	16	7	0	0	0	4	0	1	4

TABLE 15
MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE,
ALSO BY COUNTY OF OCCURRENCE AND RACE OF BRIDE,
ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE,
MISSISSIPPI, 1981

County	Licensure Data			Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
<u>STATE</u>	<u>28,002</u>	<u>20,877</u>	<u>7,125</u>	<u>28,002</u>	<u>20,877</u>	<u>7,125</u>	<u>25,651</u>	<u>18,953</u>	<u>6,698</u>
Adams	495	321	174	520	334	186	456	287	169
Alcorn	423	387	36	433	394	39	321	293	28
Amite	108	66	42	129	88	41	89	51	38
Attala	201	148	53	193	141	52	183	135	48
Benton	47	29	18	68	48	20	55	38	17
Bolivar	380	212	168	379	209	170	344	190	154
Calhoun	154	117	37	158	123	35	151	113	38
Carroll	61	40	21	75	47	28	58	34	24
Chickasaw	210	141	69	213	144	69	198	137	61
Choctaw	84	64	20	83	71	12	82	63	19
Claiborne	101	46	55	106	47	59	84	37	47
Clarke	152	103	49	156	108	48	148	103	45
Clay	189	107	82	185	107	78	187	112	75
Coahoma	319	153	166	309	145	164	291	130	161
Copiah	215	132	83	250	153	97	219	133	86
Covington	188	159	29	204	166	38	189	152	37
DeSoto	816	646	170	777	616	161	447	396	51
Forrest	1,021	835	186	885	711	174	935	765	170
Franklin	86	51	35	89	57	32	78	46	32
George	294	284	10	282	275	7	185	180	5
Greene	97	85	12	126	108	18	100	79	21
Grenada	210	148	62	196	133	63	208	149	59
Hancock	335	307	28	341	312	29	262	237	25
Harrison	2,459	2,147	312	2,441	2,138	303	1,983	1,726	257
Hinds	3,111	2,067	1,044	2,851	1,902	949	2,911	1,917	994
Holmes	179	50	129	191	53	138	185	49	136
Humphreys	99	52	47	99	53	46	96	49	47
Issaquena	11	4	7	13	5	8	13	6	7
Itawamba	188	179	9	207	198	9	189	178	11
Jackson	1,470	1,281	189	1,536	1,338	198	1,419	1,239	180
Jasper	151	86	65	182	105	77	146	78	68
Jefferson	75	22	53	64	16	48	65	18	47
Jeff Davis	126	72	54	142	90	52	135	79	56
Jones	809	653	156	814	652	162	791	643	148
Kemper	65	30	35	73	44	29	72	32	40
Lafayette	248	173	75	259	175	84	237	159	78
Lamar	191	170	21	234	211	23	240	219	21
Lauderdale	775	601	174	744	567	177	755	585	170
Lawrence	137	110	27	146	114	32	147	116	31
Leake	195	134	61	202	141	61	187	127	60
Lee	784	648	136	727	604	123	747	622	125
Leflore	384	215	169	375	209	166	392	227	165

Table 15 - Page 2
Marriages - Mississippi - 1981

County	Licensure Data			Occurrence Data			Residence Data		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Lincoln	336	263	73	341	266	75	312	243	69
Lowndes	591	460	131	580	448	132	529	408	121
Madison	306	181	125	354	208	146	337	205	132
Marion	349	284	65	328	265	63	313	251	62
Marshall	265	165	100	255	154	101	202	124	78
Monroe	339	263	76	363	277	86	336	253	83
Montgomery	122	87	35	138	104	34	131	95	36
Neshoba	227	157	70	242	167	75	235	163	72
Newton	140	103	37	162	125	37	147	109	38
Noxubee	88	36	52	92	40	52	81	31	50
Oktibbeha	313	205	108	291	185	106	288	185	103
Panola	250	162	88	262	168	94	245	161	84
Pearl River	454	407	47	457	411	46	397	354	43
Perry	129	112	17	111	95	16	106	90	16
Pike	427	280	147	446	284	162	398	260	138
Pontotoc	201	181	20	203	181	22	206	188	18
Prentiss	240	224	16	238	219	19	238	222	16
Quitman	101	60	41	110	68	42	105	59	46
Rankin	681	586	95	682	596	86	730	641	89
Scott	242	169	73	254	183	71	239	174	65
Sharkey	65	35	30	58	31	27	55	28	27
Simpson	221	168	53	254	200	54	220	168	52
Smith	97	83	14	120	104	16	116	98	18
Stone	159	137	22	136	118	18	119	101	18
Sunflower	275	119	156	310	148	162	275	123	152
Tallahatchie	154	93	61	150	92	58	136	81	55
Tate	178	126	52	197	144	53	148	101	47
Tippah	241	214	27	240	216	24	197	175	22
Tishomingo	300	294	6	296	290	6	187	183	4
Tunica	92	39	53	85	30	55	80	30	50
Union	218	198	20	232	209	23	215	198	17
Walthall	161	101	60	156	100	56	134	79	55
Warren	600	443	157	573	411	162	564	406	158
Washington	730	430	300	747	442	305	705	411	294
Wayne	230	162	68	226	166	60	203	144	59
Webster	104	88	16	101	86	15	92	75	17
Wilkinson	191	114	77	183	103	80	103	36	67
Winston	160	104	56	161	101	60	163	107	56
Yalobusha	146	111	35	153	116	37	148	107	41
Yazoo	236	158	78	249	167	82	236	157	79
Unknown county				9	7	2			
Out of state	*	*	*	*	*	*	2,338	1,916	422
Unknown state							13	8	5

* Information on Mississippi brides who obtained licenses and/or married in other states is not available.

TABLE 16
DIVORCES AND RATES, BY COUNTY OF OCCURRENCE AND RACE,
MISSISSIPPI, 1981

County	Number				Rate*		
	Total	White	Non-white	Un-known	Total	White	Non-white
<u>STATE</u>	<u>14,182</u>	<u>10,403</u>	<u>2,795</u>	<u>984</u>	<u>25.1</u>	<u>25.1</u>	<u>18.5</u>
Adams	55	33	22	0	6.8	6.5	7.3
Alcorn	144	137	7	0	17.0	17.6	10.6
Amite	46	35	11	0	14.9	18.3	9.3
Attala	69	50	19	0	14.6	15.1	13.4
Benton	44	35	9	0	22.5	24.9	16.4
Bolivar	139	81	58	0	16.5	19.3	13.8
Calhoun	56	52	4	0	14.4	16.4	5.5
Carroll	28	21	7	0	12.2	14.0	8.7
Chickasaw	86	63	23	0	20.7	21.0	19.8
Choctaw	29	27	2	0	13.6	16.1	4.4
Claiborne	26	9	17	0	12.2	11.0	12.9
Clarke	65	41	24	0	16.2	13.8	22.9
Clay	119	72	46	1	26.0	25.6	25.9
Coahoma	192	102	90	0	27.2	29.9	24.8
Copiah	114	73	41	0	20.2	20.8	19.1
Covington	88	66	22	0	23.5	23.8	22.5
DeSoto	396	387	9	0	30.4	33.9	5.6
Forrest	512	409	103	0	37.0	37.4	35.2
Franklin	31	22	9	0	16.1	15.5	17.5
George	79	79	0	0	20.9	22.4	-
Greene	11	10	1	0	4.6	5.0	2.8
Grenada	118	86	32	0	24.7	26.2	21.5
Hancock	157	134	8	15	27.0	25.1	17.1
Harrison	1,248	1,102	146	0	35.5	37.6	24.7
Hinds	1,669	431	290	948	31.3	12.6	15.1
Holmes	79	29	49	1	18.1	17.0	18.4
Humphreys	40	21	19	0	15.0	17.0	13.2
Issaquena	3	0	3	0	6.0	-	14.6
Itawamba	101	95	6	0	18.6	18.3	24.5
Jackson	911	804	107	0	32.9	33.9	26.9
Jasper	69	40	29	0	17.2	16.5	18.3
Jefferson	36	8	28	0	21.4	18.1	22.5
Jeff Davis	55	37	18	0	18.0	21.5	13.6
Jones	465	393	69	3	30.9	31.3	27.8
Kemper	30	16	14	0	13.2	12.7	13.8
Lafayette	153	116	37	0	25.4	24.9	26.8
Lamar	165	141	10	14	28.2	26.2	21.6
Lauderdale	528	428	100	0	30.2	32.3	23.7
Lawrence	76	66	10	0	25.5	28.5	15.1
Leake	92	76	16	0	19.8	23.6	11.3
Lee	327	267	60	0	23.1	22.3	27.8
Leflore	193	128	65	0	23.8	29.9	17.0

Table 16 - Page 2
Divorces - Mississippi - 1981

County	Number				Rate*		
	Total	White	Non- white	Un- known	Total	White	Non- white
Lincoln	111	69	42	0	15.4	12.4	26.1
Lowndes	315	253	61	1	24.7	26.6	18.8
Madison	162	124	38	0	18.8	25.1	10.3
Marion	192	161	31	0	31.2	33.6	22.7
Marshall	178	131	47	0	29.0	36.0	18.8
Monroe	211	168	43	0	24.4	24.7	23.4
Montgomery	67	49	18	0	21.7	22.9	18.9
Neshoba	142	119	23	0	24.3	25.5	19.6
Newton	84	62	22	0	17.2	16.3	20.1
Noxubee	30	16	14	0	11.3	12.6	10.0
Oktibbeha	162	115	47	0	24.0	24.2	23.5
Panola	123	85	38	0	20.2	22.0	17.0
Pearl River	280	254	26	0	33.8	34.3	29.3
Perry	48	43	5	0	20.8	21.7	15.2
Pike	161	103	57	1	20.0	19.5	20.7
Pontotoc	76	72	4	0	14.2	15.2	6.4
Prentiss	148	143	5	0	24.6	25.6	11.5
Quitman	47	30	17	0	18.2	20.5	15.2
Rankin	472	445	27	0	27.6	30.2	11.3
Scott	154	120	34	0	26.2	28.4	20.7
Sharkey	26	15	11	0	17.5	20.5	14.7
Simpson	113	85	28	0	20.1	19.8	21.1
Smith	69	61	8	0	18.2	18.9	13.7
Stone	59	47	12	0	26.9	25.4	34.7
Sunflower	115	68	47	0	17.6	20.7	14.4
Tallahatchie	51	33	18	0	14.5	17.3	11.2
Tate	111	82	29	0	25.1	26.2	22.2
Tippah	124	115	9	0	26.5	28.0	15.9
Tishomingo	78	78	0	0	15.6	16.1	-
Tunica	27	12	15	0	15.5	18.3	13.8
Union	145	136	9	0	25.4	26.5	15.9
Walthall	49	37	12	0	15.2	16.8	11.7
Warren	341	247	94	0	29.9	30.3	29.0
Washington	388	254	134	0	26.7	31.0	21.1
Wayne	109	89	20	0	24.8	26.9	18.3
Webster	51	44	7	0	19.6	19.7	19.2
Wilkinson	21	9	12	0	10.4	10.7	10.2
Winston	94	70	24	0	20.4	21.7	17.4
Yalobusha	76	57	19	0	24.5	25.6	21.6
Yazoo	128	80	48	0	22.1	22.8	20.9

* Divorces per 1,000 married women 15 years of age and over.

NOTE: The divorce rates by race for the state and some of the counties where the race of the couple was unknown should be used with caution because the rate for the white and/or the nonwhite race will appear diminished in these instances.

TIME SERIES TABLES

TABLE 17
 LIVE BIRTHS AND RATES, BY YEAR AND RACE,
 MISSISSIPPI, 1913-1981,
 (OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1981)

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1913	41,103	21,874	19,229	21.9	26.6	18.2
1914	40,623	21,360	19,263	21.4	25.7	18.0
1915	39,484	20,999	18,485	20.5	23.8	17.1
1916	39,033	20,130	18,903	20.0	23.6	17.2
1917	37,141	19,056	18,085	18.8	22.0	16.3
1918	39,391	20,005	19,386	19.7	22.8	17.2
1919	42,491	22,028	20,463	21.0	24.9	18.0
1920	43,743	22,438	21,305	24.4	26.3	22.7
1921	46,482	23,703	22,779	25.6	27.3	24.1
1922	43,723	21,286	22,437	23.8	24.1	23.6
1923	43,266	21,140	22,126	23.3	23.6	23.1
1924	43,960	22,180	21,780	23.4	24.3	22.5
1925	45,563	22,265	23,298	24.0	24.1	23.9
1926	50,449	24,600	25,849	26.2	26.2	26.3
1927	49,204	24,163	25,041	25.3	25.3	25.3
1928	48,126	23,642	24,484	24.5	24.4	24.5
1929	45,570	22,105	23,465	22.9	22.5	23.3
1930	47,982	23,192	24,790	23.8	23.2	24.0
1931	45,123	21,637	23,486	22.2	21.4	22.9
1932	46,481	21,883	24,598	22.6	21.4	23.9
1933	44,184	20,407	23,777	21.3	19.7	22.9
1934	47,905	22,342	25,563	23.0	21.4	24.6
1935	48,291	21,972	26,319	23.0	20.8	25.1
1936	49,261	22,194	27,067	23.3	20.8	25.7
1937	52,170	23,285	28,885	24.4	21.6	27.3
1938	53,729	24,046	29,683	25.0	22.1	27.8
1939	52,288	23,505	28,783	24.1	21.4	26.8
1940	52,526	23,084	29,442	24.0	20.9	27.3
1941	54,561	24,167	30,394	24.7	21.6	28.0
1942	56,521	25,306	31,215	25.4	22.4	28.6
1943	59,408	27,611	31,797	28.9	26.4	31.6
1944	56,586	25,647	30,939	28.3	25.2	31.6
1945	53,540	23,426	30,114	26.9	23.1	30.9
1946	61,430	29,715	31,715	26.8	25.4	28.2
1947	66,291	32,423	33,868	28.6	27.5	29.9
1948	65,291	29,666	35,625	28.0	24.9	31.2
1949	66,128	28,786	37,342	28.1	24.0	32.5

Table 17 - Page 2
Live Births - Mississippi - 1913-1981

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1950	64,427	27,188	37,239	29.6	22.9	37.6
1951	65,512	27,798	37,714	30.1	23.4	38.1
1952	64,509	28,073	36,436	29.6	23.6	36.8
1953	64,061	28,312	35,749	29.4	23.8	36.1
1954	64,748	28,781	35,967	29.7	24.2	36.3
1955	63,244	27,546	35,698	29.0	23.2	36.0
1956	62,178	27,278	34,900	29.5	23.8	36.2
1957	60,712	26,804	33,908	28.8	23.4	35.2
1958	59,189	26,812	32,377	27.1	20.9	35.9
1959	60,562	27,979	32,583	27.2	20.9	36.6
1960	59,210	27,198	32,012	27.2	21.6	34.8
1961	59,523	27,435	32,088	27.3	21.8	34.8
1962	58,921	27,512	31,409	26.1	20.8	33.5
1963	57,316	26,823	30,493	25.0	19.9	32.4
1964	56,650	25,942	30,708	24.5	18.9	32.5
1965	51,171	23,369	27,802	22.0	17.4	28.2
1966	48,230	22,736	25,494	20.4	16.5	25.9
1967	46,594	22,675	23,919	19.7	15.9	25.6
1968	45,719	22,807	22,912	19.4	15.7	25.4
1969	47,120	24,025	23,095	21.2	17.2	28.0
1970	48,141	24,893	23,248	21.7	17.9	28.2
1971	48,601	25,199	23,402	21.9	18.1	28.4
1972	45,907	23,745	22,162	20.3	Not Available	
1973	44,638	23,119	21,519	19.3	Not Available	
1974	44,032	23,023	21,009	18.9	Not Available	
1975	43,336	22,559	20,777	18.5	Not Available	
1976	42,983	22,605	20,378	18.2	Not Available	
1977	45,532	23,369	22,163	19.1	Not Available	
1978	44,373	22,632	21,741	18.5	Not Available	
1979	45,919	23,487	22,432	19.1	Not Available	
1980	47,821	24,687	23,134	19.0	15.3	25.5
1981	46,228	23,777	22,451	18.3	14.7	24.8

* Births per 1,000 population.

TABLE 18
DEATHS AND RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-1981,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1981)

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1913	21,305	7,643	13,662	11.4	9.3	13.0
1914	21,485	7,442	14,043	11.3	8.9	13.1
1915	24,001	8,088	15,913	12.5	9.6	14.7
1916	21,794	7,588	14,206	11.2	8.9	13.0
1917	23,579	8,048	15,531	11.9	9.3	14.0
1918	30,437	10,177	20,260	15.2	11.6	18.0
1919	22,667	8,142	14,525	12.7	9.5	15.5
1920	22,072	7,916	14,156	12.3	9.3	15.1
1921	19,991	7,308	12,683	11.0	8.4	13.4
1922	19,278	7,312	11,966	10.5	8.3	12.6
1923	20,363	7,688	12,675	11.0	8.6	13.2
1924	21,155	7,809	13,346	11.3	8.6	13.8
1925	22,229	8,143	14,086	11.7	8.8	14.4
1926	23,929	9,133	14,796	12.5	9.7	15.1
1927	23,257	8,765	14,492	12.0	9.2	14.6
1928	25,965	10,111	15,854	13.2	10.4	15.9
1929	25,868	10,048	15,820	13.0	10.2	15.7
1930	24,098	9,072	15,026	11.9	9.0	14.8
1931	22,007	8,641	13,366	10.8	8.5	13.0
1932	20,322	8,295	12,027	9.9	8.1	11.6
1933	21,617	8,898	12,719	10.4	8.6	12.2
1934	21,786	9,350	12,436	10.5	9.0	12.0
1935	21,285	9,186	12,099	10.1	8.7	11.6
1936	24,127	10,367	13,760	11.4	9.7	13.1
1937	24,005	10,055	13,950	11.2	9.3	13.2
1938	22,814	9,471	13,343	10.6	8.7	12.5
1939	22,701	9,464	13,237	10.5	8.6	12.3
1940	23,185	9,565	13,620	10.6	8.6	12.6
1941	22,573	9,442	13,131	10.2	8.4	12.1
1942	20,693	8,750	11,943	9.3	7.7	10.9
1943	20,850	9,139	11,711	10.2	8.7	11.6
1944	20,199	8,830	11,369	10.1	8.7	11.6
1945	19,024	8,452	10,572	9.6	8.3	10.8
1946	19,321	8,995	10,326	8.4	7.7	9.2
1947	20,007	9,238	10,769	8.6	7.8	9.5
1948	20,183	9,216	10,967	8.6	7.7	9.6
1949	20,489	9,233	11,256	8.7	7.7	9.8

Table 18 - Page 2
Deaths - Mississippi - 1913-1981

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1950	20,567	9,466	11,101	9.4	8.0	11.2
1951	21,007	9,593	11,414	9.6	8.1	11.5
1952	20,657	9,387	11,270	9.5	7.9	11.4
1953	20,492	9,495	10,997	9.4	8.0	11.1
1954	19,353	9,453	9,900	8.9	8.0	10.0
1955	19,403	9,501	9,902	8.9	8.0	10.0
1956	19,780	9,969	9,811	9.4	8.7	10.2
1957	20,476	10,339	10,137	9.7	9.0	10.5
1958	21,541	10,811	10,730	9.9	8.4	11.9
1959	20,890	10,742	10,148	9.4	8.0	11.4
1960	21,713	11,204	10,509	10.0	8.9	11.4
1961	21,232	11,063	10,169	9.7	8.8	11.0
1962	22,713	11,868	10,845	10.0	9.0	11.6
1963	23,339	12,118	11,221	10.2	9.0	11.9
1964	22,559	12,039	10,520	9.7	8.8	11.1
1965	22,652	12,376	10,276	9.7	9.2	10.4
1966	23,350	12,976	10,374	9.9	9.4	10.5
1967	22,609	12,816	9,793	9.6	9.0	10.5
1968	23,986	13,468	10,518	10.2	9.3	11.7
1969	23,865	13,873	9,992	10.8	10.0	12.1
1970	23,305	13,623	9,682	10.5	9.8	11.8
1971	23,426	13,980	9,446	10.6	10.0	11.5
1972	23,663	14,077	9,586	10.5	Not Available	
1973	24,007	14,461	9,546	10.4	Not Available	
1974	23,153	14,268	8,885	9.9	Not Available	
1975	22,768	13,790	8,978	9.7	Not Available	
1976	23,124	14,307	8,817	9.8	Not Available	
1977	23,022	14,318	8,704	9.6	Not Available	
1978	23,363	14,631	8,732	9.7	Not Available	
1979	22,932	14,348	8,584	9.5	Not Available	
1980	23,576	14,531	9,045	9.4	9.0	10.0
1981	23,405	14,876	8,529	9.3	9.2	9.4

* Deaths per 1,000 population.

TABLE 19
 MATERNAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
 MISSISSIPPI, 1913-1981,
 (OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1981)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1913	447	162	285	1087.5	740.6	1482.1
1914	413	124	289	1016.7	580.5	1500.3
1915	289	88	201	731.9	419.1	1087.4
1916	326	102	224	835.2	506.7	1185.0
1917	297	105	192	799.6	551.0	1061.6
1918	302	82	220	766.7	409.9	1134.8
1919	407	173	234	957.8	785.4	1143.5
1920	393	127	266	898.4	566.0	1248.5
1921	391	145	246	841.2	611.7	1079.9
1922	313	110	203	715.9	516.8	904.8
1923	321	108	213	741.9	510.9	962.7
1924	413	137	276	939.5	617.7	1267.2
1925	435	143	292	954.7	642.3	1253.3
1926	388	153	235	769.1	622.0	909.1
1927	409	134	275	831.2	554.6	1098.2
1928	421	161	260	874.8	681.0	1061.9
1929	410	152	258	899.7	687.6	1099.5
1930	489	171	318	1019.1	737.3	1282.8
1931	352	131	221	780.1	605.4	941.0
1932	279	103	176	600.2	470.7	715.5
1933	315	116	199	712.9	568.4	836.9
1934	306	116	190	638.8	519.2	743.3
1935	334	137	197	691.6	623.5	748.5
1936	358	134	224	726.7	603.8	827.6
1937	370	150	220	709.2	644.2	761.6
1938	333	116	217	619.8	482.4	731.0
1939	311	97	214	594.8	412.7	743.5
1940	327	106	221	622.5	459.2	750.6
1941	293	93	200	537.0	384.8	658.0
1942	248	77	171	438.8	304.3	547.8
1943	233	66	167	392.2	239.0	525.2
1944	225	72	153	397.6	280.7	494.5
1945	216	64	152	403.4	273.2	504.7
1946	199	67	132	323.9	225.5	416.2
1947	175	50	125	264.0	154.2	369.1
1948	177	38	139	271.1	128.1	390.2
1949	147	32	115	222.3	111.2	308.0

Table 19 - Page 2
 Maternal Deaths - Mississippi - 1913-1981

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1950	165	30	135	256.1	110.3	362.5
1951	143	28	115	218.3	100.7	304.9
1952	119	15	104	184.5	53.4	285.4
1953	119	24	95	185.8	84.8	265.7
1954	104	11	93	160.6	38.2	258.6
1955	76	12	64	120.2	43.6	179.3
1956	74	12	62	119.0	44.0	177.6
1957	75	14	61	123.5	52.2	179.9
1958	53	10	43	89.5	37.3	132.8
1959	55	9	46	90.8	32.2	141.2
1960	59	8	51	99.6	29.4	159.3
1961	49	9	40	82.3	32.8	124.6
1962	55	7	48	93.3	25.4	152.8
1963	44	9	35	76.8	33.6	114.8
1964	57	9	48	100.6	34.7	156.3
1965	40	3	37	78.2	12.8	133.1
1966	27	6	21	56.0	26.4	82.4
1967	36	10	26	77.3	44.1	108.7
1968	21	3	18	45.9	13.2	78.6
1969	23	3	20	48.8	12.5	86.6
1970	34	5	29	70.6	20.1	124.7
1971	21	5	16	43.2	19.8	68.4
1972	24	5	19	52.3	21.0	85.7
1973	12	4	8	26.9	17.3	37.2
1974	12	4	8	27.2	17.4	38.1
1975	6	0	6	13.8	-	28.9
1976	8	4	4	18.6	17.7	19.6
1977	10	2	8	22.0	8.6	36.1
1978	6	1	5	13.5	4.4	23.0
1979	10	3	7	21.8	12.8	31.2
1980	2	1	1	4.2	4.0	4.3
1981	7	5	2	15.1	21.0	8.9

* Deaths resulting from deliveries and complications of pregnancy, childbirth, and the puerperium.

** Deaths per 100,000 live births.

TABLE 20
 INFANT DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
 MISSISSIPPI, 1917-1981
 (OCCURRENCE DATA 1917-1943, RESIDENCE DATA 1944-1981)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1917	3,689	1,296	2,393	99.3	68.0	132.3
1918	#	#	#	#	#	#
1919	3,554	#	#	83.6	#	#
1920	3,499	1,344	2,155	80.0	59.9	101.1
1921	3,157	1,243	1,914	67.9	52.4	84.0
1922	2,826	1,067	1,759	64.6	50.1	78.4
1923	2,908	1,104	1,804	67.2	52.2	81.5
1924	3,137	1,188	1,949	71.4	53.6	89.5
1925	3,176	1,179	1,997	69.7	53.0	85.7
1926	3,578	1,447	2,131	70.9	58.8	82.4
1927	3,291	1,303	1,988	66.9	54.0	79.4
1928	3,567	1,416	2,151	74.1	59.9	87.9
1929	3,275	1,268	2,007	71.9	57.4	85.5
1930	3,276	1,182	2,094	68.3	51.0	84.5
1931	2,547	961	1,586	56.4	44.4	67.5
1932	2,482	965	1,517	53.4	44.1	61.7
1933	2,800	1,035	1,765	63.4	50.7	74.2
1934	3,070	1,199	1,871	64.1	53.7	73.2
1935	2,587	1,044	1,543	53.6	47.5	58.6
1936	2,883	1,105	1,778	58.5	49.8	65.7
1937	3,098	1,174	1,924	59.4	50.4	66.6
1938	3,051	1,205	1,846	56.8	50.1	62.2
1939	2,908	1,135	1,773	55.6	48.3	61.6
1940	2,864	1,070	1,794	54.5	46.4	60.9
1941	2,969	1,113	1,856	54.4	46.1	61.1
1942	2,654	957	1,697	47.0	37.8	54.4
1943	2,774	1,137	1,637	46.7	41.2	51.5
1944	2,489	974	1,515	44.0	38.0	49.0
1945	2,192	846	1,346	40.9	36.1	44.7
1946	2,298	1,005	1,293	37.4	33.8	40.8
1947	2,428	1,009	1,419	36.6	31.1	41.9
1948	2,470	988	1,482	37.8	33.3	41.6
1949	2,612	900	1,712	39.5	31.3	45.8

Table 20 - Page 2
 Infant Deaths - Mississippi - 1917-1981

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1950	2,348	763	1,585	36.4	28.1	42.6
1951	2,589	814	1,775	39.5	29.3	47.1
1952	2,592	760	1,832	40.2	27.1	50.3
1953	2,534	807	1,727	39.6	28.5	48.3
1954	2,360	744	1,616	36.4	25.8	44.9
1955	2,338	680	1,658	37.0	24.7	46.4
1956	2,353	734	1,619	37.8	26.9	46.4
1957	2,257	694	1,563	37.2	25.9	46.1
1958	2,424	706	1,718	41.0	26.3	53.1
1959	2,355	677	1,678	38.9	24.2	51.5
1960	2,457	714	1,743	41.5	26.2	54.4
1961	2,250	645	1,605	37.8	23.5	50.0
1962	2,353	705	1,648	39.9	25.6	52.5
1963	2,372	610	1,762	41.4	22.7	57.8
1964	2,230	599	1,631	39.4	23.1	53.1
1965	2,126	593	1,533	41.5	25.4	55.1
1966	1,856	520	1,336	38.5	22.9	52.4
1967	1,645	512	1,133	35.3	22.6	47.4
1968	1,613	517	1,096	35.3	22.7	47.8
1969	1,513	530	983	32.1	22.1	42.6
1970	1,403	480	923	29.1	19.3	39.7
1971	1,311	460	851	27.0	18.2	36.4
1972	1,187	459	728	25.8	19.3	32.8
1973	1,154	392	762	25.8	17.0	35.4
1974	1,024	356	668	23.2	15.5	31.8
1975	975	356	619	22.5	15.8	29.8
1976	927	331	596	21.6	14.6	29.2
1977	834	285	549	18.3	12.2	24.8
1978	846	266	580	19.1	11.8	26.7
1979	809	280	529	17.6	11.9	23.6
1980	812	272	540	17.0	11.0	23.3
1981	711	248	463	15.4	10.4	20.6

* Deaths of children under one year of age.

** Deaths per 1,000 live births.

Not available.

TABLE 21
 NEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
 MISSISSIPPI, 1924-1981,
 (OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1981)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1924	1,598	730	868	36.4	32.9	39.8
1925	1,639	701	938	36.0	31.5	40.3
1926	1,731	823	908	34.3	33.4	35.1
1927	1,644	786	858	33.4	32.5	34.3
1928	1,788	804	984	37.2	34.0	40.2
1929	1,662	773	889	36.5	35.0	37.9
1930	1,692	715	977	35.3	30.8	39.4
1931	1,339	590	749	29.7	27.3	31.9
1932	1,361	572	789	29.3	26.1	32.1
1933	1,540	636	904	34.8	31.2	38.0
1934	1,505	644	861	31.4	28.8	33.7
1935	1,446	642	804	29.9	29.2	30.5
1936	1,494	676	818	30.3	30.4	30.2
1937	1,678	755	923	32.2	32.4	32.0
1938	1,688	747	941	31.4	31.1	31.7
1939	1,637	735	902	31.3	31.3	31.3
1940	1,613	680	933	30.7	29.4	31.7
1941	1,663	734	929	30.5	30.4	30.6
1942	1,544	638	906	27.3	25.2	29.0
1943	1,652	791	861	27.8	28.6	27.1
1944	1,436	661	775	25.2	25.4	25.1
1945	1,351	624	727	25.2	26.6	24.1
1946	1,561	794	767	25.4	26.7	24.2
1947	1,595	750	845	24.1	23.1	24.9
1948	1,674	773	901	25.6	26.0	25.3
1949	1,594	661	933	24.1	23.0	25.0
1950	1,446	560	886	22.4	20.6	23.8
1951	1,679	626	1,053	25.6	22.5	27.9
1952	1,658	581	1,077	25.7	20.7	29.6
1953	1,630	635	995	25.4	22.4	27.8
1954	1,521	601	920	23.5	20.9	25.6
1955	1,440	527	913	22.8	19.1	25.6
1956	1,451	581	870	23.3	21.3	24.9
1957	1,425	540	885	23.5	20.1	26.1
1958	1,475	540	935	24.9	20.1	28.9
1959	1,450	515	935	23.9	18.4	28.7

Table 21 - Page 2
 Neonatal Deaths - Mississippi - 1924-1981

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1960	1,497	550	947	25.3	20.2	29.6
1961	1,401	509	892	23.5	18.6	27.8
1962	1,456	550	906	24.7	20.0	28.8
1963	1,449	470	979	25.3	17.5	32.1
1964	1,372	460	912	24.2	17.7	29.7
1965	1,283	470	813	25.1	20.1	29.2
1966	1,123	386	737	23.3	17.0	28.9
1967	1,053	388	665	22.6	17.1	27.8
1968	1,116	424	692	24.4	18.6	30.2
1969	1,066	441	625	22.6	18.4	27.1
1970	976	391	585	20.3	15.7	25.2
1971	940	382	558	19.3	15.2	23.8
1972	837	362	475	18.2	15.2	21.4
1973	793	301	492	17.8	13.0	22.9
1974	710	276	434	16.1	12.0	20.6
1975	677	257	420	15.6	11.4	20.2
1976	626	243	383	14.6	10.7	18.8
1977	588	222	366	12.9	9.5	16.5
1978	559	191	368	12.6	8.4	16.9
1979	514	191	323	11.2	8.1	14.4
1980	523	189	334	10.9	7.6	14.4
1981	486	166	320	10.5	7.0	14.2

* Deaths of infants under 28 days of age, but figures for 1924-1948 include deaths of infants under one month of age.

** Deaths per 1,000 live births.

TABLE 22
 POSTNEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
 MISSISSIPPI, 1924-1981
 (OCCURRENCE DATA 1924-1943, RESIDENCE DATA 1944-1981)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1924	1,539	458	1,081	35.0	20.6	49.6
1925	1,537	478	1,059	33.7	21.5	45.4
1926	1,847	624	1,223	36.6	25.4	47.3
1927	1,647	517	1,130	33.5	21.4	45.1
1928	1,779	612	1,167	37.0	25.9	47.7
1929	1,613	495	1,118	35.4	22.4	47.6
1930	1,584	467	1,117	33.0	20.1	45.0
1931	1,208	371	837	26.8	17.1	35.6
1932	1,121	393	728	24.1	18.0	29.6
1933	1,260	399	861	28.5	19.6	36.2
1934	1,565	555	1,010	32.7	24.8	39.5
1935	1,141	402	739	23.6	18.3	28.1
1936	1,389	429	960	28.2	19.3	35.5
1937	1,420	419	1,001	27.2	18.0	34.6
1938	1,363	458	905	25.4	19.0	30.5
1939	1,271	400	871	24.3	17.0	30.3
1940	1,251	390	861	23.8	16.9	29.2
1941	1,306	379	927	23.9	15.7	30.5
1942	1,110	319	791	19.6	12.6	25.3
1943	1,122	346	776	18.9	12.5	24.4
1944	1,053	313	740	18.6	12.2	23.9
1945	841	222	619	15.7	9.5	20.6
1946	737	211	526	12.0	7.1	16.6
1947	833	259	574	12.6	8.0	16.9
1948	796	215	581	12.2	7.2	16.3
1949	1,018	239	779	15.4	8.3	20.9
1950	902	203	699	14.0	7.5	18.8
1951	910	188	722	13.9	6.8	19.1
1952	934	179	755	14.5	6.4	20.7
1953	904	172	732	14.1	6.1	20.5
1954	839	143	696	13.0	5.0	19.4
1955	898	153	745	14.2	5.6	20.9
1956	902	153	749	14.5	5.6	21.5
1957	832	154	678	13.7	5.7	20.0
1958	949	166	783	16.0	6.2	24.2
1959	905	162	743	14.9	5.8	22.8

Table 22 - Page 2
 Postneonatal Deaths - Mississippi - 1924-1981

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1960	960	164	796	16.2	6.0	24.9
1961	849	136	713	14.3	5.0	22.2
1962	897	155	742	15.2	5.6	23.6
1963	923	140	783	16.1	5.2	25.7
1964	858	139	719	15.1	5.4	23.4
1965	843	123	720	16.5	5.3	25.9
1966	733	134	599	15.2	5.9	23.5
1967	592	124	468	12.7	5.5	19.6
1968	497	93	404	10.9	4.1	17.6
1969	447	89	358	9.5	3.7	15.5
1970	427	89	338	8.9	3.6	14.5
1971	371	78	293	7.6	3.1	12.5
1972	350	97	253	7.6	4.1	11.4
1973	361	91	270	8.1	3.9	12.5
1974	314	80	234	7.1	3.5	11.1
1975	298	99	199	6.9	4.4	9.6
1976	301	88	213	7.0	3.9	10.4
1977	246	63	183	5.4	2.7	8.2
1978	287	75	212	6.5	3.3	9.8
1979	295	89	206	6.4	3.8	9.2
1980	289	83	206	6.0	3.4	8.9
1981	225	82	143	4.9	3.4	6.4

* Deaths of infants 28 days of age or older, but figures for 1924-1948 only include deaths of infants one month of age or older.

** Deaths per 1,000 live births.

TABLE 23
MARRIAGES AND DIVORCES, BY YEAR AND RACE, OCCURRENCE DATA,
MISSISSIPPI, 1926-1981

Year	Marriages			Divorces		
	Total	White	Non-white	Total	White	Non-white
1926*	28,712			2,766		
1927*	29,048**	11,402	17,383	2,895		
1928	30,231**	11,662	18,257	3,009	1,435	1,574
1929	31,495**	12,864	18,388	3,172	1,598	1,574
1930	25,728**	10,815	14,751	2,743	1,487	1,256
1931	21,589**	9,952	11,629	2,015	1,308	707
1932	22,688**	10,147	12,453	1,918	1,308	610
1933	27,567**	12,201	15,300	1,955	1,396	559
1934	30,149**	13,497	16,541	2,446	1,704	742
1935	28,722**	12,955	15,635	2,425	1,681	744
1936	32,480**	14,120	18,196	2,520	1,690	830
1937	32,055**	14,802	17,246	2,977	1,984	993
1938	31,495	14,224	17,271	2,916	2,069	847
1939	31,956	15,370	16,586	3,034	2,166	868
1940	34,088	16,834	17,254	3,251	2,295	956
1941	42,142	21,611	20,531	3,831	2,444	1,387
1942	49,565	27,227	22,338	4,326	2,606	1,720
1943	46,030	23,445	22,585	5,851	3,062	2,789
1944	41,559	21,173	20,386	6,742	3,425	3,317
1945	44,871	24,738	20,133	6,727	3,919	2,808
1946	64,204	37,099	27,105	9,495	5,867	3,628
1947	53,584	30,514	23,070	7,004	4,323	2,681
1948	53,645	31,504	22,141	6,697	3,864	2,833
1949	52,765	32,191	20,574	6,285	3,621	2,664
1950	56,738	37,871	18,867	6,065	3,711	2,354
1951	57,321	37,857	19,464	5,464	3,601	1,863
1952	58,116	39,162	18,954	5,419	3,607	1,812
1953	61,751	42,961	18,790	5,204	3,515	1,689
1954	61,381	43,268	18,113	5,001	3,424	1,577
1955	66,423	47,618	18,805	4,845	3,372	1,473
1956	66,223	48,140	18,083	5,027	3,452	1,575
1957	62,495	46,868	15,627	4,974	3,350	1,624
1958	36,402	26,998	9,404	5,016	3,485	1,531
1959	20,447	13,547	6,900	5,108	3,557	1,551

Table 23 - Page 2
 Marriages and Divorces - Mississippi - 1926-1981

Year	Marriages			Divorces		
	Total	White	Non-white	Total	White	Non-white
1960	21,233	14,029	7,204	5,260	3,553	1,707
1961	21,610	14,438	7,172	5,213	3,545	1,668
1962	22,007	14,432	7,575	5,467	3,827	1,640
1963	22,140	14,508	7,632	5,452	3,930	1,522
1964	22,784	15,159	7,625	5,631	4,077	1,554
1965	23,343	15,613	7,730	5,730	4,220	1,510
1966	23,476	15,860	7,616	6,306	4,650	1,656
1967	23,535	15,752	7,783	6,455	4,704	1,751
1968	25,355	17,142	8,213	7,020	5,202	1,818
1969	25,956	17,582	8,374	7,506	5,616	1,890
1970	26,328	17,883	8,445	8,211	6,227	1,984
1971	27,597	18,668	8,929	8,936	6,705	2,231
1972	28,703	19,178	9,525	10,097	7,510	2,587
1973	28,513	19,276	9,237	10,787	8,138	2,649
1974	27,613	19,236	8,377	11,866	9,203	2,663
1975	26,279	18,602	7,677	12,303	9,570	2,733
1976	26,772	18,969	7,803	12,243	9,399	2,844
1977	26,843	19,200	7,643	12,759	9,921	2,838
1978	27,280	19,762	7,518	13,313	10,339	2,974
1979	27,279	19,843	7,436	13,628	10,402	3,226
1980	27,908	20,620	7,288	13,846	10,760	3,086
1981	28,002	20,877	7,125	14,182**	10,403	2,795

* Total number of marriages for 1926 and total number of divorces for 1926 and 1927 furnished by U.S. Bureau of Census; distribution by race not available.


** Includes some records on which the race of the couple was not stated.

VITAL STATISTICS

MISSISSIPPI

1981

PART 2



Mississippi State Department of Health
Office of Public Health Statistics

VITAL STATISTICS

MISSISSIPPI

1981

PART 2

MISSISSIPPI STATE DEPARTMENT OF HEALTH
OFFICE OF PUBLIC HEALTH STATISTICS
DAVID LOHRISCH, PH.D., DIRECTOR

P. O. BOX 1700
JACKSON, MISSISSIPPI 39205
TELEPHONE NUMBER 601-354-6607

MORTALITY STATISTICS
MISSISSIPPI, 1981

This book contains statistics on causes of death by race for residents of Mississippi, and also the number of deaths and mortality rates for selected causes by county of residence.

The population figures used to calculate the mortality rates are from the U.S. Census of April 1, 1980.

Causes of death were assigned according to the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death. The Ninth Revision was first used in 1979, and is not markedly different from the Eight Revision. However, the periodic changes in the classification system which have occurred through the years have resulted in an unavoidable lack of comparability for some causes, and caution should be used in analyzing long-term trends.

DEATHS, BY CAUSE AND RACE,
MISSISSIPPI RESIDENTS, 1981

International Classification Number*	Cause*	Total	White	Non- white
001-999	<u>ALL CAUSES</u>	23,405	14,876	8,529
001-139	<u>INFECTIOUS AND PARASITIC DISEASES</u>	230	127	103
001-009	<u>Intestinal infectious diseases</u>	14	5	9
002,003	<u>Typhoid and paratyphoid fevers, and other salmonella infections</u>	2	1	1
003	Other salmonella infections	2	1	1
005	Other food poisoning (bacterial)	1	0	1
008,009	<u>Other and ill-defined intestinal infections</u>	11	4	7
008	Intestinal infections due to other organisms	8	3	5
009	Ill-defined intestinal infections	3	1	2
010-018	<u>Tuberculosis</u>	25	12	13
010-012	<u>Respiratory</u>	21	10	11
011	Pulmonary	21	10	11
013-018	<u>Other forms</u>	4	2	2
017	Other organs	1	0	1
018	Miliary	3	2	1
020-027	<u>Zoonotic bacterial diseases</u>	0	0	0
030-041	<u>Other bacterial diseases</u>	120	68	52
036	Meningococcal infection	7	4	3
037	Tetanus	1	0	1
038	Septicemia	103	59	44
039	Actinomycotic infections	2	2	0
040	Other bacterial disease	3	1	2
041	Bacterial infection of unspecified site	4	2	2
045-049	<u>Poliomyelitis and other non-arthropod-borne diseases of central nervous system</u>	6	5	1
046	Slow virus infection	2	2	0
048	Other enterovirus diseases	1	1	0
049	Other non-arthropod-borne diseases	3	2	1
050-057	<u>Viral diseases accompanied by exanthem</u>	8	6	2
052	Chickenpox	1	1	0
054	Herpes simplex	7	5	2
060-066	<u>Arthropod-borne viral diseases</u>	0	0	0
070-079	<u>Other diseases due to viruses and Chlamydiae</u>	18	6	12
070	Viral hepatitis	15	6	9
075	Infectious mononucleosis	1	0	1
078	Other diseases due to viruses and Chlamydiae	2	0	2
080-088	<u>Rickettsioses and other arthropod-borne diseases</u>	3	3	0
082	Tick-borne rickettsioses	3	3	0
090-099	<u>Syphilis and other venereal diseases</u>	1	1	0
090-097	<u>Syphilis and its sequelae</u>	1	1	0
094	Neurosyphilis	1	1	0
100-104	<u>Other spirochetal diseases</u>	1	1	0
101	Vincent's angina	1	1	0
110-118	<u>Mycoses</u>	18	9	9
112	Candidiasis	4	4	0
115	Histoplasmosis	5	4	1
116	Blastomycotic infection	4	0	4
117	Other mycoses	5	1	4

Deaths - Mississippi - 1981

International Classification Number*	Cause*	Total	White	Non- white
<u>120-129</u>	<u>Helminthiases</u>	0	0	0
<u>130-139</u>	<u>Other infectious and parasitic diseases</u>	<u>16</u>	<u>11</u>	<u>5</u>
135	Sarcoidosis	4	1	3
136	Other and unspecified infectious and parasitic diseases	6	6	0
137	Late effects of tuberculosis	6	4	2
<u>140-239</u>	<u>NEOPLASMS</u>	<u>4,358</u>	<u>2,939</u>	<u>1,419</u>
<u>140-208</u>	<u>Malignant neoplasms</u>	<u>4,304</u>	<u>2,910</u>	<u>1,394</u>
<u>140-149</u>	<u>Lip, oral cavity, and pharynx</u>	<u>70</u>	<u>50</u>	<u>20</u>
140	Lip	1	1	0
141	Tongue	12	9	3
142	Major salivary glands	4	4	0
143	Gum	2	1	1
144	Floor of mouth	3	2	1
145	Other and unspecified parts of mouth	13	9	4
146	Oropharynx	7	6	1
147	Nasopharynx	6	4	2
148	Hypopharynx	4	2	2
149	Other and ill-defined sites	18	12	6
<u>150-159</u>	<u>Digestive organs and peritoneum</u>	<u>968</u>	<u>626</u>	<u>342</u>
150	Esophagus	79	44	35
151	Stomach	140	69	71
152	Small intestine, including duodenum	10	6	4
153	Colon	362	255	107
154	Rectum, rectosigmoid junction, and anus	57	38	19
155	Liver and intrahepatic bile ducts	65	37	28
156	Gallbladder and extrahepatic bile ducts	30	21	9
157	Pancreas	216	151	65
158	Retroperitoneum and peritoneum	3	2	1
159	Other and ill-defined sites	6	3	3
<u>160-165</u>	<u>Respiratory and intrathoracic organs</u>	<u>1,307</u>	<u>962</u>	<u>345</u>
160	Nasal cavities, middle ear, and accessory sinuses	3	2	1
161	Larynx	36	29	7
162	Trachea, bronchus, and lung	1,263	926	337
163	Pleura	3	3	0
164	Thymus, heart, and mediastinum	2	2	0
<u>170-175</u>	<u>Bone, connective tissue, skin, and breast</u>	<u>404</u>	<u>288</u>	<u>116</u>
170	Bone and articular cartilage	13	8	5
171	Connective and other soft tissue	32	19	13
172	Melanoma of skin	47	41	6
173	Skin, other	17	16	1
174	Female breast	292	202	90
175	Male breast	3	2	1
<u>179-189</u>	<u>Genitourinary organs</u>	<u>731</u>	<u>417</u>	<u>314</u>
<u>(179-187)</u>	<u>(Genital organs)</u>	<u>562</u>	<u>300</u>	<u>262</u>
179	Uterus, part unspecified	48	20	28
180	Cervix uteri	71	31	40

Deaths - Mississippi - 1981

International Classification Number*	Cause*	Total	White	Non- white
182	Body of uterus	25	16	9
183	Ovary and other uterine adnexa	93	65	28
184	Other and unspecified female genital organs	8	6	2
185	Prostate	315	160	155
186	Testis	1	1	0
187	Penis and other male genital organs	1	1	0
(188,189)	(Urinary organs)	<u>169</u>	<u>117</u>	<u>52</u>
188	Bladder	91	65	26
189	Kidney and other and unspecified urinary organs	78	52	26
<u>190-199</u>	<u>Other and unspecified sites</u>	<u>453</u>	<u>298</u>	<u>155</u>
190	Eye	3	3	0
191	Brain	101	86	15
192	Other and unspecified parts of nervous system	5	2	3
193	Thyroid gland	5	2	3
194	Other endocrine glands and related structures	5	4	1
195	Other and ill-defined sites	48	29	19
199	Site unspecified	286	172	114
<u>200-208</u>	<u>Lymphatic and hematopoietic tissue</u>	<u>371</u>	<u>269</u>	<u>102</u>
200	Lymphosarcoma and reticulosarcoma	49	41	8
201	Hodgkin's disease	18	11	7
202	Other lymphoid and histiocytic tissue	65	50	15
203	Multiple myeloma and immunoproliferative neoplasms	69	32	37
(204-208)	(Leukemia)	<u>170</u>	<u>135</u>	<u>35</u>
204	Lymphatic	48	41	7
205	Myeloid	78	64	14
206	Monocytic	4	2	2
207	Other specified	3	3	0
208	Unspecified cell type	37	25	12
<u>210-229</u>	<u>Benign neoplasms</u>	<u>13</u>	<u>5</u>	<u>8</u>
211	Benign neoplasm of other parts of digestive system	1	1	0
220	Benign neoplasm of ovary	1	0	1
225	Benign neoplasm of brain and other parts of nervous system	7	1	6
226	Benign neoplasm of thyroid gland	1	0	1
227	Benign neoplasm of other endocrine glands and related structures	3	3	0
<u>230-234</u>	<u>Carcinoma in situ</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>235-239</u>	<u>Neoplasms of uncertain behavior and unspecified nature</u>	<u>41</u>	<u>24</u>	<u>17</u>
<u>235-238</u>	<u>Uncertain behavior</u>	<u>11</u>	<u>7</u>	<u>4</u>
235	Digestive and respiratory systems	2	0	2
237	Endocrine glands and nervous system	1	1	0
238	Other and unspecified sites and tissues	8	6	2
239	Unspecified nature	30	17	13
<u>240-279</u>	<u>ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES</u>	<u>545</u>	<u>286</u>	<u>259</u>
<u>240-246</u>	<u>Diseases of thyroid gland</u>	<u>7</u>	<u>6</u>	<u>1</u>

Deaths - Mississippi - 1981

International Classification Number*	Cause*	Total	White	Non- white
242	Thyrotoxicosis with or without goiter	3	2	1
244	Acquired hypothyroidism	4	4	0
<u>250-259</u>	<u>Diseases of other endocrine glands</u>	<u>402</u>	<u>196</u>	<u>206</u>
250	Diabetes mellitus	388	188	200
251	Other disorders of pancreatic internal secretion	6	2	4
253	Disorders of pituitary gland and its hypothalamic control	3	3	0
255	Disorders of adrenal glands	2	2	0
259	Other endocrine disorders	3	1	2
<u>260-269</u>	<u>Nutritional deficiencies</u>	<u>34</u>	<u>20</u>	<u>14</u>
260	Kwashiorkor	1	0	1
261	Nutritional marasmus	2	1	1
263	Other and unspecified protein-calorie malnutrition	29	17	12
266	Deficiency of B-complex components	1	1	0
269	Other nutritional deficiencies	1	1	0
<u>270-279</u>	<u>Other metabolic disorders and immunity disorders</u>	<u>102</u>	<u>64</u>	<u>38</u>
270	Disorders of amino-acid transport and metabolism	1	1	0
271	Disorders of carbohydrate transport and metabolism	1	1	0
272	Disorders of lipid metabolism	2	0	2
273	Disorders of plasma protein metabolism	6	5	1
274	Gout	1	1	0
275	Disorders of mineral metabolism	5	4	1
276	Disorders of fluid, electrolyte, and acid-base balance	59	33	26
277	Other and unspecified disorders of metabolism	15	14	1
278	Obesity and other hyperalimentation	11	4	7
279	Disorders involving the immune mechanism	1	1	0
<u>280-289</u>	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS</u>	<u>71</u>	<u>48</u>	<u>23</u>
<u>280-285</u>	<u>Anemias</u>	<u>40</u>	<u>20</u>	<u>20</u>
280	Iron deficiency	2	1	1
281	Other deficiency	2	2	0
282	Hereditary hemolytic	10	1	9
283	Acquired hemolytic	1	0	1
284	Aplastic	15	10	5
285	Other and unspecified	10	6	4
286	Coagulation defects	9	8	1
287	Purpura and other hemorrhagic conditions	8	8	0
288	Diseases of white blood cells	4	2	2
289	Other diseases of blood and blood-forming organs	10	10	0
<u>290-319</u>	<u>MENTAL DISORDERS</u>	<u>126</u>	<u>79</u>	<u>47</u>
<u>290-299</u>	<u>Psychoses</u>	<u>17</u>	<u>14</u>	<u>3</u>
290	Senile and presenile organic psychotic conditions	6	5	1
291	Alcoholic psychoses	5	4	1
295	Schizophrenic psychoses	2	1	1

Deaths - Mississippi - 1981

International Classification Number*	Cause*	Total	White	Non-white
296	Affective psychoses	1	1	0
298	Other nonorganic psychoses	3	3	0
<u>300-316</u>	<u>Neurotic disorders, personality disorders, and other nonpsychotic mental disorders</u>	<u>100</u>	<u>61</u>	<u>39</u>
300	Neurotic disorders	2	2	0
303	Alcohol dependence syndrome	29	19	10
304	Drug dependence	1	1	0
305	Nondependent abuse of drugs	8	5	3
307	Special symptoms or syndromes not elsewhere classified	1	1	0
308	Acute reaction to stress	1	0	1
310	Specific nonpsychotic mental disorders following organic brain damage	58	33	25
<u>317-319</u>	<u>Mental retardation</u>	<u>9</u>	<u>4</u>	<u>5</u>
318	Other specified	6	2	4
319	Unspecified	3	2	1
<u>320-389</u>	<u>DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS</u>	<u>221</u>	<u>152</u>	<u>69</u>
<u>320-326</u>	<u>Inflammatory diseases of central nervous system</u>	<u>33</u>	<u>18</u>	<u>15</u>
320	Bacterial meningitis	20	11	9
322	Meningitis of unspecified cause	5	2	3
323	Encephalitis, myelitis, and encephalomyelitis	7	4	3
326	Late effects of intracranial abscess or pyogenic infection	1	1	0
<u>330-337</u>	<u>Hereditary and degenerative diseases of the central nervous system</u>	<u>86</u>	<u>78</u>	<u>8</u>
330	Cerebral degenerations usually manifest in childhood	1	1	0
331	Other cerebral degenerations	20	17	3
332	Parkinson's disease	34	32	2
333	Other extrapyramidal disease and abnormal movement disorders	8	8	0
334	Spinocerebellar disease	2	2	0
335	Anterior horn cell disease	20	18	2
336	Other diseases of spinal cord	1	0	1
<u>340-349</u>	<u>Other disorders of the central nervous system</u>	<u>82</u>	<u>42</u>	<u>40</u>
340	Multiple sclerosis	7	6	1
341	Other demyelinating diseases of central nervous system	3	0	3
342	Hemiplegia	2	2	0
343	Infantile cerebral palsy	14	7	7
344	Other paralytic syndromes	5	1	4
345	Epilepsy	25	8	17
348	Other conditions of brain	24	17	7
349	Other and unspecified disorders of the nervous system	2	1	1
<u>350-359</u>	<u>Disorders of peripheral nervous system</u>	<u>18</u>	<u>14</u>	<u>4</u>
352	Disorders of other cranial nerves	1	1	0
356	Hereditary and idiopathic peripheral neuropathy	2	1	1

Deaths - Mississippi - 1981

International Classification Number*	Cause*	Total	White	Non- white
357	Inflammatory and toxic neuropathy	3	2	1
358	Myoneural disorders	7	6	1
359	Muscular dystrophies and other myopathies	5	4	1
<u>360-379</u>	<u>Disorders of the eye and adnexa</u>	<u>1</u>	<u>0</u>	<u>1</u>
378	Strabismus and other disorders of binocular eye movements	1	0	1
<u>380-389</u>	<u>Diseases of the ear and mastoid process</u>	<u>1</u>	<u>0</u>	<u>1</u>
<u>381-383</u>	<u>Otitis media and mastoiditis</u>	<u>1</u>	<u>0</u>	<u>1</u>
382	Suppurative and unspecified otitis media	1	0	1
<u>390-459</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>11,230</u>	<u>7,383</u>	<u>3,847</u>
<u>390-392</u>	<u>Active rheumatic fever</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>393-398</u>	<u>Chronic rheumatic heart disease</u>	<u>38</u>	<u>27</u>	<u>11</u>
394	Diseases of mitral valve	16	12	4
396	Diseases of mitral and aortic valves	6	3	3
397	Diseases of other endocardial structures	3	2	1
398	Other rheumatic heart disease	13	10	3
<u>401-405</u>	<u>Hypertensive disease</u>	<u>516</u>	<u>221</u>	<u>295</u>
<u>401,403</u>	<u>Hypertension with or without renal disease</u>	<u>102</u>	<u>43</u>	<u>59</u>
401	Essential hypertension	33	12	21
403	Hypertensive renal disease	69	31	38
<u>402,404</u>	<u>Hypertensive heart disease with or without renal disease</u>	<u>414</u>	<u>178</u>	<u>236</u>
402	Hypertensive heart disease	357	154	203
404	Hypertensive heart and renal disease	57	24	33
<u>410-414</u>	<u>Ischemic heart disease</u>	<u>5,524</u>	<u>3,909</u>	<u>1,615</u>
410	Acute myocardial infarction	3,726	2,620	1,106
411	Other acute and subacute forms of ischemic heart disease	30	20	10
412	Old myocardial infarction	11	5	6
413	Angina pectoris	6	5	1
414	Other forms of chronic ischemic heart disease	1,751	1,259	492
<u>415-417</u>	<u>Diseases of pulmonary circulation</u>	<u>219</u>	<u>127</u>	<u>92</u>
415	Acute pulmonary heart disease	202	117	85
416	Chronic pulmonary heart disease	16	10	6
417	Other diseases of pulmonary circulation	1	0	1
<u>420-429</u>	<u>Other forms of heart disease</u>	<u>2,246</u>	<u>1,448</u>	<u>798</u>
421	Acute and subacute endocarditis	11	8	3
422	Acute myocarditis	3	1	2
423	Other diseases of pericardium	8	5	3
424	Other diseases of endocardium	44	34	10
425	Cardiomyopathy	76	41	35
426	Conduction disorders	3	1	2
427	Cardiac dysrhythmias	596	349	247
428	Heart failure	525	330	195
429	Ill-defined heart diseases	980	679	301
<u>430-438</u>	<u>Cerebrovascular diseases</u>	<u>2,193</u>	<u>1,304</u>	<u>889</u>
430	Subarachnoid hemorrhage	62	46	16
431	Intracerebral hemorrhage	206	114	92
432	Other and unspecified intracranial hemorrhage	12	6	6
433	Occlusion and stenosis of precerebral arteries	20	13	7
434	Occlusion of cerebral arteries	348	232	116

Deaths - Mississippi - 1981

International Classification Number*	Cause*	Total	White	Non- white
435	Transient cerebral ischemia	2	1	1
436	Acute but ill-defined cerebrovascular disease	1,299	721	578
437	Other and ill-defined cerebrovascular disease	178	130	48
438	Late effects of cerebrovascular disease	66	41	25
<u>440-448</u>	<u>Diseases of arteries, arterioles, and capillaries</u>	<u>446</u>	<u>316</u>	<u>130</u>
440	Atherosclerosis	256	178	78
<u>441-448</u>	<u>Other diseases of arteries, arterioles, and capillaries</u>	<u>190</u>	<u>138</u>	<u>52</u>
441	Aortic aneurysm	132	100	32
442	Other aneurysm	7	6	1
443	Other peripheral vascular disease	22	10	12
444	Arterial embolism and thrombosis	12	7	5
446	Polyarteritis nodosa and allied conditions	9	8	1
447	Other disorders of arteries and arterioles	8	7	1
<u>451-459</u>	<u>Diseases of veins and lymphatics, and other diseases of circulatory system</u>	<u>48</u>	<u>31</u>	<u>17</u>
<u>451-453</u>	<u>Venous thrombosis and embolism</u>	<u>21</u>	<u>13</u>	<u>8</u>
451	Phlebitis and thrombophlebitis	16	8	8
452	Portal vein thrombosis	1	1	0
453	Other venous embolism and thrombosis	4	4	0
<u>454-459</u>	<u>Other diseases of the circulatory system</u>	<u>27</u>	<u>18</u>	<u>9</u>
454	Varicose veins of lower extremities	4	2	2
456	Varicose veins of other sites	3	2	1
458	Hypotension	10	8	2
459	Other disorders of circulatory system	10	6	4
<u>460-519</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>1,293</u>	<u>965</u>	<u>328</u>
<u>460-466</u>	<u>Acute respiratory infections</u>	<u>11</u>	<u>6</u>	<u>5</u>
460	Acute nasopharyngitis (common cold)	1	1	0
464	Acute laryngitis and tracheitis	4	2	2
465	Acute upper respiratory infection of multiple or unspecified sites	4	1	3
466	Acute bronchitis and bronchiolitis	2	2	0
<u>470-478</u>	<u>Other diseases of upper respiratory tract</u>	<u>5</u>	<u>4</u>	<u>1</u>
473	Chronic sinusitis	1	1	0
478	Other diseases of upper respiratory tract	4	3	1
<u>480-487</u>	<u>Pneumonia and influenza</u>	<u>528</u>	<u>371</u>	<u>157</u>
<u>480-486</u>	<u>Pneumonia</u>	<u>466</u>	<u>331</u>	<u>135</u>
480	Viral	6	3	3
481	Pneumococcal	17	11	6
482	Other bacterial	21	16	5
485	Broncho, organism unspecified	61	43	18
486	Organism unspecified	361	258	103
487	Influenza	62	40	22
<u>490-496</u>	<u>Chronic obstructive pulmonary disease and allied conditions</u>	<u>549</u>	<u>465</u>	<u>84</u>
<u>490,491</u>	<u>Chronic and unqualified bronchitis</u>	<u>28</u>	<u>25</u>	<u>3</u>
490	Unqualified	5	4	1
491	Chronic	23	21	2

Deaths - Mississippi - 1981

International Classification Number*	Cause*	Total	White	Non-white
492	Emphysema	102	90	12
493	Asthma	34	17	17
494	Bronchiectasis	10	9	1
496	Chronic airways obstruction, not elsewhere classified	375	324	51
<u>500-508</u>	<u>Pneumoconioses and other lung diseases due to external agents</u>	<u>51</u>	<u>34</u>	<u>17</u>
500	Coalworkers' pneumoconiosis	1	1	0
501	Asbestosis	3	1	2
507	Pneumonitis due to solids and liquids	47	32	15
<u>510-519</u>	<u>Other diseases of respiratory system</u>	<u>149</u>	<u>85</u>	<u>64</u>
510	Empyema	7	3	4
511	Pleurisy	9	3	6
512	Pneumothorax	2	1	1
513	Abscess of lung and mediastinum	11	4	7
514	Pulmonary congestion and hypostasis	12	8	4
515	Postinflammatory pulmonary fibrosis	33	26	7
516	Other alveolar and parietoalveolar pneumopathy	4	2	2
518	Other diseases of lung	63	34	29
519	Other diseases of respiratory system	8	4	4
<u>520-579</u>	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	<u>697</u>	<u>486</u>	<u>211</u>
<u>520-529</u>	<u>Diseases of oral cavity, salivary glands, and jaws</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>530-537</u>	<u>Diseases of esophagus, stomach, and duodenum</u>	<u>81</u>	<u>49</u>	<u>32</u>
530	Diseases of esophagus	14	10	4
<u>531-533</u>	<u>Peptic ulcer</u>	<u>53</u>	<u>26</u>	<u>27</u>
531	Gastric ulcer	16	8	8
532	Duodenal ulcer	22	12	10
533	Peptic ulcer, site unspecified	15	6	9
535	Gastritis and duodenitis	5	5	0
536	Disorders of function of stomach	2	2	0
537	Other disorders of stomach and duodenum	7	6	1
<u>540-543</u>	<u>Appendicitis</u>	<u>5</u>	<u>4</u>	<u>1</u>
540	Acute appendicitis	5	4	1
<u>550-553</u>	<u>Hernia of abdominal cavity</u>	<u>12</u>	<u>5</u>	<u>7</u>
550	Inguinal	3	0	3
551	Other, of abdominal cavity, with gangrene	1	0	1
552	Other, of abdominal cavity with obstruction, without mention of gangrene	2	2	0
553	Other, of abdominal cavity without mention of obstruction or gangrene	6	3	3
<u>555-558</u>	<u>Noninfective enteritis and colitis</u>	<u>69</u>	<u>46</u>	<u>23</u>
555	Regional enteritis	1	1	0
556	Idiopathic proctocolitis	1	0	1
557	Vascular insufficiency of intestine	46	37	9
558	Other noninfective gastroenteritis and colitis	21	8	13
<u>560-569</u>	<u>Other diseases of intestine and peritoneum</u>	<u>107</u>	<u>70</u>	<u>37</u>
560	Intestinal obstruction without mention of hernia	43	27	16
562	Diverticula of intestine	29	17	12
564	Functional digestive disorders, not elsewhere classified	2	1	1

Deaths - Mississippi - 1981

International Classification Number*	Cause*	Total	White	Non-white
567	Peritonitis	12	11	1
568	Other disorders of peritoneum	1	0	1
569	Other disorders of intestine	20	14	6
<u>570-579</u>	<u>Other diseases of digestive system</u>	<u>423</u>	<u>312</u>	<u>111</u>
570	Acute and subacute necrosis of liver	6	5	1
571	Chronic liver disease and cirrhosis	216	160	56
572	Liver abscess and sequelae of chronic liver disease	41	31	10
573	Other disorders of liver	19	12	7
<u>574,575</u>	<u>Cholelithiasis and other disorders of gallbladder</u>	<u>33</u>	<u>28</u>	<u>5</u>
574	Cholelithiasis	14	10	4
575	Other disorders of gallbladder	19	18	1
576	Other disorders of biliary tract	7	4	3
577	Diseases of pancreas	32	21	11
578	Gastrointestinal hemorrhage	67	50	17
579	Intestinal malabsorption	2	1	1
<u>580-629</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>440</u>	<u>230</u>	<u>210</u>
<u>580-589</u>	<u>Nephritis, nephrotic syndrome, and nephrosis</u>	<u>274</u>	<u>136</u>	<u>138</u>
580	Acute glomerulonephritis	2	0	2
581	Nephrotic syndrome	8	5	3
582	Chronic glomerulonephritis	18	10	8
583	Nephritis and nephropathy, unqualified	2	1	1
<u>584-587</u>	<u>Renal failure and renal sclerosis</u>	<u>243</u>	<u>119</u>	<u>124</u>
584	Acute	39	23	16
585	Chronic	40	21	19
586	Unspecified	163	74	89
587	Renal sclerosis, unspecified	1	1	0
588	Disorders resulting from impaired renal function	1	1	0
<u>590-599</u>	<u>Other diseases of urinary system</u>	<u>153</u>	<u>89</u>	<u>64</u>
590	Infections of kidney	42	26	16
<u>592,594</u>	<u>Calculus of urinary system</u>	<u>2</u>	<u>2</u>	<u>0</u>
592	Of kidney and ureter	2	2	0
593	Other disorders of kidney and ureter	21	10	11
595	Cystitis	3	1	2
596	Other disorders of bladder	4	2	2
599	Other disorders of urethra and urinary tract	81	48	33
<u>600-608</u>	<u>Diseases of male genital organs</u>	<u>8</u>	<u>2</u>	<u>6</u>
600	Hyperplasia of prostate	6	1	5
601	Inflammatory diseases of prostate	2	1	1
<u>610,611</u>	<u>Disorders of breast</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>614-616</u>	<u>Inflammatory disease of female pelvic organs</u>	<u>2</u>	<u>1</u>	<u>1</u>
614	Inflammatory disease of ovary, fallopian tube, pelvic cellular tissue, and peritoneum	2	1	1
<u>617-629</u>	<u>Other disorders of female genital tract</u>	<u>3</u>	<u>2</u>	<u>1</u>
618	Genital prolapse	1	1	0
619	Fistulae involving female genital tract	2	1	1
<u>630-676</u>	<u>COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM</u>	<u>7</u>	<u>5</u>	<u>2</u>

Deaths - Mississippi - 1981

International Classification Number*	Cause*	Total	White	Non-white
<u>630-639</u>	<u>Pregnancy with abortive outcome</u>	<u>1</u>	<u>0</u>	<u>1</u>
633	Ectopic pregnancy	1	0	1
<u>640-648</u>	<u>Complications mainly related to pregnancy</u>	<u>3</u>	<u>2</u>	<u>1</u>
642	Hypertension complicating pregnancy, childbirth, and the puerperium	2	1	1
647	Infective and parasitic conditions in the mother classifiable elsewhere but complicating pregnancy, childbirth, and the puerperium	1	1	0
<u>650-659</u>	<u>Normal delivery, and other indications for care in pregnancy, labor, and delivery</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>660-669</u>	<u>Complications occurring mainly in the course of labor and delivery</u>	<u>1</u>	<u>1</u>	<u>0</u>
669	Other, not elsewhere classified	1	1	0
<u>670-676</u>	<u>Complications of the puerperium</u>	<u>2</u>	<u>2</u>	<u>0</u>
670	Major puerperal infection	1	1	0
673	Obstetrical pulmonary embolism	1	1	0
<u>680-709</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>47</u>	<u>19</u>	<u>28</u>
<u>680-686</u>	<u>Infections of skin and subcutaneous tissue</u>	<u>9</u>	<u>4</u>	<u>5</u>
682	Other cellulitis and abscess	9	4	5
<u>690-698</u>	<u>Other inflammatory conditions of skin and subcutaneous tissue</u>	<u>5</u>	<u>2</u>	<u>3</u>
694	Bullous dermatoses	3	1	2
695	Erythematous conditions	2	1	1
<u>700-709</u>	<u>Other diseases of skin and subcutaneous tissue</u>	<u>33</u>	<u>13</u>	<u>20</u>
707	Chronic ulcer of skin	33	13	20
<u>710-739</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>64</u>	<u>40</u>	<u>24</u>
<u>710-719</u>	<u>Arthropathies and related disorders</u>	<u>51</u>	<u>33</u>	<u>18</u>
710	Diffuse diseases of connective tissue	29	17	12
<u>711-716</u>	<u>Arthropathy, rheumatoid arthritis, and osteoarthritis</u>	<u>22</u>	<u>16</u>	<u>6</u>
711	Arthropathy associated with infections	1	1	0
714	Rheumatoid arthritis and other inflammatory polyarthropathies	15	13	2
715	Osteoarthritis and allied disorders	5	2	3
716	Other and unspecified arthropathies	1	0	1
<u>720-724</u>	<u>Dorsopathies</u>	<u>1</u>	<u>1</u>	<u>0</u>
720	Ankylosing spondylitis and other inflammatory spondylopathies	1	1	0
<u>725-729</u>	<u>Rheumatism, excluding the back</u>	<u>4</u>	<u>2</u>	<u>2</u>
728	Disorders of muscle, ligament, and fascia	2	0	2
729	Other disorders of soft tissues	2	2	0
<u>730-739</u>	<u>Osteopathies, chondropathies, and acquired musculoskeletal deformities</u>	<u>8</u>	<u>4</u>	<u>4</u>
730	Osteomyelitis, periostitis, and other infections involving bone	4	3	1
733	Other disorders of bone and cartilage	1	0	1
736	Other acquired deformities of limbs	1	0	1
737	Curvature of spine	1	0	1

Deaths - Mississippi - 1981

International Classification Number*	Cause*	Total	White	Non-white
738	Other acquired deformity	1	1	0
<u>740-759</u>	<u>CONGENITAL ANOMALIES</u>	<u>158</u>	<u>95</u>	<u>63</u>
<u>740-742</u>	<u>Nervous system</u>	<u>19</u>	<u>12</u>	<u>7</u>
740	Anencephalus and similar anomalies	6	5	1
741	Spina bifida	1	0	1
742	Other congenital anomalies of nervous system	12	7	5
<u>743,744</u>	<u>Eye, ear, face, and neck</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>745-747</u>	<u>Circulatory system</u>	<u>77</u>	<u>46</u>	<u>31</u>
745	Bulbus cordis anomalies and anomalies of cardiac septal closure	14	10	4
746	Heart	44	27	17
747	Other congenital anomalies of circulatory system	19	9	10
748	Respiratory system	15	8	7
<u>749-751</u>	<u>Digestive system</u>	<u>5</u>	<u>4</u>	<u>1</u>
751	Other congenital anomalies of digestive system	5	4	1
<u>752,753</u>	<u>Genitourinary system</u>	<u>12</u>	<u>9</u>	<u>3</u>
753	Urinary system	12	9	3
<u>754-756</u>	<u>Musculoskeletal system</u>	<u>8</u>	<u>6</u>	<u>2</u>
754	Certain congenital musculoskeletal deformities	1	1	0
756	Other congenital musculoskeletal anomalies	7	5	2
758	Chromosomal anomalies	11	6	5
759	Other and unspecified congenital anomalies	11	4	7
<u>760-779</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>361</u>	<u>104</u>	<u>257</u>
<u>761-763</u>	<u>Complications of pregnancy, labor, and delivery</u>	<u>55</u>	<u>22</u>	<u>33</u>
761	Maternal complications of pregnancy	30	12	18
762	Complications of placenta, cord, and membranes	20	9	11
763	Other complications of labor and delivery	5	1	4
<u>765,766</u>	<u>Disorders relating to gestation</u>	<u>76</u>	<u>10</u>	<u>66</u>
765	Short gestation and unspecified low birthweight	76	10	66
767	Birth trauma	9	4	5
<u>768-770</u>	<u>Respiratory conditions of fetus and newborn</u>	<u>148</u>	<u>53</u>	<u>95</u>
768	Intrauterine hypoxia and birth asphyxia	24	7	17
769	Respiratory distress syndrome	73	31	42
770	Other respiratory conditions of fetus and newborn	51	15	36
771	Infections specific to the perinatal period	28	6	22
772	Fetal and neonatal hemorrhage	9	1	8
774	Other perinatal jaundice	1	0	1
776	Hematological disorders of fetus and newborn	1	0	1
777	Perinatal disorders of digestive system	8	3	5
778	Conditions involving the integument and temperature regulation of fetus and newborn	4	1	3
779	Other and ill-defined conditions originating in the perinatal period	22	4	18

Deaths - Mississippi - 1981

International Classification Number*	Cause*	Total	White	Non- white
<u>780-799</u>	<u>SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS</u>	<u>1,368</u>	<u>565</u>	<u>803</u>
<u>780-789</u>	<u>Symptoms</u>	<u>13</u>	<u>5</u>	<u>8</u>
780	General	1	0	1
785	Involving cardiovascular system	8	4	4
786	Involving respiratory system and other chest symptoms	1	0	1
787	Involving digestive system	1	0	1
789	Other involving abdomen and pelvis	2	1	1
<u>790-796</u>	<u>Nonspecific abnormal findings</u>	<u>1</u>	<u>0</u>	<u>1</u>
795	Nonspecific abnormal histological and immunological findings	1	0	1
<u>797-799</u>	<u>Ill-defined and unknown causes of morbidity and mortality</u>	<u>1,354</u>	<u>560</u>	<u>794</u>
797	Senility without mention of psychosis	46	14	32
798	Sudden death, cause unknown	80	25	55
799	Other ill-defined and unknown causes	1,228	521	707
<u>800-999</u>	<u>EXTERNAL CAUSES OF INJURY AND POISONING</u>	<u>2,189</u>	<u>1,353</u>	<u>836</u>
<u>800-949</u>	<u>Accidents and adverse effects</u>	<u>1,568</u>	<u>1,010</u>	<u>558</u>
<u>800-807</u>	<u>Railway</u>	<u>2</u>	<u>2</u>	<u>0</u>
801	Involving collision with other object	1	1	0
805	Hit by rolling stock	1	1	0
<u>810-825</u>	<u>Motor vehicle</u>	<u>793</u>	<u>564</u>	<u>229</u>
<u>(810-819)</u>	<u>(Traffic)</u>	<u>766</u>	<u>545</u>	<u>221</u>
810	Involving collision with train	10	7	3
812	Involving collision with another motor vehicle	257	198	59
813	Involving collision with other vehicle	5	3	2
814	Involving collision with pedestrian	101	51	50
815	Other involving collision on the highway	88	67	21
816	Due to loss of control, without collision on the highway	164	113	51
818	Other noncollision	9	9	0
819	Of unspecified nature	132	97	35
<u>(820-825)</u>	<u>(Nontraffic)</u>	<u>27</u>	<u>19</u>	<u>8</u>
821	Involving other off-road motor vehicle	1	1	0
822	Involving collision of other motor vehicle with moving object	8	4	4
825	Of other and unspecified nature	18	14	4
<u>826-829</u>	<u>Other road vehicle</u>	<u>2</u>	<u>2</u>	<u>0</u>
826	Pedal cycle	1	1	0
828	Animal being ridden	1	1	0
<u>830-838</u>	<u>Water transport</u>	<u>25</u>	<u>22</u>	<u>3</u>
830	Accident to watercraft causing submersion	12	11	1
832	Other submersion or drowning in water transport	10	8	2
838	Other and unspecified	3	3	0
<u>840-845</u>	<u>Air and space transport</u>	<u>11</u>	<u>10</u>	<u>1</u>
841	Accident to powered aircraft, other and unspecified	11	10	1

Deaths - Mississippi - 1981

International Classification Number*	Cause*	Total	White	Non- white
<u>846-848</u>	<u>Vehicle accidents not elsewhere classifiable</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>850-869</u>	<u>Poisoning</u>	<u>51</u>	<u>32</u>	<u>19</u>
<u>(850-858)</u>	<u>(By drugs, medicaments, and biologicals)</u>	<u>25</u>	<u>15</u>	<u>10</u>
850	Analgesics, antipyretics, antirheumatics	3	1	2
851	Barbiturates	2	2	0
854	Other psychotropic agents	2	1	1
855	Other drugs acting on central and autonomic nervous systems	2	1	1
858	Other drugs	16	10	6
<u>(860-869)</u>	<u>(By other solid and liquid substances, gases, and vapors)</u>	<u>26</u>	<u>17</u>	<u>9</u>
860	Alcohol, not elsewhere classified	<u>6</u>	<u>6</u>	<u>0</u>
862	Petroleum products, other solvents and their vapors, not elsewhere classified	1	1	0
863	Agricultural and horticultural chemical and pharmaceutical preparations other than plant foods and fertilizers	2	1	1
864	Corrosives and caustics, not elsewhere classified	1	1	0
866	Other and unspecified solid and liquid substances	2	0	2
867	Gas distributed by pipeline	1	0	1
868	Other utility gas and other carbon monoxide	9	5	4
869	Other gases and vapors	4	3	1
<u>870-876</u>	<u>Misadventures to patients during surgical and medical care</u>	<u>2</u>	<u>2</u>	<u>0</u>
870	Accidental cut, puncture, perforation, or hemorrhage during medical care	1	1	0
874	Mechanical failure of instruments or apparatus during procedure	1	1	0
<u>878,879</u>	<u>Surgical and medical procedures as the cause of abnormal reaction of patient or later complication, without mention of misadventures at the time of procedure</u>	<u>22</u>	<u>19</u>	<u>3</u>
878	Surgical operation or other surgical procedure	18	16	2
879	Other procedures	4	3	1
<u>880-888</u>	<u>Falls</u>	<u>97</u>	<u>73</u>	<u>24</u>
880	On or from stairs or steps	3	3	0
881	On or from ladders or scaffolding	1	1	0
882	From or out of building or other structure	4	3	1
883	Into hole or other opening in surface	2	2	0
884	Other from one level to another	6	3	3
885	On same level from slipping, tripping, or stumbling	2	1	1
887	Fracture, cause unspecified	57	42	15
888	Other and unspecified fall	22	18	4
<u>890-899</u>	<u>Caused by fires and flames</u>	<u>151</u>	<u>59</u>	<u>92</u>
890	Conflagration in private dwelling	111	41	70
891	Conflagration in other and unspecified building or structure	1	1	0

Deaths - Mississippi - 1981

International Classification Number*	Cause*	Total	White	Non- white
892	Conflagration not in building or structure	6	3	3
893	Ignition of clothing	10	7	3
894	Ignition of highly inflammable material	2	1	1
895	Controlled fire in private dwelling	1	0	1
896	Controlled fire in other and unspecified building or structure	1	0	1
897	Controlled fire not in building or structure	1	1	0
898	Other specified fire and flames	1	0	1
899	Unspecified fire	17	5	12
<u>900-909</u>	<u>Due to natural and environmental factors</u>	<u>33</u>	<u>13</u>	<u>20</u>
900	Excessive heat	11	4	7
901	Excessive cold	4	1	3
904	Hunger, thirst, exposure, and neglect	14	5	9
906	Other injury caused by animals	1	0	1
907	Lightning	3	3	0
<u>910-915</u>	<u>Accidents caused by submersion, suffocation, and foreign bodies</u>	<u>182</u>	<u>86</u>	<u>96</u>
910	Drowning and submersion	90	39	51
911	Inhalation and ingestion of food causing obstruction of respiratory tract or suffocation	46	28	18
912	Inhalation and ingestion of other object causing obstruction of respiratory tract or suffocation	33	17	16
913	Mechanical suffocation	13	2	11
<u>916-929</u>	<u>Other accidents</u>	<u>193</u>	<u>122</u>	<u>71</u>
916	Struck by falling object	22	14	8
917	Striking against or struck by objects or persons	6	3	3
918	Caught accidentally in or between objects	1	1	0
919	Caused by machinery	27	17	10
920	Caused by cutting and piercing instruments or objects	2	2	0
922	Caused by firearm missile	73	46	27
923	Caused by explosive material	5	2	3
924	Caused by hot substance or object, caustic or corrosive material, and steam	6	3	3
925	Caused by electric current	20	14	6
927	Overexertion and strenuous movements	1	0	1
928	Other and unspecified environmental and accidental causes	25	15	10
929	Late effects of accidental injury	5	5	0
<u>930-949</u>	<u>Drugs, medicaments, and biological substances causing adverse effects in therapeutic use</u>	<u>4</u>	<u>4</u>	<u>0</u>
932	Hormones and synthetic substitutes	1	1	0
947	Other and unspecified drugs and medicaments	3	3	0
<u>950-959</u>	<u>Suicide and self-inflicted injury</u>	<u>243</u>	<u>209</u>	<u>34</u>
<u>950-952</u>	<u>By poisoning</u>	<u>16</u>	<u>15</u>	<u>1</u>
950	By solid or liquid substances	9	8	1
952	By other gases and vapors	7	7	0

Deaths - Mississippi - 1981

International Classification Number*	Cause*	Total	White	Non-white
953	By hanging, strangulation, and suffocation	16	11	5
954	By submersion (drowning)	3	0	3
955	By firearms and explosives	198	173	25
956	By cutting and piercing instruments	4	4	0
957	By jumping from high place	2	2	0
958	By other and unspecified means	4	4	0
<u>960-978</u>	<u>Homicide and injury purposely inflicted by other persons; legal intervention</u>	<u>351</u>	<u>119</u>	<u>232</u>
<u>960-969</u>	<u>Homicide and injury purposely inflicted by other persons</u>	<u>344</u>	<u>116</u>	<u>228</u>
963	Assault by hanging and strangulation	8	3	5
964	Assault by submersion (drowning)	2	0	2
965	Assault by firearms and explosives	262	90	172
966	Assault by cutting and piercing instrument	45	7	38
967	Child battering and other maltreatment	4	2	2
968	Assault by other and unspecified means	23	14	9
<u>970-978</u>	<u>Legal intervention</u>	<u>7</u>	<u>3</u>	<u>4</u>
970	Injury by firearms	7	3	4
<u>980-989</u>	<u>Injury undetermined whether accidentally or purposely inflicted</u>	<u>26</u>	<u>14</u>	<u>12</u>
980	Poisoning by solid or liquid substances	1	1	0
982	Poisoning by other gases	1	0	1
983	Hanging, strangulation, or suffocation	1	0	1
984	Submersion (drowning)	2	1	1
985	Injury by firearms and explosives	18	11	7
988	Injury by other and unspecified means	3	1	2
<u>990-999</u>	<u>Injury resulting from operations of war</u>	<u>1</u>	<u>1</u>	<u>0</u>
999	Late effects of injury due to war operations	1	1	0

* Numbers and causes are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death. If no deaths were reported for a specific three-digit category, number and cause were omitted from this listing.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF ADAMS AND ALCORN COUNTIES, MISSISSIPPI, 1981

Cause and International Classification Number*	Adams County						Alcorn County					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	1	0	1	2.6	-	5.4	0	0	0	-	-	-
Malignant neoplasms (140-208)	89	49	40	234.0	250.9	216.2	52	43	9	157.4	146.0	251.7
Diabetes mellitus (250)	13	4	9	34.2	20.5	48.6	3	2	1	9.1	6.8	28.0
Diseases of heart (390-398, 402, 404, 410-429)	123	56	67	323.4	286.7	362.1	133	115	18	402.6	390.4	503.4
Hypertension (401, 403)	4	3	1	10.5	15.4	5.4	1	1	0	3.0	3.4	-
Cerebrovascular diseases (430-438)	49	24	25	128.8	122.9	135.1	17	14	3	51.4	47.5	83.9
Atherosclerosis (440)	4	3	1	10.5	15.4	5.4	1	1	0	3.0	3.4	-
Pneumonia and influenza (480-487)	8	5	3	21.0	25.6	16.2	6	6	0	18.2	20.4	-
Emphysema and other chronic obstructive pulmonary diseases (490-496)	6	3	3	15.8	15.4	16.2	7	7	0	21.2	23.8	-
Chronic liver disease and cirrhosis (571)	3	2	1	7.9	10.2	5.4	3	3	0	9.1	10.2	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	5	0	5	13.1	-	27.0	6	5	1	18.2	17.0	28.0
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	2	1	1	5.2	5.1	5.4	2	2	0	6.0	6.8	-
Certain conditions originating in the perinatal period (760-779)	9	3	6	12.3	9.5	14.4	2	1	1	4.4	2.6	13.2
Accidents (800-949)	21	11	10	55.2	56.3	54.0	18	13	5	54.5	44.1	139.8
Motor vehicle accidents# (810-825)	12	6	6	31.5	30.7	32.4	7	7	0	21.2	23.8	-
Suicide (950-959)	7	5	2	18.4	25.6	10.8	7	7	0	21.2	23.8	-
Homicide and legal intervention (960-978)	5	1	4	13.1	5.1	21.6	4	3	1	12.1	10.2	28.0
Symptoms, signs, and ill-defined conditions# (780-799)	13	2	11	34.2	10.2	59.4	3	3	0	9.1	10.2	-

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF AMITE AND ATTALA COUNTIES, MISSISSIPPI, 1981

Cause and International Classification Number*	Amite County				Attala County				
	Number		Rate**		Number		Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	0	-	-	-
Malignant neoplasms (140-208)	23	16	7	172.0	228.7	109.8	251.7	273.8	217.6
Diabetes mellitus (250)	5	1	4	37.4	14.3	62.8	15.1	8.3	25.6
Diseases of heart (390-398, 402, 404, 410-429)	41	30	11	306.7	428.8	172.6	483.3	531.0	409.6
Hypertension (401, 403)	0	0	0	-	-	-	10.1	-	25.6
Cerebrovascular diseases (430-438)	13	6	7	97.2	85.8	109.8	115.8	116.2	115.2
Atherosclerosis (440)	2	2	0	15.0	28.6	-	15.1	24.9	-
Pneumonia and influenza (480-487)	1	1	0	7.5	14.3	-	65.4	74.7	51.2
Emphysema and other chronic obstructive pulmonary diseases (490-496)	4	4	0	29.9	57.2	-	4	20.1	12.8
Chronic liver disease and cirrhosis (571)	0	0	0	-	-	-	2	10.1	12.8
Nephritis, nephrotic syndrome, and nephrosis (580-589)	0	0	0	-	-	-	2	10.1	-
Infections of kidney (590)	0	0	0	-	-	-	1	5.0	12.8
Maternal causes (630-676)	0	0	0	-	-	-	0	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-	3	15.1	25.6
Certain conditions originating in the perinatal period (760-779)	0	0	0	-	-	-	2	6.6	11.4
Accidents (800-949)	15	7	8	112.2	100.0	125.5	19	95.6	76.8
Motor vehicle accidents# (810-825)	8	3	5	59.8	42.9	78.4	4	33.2	-
Suicide (950-959)	3	2	1	22.4	28.6	15.7	3	24.9	-
Homicide and legal intervention (960-978)	1	0	1	7.5	-	15.7	6	24.9	38.4
Symptoms, signs, and ill-defined conditions# (780-799)	28	13	15	209.4	185.8	235.4	4	8.3	38.4

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF BENTON AND BOLIVAR COUNTIES, MISSISSIPPI, 1981

Cause and International Classification Number*	Benton County						Bolivar County					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	1	1	0	2.2	5.9	-
Malignant neoplasms (140-208)	15	15	0	184.0	296.8	-	80	31	49	174.0	182.5	169.1
Diabetes mellitus (250)	2	2	0	24.5	39.6	-	1	0	1	2.2	-	3.4
Diseases of heart (390-398, 402, 404, 410-429)	22	16	6	269.8	316.6	193.6	161	67	94	350.3	394.4	324.4
Hypertension (401, 403)	0	0	0	-	-	-	5	2	3	10.9	11.8	10.4
Cerebrovascular diseases (430-438)	2	1	1	24.5	19.8	32.3	48	14	34	104.4	82.4	117.3
Atherosclerosis (440)	0	0	0	-	-	-	17	7	10	37.0	41.2	34.5
Pneumonia and influenza (480-487)	0	0	0	-	-	-	10	6	4	21.8	35.3	13.8
Emphysema and other chronic obstructive pulmonary diseases (490-496)	2	2	0	24.5	39.6	-	9	4	5	19.6	23.5	17.2
Chronic liver disease and cirrhosis (571)	1	1	0	12.3	19.8	-	2	0	2	4.4	-	6.9
Nephritis, nephrotic syndrome, and nephrosis (580-589)	0	0	0	-	-	-	4	2	2	8.7	11.8	6.9
Infections of kidney (590)	0	0	0	-	-	-	1	0	1	2.2	-	3.4
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-	2	1	1	4.4	5.9	3.4
Certain conditions originating in the perinatal period (760-779)	1	0	1	7.7	-	14.9	16	1	15	14.7	4.3	17.5
Accidents (800-949)	6	3	3	73.6	59.4	96.8	25	10	15	54.4	58.9	51.8
Motor vehicle accidents# (810-825)	4	3	1	49.1	59.4	32.3	13	5	8	28.3	29.4	27.6
Suicide (950-959)	1	1	0	12.3	19.8	-	5	2	3	10.9	11.8	10.4
Homicide and legal intervention (960-978)	1	1	0	12.3	19.8	-	5	1	4	10.9	5.9	13.8
Symptoms, signs, and ill-defined conditions# (780-799)	18	7	11	220.8	138.5	355.0	37	7	30	80.5	41.2	103.5

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CALHOUN AND CARROLL COUNTIES, MISSISSIPPI, 1981

Cause and International Classification Number*	Calhoun County						Carroll County					
	Number			Rate**			Number			Rate**		
	Total	White	Non- white	Total	White	Non- white	Total	White	Non- white	Total	White	Non- white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	26	22	4	166.0	188.8	99.6	24	19	5	245.5	356.3	112.5
Diabetes mellitus (250)	1	1	0	6.4	8.6	-	0	0	0	-	-	-
Diseases of heart (390-398, 402, 404, 410-429)	59	50	9	376.6	429.2	224.2	31	22	9	317.1	412.6	202.5
Hypertension (401, 403)	0	0	0	-	-	-	1	1	0	10.2	18.8	-
Cerebrovascular diseases (430- 438)	11	7	4	70.2	60.1	99.6	5	2	3	51.1	37.5	67.5
Atherosclerosis (440)	0	0	0	-	-	-	0	0	0	-	-	-
Pneumonia and influenza (480- 487)	10	10	0	63.8	85.8	-	2	1	1	20.4	18.8	22.5
Emphysema and other chronic obstructive pulmonary diseases (490-496)	4	3	1	25.5	25.8	24.9	2	2	0	20.4	37.5	-
Chronic liver disease and cirrhosis (571)	1	0	1	6.4	-	24.9	0	0	0	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	0	0	0	-	-	-	2	0	2	20.4	-	45.0
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	2	2	0	12.8	17.2	-	0	0	0	-	-	-
Certain conditions originating in the perinatal period (760-779)	2	1	1	8.0	7.0	9.4	0	0	0	-	-	-
Accidents (800-949)	19	17	2	121.3	145.9	49.8	8	4	4	81.8	75.0	90.0
Motor vehicle accidents# (810-825)	10	9	1	63.8	77.2	24.9	6	2	4	61.4	37.5	90.0
Suicide (950-959)	1	0	1	6.4	-	24.9	2	2	0	20.4	37.5	-
Homicide and legal inter- vention (960-978)	0	0	0	-	-	-	2	1	1	20.4	18.8	22.5
Symptoms, signs, and ill- defined conditions# (780-799)	8	8	0	51.1	68.7	-	1	0	1	10.2	-	22.5

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CHICKASAW AND CHOCTAW COUNTIES, MISSISSIPPI, 1981

Cause and International Classification Number*	Chickasaw County						Choctaw County					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	28	19	9	156.8	166.9	139.1	14	12	2	155.6	186.1	78.5
Diabetes mellitus (250)	4	2	2	22.4	17.6	30.9	3	3	0	33.3	46.5	-
Diseases of heart (390-398, 402, 404, 410-429)	70	51	19	392.1	448.0	293.7	42	31	11	466.9	480.8	431.5
Hypertension (401, 403)	0	0	0	-	-	-	1	1	0	11.1	15.5	-
Cerebrovascular diseases (430-438)	15	10	5	84.0	87.8	77.3	6	4	2	66.7	62.0	78.5
Atherosclerosis (440)	1	1	0	5.6	8.8	-	0	0	0	-	-	-
Pneumonia and influenza (480-487)	1	0	1	5.6	-	15.4	0	0	0	-	-	-
Emphysema and other chronic obstructive pulmonary diseases (490-496)	5	5	0	28.0	43.9	-	1	1	0	11.1	15.5	-
Chronic liver disease and cirrhosis (571)	2	2	0	11.2	17.6	-	0	0	0	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	2	1	1	11.2	8.8	15.4	1	0	1	11.1	-	39.2
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	3	1	2	16.8	8.8	30.9	0	0	0	-	-	-
Certain conditions originating in the perinatal period (760-779)	8	0	8	23.6	-	46.0	0	0	0	-	-	-
Accidents (800-949)	15	6	9	84.0	52.7	139.1	9	4	5	100.0	62.0	196.2
Motor vehicle accidents# (810-825)	8	3	5	44.8	26.4	77.3	6	4	2	66.7	62.0	78.5
Suicide (950-959)	3	3	0	16.8	26.4	-	1	1	0	11.1	15.5	-
Homicide and legal intervention (960-978)	0	0	0	-	-	-	0	0	0	-	-	-
Symptoms, signs, and ill-defined conditions# (780-799)	5	0	5	28.0	-	77.3	0	0	0	-	-	-

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CLAIBORNE AND CLARKE COUNTIES, MISSISSIPPI, 1981

Cause and International Classification Number*	Claiborne County						Clarke County					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	1	0	1	5.9	-	16.8
Malignant neoplasms (140-208)	13	4	9	105.9	130.1	97.8	31	21	10	182.9	190.8	168.3
Diabetes mellitus (250)	0	0	0	-	-	-	6	3	3	35.4	27.3	50.5
Diseases of heart (390-398, 402, 404, 410-429)	53	11	42	431.6	357.8	456.3	67	41	26	395.4	372.6	437.6
Hypertension (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	10	2	8	81.4	65.1	86.9	22	10	12	129.8	90.9	202.0
Atherosclerosis (440)	3	0	3	24.4	-	32.6	2	1	1	11.8	9.1	16.8
Pneumonia and influenza (480-487)	0	0	0	-	-	-	5	5	0	29.5	45.4	-
Emphysema and other chronic obstructive pulmonary diseases (490-496)	2	1	1	16.3	32.5	10.9	3	3	0	17.7	27.3	-
Chronic liver disease and cirrhosis (571)	1	1	0	8.1	32.5	-	1	0	1	5.9	-	16.8
Nephritis, nephrotic syndrome, and nephrosis (580-589)	0	0	0	-	-	-	2	2	0	11.8	18.2	-
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
Certain conditions originating in the perinatal period (760-779)	3	0	3	12.6	-	16.0	3	2	1	9.6	11.4	7.3
Accidents (800-949)	16	2	14	130.3	65.1	152.1	11	5	6	64.9	45.4	101.0
Motor vehicle accidents# (810-825)	11	2	9	89.6	65.1	97.8	3	2	1	17.7	18.2	16.8
Suicide (950-959)	1	0	1	8.1	-	10.9	2	2	0	11.8	18.2	-
Homicide and legal intervention (960-978)	0	0	0	-	-	-	5	2	3	29.5	18.2	50.5
Symptoms, signs, and ill-defined conditions# (780-799)	2	0	2	16.3	-	21.7	19	6	13	112.1	54.5	218.8

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CLAY AND COAHOMA COUNTIES, MISSISSIPPI, 1981

Cause and International Classification Number*	Clay County				Coahoma County					
	Number		Rate**		Number		Rate**			
	Total	White	Non-white	Total	White	Non-white	Total	White		
Tuberculosis (010-018)	0	0	0	-	-	-	1	2.7	7.6	-
Malignant neoplasms (140-208)	39	21	18	185.0	200.6	169.6	62	167.9	175.9	163.6
Diabetes mellitus (250)	3	2	1	14.2	19.1	9.4	6	16.2	7.6	21.0
Diseases of heart (390-398, 402, 404, 410-429)	93	51	42	441.1	487.1	395.8	108	292.5	374.8	247.4
Hypertension (401, 403)	0	0	0	-	-	-	1	2.7	-	4.2
Cerebrovascular diseases (430-438)	16	8	8	75.9	76.4	75.4	45	121.9	114.7	125.8
Atherosclerosis (440)	1	0	1	4.7	-	9.4	8	21.7	38.2	12.6
Pneumonia and influenza (480-487)	4	2	2	19.0	19.1	18.8	4	10.8	7.6	12.6
Emphysema and other chronic obstructive pulmonary diseases (490-496)	1	1	0	4.7	9.6	-	6	16.2	15.3	16.8
Chronic liver disease and cirrhosis (571)	1	1	0	4.7	9.6	-	4	10.8	22.9	4.2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	4	3	1	19.0	28.6	9.4	9	24.4	30.6	21.0
Infections of kidney (590)	0	0	0	-	-	-	3	8.1	15.3	4.2
Maternal causes (630-676)	0	0	0	-	-	-	0	-	-	-
Congenital anomalies (740-759)	2	1	1	9.5	9.6	9.4	0	-	-	-
Certain conditions originating in the perinatal period (760-779)	4	2	2	8.8	12.5	6.8	14	18.2	11.8	20.0
Accidents (800-949)	15	10	5	71.2	95.5	47.1	27	73.1	84.1	67.1
Motor vehicle accidents# (810-825)	3	3	0	14.2	28.6	-	14	37.9	76.5	16.8
Suicide (950-959)	0	0	0	-	-	-	3	8.1	22.9	-
Homicide and legal intervention (960-978)	3	1	2	14.2	9.6	18.8	9	24.4	-	37.7
Symptoms, signs, and ill-defined conditions# (780-799)	3	0	3	14.2	-	28.3	54	146.3	15.3	218.1

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF FRANKLIN AND GEORGE COUNTIES, MISSISSIPPI, 1981

Cause and International Classification Number*	Franklin County						George County					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	1	1	0	12.2	19.4	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	19	16	3	231.5	311.1	97.9	23	21	2	150.4	152.1	134.3
Diabetes mellitus (250)	7	3	4	85.3	58.3	130.5	3	2	1	19.6	14.5	67.2
Diseases of heart (390-398, 402, 404, 410-429)	37	25	12	450.8	486.1	391.5	55	50	5	359.5	362.1	335.8
Hypertension (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	9	6	3	109.6	116.7	97.9	12	11	1	78.4	79.7	67.2
Atherosclerosis (440)	3	1	2	36.5	19.4	65.2	1	1	0	6.5	7.2	-
Pneumonia and influenza (480-487)	4	3	1	48.7	58.3	32.6	2	2	0	13.1	14.5	-
Emphysema and other chronic obstructive pulmonary diseases (490-496)	1	1	0	12.2	19.4	-	6	6	0	39.2	43.4	-
Chronic liver disease and cirrhosis (571)	2	2	0	24.4	38.9	-	1	1	0	6.5	7.2	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	2	0	2	24.4	-	65.2	2	1	1	13.1	7.2	67.2
Infections of kidney (590)	0	0	0	-	-	-	1	1	0	6.5	7.2	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	1	1	0	12.2	19.4	-	0	0	0	-	-	-
Certain conditions originating in the perinatal period (760-779)	0	0	0	-	-	-	3	2	1	10.4	8.1	23.2
Accidents (800-949)	8	5	3	97.5	97.2	97.9	15	12	3	98.0	86.9	201.5
Motor vehicle accidents# (810-825)	4	2	2	48.7	38.9	65.2	11	10	1	71.9	72.4	67.2
Suicide (950-959)	1	1	0	12.2	19.4	-	0	0	0	-	-	-
Homicide and legal intervention (960-978)	1	0	1	12.2	-	32.6	2	2	0	13.1	14.5	-
Symptoms, signs, and ill-defined conditions# (780-799)	1	0	1	12.2	-	32.6	0	0	0	-	-	-

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF GREENE AND GRENADA COUNTIES, MISSISSIPPI, 1981

Cause and International Classification Number*	Greene County						Grenada County					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	16	13	3	162.8	165.9	150.7	54	33	21	256.6	270.4	237.6
Diabetes mellitus (250)	1	1	0	10.2	12.8	-	2	0	2	9.5	-	22.6
Diseases of heart (390-398, 402, 404, 410-429)	50	40	10	508.8	510.5	502.3	89	45	44	422.9	368.8	497.7
Hypertension (401, 403)	1	1	0	10.2	12.8	-	1	1	0	4.8	8.2	-
Cerebrovascular diseases (430-438)	6	6	0	61.0	76.6	-	45	26	19	213.8	213.1	214.9
Atherosclerosis (440)	0	0	0	-	-	-	1	0	1	4.8	-	11.3
Pneumonia and influenza (480-487)	1	1	0	10.2	12.8	-	6	4	2	28.5	32.8	22.6
Emphysema and other chronic obstructive pulmonary diseases (490-496)	4	4	0	40.7	51.0	-	3	3	0	14.2	24.6	-
Chronic liver disease and cirrhosis (571)	0	0	0	-	-	-	1	1	0	4.8	8.2	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	0	0	0	-	-	-	1	1	0	4.8	8.2	-
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-	3	3	0	14.2	24.6	-
Certain conditions originating in the perinatal period (760-779)	2	0	2	13.0	-	38.5	2	0	2	5.7	-	10.0
Accidents (800-949)	11	8	3	111.9	102.1	150.7	5	2	3	23.8	16.4	33.9
Motor vehicle accidents# (810-825)	5	3	2	50.9	38.3	100.4	4	2	2	19.0	16.4	22.6
Suicide (950-959)	1	1	0	10.2	12.8	-	1	1	0	4.8	8.2	-
Homicide and legal intervention (960-978)	2	2	0	20.4	25.5	-	2	0	2	9.5	-	22.6
Symptoms, signs, and ill-defined conditions# (780-799)	2	1	1	20.4	12.8	50.2	2	0	2	9.5	-	22.6

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF HANCOCK AND HARRISON COUNTIES, MISSISSIPPI, 1981

Cause and International Classification Number*	Hancock County						Harrison County					
	Number			Rate**			Number			Rate**		
	Total	White	Non- white	Total	White	Non- white	Total	White	Non- white	Total	White	Non- white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	46	42	4	187.5	191.8	151.2	271	218	53	171.9	175.8	157.6
Diabetes mellitus (250)	5	3	2	20.4	13.7	75.6	13	5	8	8.2	4.0	23.8
Diseases of heart (390-398, 402, 404, 410-429)	90	82	8	366.8	374.6	302.4	542	449	93	343.8	362.0	276.5
Hypertension (401, 403)	0	0	0	-	-	-	2	1	1	1.3	0.8	3.0
Cerebrovascular diseases (430- 438)	13	10	3	53.0	45.7	113.4	86	68	18	54.5	54.8	53.5
Atherosclerosis (440)	2	2	0	8.2	9.1	-	6	5	1	3.8	4.0	3.0
Pneumonia and influenza (480- 487)	6	4	2	24.4	18.3	75.6	28	25	3	17.8	20.2	8.9
Emphysema and other chronic obstructive pulmonary diseases (490-496)	7	4	3	28.5	18.3	113.4	46	42	4	29.2	33.9	11.9
Chronic liver disease and cirrhosis (571)	1	1	0	4.1	4.6	-	22	20	2	14.0	16.1	5.9
Nephritis, nephrotic syndrome, and nephrosis (580-589)	2	2	0	8.2	9.1	-	12	8	4	7.6	6.4	11.9
Infections of kidney (590)	0	0	0	-	-	-	1	0	1	0.6	-	3.0
Maternal causes (630-676)	0	0	0	-	-	-	2	2	0	69.4	95.7	-
Congenital anomalies (740-759)	4	4	0	16.3	18.3	-	9	9	0	5.7	7.2	-
Certain conditions originating in the perinatal period (760-779)	3	2	1	7.8	5.8	23.8	12	9	3	4.2	4.3	3.8
Accidents (800-949)	18	16	2	73.4	73.1	75.6	90	74	16	57.1	59.7	47.6
Motor vehicle accidents# (810-825)	13	12	1	53.0	54.8	37.8	42	37	5	26.6	29.8	14.9
Suicide (950-959)	5	5	0	20.4	22.8	-	27	24	3	17.1	19.3	8.9
Homicide and legal inter- vention (960-978)	5	4	1	20.4	18.3	37.8	24	15	9	15.2	12.1	26.8
Symptoms, signs, and ill- defined conditions# (780-799)	1	1	0	4.1	4.6	-	10	8	2	6.3	6.4	5.9

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF HINDS AND HOLMES COUNTIES, MISSISSIPPI, 1981

Cause and International Classification Number*	Hinds County						Holmes County					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	5	2	3	2.0	1.5	2.6	0	0	0	-	-	-
Malignant neoplasms (140-208)	407	243	164	162.2	178.3	142.9	51	20	31	222.0	304.1	189.1
Diabetes mellitus (250)	32	14	18	12.7	10.3	15.7	5	0	5	21.8	-	30.5
Diseases of heart (390-398, 402, 404, 410-429)	745	425	320	296.8	311.9	278.9	91	24	67	396.2	364.9	408.7
Hypertension (401, 403)	12	2	10	4.8	1.5	8.7	4	0	4	17.4	-	24.4
Cerebrovascular diseases (430-438)	183	106	77	72.9	77.8	67.1	24	7	17	104.5	106.4	103.7
Atherosclerosis (440)	22	18	4	8.8	13.2	3.5	3	1	2	13.1	15.2	12.2
Pneumonia and influenza (480-487)	58	35	23	23.1	25.7	20.0	4	1	3	17.4	15.2	18.3
Emphysema and other chronic obstructive pulmonary diseases (490-496)	55	43	12	21.9	31.6	10.4	2	0	2	8.7	-	12.2
Chronic liver disease and cirrhosis (571)	32	26	6	12.7	19.1	5.2	2	1	1	8.7	15.2	6.1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	22	8	14	8.8	5.9	12.2	2	0	2	8.7	-	12.2
Infections of kidney (590)	1	1	0	0.4	0.7	-	0	0	0	-	-	-
Maternal causes (630-676)	1	1	0	20.9	51.7	-	0	0	0	-	-	-
Congenital anomalies (740-759)	22	8	14	8.8	5.9	12.2	3	0	3	13.1	-	18.3
Certain conditions originating in the perinatal period (760-779)	34	3	31	7.1	1.6	10.9	1	0	1	2.0	-	2.3
Accidents (800-949)	123	65	58	49.0	47.7	50.6	11	5	6	47.9	76.0	36.6
Motor vehicle accidents# (810-825)	57	37	20	22.7	27.2	17.4	7	4	3	30.5	60.8	18.3
Suicide (950-959)	23	20	3	9.2	14.7	2.6	3	1	2	13.1	15.2	12.2
Homicide and legal intervention (960-978)	54	11	43	21.5	8.1	37.5	7	1	6	30.5	15.2	36.6
Symptoms, signs, and ill-defined conditions# (780-799)	36	16	20	14.3	11.7	17.4	11	2	9	47.9	30.4	54.9

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF ITAWAMBA AND JACKSON COUNTIES, MISSISSIPPI, 1981

Cause and International Classification Number*	Itawamba County						Jackson County					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	37	33	4	180.3	171.9	302.6	140	126	14	118.6	133.0	60.1
Diabetes mellitus (250)	3	3	0	14.6	15.6	-	10	3	7	8.5	3.2	30.0
Diseases of heart (390-398, 402, 404, 410-429)	67	62	5	326.5	323.0	378.2	210	163	47	177.9	172.1	201.7
Hypertension (401, 403)	0	0	0	-	-	-	2	1	1	1.7	1.0	4.3
Cerebrovascular diseases (430-438)	26	26	0	126.7	135.4	-	54	47	7	45.8	49.6	30.0
Atherosclerosis (440)	4	3	1	19.5	15.6	75.6	5	4	1	4.2	4.2	4.3
Pneumonia and influenza (480-487)	1	1	0	4.9	5.2	-	10	7	3	8.5	7.4	12.9
Emphysema and other chronic obstructive pulmonary diseases (490-496)	3	2	1	14.6	10.4	75.6	20	20	0	16.9	21.1	-
Chronic liver disease and cirrhosis (571)	0	0	0	-	-	-	8	4	4	6.8	4.2	17.2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	4	2	2	19.5	10.4	151.3	8	7	1	6.8	7.4	4.3
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	1	1	0	49.4	67.6	-
Congenital anomalies (740-759)	1	1	0	4.9	5.2	-	9	7	2	7.6	7.4	8.6
Certain conditions originating in the perinatal period (760-779)	1	1	0	3.6	4.0	-	16	10	6	7.9	6.8	11.0
Accidents (800-949)	25	20	5	121.8	104.2	378.2	63	45	18	53.4	47.5	77.2
Motor vehicle accidents# (810-825)	15	14	1	73.1	72.9	75.6	34	27	7	28.8	28.5	30.0
Suicide (950-959)	0	0	0	-	-	-	6	6	0	5.1	6.3	-
Homicide and legal intervention (960-978)	0	0	0	-	-	-	7	3	4	5.9	3.2	17.2
Symptoms, signs, and ill-defined conditions# (780-799)	3	3	0	14.6	15.6	-	30	21	9	25.4	22.2	38.6

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF JASPER AND JEFFERSON COUNTIES, MISSISSIPPI, 1981

Cause and International Classification Number*	Jasper County						Jefferson County					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	1	0	1	5.8	-	11.8	0	0	0	-	-	-
Malignant neoplasms (140-208)	30	17	13	173.8	194.0	152.9	16	3	13	174.3	182.4	172.5
Diabetes mellitus (250)	1	1	0	5.8	11.4	-	2	0	2	21.8	-	26.5
Diseases of heart (390-398, 402, 404, 410-429)	58	36	22	335.9	410.9	258.7	37	7	30	403.0	425.5	398.1
Hypertension (401, 403)	0	0	0	-	-	-	1	0	1	10.9	-	13.3
Cerebrovascular diseases (430-438)	15	9	6	86.9	102.7	70.6	5	2	3	54.5	121.6	39.8
Atherosclerosis (440)	1	0	1	5.8	-	11.8	2	1	1	21.8	60.8	13.3
Pneumonia and influenza (480-487)	4	3	1	23.2	34.2	11.8	2	0	2	21.8	-	26.5
Emphysema and other chronic obstructive pulmonary diseases (490-496)	1	1	0	5.8	11.4	-	1	1	0	10.9	60.8	-
Chronic liver disease and cirrhosis (571)	1	0	1	5.8	-	11.8	0	0	0	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	1	0	5.8	11.4	-	2	0	2	21.8	-	26.5
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	2	0	2	11.6	-	23.5	0	0	0	-	-	-
Certain conditions originating in the perinatal period (760-779)	2	1	1	6.2	9.8	4.6	3	0	3	14.4	-	15.6
Accidents (800-949)	11	8	3	63.7	91.3	35.3	11	2	9	119.8	121.6	119.4
Motor vehicle accidents# (810-825)	5	5	0	29.0	57.1	-	5	1	4	54.5	60.8	53.1
Suicide (950-959)	1	1	0	5.8	11.4	-	0	0	0	-	-	-
Homicide and legal intervention (960-978)	3	0	3	17.4	-	35.3	2	1	1	21.8	60.8	13.3
Symptoms, signs, and ill-defined conditions# (780-799)	13	3	10	75.3	34.2	117.6	1	1	0	10.9	60.8	-

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF JEFF DAVIS AND JONES COUNTIES, MISSISSIPPI, 1981

Cause and International Classification Number*	Jeff Davis County						Jones County					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	1	0	1	1.6	-	6.8
Malignant neoplasms (140-208)	28	13	15	202.2	203.1	201.5	112	78	34	180.9	164.8	232.9
Diabetes mellitus (250)	2	1	1	14.4	15.6	13.4	14	5	9	22.6	10.6	61.6
Diseases of heart (390-398, 402, 404, 410-429)	48	31	17	346.7	484.3	228.3	217	167	50	350.5	353.0	342.5
Hypertension (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	12	4	8	86.7	62.5	107.4	72	58	14	116.3	122.6	95.9
Atherosclerosis (440)	0	0	0	-	-	-	4	3	1	6.5	6.3	6.8
Pneumonia and influenza (480-487)	4	3	1	28.9	46.9	13.4	25	19	6	40.4	40.2	41.1
Emphysema and other chronic obstructive pulmonary diseases (490-496)	5	2	3	36.1	31.2	40.3	12	11	1	19.4	23.2	6.8
Chronic liver disease and cirrhosis (571)	1	0	1	7.2	-	13.4	9	8	1	14.5	16.9	6.8
Nephritis, nephrotic syndrome, and nephrosis (580-589)	2	0	2	14.4	-	26.9	15	5	10	24.2	10.6	68.5
Infections of kidney (590)	0	0	0	-	-	-	2	1	1	3.2	2.1	6.8
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	1	0	1	7.2	-	13.4	3	2	1	4.8	4.2	6.8
Certain conditions originating in the perinatal period (760-779)	1	0	1	3.8	-	6.1	15	8	7	14.0	11.6	18.4
Accidents (800-949)	8	4	4	57.8	62.5	53.7	33	26	7	53.3	55.0	48.0
Motor vehicle accidents# (810-825)	2	2	0	14.4	31.2	-	18	17	1	29.1	35.9	6.8
Suicide (950-959)	0	0	0	-	-	-	7	7	0	11.3	14.8	-
Homicide and legal intervention (960-978)	4	1	3	28.9	15.6	40.3	10	4	6	16.2	8.4	41.1
Symptoms, signs, and ill-defined conditions# (780-799)	22	5	17	158.9	78.1	228.3	20	12	8	32.3	25.4	54.8

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF KEMPER AND LAFAYETTE COUNTIES, MISSISSIPPI, 1981

Cause and International Classification Number*	Kemper County						Lafayette County					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	11	9	2	108.4	197.5	35.8	38	27	11	122.5	119.8	129.6
Diabetes mellitus (250)	0	0	0	-	-	-	0	0	0	-	-	-
Diseases of heart (390-398, 402, 404, 410-429)	52	30	22	512.4	658.3	393.5	79	49	30	254.6	217.4	353.4
Hypertension (401, 403)	0	0	0	-	-	-	1	1	0	3.2	4.4	-
Cerebrovascular diseases (430-438)	9	4	5	88.7	87.8	89.4	19	12	7	61.2	53.2	82.4
Atherosclerosis (440)	2	1	1	19.7	21.9	17.9	1	0	1	3.2	-	11.8
Pneumonia and influenza (480-487)	2	1	1	19.7	21.9	17.9	7	6	1	22.6	26.6	11.8
Emphysema and other chronic obstructive pulmonary diseases (490-496)	1	1	0	9.8	21.9	-	9	9	0	29.0	39.9	-
Chronic liver disease and cirrhosis (571)	0	0	0	-	-	-	1	1	0	3.2	4.4	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	0	0	0	-	-	-	3	3	0	9.7	13.3	-
Infections of kidney (590)	0	0	0	-	-	-	2	2	0	6.4	8.9	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	1	0	1	9.8	-	17.9	0	0	0	-	-	-
Certain conditions originating in the perinatal period (760-779)	1	0	1	6.1	-	8.7	2	1	1	5.5	5.1	6.0
Accidents (800-949)	10	3	7	98.5	65.8	125.2	18	15	3	58.0	66.5	35.3
Motor vehicle accidents# (810-825)	7	3	4	69.0	65.8	71.5	12	9	3	38.7	39.9	35.3
Suicide (950-959)	1	1	0	9.8	21.9	-	4	3	1	12.9	13.3	11.8
Homicide and legal intervention (960-978)	2	0	2	19.7	-	35.8	4	1	3	12.9	4.4	35.3
Symptoms, signs, and ill-defined conditions# (780-799)	10	3	7	98.5	65.8	125.2	8	6	2	25.8	26.6	23.6

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LAMAR AND LAUDERDALE COUNTIES, MISSISSIPPI, 1981

Cause and International Classification Number*	Lamar County					Lauderdale County					
	Number		Rate**		Non-white	Number		Rate**		Non-white	
	Total	White	Total	White		Total	White	Total	White		
Tuberculosis (010-018)	0	0	-	-	-	0	0	-	-	0	-
Malignant neoplasms (140-208)	26	21	109.1	99.4	185.4	163	119	210.9	227.2	44	176.6
Diabetes mellitus (250)	3	3	12.6	14.2	-	9	3	11.6	5.7	6	24.1
Diseases of heart (390-398, 402, 404, 410-429)	47	40	197.3	189.3	259.6	299	211	386.9	402.9	88	353.2
Hypertension (401, 403)	0	0	-	-	-	6	2	7.8	3.8	4	16.0
Cerebrovascular diseases (430-438)	10	7	42.0	33.1	111.3	108	64	139.7	122.2	44	176.6
Atherosclerosis (440)	1	1	4.2	4.7	-	6	5	7.8	9.5	1	4.0
Pneumonia and influenza (480-487)	6	5	25.2	23.7	37.1	18	9	23.3	17.2	9	36.1
Emphysema and other chronic obstructive pulmonary diseases (490-496)	5	5	21.0	23.7	-	19	18	24.6	34.4	1	4.0
Chronic liver disease and cirrhosis (571)	4	4	16.8	18.9	-	17	10	22.0	19.1	7	28.1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	2	12.6	9.5	37.1	13	7	16.8	13.4	6	24.1
Infections of kidney (590)	0	0	-	-	-	1	1	1.3	1.9	0	-
Maternal causes (630-676)	0	0	-	-	-	0	0	-	-	0	-
Congenital anomalies (740-759)	1	1	4.2	4.7	-	5	4	6.5	7.6	1	4.0
Certain conditions originating in the perinatal period (760-779)	3	2	6.3	5.0	13.3	5	2	3.6	2.6	3	4.8
Accidents (800-949)	12	11	50.4	52.1	37.1	52	44	67.3	84.0	8	32.1
Motor vehicle accidents# (810-825)	4	4	16.8	18.9	-	28	27	36.2	51.6	1	4.0
Suicide (950-959)	2	2	8.4	9.5	-	5	5	6.5	9.5	0	-
Homicide and legal intervention (960-978)	2	0	8.4	-	74.2	15	5	19.4	9.5	10	40.1
Symptoms, signs, and ill-defined conditions# (780-799)	11	7	46.2	33.1	148.4	19	10	24.6	19.1	9	36.1

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LAWRENCE AND LEAKE COUNTIES, MISSISSIPPI, 1981

Cause and International Classification Number*	Lawrence County						Leake County					
	Number			Rate**			Number			Rate**		
	Total	White	Non- white	Total	White	Non- white	Total	White	Non- white	Total	White	Non- white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	17	13	4	135.8	150.6	102.9	36	25	11	191.6	218.3	149.9
Diabetes mellitus (250)	1	0	1	8.0	-	25.7	5	2	3	26.6	17.5	40.9
Diseases of heart (390-398, 402, 404, 410-429)	48	40	8	383.4	463.4	205.9	97	77	20	516.2	672.2	272.6
Hypertension (401, 403)	1	0	1	8.0	-	25.7	0	0	0	-	-	-
Cerebrovascular diseases (430- 438)	15	11	4	119.8	127.4	102.9	18	11	7	95.8	96.0	95.4
Atherosclerosis (440)	1	1	0	8.0	11.6	-	0	0	0	-	-	-
Pneumonia and influenza (480- 487)	1	1	0	8.0	11.6	-	5	2	3	26.6	17.5	40.9
Emphysema and other chronic obstructive pulmonary diseases (490-496)	5	5	0	39.9	57.9	-	6	6	0	31.9	52.4	-
Chronic liver disease and cirrhosis (571)	0	0	0	-	-	-	2	1	1	10.6	8.7	13.6
Nephritis, nephrotic syndrome, and nephrosis (580-589)	2	1	1	16.0	11.6	25.7	2	2	0	10.6	17.5	-
Infections of kidney (590)	1	0	1	8.0	-	25.7	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-	2	0	2	10.6	-	27.3
Certain conditions originating in the perinatal period (760-779)	1	0	1	4.4	-	11.5	3	0	3	8.8	-	17.6
Accidents (800-949)	10	6	4	79.9	69.5	102.9	18	11	7	95.8	96.0	95.4
Motor vehicle accidents# (810-825)	7	5	2	55.9	57.9	51.5	12	8	4	63.9	69.8	54.5
Suicide (950-959)	1	1	0	8.0	11.6	-	1	1	0	5.3	8.7	-
Homicide and legal inter- vention (960-978)	4	3	1	32.0	34.8	25.7	4	2	2	21.3	17.5	27.3
Symptoms, signs, and ill- defined conditions# (780-799)	1	0	1	8.0	-	25.7	3	1	2	16.0	8.7	27.3

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF MARSHALL AND MONROE COUNTIES, MISSISSIPPI, 1981

Cause and International Classification Number*	Marshall County						Monroe County					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	1	1	0	3.4	7.3	-	1	0	1	2.7	-	9.2
Malignant neoplasms (140-208)	38	22	16	129.7	161.2	102.2	75	64	11	206.0	250.5	101.3
Diabetes mellitus (250)	6	2	4	20.5	14.6	25.6	5	5	0	13.7	19.6	-
Diseases of heart (390-398, 402, 404, 410-429)	73	39	34	249.2	285.8	217.3	117	83	34	321.4	324.9	313.1
Hypertension (401, 403)	0	0	0	-	-	-	1	1	0	2.7	3.9	-
Cerebrovascular diseases (430-438)	29	9	20	99.0	65.9	127.8	43	33	10	118.1	129.2	92.1
Atherosclerosis (440)	1	1	0	3.4	7.3	-	7	7	0	19.2	27.4	-
Pneumonia and influenza (480-487)	4	1	3	13.6	7.3	19.2	12	10	2	33.0	39.1	18.4
Emphysema and other chronic obstructive pulmonary diseases (490-496)	4	4	0	13.6	29.3	-	8	8	0	22.0	31.3	-
Chronic liver disease and cirrhosis (571)	4	1	3	13.6	7.3	19.2	1	1	0	2.7	3.9	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	4	2	2	13.6	14.6	12.8	3	2	1	8.2	7.8	9.2
Infections of kidney (590)	1	1	0	3.4	7.3	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	1	1	0	152.7	269.5	-
Congenital anomalies (740-759)	2	2	0	6.8	14.6	-	1	1	0	2.7	3.9	-
Certain conditions originating in the perinatal period (760-779)	5	0	5	9.0	-	14.7	2	0	2	3.0	-	7.0
Accidents (800-949)	20	13	7	68.3	95.2	44.7	27	15	12	74.2	58.7	110.5
Motor vehicle accidents# (810-825)	14	10	4	47.8	73.3	25.6	12	7	5	33.0	27.4	46.0
Suicide (950-959)	3	2	1	10.2	14.6	6.4	1	1	0	2.7	3.9	-
Homicide and legal intervention (960-978)	4	1	3	13.6	7.3	19.2	2	0	2	5.5	-	18.4
Symptoms, signs, and ill-defined conditions# (780-799)	27	4	23	92.2	29.3	147.0	26	15	11	71.4	58.7	101.3

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF MONTGOMERY AND NESHOPA COUNTIES, MISSISSIPPI, 1981

Cause and International Classification Number*	Montgomery County						Neshoba County					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	19	13	6	142.2	164.9	109.4	39	30	9	163.9	175.7	134.0
Diabetes mellitus (250)	0	0	0	-	-	-	0	0	0	-	-	-
Diseases of heart (390-398, 402, 404, 410-429)	72	45	27	538.7	570.8	492.4	81	71	10	340.5	415.8	148.9
Hypertension (401, 403)	1	0	1	7.5	-	18.2	2	2	0	8.4	11.7	-
Cerebrovascular diseases (430-438)	23	14	9	172.1	177.6	164.1	19	18	1	79.9	105.4	14.9
Atherosclerosis (440)	0	0	0	-	-	-	1	1	0	4.2	5.8	-
Pneumonia and influenza (480-487)	5	2	3	37.4	25.4	54.7	6	3	3	25.2	17.6	44.7
Emphysema and other chronic obstructive pulmonary diseases (490-496)	4	3	1	29.9	38.0	18.2	4	4	0	16.8	23.4	-
Chronic liver disease and cirrhosis (571)	0	0	0	-	-	-	2	1	1	8.4	5.8	14.9
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	2	1	22.4	25.4	18.2	1	0	1	4.2	-	14.9
Infections of kidney (590)	0	0	0	-	-	-	1	1	0	4.2	5.8	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	1	1	0	7.5	12.7	-	0	0	0	-	-	-
Certain conditions originating in the perinatal period (760-779)	1	0	1	4.6	-	7.9	4	1	3	9.9	4.4	16.8
Accidents (800-949)	4	4	0	29.9	50.7	-	10	6	4	42.0	35.1	59.6
Motor vehicle accidents# (810-825)	3	3	0	22.4	38.0	-	2	2	0	8.4	11.7	-
Suicide (950-959)	1	1	0	7.5	12.7	-	1	1	0	4.2	5.8	-
Homicide and legal intervention (960-978)	3	2	1	22.4	25.4	18.2	2	2	0	8.4	11.7	-
Symptoms, signs, and ill-defined conditions# (780-799)	6	3	3	44.9	38.0	54.7	43	29	14	180.8	169.8	208.5

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF NEWTON AND NOXUBEE COUNTIES, MISSISSIPPI, 1981

Cause and International Classification Number*	Newton County				Noxubee County				
	Number		Rate**		Number		Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	1	1	0	5.0	7.1	-	0	-	-
Malignant neoplasms (140-208)	46	43	3	230.6	307.2	50.4	8	128.7	171.9
Diabetes mellitus (250)	9	6	3	45.1	42.9	50.4	0	7.6	-
Diseases of heart (390-398, 402, 404, 410-429)	108	84	24	541.5	600.1	403.6	17	295.2	365.4
Hypertension (401, 403)	1	0	1	5.0	-	16.8	0	-	-
Cerebrovascular diseases (430-438)	14	11	3	70.2	78.6	50.4	6	60.6	128.9
Atherosclerosis (440)	1	1	0	5.0	7.1	-	0	-	-
Pneumonia and influenza (480-487)	2	2	0	10.0	14.3	-	1	15.1	21.5
Emphysema and other chronic obstructive pulmonary diseases (490-496)	2	2	0	10.0	14.3	-	3	22.7	64.5
Chronic liver disease and cirrhosis (571)	0	0	0	-	-	-	0	22.7	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	0	1	5.0	-	16.8	0	15.1	-
Infections of kidney (590)	0	0	0	-	-	-	0	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-	0	-	-
Certain conditions originating in the perinatal period (760-779)	1	1	0	3.3	5.8	-	1	6.7	4.9
Accidents (800-949)	19	15	4	95.3	107.2	67.3	2	37.8	35.0
Motor vehicle accidents# (810-825)	12	8	4	60.2	57.2	67.3	1	22.7	23.4
Suicide (950-959)	2	1	1	10.0	7.1	16.8	1	15.1	11.7
Homicide and legal intervention (960-978)	1	0	1	5.0	-	16.8	0	7.6	11.7
Symptoms, signs, and ill-defined conditions# (780-799)	18	11	7	90.2	78.6	117.7	3	189.2	257.0

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF OKTIBBEHA AND PANOLA COUNTIES, MISSISSIPPI, 1981

Cause and International Classification Number*	Oktibbeha County					Panola County					
	Number		Rate**		Non-white	Number		Rate**		Non-white	
	Total	White	Total	White		Total	White	Total	White		
Tuberculosis (010-018)	0	0	-	-	-	1	0	3.6	-	1	7.2
Malignant neoplasms (140-208)	41	20	113.8	86.4	163.0	65	34	230.8	237.6	31	223.8
Diabetes mellitus (250)	4	1	11.1	4.3	23.3	7	3	24.8	21.0	4	28.9
Diseases of heart (390-398, 402, 404, 410-429)	87	57	241.5	246.3	232.9	81	41	287.6	286.5	40	288.8
Hypertension (401, 403)	2	2	5.6	8.6	-	6	2	21.3	14.0	4	28.9
Cerebrovascular diseases (430-438)	16	7	44.4	30.2	69.9	35	13	124.3	90.8	22	158.8
Atherosclerosis (440)	5	5	13.9	21.6	-	5	2	17.8	14.0	3	21.6
Pneumonia and influenza (480-487)	3	1	8.3	4.3	15.5	5	2	17.8	14.0	3	21.6
Emphysema and other chronic obstructive pulmonary diseases (490-496)	2	1	5.6	4.3	7.8	8	6	28.4	41.9	2	14.4
Chronic liver disease and cirrhosis (571)	1	1	2.8	4.3	-	4	2	14.2	14.0	2	14.4
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	0	2.8	-	7.8	4	1	14.2	7.0	3	21.6
Infections of kidney (590)	0	0	-	-	-	0	0	-	-	0	-
Maternal causes (630-676)	0	0	-	-	-	0	0	-	-	0	-
Congenital anomalies (740-759)	3	1	8.3	4.3	15.5	3	1	10.6	7.0	2	14.4
Certain conditions originating in the perinatal period (760-779)	4	1	6.7	3.9	8.9	7	0	11.6	-	7	17.0
Accidents (800-949)	17	9	47.2	38.9	62.1	19	14	67.5	97.8	5	36.1
Motor vehicle accidents# (810-825)	6	5	16.6	21.6	7.8	14	10	49.7	69.9	4	28.9
Suicide (950-959)	8	8	22.2	34.6	-	4	4	14.2	27.9	0	-
Homicide and legal intervention (960-978)	6	2	16.6	8.6	31.0	3	2	10.6	14.0	1	7.2
Symptoms, signs, and ill-defined conditions# (780-799)	3	0	8.3	-	23.3	13	6	46.2	41.9	7	50.5

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF PEARL RIVER AND PERRY COUNTIES, MISSISSIPPI, 1981

Cause and International Classification Number*	Pearl River County						Perry County					
	Number			Rate**			Number			Rate**		
	Total	White	Non- white	Total	White	Non- white	Total	White	Non- white	Total	White	Non- white
Tuberculosis (010-018)	2	1	1	5.9	3.5	19.3	0	0	0	-	-	-
Malignant neoplasms (140-208)	60	45	15	177.5	157.2	290.0	15	13	2	152.1	168.6	92.9
Diabetes mellitus (250)	8	6	2	23.7	21.0	38.7	1	0	1	10.1	-	46.5
Diseases of heart (390-398, 402, 404, 410-429)	128	114	14	378.8	398.3	270.6	32	27	5	324.4	350.1	232.3
Hypertension (401, 403)	1	1	0	3.0	3.5	-	1	0	1	10.1	-	46.5
Cerebrovascular diseases (430- 438)	22	14	8	65.1	48.9	154.6	8	4	4	81.1	51.9	185.9
Atherosclerosis (440)	2	1	1	5.9	3.5	19.3	0	0	0	-	-	-
Pneumonia and influenza (480- 487)	4	4	0	11.8	14.0	-	1	1	0	10.1	13.0	-
Emphysema and other chronic obstructive pulmonary diseases (490-496)	5	5	0	14.8	17.5	-	2	2	0	20.3	25.9	-
Chronic liver disease and cirrhosis (571)	1	1	0	3.0	3.5	-	1	1	0	10.1	13.0	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	5	4	1	14.8	14.0	19.3	2	1	1	20.3	13.0	46.5
Infections of kidney (590)	5	4	1	14.8	14.0	19.3	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
Certain conditions originating in the perinatal period (760-779)	2	2	0	3.6	4.7	-	2	1	1	10.9	8.1	16.7
Accidents (800-949)	26	23	3	76.9	80.4	58.0	6	3	3	60.8	38.9	139.4
Motor vehicle accidents# (810-825)	20	18	2	59.2	62.9	38.7	3	1	2	30.4	13.0	92.9
Suicide (950-959)	4	4	0	11.8	14.0	-	0	0	0	-	-	-
Homicide and legal inter- vention (960-978)	1	1	0	3.0	3.5	-	1	0	1	10.1	-	46.5
Symptoms, signs, and ill- defined conditions# (780-799)	21	13	8	62.1	45.4	154.6	2	2	0	20.3	25.9	-

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF PIKE AND PONTOTOC COUNTIES, MISSISSIPPI, 1981

Cause and International Classification Number*	Pike County					Pontotoc County				
	Number		Rate**		Non-white	Number		Rate**		Non-white
	Total	White	Total	White		Total	White	Total	White	
Tuberculosis (010-018)	0	0	-	-	-	0	0	-	-	-
Malignant neoplasms (140-208)	72	49	199.0	240.1	145.9	39	37	186.4	210.0	60.6
Diabetes mellitus (250)	16	10	44.2	49.0	38.0	3	3	14.3	17.0	-
Diseases of heart (390-398, 402, 404, 410-429)	175	119	483.8	583.2	355.2	97	89	463.7	505.2	242.4
Hypertension (401, 403)	0	0	-	-	-	0	0	-	-	-
Cerebrovascular diseases (430-438)	55	39	152.0	191.1	101.5	12	11	57.4	62.4	30.3
Atherosclerosis (440)	5	3	13.8	14.7	12.7	4	4	19.1	22.7	-
Pneumonia and influenza (480-487)	6	5	16.6	24.5	6.3	9	8	43.0	45.4	30.3
Emphysema and other chronic obstructive pulmonary diseases (490-496)	8	8	22.1	39.2	-	5	4	23.9	22.7	30.3
Chronic liver disease and cirrhosis (571)	6	6	16.6	29.4	-	2	2	9.6	11.4	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	3	0	8.3	-	19.0	4	1	19.1	5.7	90.9
Infections of kidney (590)	1	1	2.8	4.9	-	0	0	-	-	-
Maternal causes (630-676)	0	0	-	-	-	0	0	-	-	-
Congenital anomalies (740-759)	2	1	5.5	4.9	6.3	0	0	-	-	-
Certain conditions originating in the perinatal period (760-779)	6	1	9.3	3.7	13.4	3	2	10.1	8.5	15.9
Accidents (800-949)	16	5	44.2	24.5	69.8	8	7	38.2	39.7	30.3
Motor vehicle accidents# (810-825)	8	2	22.1	9.8	38.0	4	4	19.1	22.7	-
Suicide (950-959)	2	2	5.5	9.8	-	2	2	9.6	11.4	-
Homicide and legal intervention (960-978)	6	1	16.6	4.9	31.7	1	0	4.8	-	30.3
Symptoms, signs, and ill-defined conditions# (780-799)	26	9	71.9	44.1	107.8	9	8	43.0	45.4	30.3

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF PRENTISS AND QUITMAN COUNTIES, MISSISSIPPI, 1981

Cause and International Classification Number*	Prentiss County				Quitman County				
	Number		Rate**		Number		Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	0	-	-	-
Malignant neoplasms (140-208)	42	38	4	174.8	177.7	151.4	237.4	253.2	225.2
Diabetes mellitus (250)	2	2	0	8.3	9.4	-	15.8	18.1	14.1
Diseases of heart (390-398, 402, 404, 410-429)	66	63	3	274.7	294.6	113.6	403.6	470.2	351.8
Hypertension (401, 403)	0	0	0	-	-	-	0	-	-
Cerebrovascular diseases (430-438)	22	20	2	91.6	93.5	75.7	110.8	72.3	140.7
Atherosclerosis (440)	4	4	0	16.6	18.7	-	15.8	18.1	14.1
Pneumonia and influenza (480-487)	4	4	0	16.6	18.7	-	7.9	-	14.1
Emphysema and other chronic obstructive pulmonary diseases (490-496)	7	7	0	29.1	32.7	-	7.9	18.1	-
Chronic liver disease and cirrhosis (571)	3	2	1	12.5	9.4	37.8	15.8	18.1	14.1
Nephritis, nephrotic syndrome, and nephrosis (580-589)	0	0	0	-	-	-	15.8	18.1	14.1
Infections of kidney (590)	0	0	0	-	-	-	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-	-	-	-
Certain conditions originating in the perinatal period (760-779)	0	0	0	-	-	-	3	11.4	16.0
Accidents (800-949)	13	11	2	54.1	51.4	75.7	71.2	36.2	98.5
Motor vehicle accidents# (810-825)	6	6	0	25.0	28.0	-	55.4	18.1	84.4
Suicide (950-959)	1	1	0	4.2	4.7	-	23.7	54.2	-
Homicide and legal intervention (960-978)	2	1	1	8.3	4.7	37.8	15.8	-	28.1
Symptoms, signs, and ill-defined conditions# (780-799)	35	30	5	145.7	140.3	189.2	15.8	-	28.1

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF RANKIN AND SCOTT COUNTIES, MISSISSIPPI, 1981

Cause and International Classification Number*	Rankin County			Scott County		
	Number		Rate**	Number		Rate**
	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	0	0	0
Malignant neoplasms (140-208)	91	69	22	38	31	7
Diabetes mellitus (250)	14	8	6	6	4	2
Diseases of heart (390-398, 402, 404, 410-429)	167	140	27	89	64	25
Hypertension (401, 403)	1	1	0	2	1	1
Cerebrovascular diseases (430-438)	42	31	11	21	13	8
Atherosclerosis (440)	4	2	2	1	1	0
Pneumonia and influenza (480-487)	19	16	3	2	2	0
Emphysema and other chronic obstructive pulmonary diseases (490-496)	18	16	2	5	5	0
Chronic liver disease and cirrhosis (571)	3	3	0	1	1	0
Nephritis, nephrotic syndrome, and nephrosis (580-589)	6	4	2	0	0	0
Infections of kidney (590)	0	0	0	0	0	0
Maternal causes (630-676)	0	0	0	0	0	0
Congenital anomalies (740-759)	5	4	1	1	1	0
Certain conditions originating in the perinatal period (760-779)	3	2	1	2	1	1
Accidents (800-949)	57	49	8	16	11	5
Motor vehicle accidents# (810-825)	25	23	2	9	7	2
Suicide (950-959)	4	3	1	3	3	0
Homicide and legal intervention (960-978)	4	3	1	2	1	1
Symptoms, signs, and ill-defined conditions# (780-799)	39	26	13	13	6	7
				56.2	46.2	98.9
				20.4	31.5	-
				4.1	6.3	-
				4.1	6.3	-
				4.4	3.8	5.2
				65.2	69.4	57.4
				36.6	44.2	23.0
				12.2	18.9	-
				8.1	6.3	11.5
				52.9	37.8	80.4

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF SMITH AND STONE COUNTIES, MISSISSIPPI 1981

Cause and International Classification Number*	Smith County						Stone County					
	Number			Rate**			Number			Rate**		
	Total	White	Non- white	Total	White	Non- white	Total	White	Non- white	Total	White	Non- white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	30	28	2	199.0	236.0	62.2	10	10	0	102.9	134.0	-
Diabetes mellitus (250)	0	0	0	-	-	-	2	0	2	20.6	-	88.8
Diseases of heart (390-398, 402, 404, 410-429)	51	42	9	338.3	354.0	280.1	34	28	6	349.9	375.2	266.3
Hypertension (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
Cerebrovascular diseases (430- 438)	5	4	1	33.2	33.7	31.1	8	7	1	82.3	93.8	44.4
Atherosclerosis (440)	1	1	0	6.6	8.4	-	0	0	0	-	-	-
Pneumonia and influenza (480- 487)	4	3	1	26.5	25.3	31.1	3	3	0	30.9	40.2	-
Emphysema and other chronic obstructive pulmonary diseases (490-496)	8	6	2	53.1	50.6	62.2	6	6	0	61.8	80.4	-
Chronic liver disease and cirrhosis (571)	0	0	0	-	-	-	0	0	0	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	1	0	6.6	8.4	-	2	1	1	20.6	13.4	44.4
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	1	1	0	6.6	8.4	-	0	0	0	-	-	-
Certain conditions originating in the perinatal period (760-779)	1	1	0	4.3	6.9	-	1	1	0	5.4	8.0	-
Accidents (800-949)	9	7	2	59.7	59.0	62.2	8	4	4	82.3	53.6	177.5
Motor vehicle accidents# (810-825)	5	4	1	33.2	33.7	31.1	6	4	2	61.8	53.6	88.8
Suicide (950-959)	1	1	0	6.6	8.4	-	0	0	0	-	-	-
Homicide and legal inter- vention (960-978)	2	1	1	13.3	8.4	31.1	0	0	0	-	-	-
Symptoms, signs, and ill- defined conditions# (780-799)	11	7	4	73.0	59.0	124.5	8	6	2	82.3	80.4	88.8

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF TATE AND TIPPAH COUNTIES, MISSISSIPPI, 1981

Cause and International Classification Number*	Tate County						Tippah County					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	34	30	4	169.0	243.1	51.4	38	33	5	202.8	209.6	166.9
Diabetes mellitus (250)	5	2	3	24.8	16.2	38.6	4	2	2	21.3	12.7	66.8
Diseases of heart (390-398, 402, 404, 410-429)	60	41	19	298.2	332.3	244.2	70	59	11	373.6	374.8	367.2
Hypertension (401, 403)	0	0	0	-	-	-	2	2	0	10.7	12.7	-
Cerebrovascular diseases (430-438)	19	9	10	94.4	72.9	128.5	19	19	0	101.4	120.7	-
Atherosclerosis (440)	1	0	1	5.0	-	12.8	5	5	0	26.7	31.8	-
Pneumonia and influenza (480-487)	8	7	1	39.8	56.7	12.8	3	2	1	16.0	12.7	33.4
Emphysema and other chronic obstructive pulmonary diseases (490-496)	2	2	0	9.9	16.2	-	8	8	0	42.7	50.8	-
Chronic liver disease and cirrhosis (571)	1	1	0	5.0	8.1	-	1	1	0	5.3	6.4	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	2	1	1	9.9	8.1	12.8	0	0	0	-	-	-
Infections of kidney (590)	0	0	0	-	-	-	4	4	0	21.3	25.4	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	2	2	0	9.9	16.2	-	1	1	0	5.3	6.4	-
Certain conditions originating in the perinatal period (760-779)	5	1	4	13.8	6.0	20.5	1	0	1	3.4	-	12.3
Accidents (800-949)	11	7	4	54.7	56.7	51.4	16	15	1	85.4	95.3	33.4
Motor vehicle accidents# (810-825)	6	3	3	29.8	24.3	38.6	5	5	0	26.7	31.8	-
Suicide (950-959)	2	2	0	9.9	16.2	-	2	2	0	10.7	12.7	-
Homicide and legal intervention (960-978)	2	0	2	9.9	-	25.7	0	0	0	-	-	-
Symptoms, signs, and ill-defined conditions# (780-799)	14	4	10	69.6	32.4	128.5	4	3	1	21.3	19.1	33.4

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF TISHOMINGO AND TUNICA COUNTIES, MISSISSIPPI, 1981

Cause and International Classification Number*	Tishomingo County						Tunica County					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	1	1	0	5.4	5.6	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	34	34	0	184.4	192.4	-	16	5	11	165.8	194.8	155.2
Diabetes mellitus (250)	3	3	0	16.3	17.0	-	3	0	3	31.1	-	42.3
Diseases of heart (390-398, 402, 404, 410-429)	81	78	3	439.4	441.3	395.8	44	17	27	455.9	662.5	381.0
Hypertension (401, 403)	1	0	1	5.4	-	131.9	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	11	11	0	59.7	62.2	-	8	1	7	82.9	39.0	98.8
Atherosclerosis (440)	6	6	0	32.5	33.9	-	1	0	1	10.4	-	14.1
Pneumonia and influenza (480-487)	2	2	0	10.8	11.3	-	3	2	1	31.1	77.9	14.1
Emphysema and other chronic obstructive pulmonary diseases (490-496)	5	5	0	27.1	28.3	-	1	0	1	10.4	-	14.1
Chronic liver disease and cirrhosis (571)	0	0	0	-	-	-	0	0	0	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	2	2	0	10.8	11.3	-	0	0	0	-	-	-
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	2	2	0	10.8	11.3	-	2	0	2	20.7	-	28.2
Certain conditions originating in the perinatal period (760-779)	4	4	0	15.0	15.4	-	0	0	0	-	-	-
Accidents (800-949)	12	12	0	65.1	67.9	-	8	3	5	82.9	116.9	70.6
Motor vehicle accidents# (810-825)	9	9	0	48.8	50.9	-	6	2	4	62.2	77.9	56.4
Suicide (950-959)	0	0	0	-	-	-	0	0	0	-	-	-
Homicide and legal intervention (960-978)	0	0	0	-	-	-	2	0	2	20.7	-	28.2
Symptoms, signs, and ill-defined conditions# (780-799)	12	11	1	65.1	62.2	131.9	8	2	6	82.9	77.9	84.7

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF UNION AND WALTHALL COUNTIES, MISSISSIPPI, 1981

Cause and International Classification Number*	Union County						Walthall County					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	39	34	5	179.4	181.8	164.5	24	16	8	174.4	197.6	141.2
Diabetes mellitus (250)	4	3	1	18.4	16.0	32.9	4	2	2	29.1	24.7	35.3
Diseases of heart (390-398, 402, 404, 410-429)	96	88	8	441.6	470.6	263.2	59	40	19	428.7	494.1	335.3
Hypertension (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	10	9	1	46.0	48.1	32.9	12	9	3	87.2	111.2	52.9
Atherosclerosis (440)	6	6	0	27.6	32.1	-	1	1	0	7.3	12.4	-
Pneumonia and influenza (480-487)	10	10	0	46.0	53.5	-	4	4	0	29.1	49.4	-
Emphysema and other chronic obstructive pulmonary diseases (490-496)	4	3	1	18.4	16.0	32.9	6	6	0	43.6	74.1	-
Chronic liver disease and cirrhosis (571)	1	1	0	4.6	5.3	-	1	0	1	7.3	-	17.6
Nephritis, nephrotic syndrome, and nephrosis (580-589)	2	2	0	9.2	10.7	-	6	2	4	43.6	24.7	70.6
Infections of kidney (590)	2	2	0	9.2	10.7	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
Certain conditions originating in the perinatal period (760-779)	1	0	1	3.0	-	18.9	1	0	1	4.0	-	7.2
Accidents (800-949)	14	13	1	64.4	69.5	32.9	8	4	4	58.1	49.4	70.6
Motor vehicle accidents# (810-825)	7	7	0	32.2	37.4	-	3	2	1	21.8	24.7	17.6
Suicide (950-959)	2	2	0	9.2	10.7	-	1	1	0	7.3	12.4	-
Homicide and legal intervention (960-978)	4	3	1	18.4	16.0	32.9	5	0	5	36.3	-	88.2
Symptoms, signs, and ill-defined conditions# (780-799)	18	14	4	82.8	74.9	131.6	17	11	6	123.5	135.9	105.9

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF WARREN AND WASHINGTON COUNTIES, MISSISSIPPI, 1981

Cause and International Classification Number*	Warren County						Washington County					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	1	0	1	1.9	-	5.1	0	0	0	-	-	-
Malignant neoplasms (140-208)	106	61	45	205.3	191.4	227.8	129	53	76	178.3	167.6	186.6
Diabetes mellitus (250)	6	2	4	11.6	6.3	20.2	10	3	7	13.8	9.5	17.2
Diseases of heart (390-398, 402, 404, 410-429)	152	95	57	294.4	298.0	288.6	220	88	132	304.1	278.3	324.1
Hypertension (401, 403)	4	2	2	7.7	6.3	10.1	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	52	22	30	100.7	69.0	151.9	85	27	58	117.5	85.4	142.4
Atherosclerosis (440)	4	3	1	7.7	9.4	5.1	3	3	0	4.1	9.5	-
Pneumonia and influenza (480-487)	14	7	7	27.1	22.0	35.4	11	4	7	15.2	12.6	17.2
Emphysema and other chronic obstructive pulmonary diseases (490-496)	11	9	2	21.3	28.2	10.1	22	15	7	30.4	47.4	17.2
Chronic liver disease and cirrhosis (571)	4	2	2	7.7	6.3	10.1	4	2	2	5.5	6.3	4.9
Nephritis, nephrotic syndrome, and nephrosis (580-589)	6	4	2	11.6	12.5	10.1	11	1	10	15.2	3.2	24.6
Infections of kidney (590)	1	1	0	1.9	3.1	-	1	0	1	1.4	-	2.4
Maternal causes (630-676)	0	0	0	-	-	-	1	0	1	60.1	-	86.6
Congenital anomalies (740-759)	3	1	2	5.8	3.1	10.1	2	1	1	2.8	3.2	2.4
Certain conditions originating in the perinatal period (760-779)	13	2	11	13.2	4.0	22.8	11	2	9	6.6	3.9	7.8
Accidents (800-949)	27	16	11	52.3	50.2	55.7	36	15	21	49.8	47.4	51.6
Motor vehicle accidents# (810-825)	9	5	4	17.4	15.7	20.2	11	4	7	15.2	12.6	17.2
Suicide (950-959)	5	4	1	9.7	12.5	5.1	5	2	3	6.9	6.3	7.4
Homicide and legal intervention (960-978)	11	1	10	21.3	3.1	50.6	14	5	9	19.4	15.8	22.1
Symptoms, signs, and ill-defined conditions# (780-799)	5	1	4	9.7	3.1	20.2	90	18	72	124.4	56.9	176.8

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF WAYNE AND WEBSTER COUNTIES, MISSISSIPPI, 1981

Cause and International Classification Number*	Wayne County				Webster County				
	Number		Rate**		Number		Rate**		
	Total	White	Non- white	Total	White	Non- white	Total	White	Non- white
Tuberculosis (010-018)	0	0	0	-	-	0	-	-	-
Malignant neoplasms (140-208)	24	19	5	125.4	149.7	77.6	271.8	254.1	344.0
Diabetes mellitus (250)	3	3	0	15.7	23.6	-	-	-	-
Diseases of heart (390-398, 402, 404, 410-429)	63	47	16	329.2	370.2	248.4	407.8	459.8	196.6
Hypertension (401, 403)	2	1	1	10.4	7.9	15.5	9.7	12.1	-
Cerebrovascular diseases (430- 438)	7	5	2	36.6	39.4	31.1	155.3	169.4	98.3
Atherosclerosis (440)	1	1	0	5.2	7.9	-	9.7	-	49.1
Pneumonia and influenza (480- 487)	5	5	0	26.1	39.4	-	38.8	24.2	98.3
Emphysema and other chronic obstructive pulmonary diseases (490-496)	6	6	0	31.4	47.3	-	38.8	48.4	-
Chronic liver disease and cirrhosis (571)	1	1	0	5.2	7.9	-	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	1	1	0	5.2	7.9	-	19.4	24.2	-
Infections of kidney (590)	0	0	0	-	-	-	9.7	12.1	-
Maternal causes (630-676)	0	0	0	-	-	-	-	-	-
Congenital anomalies (740-759)	3	1	2	15.7	7.9	31.0	9.7	12.1	-
Certain conditions originating in the perinatal period (760-779)	3	1	2	6.9	4.1	10.5	5.7	8.1	-
Accidents (800-949)	20	14	6	104.5	110.3	93.2	106.8	84.7	196.6
Motor vehicle accidents# (810-825)	8	6	2	41.8	47.3	31.1	29.1	36.3	-
Suicide (950-959)	0	0	0	-	-	-	9.7	12.1	-
Homicide and legal inter- vention (960-978)	3	1	2	15.7	7.9	31.1	9.7	12.1	-
Symptoms, signs, and ill- defined conditions# (780-799)	10	5	5	52.3	39.4	77.6	9.7	12.1	-

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF WILKINSON AND WINSTON COUNTIES, MISSISSIPPI, 1981

Cause and International Classification Number*	Wilkinson County						Winston County					
	Number			Rate**			Number			Rate**		
	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white	Total	White	Non-white
Tuberculosis (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
Malignant neoplasms (140-208)	25	12	13	249.5	364.5	193.2	38	27	11	195.1	231.5	140.8
Diabetes mellitus (250)	5	2	3	49.9	60.8	44.6	6	3	3	30.8	25.7	38.4
Diseases of heart (390-398, 402, 404, 410-429)	44	18	26	439.1	546.8	386.4	96	65	31	493.0	557.4	396.8
Hypertension (401, 403)	1	0	1	10.0	-	14.9	0	0	0	-	-	-
Cerebrovascular diseases (430-438)	12	0	12	119.7	-	178.3	18	15	3	92.4	128.6	38.4
Atherosclerosis (440)	3	2	1	29.9	60.8	14.9	0	0	0	-	-	-
Pneumonia and influenza (480-487)	1	0	1	10.0	-	14.9	6	5	1	30.8	42.9	12.8
Emphysema and other chronic obstructive pulmonary diseases (490-496)	3	1	2	29.9	30.4	29.7	3	0	3	15.4	-	38.4
Chronic liver disease and cirrhosis (571)	3	1	2	29.9	30.4	29.7	0	0	0	-	-	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	0	0	0	-	-	-	1	1	0	5.1	8.6	-
Infections of kidney (590)	0	0	0	-	-	-	1	0	1	5.1	-	12.8
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	1	0	1	10.0	-	14.9	0	0	0	-	-	-
Certain conditions originating in the perinatal period (760-779)	0	0	0	-	-	-	1	1	0	3.0	7.0	-
Accidents (800-949)	6	2	4	59.9	60.8	59.4	11	7	4	56.5	60.0	51.2
Motor vehicle accidents# (810-825)	2	0	2	20.0	-	29.7	2	2	0	10.3	17.2	-
Suicide (950-959)	0	0	0	-	-	-	7	6	1	35.9	51.4	12.8
Homicide and legal intervention (960-978)	2	0	2	20.0	-	29.7	3	2	1	15.4	17.2	12.8
Symptoms, signs, and ill-defined conditions# (780-799)	5	1	4	49.9	30.4	59.4	9	5	4	46.2	42.9	51.2

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF YALOBUSHA AND YAZOO COUNTIES, MISSISSIPPI, 1981

Cause and International Classification Number*	Yalobusha County						Yazoo County					
	Number			Rate**			Number			Rate**		
	Total	White	Non- white	Total	White	Non- white	Total	White	Non- white	Total	White	Non- white
Tuberculosis (010-018)	0	0	0	-	-	-	1	0	1	3.6	-	7.1
Malignant neoplasms (140-208)	35	20	15	266.4	247.0	297.6	48	29	19	175.5	219.7	134.2
Diabetes mellitus (250)	3	3	0	22.8	37.0	-	4	1	3	14.6	7.6	21.2
Diseases of heart (390-398, 402, 404, 410-429)	44	33	11	334.9	407.5	218.2	82	49	33	299.8	371.3	233.2
Hypertension (401, 403)	0	0	0	-	-	-	3	1	2	11.0	7.6	14.1
Cerebrovascular diseases (430- 438)	13	10	3	98.9	123.5	59.5	30	18	12	109.7	136.4	84.8
Atherosclerosis (440)	0	0	0	-	-	-	9	8	1	32.9	60.6	7.1
Pneumonia and influenza (480- 487)	1	1	0	7.6	12.3	-	4	3	1	14.6	22.7	7.1
Emphysema and other chronic obstructive pulmonary diseases (490-496)	3	2	1	22.8	24.7	19.8	4	2	2	14.6	15.2	14.1
Chronic liver disease and cirrhosis (571)	0	0	0	-	-	-	2	2	0	7.3	15.2	-
Nephritis, nephrotic syndrome, and nephrosis (580-589)	7	4	3	53.3	49.4	59.5	2	1	1	7.3	7.6	7.1
Infections of kidney (590)	0	0	0	-	-	-	0	0	0	-	-	-
Maternal causes (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
Congenital anomalies (740-759)	0	0	0	-	-	-	1	0	1	3.6	-	7.1
Certain conditions originating in the perinatal period (760-779)	2	0	2	9.3	-	18.3	6	1	5	9.8	5.2	11.9
Accidents (800-949)	2	2	0	15.2	24.7	-	17	7	10	62.2	53.0	70.7
Motor vehicle accidents# (810-825)	2	2	0	15.2	24.7	-	6	1	5	9.8	5.2	11.9
Suicide (950-959)	1	1	0	7.6	12.3	-	2	1	1	7.3	7.6	7.1
Homicide and legal inter- vention (960-978)	0	0	0	-	-	-	5	0	5	18.3	-	35.3
Symptoms, signs, and ill- defined conditions# (780-799)	9	5	4	68.5	61.7	79.3	54	8	46	197.4	60.6	325.0

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.

DEATHS AND RATES FOR SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
STATE OF MISSISSIPPI, 1981

Cause and International Classification Number*	State of Mississippi					
	Number		Rate**			
	Total	White	Non- white	Total	White	Non- white
Tuberculosis (010-018)	25	12	13	1.0	0.7	1.4
Malignant neoplasms (140-208)	4,304	2,910	1,394	170.8	180.2	154.0
Diabetes mellitus (250)	388	188	200	15.4	11.6	22.1
Diseases of heart (390-398, 402, 404, 410-429)	8,441	5,689	2,752	334.9	352.2	303.9
Hypertension (401, 403)	102	43	59	4.0	2.7	6.5
Cerebrovascular diseases (430- 438)	2,193	1,304	889	87.0	80.7	98.2
Atherosclerosis (440)	256	178	78	10.2	11.0	8.6
Pneumonia and influenza (480- 487)	528	371	157	20.9	23.0	17.3
Emphysema and other chronic obstructive pulmonary diseases (490-496)	549	465	84	21.8	28.8	9.3
Chronic liver disease and cirrhosis (571)	216	160	56	8.6	9.9	6.2
Nephritis, nephrotic syndrome, and nephrosis (580-589)	274	136	138	10.9	8.4	15.2
Infections of kidney (590)	42	26	16	1.7	1.6	1.8
Maternal causes (630-676)	7	5	2	15.1	21.0	8.9
Congenital anomalies (740-759)	158	95	63	6.3	5.9	7.0
Certain conditions originating in the perinatal period (760-779)	361	104	257	7.8	4.4	11.4
Accidents (800-949)	1,568	1,010	558	62.2	62.5	61.6
Motor vehicle accidents# (810-825)	793	564	229	31.5	34.9	25.3
Suicide (950-959)	243	209	34	9.6	12.9	3.8
Homicide and legal inter- vention (960-978)	351	119	232	13.9	7.4	25.6
Symptoms, signs, and ill- defined conditions# (780-799)	1,368	565	803	54.3	35.0	88.7

* Causes and numbers are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death.

** Deaths per 100,000 population, except maternal deaths are per 100,000 live births and deaths from certain conditions originating in the perinatal period are per 1,000 live births.

Not to be used for ranking.