MISSISSIPPI



VITAL STATISTICS

1983

TABLE OF CONTENTS

Introduction

Description of Bulletin iv
Definitions of Live Birth and Fetal Death iv
Occurence of Residence Allocation iv
Population iv
Rates iv
Classification of Cause of Death v

Summary Tables, 1983

Live Births

Table A1. Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1940, 1950, 1960, 1970-1983 3
Table A2. Live Births and Percentage Distribution, by Place of Delivery, Attendant, and Race 4
Table A3. Live Births and Average per Day, by Month 5
Table A4. Live Births and Percentage Distribution, by Age of Mother and Race 5
Table A5. Live Births and Percentage Distribution, by Years of School Completed by Father and Mother and Race 6
Table 6A. Illegitimate Live Births and Percent of Total Live Births in Specified Group, by Age of Mother and Race 6
Table A7. Live Births, Percentage Distribution, and Median Age of Mother, by Total-Birth Order and Race 7
Table A8. Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time during Pregnancy Care Began, and Race 7
Table A9. Live Births and Percentage Distribution, by Maturity and Race 8
Table A10. Congenital Malformations Reported on Live Birth Certificates, by System or Organs Affected and Race 9

Fetal Deaths

Table B1. Reportable Fetal Deaths and Percentage Distribution, by Place of Delivery, Attendant, and Race 10
Table B2. Reportable Fetal Deaths and Fetal Death Ratios, by Age of Mother and Race 11
Table B3. Percentage Distribution of Live Births and Reportable Fetal Deaths, by Whether Mother Received Prenatal Care and Race 11
Table B4. Reportable Fetal Deaths and Fetal Death Ratios, by Completed Weeks of Gestation and Race, 1981-1983 12

Deaths

Table C1. Deaths and Average per Day, by Month 15
Table C2. Deaths and Percentage Distribution, by Age and Race 15
Table C3. Deaths, by Age, Race, and Sex, and Male/Female Ratios by Age and Race 16
Table C4. Deaths and Percent of Total Deaths from Ten Leading Causes, by Cause and Race 16
Table C5. Deaths and Percent of Total Deaths from Five Leading Causes, by Age and Cause 17
Table C6. Deaths from Malignant Neoplasms and Percentage Distribution, by Primary Site, Sex and Race 18
Table C7. Deaths from Major Chronic Respiratory Diseases, 1958, 1963, 1968, 1973, 1978, 1983 18
Table C8. Deaths and Percent of Total Accidental Deaths from Five Leading Causes of Accidental Death, by Cause and Race 19

Table C9. Deaths from Selected Types of Accident, by Sex, also by Age 19
Table C10. Motor Vehicle Accident Deaths Occurring in Mississippi and Rates, also Motor Vehicle Accident Deaths of Mississippi Residents and Rates, by Year, 1950, 1955, 1960, 1965, 1970-1983 20
Table C11. Infant Deaths, Percentage Distribution, and Mortality Rates, by Age and Race ... 21
Table C12. Deaths and Mortality Rates for Ten Leading Causes of Infant Death, by Cause and Race 21

Marriages

Table D1. Marriages and Average per Day, Month 25
Table D2. Brides and Grooms and Percentage Distribution, by Age and Race 26
Table D3. Median Age of Bride and Groom, for all Marriages and First Marriages, by Race . 27
Table D4. Brides and Grooms and Percentage Distribution, by Previous Marital Status and Race 27
Table D5. Brides and Grooms and Percentage Distribution, by Marriage Order and Race ... 28
Table D6. Marriages and Percentage Distribution, by Residence of Bride and Groom and Race of Bride 29

Divorces

Table E1. Divorces and Percentage Distribution, by Cause and Race 30
Table E2. Divorces and Percentage Distribution, by Number of Minor Children and Race .. 30
Table E3. Divorces and Percentage Distribution, by Number of Years Married and Race ... 31

Major Tables, 1983

Live Births

Table 1. Live Births, by Place of Occurrence and Race, also Live Births, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or more), Mississippi, 1983 35
Table 2. Live Births, by County of Residence, Race, and Attendant, also by County of Residence and Sex, Mississippi, 1983 37
Table 3A. Total Live Births, by County of Residence and Age of Mother, Mississippi, 1983 . 40
Table 3B. White Live Births, by County of Residence and Age of Mother, Mississippi, 1983 42
Table 3C. Nonwhite Live Births, by County of Residence and Age of Mother, Mississippi, 1983 44
Table 4. Illegitimate Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1983 46
Table 5A. Total Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1983 48
Table 5B. White Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1983 50
Table 5C. Nonwhite Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1983 52
Table 6. Immature Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1983 54
Table 7. Premature Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1983 56

Fetal Deaths

Table 8. Reportable Fetal Deaths, by County of Occurrence and Race, Also Reportable Fetal Deaths and Fetal Death Ratios, by County of Residence and Race, Mississippi, 1983 58

Deaths

Table 9. Deaths, by Place of Occurrence and Race, also Deaths, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 1983 63

Table 10. Deaths, by Cause and Race, Mississippi Residents, 1983 66

Table 11. Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 1983 81

Table 12. Deaths from Selected Causes Used for Ranking Leading Causes, by Race, Residents
The Counties(in alphabetical order) 88
The State 108

Table 13A. Infant, Neonatal, and Postneonatal Deaths, by County of Residence and Race, Mississippi, 1983 109

Table 13B. Infant, Neonatal, and Postneonatal Mortality Rates, by County of Residence and Race, Mississippi, 1979-1983 (5-Year Average) 111

Table 14. Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 1983 113

Table 15. Accidental Deaths, by County of Occurrence and Type of Accident, Mississippi, 1983 115

Marriages

Table 16. Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 1983 119

Divorces

Table 17. Divorces, by County of Occurrence and Race, Mississippi, 1983 112

Table Series Tables

Live Births

Table 18. Live Births and Rates, by Year and Race, Mississippi, 1913-1983, (Occurrence Data 1913-1943, Residence Data 1914-1983) 125

Deaths

Table 19. Deaths and Rates, by Year and Race, Mississippi, 1913-1983, (Occurrence Data 1913-1943, Residence Data 1944-1983) 127

Table 20. Maternal Deaths and Mortality Rates, by Year and Race, Mississippi, 1913-1983, (Occurrence Data 1913-1943, Residence Data 1944-1983) 129

Table 21. Infant Deaths and Mortality Rates, by Year and Race, Mississippi, 1917-1983) (Occurrence Data 1917-1943, Residence Data 1944-1983) 131

Table 22. Neonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1983, (Occurrence Data 1924-1944, Residence Data 1945-1983) 133

Table 23. Postneonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1943, Residence Data 1944-1983) 135

Marriages/ Divorces

Table 24. Marriages and Divorces, by Year and Race, Occurrence Data, Mississippi, 1926-1983 137

VITAL STATISTICS

Introduction

Description of Bulletin

The information on live births, fetal deaths, deaths, marriages, and divorces which is presented in this bulletin was obtained from official record submitted to the Mississippi State Department of Health as required by statute and regulation. Live birth and fetal death records were prepared by hospitals, clinics, physicians, and midwives. Responsibility for the preparation of death certificates was shared by hospitals, nursing homes and other institutions which provide care or custody, funeral homes, physicians, and coroners. Marriage records were completed partly by brides and grooms, partly by persons who performed marriage ceremonies, and partly by circuit clerks. Chancery clerks prepared the statistical records of divorce.

This publication consists of three parts. The first includes summary tables for the state as a whole for 1983; the second part contains major statistical tables for 1983. Time series tables numbered 18 through 24 are presented in the third part.

Definitions of Live Birth and Fetal Death

The definitions adopted by the Mississippi State Department of Health for use in Mississippi are those formulated by the World Health Organization and recommended by the National Center for Health Statistics. They are as follows:

- **Live Birth**—the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

- **Fetal Death**—death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of live such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Even though the definition of fetal death is all-inclusive, the State Department of Health does not require the reporting of all fetal deaths. Since January 1, 1976, fetal death reports have been required only for spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more. There is a separate reporting system (with no names or addresses) for all induced terminations of pregnancy.

Occurrence and Residence Allocation

Live births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for live births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent except that deaths of inmates of institutions were reallocated to the location of the institution regardless of length of stay.

Marriages were classified according to place of issuance of the marriage license, place of occurrence of marriage, and place of residence of the bride. However, the figures on brides who were Mississippi residents are incomplete since there is no exchange among the state of transcripts of marriage records for nonresidents and the out-of-state marriages of Mississippi brides could not be included. Divorces were classified only according to place where the decree was granted, as there is no information regarding place of residence on the record.

Population

The only population figures used in this bulletin are the U.S. Census Bureau's provisional state estimate of 2,587,000 as of July 1, 1983. No breakdowns by race or sex were available, and estimates by age and estimates for counties were not used as they are considerably less reliable than the state figures.

Rates

Population-based rates for the state included those for live births, total deaths, and deaths from specific causes, except maternal and certain conditions originating in the perinatal period. Figures on live births were used as the base for calculating fetal death ratios as well as for maternal deaths, infant, neonatal, and postneonatal deaths, and deaths from certain conditions originating in the perinatal period, as the birth counts represent the groups at risk more accurately than do general population figures.

Classification of Cause of Death

Causes of death were assigned according to the *Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death*. The Ninth Revision was first used in 1979 and is not markedly different from the Eighth Revision. However, the periodic changes in the classification system which have occurred through the years have resulted in an unavoidable lack of comparability for some causes, and caution should be used in analyzing long-term trends.



SUMMARY TABLES

LIVE BIRTHS
FETAL DEATHS

LIVE BIRTHS

TABLE A1.

PERCENTAGE OF LIVE BIRTHS IN HOSPITALS OR CLINICS,
BY YEAR AND RACE
MISSISSIPPI, 1940, 1950, 1960, 1970-1983

YEAR	TOTAL	WHITE	NON-WHITE	YEAR	TOTAL	WHITE	NON-WHITE
1940	14.1	27.1	3.9	1970*	90.0	99.7	79.7
				1971*	92.2	99.6	84.2
1950	46.1	83.3	18.9	1972*	95.2	99.8	90.4
				1973*	96.4	99.7	92.8
1960	73.2	99.0	51.3	1974*	97.4	99.7	94.8
				1975*	97.9	99.6	96.0
				1976*	98.5	99.7	97.3
				1977*	98.9	99.7	98.1
				1978*	99.1	99.7	98.4
				1979*	99.3	99.7	98.9
				1980*	99.4	99.7	99.1
				1981*	99.3	99.6	99.0
				1982*	99.4	99.6	99.2
				1983*	99.5	99.6	99.4

**INCLUDES BIRTHS IN ANY FACILITY WHICH PROVIDES MEDICAL CARE; PRIOR TO 1970 ONLY BIRTHS IN FACILITIES PROVIDING INPATIENT CARE WERE INCLUDED.*

LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY TYPE OF FACILITY, ATTENDANT, AND RACE
MISSISSIPPI, 1983

TYPE OF FACILITY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSICIAN	CERTIFIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UNKNOWN	TOTAL	PHYSICIAN	CERTIFIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UNKNOWN
TOTAL	**43,992**	**42,520**	**1,313**	**79**	**63**	**17**	**100.0**	**96.6**	**3.0**	**0.2**	**0.1**	*
HOSPITAL	43,761	42,450	1,290	0	20	1	99.5	96.5	2.9	-	*	*
HOME, ETC.	222	70	23	77	43	9	0.5	0.2	*	0.2	0.1	*
ENROUTE TO HOSPITAL	0	0	0	0	0	0	-	-	-	-	-	-
UNKNOWN PLACE	9	0	0	2	0	7	*	-	-	*	-	*
WHITE	**22,659**	**22,375**	**217**	**37**	**23**	**7**	**100.0**	**98.7**	**1.0**	**0.2**	**0.1**	*
HOSPITAL	22,564	22,364	197	0	3	0	99.6	98.7	0.9	-	*	-
HOME, ETC.	91	11	20	37	20	3	0.4	*	0.1	0.2	0.1	*
ENROUTE TO HOSPITAL	0	0	0	0	0	0	-	-	-	-	-	-
UNKNOWN PLACE	4	0	0	0	0	4	*	-	-	-	-	*
NONWHITE	**21,333**	**20,145**	**1,096**	**42**	**40**	**10**	**100.0**	**94.4**	**5.1**	**0.2**	**0.2**	*
HOSPITAL	21,197	20,086	1,093	0	17	1	99.4	94.2	5.1	-	0.1	*
HOME, ETC.	131	59	3	40	23	6	0.6	0.3	*	0.2	0.1	*
ENROUTE TO HOSPITAL	0	0	0	0	0	0	-	-	-	-	-	-
UNKNOWN PLACE	5	0	0	2	0	3	*	-	-	*	-	*

** LESS THAN 0.06 PERCENT.*

TABLE A3

LIVE BIRTHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 1983

MONTH	BIRTHS	AVERAGE PER DAY	MONTH	BIRTHS	AVERAGE PER DAY
TOTAL	43,992	120			
JANUARY	3,917	126	JULY	3,808	123
FEBRUARY	3,324	119	AUGUST	4,154	134
MARCH	3,613	116	SEPTEMBER	3,794	126
APRIL	3,213	107	OCTOBER	3,769	122
MAY	3,364	108	NOVEMBER	3,776	126
JUNE	3,441	115	DECEMBER	3,819	123

TABLE A4.

LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY AGE OF MOTHER AND RACE
MISSISSIPPI, 1983

AGE OF MOTHER	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	43,992	22,659	21,333	100.0	100.0	100.0
UNDER 15	333	43	290	0.8	0.2	1.4
15-19	9,113	3,480	5,633	20.7	15.4	26.4
20-24	15,560	8,271	7,289	35.4	36.5	34.2
25-29	11,698	6,913	4,785	26.6	30.5	22.4
30-34	5,358	3,027	2,331	12.2	13.4	10.9
35-39	1,589	811	778	3.6	3.6	3.6
40-44	320	110	210	0.7	0.5	1.0
45-49	15	3	12	*	*	*
UNKNOWN	6	1	5	*	*	*

**LESS THAN 0.06 PERCENT.*

TABLE A5.

LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY YEARS OF SCHOOL COMPLETED BY FATHER AND MOTHER AND RACE MISSISSIPPI, 1983

YEARS OF SCHOOL COMPLETED BY FATHER AND MOTHER	NUMBER			PERCENT*			CUMULATIVE PERCENT*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
FATHER									
MEDIAN YEARS COMPLETED*	12.6	12.7	12.4						
TOTAL LEGITIMATE BIRTHS	30,279	21,073	9,206	100.0	100.0	100.0			
0-6 YEARS	545	282	263	1.8	1.3	2.9	1.8	1.3	2.9
7-9 YEARS	2,847	1,894	953	9.5	9.0	10.6	11.3	10.4	13.5
10, 11 YEARS	4,293	2,566	1,727	14.3	12.2	19.2	25.6	22.6	32.6
12 YEARS	11,463	7,797	3,666	38.2	37.2	40.7	63.8	59.8	73.3
1-3 YEARS COLLEGE	5,781	4,241	1,540	19.3	20.2	17.1	83.1	80.0	90.4
4 OR MORE YEARS COLLEGE	5,060	4,193	867	16.9	20.0	9.6	100.0	100.0	100.0
UNKNOWN	290	100	190						
MOTHER									
MEDIAN YEARS COMPLETED*	12.4	12.6	12.2						
TOTAL BIRTHS	43,992	22,659	21,333	100.0	100.0	100.0			
0-6 YEARS	539	182	357	1.2	0.8	1.7	1.2	0.8	1.7
7-9 YEARS	5,616	2,266	3,350	12.8	10.0	15.7	14.0	10.8	17.4
10, 11 YEARS	8,565	3,160	5,405	19.5	14.0	25.4	33.5	24.8	42.8
12 YEARS	16,273	8,817	7,456	37.1	39.0	35.0	70.6	63.8	77.9
1-3 YEARS COLLEGE	8,040	4,698	3,342	18.3	20.8	15.7	88.9	84.5	93.6
4 OR MORE YEARS COLLEGE	4,862	3,496	1,366	11.1	15.4	6.4	100.0	100.0	100.0
UNKNOWN	97	40	57						

* *CALCULATIONS EXCLUDE BIRTHS TO PARENTS WITH EDUCATION UNKNOWN; CALCULATIONS FOR FATHERS ALSO EXCLUDE ILLEGITIMATE BIRTHS.*

TABLE A6.

ILLEGITIMATE LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS IN SPECIFIED GROUP, BY AGE OF MOTHER AND RACE MISSISSIPPI, 1983

AGE OF MOTHER	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	13,713	1,586	12,127	31.2	7.0	56.8
UNDER 15	319	30	289	95.8	69.8	99.6
15-19	5,676	723	4,953	62.3	20.8	87.9
20-24	4,801	536	4,265	30.8	6.5	58.5
25-29	1,884	200	1,684	16.1	2.9	35.2
30-34	747	69	678	13.9	2.3	29.1
35-39	218	24	194	13.7	3.0	24.9
40-44	63	4	59	19.7	3.6	28.1
45-49	2	0	2	13.3	-	16.7
UNKNOWN	3	0	3			

TABLE A7.

LIVE BIRTHS, PERCENTAGE DISTRIBUTION, AND MEDIAN AGE OF MOTHER, BY TOTAL-BIRTH ORDER AND RACE
MISSISSIPPI, 1983

TOTAL-BIRTH ORDER*	NUMBER			PERCENT			MEDIAN AGE OF MOTHER		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	43,992	22,659	21,333	100.0	100.0	100.0	24.0	24.7	23.0
FIRST	15,276	8,751	6,525	34.7	38.6	30.6	20.8	22.1	19.1
SECOND	12,936	7,425	5,511	29.4	32.8	25.8	24.0	25.1	22.4
THIRD	7,866	3,893	3,973	17.9	17.2	18.6	25.9	27.1	24.7
FOURTH	3,897	1,550	2,347	8.8	6.8	11.0	27.2	28.4	26.2
FIFTH	1,866	560	1,306	4.2	2.5	6.1	28.5	29.8	27.8
SIXTH	955	239	716	2.2	1.0	3.4	29.7	30.5	29.5
SEVENTH	446	91	355	1.0	0.4	1.7	31.3	33.3	30.9
EIGHTH	237	43	194	0.5	0.2	0.9	33.2	33.8	33.2
NINTH	171	19	152	0.4	0.1	0.7	33.8	35.0	33.8
TENTH & OVER	241	22	219	0.5	0.1	1.0	36.6	35.1	36.8
UNKNOWN	101	66	35	0.2	0.3	0.2			

** INCLUDES ALL LIVE BIRTHS PLUS ALL FETAL DEATHS REGARDLESS OF LENGTH OF GESTATION.*

TABLE A8.

LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY WHETHER MOTHER RECEIVED PRENATAL CARE, TIME DURING PREGNANCY CARE BEGAN, AND RACE
MISSISSIPPI, 1983

PRENATAL CARE AND TIME CARE BEGAN	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	43,992	22,659	21,333	100.0	100.0	100.0
NO PRENATAL CARE	406	127	279	0.9	0.6	1.3
SOME PRENATAL CARE	43,488	22,498	20,990	98.8	99.3	98.4
FIRST TRIMESTER	32,704	19,248	13,456	74.3	84.9	63.1
SECOND TRIMESTER	9,119	2,781	6,338	20.7	12.3	29.7
THIRD TRIMESTER	1,562	444	1,118	3.6	2.0	5.2
UNKNOWN MONTH	103	25	78	0.2	0.1	0.4
UNKNOWN WHETHER ANY PRENATAL CARE	98	34	64	0.2	0.2	0.3

TABLE A9.

LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY MATURITY AND RACE
MISSISSIPPI, 1983

MATURITY*	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	43,992	22,659	21,333	100.0	100.0	100.0
IMMATURE ONLY**	1,707	628	1,079	3.9	2.8	5.0
PREMATURE ONLY**	3,581	1,193	2,388	8.1	5.3	11.2
BOTH IMMATURE AND PREMATURE	2,214	720	1,494	5.0	3.2	7.0
TOTAL IMMATURE	3,921	1,348	2,573	8.9	5.9	12.1
TOTAL PREMATURE	5,795	1,913	3,882	13.2	8.4	18.2
TOTAL IMMATURE AND/OR PREMATURE	7,502	2,541	4,961	17.0	11.2	23.2
NEITHER IMMATURE NOR PREMATURE**	36,490	20,118	16,372	82.9	88.8	76.7

** IMMATURE - BIRTHWEIGHT 5½ POUNDS (2,500 GRAMS) OR LESS; PREMATURE - GESTATION LESS THAN 37 WEEKS (CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF BIRTH).*

*** BIRTHS CLASSIFIED AS IMMATURE ONLY OR AS PREMATURE ONLY INCLUDE SOME FOR WHICH THE OTHER MEASUREMENT WAS UNKNOWN. THOSE CLASSIFIED AS NEITHER IMMATURE NOR PREMATURE INCLUDE SOME FOR WHICH ONE OR BOTH MEASUREMENTS WERE UNKNOWN.*

TABLE A10.

CONGENITAL MALFORMATIONS REPORTED ON LIVE BIRTH CERTIFICATES,
BY MALFORMATION AND RACE
MISSISSIPPI, 1983

INTERNATIONAL CLASSIFICATION NUMBER*	MALFORMATION	TOTAL	WHITE	NON-WHITE
740-759	TOTAL	379	187	192
740-742	OF NERVOUS SYSTEM	33	19	14
743	OF EYE	2	0	2
744	OF EAR, FACE, AND NECK	5	4	1
745-747	OF CIRCULATORY SYSTEM	22	12	10
748	OF RESPIRATORY SYSTEM	11	7	4
749-751	OF DIGESTIVE SYSTEM	42	32	10
749	CLEFT PALATE AND CLEFT LIP	27	22	5
749.0	CLEFT PALATE	6	6	0
749.1	CLEFT LIP	6	4	2
749.2	CLEFT PALATE WITH CLEFT LIP	15	12	3
750,751	OTHER OF DIGESTIVE SYSTEM	15	10	5
752	OF GENITAL ORGANS	43	24	19
753	OF URINARY ORGANS	7	6	1
754-756	OF MUSCULOSKELETAL SYSTEM	158	53	105
754	CERTAIN MUSCULOSKELETAL ANOMALIES	21	8	13
755	OF LIMBS	125	33	92
755.0	POLYDACTYLY	85	9	76
755.1-755.9	OTHER	40	24	16
756	OTHER OF MUSCULOSKELETAL SYSTEM	12	12	0
757	OF THE INTEGUMENT	27	12	15
758	CHROMOSOMAL ANOMALIES	15	8	7
759	OTHER AND UNSPECIFIED	14	10	4
759.0-759.8	OTHER UNSPECIFIED	10	8	2
759.9	UNSPECIFIED	4	2	2

* *FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.*

FETAL DEATHS

TABLE B1.

REPORTABLE* FETAL DEATHS AND PERCENTAGE DISTRIBUTION,
BY PLACE OF DELIVERY, ATTENDANT, AND RACE
MISSISSIPPI, 1983

PLACE OF DELIVERY AND ATTENDANT	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	639	241	398	100.0	100.0	100.0
HOSPITAL	621	239	382	97.2	99.2	96.0
PHYSICIAN	611	238	373	95.6	98.8	93.7
CERTIFIED NURSE MIDWIFE	2	0	2	0.3	-	0.5
OTHER	5	1	4	0.8	0.4	1.0
UNKNOWN	3	0	3	0.5	-	0.8
OTHER NAMED PLACE	17	2	15	2.7	0.8	3.8
PHYSICIAN	10	1	9	1.6	0.4	2.3
'GRANNY' MIDWIFE	2	0	2	0.3	-	0.5
OTHER	3	1	2	0.5	0.4	0.5
UNKNOWN	2	0	2	0.3	-	0.5
UNKNOWN	1	0	1	0.2	-	0.2
PHYSICIAN	1	0	1	0.2	-	0.2

**SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.*

TABLE B2.

REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY AGE OF MOTHER AND RACE
MISSISSIPPI, 1983

AGE OF MOTHER	NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	639	241	398	14.5	10.6	18.6
10-14	10	1	9	30.0	#	31.0
15-19	147	41	106	16.1	11.8	18.8
20-24	207	75	132	13.3	9.1	18.1
25-29	143	66	77	12.2	9.5	16.1
30-34	88	41	47	16.4	13.5	20.2
35-39	31	13	18	19.5	16.0	23.1
40-44	12	4	8	37.5	36.4	38.1
45-49	0	0	0	-	-	-
UNKNOWN	1	0	1	#	-	#

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.*

*** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS TO MOTHERS IN SPECIFIED GROUP.*

 # RATIO NOT CALCULATED ON LESS THAN 100 LIVE BIRTHS.

TABLE B3.

PERCENTAGE DISTRIBUTION OF LIVE BIRTHS AND REPORTABLE* FETAL DEATHS,
BY WHETHER MOTHER RECEIVED PRENATAL CARE AND RACE
MISSISSIPPI, 1983

PRENATAL CARE	LIVE BIRTHS			REPORTABLE* FETAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	100.0	100.0	100.0	100.0	100.0	100.0
NO CARE	0.9	0.6	1.3	6.7	2.9	9.0
SOME CARE	98.8	99.3	98.4	80.8	88.0	76.4
UNKNOWN WHETHER ANY CARE	0.2	0.2	0.3	12.5	9.1	14.6

**SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.*

TABLE B4.

REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY COMPLETED WEEKS OF GESTATION AND RACE
MISSISSIPPI, 1981-1983

COMPLETED WEEKS OF GESTATION**	TOTAL			WHITE			NONWHITE		
	1981	1982	1983	1981	1982	1983	1981	1982	1983
REPORTABLE* FETAL DEATHS									
TOTAL	648	639	639	222	231	241	426	408	398
UNDER 20	31	33	27	8	5	5	23	28	22
20 AND OVER	553	557	554	200	208	216	353	349	338
20-22	69	88	82	18	33	16	51	55	66
23-27	123	104	118	39	32	47	84	72	71
28-36	188	199	170	56	63	72	132	136	98
37 AND OVER	173	166	184	87	80	81	86	86	103
UNKNOWN	64	49	58	14	18	20	50	31	38
FETAL DEATH RATIOS #									
TOTAL	14.0	13.9	14.5	9.3	9.6	10.6	19.0	18.6	18.6
UNDER 20	0.7	0.7	0.6	0.3	0.2	0.2	1.0	1.3	1.0
20 AND OVER	12.0	12.1	12.6	8.4	8.6	9.5	15.7	15.9	15.8
20-22	1.5	1.9	1.9	0.8	1.4	0.7	2.3	2.5	3.1
23-27	2.7	2.3	2.7	1.6	1.3	2.1	3.7	3.3	3.3
28-36	4.1	4.3	3.9	2.4	2.6	3.2	5.9	6.2	4.6
37 AND OVER	3.7	3.6	4.2	3.6	3.3	3.6	3.8	3.9	4.8
UNKNOWN	1.4	1.1	1.3	0.6	0.7	0.9	2.2	1.4	1.8

**SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.*

***CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF DELIVERY.*

#REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

SUMMARY TABLES

DEATHS

DEATHS

TABLE C1.

DEATHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 1983

MONTH	DEATHS	AVERAGE PER DAY	MONTH	DEATHS	AVERAGE PER DAY
TOTAL	23,831	65			
JANUARY	2,130	69	JULY	1,945	63
FEBRUARY	1,996	71	AUGUST	1,967	63
MARCH	2,144	69	SEPTEMBER	1,817	60
APRIL	2,008	67	OCTOBER	2,018	65
MAY	1,879	61	NOVEMBER	1,923	64
JUNE	1,762	59	DECEMBER	2,242	72

TABLE C2.

DEATHS AND PERCENTAGE DISTRIBUTION, BY AGE AND RACE
MISSISSIPPI, 1983

	NUMBER			PERCENT		
AGE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	23,831	15,250	8,581	100.0	100.0	100.0
UNDER 1	664	240	424	2.8	1.6	4.9
1-4	137	59	78	0.6	0.4	0.9
5-9	80	40	40	0.3	0.3	0.5
10-14	79	52	27	0.3	0.3	0.3
15-24	566	351	215	2.4	2.3	2.5
25-34	600	279	321	2.5	1.8	3.7
35-44	773	418	355	3.2	2.7	4.1
45-54	1,483	906	577	6.2	5.9	6.7
55-64	3,405	2,270	1,135	14.3	14.9	13.2
65-74	5,622	3,652	1,970	23.6	23.9	23.0
75-84	6,394	4,305	2,089	26.8	28.2	24.3
85 AND OVER	4,013	2,675	1,338	16.8	17.5	15.6
UNKNOWN	15	3	12	0.1	*	0.1

**LESS THAN 0.06 PERCENT.*

TABLE C3.

DEATHS BY AGE, RACE, AND SEX, AND MALE/FEMALE RATIOS
BY AGE AND RACE
MISSISSIPPI, 1983

AGE	TOTAL			WHITE			NONWHITE		
	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE
TOTAL	13,023	10,808	1.20	8,351	6,899	1.21	4,672	3,909	1.20
UNDER 1	353	311	1.14	128	112	1.14	225	199	1.13
1-4	86	51	1.69	34	25	1.36	52	26	2.00
5-9	42	38	1.10	23	17	1.35	19	21	0.90
10-14	54	25	2.16	37	15	2.47	17	10	1.70
15-24	419	147	2.85	264	87	3.03	155	60	2.58
25-34	434	166	2.61	210	69	3.04	224	97	2.31
35-44	509	264	1.93	277	141	1.96	232	123	1.89
45-54	927	556	1.67	593	313	1.89	334	243	1.37
55-64	2,129	1,276	1.67	1,457	813	1.79	672	463	1.45
65-74	3,375	2,247	1.50	2,268	1,384	1.64	1,107	863	1.28
75-84	3,279	3,115	1.05	2,183	2,122	1.03	1,096	993	1.10
85 AND OVER	1,407	2,606	0.54	875	1,800	0.49	532	806	0.66
UNKNOWN	9	6		2	1		7	5	
MEDIAN AGE	69.6	76.0		70.1	77.2		68.6	73.2	

TABLE C4.

DEATHS AND PERCENT OF TOTAL DEATHS FROM TEN LEADING CAUSES, BY CAUSE AND RACE
MISSISSIPPI, 1983

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF TEN LEADING CAUSES	**18,988**	**12,511**	**6,477**	**79.7**	**82.0**	**75.5**
1. HEART DISEASES (390-398, 402, 404-429)	8,395	5,728	2,667	35.2	37.6	31.1
2. MALIGNANT NEOPLASMS (140-208)	4,578	3,086	1,492	19.2	20.2	17.4
3. CEREBROVASCULAR DISEASES (430-438)	2,064	1,267	797	8.7	8.3	9.3
4. ACCIDENTS (800-949)	1,495	931	564	6.3	6.1	6.6
5. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	641	517	124	2.7	3.4	1.4
6. PNEUMONIA AND INFLUENZA (480-487)	515	371	144	2.2	2.4	1.7
7. DIABETES MELLITUS (250)	415	212	203	1.7	1.4	2.4
8. CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	311	115	196	1.3	0.8	2.3
9. HOMICIDE AND LEGAL INTERVENTION (960-978)	305	97	208	1.3	0.6	2.4
10. ATHEROSCLEROSIS (440)	269	187	82	1.1	1.2	1.0

TABLE C5.

DEATHS AND PERCENT OF TOTAL DEATHS FROM FIVE LEADING CAUSES,
BY AGE AND CAUSE
MISSISSIPPI, 1983

AGE	CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER	PERCENT
1-4	ALL CAUSES	137	100.0
	1. ACCIDENTS (800-949)	63	46.0
	2. CONGENITAL ANOMALIES (740-759)	13	9.5
	3. HEART DISEASES (390-398, 402, 404-429)	12	8.8
	4. MALIGNANT NEOPLASMS (140-208)	8	5.8
	5. MENINGITIS (320-322)	6	4.4
5-14	ALL CAUSES	159	100.0
	1. ACCIDENTS (800-949)	99	62.3
	2. MALIGNANT NEOPLASMS (140-208)	10	6.3
	3. HEART DISEASES (390-398, 402, 404-429)	7	4.4
	4. HOMICIDE AND LEGAL INTERVENTION (960-978)	6	3.8
	5. PNEUMONIA AND INFLUENZA (480-487)	5	3.1
15-24	ALL CAUSES	566	100.0
	1. ACCIDENTS (800-949)	323	57.1
	2. HOMICIDE AND LEGAL INTERVENTION (960-978)	63	11.1
	3. SUICIDE (950-959)	59	10.4
	4. MALIGNANT NEOPLASMS (140-208)	25	4.4
	5. HEART DISEASES (390-398, 402, 404-429)	21	3.7
25-44	ALL CAUSES	1,373	100.0
	1. ACCIDENTS (800-949)	367	26.7
	2. HEART DISEASES (390-398, 402, 404-429)	216	15.7
	3. MALIGNANT NEOPLASMS (140-208)	212	15.4
	4. HOMICIDE AND LEGAL INTERVENTION (960-978)	145	10.6
	5. SUICIDE (950-959)	76	5.5
45-64	ALL CAUSES	4,888	100.0
	1. HEART DISEASES (390-398, 402, 404-429)	1,650	33.8
	2. MALIGNANT NEOPLASMS (140-208)	1,367	28.0
	3. CEREBROVASCULAR DISEASES (430-438)	283	5.8
	4. ACCIDENTS (800-949)	253	5.2
	5. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	130	2.6
65 AND OVER	ALL CAUSES	16,029	10.0
	1. HEART DISEASES (390-398, 402, 404-429)	6,465	40.3
	2. MALIGNANT NEOPLASMS (140-208)	2,955	18.4
	3. CEREBROVASCULAR DISEASES (430-438)	1,720	10.7
	4. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	501	3.1
	5. PNEUMONIA AND INFLUENZA (480-487)	421	2.6

TABLE C6.

See errata sheet at the end of the document

DEATHS FROM MALIGNANT NEOPLASMS AND PERCENTAGE DISTRIBUTION, BY PRIMARY SITE, SEX AND RACE MISSISSIPPI, 1983

PRIMARY SITE (RANKED ACCORDING TO NUMBER OF DEATHS AMONG TOTAL POPULATION) AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER				PERCENT			
	MALE		FEMALE		MALE		FEMALE	
	WHITE	NON WHITE	WHITE	NON WHITE	WHITE	NON WHITE	WHITE	NON WHITE
TOTAL	1,761	871	1,325	621	100.0	100.0	100.0	100.0
1. RESPIRATORY AND INTRATHORACIC ORGANS (160-165)	72	20	251	91	43.3	32.1	18.9	14.6
2. DIGESTIVE ORGANS AND PERITONEUM (150-159)	353	219	340	195	20.0	25.1	25.7	31.4
3. GENITAL ORGANS (179-187)	157	176	121	100	8.9	20.2	19.1	16.1
4. LYMPHATIC AND HEMATOPOIETIC TISSUE (200-208)	165	52	132	60	9.4	6.0	10.0	9.7
5. BREAST (174, 175)	1	1	241	78	*	0.1	18.2	12.6
6. URINARY ORGANS (188, 189)	78	31	38	23	4.4	3.6	2.9	3.7
7. BRAIN (191)	40	8	47	4	2.3	0.9	3.5	0.6
8. LIP, ORAL CAVITY, AND PHARYNX (140-149)	34	20	21	4	1.9	2.3	1.6	0.6
9. SKIN (172, 173)	41	6	27	4	2.3	0.7	2.0	0.6
10. BONE AND CONNECTIVE TISSUE (170, 171)	9	7	7	3	0.5	0.8	0.5	0.5
- OTHER AND UNSPECIFIED SITES (190, 192-199)	121	71	100	59	6.9	8.2	7.5	9.5

**LESS THAN 0.06 PERCENT.*

TABLE C7.

DEATHS FROM MAJOR CHRONIC RESPIRATORY DISEASES MISSISSIPPI, 1958, 1963, 1968, 1973, 1978, 1983

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	1958	1963	1968	1973	1978	1983
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)	154	106	78	31	42	23
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM (160-163)	310	480	634	811	1,113	1,378
MALIGNANT NEOPLASMS OF TRACHEA, BRONCHUS, AND LUNG (162)	279	443	602	768	1,069	1,340
CHRONIC AND UNQUALIFIED BRONCHITIS (490, 491)	31	49	38	42	38	32
EMPHYSEMA (492)	61	152	213	191	138	85
ASTHMA (493)	58	45	52	21	23	35
(ADJUSTED FIGURES*)	(40)	(31)				

**ADJUSTED ACCORDING TO COMPARABILITY RATIOS PREPARED BY THE NATIONAL CENTER FOR HEALTH STATISTICS IN ORDER TO COMPENSATE FOR BREAKS IN COMPARABILITY CAUSED BY REVISIONS OF THE CAUSE-OF-DEATH CLASSIFICATION SYSTEM IN 1958 AND 1968.*

TABLE C8.

DEATHS AND PERCENT OF TOTAL ACCIDENTAL DEATHS FROM FIVE LEADING CAUSES OF ACCIDENTAL DEATH, BY CAUSE AND RACE MISSISSIPPI, 1983

TYPE OF ACCIDENT AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF FIVE LEADING CAUSES	1,119	729	390	74.8	78.3	69.1
1. MOTOR VEHICLE (810-825)	725	510	215	48.5	54.8	38.1
2. FIRES AND FLAMES (890-899)	129	44	85	8.6	4.7	15.1
3. FALLS (880-888)	109	83	26	7.3	8.9	4.6
4. DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (910)	87	43	44	5.8	4.6	7.8
5. FIREARM MISSILE (922)	69	49	20	4.6	5.3	3.5

TABLE C9.

DEATHS FROM SELECTED TYPES OF ACCIDENTS, BY SEX, ALSO BY AGE MISSISSIPPI RESIDENTS, 1983

TYPE OF ACCIDENT AND INTERNATIONAL CLASSIFICATION NUMBER	TOTAL	SEX		AGE								
		MALE	FEMALE	UNDER 1	1-4	5-14	15-24	25-34	35-44	45-64	65 & OVER	UNKNOWN
ALL ACCIDENTS	1,495	1,064	431	31	63	99	323	214	153	253	358	1
MOTOR VEHICLE (810-825)	725	531	194	3	23	45	221	133	87	120	92	1
WATER TRANSPORT (830-838)	27	27	0	0	0	0	9	2	3	6	7	0
SUBMERSION, DROWNING (830-833)	26	26	0	0	0	0	9	2	3	5	7	0
OTHER (831, 833-838)	1	1	0	0	0	0	0	0	0	1	0	0
AIR AND SPACE TRANSPORT (840-845)	11	10	1	0	0	0	2	3	3	3	0	0
POISIONING (850-869)	34	17	17	0	2	2	4	6	3	8	9	0
BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (850-858)	19	6	13	0	0	1	4	2	2	5	5	0
BY OTHER SOLID AND LIQUID SUBSTANCES, GASES, AND VAPORS (860-869)	15	11	4	0	2	1	0	4	1	3	4	0
FALLS (880-888)	109	51	58	3	1	0	3	3	1	14	84	0
FIRES AND FLAMES (890-899)	129	81	48	6	20	12	10	15	12	18	36	0
DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (910)	87	75	12	1	7	22	34	12	3	5	3	0
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (911, 912)	78	48	30	11	4	1	3	3	4	16	36	0
MECHANICAL SUFFOCATION (INCLUDING IN BED OR CRADLE) (913)	18	16	2	6	1	4	1	0	2	2	2	0
STRUCK BY, STRIKING AGAINST, AND CAUGHT IN OR BETWEEN OBJECTS (916-918)	34	29	5	0	0	3	4	3	5	13	6	0
CAUSED BY MACHINERY (919)	25	23	2	0	0	2	1	5	3	5	9	0
CAUSED BY FIREARM MISSILE (922)	69	57	12	0	0	5	18	12	14	13	7	0
CAUSED BY ELECTRIC CURRENT (925)	11	11	0	0	1	0	2	2	4	2	0	0

TABLE C10.

MOTOR VEHICLE ACCIDENT DEATHS OCCURRING IN MISSISSIPPI AND RATES, ALSO MOTOR VEHICLE ACCIDENT DEATHS OF MISSISSIPPI RESIDENTS AND RATES, BY YEAR, 1950, 1955, 1960, 1965, 1970-1983

	OCCURRENCE DATA		RESIDENCE DATA	
YEAR	NUMBER	RATE*	NUMBER	RATE*
1950	530	**	515	23.6
1955	568	**	541	24.8
1960	676	9.3	620	28.5
1965	748	8.4	742	31.8
1970	960	8.2	937	42.3
1971	1,011	8.2	984	44.4
1972	1,019	7.8	989	43.8
1973	956	7.0	954	41.2
1974	711	5.2	717	30.7
1975	671	4.7	681	29.1
1976	725	4.7	696	29.4
1977	763	4.8	771	32.3
1978	884	5.2	877	36.5
1979	801	4.7	783	32.5
1980	796	4.8	743	29.5
1981	792	4.7	793	31.5
1982	777	4.5	755	29.6
1983	744	4.2	725	28.0

** DEATHS IN MISSISSIPPI PER 100,000,000 MILES OF VEHICLE TRAVEL; DEATHS OF RESIDENTS PER 100,000 POPULATION.*

*** NOT AVAILABLE.*

TABLE C11.

INFANT DEATHS, PERCENTAGE DISTRIBUTION, AND MORTALITY RATES BY AGE AND RACE
MISSISSIPPI, 1983

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL UNDER 1 YEAR	664	240	424	100.0	100.0	100.0	15.1	10.6	19.9
NEONATAL (UNDER 28 DAYS)	410	160	250	61.7	66.7	59.0	9.3	7.1	11.7
HEBDOMADAL (UNDER 7 DAYS)	353	142	211	53.2	59.2	49.8	8.0	6.3	9.9
UNDER 1 DAY	218	84	134	32.8	35.0	31.6	5.0	3.7	6.3
1-6 DAYS	135	58	77	20.3	24.2	18.2	3.1	2.6	3.6
7-27 DAYS	57	18	39	8.6	7.5	9.2	1.3	0.8	1.8
POSTNEONATAL (28 DAYS TO 1 YEAR)	254	80	174	38.2	33.3	41.0	5.8	3.5	8.2

** DEATHS PER 1,000 LIVE BIRTHS.*

TABLE C12.

DEATHS AND MORTALITY RATES FOR TEN LEADING CAUSES OF INFANT DEATHS,
BY CAUSE AND RACE
MISSISSIPPI, 1983

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	664	240	424	15.1	10.6	19.9
1. CONGENITAL ANOMALIES (740-759)	119	64	55	2.7	2.8	2.6
2. RESPIRATORY DISTRESS SYNDROME (769)	79	32	47	1.8	1.4	2.2
3. SUDDEN INFANT DEATH SYNDROME (798.0)	78	19	59	1.8	0.8	2.8
4. DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT (765)	64	14	50	1.4	0.6	2.3
5. ACCIDENTS (800-949)	31	8	23	0.7	0.4	1.1
6. INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (768)	30	15	15	0.7	0.7	0.7
7. MATERNAL COMPLICATIONS OF PREGNANCY (761)	18	5	13	0.4	0.2	0.6
8. INFECTION SPECIFIC TO THE PERINATAL PERIOD (771)	18	5	13	0.4	0.2	0.6
9. COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)	17	6	11	0.4	0.3	0.5
10. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (EXCLUDING SIDS) (780-797,798.1-799)	16	1	15	0.4	**	0.7

** DEATHS PER 1,000 LIVE BIRTHS.*

*** LESS THAN 0.06.*

SUMMARY TABLES

MARRIAGES
DIVORCES

MARRIAGES

TABLE D1.

MARRIAGES AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 1983

MONTH	MARRIAGES	AVERAGE PER DAY	MONTH	MARRIAGES	AVERAGE PER DAY
TOTAL	26,921	74			
JANUARY	1,664	54	JULY	2,887	93
FEBRUARY	1,756	63	AUGUST	2,506	81
MARCH	1,927	62	SEPTEMBER	2,087	70
APRIL	2,231	74	OCTOBER	1,934	62
MAY	2,457	79	NOVEMBER	1,981	66
JUNE	2,899	97	DECEMBER	2,592	84

TABLE D2.

BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION, BY AGE AND RACE
MISSISSIPPI, 1983

AGE	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	26,921	19,950	6,971	26,921	19,952	6,969	100.0	100.0	100.0	100.0	100.0	100.0
UNDER 20	6,430	5,205	1,225	2,469	2,081	388	23.9	26.1	17.6	9.2	10.4	5.6
UNDER 13	0	0	0	0	0	0	-	-	-	-	-	-
13	6	6	0	0	0	0	*	*	-	-	-	-
14	41	34	7	0	0	0	0.2	0.2	0.1	-	-	-
15	332	296	36	9	9	0	1.2	1.5	0.5	*	*	-
16	677	565	112	35	32	3	2.5	2.8	1.6	0.1	0.2	*
17	1,188	1,002	186	262	247	15	4.4	5.0	2.7	1.0	1.2	0.2
18	2,072	1,655	417	805	676	129	7.7	8.3	6.0	3.0	3.4	1.8
19	2,114	1,647	467	1,358	1,117	241	7.8	8.2	6.7	5.0	5.6	3.4
20-24	8,806	6,270	2,536	9,440	6,913	2,527	32.7	31.4	36.4	35.1	34.6	36.3
25-34	7,192	5,032	2,160	8,778	6,190	2,588	26.7	25.2	31.0	32.6	31.0	37.1
35-44	2,563	1,982	581	3,298	2,595	703	9.5	9.9	8.3	12.2	13.0	10.1
45-54	1,042	787	255	1,450	1,130	320	3.9	3.9	3.6	5.4	5.7	4.6
55-64	548	414	134	818	597	221	2.0	2.1	1.9	3.0	3.0	3.2
65-74	284	216	68	498	345	153	1.0	1.1	1.0	1.8	1.7	2.2
75 & OVER	53	41	12	167	100	67	0.2	0.2	0.2	0.6	0.5	1.0
UNKNOWN	3	3	0	3	1	2	*	*	-	*	*	*

**LESS THAN 0.06 PERCENT.*

TABLE D3.

MEDIAN AGE OF BRIDE AND GROOM,
FOR ALL MARRIAGES AND FIRST MARRIAGES, BY RACE
MISSISSIPPI, 1983

ALL AND FIRST MARRIAGES	BRIDE			GROOM		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL MARRIAGES	23.7	23.5	24.3	26.1	26.0	26.3
FIRST MARRIAGES	21.4	20.6	22.8	23.2	22.9	24.2

TABLE D4.

BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY PREVIOUS MARITAL STATUS AND RACE
MISSISSIPPI, 1983

PREVIOUS MARITAL STATUS	BRIDE			GROOM		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
NUMBER						
TOTAL	26,921	19,950	6,971	26,921	19,952	6,969
NOT PREVIOUSLY MARRIED	16,044	10,900	5,144	15,901	11,009	4,892
REMARRIAGES	10,860	9,041	1,819	11,003	8,935	2,068
WIDOWED	1,200	925	275	987	716	271
DIVORCED*	9,619	8,082	1,537	9,995	8,204	1,791
UNKNOWN**	41	34	7	21	15	6
UNKNOWN#	17	9	8	17	8	9
PERCENT						
TOTAL	100.0	100.0	100.0	100.0	100.0	100.0
NOT PREVIOUSLY MARRIED	59.6	54.6	73.8	59.1	55.2	70.2
REMARRIAGES	40.3	45.3	26.1	40.9	44.8	29.7
WIDOWED	4.4	4.6	3.9	3.7	3.6	3.9
DIVORCED*	35.7	40.5	22.0	37.1	41.1	25.7
UNKNOWN**	0.2	0.2	0.1	0.1	0.1	0.1
UNKNOWN#	0.1	##	0.1	0.1	##	0.1

* *INCLUDES THOSE WHOSE LAST MARRIAGE WAS ANNULLED.*
** *UNKNOWN WHETHER WIDOWED OR DIVORCED.*
\# *UNKNOWN WHETHER ANY PREVIOUS MARRIAGE.*
\#\# *LESS THAN 0.06 PERCENT.*

BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION, BY MARRIAGE ORDER AND RACE MISSISSIPPI, 1983

MARRIAGE ORDER	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	26,921	19,950	6,971	26,921	19,952	6,969	100.0	100.0	100.0	100.0	100.0	100.0
FIRST	16,044	10,900	5,144	15,901	11,009	4,892	59.6	54.6	73.8	59.1	55.2	70.2
REMARRIAGE	10,860	9,041	1,819	11,003	8,935	2,068	40.3	45.3	26.1	40.9	44.8	29.7
SECOND	7,766	6,240	1,526	7,863	6,180	1,683	28.8	31.3	21.9	29.2	31.0	24.2
OVER TWO	3,086	2,797	289	3,134	2,752	382	11.5	14.0	4.1	11.6	13.8	5.5
THIRD	2,335	2,083	252	2,409	2,100	309	8.7	10.4	3.6	8.9	10.5	4.4
FOURTH	593	560	33	549	491	58	2.2	2.8	0.5	2.0	2.5	0.8
FIFTH	119	116	3	131	118	13	0.4	0.6	#	0.5	0.6	0.2
SIXTH	28	27	1	31	29	2	0.1	0.1	#	0.1	0.1	#
SEVENTH	9	9	0	12	12	0	#	#	-	#	0.1	-
EIGHTH	1	1	0	1	1	0	#	#	-	#	#	-
NINTH	1	1	0	1	1	0	#	#	-	#	#	-
TENTH	0	0	0	0	0	0	-	-	-	-	-	-
OVER TEN	0	0	0	0	0	0	-	-	-	-	-	-
UNKNOWN*	8	4	4	6	3	3	#	#	#	#	#	#
UNKNOWN**	17	9	8	17	8	9	0.1	#	0.1	0.1	#	0.1

* *PREVIOUSLY MARRIED BUT NUMBER OF PREVIOUS MARRIAGES UNKNOWN.*

** *UNKNOWN WHETHER PREVIOUSLY MARRIED.*

\# *LESS THAN 0.06 PERCENT.*

TABLE D6.

MARRIAGES AND PERCENTAGE DISTRIBUTION, BY RESIDENCE OF BRIDE AND GROOM AND RACE OF BRIDE MISSISSIPPI, 1983

RESIDENCE OF GROOM	RACE AND RESIDENCE OF BRIDE											
	TOTAL				WHITE				NONWHITE			
	TOTAL	MISSISSIPPI	OTHER	UNKNOWN	TOTAL	MISSISSIPPI	OTHER	UNKNOWN	TOTAL	MISSISSIPPI	OTHER	UNKNOWN
NUMBER												
TOTAL	26,921	24,869	2,040	12	19,950	18,289	1,651	10	6,971	6,580	389	2
MISSISSIPPI	23,959	23,439	513	7	17,587	17,163	418	6	6,372	6,276	95	1
OTHER	2,929	1,403	1,523	3	2,339	1,107	1,230	2	590	296	293	1
UNKNOWN	33	27	4	2	24	19	3	2	9	8	1	0
PERCENT												
TOTAL	100.0	92.4	7.6	*	100.0	91.7	8.3	*	100.0	94.4	5.6	*
MISSISSIPPI	89.0	87.1	1.9	*	88.2	86.0	2.1	*	91.4	90.0	1.4	*
OTHER	10.9	5.2	5.6	*	11.7	5.5	6.2	*	8.5	4.2	4.2	*
UNKNOWN	0.1	0.1	*	*	0.1	0.1	*	*	0.1	0.1	*	*

* *LESS THAN 0.06 PERCENT.*

DIVORCES

TABLE E1.

DIVORCES AND PERCENTAGE DISTRIBUTION, BY CAUSE AND RACE*
MISSISSIPPI, 1983

CAUSE	NUMBER				PERCENT			
	TOTAL	WHITE	NON-WHITE	UNKNOWN	TOTAL	WHITE	NON-WHITE	UNKNOWN
TOTAL	13,436	10,709	2,674	53	100.0	100.0	100.0	100.0
IRRECONCILABLE DIFFERENCES	8,215	7,009	1,174	32	61.1	65.4	43.9	60.4
CRUEL AND INHUMAN TREATMENT	4,122	3,150	956	16	30.7	29.4	35.8	30.2
DESERTION	761	306	451	4	5.7	2.8	16.9	7.5
ADULTERY	182	131	50	1	1.4	1.2	1.9	1.9
DRUNKENNESS	60	46	14	0	0.4	0.4	0.5	-
PENITENTIARY	35	22	13	0	0.3	0.2	0.5	-
ANNULMENT	30	26	4	0	0.2	0.2	0.2	-
BIGAMY	5	1	4	0	**	**	0.2	-
MISCELLANEOUS AND OTHER	14	8	6	0	0.1	0.1	0.2	-
UNKNOWN	12	10	2	0	0.1	0.1	0.1	-

** DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.*

*** LESS THAN 0.06 PERCENT.*

TABLE E2.

DIVORCES AND PERCENTAGE DISTRIBUTION, BY NUMBER OF MINOR CHILDREN AND RACE*
MISSISSIPPI, 1983

NUMBER OF MINOR CHILDREN	NUMBER				PERCENT			
	TOTAL	WHITE	NON-WHITE	UNKNOWN	TOTAL	WHITE	NON-WHITE	UNKNOWN
TOTAL DIVORCES	13,436	10,709	2,674	53	100.0	100.0	100.0	100.0
NONE	6,090	5,074	995	21	45.3	47.4	37.2	39.6
ONE	3,603	2,840	749	14	26.8	26.5	28.0	26.4
TWO	2,484	1,959	516	9	18.5	18.3	19.3	17.0
THREE OR MORE	1,210	804	397	9	9.0	7.5	14.8	17.0
UNKNOWN	49	32	17	0	0.4	0.3	0.6	-

**DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.*

TABLE E3.

DIVORCES AND PERCENTAGE DISTRIBUTION, BY NUMBER OF YEARS MARRIED AND RACE* MISSISSIPPI, 1983

NUMBER OF YEARS MARRIED	NUMBER				PERCENT			
	TOTAL	WHITE	NON-WHITE	UN-KNOWN	TOTAL	WHITE	NON-WHITE	UN-KNOWN
TOTAL DIVORCES	13,436	10,709	2,674	53	100.0	100.0	100.0	100.0
UNDER FIVE	6,246	5,356	866	24	46.5	50.0	32.4	45.3
UNDER ONE	929	852	72	5	6.9	8.0	2.7	9.4
ONE	1,437	1,278	155	4	10.7	11.9	5.8	7.5
TWO	1,450	1,247	199	4	10.8	11.6	7.4	7.5
THREE	1,349	1,111	231	7	10.0	10.4	8.6	13.2
FOUR	1,081	868	209	4	8.0	8.1	7.8	7.5
FIVE-NINE	3,142	2,362	771	9	23.4	22.0	28.8	17.0
TEN-NINETEEN	2,752	2,054	688	10	20.5	19.2	25.7	18.9
TWENTY AND OVER	1,249	899	342	8	9.3	8.4	12.8	15.1
UNKNOWN	47	38	7	2	0.4	0.4	0.3	3.8

**DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.*

MAJOR TABLES

LIVE BIRTHS
FETAL DEATHS

TABLE 1

LIVE BIRTHS

LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE,
ALSO LIVE BIRTHS, BY PLACE OF RESIDENCE AND RACE,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 1983

	OCCURRENCE DATA			RESIDENCE DATA		
COUNTY	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	43,689	22,393	21,296	43,992	22,659	21,333
ADAMS	1,059	516	543	635	256	379
ALCORN	206	173	33	432	364	68
AMITE	3	0	3	207	92	115
ATTALA	117	87	30	280	119	161
BENTON	0	0	0	125	62	63
BOLIVAR	1,111	185	926	1,019	217	802
CALHOUN	2	0	2	210	129	81
CARROLL	0	0	0	104	41	63
CHICKASAW	65	11	54	311	150	161
CHOCTAW	67	13	54	126	61	65
CLAIBORNE	116	5	111	230	40	190
CLARKE	1	0	1	281	125	156
CLAY	426	109	317	435	157	278
COAHOMA	1,189	306	883	780	165	615
COPIAH	192	79	113	448	169	279
COVINGTON	129	39	90	300	140	160
DESOTO	2	1	1	705	546	159
FORREST	2,603	1,792	811	1,170	728	442
FRANKLIN	1	0	1	147	86	61
GEORGE	157	117	40	311	262	49
GREENE	14	13	1	154	107	47
GRENADA	619	326	293	314	142	172
HANCOCK	125	99	26	395	342	53
HARRISON	3,631	2,703	928	3,134	2,292	842
HINDS	7,206	2,460	4,746	4,491	1,750	2,741
HOLMES	329	28	301	539	83	456
HUMPHREYS	109	9	100	355	84	271
ISSAQUENA	0	0	0	41	10	31
ITAWAMBA	0	0	0	245	220	25
JACKSON	1,900	1,456	444	2,040	1,553	487
JASPER	0	0	0	286	96	190
JEFFERSON	49	2	47	171	19	152
JEFF DAVIS	5	0	5	242	92	150
JONES	1,582	824	758	1,045	650	395
KEMPER	1	0	1	171	51	120
LAFAYETTE	524	262	262	369	184	185
LAMAR	73	49	24	435	375	60
LAUDERDALE	2,449	1,322	1,127	1,334	693	641
LAWRENCE	86	31	55	229	142	87
LEAKE	52	28	24	322	132	190
LEE	2,199	1,701	498	946	675	271
LEFLORE	1,137	309	828	851	234	617

LIVE BIRTHS - MISSISSIPPI - 1983

COUNTY	OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	297	183	114	468	282	186
LOWNDES	851	600	251	1,011	555	456
MADISON	10	0	10	829	334	495
MARION	32	21	11	466	301	165
MARSHALL	1	1	0	487	178	309
MONROE	1,095	788	307	582	333	249
MONTGOMERY	196	35	161	203	72	131
NESHOBA	133	58	75	413	214	199
NEWTON	101	45	56	302	169	133
NOXUBEE	199	14	185	279	64	215
OKTIBBEHA	748	283	465	597	268	329
PANOLA	413	95	318	574	201	373
PEARL RIVER	500	388	112	594	477	117
PERRY	55	45	10	167	116	51
PIKE	1,183	688	495	577	258	319
PONTOTOC	86	69	17	284	233	51
PRENTISS	2	1	1	316	275	41
QUITMAN	120	26	94	206	63	143
RANKIN	2,012	1,660	352	1,121	870	251
SCOTT	74	55	19	440	235	205
SHARKEY	59	3	56	187	33	154
SIMPSON	67	39	28	388	229	159
SMITH	25	16	9	193	129	64
STONE	1	1	0	147	104	43
SUNFLOWER	593	166	427	738	146	592
TALLAHATCHIE	199	35	164	348	77	271
TATE	242	74	168	325	160	165
TIPPAH	210	125	85	267	204	63
TISHOMINGO	90	78	12	248	234	14
TUNICA	107	10	97	224	35	189
UNION	391	252	139	263	214	49
WALTHALL	152	59	93	263	120	143
WARREN	1,417	513	904	881	444	437
WASHINGTON	1,365	453	912	1,457	436	1,021
WAYNE	361	147	214	388	194	194
WEBSTER	147	71	76	146	83	63
WILKINSON	208	61	147	175	52	123
WINSTON	211	105	106	310	142	168
YALOBUSHA	33	13	20	216	114	102
YAZOO	167	62	105	547	176	371
OUT OF STATE	2,051	1,545	506	1,748	1,279	469

TABLE 2

LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE, AND ATTENDANT, ALSO BY COUNTY OF RESIDENCE AND SEX, MISSISSIPPI, 1983

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
STATE	**43,992**	**22,659**	**22,564**	**11**	**84**	**21,333**	**21,197**	**59**	**77**	**22,389**	**21,603**
ADAMS	635	256	256	0	0	379	379	0	0	322	313
ALCORN	432	364	362	0	2	68	68	0	0	210	222
AMITE	207	92	92	0	0	115	112	0	3	97	110
ATTALA	280	119	119	0	0	161	153	0	8	150	130
BENTON	125	62	62	0	0	63	63	0	0	62	63
BOLIVAR	1,019	217	217	0	0	802	799	1	2	551	468
CALHOUN	210	129	129	0	0	81	80	1	0	108	102
CARROLL	104	41	41	0	0	63	63	0	0	53	51
CHICKASAW	311	150	150	0	0	161	161	0	0	186	125
CHOCTAW	126	61	61	0	0	65	64	0	1	66	60
CLAIBORNE	230	40	40	0	0	190	190	0	0	112	118
CLARKE	281	125	124	0	1	156	155	0	1	149	132
CLAY	435	157	157	0	0	278	278	0	0	248	187
COAHOMA	780	165	165	0	0	615	615	0	0	390	390
COPIAH	448	169	169	0	0	279	276	1	2	231	217
COVINGTON	300	140	138	0	2	160	160	0	0	144	156
DESOTO	705	546	542	1	3	159	159	0	0	379	326
FORREST	1,170	728	724	0	4	442	441	1	0	596	574
FRANKLIN	147	86	86	0	0	61	61	0	0	69	78
GEORGE	311	262	262	0	0	49	49	0	0	160	151
GREENE	154	107	107	0	0	47	47	0	0	75	79
GRENADA	314	142	142	0	0	172	172	0	0	160	154
HANCOCK	395	342	338	0	4	53	53	0	0	183	212
HARRISON	3,134	2,292	2,283	2	7	842	839	1	2	1,570	1,564
HINDS	4,491	1,750	1,742	1	7	2,741	2,721	12	8	2,265	2,226
HOLMES	539	83	83	0	0	456	452	0	4	277	262
HUMPHREYS	355	84	83	1	0	271	271	0	0	170	185
ISSAQUENA	41	10	10	0	0	31	31	0	0	16	25
ITAWAMBA	245	220	220	0	0	25	25	0	0	125	120
JACKSON	2,040	1,553	1,546	0	7	487	485	0	2	993	1,047
JASPER	286	96	96	0	0	190	190	0	0	154	132
JEFFERSON	171	19	19	0	0	152	152	0	0	86	85
JEFF DAVIS	242	92	92	0	0	150	147	1	2	119	123
JONES	1,045	650	648	0	2	395	395	0	0	547	498
KEMPER	171	51	51	0	0	120	119	1	0	85	86
LAFAYETTE	369	184	184	0	0	185	181	1	3	186	183
LAMAR	435	375	373	0	2	60	60	0	0	205	230
LAUDERDALE	1,334	693	693	0	0	641	640	1	0	659	675
LAWRENCE	229	142	140	0	2	87	87	0	0	123	106
LEAKE	322	132	131	1	0	190	189	1	0	171	151
LEE	946	675	675	0	0	271	270	1	0	500	446
LEFLORE	851	234	234	0	0	617	613	4	0	426	425

LIVE BIRTHS - MISSISSIPPI - 1983

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
LINCOLN	468	282	280	1	1	186	186	0	0	231	237
LOWNDES	1,011	555	552	2	1	456	453	2	1	535	476
MADISON	829	334	334	0	0	495	491	4	0	408	421
MARION	466	301	294	0	7	165	165	0	0	243	223
MARSHALL	487	178	177	0	1	309	307	1	1	259	228
MONROE	582	333	331	0	2	249	247	2	0	302	280
MONTGOMERY	203	72	72	0	0	131	131	0	0	112	91
NESHOBA	413	214	213	0	1	199	196	3	0	223	190
NEWTON	302	169	169	0	0	133	133	0	0	146	156
NOXUBEE	279	64	64	0	0	215	212	2	1	136	143
OKTIBBEHA	597	268	268	0	0	329	329	0	0	314	283
PANOLA	574	201	201	0	0	373	371	0	2	293	281
PEARL RIVER	594	477	473	1	3	117	116	0	1	306	288
PERRY	167	116	115	0	1	51	51	0	0	73	94
PIKE	577	258	253	0	5	319	312	0	7	277	300
PONTOTOC	284	233	233	0	0	51	51	0	0	144	140
PRENTISS	316	275	275	0	0	41	41	0	0	175	141
QUITMAN	206	63	63	0	0	143	143	0	0	116	90
RANKIN	1,121	870	861	0	9	251	251	0	0	616	505
SCOTT	440	235	235	0	0	205	204	1	0	240	200
SHARKEY	187	33	33	0	0	154	154	0	0	104	83
SIMPSON	388	229	229	0	0	159	157	2	0	203	185
SMITH	193	129	129	0	0	64	64	0	0	100	93
STONE	147	104	104	0	0	43	43	0	0	84	63
SUNFLOWER	738	146	146	0	0	592	589	3	0	341	397
TALLAHATCHIE	348	77	77	0	0	271	270	1	0	181	167
TATE	325	160	159	0	1	165	164	0	1	162	163
TIPPAH	267	204	204	0	0	63	63	0	0	141	126
TISHOMINGO	248	234	233	0	1	14	14	0	0	123	125
TUNICA	224	35	34	0	1	189	184	5	0	117	107
UNION	263	214	214	0	0	49	49	0	0	135	128
WALTHALL	263	120	113	0	7	143	134	0	9	141	122
WARREN	881	444	444	0	0	437	436	1	0	436	445
WASHINGTON	1,457	436	435	1	0	1,021	1,015	2	4	737	720
WAYNE	388	194	194	0	0	194	194	0	0	186	202
WEBSTER	146	83	83	0	0	63	63	0	0	66	80
WILKINSON	175	52	52	0	0	123	122	0	1	83	92
WINSTON	310	142	142	0	0	168	164	2	2	161	149
YALOBUSHA	216	114	114	0	0	102	101	0	1	96	120
YAZOO	547	176	176	0	0	371	362	1	8	265	282

NOTE: "HOSP. OR CLINIC" INCLUDES DELIVERY BY PHYSICIAN, CNM, OR ANY OTHER NAMED PERSON. "OTHER" INCLUDES DELIVERY BY ANY PERSON OTHER THAN A PHYSICIAN, AT ANY PLACE OTHER THAN A HOSPITAL OR CLINIC.

LIVE BIRTHS - MISSISSIPPI - 1983

TOWN*	RESIDENCE DATA		
	TOTAL	WHITE	NON-WHITE
BILOXI	1,068	776	292
BROOKHAVEN	177	77	100
CANTON	277	59	218
CLARKSDALE	468	113	355
CLEVELAND	296	97	199
CLINTON	243	200	43
COLUMBUS	408	161	247
CORINTH	174	118	56
GREENVILLE	838	203	635
GREENWOOD	452	135	317
GRENADA	199	72	127
GULFPORT	825	504	321
HATTIESBURG	758	383	375
JACKSON	3,654	1,319	2,335
LAUREL	398	147	251
MCCOMB	194	84	110
MERIDIAN	788	326	462
MOSS POINT	339	100	239
NATCHEZ	368	125	243
OCEAN SPRINGS	283	250	33
PASCAGOULA	586	476	110
PEARL	278	247	31
PICAYUNE	185	105	80
SOUTHAVEN	201	196	5
STARKVILLE	277	144	133
TUPELO	389	269	120
VICKSBURG	496	160	336
YAZOO CITY	248	43	205

** TOWNS OF 10,000 POPULATION OR MORE.*

TABLE 3A

TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1983

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	UN-KNOWN
STATE	43,992	333	9,113	15,560	11,698	5,358	1,589	320	15	6
ADAMS	635	3	123	219	172	88	23	7	0	0
ALCORN	432	1	100	125	136	52	17	1	0	0
AMITE	207	2	38	74	61	26	5	1	0	0
ATTALA	280	4	59	94	77	28	13	5	0	0
BENTON	125	0	29	47	35	9	3	2	0	0
BOLIVAR	1,019	12	265	374	223	97	40	8	0	0
CALHOUN	210	2	51	79	56	17	3	2	0	0
CARROLL	104	0	19	41	26	7	10	1	0	0
CHICKASAW	311	3	77	118	68	31	12	2	0	0
CHOCTAW	126	2	25	48	30	16	2	3	0	0
CLAIBORNE	230	2	41	84	58	33	9	3	0	0
CLARKE	281	2	61	109	70	31	7	1	0	0
CLAY	435	5	89	155	123	43	19	1	0	0
COAHOMA	780	16	225	266	178	69	22	4	0	0
COPIAH	448	5	98	161	114	50	19	1	0	0
COVINGTON	300	3	83	97	71	30	11	5	0	0
DESOTO	705	3	118	238	209	100	31	5	1	0
FORREST	1,170	7	230	417	316	148	41	10	1	0
FRANKLIN	147	1	25	52	41	18	9	1	0	0
GEORGE	311	1	86	127	59	26	11	1	0	0
GREENE	154	0	46	58	34	9	7	0	0	0
GRENADA	314	4	79	113	81	29	7	1	0	0
HANCOCK	395	3	79	151	100	47	14	1	0	0
HARRISON	3,134	12	587	1,235	858	330	101	9	1	1
HINDS	4,491	37	758	1,430	1,380	662	185	36	1	2
HOLMES	539	4	128	182	130	62	23	8	2	0
HUMPHREYS	355	3	102	111	77	44	11	6	1	0
ISSAQUENA	41	1	13	18	6	2	1	0	0	0
ITAWAMBA	245	1	38	112	54	24	15	1	0	0
JACKSON	2,040	14	414	764	541	230	66	11	0	0
JASPER	286	2	53	106	65	42	18	0	0	0
JEFFERSON	171	0	35	54	44	26	9	2	1	0
JEFF DAVIS	242	1	55	98	49	28	6	4	1	0
JONES	1,045	12	180	417	289	118	25	4	0	0
KEMPER	171	3	33	45	43	31	13	2	1	0
LAFAYETTE	369	4	65	134	110	47	9	0	0	0
LAMAR	435	0	67	153	136	57	19	3	0	0
LAUDERDALE	1,334	8	248	485	366	180	44	3	0	0
LAWRENCE	229	2	43	93	64	19	5	3	0	0
LEAKE	322	0	76	124	79	29	10	4	0	0
LEE	946	4	157	336	290	118	33	8	0	0
LEFLORE	851	14	209	288	194	97	43	5	1	0

TOTAL LIVE BIRTHS - MISSISSIPPI - 1983

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	UN-KNOWN
LINCOLN	468	4	94	174	117	58	16	4	1	0
LOWNDES	1,011	11	175	357	289	142	33	4	0	0
MADISON	829	5	152	272	219	137	29	14	1	0
MARION	466	2	108	153	130	55	16	2	0	0
MARSHALL	487	3	106	150	136	75	11	5	0	1
MONROE	582	1	112	195	172	71	29	2	0	0
MONTGOMERY	203	1	58	71	45	25	1	2	0	0
NESHOBA	413	0	88	154	115	41	15	0	0	0
NEWTON	302	2	76	99	64	50	8	3	0	0
NOXUBEE	279	2	55	106	81	23	10	2	0	0
OKTIBBEHA	597	2	97	222	164	71	32	9	0	0
PANOLA	574	5	144	198	139	58	23	7	0	0
PEARL RIVER	594	4	146	222	138	61	18	3	0	2
PERRY	167	1	39	63	31	21	10	2	0	0
PIKE	577	3	122	195	153	80	17	7	0	0
PONTOTOC	284	1	50	92	76	47	16	2	0	0
PRENTISS	316	1	69	120	79	35	10	2	0	0
QUITMAN	206	4	65	74	39	19	3	2	0	0
RANKIN	1,121	5	180	367	331	185	47	6	0	0
SCOTT	440	2	102	155	106	59	12	4	0	0
SHARKEY	187	3	61	55	42	21	4	1	0	0
SIMPSON	388	2	88	137	117	30	12	2	0	0
SMITH	193	1	35	64	59	23	9	2	0	0
STONE	147	1	31	41	41	24	8	1	0	0
SUNFLOWER	738	10	198	248	176	83	20	3	0	0
TALLAHATCHIE	348	3	106	128	67	33	9	2	0	0
TATE	325	1	65	129	83	29	12	6	0	0
TIPPAH	267	0	58	106	67	28	7	1	0	0
TISHOMINGO	248	0	48	89	70	30	9	2	0	0
TUNICA	224	2	79	70	46	20	7	0	0	0
UNION	263	0	49	89	80	36	7	2	0	0
WALTHALL	263	0	67	88	61	30	10	6	1	0
WARREN	881	8	172	288	233	136	40	4	0	0
WASHINGTON	1,457	19	325	507	379	171	46	10	0	0
WAYNE	388	4	92	149	92	30	14	7	0	0
WEBSTER	146	2	28	51	45	18	2	0	0	0
WILKINSON	175	1	44	59	42	17	12	0	0	0
WINSTON	310	2	52	112	93	37	11	2	1	0
YALOBUSHA	216	5	42	78	50	29	7	5	0	0
YAZOO	547	7	128	201	118	70	16	7	0	0

TABLE 3B

WHITE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1983

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	UN-KNOWN
STATE	22,659	43	3,480	8,271	6,913	3,027	811	110	3	1
ADAMS	256	0	35	81	88	40	11	1	0	0
ALCORN	364	0	75	105	120	48	15	1	0	0
AMITE	92	0	10	36	29	13	3	1	0	0
ATTALA	119	0	10	45	42	15	7	0	0	0
BENTON	62	0	15	26	13	7	1	0	0	0
BOLIVAR	217	0	25	74	83	26	6	3	0	0
CALHOUN	129	0	21	50	43	14	1	0	0	0
CARROLL	41	0	4	16	13	3	5	0	0	0
CHICKASAW	150	1	35	59	35	15	5	0	0	0
CHOCTAW	61	1	7	21	20	10	1	1	0	0
CLAIBORNE	40	0	1	10	18	10	1	0	0	0
CLARKE	125	0	19	61	30	13	2	0	0	0
CLAY	157	1	23	58	50	20	5	0	0	0
COAHOMA	165	0	25	53	58	22	6	1	0	0
COPIAH	169	0	28	67	46	23	4	1	0	0
COVINGTON	140	1	26	52	42	12	6	1	0	0
DESOTO	546	0	72	186	175	86	25	2	0	0
FORREST	728	0	116	261	218	105	21	6	1	0
FRANKLIN	86	0	10	29	27	15	5	0	0	0
GEORGE	262	1	69	109	52	21	9	1	0	0
GREENE	107	0	31	40	25	6	5	0	0	0
GRENADA	142	0	25	53	44	16	4	0	0	0
HANCOCK	342	3	63	129	89	44	13	1	0	0
HARRISON	2,292	3	398	911	670	236	69	4	1	0
HINDS	1,750	3	151	521	669	311	88	7	0	0
HOLMES	83	0	10	30	24	15	3	1	0	0
HUMPHREYS	84	0	14	31	22	13	3	1	0	0
ISSAQUENA	10	0	2	5	2	1	0	0	0	0
ITAWAMBA	220	0	34	103	47	20	15	1	0	0
JACKSON	1,553	6	283	593	434	178	50	9	0	0
JASPER	96	0	12	32	25	20	7	0	0	0
JEFFERSON	19	0	3	7	3	6	0	0	0	0
JEFF DAVIS	92	0	16	42	16	14	3	1	0	0
JONES	650	4	89	267	201	71	16	2	0	0
KEMPER	51	0	8	10	17	13	2	1	0	0
LAFAYETTE	184	0	20	67	65	25	7	0	0	0
LAMAR	375	0	53	129	119	54	17	3	0	0
LAUDERDALE	693	1	90	264	211	99	26	2	0	0
LAWRENCE	142	0	21	61	40	13	4	3	0	0
LEAKE	132	0	26	53	35	12	3	3	0	0
LEE	675	1	92	233	225	89	28	7	0	0
LEFLORE	234	1	27	78	72	44	12	0	0	0

WHITE LIVE BIRTHS - MISSISSIPPI - 1983

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	UN-KNOWN
LINCOLN	282	0	38	120	81	34	6	2	1	0
LOWNDES	555	2	68	224	177	73	9	2	0	0
MADISON	334	2	19	103	121	78	10	1	0	0
MARION	301	1	62	107	90	32	8	1	0	0
MARSHALL	178	0	31	64	50	30	2	1	0	0
MONROE	333	0	64	121	96	37	14	1	0	0
MONTGOMERY	72	0	19	18	24	11	0	0	0	0
NESHOBA	214	0	43	77	65	22	7	0	0	0
NEWTON	169	0	31	61	40	32	5	0	0	0
NOXUBEE	64	0	3	19	26	12	4	0	0	0
OKTIBBEHA	268	0	20	96	96	37	16	3	0	0
PANOLA	201	0	29	77	65	21	7	2	0	0
PEARL RIVER	477	1	109	182	120	46	15	3	0	1
PERRY	116	1	28	50	21	9	6	1	0	0
PIKE	258	2	39	91	80	38	7	1	0	0
PONTOTOC	233	1	35	76	65	41	14	1	0	0
PRENTISS	275	1	60	102	71	30	9	2	0	0
QUITMAN	63	2	9	26	17	9	0	0	0	0
RANKIN	870	2	120	287	281	144	34	2	0	0
SCOTT	235	0	49	85	55	37	8	1	0	0
SHARKEY	33	0	7	9	11	6	0	0	0	0
SIMPSON	229	0	42	94	71	15	7	0	0	0
SMITH	129	0	19	47	40	15	7	1	0	0
STONE	104	0	16	37	27	17	7	0	0	0
SUNFLOWER	146	0	21	50	56	17	2	0	0	0
TALLAHATCHIE	77	0	10	32	19	14	1	1	0	0
TATE	160	0	20	64	51	17	5	3	0	0
TIPPAH	204	0	44	83	51	20	5	1	0	0
TISHOMINGO	234	0	47	83	65	28	9	2	0	0
TUNICA	35	0	4	13	9	8	1	0	0	0
UNION	214	0	38	72	67	29	6	2	0	0
WALTHALL	120	0	25	42	36	13	3	1	0	0
WARREN	444	0	51	145	145	81	19	3	0	0
WASHINGTON	436	1	53	156	147	65	11	3	0	0
WAYNE	194	0	35	83	51	15	8	2	0	0
WEBSTER	83	0	11	33	26	13	0	0	0	0
WILKINSON	52	0	10	12	15	9	6	0	0	0
WINSTON	142	0	13	61	46	15	7	0	0	0
YALOBUSHA	114	0	21	42	31	13	5	2	0	0
YAZOO	176	0	23	69	51	26	7	0	0	0

TABLE 3C

NONWHITE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1983

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	UN-KNOWN
STATE	21,333	290	5,633	7,289	4,785	2,331	778	210	12	5
ADAMS	379	3	88	138	84	48	12	6	0	0
ALCORN	68	1	25	20	16	4	2	0	0	0
AMITE	115	2	28	38	32	13	2	0	0	0
ATTALA	161	4	49	49	35	13	6	5	0	0
BENTON	63	0	14	21	22	2	2	2	0	0
BOLIVAR	802	12	240	300	140	71	34	5	0	0
CALHOUN	81	2	30	29	13	3	2	2	0	0
CARROLL	63	0	15	25	13	4	5	1	0	0
CHICKASAW	161	2	42	59	33	16	7	2	0	0
CHOCTAW	65	1	18	27	10	6	1	2	0	0
CLAIBORNE	190	2	40	74	40	23	8	3	0	0
CLARKE	156	2	42	48	40	18	5	1	0	0
CLAY	278	4	66	97	73	23	14	1	0	0
COAHOMA	615	16	200	213	120	47	16	3	0	0
COPIAH	279	5	70	94	68	27	15	0	0	0
COVINGTON	160	2	57	45	29	18	5	4	0	0
DESOTO	159	3	46	52	34	14	6	3	1	0
FORREST	442	7	114	156	98	43	20	4	0	0
FRANKLIN	61	1	15	23	14	3	4	1	0	0
GEORGE	49	0	17	18	7	5	2	0	0	0
GREENE	47	0	15	18	9	3	2	0	0	0
GRENADA	172	4	54	60	37	13	3	1	0	0
HANCOCK	53	0	16	22	11	3	1	0	0	0
HARRISON	842	9	189	324	188	94	32	5	0	1
HINDS	2,741	34	607	909	711	351	97	29	1	2
HOLMES	456	4	118	152	106	47	20	7	2	0
HUMPHREYS	271	3	88	80	55	31	8	5	1	0
ISSAQUENA	31	1	11	13	4	1	1	0	0	0
ITAWAMBA	25	1	4	9	7	4	0	0	0	0
JACKSON	487	8	131	171	107	52	16	2	0	0
JASPER	190	2	41	74	40	22	11	0	0	0
JEFFERSON	152	0	32	47	41	20	9	2	1	0
JEFF DAVIS	150	1	39	56	33	14	3	3	1	0
JONES	395	8	91	150	88	47	9	2	0	0
KEMPER	120	3	25	35	26	18	11	1	1	0
LAFAYETTE	185	4	45	67	45	22	2	0	0	0
LAMAR	60	0	14	24	17	3	2	0	0	0
LAUDERDALE	641	7	158	221	155	81	18	1	0	0
LAWRENCE	87	2	22	32	24	6	1	0	0	0
LEAKE	190	0	50	71	44	17	7	1	0	0
LEE	271	3	65	103	65	29	5	1	0	0
LEFLORE	617	13	182	210	122	53	31	5	1	0

NONWHITE LIVE BIRTHS - MISSISSIPPI - 1983

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	UN-KNOWN
LINCOLN	186	4	56	54	36	24	10	2	0	0
LOWNDES	456	9	107	133	112	69	24	2	0	0
MADISON	495	3	133	169	98	59	19	13	1	0
MARION	165	1	46	46	40	23	8	1	0	0
MARSHALL	309	3	75	86	86	45	9	4	0	1
MONROE	249	1	48	74	76	34	15	1	0	0
MONTGOMERY	131	1	39	53	21	14	1	2	0	0
NESHOBA	199	0	45	77	50	19	8	0	0	0
NEWTON	133	2	45	38	24	18	3	3	0	0
NOXUBEE	215	2	52	87	55	11	6	2	0	0
OKTIBBEHA	329	2	77	126	68	34	16	6	0	0
PANOLA	373	5	115	121	74	37	16	5	0	0
PEARL RIVER	117	3	37	40	18	15	3	0	0	1
PERRY	51	0	11	13	10	12	4	1	0	0
PIKE	319	1	83	104	73	42	10	6	0	0
PONTOTOC	51	0	15	16	11	6	2	1	0	0
PRENTISS	41	0	9	18	8	5	1	0	0	0
QUITMAN	143	2	56	48	22	10	3	2	0	0
RANKIN	251	3	60	80	50	41	13	4	0	0
SCOTT	205	2	53	70	51	22	4	3	0	0
SHARKEY	154	3	54	46	31	15	4	1	0	0
SIMPSON	159	2	46	43	46	15	5	2	0	0
SMITH	64	1	16	17	19	8	2	1	0	0
STONE	43	1	15	4	14	7	1	1	0	0
SUNFLOWER	592	10	177	198	120	66	18	3	0	0
TALLAHATCHIE	271	3	96	96	48	19	8	1	0	0
TATE	165	1	45	65	32	12	7	3	0	0
TIPPAH	63	0	14	23	16	8	2	0	0	0
TISHOMINGO	14	0	1	6	5	2	0	0	0	0
TUNICA	189	2	75	57	37	12	6	0	0	0
UNION	49	0	11	17	13	7	1	0	0	0
WALTHALL	143	0	42	46	25	17	7	5	1	0
WARREN	437	8	121	143	88	55	21	1	0	0
WASHINGTON	1,021	18	272	351	232	106	35	7	0	0
WAYNE	194	4	57	66	41	15	6	5	0	0
WEBSTER	63	2	17	18	19	5	2	0	0	0
WILKINSON	123	1	34	47	27	8	6	0	0	0
WINSTON	168	2	39	51	47	22	4	2	1	0
YALOBUSHA	102	5	21	36	19	16	2	3	0	0
YAZOO	371	7	105	132	67	44	9	7	0	0

TABLE 4

ILLEGITIMATE LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1983

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	13,713	1,586	12,127	31.2	7.0	56.8
ADAMS	236	8	228	37.2	3.1	60.2
ALCORN	70	27	43	16.2	7.4	63.2
AMITE	59	3	56	28.5	3.3	48.7
ATTALA	87	4	83	31.1	3.4	51.6
BENTON	36	6	30	28.8	9.7	47.6
BOLIVAR	578	14	564	56.7	6.4	70.3
CALHOUN	48	6	42	22.8	4.6	51.8
CARROLL	38	2	36	36.5	4.9	57.1
CHICKASAW	79	10	69	25.4	6.7	42.8
CHOCTAW	34	1	33	27.0	1.6	50.8
CLAIBORNE	113	1	112	49.1	2.5	58.9
CLARKE	95	15	80	33.8	12.0	51.3
CLAY	150	12	138	34.5	7.6	49.6
COAHOMA	443	15	428	56.8	9.1	69.6
COPIAH	168	10	158	37.5	5.9	56.6
COVINGTON	95	9	86	31.7	6.4	53.8
DESOTO	136	46	90	19.3	8.4	56.6
FORREST	326	73	253	27.9	10.0	57.2
FRANKLIN	41	4	37	27.9	4.6	60.6
GEORGE	48	20	28	15.4	7.6	57.1
GREENE	35	8	27	22.7	7.5	57.4
GRENADA	118	8	110	37.6	5.6	64.0
HANCOCK	73	43	30	18.5	12.6	56.6
HARRISON	601	216	385	19.2	9.4	45.7
HINDS	1,591	109	1,482	35.4	6.2	54.1
HOLMES	271	5	266	50.3	6.0	58.3
HUMPHREYS	180	7	173	50.7	8.3	63.8
ISSAQUENA	27	1	26	65.8	10.0	83.9
ITAWAMBA	32	21	11	13.1	9.5	44.0
JACKSON	391	138	253	19.2	8.9	52.0
JASPER	88	4	84	30.8	4.2	44.2
JEFFERSON	82	0	82	48.0	-	53.9
JEFF DAVIS	84	3	81	34.7	3.3	54.0
JONES	230	32	198	22.0	4.9	50.1
KEMPER	49	1	48	28.6	2.0	40.0
LAFAYETTE	99	4	95	26.8	2.2	51.4
LAMAR	51	18	33	11.7	4.8	55.0
LAUDERDALE	389	37	352	29.2	5.3	54.9
LAWRENCE	52	2	50	22.7	1.4	57.5
LEAKE	90	5	85	28.0	3.8	44.7
LEE	182	47	135	19.2	7.0	49.8
LEFLORE	423	18	405	49.7	7.7	65.6

ILLEGITIMATE LIVE BIRTHS - MISSISSIPPI - 1983

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	118	16	102	25.2	5.7	54.8
LOWNDES	274	30	244	27.1	5.4	53.5
MADISON	312	11	301	37.6	3.3	60.8
MARION	89	14	75	19.1	4.6	45.4
MARSHALL	190	15	175	39.0	8.4	56.6
MONROE	141	22	119	24.2	6.6	47.8
MONTGOMERY	94	4	90	46.3	5.6	68.7
NESHOBA	107	10	97	25.9	4.7	48.7
NEWTON	75	7	68	24.8	4.1	51.1
NOXUBEE	126	1	125	45.2	1.6	58.1
OKTIBBEHA	208	12	196	34.8	4.5	59.6
PANOLA	239	17	222	41.6	8.4	59.5
PEARL RIVER	129	55	74	21.7	11.5	63.2
PERRY	33	10	23	19.8	8.6	45.1
PIKE	191	18	173	33.1	7.0	54.2
PONTOTOC	46	18	28	16.2	7.7	54.9
PRENTISS	44	24	20	13.9	8.7	48.8
QUITMAN	112	5	107	54.4	7.9	74.8
RANKIN	161	56	105	14.4	6.4	41.8
SCOTT	99	11	88	22.5	4.7	42.9
SHARKEY	114	2	112	61.0	6.1	72.7
SIMPSON	95	15	80	24.5	6.6	50.3
SMITH	32	7	25	16.6	5.4	39.1
STONE	36	10	26	24.5	9.6	60.5
SUNFLOWER	379	12	367	51.4	8.2	62.0
TALLAHATCHIE	193	7	186	55.5	9.1	68.6
TATE	98	10	88	30.2	6.2	53.3
TIPPAH	40	11	29	15.0	5.4	46.0
TISHOMINGO	16	12	4	6.4	5.1	28.6
TUNICA	141	2	139	62.9	5.7	73.5
UNION	41	15	26	15.6	7.0	53.1
WALTHALL	78	7	71	29.6	5.8	49.6
WARREN	312	29	283	35.4	6.5	64.8
WASHINGTON	701	27	674	48.1	6.2	66.0
WAYNE	120	17	103	30.9	8.8	53.1
WEBSTER	42	11	31	28.8	13.2	49.2
WILKINSON	82	3	79	46.8	5.8	64.2
WINSTON	93	4	89	30.0	2.8	53.0
YALOBUSHA	66	8	58	30.6	7.0	56.9
YAZOO	228	8	220	41.7	4.5	59.3

TABLE 5A

TOTAL ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1983

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	UN-KNOWN
STATE	13,713	319	5,676	4,801	1,884	747	218	63	2	3
ADAMS	236	3	87	95	28	19	4	0	0	0
ALCORN	70	1	35	15	14	4	1	0	0	0
AMITE	59	2	26	19	10	2	0	0	0	0
ATTALA	87	4	38	25	13	5	1	1	0	0
BENTON	36	0	14	16	5	0	1	0	0	0
BOLIVAR	578	12	237	228	58	26	14	3	0	0
CALHOUN	48	2	26	14	5	0	1	0	0	0
CARROLL	38	0	15	18	3	2	0	0	0	0
CHICKASAW	79	2	39	26	9	2	1	0	0	0
CHOCTAW	34	1	15	15	1	1	0	1	0	0
CLAIBORNE	113	2	37	50	15	6	1	2	0	0
CLARKE	95	2	36	32	15	10	0	0	0	0
CLAY	150	5	52	57	23	9	4	0	0	0
COAHOMA	443	16	189	159	56	18	3	2	0	0
COPIAH	168	5	65	54	28	9	7	0	0	0
COVINGTON	95	3	49	28	9	4	1	1	0	0
DESOTO	136	3	54	52	13	9	5	0	0	0
FORREST	326	7	142	114	43	13	6	1	0	0
FRANKLIN	41	1	16	16	6	1	1	0	0	0
GEORGE	48	1	25	14	2	4	2	0	0	0
GREENE	35	0	20	9	4	2	0	0	0	0
GRENADA	118	4	53	43	13	4	1	0	0	0
HANCOCK	73	3	30	27	9	3	1	0	0	0
HARRISON	601	12	256	208	87	29	9	0	0	0
HINDS	1,591	36	599	582	260	83	22	7	0	2
HOLMES	271	4	105	80	50	20	9	2	1	0
HUMPHREYS	180	3	79	51	27	15	2	2	1	0
ISSAQUENA	27	1	11	11	3	0	1	0	0	0
ITAWAMBA	32	1	12	13	3	3	0	0	0	0
JACKSON	391	11	195	128	40	14	3	0	0	0
JASPER	88	2	38	31	11	4	2	0	0	0
JEFFERSON	82	0	24	29	15	9	5	0	0	0
JEFF DAVIS	84	1	38	27	13	5	0	0	0	0
JONES	230	9	85	89	37	7	2	1	0	0
KEMPER	49	3	21	16	6	1	2	0	0	0
LAFAYETTE	99	4	41	35	14	4	1	0	0	0
LAMAR	51	0	21	20	8	2	0	0	0	0
LAUDERDALE	389	8	154	136	52	35	3	1	0	0
LAWRENCE	52	2	19	22	8	1	0	0	0	0
LEAKE	90	0	39	37	8	5	1	0	0	0
LEE	182	4	65	62	37	11	3	0	0	0
LEFLORE	423	14	173	150	57	19	6	4	0	0

TOTAL ILLEGITIMATE LIVE BIRTHS - MISSISSIPPI - 1983

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	UN-KNOWN
LINCOLN	118	4	62	30	11	6	4	1	0	0
LOWNDES	274	11	105	92	46	12	7	1	0	0
MADISON	312	4	124	107	43	19	11	4	0	0
MARION	89	2	43	26	13	4	1	0	0	0
MARSHALL	190	3	71	60	36	15	3	2	0	0
MONROE	141	1	58	39	28	9	4	2	0	0
MONTGOMERY	94	1	43	38	5	6	1	0	0	0
NESHOBA	107	0	47	40	13	7	0	0	0	0
NEWTON	75	2	37	20	5	9	1	1	0	0
NOXUBEE	126	2	44	52	21	6	1	0	0	0
OKTIBBEHA	208	2	72	86	30	8	8	2	0	0
PANOLA	239	5	108	79	29	13	3	2	0	0
PEARL RIVER	129	4	65	41	14	3	1	0	0	1
PERRY	33	1	17	9	2	3	1	0	0	0
PIKE	191	1	80	70	27	10	2	1	0	0
PONTOTOC	46	1	19	14	5	5	1	1	0	0
PRENTISS	44	1	21	14	5	3	0	0	0	0
QUITMAN	112	2	53	42	9	5	1	0	0	0
RANKIN	161	5	69	53	17	13	4	0	0	0
SCOTT	99	2	45	31	13	6	1	1	0	0
SHARKEY	114	3	54	33	15	6	2	1	0	0
SIMPSON	95	2	49	23	17	4	0	0	0	0
SMITH	32	1	15	10	5	1	0	0	0	0
STONE	36	1	16	7	7	3	1	1	0	0
SUNFLOWER	379	10	157	128	53	25	5	1	0	0
TALLAHATCHIE	193	3	91	70	17	9	1	2	0	0
TATE	98	1	43	36	12	3	1	2	0	0
TIPPAH	40	0	20	13	6	1	0	0	0	0
TISHOMINGO	16	0	10	4	2	0	0	0	0	0
TUNICA	141	2	71	45	13	8	2	0	0	0
UNION	41	0	16	19	4	2	0	0	0	0
WALTHALL	78	0	34	22	11	6	2	3	0	0
WARREN	312	8	126	108	40	22	8	0	0	0
WASHINGTON	701	19	267	258	112	41	3	1	0	0
WAYNE	120	4	53	37	18	5	3	0	0	0
WEBSTER	42	2	15	9	13	3	0	0	0	0
WILKINSON	82	1	32	35	7	2	5	0	0	0
WINSTON	93	2	38	32	12	8	1	0	0	0
YALOBUSHA	66	5	17	31	7	4	0	2	0	0
YAZOO	228	7	94	85	23	12	3	4	0	0

TABLE 5B

WHITE ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1983

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	UN-KNOWN
STATE	1,586	30	723	536	200	69	24	4	0	0
ADAMS	8	0	5	1	2	0	0	0	0	0
ALCORN	27	0	16	4	3	3	1	0	0	0
AMITE	3	0	3	0	0	0	0	0	0	0
ATTALA	4	0	0	2	1	1	0	0	0	0
BENTON	6	0	2	4	0	0	0	0	0	0
BOLIVAR	14	0	5	5	1	1	1	1	0	0
CALHOUN	6	0	2	3	1	0	0	0	0	0
CARROLL	2	0	2	0	0	0	0	0	0	0
CHICKASAW	10	0	6	4	0	0	0	0	0	0
CHOCTAW	1	0	0	1	0	0	0	0	0	0
CLAIBORNE	1	0	1	0	0	0	0	0	0	0
CLARKE	15	0	4	10	0	1	0	0	0	0
CLAY	12	1	1	8	2	0	0	0	0	0
COAHOMA	15	0	3	6	3	2	0	1	0	0
COPIAH	10	0	5	3	1	1	0	0	0	0
COVINGTON	9	1	4	3	0	0	1	0	0	0
DESOTO	46	0	15	24	4	1	2	0	0	0
FORREST	73	0	36	22	11	4	0	0	0	0
FRANKLIN	4	0	1	2	1	0	0	0	0	0
GEORGE	20	1	10	5	1	2	1	0	0	0
GREENE	8	0	7	0	1	0	0	0	0	0
GRENADA	8	0	4	4	0	0	0	0	0	0
HANCOCK	43	3	17	15	5	3	0	0	0	0
HARRISON	216	3	105	65	29	11	3	0	0	0
HINDS	109	2	47	35	15	5	5	0	0	0
HOLMES	5	0	2	1	2	0	0	0	0	0
HUMPHREYS	7	0	1	5	0	1	0	0	0	0
ISSAQUENA	1	0	0	1	0	0	0	0	0	0
ITAWAMBA	21	0	8	8	2	3	0	0	0	0
JACKSON	138	3	78	35	16	5	1	0	0	0
JASPER	4	0	4	0	0	0	0	0	0	0
JEFFERSON	0	0	0	0	0	0	0	0	0	0
JEFF DAVIS	3	0	2	0	1	0	0	0	0	0
JONES	32	1	10	14	6	1	0	0	0	0
KEMPER	1	0	0	0	0	1	0	0	0	0
LAFAYETTE	4	0	2	2	0	0	0	0	0	0
LAMAR	18	0	8	6	3	1	0	0	0	0
LAUDERDALE	37	1	12	17	5	2	0	0	0	0
LAWRENCE	2	0	1	1	0	0	0	0	0	0
LEAKE	5	0	2	2	1	0	0	0	0	0
LEE	47	1	14	17	12	1	2	0	0	0
LEFLORE	18	1	9	7	1	0	0	0	0	0

WHITE ILLEGITIMATE LIVE BIRTHS - MISSISSIPPI - 1983

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	UN-KNOWN
LINCOLN	16	0	9	7	0	0	0	0	0	0
LOWNDES	30	2	9	15	4	0	0	0	0	0
MADISON	11	1	2	5	2	0	1	0	0	0
MARION	14	1	6	4	2	1	0	0	0	0
MARSHALL	15	0	8	6	0	1	0	0	0	0
MONROE	22	0	14	3	3	0	1	1	0	0
MONTGOMERY	4	0	4	0	0	0	0	0	0	0
NESHOBA	10	0	8	2	0	0	0	0	0	0
NEWTON	7	0	4	3	0	0	0	0	0	0
NOXUBEE	1	0	1	0	0	0	0	0	0	0
OKTIBBEHA	12	0	5	7	0	0	0	0	0	0
PANOLA	17	0	8	5	4	0	0	0	0	0
PEARL RIVER	55	1	31	16	5	2	0	0	0	0
PERRY	10	1	7	2	0	0	0	0	0	0
PIKE	18	0	10	4	4	0	0	0	0	0
PONTOTOC	18	1	5	6	4	2	0	0	0	0
PRENTISS	24	1	14	6	3	0	0	0	0	0
QUITMAN	5	1	0	4	0	0	0	0	0	0
RANKIN	56	2	23	20	8	1	2	0	0	0
SCOTT	11	0	7	2	0	2	0	0	0	0
SHARKEY	2	0	2	0	0	0	0	0	0	0
SIMPSON	15	0	8	4	3	0	0	0	0	0
SMITH	7	0	2	3	1	1	0	0	0	0
STONE	10	0	2	4	1	2	1	0	0	0
SUNFLOWER	12	0	6	4	2	0	0	0	0	0
TALLAHATCHIE	7	0	4	2	0	0	0	1	0	0
TATE	10	0	5	5	0	0	0	0	0	0
TIPPAH	11	0	7	3	1	0	0	0	0	0
TISHOMINGO	12	0	9	2	1	0	0	0	0	0
TUNICA	2	0	1	0	0	1	0	0	0	0
UNION	15	0	6	7	2	0	0	0	0	0
WALTHALL	7	0	3	3	1	0	0	0	0	0
WARREN	29	0	11	10	4	3	1	0	0	0
WASHINGTON	27	1	14	6	5	1	0	0	0	0
WAYNE	17	0	5	6	5	1	0	0	0	0
WEBSTER	11	0	2	4	4	1	0	0	0	0
WILKINSON	3	0	2	0	0	0	1	0	0	0
WINSTON	4	0	2	2	0	0	0	0	0	0
YALOBUSHA	8	0	0	8	0	0	0	0	0	0
YAZOO	8	0	3	4	1	0	0	0	0	0

TABLE 5C

NONWHITE ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER, MISSISSIPPI, 1983

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	UN-KNOWN
STATE	12,127	289	4,953	4,265	1,684	678	194	59	2	3
ADAMS	228	3	82	94	26	19	4	0	0	0
ALCORN	43	1	19	11	11	1	0	0	0	0
AMITE	56	2	23	19	10	2	0	0	0	0
ATTALA	83	4	38	23	12	4	1	1	0	0
BENTON	30	0	12	12	5	0	1	0	0	0
BOLIVAR	564	12	232	223	57	25	13	2	0	0
CALHOUN	42	2	24	11	4	0	1	0	0	0
CARROLL	36	0	13	18	3	2	0	0	0	0
CHICKASAW	69	2	33	22	9	2	1	0	0	0
CHOCTAW	33	1	15	14	1	1	0	1	0	0
CLAIBORNE	112	2	36	50	15	6	1	2	0	0
CLARKE	80	2	32	22	15	9	0	0	0	0
CLAY	138	4	51	49	21	9	4	0	0	0
COAHOMA	428	16	186	153	53	16	3	1	0	0
COPIAH	158	5	60	51	27	8	7	0	0	0
COVINGTON	86	2	45	25	9	4	0	1	0	0
DESOTO	90	3	39	28	9	8	3	0	0	0
FORREST	253	7	106	92	32	9	6	1	0	0
FRANKLIN	37	1	15	14	5	1	1	0	0	0
GEORGE	28	0	15	9	1	2	1	0	0	0
GREENE	27	0	13	9	3	2	0	0	0	0
GRENADA	110	4	49	39	13	4	1	0	0	0
HANCOCK	30	0	13	12	4	0	1	0	0	0
HARRISON	385	9	151	143	58	18	6	0	0	0
HINDS	1,482	34	552	547	245	78	17	7	0	2
HOLMES	266	4	103	79	48	20	9	2	1	0
HUMPHREYS	173	3	78	46	27	14	2	2	1	0
ISSAQUENA	26	1	11	10	3	0	1	0	0	0
ITAWAMBA	11	1	4	5	1	0	0	0	0	0
JACKSON	253	8	117	93	24	9	2	0	0	0
JASPER	84	2	34	31	11	4	2	0	0	0
JEFFERSON	82	0	24	29	15	9	5	0	0	0
JEFF DAVIS	81	1	36	27	12	5	0	0	0	0
JONES	198	8	75	75	31	6	2	1	0	0
KEMPER	48	3	21	16	6	0	2	0	0	0
LAFAYETTE	95	4	39	33	14	4	1	0	0	0
LAMAR	33	0	13	14	5	1	0	0	0	0
LAUDERDALE	352	7	142	119	47	33	3	1	0	0
LAWRENCE	50	2	18	21	8	1	0	0	0	0
LEAKE	85	0	37	35	7	5	1	0	0	0
LEE	135	3	51	45	25	10	1	0	0	0
LEFLORE	405	13	164	143	56	19	6	4	0	0

NONWHITE ILLEGITIMATE LIVE BIRTHS - MISSISSIPPI - 1983

COUNTY	TOTAL	AGE OF MOTHER								
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	UN-KNOWN
LINCOLN	102	4	53	23	11	6	4	1	0	0
LOWNDES	244	9	96	77	42	12	7	1	0	0
MADISON	301	3	122	102	41	19	10	4	0	0
MARION	75	1	37	22	11	3	1	0	0	0
MARSHALL	175	3	63	54	36	14	3	2	0	0
MONROE	119	1	44	36	25	9	3	1	0	0
MONTGOMERY	90	1	39	38	5	6	1	0	0	0
NESHOBA	97	0	39	38	13	7	0	0	0	0
NEWTON	68	2	33	17	5	9	1	1	0	0
NOXUBEE	125	2	43	52	21	6	1	0	0	0
OKTIBBEHA	196	2	67	79	30	8	8	2	0	0
PANOLA	222	5	100	74	25	13	3	2	0	0
PEARL RIVER	74	3	34	25	9	1	1	0	0	1
PERRY	23	0	10	7	2	3	1	0	0	0
PIKE	173	1	70	66	23	10	2	1	0	0
PONTOTOC	28	0	14	8	1	3	1	1	0	0
PRENTISS	20	0	7	8	2	3	0	0	0	0
QUITMAN	107	1	53	38	9	5	1	0	0	0
RANKIN	105	3	46	33	9	12	2	0	0	0
SCOTT	88	2	38	29	13	4	1	1	0	0
SHARKEY	112	3	52	33	15	6	2	1	0	0
SIMPSON	80	2	41	19	14	4	0	0	0	0
SMITH	25	1	13	7	4	0	0	0	0	0
STONE	26	1	14	3	6	1	0	1	0	0
SUNFLOWER	367	10	151	124	51	25	5	1	0	0
TALLAHATCHIE	186	3	87	68	17	9	1	1	0	0
TATE	88	1	38	31	12	3	1	2	0	0
TIPPAH	29	0	13	10	5	1	0	0	0	0
TISHOMINGO	4	0	1	2	1	0	0	0	0	0
TUNICA	139	2	70	45	13	7	2	0	0	0
UNION	26	0	10	12	2	2	0	0	0	0
WALTHALL	71	0	31	19	10	6	2	3	0	0
WARREN	283	8	115	98	36	19	7	0	0	0
WASHINGTON	674	18	253	252	107	40	3	1	0	0
WAYNE	103	4	48	31	13	4	3	0	0	0
WEBSTER	31	2	13	5	9	2	0	0	0	0
WILKINSON	79	1	30	35	7	2	4	0	0	0
WINSTON	89	2	36	30	12	8	1	0	0	0
YALOBUSHA	58	5	17	23	7	4	0	2	0	0
YAZOO	220	7	91	81	22	12	3	4	0	0

TABLE 6

IMMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1983

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	3,921	1,348	2,573	8.9	5.9	12.1
ADAMS	50	9	41	7.9	3.5	10.8
ALCORN	38	31	7	8.8	8.5	10.3
AMITE	21	5	16	10.1	5.4	13.9
ATTALA	24	7	17	8.6	5.9	10.6
BENTON	12	5	7	9.6	8.1	11.1
BOLIVAR	119	14	105	11.7	6.4	13.1
CALHOUN	19	11	8	9.0	8.5	9.9
CARROLL	14	4	10	13.5	9.8	15.9
CHICKASAW	26	11	15	8.4	7.3	9.3
CHOCTAW	12	3	9	9.5	4.9	13.8
CLAIBORNE	19	3	16	8.3	7.5	8.4
CLARKE	29	9	20	10.3	7.2	12.8
CLAY	39	8	31	9.0	5.1	11.2
COAHOMA	90	12	78	11.5	7.3	12.7
COPIAH	40	6	34	8.9	3.6	12.2
COVINGTON	21	8	13	7.0	5.7	8.1
DESOTO	48	28	20	6.8	5.1	12.6
FORREST	95	38	57	8.1	5.2	12.9
FRANKLIN	10	3	7	6.8	3.5	11.5
GEORGE	22	15	7	7.1	5.7	14.3
GREENE	13	10	3	8.4	9.3	6.4
GRENADA	29	11	18	9.2	7.7	10.5
HANCOCK	35	27	8	8.9	7.9	15.1
HARRISON	261	152	109	8.3	6.6	12.9
HINDS	435	99	336	9.7	5.6	12.2
HOLMES	66	2	64	12.2	2.4	14.0
HUMPHREYS	47	2	45	13.2	2.4	16.6
ISSAQUENA	4	0	4	9.8	-	12.9
ITAWAMBA	19	16	3	7.8	7.3	12.0
JACKSON	111	75	36	5.4	4.8	7.4
JASPER	23	4	19	8.0	4.2	10.0
JEFFERSON	18	2	16	10.5	10.5	10.5
JEFF DAVIS	26	6	20	10.7	6.5	13.3
JONES	95	40	55	9.1	6.2	13.9
KEMPER	16	2	14	9.4	3.9	11.7
LAFAYETTE	21	7	14	5.7	3.8	7.6
LAMAR	34	24	10	7.8	6.4	16.7
LAUDERDALE	109	37	72	8.2	5.3	11.2
LAWRENCE	26	12	14	11.4	8.4	16.1
LEAKE	30	8	22	9.3	6.1	11.6
LEE	94	47	47	9.9	7.0	17.3
LEFLORE	90	17	73	10.6	7.3	11.8

IMMATURE LIVE BIRTHS - MISSISSIPPI - 1983

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	45	16	29	9.6	5.7	15.6
LOWNDES	77	25	52	7.6	4.5	11.4
MADISON	84	22	62	10.1	6.6	12.5
MARION	35	17	18	7.5	5.6	10.9
MARSHALL	47	13	34	9.6	7.3	11.0
MONROE	43	23	20	7.4	6.9	8.0
MONTGOMERY	22	4	18	10.8	5.6	13.7
NESHOBA	22	4	18	5.3	1.9	9.0
NEWTON	15	5	10	5.0	3.0	7.5
NOXUBEE	23	2	21	8.2	3.1	9.8
OKTIBBEHA	66	18	48	11.0	6.7	14.6
PANOLA	50	10	40	8.7	5.0	10.7
PEARL RIVER	59	34	25	9.9	7.1	21.4
PERRY	11	8	3	6.6	6.9	5.9
PIKE	57	13	44	9.9	5.0	13.8
PONTOTOC	15	11	4	5.3	4.7	7.8
PRENTISS	19	18	1	6.0	6.5	2.4
QUITMAN	26	6	20	12.6	9.5	14.0
RANKIN	78	48	30	7.0	5.5	12.0
SCOTT	31	11	20	7.0	4.7	9.8
SHARKEY	20	2	18	10.7	6.1	11.7
SIMPSON	34	16	18	8.8	7.0	11.3
SMITH	14	9	5	7.2	7.0	7.8
STONE	10	4	6	6.8	3.8	14.0
SUNFLOWER	78	12	66	10.6	8.2	11.1
TALLAHATCHIE	47	10	37	13.5	13.0	13.6
TATE	33	15	18	10.2	9.4	10.9
TIPPAH	20	13	7	7.5	6.4	11.1
TISHOMINGO	21	20	1	8.5	8.5	7.1
TUNICA	30	3	27	13.4	8.6	14.3
UNION	17	13	4	6.5	6.1	8.2
WALTHALL	22	6	16	8.4	5.0	11.2
WARREN	69	22	47	7.8	5.0	10.8
WASHINGTON	157	22	135	10.8	5.0	13.2
WAYNE	32	11	21	8.2	5.7	10.8
WEBSTER	21	8	13	14.4	9.6	20.6
WILKINSON	23	2	21	13.1	3.8	17.1
WINSTON	25	5	20	8.1	3.5	11.9
YALOBUSHA	22	7	15	10.2	6.1	14.7
YAZOO	51	10	41	9.3	5.7	11.0

* *BIRTHWEIGHT 2,500 GRAMS OR LESS.*

TABLE 7

PREMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1983

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	5,795	1,913	3,882	13.2	8.4	18.2
ADAMS	102	16	86	16.1	6.2	22.7
ALCORN	56	44	12	13.0	12.1	17.6
AMITE	30	14	16	14.5	15.2	13.9
ATTALA	45	8	37	16.1	6.7	23.0
BENTON	18	10	8	14.4	16.1	12.7
BOLIVAR	195	23	172	19.1	10.6	21.4
CALHOUN	22	11	11	10.5	8.5	13.6
CARROLL	20	3	17	19.2	7.3	27.0
CHICKASAW	49	17	32	15.8	11.3	19.9
CHOCTAW	26	9	17	20.6	14.8	26.2
CLAIBORNE	38	4	34	16.5	10.0	17.9
CLARKE	38	11	27	13.5	8.8	17.3
CLAY	50	11	39	11.5	7.0	14.0
COAHOMA	149	18	131	19.1	10.9	21.3
COPIAH	57	13	44	12.7	7.7	15.8
COVINGTON	38	17	21	12.7	12.1	13.1
DESOTO	67	38	29	9.5	7.0	18.2
FORREST	114	54	60	9.7	7.4	13.6
FRANKLIN	18	7	11	12.2	8.1	18.0
GEORGE	27	18	9	8.7	6.9	18.4
GREENE	18	14	4	11.7	13.1	8.5
GRENADA	42	16	26	13.4	11.3	15.1
HANCOCK	42	36	6	10.6	10.5	11.3
HARRISON	349	198	151	11.1	8.6	17.9
HINDS	670	163	507	14.9	9.3	18.5
HOLMES	105	4	101	19.5	4.8	22.1
HUMPHREYS	52	5	47	14.6	6.0	17.3
ISSAQUENA	7	2	5	17.1	20.0	16.1
ITAWAMBA	28	21	7	11.4	9.5	28.0
JACKSON	201	121	80	9.8	7.8	16.4
JASPER	29	3	26	10.1	3.1	13.7
JEFFERSON	31	1	30	18.1	5.3	19.7
JEFF DAVIS	23	3	20	9.5	3.3	13.3
JONES	125	47	78	12.0	7.2	19.7
KEMPER	24	2	22	14.0	3.9	18.3
LAFAYETTE	32	9	23	8.7	4.9	12.4
LAMAR	40	34	6	9.2	9.1	10.0
LAUDERDALE	139	44	95	10.4	6.3	14.8
LAWRENCE	39	20	19	17.0	14.1	21.8
LEAKE	43	11	32	13.4	8.3	16.8
LEE	115	54	61	12.2	8.0	22.5
LEFLORE	134	22	112	15.7	9.4	18.2

PREMATURE LIVE BIRTHS - MISSISSIPPI - 1983

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	75	26	49	16.0	9.2	26.3
LOWNDES	104	37	67	10.3	6.7	14.7
MADISON	116	23	93	14.0	6.9	18.8
MARION	48	26	22	10.3	8.6	13.3
MARSHALL	66	21	45	13.6	11.8	14.6
MONROE	79	30	49	13.6	9.0	19.7
MONTGOMERY	39	6	33	19.2	8.3	25.2
NESHOBA	38	10	28	9.2	4.7	14.1
NEWTON	25	6	19	8.3	3.6	14.3
NOXUBEE	38	3	35	13.6	4.7	16.3
OKTIBBEHA	90	28	62	15.1	10.4	18.8
PANOLA	78	18	60	13.6	9.0	16.1
PEARL RIVER	66	40	26	11.1	8.4	22.2
PERRY	19	8	11	11.4	6.9	21.6
PIKE	92	30	62	15.9	11.6	19.4
PONTOTOC	19	16	3	6.7	6.9	5.9
PRENTISS	40	34	6	12.6	12.4	14.6
QUITMAN	36	5	31	17.5	7.9	21.7
RANKIN	119	73	46	10.6	8.4	18.3
SCOTT	48	17	31	10.9	7.2	15.1
SHARKEY	25	1	24	13.4	3.0	15.6
SIMPSON	43	18	25	11.1	7.9	15.7
SMITH	28	14	14	14.5	10.8	21.9
STONE	21	9	12	14.3	8.6	27.9
SUNFLOWER	127	12	115	17.2	8.2	19.4
TALLAHATCHIE	59	11	48	17.0	14.3	17.7
TATE	40	11	29	12.3	6.9	17.6
TIPPAH	32	25	7	12.0	12.2	11.1
TISHOMINGO	25	23	2	10.1	9.8	14.3
TUNICA	47	5	42	21.0	14.3	22.2
UNION	35	24	11	13.3	11.2	22.4
WALTHALL	45	9	36	17.1	7.5	25.2
WARREN	105	29	76	11.9	6.5	17.4
WASHINGTON	260	30	230	17.8	6.9	22.5
WAYNE	30	11	19	7.7	5.7	9.8
WEBSTER	21	8	13	14.4	9.6	20.6
WILKINSON	22	3	19	12.6	5.8	15.4
WINSTON	40	13	27	12.9	9.2	16.1
YALOBUSHA	30	9	21	13.9	7.9	20.6
YAZOO	78	15	63	14.3	8.5	17.0

* *GESTATION LESS THAN 37 WEEKS.*

TABLE 8

FETAL DEATHS

REPORTABLE* FETAL DEATHS, BY COUNTY OF OCCURRENCE AND RACE,
ALSO REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY COUNTY OF RESIDENCE AND RACE,
MISSISSIPPI, 1983

	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
COUNTY	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	641	242	399	639	241	398	14.5	10.6	18.6
ADAMS	16	2	14	8	0	8	12.6	-	21.1
ALCORN	7	5	2	7	5	2	16.2	13.7	29.4
AMITE	0	0	0	0	0	0	-	-	-
ATTALA	2	0	2	7	2	5	25.0	16.8	31.0
BENTON	0	0	0	4	1	3	32.0	16.1	47.6
BOLIVAR	11	0	11	13	0	13	12.8	-	16.2
CALHOUN	0	0	0	5	2	3	23.8	15.5	37.0
CARROLL	0	0	0	0	0	0	-	-	-
CHICKASAW	1	1	0	8	1	7	25.7	6.7	43.5
CHOCTAW	0	0	0	4	2	2	31.7	32.8	30.8
CLAIBORNE	2	0	2	4	0	4	17.4	-	21.0
CLARKE	0	0	0	4	2	2	14.2	16.0	12.8
CLAY	2	0	2	6	0	6	13.8	-	21.6
COAHOMA	18	1	17	13	0	13	16.7	-	21.1
COPIAH	2	1	1	4	2	2	8.9	11.8	7.2
COVINGTON	8	3	5	9	4	5	30.0	28.6	31.2
DESOTO	0	0	0	4	3	1	5.7	5.5	6.3
FORREST	13	8	5	10	7	3	8.5	9.6	6.8
FRANKLIN	0	0	0	1	0	1	6.8	-	16.4
GEORGE	3	2	1	5	2	3	16.1	7.6	61.2
GREENE	0	0	0	2	2	0	13.0	18.7	-
GRENADA	12	4	8	6	2	4	19.1	14.1	23.2
HANCOCK	2	2	0	6	5	1	15.2	14.6	18.9
HARRISON	45	29	16	41	26	15	13.1	11.3	17.8
HINDS	150	42	108	71	18	53	15.8	10.3	19.3
HOLMES	0	0	0	5	0	5	9.3	-	11.0
HUMPHREYS	1	0	1	3	0	3	8.4	-	11.1
ISSAQUENA	0	0	0	0	0	0	-	-	-
ITAWAMBA	0	0	0	4	4	0	16.3	18.2	-
JACKSON	24	17	7	22	16	6	10.8	10.3	12.3
JASPER	0	0	0	5	2	3	17.5	20.8	15.8
JEFFERSON	1	0	1	6	3	3	35.1	157.9	19.7
JEFF DAVIS	0	0	0	2	1	1	8.3	10.9	6.7
JONES	29	13	16	18	8	10	17.2	12.3	25.3
KEMPER	0	0	0	3	0	3	17.5	-	25.0
LAFAYETTE	9	1	8	5	1	4	13.6	5.4	21.6
LAMAR	1	1	0	2	1	1	4.6	2.7	16.7
LAUDERDALE	33	16	17	18	6	12	13.5	8.6	18.7
LAWRENCE	0	0	0	6	0	6	26.2	-	69.0
LEAKE	2	1	1	4	3	1	12.4	22.7	5.3

FETAL DEATHS - MISSISSIPPI - 1983

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LEE	30	17	13	9	7	2	9.5	10.4	7.4
LEFLORE	18	3	15	16	2	14	18.8	8.5	22.7
LINCOLN	4	0	4	8	3	5	17.1	10.6	26.9
LOWNDES	13	9	4	14	9	5	13.8	16.2	11.0
MADISON	0	0	0	9	1	8	10.8	3.0	16.2
MARION	3	1	2	4	2	2	8.6	6.6	12.1
MARSHALL	0	0	0	3	1	2	6.2	5.6	6.5
MONROE	13	11	2	8	7	1	13.7	21.0	4.0
MONTGOMERY	3	0	3	5	2	3	24.6	27.8	22.9
NESHOBA	2	2	0	6	4	2	14.5	18.7	10.0
NEWTON	1	0	1	5	2	3	16.6	11.8	22.6
NOXUBEE	7	0	7	11	1	10	39.4	15.6	46.5
OKTIBBEHA	16	1	15	11	2	9	18.4	7.5	27.4
PANOLA	9	0	9	13	0	13	22.6	-	34.8
PEARL RIVER	7	7	0	7	7	0	11.8	14.7	-
PERRY	2	2	0	0	0	0	-	-	-
PIKE	15	8	7	12	5	7	20.8	19.4	21.9
PONTOTOC	0	0	0	3	1	2	10.6	4.3	39.2
PRENTISS	0	0	0	3	2	1	9.5	7.3	24.4
QUITMAN	3	0	3	4	0	4	19.4	-	28.0
RANKIN	15	10	5	12	10	2	10.7	11.5	8.0
SCOTT	2	1	1	10	4	6	22.7	17.0	29.3
SHARKEY	0	0	0	4	0	4	21.4	-	26.0
SIMPSON	2	1	1	4	1	3	10.3	4.4	18.9
SMITH	0	0	0	4	2	2	20.7	15.5	31.2
STONE	0	0	0	3	1	2	20.4	9.6	46.5
SUNFLOWER	13	2	11	14	2	12	19.0	13.7	20.3
TALLAHATCHIE	6	2	4	9	3	6	25.9	39.0	22.1
TATE	5	1	4	4	1	3	12.3	6.2	18.2
TIPPAH	1	1	0	2	1	1	7.5	4.9	15.9
TISHOMINGO	2	2	0	5	5	0	20.2	21.4	-
TUNICA	1	0	1	0	0	0	-	-	-
UNION	3	3	0	3	3	0	11.4	14.0	-
WALTHALL	0	0	0	2	2	0	7.6	16.7	-
WARREN	17	2	15	13	2	11	14.8	4.5	25.2
WASHINGTON	19	3	16	25	5	20	17.2	11.5	19.6
WAYNE	4	1	3	9	5	4	23.2	25.8	20.6
WEBSTER	6	3	3	6	3	3	41.1	36.1	47.6
WILKINSON	3	0	3	4	0	4	22.8	-	32.5
WINSTON	0	0	0	3	1	2	9.7	7.0	11.9
YALOBUSHA	0	0	0	2	0	2	9.2	-	19.6
YAZOO	2	0	2	5	1	4	9.1	5.7	10.8
OUT OF STATE	19	11	8	21	12	9			

* *SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.*

** *REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.*

MAJOR TABLES
DEATHS

TABLE 9

DEATHS

DEATHS, BY PLACE OF OCCURRENCE AND RACE,
ALSO DEATHS, BY PLACE OF RESIDENCE AND RACE,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 1983

	OCCURRENCE DATA			RESIDENCE DATA		
COUNTY	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	23,314	14,822	8,492	23,831	15,250	8,581
ADAMS	479	243	236	415	196	219
ALCORN	272	235	37	318	280	38
AMITE	56	29	27	144	81	63
ATTALA	203	139	64	240	161	79
BENTON	19	13	6	69	44	25
BOLIVAR	411	153	258	468	189	279
CALHOUN	109	84	25	165	123	42
CARROLL	11	8	3	73	46	27
CHICKASAW	121	85	36	181	125	56
CHOCTAW	58	38	20	94	67	27
CLAIBORNE	74	19	55	103	30	73
CLARKE	145	83	62	206	121	85
CLAY	160	91	69	200	116	84
COAHOMA	410	172	238	421	163	258
COPIAH	181	111	70	262	154	108
COVINGTON	117	89	28	178	129	49
DESOTO	142	91	51	352	264	88
FORREST	779	562	217	651	478	173
FRANKLIN	84	55	29	103	66	37
GEORGE	106	97	9	136	126	10
GREENE	56	49	7	104	88	16
GRENADA	232	152	80	223	141	82
HANCOCK	186	169	17	252	227	25
HARRISON	1,593	1,307	286	1,304	1,071	233
HINDS	3,687	2,070	1,617	2,058	1,144	914
HOLMES	210	48	162	274	76	198
HUMPHREYS	98	22	76	133	37	96
ISSAQUENA	14	4	10	25	9	16
ITAWAMBA	122	117	5	193	186	7
JACKSON	620	510	110	675	565	110
JASPER	120	64	56	192	101	91
JEFFERSON	59	11	48	99	22	77
JEFF DAVIS	92	51	41	130	63	67
JONES	623	446	177	621	469	152
KEMPER	74	40	34	120	67	53
LAFAYETTE	201	142	59	209	140	69
LAMAR	294	253	41	182	154	28
LAUDERDALE	1,118	738	380	808	529	279
LAWRENCE	95	66	29	141	98	43
LEAKE	165	112	53	234	154	80
LEE	943	750	193	534	420	114
LEFLORE	483	231	252	439	211	228

DEATHS - MISSISSIPPI - 1983

COUNTY	OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	298	206	92	322	231	91
LOWNDES	435	303	132	444	293	151
MADISON	206	72	134	328	131	197
MARION	189	135	54	269	185	84
MARSHALL	168	72	96	260	130	130
MONROE	312	217	95	391	268	123
MONTGOMERY	154	92	62	158	99	59
NESHOBA	158	117	41	268	204	64
NEWTON	179	134	45	236	167	69
NOXUBEE	118	36	82	139	46	93
OKTIBBEHA	221	125	96	219	118	101
PANOLA	243	123	120	296	149	147
PEARL RIVER	262	219	43	339	288	51
PERRY	66	51	15	90	69	21
PIKE	466	304	162	463	300	163
PONTOTOC	125	115	10	201	182	19
PRENTISS	129	117	12	209	187	22
QUITMAN	124	35	89	146	63	83
RANKIN	379	271	108	524	383	141
SCOTT	185	124	61	274	189	85
SHARKEY	63	25	38	100	39	61
SIMPSON	182	134	48	237	165	72
SMITH	64	57	7	144	119	25
STONE	75	55	20	97	75	22
SUNFLOWER	262	87	175	321	120	201
TALLAHATCHIE	111	53	58	183	90	93
TATE	120	80	40	167	111	56
TIPPAH	159	130	29	207	169	38
TISHOMINGO	129	123	6	194	186	8
TUNICA	56	6	50	86	17	69
UNION	206	176	30	191	166	25
WALTHALL	144	85	59	172	100	72
WARREN	554	301	253	507	286	221
WASHINGTON	821	320	501	753	289	464
WAYNE	140	99	41	170	124	46
WEBSTER	104	84	20	126	105	21
WILKINSON	168	77	91	144	59	85
WINSTON	197	135	62	255	166	89
YALOBUSHA	96	71	25	160	117	43
YAZOO	224	107	117	312	134	178
OUT OF STATE	1,399	1,067	332	882	639	243

DEATHS - MISSISSIPPI - 1983

TOWN*	RESIDENCE DATA		
	TOTAL	WHITE	NON-WHITE
BILOXI	334	275	59
BROOKHAVEN	182	124	58
CANTON	120	50	70
CLARKSDALE	265	119	146
CLEVELAND	135	76	59
CLINTON	108	84	24
COLUMBUS	264	164	100
CORINTH	150	123	27
GREENVILLE	541	202	339
GREENWOOD	271	150	121
GRENADA	153	95	58
GULFPORT	477	372	105
HATTIESBURG	423	285	138
JACKSON	1,683	939	744
LAUREL	284	190	94
MCCOMB	230	164	66
MERIDIAN	560	344	216
MOSS POINT	129	65	64
NATCHEZ	300	133	167
OCEAN SPRINGS	93	89	4
PASCAGOULA	195	165	30
PEARL	91	83	8
PICAYUNE	126	96	30
SOUTHAVEN	68	67	1
STARKVILLE	105	76	29
TUPELO	262	216	46
VICKSBURG	340	173	167
YAZOO CITY	175	61	114

* *TOWNS OF 10,000 POPULATION OR MORE.*

TABLE 10

DEATHS, BY CAUSE AND RACE, MISSISSIPPI RESIDENTS, 1983

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE*	TOTAL	WHITE	NON-WHITE
001-999	ALL CAUSES	23,831	15,250	8,581
001-139	*INFECTIOUS AND PARASITIC DISEASES*	*273*	*146*	*127*
001-009	INTESTINAL INFECTIOUS DISEASES	12	3	9
002,003	TYPHOID AND PARATYPHOID FEVERS, AND OTHER SALMONELLA INFECTIONS	2	1	1
003	OTHER SALMONELLA INFECTIONS	2	1	1
005	OTHER FOOD POISONING (BACTERIAL)	1	0	1
008,009	OTHER AND ILL-DEFINED INTESTINAL INFECTIONS	9	2	7
008	INTESTINAL INFECTIONS DUE TO OTHER ORGANISMS	3	1	2
009	ILL-DEFINED INTESTINAL INFECTIONS	6	1	5
010-018	TUBERCULOSIS	30	15	15
010-012	RESPIRATORY	23	10	13
011	PULMONARY	23	10	13
013-018	OTHER FORMS	7	5	2
015	BONES AND JOINTS	1	1	0
017	OTHER ORGANS	1	1	0
018	MILIARY	5	3	2
020-027	ZOONOTIC BACTERIAL DISEASES	1	1	0
027	OTHER ZOONOTIC BACTERIAL DISEASES	1	1	0
030-041	OTHER BACTERIAL DISEASES	167	93	74
036	MENINGOCOCCAL INFECTION	2	0	2
037	TETANUS	2	1	1
038	SEPTICEMIA	153	86	67
039	ACTINOMYCOTIC INFECTIONS	3	3	0
040	OTHER BACTERIAL DISEASE	2	0	2
041	BACTERIAL INFECTION OF UNSPECIFIED SITE	5	3	2
045-049	POLIOMYELITIS AND OTHER NON-ARTHROPOD-BORNE DISEASES OF CENTRAL NERVOUS SYSTEM	4	2	2
046	SLOW VIRUS INFECTION	1	1	0
047	MENINGITIS DUE TO ENTEROVIRUS	1	0	1
049	OTHER NON-ARTHROPOD-BORNE DISEASES	2	1	1
050-057	VIRAL DISEASES ACCOMPANIED BY EXANTHEM	3	2	1
054	HERPES SIMPLEX	2	1	1
057	OTHER VIRAL EXANTHEMATA	1	1	0
060-066	ARTHROPOD-BORNE VIRAL DISEASES	0	0	0
070-079	OTHER DISEASES DUE TO VIRUSES AND CHLAMYDIAE	20	10	10
070	VIRAL HEPATITIS	16	7	9
079	VIRAL INFECTION IN CONDITIONS CLASSIFIED ELSEWHERE AND OF UNSPECIFIED SITE	4	3	1
080-088	RICKETTSIOSES AND OTHER ARTHROPOD-BORNE DISEASES	0	0	0
090-099	SYPHILIS AND OTHER VENEREAL DISEASES	2	0	2
090-097	SYPHILIS AND ITS SEQUELAE	2	0	2
094	NEUROSYPHILIS	2	0	2

DEATHS - MISSISSIPPI - 1983

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE*	TOTAL	WHITE	NON-WHITE
100-104	OTHER SPIROCHETAL DISEASES	1	1	0
100	LEPTOSPIROSIS	1	1	0
110-118	MYCOSES	18	9	9
112	CANDIDIASIS	10	6	4
116	BLASTOMYCOTIC INFECTION	1	0	1
117	OTHER MYCOSES	7	3	4
120-129	HELMINTHIASES	1	1	0
127	OTHER INTESTINAL HELMINTHIASES	1	1	0
130-139	OTHER INFECTIOUS AND PARASITIC DISEASES	14	9	5
135	SARCOIDOSIS	3	1	2
136	OTHER AND UNSPECIFIED INFECTIOUS AND PARASITIC DISEASES	8	7	1
137	LATE EFFECTS OF TUBERCULOSIS	3	1	2
140-239	*NEOPLASMS*	*4,640*	*3,127*	*1,513*
140-208	MALIGNANT NEOPLASMS	4,578	3,086	1,492
140-149	LIP, ORAL CAVITY, AND PHARYNX	79	55	24
140	LIP	3	3	0
141	TONGUE	12	9	3
142	MAJOR SALIVARY GLANDS	7	6	1
144	FLOOR OF MOUTH	3	3	0
145	OTHER AND UNSPECIFIED PARTS OF MOUTH	18	12	6
146	OROPHARYNX	11	8	3
147	NASOPHARYNX	5	1	4
148	HYPOPHARYNX	6	5	1
149	OTHER AND ILL-DEFINED SITES	14	8	6
150-159	DIGESTIVE ORGANS AND PERITONEUM	1,107	693	414
150	ESOPHAGUS	87	39	48
151	STOMACH	126	71	55
152	SMALL INTESTINE, INCLUDING DUODENUM	6	3	3
153	COLON	447	288	159
154	RECTUM, RECTOSIGMOID JUNCTION, AND ANUS	43	32	11
155	LIVER AND INTRAHEPATIC BILE DUCTS	76	54	22
156	GALLBLADDER AND EXTRAHEPATIC BILE DUCTS	20	17	3
157	PANCREAS	272	168	104
158	RETROPERITONEUM AND PERITONEUM	9	9	0
159	OTHER AND ILL-DEFINED SITES	21	12	9
160-165	RESPIRATORY AND INTRATHORACIC ORGANS	1,384	1,013	371
160	NASAL CAVITIES, MIDDLE EAR, AND ACCESSORY SINUSES	5	4	1
161	LARYNX	32	24	8
162	TRACHEA, BRONCHUS, AND LUNG	1,340	980	360
163	PLEURA	1	1	0
164	THYMUS, HEART, AND MEDIASTINUM	6	4	2
170-175	BONE, CONNECTIVE TISSUE, SKIN, AND BREAST	425	326	99
170	BONE AND ARTICULAR CARTILAGE	16	11	5
171	CONNECTIVE AND OTHER SOFT TISSUE	10	5	5
172	MELANOMA OF SKIN	54	51	3
173	SKIN, OTHER	24	17	7

DEATHS - MISSISSIPPI - 1983

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE*	TOTAL	WHITE	NON-WHITE
174	FEMALE BREAST	319	241	78
175	MALE BREAST	2	1	1
179-189	GENITOURINARY ORGANS	724	394	330
(179-187)	(GENITAL ORGANS)	554	278	276
179	UTERUS, PART UNSPECIFIED	26	11	15
180	CERVIX UTERI	65	26	39
181	PLACENTA	1	0	1
182	BODY OF UTERUS	26	15	11
183	OVARY AND OTHER UTERINE ADNEXA	88	61	27
184	OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS	15	8	7
185	PROSTATE	323	147	176
186	TESTIS	6	6	0
187	PENIS AND OTHER MALE GENITAL ORGANS	4	4	0
(188,189)	(URINARY ORGANS)	170	116	54
188	BLADDER	81	52	29
189	KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS	89	64	25
190-199	OTHER AND UNSPECIFIED SITES	450	308	142
190	EYE	3	3	0
191	BRAIN	99	87	12
193	THYROID GLAND	5	2	3
194	OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES	10	8	2
195	OTHER AND ILL-DEFINED SITES	27	17	10
199	SITE UNSPECIFIED	306	191	115
200-208	LYMPHATIC AND HEMATOPOIETIC TISSUE	409	297	112
200	LYMPHOSARCOMA AND RETICULOSARCOMA	51	43	8
201	HODGKIN'S DISEASE	12	10	2
202	OTHER LYMPHOID AND HISTIOCYTIC TISSUE	75	62	13
203	MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS	72	36	36
(204-208)	(LEUKEMIA)	199	146	53
204	LYMPHATIC	63	47	16
205	MYELOID	78	58	20
206	MONOCYTIC	5	3	2
207	OTHER SPECIFIED	4	3	1
208	UNSPECIFIED CELL TYPE	49	35	14
210-229	BENIGN NEOPLASMS	19	10	9
211	BENIGN NEOPLASM OF OTHER PARTS OF DIGESTIVE SYSTEM	3	0	3
212	BENIGN NEOPLASM OF RESPIRATORY AND INTRATHORACIC ORGANS	1	0	1
225	BENIGN NEOPLASM OF BRAIN AND OTHER PARTS OF NERVOUS SYSTEM	13	9	4
227	BENIGN NEOPLASM OF OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES	1	1	0
230-234	CARCINOMA IN SITU	2	2	0
230	CARCINOMA IN SITU OF DIGESTIVE ORGANS	1	1	0
231	CARCINOMA IN SITU OF RESPIRATORY SYSTEM	1	1	0
235-239	NEOPLASM OF UNCERTAIN BEHAVIOR AND UNSPECIFIED NATURE	41	29	12
235-238	UNCERTAIN BEHAVIOR	15	13	2
235	DIGESTIVE AND RESPIRATORY SYSTEMS	2	2	0

DEATHS - MISSISSIPPI - 1983

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE*	TOTAL	WHITE	NON-WHITE
237	ENDOCRINE GLANDS AND NERVOUS SYSTEM	2	1	1
238	OTHER AND UNSPECIFIED SITES AND TISSUES	11	10	1
239	UNSPECIFIED NATURE	26	16	10
240-279	*ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES*	*555*	*286*	*269*
240-246	DISEASES OF THYROID GLAND	7	1	6
242	THYROTOXICOSIS WITH OR WITHOUT GOITER	5	1	4
244	ACQUIRED HYPOTHYROIDISM	2	0	2
250-259	DISEASES OF OTHER ENDOCRINE GLANDS	424	216	208
250	DIABETES MELLITUS	415	212	203
251	OTHER DISORDERS OF PANCREATIC INTERNAL SECRETION	6	2	4
253	DISORDERS OF THE PITUITARY GLAND AND ITS HYPOTHALAMIC CONTROL	1	1	0
255	DISORDERS OF ADRENAL GLANDS	1	1	0
259	OTHER ENDOCRINE DISORDERS	1	0	1
260-269	NUTRITIONAL DEFICIENCIES	35	19	16
260	KWASHIORKOR	1	1	0
261	NUTRITIONAL MARASMUS	4	2	2
263	OTHER AND UNSPECIFIED PROTEIN-CALORIE MALNUTRITION	21	11	10
269	OTHER NUTRITIONAL DEFICIENCIES	9	5	4
270-279	OTHER METABOLIC DISORDERS AND IMMUNITY DISORDERS	89	50	39
270	DISORDERS OF AMINO-ACID TRANSPORT AND METABOLISM	2	2	0
273	DISORDERS OF PLASMA PROTEIN METABOLISM	6	3	3
275	DISORDERS OF MINERAL METABOLISM	1	0	1
276	DISORDERS OF FLUID, ELECTROLYTE, AND ACID-BASE BALANCE	54	27	27
277	OTHER AND UNSPECIFIED DISORDERS OF METABOLISM	11	8	3
278	OBESITY AND OTHER HYPERALIMENTATION	11	7	4
279	DISORDERS INVOLVING THE IMMUNE MECHANISM	4	3	1
280-289	*DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS*	*88*	*53*	*35*
280-285	ANEMIAS	49	24	25
281	OTHER DEFICIENCY	2	2	0
282	HEREDITARY HEMOLYTIC	13	2	11
283	ACQUIRED HEMOLYTIC	3	1	2
284	APLASTIC	12	8	4
285	OTHER AND UNSPECIFIED	19	11	8
286	COAGULATION DEFECTS	8	4	4
287	PURPURA AND OTHER HEMORRHAGIC CONDITIONS	4	4	0
288	DISEASES OF WHITE BLOOD CELLS	10	7	3
289	OTHER DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	17	14	3
290-319	*MENTAL DISORDERS*	*146*	*96*	*50*
290-299	PSYCHOSES	31	22	9
290	SENILE AND PRESENILE ORGANIC PSYCHOTIC CONDITIONS	18	12	6
291	ALCOHOLIC PSYCHOSES	5	3	2
295	SCHIZOPHRENIC PSYCHOSES	3	3	0

DEATHS - MISSISSIPPI - 1983

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE*	TOTAL	WHITE	NON-WHITE
296	AFFECTIVE PSYCHOSES	1	0	1
298	OTHER NONORGANIC PSYCHOSES	4	4	0
300-316	NEUROTIC DISORDERS, PERSONALITY DISORDERS, AND OTHER NONPSYCHOTIC MENTAL DISORDERS	112	73	39
300	NEUROTIC DISORDERS	2	1	1
303	ALCOHOL DEPENDENCE SYNDROME	30	17	13
305	NONDEPENDENT ABUSE OF DRUGS	5	2	3
307	SPECIAL SYMPTOMS OR SYNDROMES NOT ELSEWHERE CLASSIFIED	1	0	1
308	ACUTE REACTION TO STRESS	1	1	0
310	SPECIFIC NONPSYCHOTIC MENTAL DISORDERS FOLLOWING ORGANIC BRAIN DAMAGE	72	51	21
311	DEPRESSIVE DISORDER, NOT ELSEWHERE CLASSIFIED	1	1	0
317-319	MENTAL RETARDATION	3	1	2
318	OTHER SPECIFIED	2	1	1
319	UNSPECIFIED	1	0	1
320-389	*DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS*	*219*	*154*	*65*
320-326	INFLAMMATORY DISEASES OF CENTRAL NERVOUS SYSTEM	22	5	17
320	BACTERIAL MENINGITIS	11	2	9
322	MENINGITIS OF UNSPECIFIED CAUSE	6	2	4
323	ENCEPHALITIS, MYELITIS, AND ENCEPHALOMYELITIS	2	0	2
324	INTRACRANIAL AND INTRASPINAL ABSCESS	2	1	1
326	LATE EFFECTS OF INTRACRANIAL ABSCESS OR PYOGENIC INFECTION	1	0	1
330-337	HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM	98	83	15
330	CEREBRAL DEGENERATIONS USUALLY MANIFEST IN CHILDHOOD	1	1	0
331	OTHER CEREBRAL DEGENERATIONS	28	24	4
332	PARKINSON'S DISEASE	33	28	5
333	OTHER EXTRAPYRAMIDAL DISEASE AND ABNORMAL MOVEMENT DISORDERS	6	3	3
334	SPINOCEREBELLAR DISEASE	1	1	0
335	ANTERIOR HORN CELL DISEASE	27	25	2
336	OTHER DISEASES OF SPINAL CORD	2	1	1
340-349	OTHER DISORDERS OF THE CENTRAL NERVOUS SYSTEM	80	52	28
340	MULTIPLE SCLEROSIS	5	5	0
341	OTHER DEMYELINATING DISEASES OF CENTRAL NERVOUS SYSTEM	1	0	1
342	HEMIPLEGIA	5	5	0
343	INFANTILE CEREBRAL PALSY	5	1	4
344	OTHER PARALYTIC SYNDROMES	6	3	3
345	EPILEPSY	30	22	8
348	OTHER CONDITIONS OF BRAIN	25	15	10
349	OTHER AND UNSPECIFIED DISORDERS OF THE NERVOUS SYSTEM	3	1	2
350-359	DISORDERS OF PERIPHERAL NERVOUS SYSTEM	16	13	3
356	HEREDITARY AND IDIOPATHIC PERIPHERAL NEUROPATHY	1	0	1
357	INFLAMMATORY AND TOXIC NEUROPATHY	2	2	0
358	MYONEURAL DISORDERS	3	2	1

DEATHS - MISSISSIPPI - 1983

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE*	TOTAL	WHITE	NON-WHITE
359	MUSCULAR DYSTROPHIES AND OTHER MYOPATHIES	10	9	1
360-379	**DISORDERS OF THE EYE AND ADNEXA**	**2**	**1**	**1**
369	BLINDNESS AND LOW VISION	2	1	1
380-389	**DISEASES OF THE EAR AND MASTOID PROCESS**	**1**	**0**	**1**
381-383	**OTITIS MEDIA AND MASTOIDITIS**	**0**	**0**	**0**
387	OTOSCLEROSIS	1	0	1
390-459	***DISEASES OF THE CIRCULATORY SYSTEM***	***11,037***	***7,388***	***3,649***
390-392	ACTIVE RHEUMATIC FEVER	0	0	0
393-398	**CHRONIC RHEUMATIC HEART DISEASE**	**42**	**30**	**12**
394	DISEASES OF MITRAL VALVE	22	18	4
395	DISEASES OF AORTIC VALVE	1	0	1
396	DISEASES OF MITRAL AND AORTIC VALVES	10	6	4
397	DISEASES OF OTHER ENDOCARDIAL STRUCTURES	3	2	1
398	OTHER RHEUMATIC HEART DISEASE	6	4	2
401-405	**HYPERTENSIVE DISEASE**	**453**	**194**	**259**
401,403	**HYPERTENSION WITH OR WITHOUT RENAL DISEASE**	**82**	**37**	**45**
401	ESSENTIAL HYPERTENSION	27	12	15
403	HYPERTENSIVE RENAL DISEASE	55	25	30
402,404	**HYPERTENSIVE HEART DISEASE WITH OR WITHOUT RENAL DISEASE**	**371**	**157**	**214**
402	HYPERTENSIVE HEART DISEASE	296	122	174
404	HYPERTENSIVE HEART AND RENAL DISEASE	75	35	40
410-414	**ISCHEMIC HEART DISEASE**	**5,360**	**3,892**	**1,468**
410	ACUTE MYOCARDIAL INFARCTION	3,587	2,588	999
411	OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE	17	8	9
412	OLD MYOCARDIAL INFARCTION	4	3	1
413	ANGINA PECTORIS	9	7	2
414	OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE	1,743	1,286	457
415-417	**DISEASES OF PULMONARY CIRCULATION**	**222**	**131**	**91**
415	ACUTE PULMONARY HEART DISEASE	193	117	76
416	CHRONIC PULMONARY HEART DISEASE	28	13	15
417	OTHER DISEASES OF PULMONARY CIRCULATION	1	1	0
420-429	**OTHER FORMS OF HEART DISEASE**	**2,400**	**1,518**	**882**
421	ACUTE AND SUBACUTE ENDOCARDITIS	9	5	4
422	ACUTE MYOCARDITIS	5	2	3
423	OTHER DISEASES OF PERICARDIUM	4	2	2
424	OTHER DISEASES OF ENDOCARDIUM	55	46	9
425	CARDIOMYOPATHY	103	54	49
426	CONDUCTION DISORDERS	13	11	2
427	CARDIAC DYSRHYTHMIAS	751	432	319
428	HEART FAILURE	570	361	209
429	ILL-DEFINED HEART DISEASES	890	605	285
430-438	**CEREBROVASCULAR DISEASES**	**2,064**	**1,267**	**797**
430	SUBARACHNOID HEMORRHAGE	56	37	19
431	INTRACEREBRAL HEMORRHAGE	207	120	87
432	OTHER AND UNSPECIFIED INTRACRANIAL HEMORRHAGE	17	8	9
433	OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES	15	14	1

DEATHS - MISSISSIPPI - 1983

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE*	TOTAL	WHITE	NON-WHITE
434	OCCLUSION OF CEREBRAL ARTERIES	298	191	107
435	TRANSIENT CEREBRAL ISCHEMIA	5	4	1
436	ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE	1,195	707	488
437	OTHER AND ILL-DEFINED CEREBROVASCULAR DISEASE	201	145	56
438	LATE EFFECTS OF CEREBROVASCULAR DISEASE	70	41	29
440-448	DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES	448	321	127
440	ATHEROSCLEROSIS	269	187	82
441-448	OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES	179	134	45
441	AORTIC ANEURYSM	126	100	26
442	OTHER ANEURYSM	7	4	3
443	OTHER PERIPHERAL VASCULAR DISEASE	16	8	8
444	ARTERIAL EMBOLISM AND THROMBOSIS	18	13	5
446	POLYARTERITIS NODOSA AND ALLIED CONDITIONS	4	3	1
447	OTHER DISORDERS OF ARTERIES AND ARTERIOLES	7	5	2
448	DISEASES OF CAPILLARIES	1	1	0
451-459	DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM	48	35	13
451-453	VENOUS THROMBOSIS AND EMBOLISM	21	16	5
451	PHLEBITIS AND THROMBOPHLEBITIS	16	13	3
452	PORTAL VEIN THROMBOSIS	2	2	0
453	OTHER VENOUS EMBOLISM AND THROBOSIS	3	1	2
454-459	OTHER DISEASES OF THE CIRCULATORY SYSTEM	27	19	8
454	VARICOSE VEINS OF LOWER EXTREMITIES	2	2	0
456	VARICOSE VEINS OF OTHER SITES	3	2	1
458	HYPOTENSION	10	5	5
459	OTHER DISORDERS OF CIRCULATORY SYSTEM	12	10	2
460-519	*DISEASES OF THE RESPIRATORY SYSTEM*	*1,396*	*1,056*	*340*
460-466	ACUTE RESPIRATORY INFECTIONS	7	3	4
465	ACUTE UPPER RESPIRATORY INFECTION OF MULTIPLE OR UNSPECIFIED SITES	2	0	2
466	ACUTE BRONCHITIS AND BRONCHIOLITIS	5	3	2
470-478	OTHER DISEASES OF UPPER RESPIRATORY TRACT	3	3	0
478	OTHER DISEASES OF UPPER RESPIRATORY TRACT	3	3	0
480-487	PNEUMONIA AND INFLUENZA	515	371	144
480-486	PNEUMONIA	512	368	144
480	VIRAL	7	6	1
481	PNEUMOCOCCAL	14	10	4
482	OTHER BACTERIAL	21	14	7
483	DUE TO OTHER SPECIFIED ORGANISM	2	2	0
485	BRONCHO, ORGANISM UNSPECIFIED	60	46	14
486	ORGANISM UNSPECIFIED	408	290	118
487	INFLUENZA	3	3	0
490-496	CHRONIC OBSTRUCTIVE PULMONARY DISEASE AND ALLIED CONDITIONS	641	517	124

DEATHS - MISSISSIPPI - 1983

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE*	TOTAL	WHITE	NON-WHTIE
490,491	CHRONIC AND UNQUALIFIED BRONCHITIS	32	30	2
490	UNQUALIFIED	4	3	1
491	CHRONIC	28	27	1
492	EMPHYSEMA	85	73	12
493	ASTHMA	35	15	20
494	BRONCHIECTASIS	11	7	4
496	CHRONIC AIRWAYS OBSTRUCTION, NOT ELSEWHERE CLASSIFIED	478	392	86
500-508	PNEUMOCONIOSES AND OTHER LUNG DISEASES DUE TO EXTERNAL AGENTS	77	50	27
506	RESPIRATORY CONDITIONS DUE TO CHEMICAL FUMES AND VAPORS	1	1	0
507	PNEUMONITIS DUE TO SOLIDS AND LIQUIDS	76	49	27
510-519	OTHER DISEASES OF RESPIRATORY SYSTEM	153	112	41
510	EMPYEMA	4	2	2
511	PLEURISY	4	4	0
512	PNEUMOTHORAX	4	3	1
513	ABSCESS OF LUNG AND MEDIASTINUM	8	5	3
514	PULMONARY CONGESTION AND HYPOSTASIS	6	5	1
515	POSTINFLAMMATORY PULMONARY FIBROSIS	34	30	4
516	OTHER ALVEOLAR AND PARIETOALVEOLAR PNEUMOPATHY	5	4	1
518	OTHER DISEASES OF LUNG	73	50	23
519	OTHER DISEASES OF RESPIRATORY SYSTEM	15	9	6
520-579	*DISEASES OF THE DIGESTIVE SYSTEM*	*686*	*472*	*214*
520-529	DISEASES OF ORAL CAVITY, SALIVARY GLANDS, AND JAWS	3	3	0
527	DISEASES OF SALIVARY GLANDS	1	1	0
528	DISEASES OF THE ORAL SOFT TISSUES, EXCLUDING GINGIVA AND TONGUE	2	2	0
530-537	DISEASES OF ESOPHAGUS, STOMACH, AND DUODENUM	78	55	23
530	DISEASES OF ESOPHAGUS	14	9	5
531-533	PEPTIC ULCER	53	39	14
531	GASTRIC ULCER	12	8	4
532	DUODENAL ULCER	13	11	2
533	PEPTIC ULCER, SITE UNSPECIFIED	28	20	8
534	GASTROJEJUNAL ULCER	1	1	0
535	GASTRITIS AND DUODENITIS	3	2	1
536	DISORDERS OF FUNCTION OF STOMACH	2	1	1
537	OTHER DISORDERS OF STOMACH AND DUODENUM	5	3	2
540-543	APPENDICITIS	11	3	8
540	ACUTE APPENDICITIS	10	2	8
541	APPENDICITIS, UNQUALIFIED	1	1	0
550-553	HERNIA OF ABDOMINAL CAVITY	10	4	6
550	INGUINAL	1	1	0
552	OTHER, OF ABDOMINAL CAVITY WITH OBSTRUCTION, WITHOUT MENTION OF GANGRENE	3	0	3
553	OTHER, OF ABDOMINAL CAVITY WITHOUT MENTION OF OBSTRUCTION OR GANGRENE	6	3	3
555-558	NONINFECTIVE ENTERITIS AND COLITIS	74	56	18
555	REGIONAL ENTERITIS	5	4	1

DEATHS - MISSISSIPPI - 1983

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE*	TOTAL	WHITE	NON-WHITE
610,611	DISORDERS OF BREAST	0	0	0
614-616	INFLAMMATORY DISEASE OF FEMALE PELVIC ORGANS	1	0	1
614	INFLAMMATORY DISEASE OF OVARY, FALLOPIAN TUBE, PELVIC CELLULAR TISSUE, AND PERITONEUM	1	0	1
617-629	OTHER DISORDERS OF FEMALE GENITAL TRACT	1	1	0
619	FISTULAE INVOLVING FEMALE GENITAL TRACT	1	1	0
630-676	*COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM*	*1*	*0*	*1*
630-639	PREGNANCY WITH ABORTIVE OUTCOME	0	0	0
640-648	COMPLICATIONS MAINLY RELATED TO PREGNANCY	0	0	0
650-659	NORMAL DELIVERY, AND OTHER INDICATIONS FOR CARE IN PREGNANCY, LABOR, AND DELIVERY	0	0	0
660-669	COMPLICATIONS OCCURRING MAINLY IN THE COURSE OF LABOR AND DELIVERY	0	0	0
670-676	COMPLICATIONS OF THE PUERPERIUM	1	0	1
673	OBSTETRICAL PULMONARY EMBOLISM	1	0	1
680-709	*DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE*	*55*	*27*	*28*
680-686	INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE	9	5	4
682	OTHER CELLULITIS AND ABSCESS	7	3	4
686	OTHER LOCAL INFECTIONS OF SKIN AND SUBCUTANEOUS TISSUE	2	2	0
690-698	OTHER INFLAMMATORY CONDITIONS OF SKIN AND SUBCUTANEOUS TISSUE	9	6	3
692	CONTACT DERMATITIS AND OTHER ECZEMA	1	1	0
694	BULLOUS DERMATOSES	2	1	1
695	ERYTHEMATOUS CONDITIONS	6	4	2
700-709	OTHER DISEASES OF SKIN AND SUBCUTANEOUS TISSUE	37	16	21
707	CHRONIC ULCER OF SKIN	37	16	21
710-739	*DISEASES OF MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE*	*76*	*46*	*30*
710-719	ARTHROPATHIES AND RELATED DISORDERS	60	33	27
710	DIFFUSE DISEASES OF CONNECTIVE TISSUE	31	13	18
711-716	ARTHROPATHY, RHEUMATOID ARTHRITIS, AND OSTEOARTHROSIS	29	20	9
711	ARTHROPATHY ASSOCIATED WITH INFECTIONS	1	1	0
714	RHEUMATOID ARTHRITIS AND OTHER INFLAMMATORY POLYARTHROPATHIES	17	14	3
715	OSTEOARTHROSIS AND ALLIED DISORDERS	5	2	3
716	OTHER AND UNSPECIFIED ARTHROPATHIES	6	3	3
720-724	DORSOPATHIES	3	3	0
722	INTERVERTEBRAL DISC DISORDERS	1	1	0
724	OTHER AND UNSPECIFIED DISORDERS OF BACK	2	2	0
725-729	RHEUMATISM, EXCLUDING THE BACK	3	1	2

DEATHS - MISSISSIPPI - 1983

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE*	TOTAL	WHITE	NON-WHITE
556	IDIOPATHIC PROCTOCOLITIS	3	2	1
557	VASCULAR INSUFFICIENCY OF INTESTINE	49	41	8
558	OTHER NONINFECTIVE GASTROENTERITIS AND COLITIS	17	9	8
560-569	**OTHER DISEASES OF INTESTINE AND PERITONEUM**	**104**	**71**	**33**
560	INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA	43	28	15
562	DIVERTICULA OF INTESTINE	22	19	3
564	FUNCTIONAL DIGESTIVE DISORDERS, NOT ELSEWHERE CLASSIFIED	1	1	0
566	ABSCESS OF ANAL AND RECTAL REGIONS	3	0	3
567	PERITONITIS	15	6	9
568	OTHER DISORDERS OF PERITONEUM	1	1	0
569	OTHER DISORDERS OF INTESTINE	19	16	3
570-579	**OTHER DISEASES OF DIGESTIVE SYSTEM**	**406**	**280**	**126**
570	ACUTE AND SUBACUTE NECROSIS OF LIVER	2	1	1
571	CHRONIC LIVER DISEASE AND CIRRHOSIS	219	158	61
572	LIVER ABSCESS AND SEQUELAE OF CHRONIC LIVER DISEASE	26	18	8
573	OTHER DISORDERS OF LIVER	11	4	7
574,575	**CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER**	**44**	**32**	**12**
574	CHOLELITHIASIS	27	21	6
575	OTHER DISORDERS OF GALLBLADDER	17	11	6
576	OTHER DISORDERS OF BILIARY TRACT	13	7	6
577	DISEASES OF PANCREAS	31	20	11
578	GASTROINTESTINAL HEMORRHAGE	59	40	19
579	INTESTINAL MALABSORPTION	1	0	1
	[redacted]			
580-629	***DISEASES OF THE GENITOURINARY SYSTEM***	***475***	***263***	***212***
580-589	**NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS**	**257**	**132**	**125**
580	ACUTE GLOMERULONEPHRITIS	3	2	1
581	NEPHROTIC SYNDROME	1	0	1
582	CHRONIC GLOMERULONEPHRITIS	23	9	14
583	NEPHRITIS AND NEPHROPATHY, UNQUALIFIED	3	1	2
584-587	**RENAL FAILURE AND RENAL SCLEROSIS**	**227**	**120**	**107**
584	ACUTE	40	25	15
585	CHRONIC	53	30	23
586	UNSPECIFIED	134	65	69
590-599	**OTHER DISEASES OF URINARY SYSTEM**	**204**	**125**	**79**
590	INFECTIONS OF KIDNEY	39	25	14
592,594	**CALCULUS OF URINARY SYSTEM**	**6**	**4**	**2**
592	OF KIDNEY AND URETER	6	4	2
593	OTHER DISORDERS OF KIDNEY AND URETER	31	9	22
595	CYSTITIS	1	0	1
596	OTHER DISORDERS OF BLADDER	4	2	2
598	URETHRAL STRICTURE	3	1	2
599	OTHER DISORDERS OF URETHRA AND URINARY TRACT	120	84	36
600-608	**DISEASES OF MALE GENITAL ORGANS**	**12**	**5**	**7**
600	HYPERPLASIA OF PROSTATE	9	3	6
602	OTHER DISORDERS OF PROSTATE	2	1	1
604	ORCHITIS AND EPIDIDYMITIS	1	1	0

DEATHS - MISSISSIPPI - 1983

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE*	TOTAL	WHITE	NON-WHITE
728	DISORDERS OF MUSCLE, LIGAMENT, AND FASCIA	2	1	1
729	OTHER DISORDERS OF SOFT TISSUES	1	0	1
730-739	OSTEOPATHIES, CHONDROPATHIES, AND ACQUIRED MUSCULOSKELETAL DEFORMITIES	10	9	1
730	OSTEOMYELITIS, PERIOSTITIS, AND OTHER INFECTIONS INVOLVING BONE	2	2	0
733	OTHER DISORDERS OF BONE AND CARTILAGE	1	1	0
737	CURVATURE OF SPINE	7	6	1
740-759	*CONGENITAL ANOMALIES*	*173*	*96*	*77*
740-742	NERVOUS SYSTEM	20	11	9
740	ANENCEPHALUS AND SIMILAR ANOMALIES	5	2	3
741	SPINA BIFIDA	3	3	0
742	OTHER CONGENITAL ANOMALIES OF NERVOUS SYSTEM	12	6	6
743,744	EYE, EAR, FACE, AND NECK	0	0	0
745-747	CIRCULATORY SYSTEM	87	42	45
745	BULBUS CORDIS ANOMALIES AND ANOMALIES OF CARDIAC SEPTAL CLOSURE	16	10	6
746	HEART	51	25	26
747	OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM	20	7	13
748	RESPIRATORY SYSTEM	17	9	8
749-751	DIGESTIVE SYSTEM	5	5	0
750	OTHER CONGENITAL ANOMALIES OF UPPER ALIMENTARY TRACT	3	3	0
751	OTHER CONGENITAL ANOMALIES OF DIGESTIVE SYSTEM	2	2	0
752,753	GENITOURINARY SYSTEM	12	8	4
752	GENITAL ORGANS	1	1	0
753	URINARY SYSTEM	11	7	4
754-756	MUSCULOSKELETAL SYSTEM	10	7	3
755	OTHER CONGENITAL ANOMALIES OF LIMBS	1	1	0
756	OTHER CONGENITAL MUSCULOSKELETAL ANOMALIES	9	6	3
757	CONGENITAL ANOMALIES OF THE INTEGUMENT	2	2	0
758	CHROMOSOMAL ANOMALIES	8	5	3
759	OTHER AND UNSPECIFIED CONGENITAL ANOMALIES	12	7	5
760-779	*CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD*	*311*	*115*	*196*
760	MATERNAL CONDITIONS UNRELATED TO PRESENT PREGNANCY	4	1	3
761-763	COMPLICATIONS OF PREGNANCY, LABOR, AND DELIVERY	35	11	24
761	MATERNAL COMPLICATIONS OF PREGNANCY	18	5	13
762	COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES	17	6	11
765,766	DISORDERS RELATING TO GESTATION	64	14	50
765	SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT	64	14	50
767	BIRTH TRAUMA	4	1	3
768-770	RESPIRATORY CONDITIONS OF FETUS AND NEWBORN	146	64	82

DEATHS - MISSISSIPPI - 1983

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE*	TOTAL	WHITE	NON-WHITE
768	INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA	30	15	15
769	RESPIRATORY DISTRESS SYNDROME	79	32	47
770	OTHER RESPIRATORY CONDITIONS OF FETUS AND NEWBORN	37	17	20
771	INFECTIONS SPECIFIC TO THE PERINATAL PERIOD	18	5	13
772	FETAL AND NEONATAL HEMORRHAGE	11	5	6
773	HEMOLYTIC DISEASE OF FETUS OR NEWBORN, DUE TO ISOIMMUNIZATION	1	0	1
774	OTHER PERINATAL JAUNDICE	1	0	1
777	PERINATAL DISORDERS OF DIGESTIVE SYSTEM	7	1	6
778	CONDITIONS INVOLVING THE INTEGUMENT AND TEMPERATURE REGULATION OF FETUS AND NEWBORN	4	2	2
779	OTHER AND ILL-DEFINED CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	16	11	5
780-799	*SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS*	*1,603*	*652*	*951*
780-789	SYMPTOMS	22	16	6
780	GENERAL	5	4	1
781	INVOLVING NERVOUS AND MUSCULOSKELETAL SYSTEMS	1	0	1
785	INVOLVING CARDIOVASCULAR SYSTEM	13	10	3
786	INVOLVING RESPIRATORY SYSTEM AND OTHER CHEST SYMPTOMS	1	1	0
789	OTHER INVOLVING ABDOMEN AND PELVIS	2	1	1
790-796	NONSPECIFIC ABNORMAL FINDINGS	1	0	1
790	NONSPECIFIC FINDINGS ON EXAMINATION OF BLOOD	1	0	1
797-799	ILL-DEFINED AND UNKNOWN CAUSES OF MORBIDITY AND MORTALITY	1,580	636	944
797	SENILITY WITHOUT MENTION OF PSYCHOSIS	36	13	23
798	SUDDEN DEATH, CAUSE UNKNOWN	87	25	62
799	OTHER ILL-DEFINED AND UNKNOWN CAUSES	1,457	598	859
800-999	*EXTERNAL CAUSES OF INJURY AND POISONING*	*2,097*	*1,273*	*824*
800-949	ACCIDENTS AND ADVERSE EFFECTS	1,495	931	564
800-807	RAILWAY	8	2	6
805	HIT BY ROLLING STOCK	7	1	6
807	OF UNSPECIFIED NATURE	1	1	0
810-825	MOTOR VEHICLE	725	510	215
(810-819)	(TRAFFIC)	699	492	207
810	INVOLVING COLLISION WITH TRAIN	8	5	3
812	INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE	221	165	56
813	INVOLVING COLLISION WITH OTHER VEHICLE	10	8	2
814	INVOLVING COLLISION WITH PEDESTRIAN	93	45	48
815	OTHER INVOLVING COLLISION ON THE HIGHWAY	56	44	12
816	DUE TO LOSS OF CONTROL, WITHOUT COLLISION ON THE HIGHWAY	237	171	66
818	OTHER NONCOLLISION	4	4	0
819	OF UNSPECIFIED NATURE	70	50	20
(820-825)	(NONTRAFFIC)	26	18	8
821	INVOLVING OTHER OFF-ROAD MOTOR VEHICLE	2	2	0

DEATHS - MISSISSIPPI - 1983

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE*	TOTAL	WHTIE	NON-WHITE
822	INVOLVING COLLISION OF OTHER MOTOR VEHICLE WITH MOVING OBJECT	10	7	3
823	INVOLVING COLLISION OF OTHER MOTOR VEHICLE WITH STATIONARY OBJECT	1	1	0
825	OF OTHER AND UNSPECIFIED NATURE	13	8	5
826-829	**OTHER ROAD VEHICLE**	**0**	**0**	**0**
830-838	**WATER TRANSPORT**	**27**	**15**	**12**
830	ACCIDENT TO WATERCRAFT CAUSING SUBMERSION	7	4	3
831	ACCIDENT TO WATERCRAFT CAUSING OTHER INJURY	1	1	0
832	OTHER SUBMERSION OR DROWNING IN WATER TRANSPORT	19	10	9
840-845	**AIR AND SPACE TRANSPORT**	**11**	**11**	**0**
841	ACCIDENT TO POWERED AIRCRAFT, OTHER AND UNSPECIFIED	9	9	0
844	OTHER SPECIFIED AIR TRANSPORT ACCIDENTS	2	2	0
846-848	**VEHICLE ACCIDENTS NOT ELSEWHERE CLASSIFIABLE**	**0**	**0**	**0**
850-869	**POISONING**	**34**	**23**	**11**
(850-858)	(BY DRUGS, MEDICAMENTS, AND BIOLOGICALS)	19	16	3
850	ANALGESICS, ANTIPYRETICS, ANTIRHEUMATICS	2	2	0
852	OTHER SEDATIVES AND HYPNOTICS	1	1	0
858	OTHER DRUGS	16	13	3
(860-869)	(BY OTHER SOLID AND LIQUID SUBSTANCES, GASES, AND VAPORS)	15	7	8
860	ALCOHOL, NOT ELSEWHERE CLASSIFIED	2	1	1
863	AGRICULTURAL AND HORTICULTURAL CHEMICAL AND PHARMACEUTICAL PREPARATIONS OTHER THAN PLANT FOODS AND FERTILIZERS	2	1	1
866	OTHER AND UNSPECIFIED SOLID AND LIQUID SUBSTANCES	2	1	1
868	OTHER UTILITY GAS AND OTHER CARBON MONOXIDE	2	2	0
869	OTHER GASES AND VAPORS	7	2	5
870-876	**MISADVENTURES TO PATIENTS DURING SURGICAL AND MEDICAL CARE**	**3**	**1**	**2**
870	ACCIDENTAL CUT, PUNCTURE, PERFORATION, OR HEMORRHAGE DURING MEDICAL CARE	3	1	2
878,879	**SURGICAL AND MEDICAL PROCEDURES AS THE CAUSE OF ABNORMAL REACTION OF PATIENT OR LATER COMPLICATION, WITHOUT MENTION OF MISADVENTURES AT THE TIME OF PROCEDURE**	**26**	**15**	**11**
878	SURGICAL OPERATION OR OTHER SURGICAL PROCEDURE	17	10	7
879	OTHER PROCEDURES	9	5	4
880-888	**FALLS**	**109**	**83**	**26**
880	ON OR FROM STAIRS OR STEPS	2	1	1
881	ON OR FROM LADDERS OR SCAFFOLDING	1	1	0
882	FROM OR OUT OF BUILDING OR OTHER STRUCTURE	2	1	1
883	INTO HOLE OR OTHER OPENING IN SURFACE	1	1	0
884	OTHER FROM ONE LEVEL TO ANOTHER	11	6	5
887	FRACTURE, CAUSE UNSPECIFIED	64	50	14

DEATHS - MISSISSIPPI - 1983

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE*	TOTAL	WHITE	NON-WHITE
888	OTHER AND UNSPECIFIED FALL	28	23	5
890-899	CAUSED BY FIRES AND FLAMES	129	44	85
890	CONFLAGRATION IN PRIVATE DWELLING	104	37	67
893	IGNITION OF CLOTHING	9	2	7
895	CONTROLLED FIRE IN PRIVATE DWELLING	1	0	1
897	CONTROLLED FIRE NOT IN BUILDING OR STRUCTURE	1	0	1
898	OTHER SPECIFIED FIRE AND FLAMES	1	1	0
899	UNSPECIFIED FIRE	13	4	9
900-909	DUE TO NATURAL AND ENVIRONMENTAL FACTORS	50	19	31
900	EXCESSIVE HEAT	11	4	7
901	EXCESSIVE COLD	20	4	16
902	HIGH AND LOW AIR PRESSURE AND CHANGES IN AIR PRESSURE	1	1	0
904	HUNGER, THIRST, EXPOSURE, AND NEGLECT	10	5	5
905	VENOMOUS ANIMALS AND PLANTS AS THE CAUSE OF POISONING AND TOXIC REACTIONS	2	2	0
907	LIGHTNING	4	3	1
908	CATACLYSMIC STORMS AND FLOODS RESULTING FROM STORMS	2	0	2
910-915	ACCIDENTS CAUSED BY SUBMERSION, SUFFOCATION, AND FOREIGN BODIES	184	87	97
910	DROWNING AND SUBMERSION	87	43	44
911	INHALATION AND INGESTION OF FOOD CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION	38	18	20
912	INHALATION AND INGESTION OF OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION	40	17	23
913	MECHANICAL SUFFOCATION	18	8	10
915	FOREIGN BODY ACCIDENTALLY ENTERING OTHER ORIFICE	1	1	0
916-929	OTHER ACCIDENTS	186	120	66
916	STRUCK BY FALLING OBJECT	26	15	11
917	STRIKING AGAINST OR STRUCK BY OBJECTS OR PERSONS	6	3	3
918	CAUGHT ACCIDENTALLY IN OR BETWEEN OBJECTS	2	1	1
919	CAUSED BY MACHINERY	25	20	5
920	CAUSED BY CUTTING AND PIERCING INSTRUMENTS OR OBJECTS	3	1	2
922	CAUSED BY FIREARM MISSILE	69	49	20
923	CAUSED BY EXPLOSIVE MATERIAL	6	3	3
924	CAUSED BY HOT SUBSTANCE OR OBJECT, CAUSTIC OR CORROSIVE MATERIAL, AND STEAM	4	2	2
925	CAUSED BY ELECTRIC CURRENT	11	10	1
927	OVEREXERTION AND STRENUOUS MOVEMENTS	1	0	1
928	OTHER AND UNSPECIFIED ENVIRONMENTAL AND ACCIDENTAL CAUSES	23	12	11
929	LATE EFFECTS OF ACCIDENTAL INJURY	10	4	6
930-949	DRUGS, MEDICAMENTS, AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE	3	1	2
930	ANTIBIOTICS	1	0	1
938	OTHER CENTRAL NERVOUS SYSTEM DEPRESSANTS	1	1	0
947	OTHER AND UNSPECIFIED DRUGS AND MEDICAMENTS	1	0	1
950-959	SUICIDE AND SELF-INFLICTED INJURY	258	224	34
950-952	BY POISONING	24	20	4

DEATHS - MISSISSIPPI - 1983

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE*	TOTAL	WHITE	NON-WHITE
950	BY SOLID OR LIQUID SUBSTANCES	17	13	4
952	BY OTHER GASES AND VAPORS	7	7	0
953	BY HANGING, STRANGULATION, AND SUFFOCATION	14	9	5
954	BY SUBMERSION (DROWNING)	3	2	1
955	BY FIREARMS AND EXPLOSIVES	210	188	22
956	BY CUTTING AND PIERCING INSTRUMENTS	3	2	1
957	BY JUMPING FROM HIGH PLACE	2	1	1
958	BY OTHER AND UNSPECIFIED MEANS	2	2	0
960-978	HOMICIDE AND INJURY PURPOSELY INFLICTED BY OTHER PERSONS; LEGAL INTERVENTION	305	97	208
960-969	HOMICIDE AND INJURY PURPOSELY INFLICTED BY OTHER PERSONS	299	94	205
963	ASSAULT BY HANGING AND STRANGULATION	5	4	1
964	ASSAULT BY SUBMERSION (DROWNING)	1	1	0
965	ASSAULT BY FIREARMS AND EXPLOSIVES	207	69	138
966	ASSAULT BY CUTTING AND PIERCING INSTRUMENT	57	11	46
968	ASSAULT BY OTHER AND UNSPECIFIED MEANS	28	9	19
969	LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON	1	0	1
970-978	LEGAL INTERVENTION	6	3	3
970	INJURY BY FIREARMS	5	2	3
978	LEGAL EXECUTION	1	1	0
980-989	INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED	39	21	18
982	POISONING BY OTHER GASES	2	2	0
984	SUBMERSION (DROWNING)	4	1	3
985	INJURY BY FIREARMS AND EXPLOSIVES	21	10	11
986	INJURY BY CUTTING AND PIERCING INSTRUMENTS	2	1	1
988	INJURY BY OTHER AND UNSPECIFIED MEANS	10	7	3
990-999	INJURY RESULTING FROM OPERATIONS OF WAR	0	0	0

* *NUMBERS AND CAUSES ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH. IF NO DEATHS WERE REPORTED FOR A SPECIFIC THREE-DIGIT CATEGORY, NUMBER AND CAUSE WERE OMITTED FROM THIS LISTING.*

TABLE 11

DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE, ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, MISSISSIPPI RESIDENTS, 1983

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE*	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										
		NUMBER	RATE #					UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN
001-999	ALL CAUSES	23,831	9.2	W	15,250	M	8,351	128	34	23	37	264	210	277	593	1,457	5,326	2
						F	6,899	112	25	17	15	87	69	141	313	813	5,306	1
				NW	8,581	M	4,672	225	52	19	17	155	224	232	334	672	2,735	7
						F	3,909	199	26	21	10	60	97	123	243	463	2,662	5
001-139	INFECTIOUS AND PARASITIC DISEASES	273	10.6	W	146	M	76	7	0	0	1	5	0	4	3	10	46	0
						F	70	2	0	1	0	1	1	0	3	9	53	0
				NW	127	M	68	13	2	0	0	2	3	3	9	4	32	0
						F	59	8	4	0	1	1	4	0	3	4	34	0
010-018	TUBERCULOSIS	30	1.2	W	15	M	8	0	0	0	0	0	0	0	0	1	7	0
						F	7	0	0	0	0	0	0	0	1	2	4	0
				NW	15	M	10	0	0	0	0	0	0	1	1	1	7	0
						F	5	0	0	0	0	0	0	0	1	1	3	0
070	VIRAL HEPATITIS	16	0.6	W	7	M	3	0	0	0	0	1	0	1	0	1	0	0
						F	4	0	0	1	0	0	0	0	0	1	2	0
				NW	9	M	7	0	0	0	0	2	1	0	1	0	3	0
						F	2	0	0	0	0	0	0	0	1	0	1	0
140-208	MALIGNANT NEOPLASMS	4,578	177.0	W	3,086	M	1,761	0	1	1	2	10	14	42	129	416	1,146	0
						F	1,325	0	2	4	1	6	15	54	113	302	828	0
				NW	1,492	M	871	0	4	1	0	4	8	32	68	163	590	1
						F	621	0	1	1	0	5	20	27	70	106	391	0
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNDETERMINED NATURE	62	2.4	W	41	M	23	0	0	0	0	0	1	1	0	5	16	0
						F	18	0	0	0	0	0	1	0	1	5	11	0
				NW	21	M	8	0	0	0	0	1	0	0	1	0	6	0
						F	13	0	0	0	0	0	0	0	0	2	11	0

TABLE 11 - PAGE 2

DEATHS - MISSISSIPPI - 1983

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE*	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										
		NUMBER	RATE #					UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN
240-279	ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS	555	21.4	W	286	M	108	0	0	0	3	0	1	3	15	18	68	0
						F	178	4	1	2	1	1	3	4	8	24	130	0
				NW	269	M	110	4	0	0	0	1	2	5	7	25	66	0
						F	159	2	1	1	0	1	4	5	10	25	109	1
250	DIABETES MELLITUS	415	16.0	W	212	M	79	0	0	0	1	0	1	1	10	13	53	0
						F	133	0	0	0	0	0	3	3	6	19	102	0
				NW	203	M	80	0	0	0	0	1	1	3	4	21	50	0
						F	123	0	0	0	0	1	3	4	9	20	85	1
260-269	NUTRITIONAL DEFICIENCIES	35	1.4	W	19	M	6	0	0	0	0	0	0	0	1	0	5	0
						F	13	0	0	0	0	0	0	0	0	1	12	0
				W	16	M	7	1	0	0	0	0	0	0	0	1	5	0
						F	9	1	0	0	0	0	0	0	0	1	7	0
280-289	DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	88	3.4	W	53	M	23	0	0	0	0	0	1	0	0	1	21	0
						F	30	0	0	0	0	1	0	0	1	2	26	0
				NW	35	M	15	0	0	1	1	0	3	1	0	4	5	0
						F	20	1	0	0	0	2	2	0	2	2	11	0
280-285	ANEMIAS	49	1.9	W	24	M	9	0	0	0	0	0	0	0	0	0	9	0
						F	15	0	0	0	0	0	0	0	1	1	13	0
				NW	25	M	12	0	0	1	1	0	3	1	0	3	3	0
						F	13	1	0	0	0	2	2	0	1	1	6	0
290-319	MENTAL DISORDERS	146	5.6	W	96	M	53	0	0	0	0	0	1	4	8	5	35	0
						F	43	0	0	0	0	0	1	0	2	4	36	0
				NW	50	M	34	0	0	0	0	1	1	5	5	5	17	0
						F	16	0	0	0	0	0	1	1	0	1	13	0
303	ALCOHOLISM	30	1.2	W	17	M	13	0	0	0	0	0	1	2	5	3	2	0
						F	4	0	0	0	0	0	0	0	1	2	1	0
				NW	13	M	9	0	0	0	0	0	1	4	2	2	0	0
						F	4	0	0	0	0	0	1	1	0	1	1	0

DEATHS - MISSISSIPPI - 1983

INTER-NATIONAL CLASSI-FICATION NUMBER*	CAUSE*	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										
		NUMBER	RATE #					UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UN-KNOWN
320-389	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	219	8.5	W	154	M	84	1	2	2	0	4	6	5	12	11	41	0
						F	70	1	3	1	1	2	1	2	4	10	45	0
				NW	65	M	37	3	5	0	0	2	4	3	2	4	14	0
						F	28	6	0	1	1	0	3	2	1	2	12	0
320-322	MENINGITIS	17	0.6	W	4	M	2	0	0	0	0	0	0	0	0	0	2	0
						F	2	0	2	0	0	0	0	0	0	0	0	0
				NW	13	M	9	2	4	0	0	0	0	1	0	0	2	0
						F	4	4	0	0	0	0	0	0	0	0	0	0
345	EPILEPSY	30	1.2	W	22	M	15	1	0	0	0	0	1	3	6	1	3	0
						F	7	0	1	1	1	1	0	1	0	1	1	0
				NW	8	M	6	0	0	0	0	0	2	1	0	1	2	0
						F	2	0	0	0	0	0	1	0	1	0	0	0
390-459	DISEASES OF THE CIRCULATORY SYSTEM	11,037	426.6	W	7,388	M	3,783	3	2	2	0	3	16	67	272	648	2,770	0
						F	3,605	2	3	0	1	5	3	25	96	301	3,168	1
				NW	3,649	M	1,774	5	5	3	2	12	40	63	117	255	1,268	4
						F	1,875	9	2	2	0	8	21	45	100	221	1,466	1
390-398, 402, 404-429	HEART DISEASES	8,395	324.5	W	5,728	M	3,063	3	2	1	0	3	13	61	247	556	2,177	0
						F	2,665	1	3	0	0	3	2	18	75	251	2,311	1
				NW	2,667	M	1,318	5	5	2	2	7	35	44	85	194	935	4
						F	1,349	9	2	2	0	8	16	27	73	169	1,042	1
401,403	HYPERTENSION	82	3.2	W	37	M	15	0	0	0	0	0	0	0	1	1	13	0
						F	22	0	0	0	0	0	0	0	0	2	20	0
				NW	45	M	25	0	0	0	0	0	1	5	0	8	11	0
						F	20	0	0	0	0	0	0	0	0	2	18	0
430-438	CEREBROVASCULAR DISEASES	2,064	79.8	W	1,267	M	522	0	0	1	0	0	3	3	19	68	428	0
						F	745	1	0	0	1	1	1	7	15	38	681	0
				NW	797	M	369	0	0	1	0	4	4	13	30	49	268	0
						F	428	0	0	0	0	0	4	17	24	40	343	0

TABLE 11 - PAGE 4

DEATHS - MISSISSIPPI - 1983

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE*	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										
		NUMBER	RATE #					UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN
440	ATHEROSCLEROSIS	269	10.4	W	187	M	78	0	0	0	0	0	0	0	3	5	70	0
						F	109	0	0	0	0	0	0	0	2	2	105	0
				NW	82	M	43	0	0	0	0	0	0	0	2	0	41	0
						F	39	0	0	0	0	0	0	0	0	1	38	0
460-519	DISEASES OF THE RESPIRATORY SYSTEM	1,396	54.0	W	1,056	M	612	5	1	1	2	3	4	3	22	82	489	0
						F	444	2	0	2	0	2	1	3	17	43	374	0
				NW	340	M	223	10	3	1	0	0	5	9	12	34	148	1
						F	117	8	1	0	0	1	1	4	10	10	82	0
480-486	PNEUMONIA	512	19.8	W	368	M	165	2	1	1	2	1	3	2	10	15	128	0
						F	203	0	0	1	0	1	0	0	6	11	184	0
				NW	144	M	84	5	2	1	0	0	1	4	3	7	60	1
						F	60	7	1	0	0	0	0	1	2	3	46	0
487	INFLUENZA	3	0.1	W	3	M	1	0	0	0	0	0	0	0	0	0	1	0
						F	2	0	0	0	0	0	0	0	0	0	2	0
				NW	0	M	0	0	0	0	0	0	0	0	0	0	0	0
						F	0	0	0	0	0	0	0	0	0	0	0	0
492	EMPHYSEMA	85	3.3	W	73	M	56	0	0	0	0	0	0	0	2	6	48	0
						F	17	0	0	0	0	0	0	0	0	2	15	0
				NW	12	M	11	0	0	0	0	0	0	0	1	1	9	0
						F	1	0	0	0	0	0	0	0	0	0	1	0
490,491, 493-496	OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS	556	21.5	W	444	M	307	0	0	0	0	0	0	0	9	49	249	0
						F	137	0	0	0	0	0	0	2	7	21	107	0
				NW	112	M	81	2	1	0	0	0	1	3	4	18	52	0
						F	31	0	0	0	0	0	1	0	6	4	20	0
520-579	DISEASES OF THE DIGESTIVE SYSTEM	686	26.5	W	472	M	246	0	1	0	0	1	6	15	21	63	139	0
						F	226	1	0	0	1	2	1	5	16	34	166	0
				NW	214	M	118	2	1	0	0	2	7	11	9	28	58	0
						F	96	2	1	1	0	1	5	4	9	12	61	0

DEATHS - MISSISSIPPI - 1983

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE*	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										
		NUMBER	RATE #					UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN
531-533	ULCER OF STOMACH AND DUODENUM	53	2.0	W	39	M	20	0	0	0	0	0	0	1	0	3	16	0
						F	19	0	0	0	0	0	0	0	1	2	16	0
				NW	14	M	9	0	0	0	0	0	0	1	1	1	6	0
						F	5	0	0	0	0	0	0	0	0	1	4	0
571	CHRONIC LIVER DISEASE AND CIRRHOSIS	219	8.5	W	158	M	105	0	0	0	0	0	4	8	15	40	38	0
						F	53	0	0	0	1	0	0	2	12	18	20	0
				NW	61	M	39	0	0	0	0	0	2	7	5	15	10	0
						F	22	0	0	0	0	0	4	1	4	7	6	0
580-629	DISEASES OF THE GENITOURINARY SYSTEM	475	18.4	W	263	M	118	2	0	0	0	1	0	2	1	4	108	0
						F	145	1	0	0	0	1	0	1	5	5	132	0
				NW	212	M	114	0	0	0	0	0	2	3	6	16	87	0
						F	98	1	1	0	1	1	0	0	5	8	81	0
580-589	NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS	257	9.9	W	132	M	59	2	0	0	0	1	0	1	1	4	50	0
						F	73	1	0	0	0	1	0	0	1	4	66	0
				NW	125	M	66	0	0	0	0	0	1	2	5	9	49	0
						F	59	1	0	0	0	0	0	0	3	6	49	0
590	INFECTIONS OF KIDNEY	39	1.5	W	25	M	6	0	0	0	0	0	0	0	0	0	6	0
						F	19	0	0	0	0	0	0	1	1	0	17	0
				NW	14	M	4	0	0	0	0	0	0	0	0	1	3	0
						F	10	0	0	0	0	0	0	0	1	0	9	0
630-676	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM	1	2.3	W	0	M	0	0	0	0	0	0	0	0	0	0	0	0
						F	0	0	0	0	0	0	0	0	0	0	0	0
				NW	1	M	0	0	0	0	0	0	0	0	0	0	0	0
						F	1	0	0	0	0	0	1	0	0	0	0	0
680-709	DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE	55	2.1	W	27	M	9	0	0	0	0	0	0	0	0	1	8	0
						F	18	0	0	0	0	0	0	0	0	1	17	0
				NW	28	M	15	0	0	0	0	0	0	1	2	1	11	0
						F	13	0	0	0	0	0	0	0	1	0	12	0

TABLE 11 - PAGE 6

DEATHS - MISSISSIPPI - 1983

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE*	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										
		NUMBER	RATE #					UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN
710-739	DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE	76	2.9	W	46	M	21	0	0	0	0	3	0	1	0	5	12	0
						F	25	0	0	0	0	0	2	0	3	4	16	0
				NW	30	M	8	0	0	0	0	1	0	1	1	1	4	0
						F	22	0	0	1	1	1	1	2	4	6	6	0
740-759	CONGENITAL ANOMALIES	173	6.7	W	96	M	50	33	3	0	0	2	2	1	2	2	5	0
						F	46	31	3	0	1	1	2	0	1	1	6	0
				NW	77	M	36	22	5	0	1	1	2	1	2	1	1	0
						F	41	33	2	0	1	2	1	0	0	1	1	0
760-779	CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	311	7.1	W	115	M	61	61	0	0	0	0	0	0	0	0	0	0
						F	54	54	0	0	0	0	0	0	0	0	0	0
				NW	196	M	107	107	0	0	0	0	0	0	0	0	0	0
						F	89	89	0	0	0	0	0	0	0	0	0	0
780-799	SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS	1,603	62.0	W	652	M	408	10	3	0	0	3	5	17	29	83	258	0
						F	244	10	1	0	0	3	0	8	12	29	181	0
				NW	951	M	527	45	5	0	1	1	13	18	37	78	328	1
						F	424	29	2	0	0	2	8	6	17	42	316	2
800-999	ALL EXTERNAL CAUSES	2,097	81.0	W	1,273	M	915	6	21	17	29	229	153	112	79	103	164	2
						F	358	4	12	7	9	62	38	39	31	39	117	0
				NW	824	M	607	14	22	13	12	127	134	76	56	53	100	0
						F	217	11	11	14	5	35	25	27	11	21	56	1
810-825	MOTOR VEHICLE ACCIDENTS	725	28.0	W	510	M	372	2	8	5	18	132	71	43	25	30	37	1
						F	138	0	7	5	5	38	19	17	10	18	19	0
				NW	215	M	159	0	3	7	2	37	36	23	14	15	22	0
						F	56	1	5	3	0	14	7	4	4	4	14	0
800-807, 826-949	ALL OTHER ACCIDENTS AND ADVERSE EFFECTS	770	29.8	W	421	M	287	3	11	11	9	49	34	33	26	34	77	0
						F	134	3	5	2	4	6	5	5	9	7	88	0
				NW	349	M	246	14	18	6	9	40	35	20	21	20	63	0
						F	103	8	6	9	4	7	7	8	4	12	38	0

DEATHS - MISSISSIPPI - 1983

INTERNATIONAL CLASSIFICATION NUMBER*	CAUSE*	TOTAL		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										
		NUMBER	RATE #					UNDER 1	1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64	65 AND OVER	UNKNOWN
950-959	SUICIDE	258	10.0	W	224	M	173	0	0	0	1	33	30	21	20	27	41	0
						F	51	0	0	0	0	12	7	8	9	10	5	0
				NW	34	M	28	0	0	0	0	10	5	5	1	2	5	0
						F	6	0	0	0	0	4	0	0	1	1	0	0
960-978	HOMICIDE AND LEGAL INTERVENTION	305	11.8	W	97	M	67	0	2	1	1	14	12	13	8	10	6	0
						F	30	1	0	0	0	6	5	8	2	4	4	0
				NW	208	M	162	0	1	0	1	36	56	26	19	13	10	0
						F	46	1	0	2	1	7	10	15	2	3	4	1

* *NUMBERS AND CAUSES ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.*

\# *TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES (CLASSIFICATION NUMBERS 630-676) ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (CLASSIFICATION NUMBERS 760-779) ARE PER 1,000 LIVE BIRTHS.*

TABLE 12

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF ADAMS, ALCORN, AMITE, AND ATTALA COUNTIES, MISSISSIPPI, 1983

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	ADAMS COUNTY			ALCORN COUNTY			AMITE COUNTY			ATTALA COUNTY		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	415	196	219	318	280	38	144	81	63	240	161	79
TUBERCULOSIS (010-018)	0	0	0	0	0	0	0	0	0	1	1	0
MALIGNANT NEOPLASMS (140-208)	81	47	34	62	55	7	27	16	11	54	36	18
DIABETES MELLITUS (250)	11	1	10	3	2	1	2	0	2	6	3	3
DISEASES OF HEART (390-398, 402, 404, 410-429)	143	64	79	144	125	19	36	23	13	101	64	37
HYPERTENSION (401, 403)	3	2	1	1	1	0	1	1	0	1	0	1
CEREBROVASCULAR DISEASES (430-438)	35	20	15	34	31	3	10	6	4	17	10	7
ATHEROSCLEROSIS (440)	5	1	4	0	0	0	1	0	1	8	6	2
PNEUMONIA AND INFLUENZA (480-487)	7	4	3	7	7	0	0	0	0	4	3	1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	9	5	4	7	7	0	6	4	2	8	7	1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	1	1	0	6	5	1	1	1	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	5	2	3	5	4	1	0	0	0	2	2	0
INFECTIONS OF KIDNEY (590)	1	1	0	0	0	0	0	0	0	0	0	0
MATERNAL CAUSES (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES (740-759)	4	2	2	2	1	1	2	2	0	1	1	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	0	3	3	3	0	2	0	2	3	1	2
ACCIDENTS (800-949)	22	15	7	12	12	0	15	8	7	10	8	2
MOTOR VEHICLE ACCIDENTS# (810-825)	12	8	4	9	9	0	8	5	3	6	5	1
SUICIDE (950-959)	2	2	0	2	2	0	0	0	0	1	1	0
HOMICIDE AND LEGAL INTERVENTION (960-978)	5	2	3	4	3	1	1	0	1	1	0	1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	34	5	29	2	2	0	31	14	17	4	2	2

* *CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.*

\# *NOT TO BE USED FOR RANKING.*

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF BENTON, BOLIVAR, CALHOUN, AND CARROLL COUNTIES, MISSISSIPPI, 1983

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	BENTON COUNTY			BOLIVAR COUNTY			CALHOUN COUNTY			CARROLL COUNTY		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	69	44	25	468	189	279	165	123	42	73	46	27
TUBERCULOSIS (010-018)	0	0	0	1	1	0	0	0	0	0	0	0
MALIGNANT NEOPLASMS (140-208)	12	6	6	96	44	52	31	24	7	15	9	6
DIABETES MELLITUS (250)	0	0	0	7	0	7	1	1	0	0	0	0
DISEASES OF HEART (390-398, 402, 404, 410-429)	20	15	5	158	69	89	52	42	10	26	19	7
HYPERTENSION (401, 403)	0	0	0	1	0	1	0	0	0	0	0	0
CEREBROVASCULAR DISEASES (430-438)	4	3	1	54	14	40	25	19	6	3	1	2
ATHEROSCLEROSIS (440)	1	1	0	15	7	8	2	2	0	0	0	0
PNEUMONIA AND INFLUENZA (480-487)	1	1	0	3	3	0	3	3	0	1	1	0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	4	0	9	8	1	5	4	1	0	0	0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	4	3	1	1	0	1	1	1	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	0	0	0	1	0	1	2	2	0	5	1	4
INFECTIONS OF KIDNEY (590)	0	0	0	0	0	0	0	0	0	0	0	0
MATERNAL CAUSES (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES (740-759)	0	0	0	3	0	3	0	0	0	1	0	1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	1	2	10	2	8	1	0	1	1	0	1
ACCIDENTS (800-949)	5	2	3	25	9	16	10	6	4	7	5	2
MOTOR VEHICLE ACCIDENTS# (810-825)	3	2	1	11	5	6	5	4	1	4	3	1
SUICIDE (950-959)	2	2	0	1	0	1	3	2	1	1	1	0
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	9	3	6	2	1	1	1	1	0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	12	6	6	36	6	30	12	6	6	3	1	2

* *CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.*

\# *NOT TO BE USED FOR RANKING.*

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF CHICKASAW, CHOCTAW, CLAIBORNE, AND CLARKE COUNTIES, MISSISSIPPI, 1983

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CHICKASAW COUNTY			CHOCTAW COUNTY			CLAIBORNE COUNTY			CLARKE COUNTY		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	181	125	56	94	67	27	103	30	73	206	121	85
TUBERCULOSIS (010-018)	0	0	0	0	0	0	0	0	0	0	0	0
MALIGNANT NEOPLASMS (140-208)	38	27	11	13	9	4	17	5	12	28	17	11
DIABETES MELLITUS (250)	2	1	1	1	0	1	1	1	0	3	2	1
DISEASES OF HEART (390-398, 402, 404, 410-429)	72	48	24	51	36	15	35	11	24	61	39	22
HYPERTENSION (401, 403)	1	1	0	1	0	1	2	0	2	1	1	0
CEREBROVASCULAR DISEASES (430-438)	19	11	8	5	4	1	10	2	8	25	14	11
ATHEROSCLEROSIS (440)	3	1	2	2	2	0	0	0	0	7	6	1
PNEUMONIA AND INFLUENZA (480-487)	3	3	0	2	2	0	3	2	1	5	3	2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	3	2	1	2	2	0	3	1	2	5	4	1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	4	3	1	0	0	0	1	0	1	2	2	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	1	2	0	0	0	2	1	1	3	1	2
INFECTIONS OF KIDNEY (590)	0	0	0	0	0	0	0	0	0	0	0	0
MATERNAL CAUSES (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES (740-759)	0	0	0	1	1	0	0	0	0	0	0	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	4	4	0	0	0	0	5	0	5	1	0	1
ACCIDENTS (800-949)	10	9	1	6	2	4	8	3	5	15	8	7
MOTOR VEHICLE ACCIDENTS# (810-825)	7	6	1	1	0	1	2	2	0	10	5	5
SUICIDE (950-959)	2	2	0	0	0	0	0	0	0	1	1	0
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	0	2	1	1	0	1	1	0	1	0	1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	1	1	0	0	0	6	0	6	28	12	16

* *CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.*

\# *NOT TO BE USED FOR RANKING.*

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF CLAY, COAHOMA, COPIAH, AND COVINGTON COUNTIES, MISSISSIPPI, 1983

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CLAY COUNTY			COAHOMA COUNTY			COPIAH COUNTY			COVINGTON COUNTY		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	200	116	84	421	163	258	262	154	108	178	129	49
TUBERCULOSIS (010-018)	0	0	0	1	0	1	0	0	0	0	0	0
MALIGNANT NEOPLASMS (140-208)	37	25	12	75	30	45	57	36	21	32	26	6
DIABETES MELLITUS (250)	6	4	2	8	2	6	4	2	2	4	4	0
DISEASES OF HEART (390-398, 402, 404, 410-429)	83	43	40	136	65	71	91	68	23	49	39	10
HYPERTENSION (401, 403)	0	0	0	2	0	2	1	0	1	1	1	0
CEREBROVASCULAR DISEASES (430-438)	22	10	12	43	22	21	18	5	13	12	6	6
ATHEROSCLEROSIS (440)	3	2	1	4	2	2	1	1	0	6	5	1
PNEUMONIA AND INFLUENZA (480-487)	4	1	3	7	5	2	9	7	2	2	0	2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	3	1	11	9	2	1	1	0	6	6	0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	2	1	4	2	2	1	0	1	5	5	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	1	0	6	2	4	5	2	3	0	0	0
INFECTIONS OF KIDNEY (590)	0	0	0	1	0	1	3	3	0	1	0	1
MATERNAL CAUSES (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES (740-759)	2	0	2	3	1	2	0	0	0	1	0	1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	4	1	3	17	2	15	1	1	0	0	0	0
ACCIDENTS (800-949)	16	12	4	19	3	16	19	8	11	10	6	4
MOTOR VEHICLE ACCIDENTS# (810-825)	7	5	2	10	2	8	11	5	6	2	1	1
SUICIDE (950-959)	2	2	0	6	4	2	4	4	0	3	3	0
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	8	2	6	4	0	4	0	0	0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	43	2	41	19	4	15	27	17	10

* *CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.*

\# *NOT TO BE USED FOR RANKING.*

TABLE 12 - PAGE 5

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF DESOTO, FORREST, FRANKLIN, AND GEORGE COUNTIES, MISSISSIPPI, 1983

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	DESOTO COUNTY			FORREST COUNTY			FRANKLIN COUNTY			GEORGE COUNTY		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	352	264	88	651	478	173	103	66	37	136	126	10
TUBERCULOSIS (010-018)	1	0	1	1	0	1	0	0	0	0	0	0
MALIGNANT NEOPLASMS (140-208)	72	61	11	120	91	29	16	12	4	31	28	3
DIABETES MELLITUS (250)	2	2	0	11	6	5	3	1	2	2	2	0
DISEASES OF HEART (390-398, 402, 404, 410-429)	80	69	11	191	157	34	45	30	15	63	58	5
HYPERTENSION (401, 403)	1	0	1	1	0	1	1	0	1	0	0	0
CEREBROVASCULAR DISEASES (430-438)	26	15	11	57	42	15	11	9	2	5	5	0
ATHEROSCLEROSIS (440)	1	1	0	6	5	1	0	0	0	1	1	0
PNEUMONIA AND INFLUENZA (480-487)	16	13	3	18	13	5	0	0	0	1	1	0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	13	13	0	23	20	3	4	4	0	3	3	0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	9	7	2	0	0	0	0	0	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	1	2	5	3	2	0	0	0	2	2	0
INFECTIONS OF KIDNEY (590)	0	0	0	0	0	0	0	0	0	0	0	0
MATERNAL CAUSES (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES (740-759)	5	5	0	3	1	2	1	0	1	0	0	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	8	6	2	1	0	1	2	2	0
ACCIDENTS (800-949)	25	18	7	37	27	10	5	3	2	12	10	2
MOTOR VEHICLE ACCIDENTS# (810-825)	13	10	3	14	11	3	3	1	2	10	8	2
SUICIDE (950-959)	4	4	0	12	11	1	2	1	1	1	1	0
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	1	0	13	8	5	1	0	1	1	1	0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	75	40	35	63	31	32	1	0	1	2	2	0

* *CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.*

\# *NOT TO BE USED FOR RANKING.*

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF GREENE, GRENADA, HANCOCK, AND HARRISON COUNTIES, MISSISSIPPI, 1983

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	GREENE COUNTY			GRENADA COUNTY			HANCOCK COUNTY			HARRISON COUNTY		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	104	88	16	223	141	82	252	227	25	1,304	1,071	233
TUBERCULOSIS (010-018)	0	0	0	0	0	0	0	0	0	1	1	0
MALIGNANT NEOPLASMS (140-208)	16	15	1	41	32	9	50	41	9	303	240	63
DIABETES MELLITUS (250)	0	0	0	1	1	0	2	2	0	15	11	4
DISEASES OF HEART (390-398, 402, 404, 410-429)	35	30	5	98	60	38	110	100	10	512	423	89
HYPERTENSION (401, 403)	0	0	0	1	0	1	1	1	0	9	7	2
CEREBROVASCULAR DISEASES (430-438)	4	3	1	42	28	14	8	7	1	68	53	15
ATHEROSCLEROSIS (440)	4	4	0	0	0	0	4	4	0	7	7	0
PNEUMONIA AND INFLUENZA (480-487)	2	2	0	1	1	0	4	3	1	27	24	3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	3	2	1	2	2	0	7	6	1	53	44	9
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	1	0	1	3	3	0	13	13	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	0	0	0	4	4	0	9	6	3
INFECTIONS OF KIDNEY (590)	0	0	0	0	0	0	1	1	0	2	2	0
MATERNAL CAUSES (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES (740-759)	1	1	0	1	1	0	2	2	0	9	8	1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	1	1	0	0	0	0	14	9	5
ACCIDENTS (800-949)	6	4	2	12	4	8	19	17	2	86	74	12
MOTOR VEHICLE ACCIDENTS# (810-825)	3	2	1	3	1	2	10	9	1	41	36	5
SUICIDE (950-959)	0	0	0	1	1	0	8	8	0	27	27	0
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	1	0	3	0	3	2	2	0	10	7	3
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	20	17	3	2	1	1	1	1	0	7	5	2

* *CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.*

\# *NOT TO BE USED FOR RANKING.*

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF HINDS, HOLMES, HUMPHREYS, AND ISSAQUENA COUNTIES, MISSISSIPPI, 1983

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	HINDS COUNTY			HOLMES COUNTY			HUMPHREYS COUNTY			ISSAQUENA COUNTY		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	2,058	1,144	914	274	76	198	133	37	96	25	9	16
TUBERCULOSIS (010-018)	1	0	1	0	0	0	0	0	0	0	0	0
MALIGNANT NEOPLASMS (140-208)	421	236	185	47	13	34	21	5	16	4	2	2
DIABETES MELLITUS (250)	47	20	27	7	3	4	5	1	4	1	1	0
DISEASES OF HEART (390-398, 402, 404, 410-429)	714	424	290	104	40	64	46	14	32	5	2	3
HYPERTENSION (401, 403)	4	2	2	1	0	1	0	0	0	0	0	0
CEREBROVASCULAR DISEASES (430-438)	155	95	60	24	3	21	13	4	9	1	0	1
ATHEROSCLEROSIS (440)	19	12	7	4	0	4	1	1	0	0	0	0
PNEUMONIA AND INFLUENZA (480-487)	65	33	32	6	2	4	1	1	0	0	0	0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	71	50	21	3	1	2	0	0	0	0	0	0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	27	19	8	2	0	2	0	0	0	0	0	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	16	9	7	11	3	8	3	0	3	0	0	0
INFECTIONS OF KIDNEY (590)	4	3	1	1	1	0	0	0	0	0	0	0
MATERNAL CAUSES (630-676)	0	0	0	0	0	0	1	0	1	0	0	0
CONGENITAL ANOMALIES (740-759)	16	5	11	4	0	4	2	0	2	0	0	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	35	11	24	6	1	5	3	1	2	0	0	0
ACCIDENTS (800-949)	112	63	49	22	4	18	5	0	5	4	0	4
MOTOR VEHICLE ACCIDENTS# (810-825)	53	33	20	8	2	6	4	0	4	0	0	0
SUICIDE (950-959)	26	20	6	2	1	1	0	0	0	1	1	0
HOMICIDE AND LEGAL INTERVENTION (960-978)	46	8	38	4	0	4	1	0	1	1	0	1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	48	14	34	13	0	13	14	3	11	5	3	2

* *CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.*

\# *NOT TO BE USED FOR RANKING.*

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF ITAWAMBA, JACKSON, JASPER, AND JEFFERSON COUNTIES, MISSISSIPPI, 1983

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	ITAWAMBA COUNTY			JACKSON COUNTY			JASPER COUNTY			JEFFERSON COUNTY		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	193	186	7	675	565	110	192	101	91	99	22	77
TUBERCULOSIS (010-018)	0	0	0	0	0	0	1	0	1	0	0	0
MALIGNANT NEOPLASMS (140-208)	34	32	2	151	131	20	34	20	14	18	5	13
DIABETES MELLITUS (250)	3	3	0	7	6	1	3	1	2	5	0	5
DISEASES OF HEART (390-398, 402, 404, 410-429)	82	80	2	244	198	46	59	34	25	34	9	25
HYPERTENSION (401, 403)	0	0	0	2	2	0	3	2	1	0	0	0
CEREBROVASCULAR DISEASES (430-438)	26	25	1	36	34	2	17	11	6	8	1	7
ATHEROSCLEROSIS (440)	3	3	0	12	12	0	2	0	2	2	1	1
PNEUMONIA AND INFLUENZA (480-487)	4	4	0	17	16	1	2	1	1	2	0	2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	5	0	22	21	1	5	5	0	1	0	1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	8	7	1	0	0	0	1	0	1
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	3	0	3	3	0	1	0	1	0	0	0
INFECTIONS OF KIDNEY (590)	0	0	0	2	1	1	1	0	1	1	0	1
MATERNAL CAUSES (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES (740-759)	1	1	0	7	6	1	0	0	0	0	0	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	8	4	4	1	1	0	1	0	1
ACCIDENTS (800-949)	8	8	0	43	33	10	8	5	3	10	1	9
MOTOR VEHICLE ACCIDENTS# (810-825)	5	5	0	16	13	3	4	3	1	5	1	4
SUICIDE (950-959)	3	3	0	4	4	0	0	0	0	1	1	0
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	2	0	4	3	1	1	0	1	2	2	0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	2	0	38	30	8	32	11	21	5	0	5

* *CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.*

\# *NOT TO BE USED FOR RANKING.*

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF JEFF DAVIS, JONES, KEMPER, AND LAFAYETTE COUNTIES, MISSISSIPPI, 1983

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	JEFF DAVIS COUNTY			JONES COUNTY			KEMPER COUNTY			LAFAYETTE COUNTY		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	130	63	67	621	469	152	120	67	53	209	140	69
TUBERCULOSIS (010-018)	2	2	0	1	0	1	0	0	0	0	0	0
MALIGNANT NEOPLASMS (140-208)	26	13	13	104	83	21	30	18	12	45	30	15
DIABETES MELLITUS (250)	2	1	1	9	6	3	1	1	0	1	0	1
DISEASES OF HEART (390-398, 402, 404, 410-429)	49	24	25	235	193	42	36	22	14	66	48	18
HYPERTENSION (401, 403)	1	1	0	0	0	0	1	0	1	1	1	0
CEREBROVASCULAR DISEASES (430-438)	7	3	4	57	44	13	7	5	2	23	16	7
ATHEROSCLEROSIS (440)	0	0	0	8	7	1	0	0	0	2	1	1
PNEUMONIA AND INFLUENZA (480-487)	4	2	2	21	13	8	3	3	0	2	2	0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	3	2	1	11	10	1	2	2	0	3	3	0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	14	9	5	0	0	0	2	2	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	1	0	13	8	5	1	1	0	2	0	2
INFECTIONS OF KIDNEY (590)	0	0	0	1	1	0	0	0	0	1	0	1
MATERNAL CAUSES (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES (740-759)	2	0	2	4	2	2	1	0	1	6	2	4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	5	3	2	1	0	1	2	1	1
ACCIDENTS (800-949)	6	4	2	33	25	8	11	5	6	14	10	4
MOTOR VEHICLE ACCIDENTS # (810-825)	4	3	1	13	13	0	4	3	1	9	7	2
SUICIDE (950-959)	0	0	0	4	4	0	1	1	0	4	4	0
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	0	2	4	2	2	1	0	1	3	0	3
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	11	1	10	34	18	16	15	5	10	12	5	7

* *CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.*

\# *NOT TO BE USED FOR RANKING.*

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF LAMAR, LAUDERDALE, LAWRENCE, AND LEAKE COUNTIES, MISSISSIPPI, 1983

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LAMAR COUNTY			LAUDERDALE COUNTY			LAWRENCE COUNTY			LEAKE COUNTY		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	182	154	28	808	529	279	141	98	43	234	154	80
TUBERCULOSIS (010-018)	0	0	0	4	3	1	0	0	0	0	0	0
MALIGNANT NEOPLASMS (140-208)	41	37	4	126	90	36	14	8	6	50	40	10
DIABETES MELLITUS (250)	3	1	2	12	6	6	3	3	0	9	4	5
DISEASES OF HEART (390-398, 402, 404, 410-429)	52	46	6	346	234	112	65	45	20	97	74	23
HYPERTENSION (401, 403)	0	0	0	0	0	0	0	0	0	0	0	0
CEREBROVASCULAR DISEASES (430-438)	16	11	5	101	60	41	12	9	3	15	7	8
ATHEROSCLEROSIS (440)	2	2	0	4	4	0	2	1	1	2	2	0
PNEUMONIA AND INFLUENZA (480-487)	1	0	1	10	5	5	2	2	0	6	0	6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	6	5	1	21	17	4	4	3	1	5	5	0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	3	0	10	7	3	1	0	1	2	1	1
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	0	0	0	16	8	8	0	0	0	5	2	3
INFECTIONS OF KIDNEY (590)	0	0	0	2	1	1	0	0	0	0	0	0
MATERNAL CAUSES (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES (740-759)	2	2	0	6	4	2	1	1	0	1	1	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	2	0	5	1	4	1	0	1	2	1	1
ACCIDENTS (800-949)	10	9	1	57	37	20	14	9	5	12	3	9
MOTOR VEHICLE ACCIDENTS# (810-825)	8	8	0	30	27	3	9	4	5	6	2	4
SUICIDE (950-959)	2	2	0	10	10	0	2	2	0	1	1	0
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	16	5	11	2	2	0	0	0	0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	14	12	2	7	5	2	1	1	0	5	1	4

* *CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.*

\# *NOT TO BE USED FOR RANKING.*

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF LEE, LEFLORE, LINCOLN, AND LOWNDES COUNTIES, MISSISSIPPI, 1983

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LEE COUNTY			LEFLORE COUNTY			LINCOLN COUNTY			LOWNDES COUNTY		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	534	420	114	439	211	228	322	231	91	444	293	151
TUBERCULOSIS (010-018)	1	0	1	1	1	0	1	1	0	0	0	0
MALIGNANT NEOPLASMS (140-208)	91	69	22	79	49	30	56	39	17	73	52	21
DIABETES MELLITUS (250)	5	4	1	8	3	5	6	4	2	14	8	6
DISEASES OF HEART (390-398, 402, 404, 410-429)	227	181	46	175	81	94	132	106	26	160	110	50
HYPERTENSION (401, 403)	1	1	0	1	0	1	0	0	0	0	0	0
CEREBROVASCULAR DISEASES (430-438)	53	47	6	38	14	24	26	19	7	41	26	15
ATHEROSCLEROSIS (440)	12	11	1	1	0	1	1	0	1	9	5	4
PNEUMONIA AND INFLUENZA (480-487)	7	7	0	7	5	2	5	4	1	15	9	6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	16	14	2	10	5	5	9	7	2	14	11	3
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	4	3	1	5	3	2	3	2	1	4	3	1
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	9	8	1	3	1	2	2	2	0	4	0	4
INFECTIONS OF KIDNEY (590)	0	0	0	0	0	0	0	0	0	0	0	0
MATERNAL CAUSES (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES (740-759)	5	4	1	7	3	4	4	2	2	4	3	1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	6	0	6	12	2	10	0	0	0	9	3	6
ACCIDENTS (800-949)	32	19	13	33	21	12	13	8	5	30	20	10
MOTOR VEHICLE ACCIDENTS# (810-825)	18	13	5	17	12	5	6	4	2	11	9	2
SUICIDE (950-959)	6	5	1	3	2	1	2	2	0	4	4	0
HOMICIDE AND LEGAL INTERVENTION (960-978)	8	3	5	8	1	7	6	4	2	2	1	1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	6	6	0	9	2	7	35	13	22	12	5	7

* *CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.*

\# *NOT TO BE USED FOR RANKING.*

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF MADISON, MARION, MARSHALL, AND MONROE COUNTIES, MISSISSIPPI, 1983

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	MADISON COUNTY			MARION COUNTY			MARSHALL COUNTY			MONROE COUNTY		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	328	131	197	269	185	84	260	130	130	391	268	123
TUBERCULOSIS (010-018)	0	0	0	1	1	0	0	0	0	1	0	1
MALIGNANT NEOPLASMS (140-208)	67	28	39	44	28	16	49	29	20	67	54	13
DIABETES MELLITUS (250)	8	3	5	7	4	3	6	1	5	4	2	2
DISEASES OF HEART (390-398, 402, 404, 410-429)	74	36	38	78	57	21	71	34	37	142	100	42
HYPERTENSION (401, 403)	1	0	1	1	0	1	0	0	0	1	1	0
CEREBROVASCULAR DISEASES (430-438)	14	5	9	38	26	12	20	8	12	47	28	19
ATHEROSCLEROSIS (440)	4	1	3	6	5	1	4	3	1	2	2	0
PNEUMONIA AND INFLUENZA (480-487)	7	4	3	7	6	1	4	3	1	6	5	1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	2	2	7	7	0	5	4	1	9	8	1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	1	1	2	2	0	2	2	0	2	1	1
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	1	3	4	2	2	2	1	1	2	2	0
INFECTIONS OF KIDNEY (590)	0	0	0	1	0	1	0	0	0	1	1	0
MATERNAL CAUSES (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES (740-759)	2	0	2	1	0	1	3	3	0	1	0	1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	7	2	5	2	2	0	1	0	1	10	5	5
ACCIDENTS (800-949)	20	9	11	13	10	3	21	11	10	22	16	6
MOTOR VEHICLE ACCIDENTS# (810-825)	10	6	4	9	7	2	12	7	5	14	12	2
SUICIDE (950-959)	3	3	0	2	2	0	1	1	0	3	2	1
HOMICIDE AND LEGAL INTERVENTION (960-978)	6	0	6	4	1	3	5	3	2	5	1	4
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	68	16	52	25	13	12	28	7	21	27	12	15

* *CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.*

\# *NOT TO BE USED FOR RANKING.*

TABLE 12 - PAGE 13

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF MONTGOMERY, NESHOBA, NEWTON, AND NOXUBEE COUNTIES, MISSISSIPPI, 1983

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	MONTGOMERY COUNTY			NESHOBA COUNTY			NEWTON COUNTY			NOXUBEE COUNTY		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	158	99	59	268	204	64	236	167	69	139	46	93
TUBERCULOSIS (010-018)	0	0	0	0	0	0	1	1	0	0	0	0
MALIGNANT NEOPLASMS (140-208)	23	14	9	53	42	11	41	31	10	21	7	14
DIABETES MELLITUS (250)	4	3	1	4	1	3	14	8	6	0	0	0
DISEASES OF HEART (390-398, 402, 404, 410-429)	69	44	25	74	68	6	78	70	8	33	13	20
HYPERTENSION (401, 403)	0	0	0	0	0	0	2	2	0	1	0	1
CEREBROVASCULAR DISEASES (430-438)	14	7	7	22	17	5	16	9	7	11	3	8
ATHEROSCLEROSIS (440)	1	0	1	0	0	0	6	4	2	0	0	0
PNEUMONIA AND INFLUENZA (480-487)	1	1	0	3	2	1	4	3	1	0	0	0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	7	6	1	4	4	0	4	2	2	2	2	0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	5	2	3	0	0	0	1	1	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	1	0	3	1	2	1	1	0	2	1	1
INFECTIONS OF KIDNEY (590)	0	0	0	0	0	0	0	0	0	0	0	0
MATERNAL CAUSES (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES (740-759)	0	0	0	2	2	0	5	2	3	1	0	1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	1	1	1	1	0	1	0	1	2	1	1
ACCIDENTS (800-949)	9	7	2	19	12	7	11	5	6	7	4	3
MOTOR VEHICLE ACCIDENTS # (810-825)	3	2	1	9	7	2	4	1	3	3	2	1
SUICIDE (950-959)	2	1	1	2	2	0	3	2	1	0	0	0
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	1	0	2	0	2	3	0	3	1	0	1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)	10	3	7	51	37	14	29	17	12	41	8	33

* *CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.*

\# *NOT TO BE USED FOR RANKING.*

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF OKTIBBEHA, PANOLA, PEARL RIVER, AND PERRY COUNTIES, MISSISSIPPI, 1983

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	OKTIBBEHA COUNTY			PANOLA COUNTY			PEARL RIVER COUNTY			PERRY COUNTY		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	219	118	101	296	149	147	339	288	51	90	69	21
TUBERCULOSIS (010-018)	0	0	0	0	0	0	1	0	1	0	0	0
MALIGNANT NEOPLASMS (140-208)	39	17	22	64	33	31	79	69	10	16	13	3
DIABETES MELLITUS (250)	5	3	2	7	3	4	4	4	0	2	2	0
DISEASES OF HEART (390-398, 402, 404, 410-429)	96	51	45	105	57	48	95	81	14	27	22	5
HYPERTENSION (401, 403)	2	1	1	1	0	1	2	1	1	0	0	0
CEREBROVASCULAR DISEASES (430-438)	12	7	5	22	13	9	22	16	6	10	9	1
ATHEROSCLEROSIS (440)	1	0	1	2	1	1	0	0	0	2	2	0
PNEUMONIA AND INFLUENZA (480-487)	2	2	0	9	7	2	11	10	1	6	5	1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	9	8	1	3	2	1	8	6	2	4	4	0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	2	1	1	3	3	0	1	1	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	2	2	4	0	4	8	8	0	0	0	0
INFECTIONS OF KIDNEY (590)	1	0	1	0	0	0	0	0	0	0	0	0
MATERNAL CAUSES (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES (740-759)	3	3	0	0	0	0	4	4	0	0	0	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	4	1	3	4	0	4	8	6	2	0	0	0
ACCIDENTS (800-949)	10	5	5	23	10	13	27	22	5	5	3	2
MOTOR VEHICLE ACCIDENTS# (810-825)	7	4	3	9	3	6	14	10	4	3	2	1
SUICIDE (950-959)	2	2	0	3	3	0	1	1	0	2	1	1
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	1	3	3	1	2	2	2	0	3	2	1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	0	2	23	8	15	26	22	4	7	3	4

* *CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.*

\# *NOT TO BE USED FOR RANKING.*

TABLE 12 - PAGE 15

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF PIKE, PONTOTOC, PRENTISS, AND QUITMAN COUNTIES, MISSISSIPPI, 1983

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	PIKE COUNTY			PONTOTOC COUNTY			PRENTISS COUNTY			QUITMAN COUNTY		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	463	300	163	201	182	19	209	187	22	146	63	83
TUBERCULOSIS (010-018)	3	1	2	0	0	0	0	0	0	0	0	0
MALIGNANT NEOPLASMS (140-208)	103	67	36	32	30	2	39	35	4	25	11	14
DIABETES MELLITUS (250)	8	5	3	4	3	1	4	4	0	1	0	1
DISEASES OF HEART (390-398, 402, 404, 410-429)	147	106	41	87	78	9	64	61	3	58	25	33
HYPERTENSION (401, 403)	1	1	0	1	1	0	0	0	0	0	0	0
CEREBROVASCULAR DISEASES (430-438)	56	39	17	21	20	1	9	6	3	19	12	7
ATHEROSCLEROSIS (440)	1	1	0	6	5	1	1	1	0	1	0	1
PNEUMONIA AND INFLUENZA (480-487)	10	9	1	7	7	0	0	0	0	2	0	2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	10	9	1	6	6	0	7	6	1	2	2	0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	8	3	5	0	0	0	0	0	0	0	0	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	5	3	2	2	1	1	1	0	1	1	0	1
INFECTIONS OF KIDNEY (590)	0	0	0	0	0	0	0	0	0	0	0	0
MATERNAL CAUSES (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES (740-759)	4	3	1	0	0	0	0	0	0	0	0	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	7	1	6	2	2	0	4	4	0	1	0	1
ACCIDENTS (800-949)	31	14	17	9	8	1	17	16	1	16	8	8
MOTOR VEHICLE ACCIDENTS# (810-825)	11	6	5	7	7	0	9	8	1	7	5	2
SUICIDE (950-959)	4	4	0	5	4	1	2	2	0	1	1	0
HOMICIDE AND LEGAL INTERVENTION (960-978)	5	1	4	4	2	2	2	2	0	1	0	1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	24	9	15	4	4	0	33	27	6	5	0	5

* *CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.*

\# *NOT TO BE USED FOR RANKING.*

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF RANKIN, SCOTT, SHARKEY, AND SIMPSON COUNTIES, MISSISSIPPI, 1983

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	RANKIN COUNTY			SCOTT COUNTY			SHARKEY COUNTY			SIMPSON COUNTY		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	524	383	141	274	189	85	100	39	61	237	165	72
TUBERCULOSIS (010-018)	0	0	0	1	0	1	0	0	0	0	0	0
MALIGNANT NEOPLASMS (140-208)	119	92	27	43	30	13	23	12	11	44	29	15
DIABETES MELLITUS (250)	14	7	7	3	1	2	1	1	0	1	0	1
DISEASES OF HEART (390-398, 402, 404, 410-429)	154	121	33	96	74	22	27	11	16	97	72	25
HYPERTENSION (401, 403)	3	1	2	0	0	0	1	0	1	2	1	1
CEREBROVASCULAR DISEASES (430-438)	37	23	14	30	20	10	10	3	7	22	16	6
ATHEROSCLEROSIS (440)	9	6	3	4	4	0	0	0	0	2	1	1
PNEUMONIA AND INFLUENZA (480-487)	17	11	6	17	13	4	1	1	0	3	2	1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	16	13	3	5	4	1	1	0	1	8	8	0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	2	2	0	0	0	0	2	2	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	1	0	1	2	1	1	1	1	0
INFECTIONS OF KIDNEY (590)	1	1	0	0	0	0	0	0	0	1	0	1
MATERNAL CAUSES (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES (740-759)	2	2	0	1	1	0	0	0	0	4	3	1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	1	1	6	3	3	1	0	1	4	1	3
ACCIDENTS (800-949)	36	24	12	26	19	7	8	2	6	16	8	8
MOTOR VEHICLE ACCIDENTS# (810-825)	19	12	7	13	11	2	2	0	2	10	6	4
SUICIDE (950-959)	10	7	3	1	1	0	1	1	0	2	2	0
HOMICIDE AND LEGAL INTERVENTION (960-978)	5	1	4	4	1	3	3	0	3	1	1	0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	26	18	8	16	6	10	12	2	10	7	5	2

* *CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.*

\# *NOT TO BE USED FOR RANKING.*

TABLE 12 - PAGE 17

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF SMITH, STONE, SUNFLOWER, AND TALLAHATCHIE COUNTIES, MISSISSIPPI, 1983

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	SMITH COUNTY			STONE COUNTY			SUNFLOWER COUNTY			TALLAHATCHIE COUNTY		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	144	119	25	97	75	22	321	120	201	183	90	93
TUBERCULOSIS (010-018)	0	0	0	0	0	0	0	0	0	0	0	0
MALIGNANT NEOPLASMS (140-208)	18	17	1	19	15	4	56	25	31	22	13	9
DIABETES MELLITUS (250)	2	1	1	3	3	0	5	0	5	2	0	2
DISEASES OF HEART (390-398, 402, 404, 410-429)	65	56	9	37	30	7	120	53	67	57	36	21
HYPERTENSION (401, 403)	0	0	0	1	1	0	2	0	2	1	0	1
CEREBROVASCULAR DISEASES (430-438)	4	3	1	8	5	3	38	6	32	21	10	11
ATHEROSCLEROSIS (440)	1	0	1	0	0	0	3	3	0	1	1	0
PNEUMONIA AND INFLUENZA (480-487)	8	7	1	1	1	0	6	4	2	4	3	1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	3	1	2	3	3	0	4	2	2	7	5	2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	3	0	1	1	0	4	3	1	1	1	0
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	3	1	2	2	0	2	2	0	2
INFECTIONS OF KIDNEY (590)	0	0	0	0	0	0	0	0	0	1	1	0
MATERNAL CAUSES (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES (740-759)	0	0	0	0	0	0	3	1	2	0	0	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	1	1	0	0	0	5	1	4	4	0	4
ACCIDENTS (800-949)	15	13	2	7	6	1	16	4	12	9	4	5
MOTOR VEHICLE ACCIDENTS# (810-825)	10	9	1	2	2	0	8	1	7	3	2	1
SUICIDE (950-959)	2	2	0	0	0	0	3	1	2	3	3	0
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	0	0	0	5	1	4	5	0	5
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	7	6	1	6	4	2	25	6	19	29	4	25

* *CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.*

\# *NOT TO BE USED FOR RANKING.*

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF TATE, TIPPAH, TISHOMINGO, AND TUNICA COUNTIES, MISSISSIPPI, 1983

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	TATE COUNTY			TIPPAH COUNTY			TISHOMINGO COUNTY			TUNICA COUNTY		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	167	111	56	207	169	38	194	186	8	86	17	69
TUBERCULOSIS (010-018)	0	0	0	0	0	0	0	0	0	0	0	0
MALIGNANT NEOPLASMS (140-208)	30	20	10	36	29	7	44	43	1	21	7	14
DIABETES MELLITUS (250)	2	2	0	1	1	0	1	1	0	2	0	2
DISEASES OF HEART (390-398, 402, 404, 410-429)	59	42	17	88	71	17	59	56	3	19	3	16
HYPERTENSION (401, 403)	2	1	1	1	1	0	0	0	0	0	0	0
CEREBROVASCULAR DISEASES (430-438)	15	8	7	26	23	3	9	9	0	9	3	6
ATHEROSCLEROSIS (440)	3	2	1	6	3	3	2	2	0	1	0	1
PNEUMONIA AND INFLUENZA (480-487)	3	2	1	3	2	1	7	7	0	1	0	1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	7	7	0	5	4	1	9	8	1	0	0	0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	1	1	0	0	0	2	2	0	1	0	1
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	1	1	0	5	5	0	1	0	1
INFECTIONS OF KIDNEY (590)	0	0	0	2	1	1	0	0	0	0	0	0
MATERNAL CAUSES (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES (740-759)	0	0	0	2	2	0	4	4	0	0	0	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	5	3	2	1	1	0	2	2	0	2	0	2
ACCIDENTS (800-949)	13	7	6	14	13	1	15	14	1	8	0	8
MOTOR VEHICLE ACCIDENTS# (810-825)	6	5	1	4	4	0	9	9	0	2	0	2
SUICIDE (950-959)	2	2	0	2	2	0	3	3	0	2	1	1
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	0	0	0	3	2	1	0	0	0
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	8	3	5	2	2	0	12	11	1	12	0	12

* *CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.*

\# *NOT TO BE USED FOR RANKING.*

TABLE 12 - PAGE 19

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF UNION, WALTHALL, WARREN, AND WASHINGTON COUNTIES, MISSISSIPPI, 1983

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	UNION COUNTY			WALTHALL COUNTY			WARREN COUNTY			WASHINGTON COUNTY		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	191	166	25	172	100	72	507	286	221	753	289	464
TUBERCULOSIS (010-018)	0	0	0	0	0	0	2	2	0	0	0	0
MALIGNANT NEOPLASMS (140-208)	35	32	3	22	13	9	132	79	53	148	72	76
DIABETES MELLITUS (250)	1	0	1	4	3	1	7	5	2	10	4	6
DISEASES OF HEART (390-398, 402, 404, 410-429)	68	60	8	61	41	20	175	101	74	242	106	136
HYPERTENSION (401, 403)	0	0	0	2	0	2	0	0	0	5	1	4
CEREBROVASCULAR DISEASES (430-438)	17	13	4	11	9	2	42	17	25	80	37	43
ATHEROSCLEROSIS (440)	2	1	1	4	3	1	4	2	2	3	3	0
PNEUMONIA AND INFLUENZA (480-487)	5	5	0	2	1	1	4	4	0	10	7	3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	8	8	0	5	1	4	18	14	4	16	9	7
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	1	0	1	4	3	1	4	3	1
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	1	0	5	1	4	5	0	5	4	1	3
INFECTIONS OF KIDNEY (590)	0	0	0	2	2	0	2	0	2	1	1	0
MATERNAL CAUSES (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES (740-759)	1	1	0	0	0	0	4	2	2	4	0	4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	2	0	2	8	4	4	12	0	12
ACCIDENTS (800-949)	13	10	3	14	11	3	28	16	12	36	16	20
MOTOR VEHICLE ACCIDENTS# (810-825)	6	6	0	6	6	0	12	7	5	18	12	6
SUICIDE (950-959)	3	3	0	3	3	0	6	5	1	5	1	4
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	2	0	2	7	1	6	13	2	11
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	17	13	4	21	6	15	11	5	6	112	13	99

* *CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.*

\# *NOT TO BE USED FOR RANKING.*

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF WAYNE, WEBSTER, WILKINSON, AND WINSTON COUNTIES, MISSISSIPPI, 1983

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	WAYNE COUNTY			WEBSTER COUNTY			WILKINSON COUNTY			WINSTON COUNTY		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	170	124	46	126	105	21	144	59	85	255	166	89
TUBERCULOSIS (010-018)	0	0	0	0	0	0	0	0	0	2	0	2
MALIGNANT NEOPLASMS (140-208)	38	25	13	21	21	0	26	7	19	52	38	14
DIABETES MELLITUS (250)	0	0	0	2	2	0	7	1	6	13	6	7
DISEASES OF HEART (390-398, 402, 404, 410-429)	60	43	17	43	36	7	44	20	24	78	60	18
HYPERTENSION (401, 403)	0	0	0	0	0	0	0	0	0	1	0	1
CEREBROVASCULAR DISEASES (430-438)	16	12	4	13	11	2	15	6	9	24	19	5
ATHEROSCLEROSIS (440)	1	1	0	0	0	0	4	0	4	1	0	1
PNEUMONIA AND INFLUENZA (480-487)	4	4	0	7	5	2	2	2	0	10	8	2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	2	2	0	7	6	1	8	5	3	4	4	0
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	0	0	0	1	0	1	3	1	2
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	1	1	0	1	0	1	3	0	3
INFECTIONS OF KIDNEY (590)	2	2	0	0	0	0	0	0	0	0	0	0
MATERNAL CAUSES (630-676)	0	0	0	0	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES (740-759)	1	0	1	0	0	0	0	0	0	0	0	0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	3	0	1	0	1	2	2	0	4	1	3
ACCIDENTS (800-949)	17	13	4	8	7	1	7	5	2	16	7	9
MOTOR VEHICLE ACCIDENTS# (810-825)	10	10	0	3	2	1	5	4	1	4	3	1
SUICIDE (950-959)	1	1	0	0	0	0	1	1	0	4	1	3
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	0	0	0	0	0	0	6	1	5
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	3	0	4	1	3	10	3	7	18	9	9

* *CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.*

\# *NOT TO BE USED FOR RANKING.*

TABLE 12 - PAGE 21

DEATHS FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE, RESIDENTS OF YALOBUSHA AND YAZOO COUNTIES, AND STATE OF MISSISSIPPI, 1983

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	YALOBUSHA COUNTY			YAZOO COUNTY			STATE OF MISSISSIPPI		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
ALL CAUSES	160	117	43	312	134	178	23,831	15,250	8,581
TUBERCULOSIS (010-018)	0	0	0	0	0	0	30	15	15
MALIGNANT NEOPLASMS (140-208)	36	29	7	42	26	16	4,578	3,086	1,492
DIABETES MELLITUS (250)	1	1	0	5	3	2	415	212	203
DISEASES OF HEART (390-398, 402, 404, 410-429)	44	31	13	84	40	44	8,395	5,728	2,667
HYPERTENSION (401, 403)	0	0	0	3	0	3	82	37	45
CEREBROVASCULAR DISEASES (430-438)	14	9	5	17	6	11	2,064	1,267	797
ATHEROSCLEROSIS (440)	2	2	0	12	8	4	269	187	82
PNEUMONIA AND INFLUENZA (480-487)	5	4	1	6	3	3	515	371	144
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	6	5	1	6	3	3	641	517	124
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	0	0	0	219	158	61
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	4	0	4	1	3	257	132	125
INFECTIONS OF KIDNEY (590)	2	2	0	0	0	0	39	25	14
MATERNAL CAUSES (630-676)	0	0	0	0	0	0	1	0	1
CONGENITAL ANOMALIES (740-759)	1	0	1	5	1	4	173	96	77
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	2	0	2	311	115	196
ACCIDENTS (800-949)	7	7	0	18	8	10	1,495	931	564
MOTOR VEHICLE ACCIDENTS# (810-825)	1	1	0	6	2	4	725	510	215
SUICIDE (950-959)	1	1	0	6	6	0	258	224	34
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	0	2	10	3	7	305	97	208
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	18	12	6	76	22	54	1,603	652	951

* *CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.*

\# *NOT TO BE USED FOR RANKING.*

TABLE 13A

INFANT, NEONATAL, AND POSTNEONATAL DEATHS*, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1983

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	664	240	424	410	160	250	254	80	174
ADAMS	12	3	9	6	2	4	6	1	5
ALCORN	4	4	0	2	2	0	2	2	0
AMITE	4	2	2	3	1	2	1	1	0
ATTALA	4	2	2	4	2	2	0	0	0
BENTON	4	1	3	3	1	2	1	0	1
BOLIVAR	19	2	17	10	2	8	9	0	9
CALHOUN	2	0	2	1	0	1	1	0	1
CARROLL	1	0	1	1	0	1	0	0	0
CHICKASAW	5	5	0	4	4	0	1	1	0
CHOCTAW	2	1	1	1	0	1	1	1	0
CLAIBORNE	6	0	6	5	0	5	1	0	1
CLARKE	4	1	3	1	0	1	3	1	2
CLAY	5	1	4	5	1	4	0	0	0
COAHOMA	28	3	25	17	2	15	11	1	10
COPIAH	3	2	1	1	1	0	2	1	1
COVINGTON	4	0	4	2	0	2	2	0	2
DESOTO	9	6	3	4	4	0	5	2	3
FORREST	14	7	7	11	6	5	3	1	2
FRANKLIN	4	0	4	2	0	2	2	0	2
GEORGE	3	3	0	2	2	0	1	1	0
GREENE	3	2	1	2	1	1	1	1	0
GRENADA	2	1	1	1	1	0	1	0	1
HANCOCK	4	4	0	1	1	0	3	3	0
HARRISON	34	24	10	20	13	7	14	11	3
HINDS	58	18	40	43	13	30	15	5	10
HOLMES	14	1	13	8	1	7	6	0	6
HUMPHREYS	8	1	7	5	1	4	3	0	3
ISSAQUENA	1	0	1	0	0	0	1	0	1
ITAWAMBA	2	2	0	0	0	0	2	2	0
JACKSON	19	13	6	13	8	5	6	5	1
JASPER	4	1	3	1	1	0	3	0	3
JEFFERSON	1	0	1	1	0	1	0	0	0
JEFF DAVIS	3	0	3	0	0	0	3	0	3
JONES	12	3	9	7	3	4	5	0	5
KEMPER	2	0	2	1	0	1	1	0	1
LAFAYETTE	7	3	4	5	1	4	2	2	0
LAMAR	3	2	1	1	1	0	2	1	1
LAUDERDALE	21	7	14	11	5	6	10	2	8
LAWRENCE	1	0	1	1	0	1	0	0	0
LEAKE	5	1	4	3	1	2	2	0	2
LEE	11	4	7	9	3	6	2	1	1
LEFLORE	29	6	23	15	4	11	14	2	12

INFANT, NEONATAL, AND POSTNEONATAL DEATHS - MISSISSIPPI - 1983

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	4	1	3	3	1	2	1	0	1
LOWNDES	13	6	7	10	4	6	3	2	1
MADISON	14	2	12	8	1	7	6	1	5
MARION	2	2	0	2	2	0	0	0	0
MARSHALL	6	2	4	1	0	1	5	2	3
MONROE	14	7	7	11	5	6	3	2	1
MONTGOMERY	5	2	3	2	1	1	3	1	2
NESHOBA	5	2	3	1	1	0	4	1	3
NEWTON	2	0	2	2	0	2	0	0	0
NOXUBEE	6	1	5	3	1	2	3	0	3
OKTIBBEHA	9	4	5	6	3	3	3	1	2
PANOLA	9	1	8	4	0	4	5	1	4
PEARL RIVER	14	11	3	13	11	2	1	0	1
PERRY	1	0	1	0	0	0	1	0	1
PIKE	15	5	10	11	4	7	4	1	3
PONTOTOC	2	2	0	2	2	0	0	0	0
PRENTISS	5	5	0	3	3	0	2	2	0
QUITMAN	5	0	5	1	0	1	4	0	4
RANKIN	8	6	2	3	2	1	5	4	1
SCOTT	8	3	5	7	3	4	1	0	1
SHARKEY	3	0	3	2	0	2	1	0	1
SIMPSON	8	4	4	7	3	4	1	1	0
SMITH	2	1	1	2	1	1	0	0	0
STONE	1	0	1	0	0	0	1	0	1
SUNFLOWER	10	2	8	7	2	5	3	0	3
TALLAHATCHIE	7	1	6	4	0	4	3	1	2
TATE	5	3	2	5	3	2	0	0	0
TIPPAH	4	4	0	2	2	0	2	2	0
TISHOMINGO	6	6	0	5	5	0	1	1	0
TUNICA	6	0	6	3	0	3	3	0	3
UNION	4	3	1	1	1	0	3	2	1
WALTHALL	3	0	3	2	0	2	1	0	1
WARREN	15	7	8	11	5	6	4	2	2
WASHINGTON	29	0	29	17	0	17	12	0	12
WAYNE	5	3	2	4	3	1	1	0	1
WEBSTER	4	1	3	1	0	1	3	1	2
WILKINSON	2	2	0	2	2	0	0	0	0
WINSTON	8	3	5	4	1	3	4	2	2
YALOBUSHA	2	0	2	1	0	1	1	0	1
YAZOO	12	2	10	4	0	4	8	2	6

* *INFANT DEATHS ARE THOSE OF CHILDREN UNDER ONE YEAR OF AGE; NEONATAL DEATHS ARE THOSE OF INFANTS UNDER 28 DAYS OF AGE; POSTNEONATAL DEATHS ARE THOSE OF INFANTS AGES 28 DAYS TO ONE YEAR.*

TABLE 13B

INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES*, BY COUNTY OF RESIDENCE AND RACE, MISSISSIPPI, 1979-1983 (5-YEAR AVERAGE)

COUNTY	INFANT**			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	16.1	10.9	21.7	10.4	7.4	13.7	5.7	3.5	8.0
ADAMS	16.0	8.8	21.2	10.0	6.1	12.8	6.0	2.7	8.4
ALCORN	13.4	11.8	21.8	9.5	8.2	16.3	3.9	3.6	5.4
AMITE	12.8	4.3	19.1	9.2	2.2	14.3	3.7	2.2	4.8
ATTALA	17.7	10.2	24.4	13.0	7.3	17.9	4.8	2.9	6.4
BENTON	9.2	3.2	14.9	6.2	3.2	9.0	3.1	-	6.0
BOLIVAR	23.4	13.4	26.3	15.6	9.2	17.4	7.9	4.2	8.9
CALHOUN	21.6	13.1	34.0	14.7	10.2	21.3	6.9	2.9	12.8
CARROLL	17.3	3.5	28.3	11.0	3.5	17.0	6.3	-	11.3
CHICKASAW	16.0	12.4	19.3	13.0	8.6	17.1	3.0	3.7	2.3
CHOCTAW	9.3	10.3	8.2	4.0	2.6	5.5	5.3	7.7	2.7
CLAIBORNE	21.6	9.3	24.3	18.3	9.3	20.3	3.3	-	4.0
CLARKE	14.0	12.8	15.1	7.3	7.7	6.9	6.6	5.1	8.2
CLAY	16.8	10.3	20.4	12.1	9.0	13.9	4.6	1.3	6.6
COAHOMA	27.4	11.5	31.8	15.9	8.0	18.1	11.5	3.4	13.7
COPIAH	11.7	8.0	13.8	7.1	5.8	7.9	4.6	2.3	5.9
COVINGTON	22.4	11.7	32.7	15.4	9.1	21.4	7.0	2.6	11.3
DESOTO	12.9	11.6	16.9	7.7	7.6	7.9	5.1	4.0	9.0
FORREST	13.5	13.3	13.9	9.9	9.9	9.9	3.6	3.4	4.0
FRANKLIN	19.9	18.0	21.9	10.6	12.8	8.2	9.3	5.1	13.7
GEORGE	12.6	11.8	16.9	7.9	7.8	8.4	4.6	3.9	8.4
GREENE	14.3	11.8	20.5	6.0	1.7	16.4	8.3	10.1	4.1
GRENADA	13.8	7.0	19.8	11.0	7.0	14.6	2.8	-	5.2
HANCOCK	9.6	10.6	3.6	5.6	5.9	3.6	4.0	4.7	-
HARRISON	12.2	10.6	16.3	7.4	6.7	9.4	4.7	3.9	6.9
HINDS	14.6	7.5	19.2	10.0	5.5	12.9	4.6	2.0	6.3
HOLMES	21.1	12.2	22.8	11.5	12.2	11.4	9.6	-	11.4
HUMPHREYS	31.0	17.4	34.7	17.4	8.7	19.7	13.6	8.7	15.0
ISSAQUENA	26.3	-	41.7	13.2	-	20.8	13.2	-	20.8
ITAWAMBA	11.8	13.2	-	5.9	6.6	-	5.9	6.6	-
JACKSON	12.1	9.6	19.3	9.3	7.1	15.3	2.8	2.4	3.9
JASPER	16.6	10.9	19.5	7.4	5.4	8.4	9.2	5.4	11.1
JEFFERSON	11.0	-	12.2	10.0	-	11.1	1.0	-	1.1
JEFF DAVIS	12.6	6.7	15.8	7.1	4.4	8.5	5.5	2.2	7.3
JONES	17.6	13.4	25.2	12.6	10.0	17.5	4.9	3.4	7.7
KEMPER	15.1	7.2	18.8	9.3	-	13.7	5.8	7.2	5.1
LAFAYETTE	13.3	10.4	16.6	7.7	5.7	10.0	5.6	4.8	6.6
LAMAR	6.9	5.9	12.8	3.7	3.2	6.4	3.2	2.7	6.4
LAUDERDALE	14.0	12.2	16.1	9.6	8.2	11.1	4.4	4.0	4.9
LAWRENCE	6.0	4.4	8.5	5.2	2.9	8.5	0.9	1.5	-
LEAKE	18.9	6.6	29.3	12.8	4.0	20.3	6.1	2.7	9.0
LEE	14.7	10.0	25.0	9.0	5.4	16.8	5.7	4.6	8.1
LEFLORE	27.9	19.6	31.4	19.1	14.1	21.2	8.8	5.5	10.2

TABLE 13B - PAGE 2

INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES - MISSISSIPPI - 1979-1983

COUNTY	INFANT**			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	13.2	8.1	20.5	8.0	5.4	11.7	5.2	2.7	8.8
LOWNDES	17.6	13.2	23.2	12.0	9.7	14.9	5.6	3.6	8.3
MADISON	18.9	11.8	23.2	11.9	8.1	14.3	6.9	3.7	8.9
MARION	10.8	8.1	15.1	5.8	5.4	6.5	5.0	2.7	8.6
MARSHALL	13.2	7.7	16.4	7.3	3.9	9.4	5.8	3.9	7.0
MONROE	20.1	20.8	19.2	13.1	13.6	12.3	7.0	7.1	6.9
MONTGOMERY	16.3	14.6	17.5	6.0	6.3	5.8	10.3	8.4	11.7
NESHOBA	12.6	6.2	20.6	7.8	4.4	12.0	4.9	1.8	8.7
NEWTON	10.2	4.8	16.6	7.7	2.4	13.8	2.6	2.4	2.8
NOXUBEE	20.8	11.2	24.0	11.1	8.4	12.0	9.7	2.8	12.0
OKTIBBEHA	17.4	10.3	23.4	12.1	7.4	16.0	5.4	2.9	7.4
PANOLA	21.8	6.9	29.7	12.1	3.0	17.0	9.7	4.0	12.7
PEARL RIVER	15.4	13.5	23.5	9.8	8.7	14.5	5.6	4.8	9.0
PERRY	12.2	13.2	10.0	9.1	10.2	6.7	3.0	2.9	3.3
PIKE	19.8	12.2	25.4	14.8	10.1	18.4	4.9	2.2	7.0
PONTOTOC	12.3	11.1	17.2	8.2	9.4	3.4	4.1	1.7	13.7
PRENTISS	11.4	10.0	18.5	7.8	7.9	7.4	3.6	2.1	11.1
QUITMAN	23.2	-	31.9	12.8	-	17.5	10.5	-	14.4
RANKIN	9.9	7.1	19.5	6.2	3.8	14.8	3.6	3.3	4.7
SCOTT	18.7	12.4	26.5	13.2	9.9	17.3	5.5	2.5	9.2
SHARKEY	25.2	18.1	27.1	16.4	13.6	17.2	8.7	4.5	9.8
SIMPSON	18.1	16.0	21.0	12.9	10.9	15.5	5.2	5.0	5.5
SMITH	17.2	10.7	29.0	9.5	6.7	14.5	7.8	4.0	14.5
STONE	7.2	7.3	7.0	3.6	5.5	-	3.6	1.8	7.0
SUNFLOWER	20.6	9.6	23.6	13.9	6.0	16.1	6.7	3.6	7.6
TALLAHATCHIE	23.0	17.7	24.8	15.4	13.2	16.1	7.7	4.4	8.8
TATE	17.5	17.3	17.7	11.7	11.1	12.2	5.8	6.2	5.5
TIPPAH	18.5	18.8	17.2	13.0	12.6	14.4	5.5	6.3	2.9
TISHOMINGO	16.0	16.8	-	12.2	12.8	-	3.8	4.0	-
TUNICA	29.1	16.2	31.6	15.9	10.8	16.9	13.2	5.4	14.8
UNION	11.5	9.0	21.7	6.0	4.5	12.4	5.4	4.5	9.3
WALTHALL	14.8	3.4	24.1	9.3	-	17.0	5.4	3.4	7.1
WARREN	17.8	12.7	23.1	12.5	9.4	15.7	5.3	3.3	7.4
WASHINGTON	17.4	11.0	20.2	11.0	9.0	11.9	6.4	2.0	8.3
WAYNE	15.0	14.4	15.8	9.3	9.6	9.0	5.7	4.8	6.8
WEBSTER	22.1	15.0	35.7	12.3	11.2	14.3	9.8	3.8	21.4
WILKINSON	15.1	12.3	16.0	9.7	12.3	8.8	5.4	-	7.3
WINSTON	17.3	15.8	18.5	9.3	10.0	8.7	8.0	5.7	9.8
YALOBUSHA	16.3	8.9	23.8	11.8	7.1	16.5	4.5	1.8	7.3
YAZOO	23.0	12.2	28.7	11.2	5.1	14.4	11.9	7.1	14.4

** DEATHS PER 1,000 LIVE BIRTHS.*

*** INFANT - AGE LESS THAN ONE YEAR; NEONATAL - AGE LESS THAN 28 DAYS; POSTNEONATAL - AGE 28 DAYS TO ONE YEAR.*

TABLE 14

INFANT DEATHS* FROM SELECTED CAUSES, BY RACE AND AGE, ALSO MORTALITY RATES FOR SELECTED CAUSES, MISSISSIPPI RESIDENTS, 1983

CAUSE OF DEATH AND INTERNATIONAL CLASSIFICATION NUMBER**	TOTAL		RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			TOTAL	UNDER 1 DAY	1-6	7-13	14-20	21-27	
ALL CAUSES	664	15.1	W	240	160	84	58	9	5	4	80
			NW	424	250	134	77	25	8	6	174
MENINGOCOCCAL INFECTION (036)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
SEPTICEMIA (038)	15	0.3	W	4	0	0	0	0	0	0	4
			NW	11	0	0	0	0	0	0	11
OTHER INFECTIOUS AND PARASITIC DISEASES (001-035, 037, 039-139)	15	0.3	W	5	0	0	0	0	0	0	5
			NW	10	0	0	0	0	0	0	10
MENINGITIS (320-322)	6	0.1	W	0	0	0	0	0	0	0	0
			NW	6	3	0	1	0	2	0	3
ACUTE UPPER RESPIRATORY INFECTIONS (460-465)	2	##	W	0	0	0	0	0	0	0	0
			NW	2	0	0	0	0	0	0	2
BRONCHITIS AND BRONCHIOLITIS (466, 490, 491)	2	##	W	0	0	0	0	0	0	0	0
			NW	2	0	0	0	0	0	0	2
PNEUMONIA AND INFLUENZA (480-487)	14	0.3	W	2	1	0	0	0	1	0	1
			NW	12	3	1	0	0	1	1	9
HERNIA AND INTESTINAL OBSTRUCTION (550-553, 560)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
CONGENITAL ANOMALIES (740-759)	119	2.7	W	64	47	19	20	5	2	1	17
			NW	55	36	12	17	6	1	0	19
MATERNAL CONDITIONS UNRELATED TO PREGNANCY (760)	4	0.1	W	1	1	1	0	0	0	0	0
			NW	3	3	2	1	0	0	0	0
MATERNAL COMPLICATIONS OF PREGNANCY (761)	18	0.4	W	5	5	5	0	0	0	0	0
			NW	13	12	12	0	0	0	0	1
COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)	17	0.4	W	6	6	5	1	0	0	0	0
			NW	11	11	8	3	0	0	0	0
OTHER COMPLICATIONS OF LABOR AND DELIVERY (763)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT (765)	64	1.4	W	14	14	14	0	0	0	0	0
			NW	50	49	49	0	0	0	0	1

INFANT DEATHS - MISSISSIPPI - 1983

CAUSE OF DEATH AND INTERNATIONAL CLASSIFICATION NUMBER**	TOTAL		RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			TOTAL	UNDER 1 DAY	1-6	7-13	14-20	21-27	
BIRTH TRAUMA (767)	4	0.1	W	1	1	1	0	0	0	0	0
			NW	3	3	1	1	1	0	0	0
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA 768)	30	0.7	W	15	12	5	5	1	0	1	3
			NW	15	15	10	4	1	0	0	0
RESPIRATORY DISTRESS SYNDROME (769)	79	1.8	W	32	30	14	13	1	2	0	2
			NW	47	46	14	26	5	1	0	1
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (771)	18	0.4	W	5	3	1	2	0	0	0	2
			NW	13	13	4	7	1	1	0	0
NEONATAL HEMORRHAGE (772)	11	0.2	W	5	5	2	3	0	0	0	0
			NW	6	6	1	3	1	1	0	0
HEMORRHAGIC DISEASE OF NEWBORN (776.0)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
SUDDEN INFANT DEATH SYNDROME (798.0)	78	1.8	W	19	0	0	0	0	0	0	19
			NW	59	6	1	0	3	0	2	53
ALL OTHER SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-797, 798.1-799)	16	0.4	W	1	0	0	0	0	0	0	1
			NW	15	1	0	0	1	0	0	14
ACCIDENTS (800-949)	31	0.7	W	8	0	0	0	0	0	0	8
			NW	23	2	1	0	0	0	1	21
ALL OTHER CAUSES	121	2.8	W	53	35	17	14	2	0	2	18
			NW	68	41	18	14	6	1	2	27

* *DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.*

** *CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.*

\# *DEATHS PER 1,000 LIVE BIRTHS.*

\#\# *LESS THAN 0.06.*

TABLE 15

ACCIDENTAL DEATHS, BY COUNTY OF OCCURRENCE AND TYPE OF ACCIDENT, MISSISSIPPI, 1983

COUNTY	TOTAL	MOTOR VEHICLE	WATER TRANS-PORT	POISON-ING	FALLS	FIRES AND FLAMES	DROWNING AND SUB-MERSION	FIRE-ARMS	ALL OTHER
STATE	1,502	744	29	39	107	129	84	71	299
ADAMS	22	12	1	0	1	0	0	0	8
ALCORN	10	8	0	0	0	1	0	0	1
AMITE	11	6	0	0	0	3	1	0	1
ATTALA	10	6	0	0	0	1	0	1	2
BENTON	2	2	0	0	0	0	0	0	0
BOLIVAR	19	8	1	0	1	3	0	0	6
CALHOUN	8	4	0	0	0	0	2	1	1
CARROLL	4	2	0	0	0	1	0	1	0
CHICKASAW	3	3	0	0	0	0	0	0	0
CHOCTAW	5	1	0	0	1	0	0	1	2
CLAIBORNE	8	3	0	0	0	1	0	3	1
CLARKE	11	7	1	0	1	0	2	0	0
CLAY	15	8	0	0	1	0	1	1	4
COAHOMA	17	8	0	0	3	0	1	1	4
COPIAH	19	14	0	0	0	0	1	1	3
COVINGTON	8	1	0	0	0	1	1	2	3
DESOTO	20	11	0	1	0	4	2	2	0
FORREST	66	34	0	2	5	6	2	1	16
FRANKLIN	4	2	0	1	0	0	1	0	0
GEORGE	15	13	0	0	1	0	0	1	0
GREENE	8	4	0	0	0	0	2	1	1
GRENADA	19	7	0	1	2	1	4	1	3
HANCOCK	19	11	0	2	2	0	4	0	0
HARRISON	85	34	6	8	10	3	5	1	18
HINDS	173	86	0	5	18	14	2	5	43
HOLMES	18	5	0	0	0	6	2	1	4
HUMPHREYS	4	2	1	0	0	0	0	0	1
ISSAQUENA	6	1	1	0	0	4	0	0	0
ITAWAMBA	6	3	0	0	0	0	1	0	2
JACKSON	51	17	6	3	3	3	8	5	6
JASPER	10	6	0	0	0	1	0	2	1
JEFFERSON	7	4	0	0	1	2	0	0	0
JEFF DAVIS	5	4	0	0	0	0	1	0	0
JONES	21	11	0	0	2	0	0	1	7
KEMPER	8	5	0	0	1	1	0	0	1
LAFAYETTE	13	6	0	0	3	1	0	0	3
LAMAR	6	4	0	1	0	1	0	0	0
LAUDERDALE	67	35	2	2	6	0	3	0	19
LAWRENCE	10	4	0	0	1	0	0	3	2
LEAKE	10	6	1	0	0	0	1	0	2
LEE	59	35	0	7	6	0	0	3	8
LEFLORE	33	17	1	1	2	0	2	2	8

ACCIDENTAL DEATHS - MISSISSIPPI - 1983

COUNTY	TOTAL	MOTOR VEHICLE	WATER TRANS-PORT	POISON-ING	FALLS	FIRES AND FLAMES	DROWNING AND SUB-MERSION	FIRE-ARMS	ALL OTHER
LINCOLN	12	7	0	0	0	0	0	0	5
LOWNDES	27	12	1	0	6	2	2	0	4
MADISON	21	12	2	0	0	1	0	1	5
MARION	10	8	0	0	0	0	1	1	0
MARSHALL	17	10	0	0	0	0	2	1	4
MONROE	13	9	0	0	1	1	1	0	1
MONTGOMERY	7	6	0	0	0	0	0	0	1
NESHOBA	21	12	0	0	0	3	0	2	4
NEWTON	8	3	0	1	1	0	1	1	1
NOXUBEE	5	1	0	0	0	0	0	0	4
OKTIBBEHA	7	3	0	0	0	2	0	0	2
PANOLA	25	12	0	0	0	5	2	3	3
PEARL RIVER	20	11	0	0	1	0	0	2	6
PERRY	8	7	0	0	0	0	1	0	0
PIKE	34	13	1	0	5	4	1	1	9
PONTOTOC	7	6	0	0	0	0	0	1	0
PRENTISS	9	3	0	1	1	2	1	0	1
QUITMAN	15	6	0	0	1	1	1	0	6
RANKIN	29	18	0	0	3	1	1	0	6
SCOTT	16	6	0	0	2	1	2	1	4
SHARKEY	6	3	0	0	0	1	0	0	2
SIMPSON	10	6	0	0	0	0	2	0	2
SMITH	9	5	0	0	1	2	1	0	0
STONE	5	1	0	0	1	0	0	0	3
SUNFLOWER	14	8	0	0	0	4	1	0	1
TALLAHATCHIE	4	2	0	0	0	2	0	0	0
TATE	12	6	0	0	0	3	1	0	2
TIPPAH	12	5	0	1	0	3	1	0	2
TISHOMINGO	12	9	0	0	0	1	1	0	1
TUNICA	10	3	1	1	1	0	0	1	3
UNION	13	6	0	0	0	1	1	1	4
WALTHALL	6	3	0	0	0	0	1	0	2
WARREN	27	14	0	0	7	3	0	1	2
WASHINGTON	64	19	2	0	2	18	3	8	12
WAYNE	17	9	0	1	1	1	0	2	3
WEBSTER	6	2	0	0	0	1	1	1	1
WILKINSON	11	5	0	0	0	1	3	0	2
WINSTON	14	4	0	0	1	2	3	0	4
YALOBUSHA	10	4	1	0	0	1	0	2	2
YAZOO	14	5	0	0	1	4	0	0	4

MAJOR TABLES

MARRIAGES
DIVORCES

MARRIAGES

TABLE 16

MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE,
ALSO BY COUNTY OF OCCURRENCE AND RACE OF BRIDE,
ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE,
MISSISSIPPI, 1983

	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
COUNTY	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	26,921	19,950	6,971	26,921	19,950	6,971	24,869	18,289	6,580
ADAMS	452	265	187	462	267	195	393	210	183
ALCORN	411	375	36	414	380	34	336	305	31
AMITE	117	71	46	117	73	44	109	65	44
ATTALA	171	110	61	162	105	57	156	100	56
BENTON	56	38	18	85	61	24	70	50	20
BOLIVAR	315	156	159	310	152	158	303	154	149
CALHOUN	146	120	26	163	135	28	160	128	32
CARROLL	49	30	19	64	43	21	52	32	20
CHICKASAW	201	143	58	180	127	53	180	130	50
CHOCTAW	68	50	18	65	53	12	66	49	17
CLAIBORNE	102	43	59	85	32	53	75	28	47
CLARKE	158	102	56	179	123	56	152	96	56
CLAY	169	105	64	171	104	67	158	99	59
COAHOMA	292	158	134	292	157	135	275	142	133
COPIAH	196	123	73	209	134	75	198	123	75
COVINGTON	145	111	34	161	126	35	148	117	31
DESOTO	759	616	143	722	584	138	455	400	55
FORREST	968	770	198	852	666	186	856	663	193
FRANKLIN	64	39	25	68	45	23	67	44	23
GEORGE	261	250	11	258	248	10	187	177	10
GREENE	50	44	6	77	64	13	57	50	7
GRENADA	236	161	75	212	142	70	217	142	75
HANCOCK	355	329	26	355	330	25	286	263	23
HARRISON	2,580	2,197	383	2,549	2,171	378	2,125	1,792	333
HINDS	2,993	1,938	1,055	2,770	1,799	971	2,791	1,803	988
HOLMES	152	52	100	160	58	102	165	58	107
HUMPHREYS	112	52	60	118	59	59	109	50	59
ISSAQUENA	15	7	8	15	7	8	16	8	8
ITAWAMBA	198	187	11	195	184	11	195	182	13
JACKSON	1,418	1,188	230	1,491	1,251	240	1,359	1,151	208
JASPER	133	78	55	161	94	67	144	83	61
JEFFERSON	55	9	46	64	13	51	59	10	49
JEFF DAVIS	115	70	45	110	68	42	110	62	48
JONES	727	574	153	723	577	146	727	580	147
KEMPER	77	46	31	85	51	34	75	43	32
LAFAYETTE	265	206	59	262	200	62	254	197	57
LAMAR	170	162	8	216	201	15	250	235	15
LAUDERDALE	866	656	210	829	623	206	815	615	200
LAWRENCE	153	118	35	153	115	38	146	114	32
LEAKE	189	133	56	182	127	55	163	116	47
LEE	729	628	101	684	594	90	701	615	86
LEFLORE	346	201	145	328	184	144	337	196	141

MARRIAGES - MISSISSIPPI - 1983

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	327	244	83	330	253	77	301	227	74
LOWNDES	539	374	165	528	367	161	471	323	148
MADISON	244	135	109	317	172	145	297	169	128
MARION	314	249	65	310	246	64	294	233	61
MARSHALL	264	159	105	257	154	103	224	134	90
MONROE	288	228	60	334	266	68	297	227	70
MONTGOMERY	113	72	41	136	97	39	114	76	38
NESHOBA	247	178	69	264	191	73	245	180	65
NEWTON	150	110	40	180	135	45	161	113	48
NOXUBEE	89	45	44	97	52	45	91	43	48
OKTIBBEHA	267	191	76	259	174	85	255	173	82
PANOLA	263	175	88	271	175	96	246	164	82
PEARL RIVER	434	384	50	423	373	50	387	342	45
PERRY	138	116	22	123	105	18	113	96	17
PIKE	402	245	157	430	252	178	379	229	150
PONTOTOC	229	201	28	248	219	29	226	198	28
PRENTISS	262	249	13	251	236	15	252	239	13
QUITMAN	115	67	48	129	82	47	124	80	44
RANKIN	703	616	87	682	594	88	743	658	85
SCOTT	297	216	81	286	209	77	290	214	76
SHARKEY	75	35	40	67	28	39	59	27	32
SIMPSON	227	180	47	240	190	50	227	177	50
SMITH	108	84	24	130	106	24	123	95	28
STONE	145	130	15	128	111	17	115	103	12
SUNFLOWER	249	132	117	253	131	122	235	123	112
TALLAHATCHIE	137	77	60	150	86	64	136	77	59
TATE	189	133	56	176	128	48	166	117	49
TIPPAH	235	205	30	230	198	32	205	179	26
TISHOMINGO	244	234	10	252	244	8	165	157	8
TUNICA	62	32	30	65	35	30	53	24	29
UNION	248	226	22	258	235	23	240	217	23
WALTHALL	128	89	39	128	92	36	115	76	39
WARREN	535	380	155	535	387	148	522	375	147
WASHINGTON	628	391	237	666	413	253	615	371	244
WAYNE	225	152	73	225	158	67	183	124	59
WEBSTER	104	90	14	100	88	12	91	79	12
WILKINSON	144	80	64	155	87	68	84	34	50
WINSTON	176	109	67	187	119	68	187	114	73
YALOBUSHA	120	89	31	128	93	35	122	91	31
YAZOO	223	137	86	234	141	93	219	134	85
UNKNOWN COUNTY				1	1	0			
OUT OF STATE	*	*	*	*	*	*	2,040	1,651	389
UNKNOWN STATE							12	10	2

* *INFORMATION ON MISSISSIPPI BRIDES WHO OBTAINED LICENSES AND/OR MARRIED IN OTHER STATES IS NOT AVAILABLE.*

DIVORCES

TABLE 17

DIVORCES, BY COUNTY OF OCCURRENCE AND RACE*,
MISSISSIPPI, 1983

COUNTY	TOTAL	WHITE	NON-WHITE	UN-KNOWN	COUNTY	TOTAL	WHITE	NON-WHITE	UN-KNOWN
STATE	13,436	10,709	2,674	53					
ADAMS	181	117	64	0	LINCOLN	152	123	29	0
ALCORN	174	162	12	0	LOWNDES	322	250	69	3
AMITE	58	45	13	0	MADISON	152	97	53	2
ATTALA	61	49	12	0	MARION	157	133	24	0
BENTON	43	33	9	1	MARSHALL	167	112	55	0
BOLIVAR	133	81	48	4	MONROE	181	148	33	0
CALHOUN	69	52	17	0	MONTGOMERY	49	37	12	0
CARROLL	14	11	3	0	NESHOBA	153	110	43	0
CHICKASAW	103	81	21	1	NEWTON	110	92	18	0
CHOCTAW	29	24	5	0	NOXUBEE	30	10	20	0
CLAIBORNE	35	16	19	0	OKTIBBEHA	142	101	41	0
CLARKE	59	49	10	0	PANOLA	139	104	35	0
CLAY	106	71	34	1	PEARL RIVER	226	213	13	0
COAHOMA	127	84	43	0	PERRY	43	38	5	0
COPIAH	131	93	38	0	PIKE	67	48	19	0
COVINGTON	65	53	12	0	PONTOTOC	108	92	16	0
DESOTO	392	375	17	0	PRENTISS	124	116	8	0
FORREST	331	271	59	1	QUITMAN	16	9	7	0
FRANKLIN	23	14	9	0	RANKIN	468	432	36	0
GEORGE	85	82	3	0	SCOTT	146	104	42	0
GREENE	41	37	3	1	SHARKEY	25	17	8	0
GRENADA	110	82	28	0	SIMPSON	107	82	25	0
HANCOCK	178	166	12	0	SMITH	73	61	12	0
HARRISON	1,405	1,230	175	0	STONE	57	52	5	0
HINDS	1,449	1,000	438	11	SUNFLOWER	92	49	43	0
HOLMES	55	21	34	0	TALLAHATCHIE	37	23	14	0
HUMPHREYS	48	31	17	0	TATE	91	63	28	0
ISSAQUENA	6	5	1	0	TIPPAH	127	118	9	0
ITAWAMBA	130	126	4	0	TISHOMINGO	76	74	2	0
JACKSON	838	744	94	0	TUNICA	21	15	6	0
JASPER	53	37	16	0	UNION	117	108	9	0
JEFFERSON	23	6	17	0	WALTHALL	53	40	12	1
JEFF DAVIS	50	27	21	2	WARREN	301	237	64	0
JONES	448	373	64	11	WASHINGTON	337	228	109	0
KEMPER	36	21	15	0	WAYNE	106	89	17	0
LAFAYETTE	121	90	31	0	WEBSTER	49	44	5	0
LAMAR	139	114	12	13	WILKINSON	10	1	9	0
LAUDERDALE	475	380	95	0	WINSTON	84	57	27	0
LAWRENCE	70	64	6	0	YALOBUSHA	58	46	12	0
LEAKE	75	57	18	0	YAZOO	106	82	23	1
LEE	434	372	62	0					
LEFLORE	154	108	46	0					

** DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.*



TIME SERIES TABLES

LIVE BIRTHS
DEATHS
MARRIAGES
DIVORCES

LIVE BIRTHS

TABLE 18

LIVE BIRTHS AND RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-1983,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1983)

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1913	41,103	21,874	19,229	21.9	26.6	18.2
1914	40,623	21,360	19,263	21.4	25.7	18.0
1915	39,484	20,999	18,485	20.5	23.8	17.1
1916	39,033	20,130	18,903	20.0	23.6	17.2
1917	37,141	19,056	18,085	18.8	22.0	16.3
1918	39,391	20,005	19,386	19.7	22.8	17.2
1919	42,491	22,028	20,463	21.0	24.9	18.0
1920	43,743	22,438	21,305	24.4	26.3	22.7
1921	46,482	23,703	22,779	25.6	27.3	24.1
1922	43,723	21,286	22,437	23.8	24.1	23.6
1923	43,266	21,140	22,126	23.3	23.6	23.1
1924	43,960	22,180	21,780	23.4	24.3	22.5
1925	45,563	22,265	23,298	24.0	24.1	23.9
1926	50,449	24,600	25,849	26.2	26.2	26.3
1927	49,204	24,163	25,041	25.3	25.3	25.3
1928	48,126	23,642	24,484	24.5	24.4	24.5
1929	45,570	22,105	23,465	22.9	22.5	23.3
1930	47,982	23,192	24,790	23.8	23.2	24.0
1931	45,123	21,637	23,486	22.2	21.4	22.9
1932	46,481	21,883	24,598	22.6	21.4	23.9
1933	44,184	20,407	23,777	21.3	19.7	22.9
1934	47,905	22,342	25,563	23.0	21.4	24.6
1935	48,291	21,972	26,319	23.0	20.8	25.1
1936	49,261	22,194	27,067	23.3	20.8	25.7
1937	52,170	23,285	28,885	24.4	21.6	27.3
1938	53,729	24,046	29,683	25.0	22.1	27.8
1939	52,288	23,505	28,783	24.1	21.4	26.8
1940	52,526	23,084	29,442	24.0	20.9	27.3
1941	54,561	24,167	30,394	24.7	21.6	28.0
1942	56,521	25,306	31,215	25.4	22.4	28.6
1943	59,408	27,611	31,797	28.9	26.4	31.6
1944	56,586	25,647	30,939	28.3	25.2	31.6
1945	53,540	23,426	30,114	26.9	23.1	30.9
1946	61,430	29,715	31,715	26.8	25.4	28.2
1947	66,291	32,423	33,868	28.6	27.5	29.9
1948	65,291	29,666	35,625	28.0	24.9	31.2
1949	66,128	28,786	37,342	28.1	24.0	32.5

LIVE BIRTHS - MISSISSIPPI - 1913-1983

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1950	64,427	27,188	37,239	29.6	22.9	37.6
1951	65,512	27,798	37,714	30.1	23.4	38.1
1952	64,509	28,073	36,436	29.6	23.6	36.8
1953	64,061	28,312	35,749	29.4	23.8	36.1
1954	64,748	28,781	35,967	29.7	24.2	36.3
1955	63,244	27,546	35,698	29.0	23.2	36.0
1956	62,178	27,278	34,900	29.5	23.8	36.2
1957	60,712	26,804	33,908	28.8	23.4	35.2
1958	59,189	26,812	32,377	27.1	20.9	35.9
1959	60,562	27,979	32,583	27.2	20.9	36.6
1960	59,210	27,198	32,012	27.2	21.6	34.8
1961	59,523	27,435	32,088	27.3	21.8	34.8
1962	58,921	27,512	31,409	26.1	20.8	33.5
1963	57,316	26,823	30,493	25.0	19.9	32.4
1964	56,650	25,942	30,708	24.5	18.9	32.5
1965	51,171	23,369	27,802	22.0	17.4	28.2
1966	48,230	22,736	25,494	20.4	16.5	25.9
1967	46,594	22,675	23,919	19.7	15.9	25.6
1968	45,719	22,807	22,912	19.4	15.7	25.4
1969	47,120	24,025	23,095	21.2	17.2	28.0
1970	48,141	24,893	23,248	21.7	17.9	28.2
1971	48,601	25,199	23,402	21.9	18.1	28.4
1972	45,907	23,745	22,162	20.3	NOT AVAILABLE	
1973	44,638	23,119	21,519	19.3	NOT AVAILABLE	
1974	44,032	23,023	21,009	18.9	NOT AVAILABLE	
1975	43,336	22,559	20,777	18.5	NOT AVAILABLE	
1976	42,983	22,605	20,378	18.2	NOT AVAILABLE	
1977	45,532	23,369	22,163	19.1	NOT AVAILABLE	
1978	44,373	22,632	21,741	18.5	NOT AVAILABLE	
1979	45,919	23,487	22,432	19.1	NOT AVAILABLE	
1980	47,821	24,687	23,134	19.0	15.3	25.5
1981	46,228	23,777	22,451	18.3	14.7	24.8
1982	45,926	24,028	21,898	18.0	NOT AVAILABLE	
1983	43,992	22,659	21,333	17.0	NOT AVAILABLE	

**BIRTHS PER 1,000 POPULATION.*

DEATHS

TABLE 19

DEATHS AND RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-1983,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1983)

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1913	21,305	7,643	13,662	11.4	9.3	13.0
1914	21,485	7,442	14,043	11.3	8.9	13.1
1915	24,001	8,088	15,913	12.5	9.6	14.7
1916	21,794	7,588	14,206	11.2	8.9	13.0
1917	23,579	8,048	15,531	11.9	9.3	14.0
1918	30,437	10,177	20,260	15.2	11.6	18.0
1919	22,667	8,142	14,525	12.7	9.5	15.5
1920	22,072	7,916	14,156	12.3	9.3	15.1
1921	19,991	7,308	12,683	11.0	8.4	13.4
1922	19,278	7,312	11,966	10.5	8.3	12.6
1923	20,363	7,688	12,675	11.0	8.6	13.2
1924	21,155	7,809	13,346	11.3	8.6	13.8
1925	22,229	8,143	14,086	11.7	8.8	14.4
1926	23,929	9,133	14,796	12.5	9.7	15.1
1927	23,257	8,765	14,492	12.0	9.2	14.6
1928	25,965	10,111	15,854	13.2	10.4	15.9
1929	25,868	10,048	15,820	13.0	10.2	15.7
1930	24,098	9,072	15,026	11.9	9.0	14.8
1931	22,007	8,641	13,366	10.8	8.5	13.0
1932	20,322	8,295	12,027	9.9	8.1	11.6
1933	21,617	8,898	12,719	10.4	8.6	12.2
1934	21,786	9,350	12,436	10.5	9.0	12.0
1935	21,285	9,186	12,099	10.1	8.7	11.6
1936	24,127	10,367	13,760	11.4	9.7	13.1
1937	24,005	10,055	13,950	11.2	9.3	13.2
1938	22,814	9,471	13,343	10.6	8.7	12.5
1939	22,701	9,464	13,237	10.5	8.6	12.3
1940	23,185	9,565	13,620	10.6	8.6	12.6
1941	22,573	9,442	13,131	10.2	8.4	12.1
1942	20,693	8,750	11,943	9.3	7.7	10.9
1943	20,850	9,139	11,711	10.2	8.7	11.6
1944	20,199	8,830	11,369	10.1	8.7	11.6
1945	19,024	8,452	10,572	9.6	8.3	10.8
1946	19,321	8,995	10,326	8.4	7.7	9.2
1947	20,007	9,238	10,769	8.6	7.8	9.5
1948	20,183	9,216	10,967	8.6	7.7	9.6
1949	20,489	9,233	11,256	8.7	7.7	9.8

DEATHS - MISSISSIPPI - 1913-1983

YEAR	NUMBER			RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1950	20,567	9,466	11,101	9.4	8.0	11.2
1951	21,007	9,593	11,414	9.6	8.1	11.5
1952	20,657	9,387	11,270	9.5	7.9	11.4
1953	20,492	9,495	10,997	9.4	8.0	11.1
1954	19,353	9,453	9,900	8.9	8.0	10.0
1955	19,403	9,501	9,902	8.9	8.0	10.0
1956	19,780	9,969	9,811	9.4	8.7	10.2
1957	20,476	10,339	10,137	9.7	9.0	10.5
1958	21,541	10,811	10,730	9.9	8.4	11.9
1959	20,890	10,742	10,148	9.4	8.0	11.4
1960	21,713	11,204	10,509	10.0	8.9	11.4
1961	21,232	11,063	10,169	9.7	8.8	11.0
1962	22,713	11,868	10,845	10.0	9.0	11.6
1963	23,339	12,118	11,221	10.2	9.0	11.9
1964	22,559	12,039	10,520	9.7	8.8	11.1
1965	22,652	12,376	10,276	9.7	9.2	10.4
1966	23,350	12,976	10,374	9.9	9.4	10.5
1977	22,609	12,816	9,793	9.6	9.0	10.5
1968	23,986	13,468	10,518	10.2	9.3	11.7
1969	23,865	13,873	9,992	10.8	10.0	12.1
1970	23,305	13,623	9,682	10.5	9.8	11.8
1971	23,426	13,980	9,446	10.6	10.0	11.5
1972	23,663	14,077	9,586	10.5	NOT AVAILABLE	
1973	24,007	14,461	9,546	10.4	NOT AVAILABLE	
1974	23,153	14,268	8,885	9.9	NOT AVAILABLE	
1975	22,768	13,790	8,978	9.7	NOT AVAILABLE	
1976	23,124	14,307	8,817	9.8	NOT AVAILABLE	
1977	23,022	14,318	8,704	9.6	NOT AVAILABLE	
1978	23,363	14,631	8,732	9.7	NOT AVAILABLE	
1979	22,932	14,348	8,584	9.5	NOT AVAILABLE	
1980	23,576	14,531	9,045	9.4	9.0	10.0
1981	23,405	14,876	8,529	9.3	9.2	9.4
1982	23,173	14,863	8,310	9.1	NOT AVAILABLE	
1983	23,831	15,250	8,581	9.2	NOT AVAILABLE	

* *DEATHS PER 1,000 POPULATION.*

TABLE 20

MATERNAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE, MISSISSIPPI, 1913-1983, (OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1983)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1913	447	162	285	1087.5	740.6	1482.1
1914	413	124	289	1016.7	580.5	1500.3
1915	289	88	201	731.9	419.1	1087.4
1916	326	102	224	835.2	506.7	1185.0
1917	297	105	192	799.6	551.0	1061.6
1918	302	82	220	766.7	409.9	1134.8
1919	407	173	234	957.8	785.4	1143.5
1920	393	127	266	898.4	566.0	1248.5
1921	391	145	246	841.2	611.7	1079.9
1922	313	110	203	715.9	516.8	904.8
1923	321	108	213	741.9	510.9	962.7
1924	413	137	276	939.5	617.7	1267.2
1925	435	143	292	954.7	642.3	1253.3
1926	388	153	235	769.1	622.0	909.1
1927	409	134	275	831.2	554.6	1098.2
1928	421	161	260	874.8	681.0	1061.9
1929	410	152	258	899.7	687.6	1099.5
1930	489	171	318	1019.1	737.3	1282.8
1931	352	131	221	780.1	605.4	941.0
1932	279	103	176	600.2	470.7	715.5
1933	315	116	199	712.9	568.4	836.9
1934	306	116	190	638.8	519.2	743.3
1935	334	137	197	691.6	623.5	748.5
1936	358	134	224	726.7	603.8	827.6
1937	370	150	220	709.2	644.2	761.6
1938	333	116	217	619.8	482.4	731.0
1939	311	97	214	594.8	412.7	743.5
1940	327	106	221	622.5	459.2	750.6
1941	293	93	200	537.0	384.8	658.0
1942	248	77	171	438.8	304.3	547.8
1943	233	66	167	392.2	239.0	525.2
1944	225	72	153	397.6	280.7	494.5
1945	216	64	152	403.4	273.2	504.7
1946	199	67	132	323.9	225.5	416.2
1947	175	50	125	264.0	154.2	369.1
1948	177	38	139	271.1	128.1	390.2
1949	147	32	115	222.3	111.2	308.0

MATERNAL DEATHS - MISSISSIPPI - 1913-1983

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1950	165	30	135	256.1	110.3	362.5
1951	143	28	115	218.3	100.7	304.9
1952	119	15	104	184.5	53.4	285.4
1953	119	24	95	185.8	84.8	265.7
1954	104	11	93	160.6	38.2	258.6
1955	76	12	64	120.2	43.6	179.3
1956	74	12	62	119.0	44.0	177.6
1957	75	14	61	123.5	52.2	179.9
1958	53	10	43	89.5	37.3	132.8
1959	55	9	46	90.8	32.2	141.2
1960	59	8	51	99.6	29.4	159.3
1961	49	9	40	82.3	32.8	124.6
1962	55	7	48	93.3	25.4	152.8
1963	44	9	35	76.8	33.6	114.8
1964	57	9	48	100.6	34.7	156.3
1965	40	3	37	78.2	12.8	133.1
1966	27	6	21	56.0	26.4	82.4
1967	36	10	26	77.3	44.1	108.7
1968	21	3	18	45.9	13.2	78.6
1969	23	3	20	48.8	12.5	86.6
1970	34	5	29	70.6	20.1	124.7
1971	21	5	16	43.2	19.8	68.4
1972	24	5	19	52.3	21.0	85.7
1973	12	4	8	26.9	17.3	37.2
1974	12	4	8	27.2	17.4	38.1
1975	6	0	6	13.8	-	28.9
1976	8	4	4	18.6	17.7	19.6
1977	10	2	8	22.0	8.6	36.1
1978	6	1	5	13.5	4.4	23.0
1979	10	3	7	21.8	12.8	31.2
1980	2	1	1	4.2	4.0	4.3
1981	7	5	2	15.1	21.0	8.9
1982	1	1	0	2.2	4.2	-
1983	1	0	1	2.3	-	4.7

** DEATHS RESULTING FROM DELIVERIES AND COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM.*

*** DEATHS PER 100,000 LIVE BIRTHS.*

TABLE 21

INFANT DEATHS* AND MORTALITY RATES, BY YEAR AND RACE, MISSISSIPPI, 1917-1983, (OCCURRENCE DATA 1917-1944, RESIDENCE DATA 1945-1983)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1917	3,689	1,296	2,393	99.3	68.0	132.3
1918	#	#	#	#	#	#
1919	3,554	#	#	83.6	#	#
1920	3,499	1,344	2,155	80.0	59.9	101.1
1921	3,157	1,243	1,914	67.9	52.4	84.0
1922	2,826	1,067	1,759	64.6	50.1	78.4
1923	2,908	1,104	1,804	67.2	52.2	81.5
1924	3,137	1,188	1,949	71.4	53.6	89.5
1925	3,176	1,179	1,997	69.7	53.0	85.7
1926	3,578	1,447	2,131	70.9	58.8	82.4
1927	3,291	1,303	1,988	66.9	54.0	79.4
1928	3,567	1,416	2,151	74.1	59.9	87.9
1929	3,275	1,268	2,007	71.9	57.4	85.5
1930	3,276	1,182	2,094	68.3	51.0	84.5
1931	2,547	961	1,586	56.4	44.4	67.5
1932	2,482	965	1,517	53.4	44.1	61.7
1933	2,800	1,035	1,765	63.4	50.7	74.2
1934	3,070	1,199	1,871	64.1	53.7	73.2
1935	2,587	1,044	1,543	53.6	47.5	58.6
1936	2,883	1,105	1,778	58.5	49.8	65.7
1937	3,098	1,174	1,924	59.4	50.4	66.6
1938	3,051	1,205	1,846	56.8	50.1	62.2
1939	2,908	1,135	1,773	55.6	48.3	61.6
1940	2,864	1,070	1,794	54.5	46.4	60.9
1941	2,969	1,113	1,856	54.4	46.1	61.1
1942	2,654	957	1,697	47.0	37.8	54.4
1943	2,774	1,137	1,637	46.7	41.2	51.5
1944	2,481	965	1,516	43.6	37.1	49.0
1945	2,192	846	1,346	40.9	36.1	44.7
1946	2,298	1,005	1,293	37.4	33.8	40.8
1947	2,428	1,009	1,419	36.6	31.1	41.9
1948	2,470	988	1,482	37.8	33.3	41.6
1949	2,612	900	1,712	39.5	31.3	45.8

INFANT DEATHS - MISSISSIPPI - 1917-1983

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1950	2,348	763	1,585	36.4	28.1	42.6
1951	2,589	814	1,775	39.5	29.3	47.1
1952	2,592	760	1,832	40.2	27.1	50.3
1953	2,534	807	1,727	39.6	28.5	48.3
1954	2,360	744	1,616	36.4	25.8	44.9
1955	2,338	680	1,658	37.0	24.7	46.4
1956	2,353	734	1,619	37.8	26.9	46.4
1957	2,257	694	1,563	37.2	25.9	46.1
1958	2,424	706	1,718	41.0	26.3	53.1
1959	2,355	677	1,678	38.9	24.2	51.5
1960	2,457	714	1,743	41.5	26.2	54.4
1961	2,250	645	1,605	37.8	23.5	50.0
1962	2,353	705	1,648	39.9	25.6	52.5
1963	2,372	610	1,762	41.4	22.7	57.8
1964	2,230	599	1,631	39.4	23.1	53.1
1965	2,126	593	1,533	41.5	25.4	55.1
1966	1,856	520	1,336	38.5	22.9	52.4
1967	1,645	512	1,133	35.3	22.6	47.4
1968	1,613	517	1,096	35.3	22.7	47.8
1969	1,513	530	983	32.1	22.1	42.6
1970	1,403	480	923	29.1	19.3	39.7
1971	1,311	460	851	27.0	18.2	36.4
1972	1,187	459	728	25.8	19.3	32.8
1973	1,154	392	762	25.8	17.0	35.4
1974	1,024	356	668	23.2	15.5	31.8
1975	975	356	619	22.5	15.8	29.8
1976	927	331	596	21.6	14.6	29.2
1977	834	285	549	18.3	12.2	24.8
1978	846	266	580	19.1	11.8	26.7
1979	809	280	529	17.6	11.9	23.6
1980	812	272	540	17.0	11.0	23.3
1981	711	248	463	15.4	10.4	20.6
1982	706	249	457	15.4	10.4	20.9
1983	664	240	424	15.1	10.6	19.9

**DEATHS OF CHILDREN UNDER ONE YEAR OF AGE.*

***DEATHS PER 1,000 LIVE BIRTHS.*

 # NOT AVAILABLE.

TABLE 22

NEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE, MISSISSIPPI, 1924-1983, (OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1983)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1924	1,598	730	868	36.4	32.9	39.8
1925	1,639	701	938	36.0	31.5	40.3
1926	1,731	823	908	34.3	33.4	35.1
1927	1,644	786	858	33.4	32.5	34.3
1928	1,788	804	984	37.2	34.0	40.2
1929	1,662	773	889	36.5	35.0	37.9
1930	1,692	715	977	35.3	30.8	39.4
1931	1,339	590	749	29.7	27.3	31.9
1932	1,361	572	789	29.3	26.1	32.1
1933	1,540	636	904	34.8	31.2	38.0
1934	1,505	644	861	31.4	28.8	33.7
1935	1,446	642	804	29.9	29.2	30.5
1936	1,494	676	818	30.3	30.4	30.2
1937	1,678	755	923	32.2	32.4	32.0
1938	1,688	747	941	31.4	31.1	31.7
1939	1,637	735	902	31.3	31.3	31.3
1940	1,613	680	933	30.7	29.4	31.7
1941	1,663	734	929	30.5	30.4	30.6
1942	1,544	638	906	27.3	25.2	29.0
1943	1,652	791	861	27.8	28.6	27.1
1944	1,436	661	775	25.2	25.4	25.1
1945	1,351	624	727	25.2	26.6	24.1
1946	1,561	794	767	25.4	26.7	24.2
1947	1,595	750	845	24.1	23.1	24.9
1948	1,674	773	901	25.6	26.0	25.3
1949	1,594	661	933	24.1	23.0	25.0
1950	1,446	560	886	22.4	20.6	23.8
1951	1,679	626	1,053	25.6	22.5	27.9
1952	1,658	581	1,077	25.7	20.7	29.6
1953	1,630	635	995	25.4	22.4	27.8
1954	1,521	601	920	23.5	20.9	25.6
1955	1,440	527	913	22.8	19.1	25.6
1956	1,451	581	870	23.3	21.3	24.9
1957	1,425	540	885	23.5	20.1	26.1
1958	1,475	540	935	24.9	20.1	28.9
1959	1,450	515	935	23.9	18.4	28.7

NEONATAL DEATHS - MISSISSIPPI - 1924-1983

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1960	1,497	550	947	25.3	20.2	29.6
1961	1,401	509	892	23.5	18.6	27.8
1962	1,456	550	906	24.7	20.0	28.8
1963	1,449	470	979	25.3	17.5	32.1
1964	1,372	460	912	24.2	17.7	29.7
1965	1,283	470	813	25.1	20.1	29.2
1966	1,123	386	737	23.3	17.0	28.9
1967	1,053	388	665	22.6	17.1	27.8
1968	1,116	424	692	24.4	18.6	30.2
1969	1,066	441	625	22.6	18.4	27.1
1970	976	391	585	20.3	15.7	25.2
1971	940	382	558	19.3	15.2	23.8
1972	837	362	475	18.2	15.2	21.4
1973	793	301	492	17.8	13.0	22.9
1974	710	276	434	16.1	12.0	20.6
1975	677	257	420	15.6	11.4	20.2
1976	626	243	383	14.6	10.7	18.8
1977	588	222	366	12.9	9.5	16.5
1978	559	191	368	12.6	8.4	16.9
1979	514	191	323	11.2	8.1	14.4
1980	523	189	334	10.9	7.6	14.4
1981	486	166	320	10.5	7.0	14.2
1982	467	166	301	10.2	6.9	13.7
1983	410	160	250	9.3	7.1	11.7

**DEATHS OF INFANTS UNDER 28 DAYS OF AGE, BUT FIGURES FOR 1924-1948 INCLUDE DEATHS OF INFANTS UNDER ONE MONTH OF AGE.*

***DEATHS PER 1,000 LIVE BIRTHS.*

TABLE 23

POSTNEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE, MISSISSIPPI, 1924-1983, (OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1983)

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1924	1,539	458	1,081	35.0	20.6	49.6
1925	1,537	478	1,059	33.7	21.5	45.4
1926	1,847	624	1,223	36.6	25.4	47.3
1927	1,647	517	1,130	33.5	21.4	45.1
1928	1,779	612	1,167	37.0	25.9	47.7
1929	1,613	495	1,118	35.4	22.4	47.6
1930	1,584	467	1,117	33.0	20.1	45.0
1931	1,208	371	837	26.8	17.1	35.6
1932	1,121	393	728	24.1	18.0	29.6
1933	1,260	399	861	28.5	19.6	36.2
1934	1,565	555	1,010	32.7	24.8	39.5
1935	1,141	402	739	23.6	18.3	28.1
1936	1,389	429	960	28.2	19.3	35.5
1937	1,420	419	1,001	27.2	18.0	34.6
1938	1,363	458	905	25.4	19.0	30.5
1939	1,271	400	871	24.3	17.0	30.3
1940	1,251	390	861	23.8	16.9	29.2
1941	1,306	379	927	23.9	15.7	30.5
1942	1,110	319	791	19.6	12.6	25.3
1943	1,122	346	776	18.9	12.5	24.4
1944	1,045	304	741	18.4	11.7	24.0
1945	841	222	619	15.7	9.5	20.6
1946	737	211	526	12.0	7.1	16.6
1947	833	259	574	12.6	8.0	16.9
1948	796	215	581	12.2	7.2	16.3
1949	1,018	239	779	15.4	8.3	20.9
1950	902	203	699	14.0	7.5	18.8
1951	910	188	722	13.9	6.8	19.1
1952	934	179	755	14.5	6.4	20.7
1953	904	172	732	14.1	6.1	20.5
1954	839	143	696	13.0	5.0	19.4
1955	898	153	745	14.2	5.6	20.9
1956	902	153	749	14.5	5.6	21.5
1957	832	154	678	13.7	5.7	20.0
1958	949	166	783	16.0	6.2	24.2
1959	905	162	743	14.9	5.8	22.8

POSTNEONATAL DEATHS - MISSISSIPPI - 1924-1983

YEAR	NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1960	960	164	796	16.2	6.0	24.9
1961	849	136	713	14.3	5.0	22.2
1962	897	155	742	15.2	5.6	23.6
1963	923	140	783	16.1	5.2	25.7
1964	858	139	719	15.1	5.4	23.4
1965	843	123	720	16.5	5.3	25.9
1966	733	134	599	15.2	5.9	23.5
1967	592	124	468	12.7	5.5	19.6
1968	497	93	404	10.9	4.1	17.6
1969	447	89	358	9.5	3.7	15.5
1970	427	89	338	8.9	3.6	14.5
1971	371	78	293	7.6	3.1	12.5
1972	350	97	253	7.6	4.1	11.4
1973	361	91	270	8.1	3.9	12.5
1974	314	80	234	7.1	3.5	11.1
1975	298	99	199	6.9	4.4	9.6
1976	301	88	213	7.0	3.9	10.4
1977	246	63	183	5.4	2.7	8.2
1978	287	75	212	6.5	3.3	9.8
1979	295	89	206	6.4	3.8	9.2
1980	289	83	206	6.0	3.4	8.9
1981	225	82	143	4.9	3.4	6.4
1982	239	83	156	5.2	3.4	7.1
1983	254	80	174	5.8	3.5	8.2

**DEATHS OF INFANTS 28 DAYS OF AGE OR OLDER, BUT FIGURES FOR 1924-1948 ONLY INCLUDE DEATHS OF INFANTS ONE MONTH OF AGE OR OLDER.*

***DEATHS PER 1,000 LIVE BIRTHS.*

MARRIAGES DIVORCES

TABLE 24

MARRIAGES AND DIVORCES, BY YEAR AND RACE, OCCURRENCE DATA, MISSISSIPPI, 1926-1983

YEAR	MARRIAGES			DIVORCES		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1926*	28,712			2,766		
1927*	29,048**	11,402	17,383	2,895		
1928	30,231**	11,662	18,257	3,009	1,435	1,574
1929	31,495**	12,864	18,388	3,172	1,598	1,574
1930	25,728**	10,815	14,751	2,743	1,487	1,256
1931	21,589**	9,952	11,629	2,015	1,308	707
1932	22,688**	10,147	12,453	1,918	1,308	610
1933	27,567**	12,201	15,300	1,955	1,396	559
1934	30,149**	13,497	16,541	2,446	1,704	742
1935	28,722**	12,955	15,635	2,425	1,681	744
1936	32,480**	14,120	18,196	2,520	1,690	830
1937	32,055**	14,802	17,246	2,977	1,984	993
1938	31,495	14,224	17,271	2,916	2,069	847
1939	31,956	15,370	16,586	3,034	2,166	868
1940	34,088	16,834	17,254	3,251	2,295	956
1941	42,142	21,611	20,531	3,831	2,444	1,387
1942	49,565	27,227	22,338	4,326	2,606	1,720
1943	46,030	23,445	22,585	5,851	3,062	2,789
1944	41,559	21,173	20,386	6,742	3,425	3,317
1945	44,871	24,738	20,133	6,727	3,919	2,808
1946	64,204	37,099	27,105	9,495	5,867	3,628
1947	53,584	30,514	23,070	7,004	4,323	2,681
1948	53,645	31,504	22,141	6,697	3,864	2,833
1949	52,765	32,191	20,574	6,285	3,621	2,664
1950	56,738	37,871	18,867	6,065	3,711	2,354
1951	57,321	37,857	19,464	5,464	3,601	1,863
1952	58,116	39,162	18,954	5,419	3,607	1,812
1953	61,751	42,961	18,790	5,204	3,515	1,689
1954	61,381	43,268	18,113	5,001	3,424	1,577
1955	66,423	47,618	18,805	4,845	3,372	1,473
1956	66,223	48,140	18,083	5,027	3,452	1,575
1957	62,495	46,868	15,627	4,974	3,350	1,624
1958	36,402	26,998	9,404	5,016	3,485	1,531
1959	20,447	13,547	6,900	5,108	3,557	1,551

MARRIAGES AND DIVORCES - MISSISSIPPI - 1926-1983

YEAR	MARRIAGES			DIVORCES		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
1960	21,233	14,029	7,204	5,260	3,553	1,707
1961	21,610	14,438	7,172	5,213	3,545	1,668
1962	22,007	14,432	7,575	5,467	3,827	1,640
1963	22,140	14,508	7,632	5,452	3,930	1,522
1964	22,784	15,159	7,625	5,631	4,077	1,554
1965	23,343	15,613	7,730	5,730	4,220	1,510
1966	23,476	15,860	7,616	6,306	4,650	1,656
1967	23,535	15,752	7,783	6,455	4,704	1,751
1968	25,355	17,142	8,213	7,020	5,202	1,818
1969	25,956	17,582	8,374	7,506	5,616	1,890
1970	26,328	17,883	8,445	8,211	6,227	1,984
1971	27,597	18,668	8,929	8,936	6,705	2,231
1972	28,703	19,178	9,525	10,097	7,510	2,587
1973	28,513	19,276	9,237	10,787	8,138	2,649
1974	27,613	19,236	8,377	11,866	9,203	2,663
1975	26,279	18,602	7,677	12,303	9,570	2,733
1976	26,772	18,969	7,803	12,243	9,399	2,844
1977	26,843	19,200	7,643	12,759	9,921	2,838
1978	27,280	19,762	7,518	13,313	10,339	2,974
1979	27,279	19,843	7,436	13,628	10,402	3,226
1980	27,908	20,620	7,288	13,846	10,760	3,086
1981	28,002	20,877	7,125	14,182**	10,403	2,795
1982	27,584	20,547	7,037	12,861**	10,239	2,570
1983	26,921	19,950	6,971	13,436**	10,709	2,674

**TOTAL NUMBER OF MARRIAGES FOR 1926 AND TOTAL NUMBER OF DIVORCES FOR 1926 AND 1927 FURNISHED BY U.S. BUREAU OF CENSUS; DISTRIBUTION BY RACE NOT AVAILABLE.*

***INCLUDES SOME RECORDS ON WHICH THE RACE OF THE COUPLE WAS NOT STATED.*

Errata for

MISSISSIPPI, VITAL STATISTICS, 1983

The following corrections should be made to Table C6, page 18:

1.	RESPIRATORY AND INTRATHORACIC ORGANS (160-165)	Number for WHITE MALES: 762 Number for NONWHITE MALES: 280
3.	GENITAL ORGANS (179-187)	Percent for WHITE FEMALES: 9.1