




Vital Statistics Mississippi 1987

MISSISSIPPI
STATE DEPARTMENT OF
HEALTH





Vital Statistics Mississippi 1987

MISSISSIPPI
STATE DEPARTMENT OF
HEALTH

Bureau of Information Resources
Division of Public Health Statistics
P.O. Box 1700
Jackson, Mississippi 39215-1700

Telephone: 601/960-7960




TABLE OF CONTENTS

	Page
INTRODUCTION	
Description of Bulletin	1
Definitions of Live Birth and Fetal Death	1
Occurrence and Residence Allocation	2
Population	2
Rates	2
Classification of Cause of Death	3
 SUMMARY TABLES, 1987	
POPULATION	
Table P1. Population Projections and Percentage Distribution, by Age, Race, and Sex	7
 LIVE BIRTHS	
Table A1. Live Births and Average per Day, by Month	8
Table A2. Percentage of Live Births in Hospitals or Clinics, by Year and Race, 1940, 1950, 1960, 1970-1987	8
Table A3. Live Births and Percentage Distribution, by Place of Delivery, Attendant, and Race	9
Table A4. Live Births, Percentage Distribution, and Fertility Rates, by Age of Mother and Race	10
Table A5. Live Births and Percentage Distribution, by Years of School Completed by Father and Mother and Race	10
Table A6. Illegitimate Live Births and Percent of Total Live Births in Specified Group, by Age of Mother and Race	11
Table A7. Live Births, Percentage Distribution, Fertility Rates, and Median Age of Mother, by Total-Birth Order and Race	11
Table A8. Live Births and Percentage Distribution, by Whether Mother Received Prenatal Care, Time during Pregnancy Care Began, and Race	12
Table A9. Live Births and Percentage Distribution, by Maturity and Race	12
Table A10. Congenital Malformations Reported on Live Birth Certificates, by System or Organs Affected and Race .	13
 FETAL DEATHS	
Table B1. Reportable Fetal Deaths and Percentage Distribution, by Place of Delivery, Attendant, and Race	14
Table B2. Reportable Fetal Deaths and Fetal Death Ratios, by Age of Mother and Race	14
Table B3. Percentage Distribution of Live Births and Reportable Fetal Deaths, by Whether Mother Received Prenatal Care and Race	15
Table B4. Reportable Fetal Deaths and Fetal Death Ratios, by Completed Weeks of Gestation and Race, 1985-1987	15
 DEATHS	
Table C1. Deaths and Average per Day, by Month	16
Table C2. Deaths, Percentage Distribution, and Rates, by Age and Race	16

SUMMARY TABLES, 1987

DEATHS (continued)

Table C3A.	Deaths, by Age, Race, and Sex, and Male/Female Ratios by Age and Race	17
Table C3B.	Death Rates, by Age, Race, and Sex	17
Table C4.	Deaths and Percent of Total Deaths from Ten Leading Causes, by Cause and Race	18
Table C5.	Deaths, Percent of Total Deaths, and Rates from Five Leading Causes, by Age and Cause	19
Table C6.	Deaths and Rates from Malignant Neoplasms and Percentage Distribution, by Primary Site, Sex, and Race	20
Table C7.	Deaths from Major Chronic Respiratory Diseases, 1962, 1967, 1972, 1977, 1982, 1987	20
Table C8.	Deaths and Percent of Total Accidental Deaths from Five Leading Causes of Accidental Death, by Cause and Race	21
Table C9.	Deaths from Selected Types of Accidents, by Sex, also by Age	22
Table C10.	Motor Vehicle Accident Deaths Occurring in Mississippi and Rates, also Motor Vehicle Accident Deaths of Mississippi Residents and Rates, by Year, 1950, 1955, 1960, 1965, 1970-1987	23
Table C11.	Infant Deaths, Percentage Distribution, and Mortality Rates, by Age and Race	24
Table C12.	Deaths and Mortality Rates for Ten Leading Causes of Infant Death, by Cause and Race	24

MARRIAGES

Table D1.	Marriages and Average per Day, by Month	25
Table D2.	Brides and Grooms and Percentage Distribution, by Age and Race	26
Table D3.	Median Age of Bride and Groom, for All Marriages and First Marriages, by Race	27
Table D4.	Brides and Grooms and Percentage Distribution, by Marriage Order and Race	28
Table D5.	Brides and Grooms and Percentage Distribution, by Previous Marital Status and Race	29
Table D6.	Marriages and Percentage Distribution, by Residence of Bride and Groom and Race of Bride	30

DIVORCES

Table E1.	Divorces and Percentage Distribution, by Cause and Race	31
Table E2.	Divorces and Percentage Distribution, by Number of Minor Children and Race	31
Table E3.	Divorces and Percentage Distribution, by Number of Years Married and Race	32

MAJOR TABLES, 1987

POPULATION

Table i.	Population Projections and Percent Change Since 1980 Census, by County and Race, Mississippi, 1987	35
----------	--	----

MAJOR TABLES, 1987

LIVE BIRTHS

Table 1A.	Live Births, by Place of Occurrence and Race, also Live Births and Rates, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 1987	37
Table 1B.	Fertility Rates, by County of Residence and Race, Mississippi, 1987	40
Table 2.	Live Births, by County of Residence, Race, and Attendant, also by County of Residence and Sex, Mississippi, 1987	41
Table 3A.	Total Live Births, by County of Residence and Age of Mother, Mississippi, 1987	44
Table 3B.	White Live Births, by County of Residence and Age of Mother, Mississippi, 1987	46
Table 3C.	Nonwhite Live Births, by County of Residence and Age of Mother, Mississippi, 1987	48
Table 4.	Illegitimate Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1987	50
Table 5A.	Total Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1987	52
Table 5B.	White Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1987	54
Table 5C.	Nonwhite Illegitimate Live Births, by County of Residence and Age of Mother, Mississippi, 1987	56
Table 6.	Immature Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1987 ..	58
Table 7.	Premature Live Births and Percent of Total Live Births, by County of Residence and Race, Mississippi, 1987 ..	60

FETAL DEATHS

Table 8.	Reportable Fetal Deaths, by County of Occurrence and Race, also Reportable Fetal Deaths and Fetal Death Ratios, by County of Residence and Race, Mississippi, 1987	62
----------	--	----

DEATHS

Table 9.	Deaths, by Place of Occurrence and Race, also Deaths and Rates, by Place of Residence and Race, (Place Includes Counties, Out of State, Towns of 10,000 or More), Mississippi, 1987	64
Table 10.	Deaths, by Cause and Race, Mississippi Residents, 1987	67
Table 11.	Deaths from Major Cause Groups and Certain Selected Causes, by Race, Sex, and Age, also Rates for Major Cause Groups and Certain Selected Causes, Mississippi Residents, 1987	82
Table 12A.	Infant, Neonatal, and Postneonatal Deaths, by County of Residence and Race, Mississippi, 1987	89
Table 12B.	Infant, Neonatal, and Postneonatal Mortality Rates, by County of Residence and Race, Mississippi, 1983-1987 (5-Year Average)	91

	Page
MAJOR TABLES, 1987	
DEATHS (continued)	
Table 13. Infant Deaths from Selected Causes, by Race and Age, also Mortality Rates for Selected Causes, Mississippi Residents, 1987	93
Table 14. Accidental Deaths, by County of Occurrence and Type of Accident, Mississippi, 1987	95
MARRIAGES	
Table 15. Marriages, by County of Licensure and Race of Bride, also by County of Occurrence and Race of Bride, also by County of Residence of Bride and Race of Bride, Mississippi, 1987	97
DIVORCES	
Table 16. Divorces, by County of Occurrence and Race, Mississippi, 1987	99
DEATHS (COUNTY AND STATE SUMMARIES)	
Table 17. Deaths from Selected Causes Used for Ranking Leading Causes, by Race, Residents The Counties (in alphabetical order)	103
The State	144
TIME SERIES TABLES	
Table 18. Live Births and Rates, by Year and Race, Mississippi, 1913-1987, (Occurrence Data 1913-1943, Residence Data 1944-1987)	147
Table 19. Deaths and Rates, by Year and Race, Mississippi, 1913-1987, (Occurrence Data 1913-1943, Residence Data 1944-1987)	149
Table 20. Maternal Deaths and Mortality Rates, by Year and Race, Mississippi, 1913-1987, (Occurrence Data 1913-1943, Residence Data 1944-1987)	151
Table 21. Infant Deaths and Mortality Rates, by Year and Race, Mississippi, 1917-1987, (Occurrence Data 1917-1943, Residence Data 1944-1987)	153
Table 22. Neonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1987, (Occurrence Data 1924-1944, Residence Data 1945-1987)	155
Table 23. Postneonatal Deaths and Mortality Rates, by Year and Race, Mississippi, 1924-1987, (Occurrence Data 1924-1943, Residence Data 1944-1987).....	157
Table 24. Marriages and Divorces, by Year and Race, Occurrence Data, Mississippi, 1926-1987	159

VITAL STATISTICS
MISSISSIPPI, 1987

INTRODUCTION

Description of Bulletin

The information on live births, fetal deaths, deaths, marriages, and divorces which is presented in this bulletin was obtained from official records submitted to the Mississippi State Department of Health as required by statute and regulation. Live births and fetal death records were prepared by hospitals, clinics, physicians, and midwives. Responsibility for the preparation of death certificates was shared by hospitals, nursing homes and other institutions which provide care or custody, funeral homes, physicians, medical examiners, and medical examiner investigators. Marriage records were completed partly by brides and grooms, partly by persons who performed marriage ceremonies, and partly by circuit clerks. Chancery clerks prepared the statistical records of divorce.

This publication consists of three parts. The first part includes summary tables for the state as a whole for 1987; the second part contains major statistical tables for 1987. Time series tables numbered 18 through 24 are presented in the third part.

Definitions of Live Birth and Fetal Death

The definitions adopted by the Mississippi State Department of Health for use in Mississippi are those formulated by the World Health Organization and recommended by the National Center for Health Statistics. They are as follows:

Live birth - the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy, which, after such expulsion or extraction, breathes or shows any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached.

Fetal death - death prior to the complete expulsion or extraction from its mother of a product of human conception, irrespective of the duration of pregnancy; the death is indicated by the fact that after such expulsion or extraction the fetus does not breathe or show any other evidence of life such as beating of the heart, pulsation of the umbilical cord, or definite movement of voluntary muscles.

Even though the definition of fetal death is all-inclusive, the State Department of Health does not require the reporting of all fetal deaths. Since January 1, 1976, fetal death reports have been required only for spontaneous fetal deaths of 20 weeks or more gestation or weight of 350 grams or more. There is a separate reporting system (with no names or addresses) for all induced terminations of pregnancy.

Introduction
Mississippi - 1987

Occurrence and Residence Allocation

Live births, fetal deaths, and deaths were classified by place of occurrence and by place of residence. Some of the tables contain both occurrence and residence figures, but most of the tables are based on residence data only, as these data are considered more suitable for studying public health problems.

Occurrence data were obtained from certificates filed in Mississippi at the place of the event. Residence data include transcripts of records of events that occurred in other states to Mississippi residents and exclude records filed in this state for nonresidents. Residence assignment for live births and fetal deaths was determined by the usual residence of the mother. For deaths it was determined by the usual residence of the decedent except that deaths of inmates of institutions were reallocated to the location of the institution regardless of length of stay.

Marriages were classified according to place of issuance of the marriage license, place of occurrence of marriage, and place of residence of the bride. However, the figures on brides who were Mississippi residents are incomplete since there is no exchange among the states of transcripts of marriage records for nonresidents and the out-of-state marriages of Mississippi brides could not be included. Divorces were classified only according to place where the decree was granted, as there is no information regarding place of residence on the record.

Population

Population figures used in this publication are based on projections of population that were developed by the Mississippi Research and Development Center. A data tape containing population projections for the years 1985, 1990, 1995, 2000, 2005, and 2010 by county of residence, age group, race, and sex was obtained by the Department of Health, which then produced a straight-line projection for 1987 based on the data for 1985 and 1990. All figures were rounded to whole numbers, and, because of this method of calculation, figures by race and by sex to not add up to the total figures.


Rates

Population-based rates for the state included those for live births, total deaths, and deaths from specific causes, except maternal and certain conditions originating in the perinatal period. Figures on live births were used as the base for calculating fetal death ratios as well as rates for maternal deaths, infant, neonatal, and postneonatal deaths, and deaths from certain conditions originating in the perinatal period, as the birth counts represent the groups at risk more accurately than do general population figures.

Introduction
Mississippi - 1987


Classification of Cause of Death

Causes of death were assigned according to the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death. The Ninth Revision was first used in 1979, and is not markedly different from the Eighth Revision. However, the periodic changes in the classification system which have occurred through the years have resulted in an unavoidable lack of comparability for some causes, and caution should be used in analyzing long-term trends.



SUMMARY TABLES, 1987

In this section, all tables on live births, fetal deaths, and deaths present residence data unless otherwise specified; all information on marriages and divorces is occurrence data.



POPULATION

Table Pl. Population projections and percentage distribution, by age, race, and sex
Mississippi, 1987

Age	Number			Percent				
	Total	White		Total	White		Nonwhite	
		Male	Female		Male	Female	Male	Female
Total	2,718,090	854,059	886,635	461,192	516,446	100.0	100.0	100.0
0-4	270,908	70,155	67,610	67,708	65,445	10.0	7.6	12.7
5-9	234,284	63,237	60,169	55,977	54,917	8.6	6.8	10.6
10-14	216,156	63,117	59,591	46,757	46,698	8.0	6.7	9.0
15-19	222,504	66,525	62,662	46,910	46,424	8.2	7.1	9.0
20-24	244,532	74,506	70,467	49,317	50,268	9.0	7.9	9.7
25-29	241,571	77,558	74,343	42,303	47,379	8.9	8.4	9.2
30-34	209,594	70,656	69,891	31,534	37,526	7.7	7.9	7.3
35-39	181,143	64,570	64,725	23,616	28,245	6.7	7.3	5.5
40-44	150,660	55,688	56,619	17,080	21,289	5.5	6.4	4.1
45-49	127,222	47,205	48,364	13,519	18,147	4.7	5.4	3.5
50-54	114,086	41,985	43,772	11,554	16,788	4.2	4.9	3.2
55-59	111,121	39,846	43,340	11,156	16,800	4.1	4.7	3.2
60-64	106,588	36,914	42,907	10,651	16,129	3.9	4.3	3.1
65-69	95,985	31,263	39,401	10,325	15,021	3.5	3.7	2.9
70-74	85,783	25,258	35,569	10,140	14,836	3.2	3.0	2.9
75 & over	105,953	25,576	47,205	12,645	20,534	3.9	3.0	4.0
Under 15	721,348	196,509	187,370	170,442	167,060	26.5	21.1	32.3
15-64	1,709,021	575,453	577,090	257,640	298,995	62.9	67.4	57.9
65 & over	287,721	82,097	122,175	33,110	50,391	10.6	9.6	9.8

NOTE: Figures by sex and by race do not add to total because of the method of calculation. Also, all figures were rounded to whole numbers.

LIVE BIRTHS

TABLE A1. LIVE BIRTHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 1987

MONTH	LIVE BIRTHS	AVERAGE PER DAY	MONTH	LIVE BIRTHS	AVERAGE PER DAY
TOTAL	41,279	113			
JANUARY	3,487	112	JULY	3,556	115
FEBRUARY	3,118	111	AUGUST	3,686	119
MARCH	3,294	106	SEPTEMBER	3,737	124
APRIL	3,079	103	OCTOBER	3,643	118
MAY	3,198	103	NOVEMBER	3,431	114
JUNE	3,375	112	DECEMBER	3,675	118

TABLE A2. PERCENTAGE OF LIVE BIRTHS IN HOSPITALS OR CLINICS,
BY YEAR AND RACE
MISSISSIPPI, 1940, 1950, 1960, 1970-1987

YEAR	TOTAL	WHITE	NON-WHITE	YEAR	TOTAL	WHITE	NON-WHITE
1940	14.1	27.1	3.9	1976*	98.5	99.7	97.3
				1977*	98.9	99.7	98.1
1950	46.1	83.3	18.9	1978*	99.1	99.7	98.4
				1979*	99.3	99.7	98.9
1960	73.2	99.0	51.3	1980*	99.4	99.7	99.1
				1981*	99.3	99.6	99.0
1970*	90.0	99.7	79.7	1982*	99.4	99.6	99.2
1971*	92.2	99.6	84.2	1983*	99.5	99.6	99.4
1972*	95.2	99.8	90.4	1984*	99.5	99.6	99.4
1973*	96.4	99.7	92.8	1985*	99.6	99.7	99.4
1974*	97.4	99.7	94.8	1986*	99.6	99.7	99.5
1975*	97.9	99.6	96.0	1987*	99.6	99.8	99.5

* INCLUDES BIRTHS IN ANY FACILITY WHICH PROVIDES MEDICAL CARE; PRIOR TO 1970 ONLY BIRTHS IN FACILITIES PROVIDING INPATIENT CARE WERE INCLUDED.

TABLE A3. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY TYPE OF FACILITY, ATTENDANT, AND RACE MISSISSIPPI, 1987

TYPE OF FACILITY AND RACE	NUMBER						PERCENT					
	TOTAL	PHYSI- CIAN	CERTI- FIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UN- KNOWN	TOTAL	PHYSI- CIAN	CERTI- FIED NURSE MIDWIFE	GRANNY MIDWIFE	OTHER NAMED PERSON	UN- KNOWN
<u>TOTAL</u>	<u>41,279</u>	<u>40,807</u>	<u>333</u>	<u>22</u>	<u>108</u>	<u>9</u>	<u>100.0</u>	<u>98.8</u>	<u>0.8</u>	<u>0.1</u>	<u>0.3</u>	<u>*</u>
HOSPITAL HOME, ETC. ENROUTE TO HOS- PITAL UNKNOWN PLACE	41,125 133	40,763 44	330 3	0 20	30 60	2 6	99.6 0.3	98.8 0.1	0.8 *	- *	0.1 0.1	* *
<u>WHITE</u>	<u>21,576</u>	<u>21,496</u>	<u>31</u>	<u>14</u>	<u>34</u>	<u>1</u>	<u>100.0</u>	<u>99.6</u>	<u>0.1</u>	<u>0.1</u>	<u>0.2</u>	<u>*</u>
HOSPITAL HOME, ETC. ENROUTE TO HOS- PITAL UNKNOWN PLACE	21,524 46	21,491 5	28 3	0 14	5 23	0 1	99.8 0.2	99.6 *	0.1 *	- 0.1	* 0.1	- *
<u>NONWHITE</u>	<u>19,703</u>	<u>19,311</u>	<u>302</u>	<u>8</u>	<u>74</u>	<u>8</u>	<u>100.0</u>	<u>98.0</u>	<u>1.5</u>	<u>0.4</u>	<u>0.4</u>	<u>*</u>
HOSPITAL HOME, ETC. ENROUTE TO HOS- PITAL UNKNOWN PLACE	19,601 87	19,272 39	302 0	0 6	25 37	2 5	99.5 0.4	97.8 0.2	1.5 -	0.1 0.2	0.1 0.2	* *
	13 2	0 0	0 0	0 2	12 0	1 0	0.1 *	- -	- -	0.1 -	0.1 -	* -

* LESS THAN 0.06 PERCENT.

TABLE A4. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, AND FERTILITY RATES,
BY AGE OF MOTHER AND RACE
MISSISSIPPI, 1987

AGE OF MOTHER	NUMBER			PERCENT			FERTILITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	41,279	21,576	19,703	100.0	100.0	100.0	65.5	54.1	85.2
UNDER 15	301	41	260	0.7	0.2	1.3	2.8	0.7	5.6
15-19	8,001	2,900	5,101	19.4	13.4	25.9	73.3	46.3	109.9
20-24	13,768	7,142	6,626	33.4	33.1	33.6	114.0	101.4	131.8
25-29	11,287	6,997	4,290	27.3	32.4	21.8	92.7	94.1	90.5
30-34	5,789	3,390	2,399	14.0	15.7	12.2	53.9	48.5	63.9
35-39	1,833	965	868	4.4	4.5	4.4	19.7	14.9	30.7
40-44	292	138	154	0.7	0.6	0.8	3.7	2.4	7.2
45-49	7	2	5	*	*	*	0.1	*	0.3
UNKNOWN	1	1	0	*	*	-			

* FOR TOTAL GROUP - LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE; FOR SPECIFIC AGE GROUPS - LIVE BIRTHS PER 1,000 FEMALES IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

TABLE A5. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION,
BY YEARS OF SCHOOL COMPLETED BY FATHER AND MOTHER AND RACE
MISSISSIPPI, 1987

YEARS OF SCHOOL COMPLETED BY FATHER AND MOTHER	NUMBER			PERCENT**			CUMULATIVE PERCENT*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
FATHER									
MEDIAN YEARS COMPLETED*	12.7	12.8	12.6						
TOTAL LEGITIMATE BIRTHS	26,790	19,464	7,326	100.0	100.0	100.0			
0-6 YEARS	325	169	156	1.2	0.9	2.2	1.2	0.9	2.2
7-9 YEARS	1,947	1,441	506	7.3	7.4	7.0	8.6	8.3	9.2
10, 11 YEARS	3,367	2,228	1,139	12.7	11.5	15.8	21.3	19.8	25.1
12 YEARS	10,603	7,437	3,166	40.0	38.5	44.1	61.3	58.3	69.1
1-3 YEARS COLLEGE	5,459	3,989	1,470	20.6	20.6	20.5	81.8	79.0	89.6
4 OR MORE YEARS COLLEGE	4,811	4,064	747	18.1	21.0	10.4	100.0	100.0	100.0
UNKNOWN	278	136	142						
MOTHER									
MEDIAN YEARS COMPLETED*	12.5	12.7	12.3						
TOTAL BIRTHS	41,279	21,576	19,703	100.0	100.0	100.0			
0-6 YEARS	299	108	191	0.7	0.5	1.0	0.7	0.5	1.0
7-9 YEARS	4,611	1,905	2,706	11.2	8.8	13.8	11.9	9.3	14.7
10, 11 YEARS	7,190	2,714	4,476	17.4	12.6	22.8	29.4	22.0	37.5
12 YEARS	16,004	8,450	7,554	38.8	39.2	38.4	68.2	61.2	76.0
1-3 YEARS COLLEGE	8,157	4,757	3,400	19.8	22.1	17.3	88.0	83.3	93.3
4 OR MORE YEARS COLLEGE	4,925	3,601	1,324	12.0	16.7	6.7	100.0	100.0	100.0
UNKNOWN	93	41	52						

* CALCULATIONS EXCLUDE BIRTHS TO PARENTS WITH EDUCATION UNKNOWN; CALCULATIONS FOR FATHERS ALSO EXCLUDE ILLEGITIMATE BIRTHS.

TABLE A6. ILLEGITIMATE LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS IN SPECIFIED GROUP, BY AGE OF MOTHER AND RACE MISSISSIPPI, 1987

AGE OF MOTHER	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	14,489	2,112	12,377	35.1	9.8	62.8
UNDER 15	289	29	260	96.0	70.7	100.0
15-19	5,549	866	4,683	69.4	29.9	91.8
20-24	5,152	725	4,427	37.4	10.2	66.8
25-29	2,209	346	1,863	19.6	4.9	43.4
30-34	921	103	818	15.9	3.0	34.1
35-39	309	36	273	16.8	3.7	31.4
40-44	58	6	52	19.9	4.3	33.8
45-49	2	1	1	28.6	50.0	20.0

TABLE A7. LIVE BIRTHS, PERCENTAGE DISTRIBUTION, FERTILITY RATES, AND MEDIAN AGE OF MOTHER, BY TOTAL-BIRTH ORDER AND RACE MISSISSIPPI, 1987

TOTAL-BIRTH ORDER*	NUMBER			PERCENT			FERTILITY RATE**			MEDIAN AGE OF MOTHER		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	41,279	21,576	19,703	100.0	100.0	100.0	65.5	54.1	85.2	24.5	25.5	23.2
FIRST	14,371	8,024	6,347	34.8	37.2	32.2	22.8	20.1	27.5	21.2	22.7	19.6
SECOND	12,490	7,202	5,288	30.2	33.4	26.8	19.8	18.1	22.9	24.6	25.7	22.8
THIRD	7,624	3,875	3,749	18.5	18.0	19.0	12.1	9.7	16.2	26.5	27.7	25.0
FOURTH	3,596	1,506	2,090	8.7	7.0	10.6	5.7	3.8	9.0	27.6	29.1	26.6
FIFTH	1,682	563	1,119	4.1	2.6	5.7	2.7	1.4	4.8	29.0	30.3	28.4
SIXTH	721	201	520	1.7	0.9	2.6	1.1	0.5	2.2	30.3	30.8	30.2
SEVENTH	323	80	243	0.8	0.4	1.2	0.5	0.2	1.0	31.7	31.4	31.8
EIGHTH	186	38	148	0.4	0.2	0.8	0.3	0.1	0.6	32.9	33.5	32.8
NINTH	91	27	64	0.2	0.1	0.3	0.1	0.1	0.3	35.2	35.7	34.8
TENTH & OVER	136	23	113	0.3	0.1	0.6	0.2	#	0.5	36.8	36.0	37.0
UNKNOWN	59	37	22	0.1	0.2	0.1	0.1	0.1	0.1			

* INCLUDES ALL LIVE BIRTHS PLUS ALL FETAL DEATHS REGARDLESS OF LENGTH OF GESTATION.

** LIVE BIRTHS PER 1,000 FEMALES 15-44 YEARS OF AGE.

LESS THAN 0.06.

TABLE A8. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY WHETHER MOTHER RECEIVED PRENATAL CARE, TIME DURING PREGNANCY CARE BEGAN, AND RACE MISSISSIPPI, 1987

PRENATAL CARE AND TIME CARE BEGAN	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>41,279</u>	<u>21,576</u>	<u>19,703</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NO PRENATAL CARE	389	119	270	0.9	0.6	1.4
<u>SOME PRENATAL CARE</u>	<u>40,741</u>	<u>21,412</u>	<u>19,329</u>	<u>98.7</u>	<u>99.2</u>	<u>98.1</u>
FIRST TRIMESTER	31,404	18,393	13,011	76.1	85.2	66.0
SECOND TRIMESTER	7,969	2,630	5,339	19.3	12.2	27.1
THIRD TRIMESTER	1,256	354	902	3.0	1.6	4.6
UNKNOWN MONTH	112	35	77	0.3	0.2	0.4
UNKNOWN WHETHER ANY PRENATAL CARE	149	45	104	0.4	0.2	0.5

TABLE A9. LIVE BIRTHS AND PERCENTAGE DISTRIBUTION, BY MATURITY AND RACE MISSISSIPPI, 1987

MATURITY*	NUMBER			PERCENT		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<u>TOTAL</u>	<u>41,279</u>	<u>21,576</u>	<u>19,703</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
IMMATURE ONLY**	1,517	577	940	3.7	2.7	4.8
PREMATURE ONLY**	3,685	1,307	2,378	8.9	6.0	12.1
BOTH IMMATURE AND PREMATURE	2,188	785	1,403	5.3	3.6	7.1
TOTAL IMMATURE	3,705	1,362	2,343	9.0	6.3	11.9
TOTAL PREMATURE	5,873	2,092	3,781	14.2	9.7	19.2
TOTAL IMMATURE AND/OR PREMATURE	7,390	2,669	4,721	17.9	12.4	24.0
NEITHER IMMATURE NOR PREMATURE**	33,889	18,907	14,982	82.1	87.6	76.0

* IMMATURE - BIRTHWEIGHT LESS THAN 5 1/2 POUNDS (2,500 GRAMS); PREMATURE - GESTATION LESS THAN 37 WEEKS (CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF BIRTH).

** BIRTHS CLASSIFIED AS IMMATURE ONLY OR AS PREMATURE ONLY INCLUDE SOME FOR WHICH THE OTHER MEASUREMENT WAS UNKNOWN. THOSE CLASSIFIED AS NEITHER IMMATURE NOR PREMATURE INCLUDE SOME FOR WHICH ONE OR BOTH MEASUREMENTS WERE UNKNOWN.

TABLE A10. CONGENITAL MALFORMATIONS REPORTED ON LIVE BIRTH CERTIFICATES,
BY MALFORMATION AND RACE
MISSISSIPPI, 1987

INTERNATIONAL CLASSIFICATION NUMBER*	MALFORMATION	TOTAL	WHITE	NON-WHITE
<u>740-759</u>	<u>TOTAL</u>	<u>283</u>	<u>139</u>	<u>144</u>
740-742	OF NERVOUS SYSTEM	29	16	13
743	OF EYE	2	1	1
744	OF EAR, FACE, AND NECK	5	4	1
745-747	OF CIRCULATORY SYSTEM	20	12	8
748	OF RESPIRATORY SYSTEM	5	3	2
<u>749-751</u>	<u>OF DIGESTIVE SYSTEM</u>	<u>39</u>	<u>20</u>	<u>19</u>
<u>749</u>	<u>CLEFT PALATE AND CLEFT LIP</u>	<u>23</u>	<u>10</u>	<u>13</u>
749.0	CLEFT PALATE	10	3	7
749.1	CLEFT LIP	7	4	3
749.2	CLEFT PALATE WITH CLEFT LIP	6	3	3
750,751	OTHER OF DIGESTIVE SYSTEM	16	10	6
752	OF GENITAL ORGANS	31	18	13
753	OF URINARY ORGANS	13	9	4
<u>754-756</u>	<u>OF MUSCULOSKELETAL SYSTEM</u>	<u>106</u>	<u>37</u>	<u>69</u>
754	CERTAIN MUSCULOSKELETAL ANOMALIES	25	16	9
<u>755</u>	<u>OF LIMBS</u>	<u>65</u>	<u>7</u>	<u>58</u>
755.0	POLYDACTYLY	48	1	47
755.1-755.9	OTHER	17	6	11
756	OTHER OF MUSCULOSKELETAL SYSTEM	16	14	2
757	OF THE INTEGUMENT	13	7	6
758	CHROMOSOMAL ANOMALIES	10	7	3
<u>759</u>	<u>OTHER AND UNSPECIFIED</u>	<u>10</u>	<u>5</u>	<u>5</u>
759.0-759.8	OTHER UNSPECIFIED	9	4	5
759.9	UNSPECIFIED	1	1	0

* FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

FETAL DEATHS

TABLE B1. REPORTABLE* FETAL DEATHS AND PERCENTAGE DISTRIBUTION,
BY PLACE OF DELIVERY, ATTENDANT, AND RACE
MISSISSIPPI, 1987

PLACE OF DELIVERY AND ATTENDANT	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	485	169	316	100.0	100.0	100.0
HOSPITAL	473	166	307	97.5	98.2	97.2
PHYSICIAN	465	165	300	95.9	97.6	94.9
OTHER	8	1	7	1.6	0.6	2.2
OTHER NAMED PLACE	12	3	9	2.5	1.8	2.8
PHYSICIAN	10	3	7	2.1	1.8	2.2
UNKNOWN	2	0	2	0.4	-	0.6

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

TABLE B2. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
BY AGE OF MOTHER AND RACE
MISSISSIPPI, 1987

AGE OF MOTHER	NUMBER			RATIO**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	485	169	316	11.7	7.8	16.0
UNDER 15	9	1	8	29.9	#	30.8
15-19	132	33	99	16.5	11.4	19.4
20-24	148	49	99	10.7	6.9	14.9
25-29	111	44	67	9.8	6.3	15.6
30-34	52	24	28	9.0	7.1	11.7
35-39	29	17	12	15.8	17.6	13.8
40-44	2	1	1	6.8	7.2	6.5
45-49	0	0	0	-	-	-
UNKNOWN	2	0	2	#	-	#

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS TO MOTHERS IN SPECIFIED GROUP.

RATIO NOT CALCULATED ON LESS THAN 100 LIVE BIRTHS.

TABLE B3. PERCENTAGE DISTRIBUTION OF LIVE BIRTHS AND REPORTABLE* FETAL DEATHS, BY WHETHER MOTHER RECEIVED PRENATAL CARE AND RACE MISSISSIPPI, 1987

PRENATAL CARE	LIVE BIRTHS			REPORTABLE* FETAL DEATHS		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NO CARE	0.9	0.6	1.4	6.6	4.1	7.9
SOME CARE	98.7	99.2	98.1	82.9	87.0	80.7
UNKNOWN WHETHER ANY CARE	0.4	0.2	0.5	10.5	8.9	11.4

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

TABLE B4. REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS, BY COMPLETED WEEKS OF GESTATION AND RACE MISSISSIPPI, 1985-1987

COMPLETED WEEKS OF GESTATION**	TOTAL			WHITE			NONWHITE		
	1985	1986	1987	1985	1986	1987	1985	1986	1987
REPORTABLE* FETAL DEATHS									
TOTAL	<u>555</u>	<u>505</u>	<u>485</u>	<u>186</u>	<u>167</u>	<u>169</u>	<u>369</u>	<u>338</u>	<u>316</u>
UNDER 20	38	23	17	7	3	2	31	20	15
20 AND OVER	<u>469</u>	<u>434</u>	<u>419</u>	<u>157</u>	<u>146</u>	<u>151</u>	<u>312</u>	<u>288</u>	<u>268</u>
20-22	72	82	84	24	19	22	48	63	62
23-27	109	87	99	34	29	32	75	58	67
28-36	168	153	137	54	55	51	114	98	86
37 AND OVER	120	112	99	45	43	46	75	69	53
UNKNOWN	48	48	49	22	18	16	26	30	33
FETAL DEATH RATIOS#									
TOTAL	<u>12.8</u>	<u>12.1</u>	<u>11.7</u>	<u>8.1</u>	<u>7.6</u>	<u>7.8</u>	<u>18.0</u>	<u>17.1</u>	<u>16.0</u>
UNDER 20	0.9	0.5	0.4	0.3	0.1	0.1	1.5	1.0	0.8
20 AND OVER	<u>10.8</u>	<u>10.4</u>	<u>10.2</u>	<u>6.8</u>	<u>6.6</u>	<u>7.0</u>	<u>15.2</u>	<u>14.5</u>	<u>13.6</u>
20-22	1.6	2.0	2.0	1.0	0.9	1.0	2.3	3.2	3.1
23-27	2.5	2.1	2.4	1.5	1.3	1.5	3.7	2.9	3.4
28-36	3.9	3.6	3.3	2.4	2.5	2.4	5.6	4.9	4.4
37 AND OVER	2.8	2.7	2.4	2.0	1.9	2.1	3.7	3.5	2.7
UNKNOWN	1.1	1.1	1.2	1.0	0.8	0.7	1.3	1.5	1.7

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** CALCULATED BY SUBTRACTING THE DATE OF THE LAST NORMAL MENSTRUAL PERIOD PRIOR TO DELIVERY FROM THE DATE OF DELIVERY.

REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

DEATHS

TABLE C1. DEATHS AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 1987

MONTH	DEATHS	AVERAGE PER DAY	MONTH	DEATHS	AVERAGE PER DAY
TOTAL	24,525	67			
JANUARY	2,339	75	JULY	1,957	63
FEBRUARY	1,928	69	AUGUST	1,986	64
MARCH	2,121	68	SEPTEMBER	1,876	62
APRIL	2,072	69	OCTOBER	2,085	67
MAY	2,019	65	NOVEMBER	2,071	69
JUNE	1,968	66	DECEMBER	2,103	68

TABLE C2. DEATHS, PERCENTAGE DISTRIBUTION, AND RATES, BY AGE AND RACE
MISSISSIPPI, 1987

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	24,525	15,835	8,690	100.0	100.0	100.0	9.0	9.1	8.9
0-4	669	256	413	2.7	1.6	4.8	2.5	1.8	3.1
5-9	76	38	38	0.3	0.2	0.4	0.3	0.3	0.3
10-14	75	38	37	0.3	0.2	0.4	0.3	0.3	0.4
15-24	533	325	208	2.2	2.0	2.4	1.1	1.2	1.1
25-34	708	346	362	2.9	2.2	4.2	1.6	1.2	2.3
35-44	943	486	457	3.8	3.1	5.2	2.8	2.0	5.1
45-54	1,438	871	567	5.9	5.5	6.5	6.0	4.8	9.4
55-64	3,331	2,227	1,104	13.6	14.1	12.7	15.3	13.7	20.2
65-74	5,354	3,582	1,772	21.8	22.6	20.4	29.4	27.2	35.2
75 AND OVER	11,382	7,664	3,718	46.4	48.4	42.8	107.4	105.3	112.0
UNKNOWN	16	2	14	0.1	**	0.2	**	**	**

* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

** LESS THAN 0.06 PERCENT.

TABLE C3A. DEATHS BY AGE, RACE, AND SEX, AND MALE/FEMALE RATIOS
BY AGE AND RACE
MISSISSIPPI, 1987

AGE	TOTAL			WHITE			NONWHITE		
	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE	MALE	FEMALE	MALES PER FEMALE
TOTAL	13,131	11,394	1.15	8,460	7,375	1.15	4,671	4,019	1.16
UNDER 1	302	263	1.15	103	109	0.94	199	154	1.29
1-4	59	45	1.31	23	21	1.10	36	24	1.50
5-9	49	27	1.81	25	13	1.92	24	14	1.71
10-14	56	19	2.95	28	10	2.80	28	9	3.11
15-24	374	159	2.35	225	100	2.25	149	59	2.52
25-34	503	205	2.45	247	99	2.49	256	106	2.42
35-44	605	338	1.79	324	162	2.00	281	176	1.60
45-54	901	537	1.68	574	297	1.93	327	240	1.36
55-64	2,100	1,231	1.70	1,461	766	1.91	639	465	1.37
65-74	3,180	2,174	1.46	2,206	1,376	1.60	974	798	1.22
75-84	3,452	3,437	1.00	2,299	2,345	0.98	1,153	1,092	1.06
85 AND OVER	1,539	2,954	0.52	943	2,077	0.45	596	877	0.68
UNKNOWN	11	5		2	0		9	5	
MEDIAN AGE	70.1	77.0		70.5	78.1		69.0	74.5	

TABLE C3B. DEATH RATES*, BY AGE, RACE, AND SEX
MISSISSIPPI, 1987

AGE	TOTAL		WHITE		NONWHITE	
	MALE	FEMALE	MALE	FEMALE	MALE	FEMALE
TOTAL	10.0	8.1	9.9	8.3	10.1	7.8
0-4	2.6	2.3	1.8	1.9	3.5	2.7
5-9	0.4	0.2	0.4	0.2	0.4	0.2
10-14	0.5	0.2	0.4	0.2	0.6	0.2
15-24	1.6	0.7	1.6	0.8	1.5	0.6
25-34	2.3	0.9	1.7	0.7	3.5	1.2
35-44	3.8	2.0	2.7	1.3	6.9	3.6
45-54	7.9	4.2	6.4	3.2	13.0	6.9
55-64	21.3	10.3	19.0	8.9	29.3	14.1
65-74	41.3	20.7	39.0	18.4	47.6	26.7
75 AND OVER	130.6	94.4	126.8	93.7	138.3	95.9

* DEATHS PER 1,000 POPULATION IN SPECIFIED GROUP.

TABLE C4. DEATHS AND PERCENT OF TOTAL DEATHS FROM TEN LEADING CAUSES, BY CAUSE AND RACE
MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF TEN LEADING CAUSES</u>	<u>20,319</u>	<u>13,250</u>	<u>7,069</u>	<u>82.8</u>	<u>83.7</u>	<u>81.3</u>
1. HEART DISEASES (390-398, 402, 404-429)	9,107	5,996	3,111	37.1	37.9	35.8
2. MALIGNANT NEOPLASMS (140-208)	5,038	3,377	1,661	20.5	21.3	19.1
3. CEREBROVASCULAR DISEASES (430-438)	1,862	1,141	721	7.6	7.2	8.3
4. ACCIDENTS (800-949)	1,509	921	588	6.2	5.8	6.8
5. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	728	589	139	3.0	3.7	1.6
6. PNEUMONIA AND INFLUENZA (480-487)	722	504	218	2.9	3.2	2.5
7. DIABETES MELLITUS (250)	448	228	220	1.8	1.4	2.5
8. HOMICIDE AND LEGAL INTERVENTION (960-978)	315	89	226	1.3	0.6	2.6
9. NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	308	161	147	1.2	1.0	1.7
10. SUICIDE (950-959)	282	244	38	1.2	1.5	0.4

TABLE C5. DEATHS, PERCENT OF TOTAL DEATHS, AND RATES FOR FIVE LEADING CAUSES, BY AGE AND CAUSE MISSISSIPPI, 1987

AGE	CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER	PERCENT	RATE*
1-4	<u>ALL CAUSES</u>	<u>104</u>	<u>100.0</u>	<u>0.5</u>
	1. ACCIDENTS (800-949)	50	48.1	23.5
	2. CONGENITAL ANOMALIES (740-759)	14	13.5	6.6
	3. HEART DISEASES (390-398, 402, 404-429)	6	5.8	2.8
	4T. MALIGNANT NEOPLASMS (140-208)	4	3.8	1.9
	4T. HOMICIDE AND LEGAL INTERVENTION (960-978)	4	3.8	1.9
5-14	<u>ALL CAUSES</u>	<u>151</u>	<u>100.0</u>	<u>0.3</u>
	1. ACCIDENTS (800-949)	97	64.2	21.5
	2. MALIGNANT NEOPLASMS (140-208)	13	8.6	2.9
	3. HEART DISEASES (390-398, 402, 404-429)	6	4.0	1.3
	4T. CONGENITAL ANOMALIES (740-759)	3	2.0	0.7
	4T. SUICIDE (950-959)	3	2.0	0.7
15-24	<u>ALL CAUSES</u>	<u>533</u>	<u>100.0</u>	<u>1.1</u>
	1. ACCIDENTS (800-949)	322	60.4	68.9
	2. HOMICIDE AND LEGAL INTERVENTION (960-978)	58	10.9	12.4
	3. SUICIDE (950-959)	35	6.6	7.5
	4. MALIGNANT NEOPLASMS (140-208)	21	3.9	4.5
	5. HEART DISEASES (390-398, 402, 404-429)	13	2.4	2.8
25-44	<u>ALL CAUSES</u>	<u>1,651</u>	<u>100.0</u>	<u>2.1</u>
	1. ACCIDENTS (800-949)	432	26.2	55.2
	2. HEART DISEASES (390-398, 402, 404-429)	254	15.4	32.4
	3. MALIGNANT NEOPLASMS (140-208)	249	15.1	31.8
	4. HOMICIDE AND LEGAL INTERVENTION (960-978)	178	10.8	22.7
	5. SUICIDE (950-959)	104	6.3	13.3
45-64	<u>ALL CAUSES</u>	<u>4,769</u>	<u>100.0</u>	<u>10.4</u>
	1. HEART DISEASES (390-398, 402, 404-429)	1,680	35.2	366.0
	2. MALIGNANT NEOPLASMS (140-208)	1,522	31.9	331.6
	3. CEREBROVASCULAR DISEASES (430-438)	237	5.0	51.6
	4. ACCIDENTS (800-949)	231	4.8	50.3
	5. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	140	2.9	30.5
65 AND OVER	<u>ALL CAUSES</u>	<u>16,736</u>	<u>100.0</u>	<u>58.2</u>
	1. HEART DISEASES (390-398, 402, 404-429)	7,133	42.6	2,479.1
	2. MALIGNANT NEOPLASMS (140-208)	3,223	19.2	1,120.2
	3. CEREBROVASCULAR DISEASES (430-438)	1,559	9.3	541.8
	4. PNEUMONIA AND INFLUENZA (480-487)	619	3.7	215.1
	5. EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	572	3.4	198.8

* DEATHS FROM ALL CAUSES PER 1,000 POPULATION IN SPECIFIED GROUP AND DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION IN SPECIFIED GROUP.

TABLE C6. DEATHS AND RATES FROM MALIGNANT NEOPLASMS, BY PRIMARY SITE, SEX, AND RACE
MISSISSIPPI, 1987

PRIMARY SITE (RANKED ACCORDING TO NUMBER OF DEATHS AMONG TOTAL POPULATION) AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER				RATE*			
	MALE		FEMALE		MALE		FEMALE	
	WHITE	NON-WHITE	WHITE	NON-WHITE	WHITE	NON-WHITE	WHITE	NON-WHITE
TOTAL	1,929	945	1,448	716	225.9	204.9	163.3	138.6
1. RESPIRATORY AND INTRA-THORACIC ORGANS (160-165)	858	333	302	108	102.8	74.1	34.8	21.4
2. DIGESTIVE ORGANS AND PERITONEUM (150-159)	388	202	359	204	46.5	45.0	41.4	40.4
3. GENITAL ORGANS (179-187)	161	167	130	100	19.3	37.2	15.0	19.8
4. LYMPHATIC AND HEMATOPOIETIC TISSUE (200-208)	165	65	154	53	19.8	14.5	17.7	10.5
5. BREAST (174, 175)	0	0	236	116	-	-	27.2	23.0
6. URINARY ORGANS (188, 189)	66	36	46	24	7.9	8.0	5.3	4.8
7. BRAIN (191)	43	8	43	8	5.2	1.8	5.0	1.6
8. LIP, ORAL CAVITY, AND PHARYNX (140-149)	48	22	16	4	5.8	4.9	1.8	0.8
9. SKIN (172, 173)	42	4	29	3	5.0	0.9	3.3	0.6
10. BONE AND CONNECTIVE TISSUE (170, 171)	10	6	15	11	1.2	1.3	1.7	2.2
- OTHER AND UNSPECIFIED SITES (190, 192-199)	148	102	118	85	17.7	22.7	13.6	16.8

* DEATHS PER 100,000 POPULATION IN SPECIFIED GROUP.

TABLE C7. DEATHS FROM MAJOR CHRONIC RESPIRATORY DISEASES, 1962, 1967, 1972, 1977, 1982, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	1962	1967	1972	1977	1982	1987
TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)	119	76	41	41	19	17
MALIGNANT NEOPLASMS OF RESPIRATORY SYSTEM (160-165)	427	588	764	1,069	1,333	1,601
MALIGNANT NEOPLASMS OF TRACHEA, BRONCHUS, AND LUNG (162)	392	556	736	1,019	1,268	1,555
CHRONIC AND UNQUALIFIED BRONCHITIS (490, 491)	40	43	54	39	18	43
EMPHYSEMA (492)	111	194	170	146	82	104
ASTHMA (493)	43	50	22	15	29	34
(ADJUSTED FIGURES*)	(30)	(35)				

* ADJUSTED ACCORDING TO COMPARABILITY RATIOS PREPARED BY THE NATIONAL CENTER FOR HEALTH STATISTICS IN ORDER TO COMPENSATE FOR BREAKS IN COMPARABILITY CAUSED BY REVISIONS OF THE CAUSE-OF-DEATH CLASSIFICATION SYSTEM IN 1958 AND 1968.

TABLE C8. DEATHS AND PERCENT OF TOTAL ACCIDENTAL DEATHS FROM
FIVE LEADING CAUSES OF ACCIDENTAL DEATH, BY CAUSE AND RACE
MISSISSIPPI, 1987

TYPE OF ACCIDENT AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF FIVE LEADING CAUSES	1,176	720	456	77.9	78.2	77.6
1. MOTOR VEHICLE (810-825)	804	543	261	53.3	59.0	44.4
2. FIRES AND FLAMES (890-899)	136	34	102	9.0	3.7	17.3
3. FALLS (880-888)	99	75	24	6.6	8.1	4.1
4. CAUSED BY FIREARM MISSILE (922)	72	42	30	4.8	4.6	5.1
5. DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (910)	65	26	39	4.3	2.8	6.6

TABLE C9. DEATHS FROM SELECTED TYPES OF ACCIDENTS, BY SEX, ALSO BY AGE
MISSISSIPPI RESIDENTS, 1987

TYPE OF ACCIDENT AND INTERNATIONAL CLASSIFICATION NUMBER	TOTAL	SEX		AGE							65 & OVER	UN- KNOWN
		MALE	FEMALE	UNDER 1	1-4	5-14	15- 24	25- 34	35- 44	45- 64		
ALL ACCIDENTS	1,509	1,046	463	21	50	97	322	259	173	231	355	1
MOTOR VEHICLE (810-825)	804	555	249	5	17	46	241	167	94	122	112	0
WATER TRANSPORT (830-838)	26	24	2	0	0	0	4	8	4	7	3	0
SUBMERSION, DROWNING (830, 832)	21	21	0	0	0	0	2	6	4	6	3	0
OTHER (831, 833-838)	5	3	2	0	0	0	2	2	0	1	0	0
AIR AND SPACE TRANSPORT (840-845)	11	10	1	0	0	1	0	4	1	5	0	0
POISONING (850-869)	60	41	19	0	0	2	9	17	9	3	20	0
BY DRUGS, MEDICAMENTS, AND BIO- LOGICALS (850-858)	29	19	10	0	0	0	4	9	4	2	10	0
BY OTHER SOLID AND LIQUID SUB- STANCES, GASES, AND VAPORS (860-869)	31	22	9	0	0	2	5	8	5	1	10	0
FALLS (880-888)	99	48	51	2	0	0	0	5	5	13	74	0
FIRES AND FLAMES (890-899)	136	74	62	7	19	8	7	9	13	24	48	1
DROWNING AND SUBMERSION (EXCEPT IN TRANSPORT ACCIDENTS) (910)	65	57	8	1	6	20	22	8	4	2	2	0
INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCA- TION (911, 912)	52	33	19	3	2	3	1	1	5	9	28	0
MECHANICAL SUFFOCATION (INCLUDING IN BED OR CRADLE) (913)	9	4	5	2	1	0	0	2	2	0	2	0
STRUCK BY, STRIKING AGAINST, AND CAUGHT IN OR BETWEEN OBJECTS (916-918)	24	24	0	0	0	1	2	5	5	8	3	0
CAUSED BY MACHINERY (919)	24	24	0	0	1	0	2	1	4	9	7	0
CAUSED BY FIREARM MISSILE (922)	72	63	9	0	0	13	26	11	9	9	4	0
CAUSED BY ELECTRIC CURRENT (925)	12	12	0	0	0	0	1	3	5	3	0	0

TABLE C10. MOTOR VEHICLE ACCIDENT DEATHS OCCURRING IN MISSISSIPPI AND RATES, ALSO MOTOR VEHICLE ACCIDENT DEATHS OF MISSISSIPPI RESIDENTS AND RATES, BY YEAR, 1950, 1955, 1960, 1965, 1970-1987

YEAR	OCCURRENCE DATA		RESIDENCE DATA	
	NUMBER	RATE*	NUMBER	RATE*
1950	530	**	515	23.6
1955	568	**	541	24.8
1960	676	9.3	620	28.5
1965	748	8.4	742	31.8
1970	960	8.2	937	42.3
1971	1,011	8.2	984	44.4
1972	1,019	7.8	989	43.8
1973	956	7.0	954	41.2
1974	711	5.2	717	30.7
1975	671	4.7	681	29.1
1976	725	4.7	696	29.4
1977	763	4.8	771	32.3
1978	884	5.2	877	36.5
1979	801	4.7	783	32.5
1980	796	4.8	743	29.5
1981	792	4.7	793	31.5
1982	777	4.5	755	29.6
1983	744	4.2	725	28.0
1984	707	3.8	697	26.9
1985	691	4.0	683	25.7
1986	785	5.7	782	29.4
1987	802	4.0	804	29.6

* DEATHS IN MISSISSIPPI PER 100,000,000 MILES OF VEHICLE TRAVEL; DEATHS OF RESIDENTS PER 100,000 POPULATION.

** NOT AVAILABLE.

TABLE C11. INFANT DEATHS, PERCENTAGE DISTRIBUTION, AND MORTALITY RATES BY AGE AND RACE
MISSISSIPPI, 1987

AGE	NUMBER			PERCENT			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL UNDER 1 YEAR	565	212	353	100.0	100.0	100.0	13.7	9.8	17.9
NEONATAL (UNDER 28 DAYS)	363	128	235	64.2	60.4	66.6	8.8	5.9	11.9
HEBDOMADAL (UNDER 7 DAYS)	299	97	202	52.9	45.8	57.2	7.2	4.5	10.2
UNDER 1 DAY	191	60	131	33.8	28.3	37.1	4.6	2.8	6.6
1-6 DAYS	108	37	71	19.1	17.4	20.1	2.6	1.7	3.6
7-27 DAYS	64	31	33	11.3	14.6	9.3	1.6	1.4	1.7
POSTNEONATAL (28 DAYS TO 1 YEAR)	202	84	118	35.8	39.6	33.4	4.9	3.9	6.0

* DEATHS PER 1,000 LIVE BIRTHS.

TABLE C12. DEATHS AND MORTALITY RATES FOR TEN LEADING CAUSES OF INFANT DEATHS,
BY CAUSE AND RACE
MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER	NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
ALL CAUSES	565	212	353	13.7	9.8	17.9
1. CONGENITAL ANOMALIES (740-759)	100	45	55	2.4	2.1	2.8
2. SUDDEN INFANT DEATH SYNDROME (798.0)	73	31	42	1.8	1.4	2.1
3. RESPIRATORY DISTRESS SYNDROME (769)	72	26	46	1.7	1.2	2.3
4. DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTHWEIGHT (765)	52	10	42	1.3	0.5	2.1
5. ACCIDENTS (800-949)	21	9	12	0.5	0.4	0.6
6. MATERNAL COMPLICATIONS OF PREGNANCY (761)	20	3	17	0.5	0.1	0.9
7. INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (771)	19	7	12	0.5	0.3	0.6
8. PNEUMONIA AND INFLUENZA (480- 487)	15	2	13	0.4	0.1	0.7
9. INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (768)	11	5	6	0.3	0.2	0.3
10. SYMPTOMS, SIGNS, AND ILL- DEFINED CONDITIONS (EXCLUDING SIDS) (780-797, 798.1-799)	10	5	5	0.2	0.2	0.2

* DEATHS PER 1,000 LIVE BIRTHS.

MARRIAGES

TABLE D1. MARRIAGES AND AVERAGE PER DAY, BY MONTH
MISSISSIPPI, 1987

MONTH	MARRIAGES	AVERAGE PER DAY	MONTH	MARRIAGES	AVERAGE PER DAY
TOTAL	23,729	65			
JANUARY	1,290	42	JULY	2,255	73
FEBRUARY	1,732	62	AUGUST	2,340	75
MARCH	1,629	52	SEPTEMBER	1,842	61
APRIL	1,793	60	OCTOBER	1,766	57
MAY	2,250	72	NOVEMBER	1,802	60
JUNE	2,743	91	DECEMBER	2,287	74

TABLE D2. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION, BY AGE AND RACE
MISSISSIPPI, 1987

AGE	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	23,729	17,286	6,443	23,729	17,283	6,446	100.0	100.0	100.0	100.0	100.0	100.0
UNDER 20	4,550	3,800	750	1,768	1,537	231	19.2	22.0	11.6	7.4	8.9	3.6
13	1	1	0	0	0	0	*	*	-	-	-	-
14	3	3	0	0	0	0	*	*	-	-	-	-
15	24	24	0	0	0	0	0.1	0.1	0.3	0.2	0.2	*
16	206	188	18	1	1	0	0.9	1.1	0.8	0.9	1.1	0.3
17	462	410	52	37	36	1	1.9	2.4	0.8	2.5	3.0	0.2
18	857	756	101	212	195	17	3.6	4.4	1.6	3.9	4.5	0.3
19	1,472	1,215	257	598	525	73	6.2	7.0	4.0	2.5	3.0	1.1
20-24	1,525	1,203	322	920	780	140	6.4	7.0	5.0	3.9	4.5	2.2
25-34	7,015	5,297	1,718	7,592	5,592	2,000	32.0	30.6	35.7	32.0	32.4	31.0
35-44	2,689	4,769	2,246	8,466	5,781	2,685	29.6	27.6	34.9	35.7	33.4	41.6
45-54	1,072	2,013	676	3,162	2,355	807	11.3	11.6	10.5	13.3	13.6	12.5
55-64	512	809	263	1,376	1,049	327	4.5	4.7	4.1	5.8	6.1	5.1
65-74	231	374	138	771	562	209	2.2	2.2	2.1	3.2	3.2	3.2
75 & OVER	63	175	56	440	301	139	1.0	1.0	0.9	1.8	1.7	2.2
UNKNOWN	0	49	14	154	106	48	0.3	0.3	0.2	0.6	0.6	0.7

* LESS THAN 0.06 PERCENT.

TABLE D3. MEDIAN AGE OF BRIDE AND GROOM
FOR ALL MARRIAGES AND FIRST MARRIAGES, BY RACE
MISSISSIPPI, 1987

ALL AND FIRST MARRIAGES	BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
ALL MARRIAGES	24.8	24.4	25.5	27.0	26.7	27.6
FIRST MARRIAGES	22.1	21.2	23.6	23.8	23.3	25.4

TABLE D4. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY MARRIAGE ORDER AND RACE
MISSISSIPPI, 1987

MARRIAGE ORDER	NUMBER						PERCENT					
	BRIDE			GROOM			BRIDE			GROOM		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	23,729	17,286	6,443	23,729	17,283	6,446	100.0	100.0	100.0	100.0	100.0	100.0
FIRST	14,044	9,332	4,712	14,209	9,674	4,535	59.2	54.0	73.1	59.9	56.0	70.4
REARRIAGE	9,679	7,950	1,729	9,517	7,606	1,909	40.8	46.0	26.8	40.1	44.0	29.6
SECOND	6,678	5,249	1,429	6,582	5,081	1,501	28.1	30.4	22.2	27.7	29.4	23.3
OVER TWO	2,999	2,699	300	2,933	2,525	408	12.6	15.6	4.6	12.4	14.6	6.3
THIRD	2,185	1,927	258	2,157	1,813	344	9.2	11.1	4.0	9.1	10.5	5.3
FOURTH	621	584	37	589	539	50	2.6	3.4	0.6	2.5	3.1	0.8
FIFTH	144	140	4	135	124	11	0.6	0.8	0.1	0.6	0.7	0.2
SIXTH	36	35	1	44	41	3	0.2	0.2	#	0.2	0.2	#
SEVENTH	12	12	0	8	8	0	#	0.1	-	#	#	-
EIGHTH	1	1	0	0	0	0	#	#	-	-	-	-
NINTH	0	0	0	0	0	0	-	-	-	-	-	-
TENTH	0	0	0	0	0	0	-	-	-	-	-	-
OVER TEN	0	0	0	0	0	0	-	-	-	-	-	-
UNKNOWN*	2	2	0	2	2	0	#	#	-	#	#	-
UNKNOWN**	4	4	2	3	1	2	#	#	#	#	#	#

* PREVIOUSLY MARRIED BUT NUMBER OF PREVIOUS MARRIAGES UNKNOWN.

** UNKNOWN WHETHER PREVIOUSLY MARRIED.

LESS THAN 0.06 PERCENT.

TABLE D5. BRIDES AND GROOMS AND PERCENTAGE DISTRIBUTION,
BY PREVIOUS MARITAL STATUS AND RACE
MISSISSIPPI, 1987

PREVIOUS MARITAL STATUS	BRIDE			GROOM		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
NUMBER						
TOTAL	<u>23,729</u>	<u>17,286</u>	<u>6,443</u>	<u>23,729</u>	<u>17,283</u>	<u>6,446</u>
NOT PREVIOUSLY MARRIED	14,044	9,332	4,712	14,209	9,674	4,535
REMARRIAGES	<u>9,679</u>	<u>7,950</u>	<u>1,729</u>	<u>9,517</u>	<u>7,608</u>	<u>1,909</u>
WIDOWED	1,065	812	253	901	655	246
DIVORCED*	8,606	7,131	1,475	8,610	6,950	1,660
UNKNOWN**	8	7	1	6	3	3
UNKNOWN#	6	4	2	3	1	2
PERCENT						
TOTAL	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>	<u>100.0</u>
NOT PREVIOUSLY MARRIED	59.2	54.0	73.1	59.9	56.0	70.4
REMARRIAGES	<u>40.8</u>	<u>46.0</u>	<u>26.8</u>	<u>40.1</u>	<u>44.0</u>	<u>29.6</u>
WIDOWED	4.5	4.7	3.9	3.8	3.8	3.8
DIVORCED*	36.3	41.2	22.9	36.3	40.2	25.8
UNKNOWN**	##	##	##	##	##	##
UNKNOWN#	##	##	##	##	##	##

* INCLUDES THOSE WHOSE LAST MARRIAGE WAS ANNULLED.

** UNKNOWN WHETHER WIDOWED OR DIVORCED.

UNKNOWN WHETHER ANY PREVIOUS MARRIAGE.

LESS THAN 0.06 PERCENT.

TABLE D6. MARRIAGES AND PERCENTAGE DISTRIBUTION,
BY RESIDENCE OF BRIDE AND GROOM AND RACE OF BRIDE,
MISSISSIPPI, 1987

RESIDENCE OF GROOM	RACE AND RESIDENCE OF BRIDE																	
	TOTAL						WHITE						NONWHITE					
	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN	TOTAL	MISSIS- SIPPI	OTHER	UN- KNOWN		
NUMBER																		
TOTAL	23,729	22,094	1,634	1	17,286	16,025	1,260	1	6,443	6,069	374	0						
MISSISSIPPI	21,317	20,851	465	1	15,454	15,095	358	1	5,863	5,756	107	0						
OTHER	2,410	1,241	1,169	0	1,830	928	902	0	580	313	267	0						
UNKNOWN	2	2	0	0	2	2	0	0	0	0	0	0						
PERCENT																		
TOTAL	100.0	93.1	6.9	*	100.0	92.7	7.3	*	100.0	94.2	5.8	-						
MISSISSIPPI	89.8	87.9	2.0	*	89.4	87.3	2.1	*	91.0	89.3	1.7	-						
OTHER	10.2	5.2	4.9	-	10.6	5.4	5.2	-	9.0	4.8	4.1	-						
UNKNOWN	*	*	-	-	*	*	-	-	-	-	-	-						

* LESS THAN 0.06 PERCENT.

DIVORCES

TABLE E1. DIVORCES AND PERCENTAGE DISTRIBUTION, BY CAUSE AND RACE*
MISSISSIPPI, 1987

CAUSE	NUMBER				PERCENT			
	TOTAL	WHITE	NON- WHITE	UN- KNOWN	TOTAL	WHITE	NON- WHITE	UN- KNOWN
TOTAL	12,142	9,542	2,420	180	100.0	100.0	100.0	100.0
IRRECONCILABLE DIFFERENCES	8,554	7,085	1,340	129	70.4	74.2	55.4	71.7
CRUEL AND INHUMAN TREATMENT	2,630	1,903	686	41	21.7	19.9	28.3	22.8
DESERTION	578	281	295	2	4.8	2.9	12.2	1.1
ADULTERY	219	161	56	2	1.8	1.7	2.3	1.1
DRUNKENNESS	49	37	12	0	0.4	0.4	0.5	-
PENITENTIARY	50	29	20	1	0.4	0.3	0.8	0.6
ANNULMENT	22	18	2	2	0.2	0.2	0.1	1.1
BIGAMY	7	5	2	0	**	**	0.1	-
MISCELLANEOUS AND OTHER	13	7	6	0	0.1	0.1	0.2	-
UNKNOWN	20	16	1	3	0.2	0.2	**	1.7

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

** LESS THAN 0.06 PERCENT.

TABLE E2. DIVORCES AND PERCENTAGE DISTRIBUTION, BY NUMBER OF MINOR CHILDREN AND RACE*
MISSISSIPPI, 1987

NUMBER OF MINOR CHILDREN	NUMBER				PERCENT			
	TOTAL	WHITE	NON- WHITE	UN- KNOWN	TOTAL	WHITE	NON- WHITE	UN- KNOWN
TOTAL DIVORCES	12,142	9,542	2,420	180	100.0	100.0	100.0	100.0
NONE	5,639	4,645	899	95	46.4	48.7	37.1	52.8
ONE	3,249	2,552	654	43	26.8	26.7	27.0	23.9
TWO	2,228	1,701	499	28	18.4	17.8	20.6	15.6
THREE OR MORE	987	617	358	12	8.1	6.5	14.8	6.7
UNKNOWN	39	27	10	2	0.3	0.3	0.4	1.1

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

TABLE E3. DIVORCES AND PERCENTAGE DISTRIBUTION, BY NUMBER OF YEARS MARRIED AND RACE*
MISSISSIPPI, 1987

NUMBER OF YEARS MARRIED	NUMBER				PERCENT			
	TOTAL	WHITE	NON-WHITE	UN-KNOWN	TOTAL	WHITE	NON-WHITE	UN-KNOWN
TOTAL DIVORCES	12,142	9,542	2,420	180	100.0	100.0	100.0	100.0
UNDER FIVE	5,191	4,406	709	76	42.8	46.2	29.3	42.2
UNDER ONE	726	654	56	16	6.0	6.8	2.3	8.9
ONE	1,185	1,030	142	13	9.8	10.8	5.9	7.2
TWO	1,215	1,023	172	20	10.0	10.7	7.1	11.1
THREE	1,028	852	164	12	8.5	8.9	6.8	6.7
FOUR	1,037	847	175	15	8.5	8.9	7.2	8.3
FIVE-NINE	3,127	2,372	718	37	25.8	24.8	29.7	20.6
TEN-NINETEEN	2,505	1,810	672	23	20.6	19.0	27.8	12.8
TWENTY AND OVER	1,172	877	285	10	9.6	9.2	11.8	5.6
UNKNOWN	147	77	36	34	1.2	0.8	1.5	18.9

* DIVORCES OF MIXED-RACE COUPLES ARE INCLUDED IN FIGURES FOR NONWHITES.

MAJOR TABLES**1987**

TABLE i
POPULATION PROJECTIONS AND PERCENT CHANGE SINCE 1980 CENSUS,
BY COUNTY AND RACE,
MISSISSIPPI, 1987

County	Population			Percent Change Since 1980		
	Total	White	Non-white	Total	White	Non-white
<u>STATE</u>	<u>2,718,090</u>	<u>1,740,694</u>	<u>977,638</u>	<u>7.8</u>	<u>7.8</u>	<u>8.0</u>
Adams	38,997	19,409	19,592	2.5	-0.6	5.9
Alcorn	36,865	32,888	3,980	11.6	11.6	11.3
Amite	13,149	7,088	6,064	-1.6	1.3	-4.8
Attala	20,035	12,165	7,885	0.8	0.9	0.9
Benton	8,794	5,571	3,227	7.9	10.2	4.1
Bolivar	43,797	15,819	27,982	-4.7	-6.9	-3.4
Calhoun	16,567	12,381	4,188	5.8	6.3	4.3
Carroll	10,063	5,657	4,405	2.9	6.1	-0.9
Chickasaw	18,441	11,671	6,775	3.3	2.5	4.7
Choctaw	9,512	6,766	2,752	5.7	4.9	8.0
Claiborne	13,355	3,243	10,113	8.8	5.5	9.9
Clarke	18,258	11,889	6,378	7.7	8.0	7.4
Clay	23,098	11,153	11,946	9.6	6.5	12.6
Coahoma	34,613	12,368	22,247	-6.2	-5.4	-6.7
Copiah	28,160	14,772	13,388	6.2	8.3	4.1
Covington	16,809	11,288	5,528	5.5	8.4	0.2
DeSoto	63,896	53,964	9,931	18.5	22.1	2.1
Forrest	72,732	50,848	21,889	10.2	6.6	19.6
Franklin	8,489	5,366	3,124	3.4	4.3	1.9
George	16,194	14,754	1,444	5.9	6.8	-3.0
Greene	10,720	8,709	2,017	9.1	11.1	1.3
Grenada	22,304	13,073	9,230	6.0	7.1	4.4
Hancock	28,608	25,723	2,885	16.6	17.5	9.1
Harrison	171,401	130,813	40,592	8.7	5.5	20.7
Hinds	276,208	140,536	135,675	10.0	3.1	18.2
Holmes	22,924	6,019	16,904	-0.2	-8.5	3.1
Humphreys	13,457	4,412	9,047	-3.4	-6.5	-1.8
Issaquena	2,460	1,169	1,297	-2.1	5.6	-7.8
Itawamba	23,091	21,624	1,472	12.5	12.6	11.3
Jackson	135,296	106,397	28,904	14.6	12.3	24.0
Jasper	18,072	8,809	9,269	4.7	0.5	9.0
Jefferson	8,836	1,507	7,333	-3.8	-8.4	-2.7
Jeff Davis	14,555	6,266	8,294	5.1	-2.1	11.4
Jones	66,942	51,460	15,483	8.1	8.8	6.1
Kemper	10,101	4,646	5,457	-0.5	2.0	-2.4
Lafayette	34,867	24,928	9,940	12.4	10.6	17.1
Lamar	28,432	25,324	3,113	19.4	19.9	15.5
Lauderdale	82,224	53,894	28,335	6.4	2.9	13.7
Lawrence	13,597	9,542	4,057	8.6	10.5	4.4
Leake	19,907	12,066	7,844	5.9	5.3	6.9
Lee	63,430	50,208	13,227	11.2	11.0	11.8
Leflore	41,306	15,734	25,573	-0.5	-5.9	3.1

Table i - Page 2
Population Projections - Mississippi - 1987

County	Population			Percent Change Since 1980		
	Total	White	Non-white	Total	White	Non-white
Lincoln	33,418	23,353	10,065	10.8	10.8	10.6
Lowndes	64,308	39,786	24,519	12.2	7.1	21.7
Madison	50,096	24,179	25,919	20.4	32.5	10.9
Marion	27,985	19,673	8,314	8.8	9.5	7.4
Marshall	33,138	16,454	16,683	13.1	20.6	6.6
Monroe	38,185	26,825	11,363	4.9	5.0	4.6
Montgomery	13,712	8,524	5,191	2.6	8.1	-5.3
Neshoba	25,829	18,264	7,569	8.6	7.0	12.7
Newton	20,592	14,396	6,201	3.2	2.8	4.3
Noxubee	12,345	4,357	7,985	-6.6	-6.4	-6.7
Oktibbeha	42,576	26,806	15,771	18.2	15.8	22.4
Panola	28,944	15,215	13,733	2.8	6.3	-0.8
Pearl River	39,498	34,129	5,371	16.9	19.2	3.8
Perry	10,394	8,465	1,923	5.4	9.8	-10.6
Pike	38,538	21,188	17,354	6.5	3.8	10.1
Pontotoc	23,862	20,227	3,640	14.1	14.8	10.3
Prentiss	27,394	24,381	3,014	14.0	14.0	14.1
Quitman	11,091	5,097	5,999	-12.2	-7.8	-15.6
Rankin	79,012	65,286	13,727	13.8	16.0	4.4
Scott	26,075	16,255	9,823	6.2	2.6	12.8
Sharkey	7,618	2,636	4,986	-4.3	-2.4	-5.3
Simpson	26,439	18,386	8,054	12.8	13.5	11.2
Smith	16,111	12,822	3,292	6.8	8.1	2.4
Stone	11,132	8,482	2,652	14.6	13.6	17.7
Sunflower	34,287	12,922	21,367	-1.6	-1.0	-2.0
Tallahatchie	15,494	6,945	8,554	-9.7	-4.2	-13.6
Tate	21,639	12,917	8,729	7.6	4.7	12.2
Tippah	20,537	17,230	3,305	9.6	9.4	10.3
Tishomingo	20,080	19,258	824	8.9	8.9	8.7
Tunica	8,735	2,414	6,323	-9.5	-5.9	-10.8
Union	23,662	20,607	3,063	8.8	10.2	0.8
Walthall	14,749	8,619	6,134	7.2	6.5	8.2
Warren	55,689	33,585	22,108	7.9	5.4	11.9
Washington	72,675	30,760	41,920	0.4	-2.7	2.9
Wayne	20,620	13,216	7,409	7.8	4.1	15.0
Webster	10,289	8,483	1,811	-0.1	2.6	-11.0
Wilkinson	9,440	3,004	6,441	-5.8	-8.7	-4.3
Winston	20,193	11,995	8,205	3.7	2.9	5.0
Yalobusha	13,713	8,220	5,491	4.4	1.5	8.9
Yazoo	27,434	13,414	14,020	0.3	1.6	-0.9

NOTE: Figures for white and nonwhite do not add to the total because of the method of calculation. Also, all figures were rounded to whole numbers.

TABLE 1A
 LIVE BIRTHS, BY PLACE OF OCCURRENCE AND RACE,
 ALSO LIVE BIRTHS AND RATES, BY PLACE OF RESIDENCE AND RACE,
 (PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
 MISSISSIPPI, 1987

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
STATE	40,374	20,826	19,548	41,279	21,576	19,703	15.2	12.4	20.2
ADAMS	1,001	439	562	574	245	329	14.7	12.6	16.8
ALCORN	305	256	49	428	364	64	11.6	11.1	16.1
AMITE	0	0	0	164	79	85	12.5	11.1	14.0
ATTALA	200	95	105	278	107	171	13.9	8.8	21.7
BENTON	0	0	0	140	70	70	15.9	12.6	21.7
BOLIVAR	841	127	714	832	175	657	19.0	11.1	23.5
CALHOUN	2	0	2	212	114	98	12.8	9.2	23.4
CARROLL	1	0	1	105	47	58	10.4	8.3	13.2
CHICKASAW	4	1	3	318	162	156	17.2	13.9	23.0
CHOCTAW	103	32	71	131	64	67	13.8	9.4	24.3
CLAIBORNE	78	3	75	195	23	172	14.6	7.1	17.0
CLARKE	1	1	0	227	124	103	12.4	10.4	16.1
CLAY	256	83	173	327	113	214	14.2	10.1	17.9
COAHOMA	1,210	302	908	648	146	502	18.7	11.8	22.6
COPIAH	233	105	128	472	166	306	16.8	11.2	22.8
COVINGTON	135	47	88	293	151	142	17.4	13.4	25.7
DESOTO	5	3	2	947	776	171	14.8	14.4	17.2
FORREST	2,687	1,699	988	1,011	525	486	13.9	10.3	22.2
FRANKLIN	18	8	10	135	51	84	15.9	9.5	26.9
GEORGE	123	87	36	259	220	39	16.0	14.9	27.0
GREENE	9	8	1	153	110	43	14.3	12.6	21.3
GRENADA	816	395	421	355	163	192	15.9	12.5	20.8
HANCOCK	155	123	32	461	396	65	16.1	15.4	22.5
HARRISON	3,584	2,647	937	2,909	2,080	829	17.0	15.9	20.4
HINDS	7,290	2,585	4,705	4,308	1,610	2,698	15.6	11.4	19.9
HOLMES	230	17	213	465	63	402	20.3	10.5	23.8
HUMPHREYS	6	1	5	252	59	193	18.7	13.4	21.3
ISSAQUENA	0	0	0	25	7	18	10.2	6.0	13.9
ITAWAMBA	0	0	0	232	213	19	10.0	9.8	12.9
JACKSON	1,656	1,204	452	1,892	1,379	513	14.0	13.0	17.7
JASPER	0	0	0	273	113	160	15.1	12.8	17.3
JEFFERSON	6	0	6	164	19	145	18.6	12.6	19.8
JEFF DAVIS	2	1	1	211	74	137	14.5	11.8	16.5
JONES	1,249	676	573	930	603	327	13.9	11.7	21.1
KEMPER	0	0	0	146	43	103	14.4	9.2	18.9
LAFAYETTE	363	214	149	360	218	142	10.3	8.7	14.3
LAMAR	0	0	0	483	416	67	17.0	16.4	21.5
LAUDERDALE	2,037	1,187	850	1,251	692	559	15.2	12.8	19.7
LAWRENCE	0	0	0	175	116	59	12.9	12.2	14.5
LEAKE	0	0	0	254	112	142	12.8	9.3	18.1
LEE	2,565	2,042	523	1,076	769	307	17.0	15.3	23.2
LEFLORE	922	218	704	689	193	496	16.7	12.3	19.4

TABLE 1A - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1987

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	5	3	2	391	244	147	11.7	10.4	14.6
LOWNDES	989	512	477	1,014	552	462	15.8	13.9	18.8
MADISON	250	4	246	943	412	531	18.8	17.0	20.5
MARION	60	45	15	378	221	157	13.5	11.2	18.9
MARSHALL	10	0	10	537	212	325	16.2	12.9	19.5
MONROE	981	684	297	564	331	233	14.8	12.3	20.5
MONTGOMERY	121	21	100	189	86	103	13.8	10.1	19.8
NESHOBA	193	75	118	367	180	187	14.2	9.8	24.7
NEWTON	95	40	55	273	144	129	13.2	10.0	20.8
NOXUBEE	124	8	116	244	55	189	19.8	12.6	23.7
OKTIBBEHA	939	428	511	504	236	268	11.8	8.8	17.0
PANOLA	416	99	317	535	203	332	18.5	13.3	24.2
PEARL RIVER	379	277	102	578	453	125	14.6	13.3	23.3
PERRY	37	31	6	169	110	59	16.2	13.0	30.7
PIKE	1,186	598	588	499	210	289	12.9	9.9	16.6
PONTOTOC	10	7	3	318	261	57	13.3	12.9	15.6
PRENTISS	0	0	0	298	244	54	10.9	10.0	17.9
QUITMAN	2	0	2	218	66	152	19.6	12.9	25.3
RANKIN	1,861	1,583	278	1,181	932	249	14.9	14.3	18.1
SCOTT	37	21	16	405	206	199	15.5	12.7	20.2
SHARKEY	52	4	48	140	26	114	18.4	9.9	22.9
SIMPSON	12	3	9	351	186	165	13.3	10.1	20.5
SMITH	1	1	0	215	138	77	13.3	10.8	23.4
STONE	4	2	2	153	93	60	13.7	11.0	22.6
SUNFLOWER	463	124	339	599	114	485	17.5	8.8	22.7
TALLAHATCHIE	5	1	4	301	73	228	19.4	10.5	26.6
TATE	229	70	159	329	172	157	15.2	13.3	18.0
TIPPAH	9	3	6	308	247	61	15.0	14.3	18.4
TISHOMINGO	0	0	0	209	196	13	10.4	10.2	15.8
TUNICA	1	0	1	184	26	158	21.1	10.8	25.0
UNION	790	467	323	330	264	66	13.9	12.8	21.5
WALTHALL	8	6	2	217	88	129	14.7	10.2	21.0
WARREN	902	398	504	731	371	360	13.1	11.0	16.3
WASHINGTON	1,412	460	952	1,308	417	891	18.0	13.6	21.2
WAYNE	310	126	184	319	161	158	15.5	12.2	21.3
WEBSTER	42	23	19	134	91	43	13.0	10.7	23.7
WILKINSON	135	24	111	158	39	119	16.7	13.0	18.5
WINSTON	139	44	95	306	121	185	15.2	10.1	22.5
YALOBUSHA	0	0	0	169	80	89	12.3	9.7	16.2
YAZOO	72	28	44	453	145	308	16.5	10.8	22.0
OUT OF STATE	2,308	1,796	512	1,403	1,046	357			

TABLE 1A - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 1987

TOWN**	RESIDENCE DATA		
	TOTAL	WHITE	NON- WHITE
BILOXI	863	580	283
BROOKHAVEN	142	64	78
CANTON	274	33	241
CLARKSDALE	394	91	303
CLEVELAND	262	81	181
CLINTON	295	234	61
COLUMBUS	417	149	268
CORINTH	167	115	52
GAUTIER	202	144	58
GREENVILLE	820	216	604
GREENWOOD	351	84	267
GRENADA	208	69	139
GULFPORT	844	506	338
HATTIESBURG	672	257	415
JACKSON	3,468	1,166	2,302
LAUREL	331	127	204
MCCOMB	176	62	114
MERIDIAN	729	315	414
MOSS POINT	275	73	202
NATCHEZ	356	143	213
OCEAN SPRINGS	242	201	41
PASCAGOULA	531	379	152
PEARL	307	260	47
PICAYUNE	182	94	88
SOUTHAVEN	239	220	19
STARKVILLE	280	153	127
TUPELO	431	280	151
VICKSBURG	364	110	254
YAZOO CITY	239	48	191

* LIVE BIRTHS PER 1,000 POPULATION.

** TOWNS OF 10,000 POPULATION OR MORE.

NOTE: RATES ARE NOT AVAILABLE BY TOWN.

TABLE 1B
 FERTILITY RATES*, BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 1987

COUNTY	TOTAL	WHITE	NON- WHITE	COUNTY	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>65.5</u>	<u>54.1</u>	<u>85.2</u>				
ADAMS	64.6	57.2	71.6	LINCOLN	52.6	47.6	63.7
ALCORN	50.3	48.1	68.0	LOWNDES	63.0	55.6	74.7
AMITE	59.1	55.7	62.7	MADISON	77.5	68.6	86.1
ATTALA	67.3	44.2	99.5	MARION	61.3	51.2	84.9
BENTON	73.0	60.3	92.5	MARSHALL	68.9	56.6	80.2
BOLIVAR	80.5	48.4	97.8	MONROE	66.4	56.3	89.5
CALHOUN	59.0	43.1	103.2	MONTGOMERY	64.9	49.2	88.4
CARROLL	47.6	39.3	57.5	NESHOBA	64.2	45.6	105.7
CHICKASAW	77.4	63.6	99.7	NEWTON	62.4	48.8	90.7
CHOCTAW	62.4	43.8	104.5	NOXUBEE	93.4	65.8	106.4
CLAIBORNE	60.1	37.3	65.5	OKTIBBEHA	45.3	33.1	67.0
CLARKE	55.8	47.0	72.2	PANOLA	84.1	62.3	107.0
CLAY	61.7	46.0	75.3	PEARL RIVER	62.2	56.3	100.2
COAHOMA	85.6	56.1	101.0	PERRY	70.7	56.3	135.6
COPIAH	75.9	52.4	100.4	PIKE	58.5	46.4	72.3
COVINGTON	77.5	60.6	109.9	PONTOTOC	59.4	57.7	68.7
DESOTO	59.2	56.5	75.7	PRENTISS	47.4	43.8	75.9
FORREST	55.1	40.8	88.8	QUITMAN	94.4	62.9	120.4
FRANKLIN	76.5	47.2	122.3	RANKIN	61.4	57.8	80.2
GEORGE	69.6	64.7	122.2	SCOTT	70.0	58.3	88.5
GREENE	63.0	56.2	91.3	SHARKEY	82.2	48.2	97.8
GRENADA	70.1	56.4	88.6	SIMPSON	58.6	45.0	88.9
HANCOCK	71.9	68.7	100.5	SMITH	60.2	49.4	99.4
HARRISON	72.4	68.4	84.5	STONE	58.7	47.2	93.9
HINDS	63.5	48.4	78.0	SUNFLOWER	82.7	44.0	104.1
HOLMES	92.1	52.6	104.4	TALLAHATCHIE	91.5	52.4	120.1
HUMPHREYS	85.2	66.0	93.5	TATE	64.2	57.2	74.1
ISSAQUENA	44.9	25.4	63.4	TIPPAH	66.7	63.9	81.6
ITAWAMBA	44.0	43.1	58.8	TISHOMINGO	47.0	46.0	71.8
JACKSON	58.2	54.2	72.8	TUNICA	95.8	52.6	110.7
JASPER	70.5	63.3	76.6	UNION	62.6	57.4	96.9
JEFFERSON	85.8	79.2	86.6	WALTHALL	69.6	50.4	94.0
JEFF DAVIS	66.0	57.4	71.8	WARREN	56.2	47.4	69.6
JONES	61.5	51.9	93.2	WASHINGTON	79.7	62.1	91.9
KEMPER	67.2	45.1	84.6	WAYNE	66.9	53.6	89.5
LAFAYETTE	41.8	35.2	59.0	WEBSTER	62.1	51.0	114.7
LAMAR	69.6	67.3	88.7	WILKINSON	77.6	66.4	82.1
LAUDERDALE	67.1	57.7	84.1	WINSTON	70.7	49.2	98.8
LAWRENCE	57.3	54.4	63.6	YALOBUSHA	57.6	47.9	70.4
LEAKE	59.9	44.6	81.8	YAZOO	76.4	52.2	97.8
LEE	72.4	65.5	98.1				
LEFLORE	72.7	59.1	79.8				

* LIVE BIRTHS PER 1,000 FEMALE POPULATION 15-44 YEARS OF AGE.

TABLE 2
LIVE BIRTHS, BY COUNTY OF RESIDENCE, RACE, AND ATTENDANT,
ALSO BY COUNTY OF RESIDENCE AND SEX,
MISSISSIPPI, 1987

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OR OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OR OTHER PLACE	OTHER	MALE	FEMALE
STATE	41,279	21,576	21,524	5	47	19,703	19,601	39	63	21,062	20,217
ADAMS	574	245	245	0	0	329	329	0	0	295	279
ALCORN	428	364	362	0	2	64	64	0	0	229	199
AMITE	164	79	79	0	0	85	85	0	0	73	91
ATTALA	278	107	107	0	0	171	170	1	0	148	130
BENTON	140	70	70	0	0	70	70	0	0	61	79
BOLIVAR	832	175	175	0	0	657	655	0	2	429	403
CALHOUN	212	114	112	0	2	98	97	0	1	113	99
CARROLL	105	47	47	0	0	58	58	0	0	53	52
CHICKASAW	318	162	162	0	0	156	156	0	0	150	168
CHOCTAW	131	64	64	0	0	67	66	1	0	61	70
CLAIBORNE	195	23	23	0	0	172	171	1	0	101	94
CLARKE	227	124	123	0	1	103	103	0	0	122	105
CLAY	327	113	113	0	0	214	212	0	2	149	178
COAHOMA	648	146	145	0	1	502	501	0	1	340	308
COPIAH	472	166	166	0	0	306	303	0	3	237	235
COVINGTON	293	151	150	0	1	142	141	0	1	154	139
DESOTO	947	776	773	0	3	171	169	0	2	493	454
FORREST	1,011	525	522	0	3	486	484	0	2	518	493
FRANKLIN	135	51	51	0	0	84	84	0	0	65	70
GEORGE	259	220	219	0	1	39	39	0	0	131	128
GREENE	153	110	110	0	0	43	43	0	0	76	77
GRENADA	355	163	163	0	0	192	192	0	0	169	186
HANCOCK	461	396	394	0	2	65	63	0	2	233	228
HARRISON	2,909	2,080	2,077	1	2	829	826	0	3	1,492	1,417

TABLE 2 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1987

COUNTY	TOTAL	WHITE				NONWHITE				SEX	
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
HINDS	4,308	1,610	1,604	0	6	2,698	2,692	2	4	2,182	2,126
HOLMES	465	63	63	0	0	402	398	0	4	237	228
HUMPHREYS	252	59	59	0	0	193	191	2	0	135	117
ISSAQUENA	25	7	7	0	0	18	18	0	0	8	17
ITAWAMBA	232	213	213	0	0	19	19	0	0	122	110
JACKSON	1,892	1,379	1,373	0	6	513	510	0	3	980	912
JASPER	273	113	113	0	0	160	159	0	1	126	147
JEFFERSON	164	19	19	0	0	145	145	0	0	75	89
JEFF DAVIS	211	74	73	0	1	137	136	0	1	104	107
JONES	930	603	603	0	0	327	326	1	0	483	447
KEMPER	146	43	43	0	0	103	103	0	0	80	66
LAFAYETTE	360	218	218	0	0	142	142	0	0	202	158
LAMAR	483	416	416	0	0	67	66	0	1	249	234
LAUDERDALE	1,251	692	691	0	1	559	559	0	0	633	618
LAWRENCE	1,175	116	116	0	0	59	59	0	0	83	92
LEAKE	254	112	112	0	0	142	142	0	0	132	122
LEE	1,076	769	768	1	0	307	306	1	0	553	523
LEFLORE	689	193	193	0	0	496	492	3	1	354	335
LINCOLN	391	244	242	1	1	147	145	1	1	186	205
LOWNDES	1,014	552	552	0	0	462	461	0	1	529	485
MADISON	943	412	412	0	0	531	529	2	0	463	480
MARION	378	221	219	0	2	157	157	0	0	202	176
MARSHALL	537	212	212	0	0	325	321	2	2	274	263
MONROE	564	331	331	0	0	233	232	1	0	294	270
MONTGOMERY	189	86	86	0	0	103	100	2	1	101	88
NESHOMA	367	180	180	0	0	187	186	1	0	198	169
NEWTON	273	144	144	0	0	129	126	2	1	134	139
NOXUBEE	244	55	55	0	0	189	189	0	0	121	123
OKTIBBEHA	504	236	236	0	0	268	266	0	2	261	243
PANOLA	535	203	202	0	1	332	330	0	2	266	269

TABLE 2 - PAGE 3
LIVE BIRTHS - MISSISSIPPI - 1987

COUNTY	TOTAL	WHITE			NONWHITE			SEX			
		TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	TOTAL	HOSP. OR CLINIC	PHYS., OTHER PLACE	OTHER	MALE	FEMALE
PEARL RIVER	578	453	452	0	1	125	0	0	0	289	289
PERRY	169	110	110	0	0	59	0	0	0	81	88
PIKE	499	210	210	0	0	289	0	0	1	258	241
PONTOTOC	318	261	261	0	0	57	2	0	0	178	140
PRENTISS	298	244	244	0	0	54	0	0	1	151	147
QUITMAN	218	66	66	0	0	152	2	0	0	104	114
RANKIN	1,181	932	931	0	1	249	2	2	2	597	584
SCOTT	405	206	205	0	1	199	0	0	1	201	204
SHARKEY	140	26	26	0	0	114	0	0	3	79	61
SIMPSON	351	186	186	0	0	165	1	1	0	199	152
SMITH	215	138	137	1	0	77	0	0	0	108	107
STONE	153	93	92	0	1	60	0	0	1	74	79
SUNFLOWER	599	114	114	0	0	485	3	2	2	298	301
TALLAHATCHIE	301	73	72	1	0	228	1	0	0	147	154
TATE	329	172	172	0	0	157	0	0	0	169	160
TIPPAAH	308	247	246	0	1	61	0	0	0	159	149
TISHOMINGO	209	196	196	0	0	13	0	0	0	114	95
TUNICA	184	26	26	0	0	158	0	0	0	85	99
UNION	330	264	264	0	0	66	0	0	0	187	143
WALTHALL	217	88	84	0	4	129	0	0	2	113	104
WARREN	731	371	369	0	2	360	1	1	1	385	346
WASHINGTON	1,308	417	417	0	0	891	0	0	5	631	677
WAYNE	319	161	161	0	0	158	0	0	0	171	148
WEBSTER	134	91	91	0	0	43	0	0	0	70	64
WILKINSON	158	39	39	0	0	119	0	0	0	80	78
WINSTON	306	121	121	0	0	185	3	0	0	159	147
YALOBUSHA	169	80	80	0	0	89	0	0	0	76	93
YAZOO	453	145	145	0	0	308	1	0	0	240	213

NOTE: "HOSP. OR CLINIC" INCLUDES DELIVERY BY PHYSICIAN, CNM, OR ANY OTHER NAMED PERSON. "OTHER" INCLUDES DELIVERY BY ANY PERSON OTHER THAN A PHYSICIAN, AT ANY PLACE OTHER THAN A HOSPITAL OR CLINIC.

TABLE 3A
TOTAL LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1987

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>41,279</u>	<u>301</u>	<u>8,001</u>	<u>13,768</u>	<u>11,287</u>	<u>5,789</u>	<u>1,833</u>	<u>292</u>	<u>7</u>	<u>1</u>
ADAMS	574	5	104	191	168	76	29	1	0	0
ALCORN	428	3	83	143	116	64	16	2	1	0
AMITE	164	3	32	47	51	22	7	2	0	0
ATTALA	278	1	62	89	74	37	12	3	0	0
BENTON	140	0	23	52	43	21	1	0	0	0
BOLIVAR	832	7	285	273	158	78	30	1	0	0
CALHOUN	212	2	54	73	55	14	13	1	0	0
CARROLL	105	0	21	39	27	10	7	1	0	0
CHICKASAW	318	1	56	124	72	47	14	4	0	0
CHOCTAW	131	0	26	51	34	14	5	1	0	0
CLAIBORNE	195	3	33	75	46	30	8	0	0	0
CLARKE	227	3	46	83	61	24	9	0	1	0
CLAY	327	2	75	91	90	51	17	1	0	0
COAHOMA	648	9	191	212	135	77	13	10	1	0
COPIAH	472	4	118	136	120	68	20	6	0	0
COVINGTON	293	2	68	94	69	38	18	4	0	0
DESOTO	947	3	131	339	292	141	33	7	0	1
FORREST	1,011	9	182	339	281	154	36	10	0	0
FRANKLIN	135	1	14	50	39	24	5	0	2	0
GEORGE	259	1	43	107	72	21	11	4	0	0
GREENE	153	0	26	46	52	23	6	0	0	0
GRENADA	355	1	85	117	82	59	9	2	0	0
HANCOCK	461	1	89	154	134	60	18	5	0	0
HARRISON	2,909	12	450	1,036	849	417	126	18	1	0
HINDS	4,308	26	683	1,249	1,289	778	255	27	1	0
HOLMES	465	3	130	162	89	57	21	3	0	0
HUMPHREYS	252	4	76	80	52	26	12	2	0	0
ISSAQUENA	25	0	5	11	7	2	0	0	0	0
ITAWAMBA	232	0	42	83	70	29	6	2	0	0
JACKSON	1,892	5	320	597	570	306	84	10	0	0
JASPER	273	0	49	91	72	44	14	3	0	0
JEFFERSON	164	1	23	56	46	28	9	1	0	0
JEFF DAVIS	211	6	51	75	37	28	12	2	0	0
JONES	930	6	159	311	272	126	48	8	0	0
KEMPER	146	0	34	57	31	15	8	1	0	0
LAFAYETTE	360	0	57	103	113	68	15	4	0	0
LAMAR	483	1	65	156	155	88	16	2	0	0
LAUDERDALE	1,251	9	220	413	356	199	47	7	0	0
LAWRENCE	175	1	24	63	56	20	6	5	0	0
LEAKE	254	3	46	85	67	39	11	3	0	0
LEE	1,076	8	187	373	312	152	39	5	0	0
LEFLORE	689	11	164	249	139	95	28	3	0	0

TABLE 3A - PAGE 2
TOTAL LIVE BIRTHS - MISSISSIPPI - 1987

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	391	4	66	135	113	49	21	3	0	0
LOWNDES	1,014	6	173	347	306	132	44	6	0	0
MADISON	943	8	165	252	294	164	51	9	0	0
MARION	378	0	82	129	101	40	21	5	0	0
MARSHALL	537	1	112	190	140	65	26	3	0	0
MONROE	564	5	104	197	161	76	20	1	0	0
MONTGOMERY	189	3	30	64	51	30	9	2	0	0
NESHOBA	367	5	72	144	80	43	20	3	0	0
NEWTON	273	2	62	88	77	33	10	1	0	0
NOXUBEE	244	4	52	84	59	31	12	2	0	0
OKTIBBEHA	504	0	69	152	158	90	30	5	0	0
PANOLA	535	5	143	167	142	49	26	3	0	0
PEARL RIVER	578	5	130	202	156	57	27	1	0	0
PERRY	169	1	34	56	46	19	12	1	0	0
PIKE	499	3	102	154	142	70	25	3	0	0
PONTOTOC	318	0	54	117	93	36	17	1	0	0
PRENTISS	298	2	64	120	64	41	3	4	0	0
QUITMAN	218	5	74	74	39	17	6	3	0	0
RANKIN	1,181	11	161	365	376	203	57	8	0	0
SCOTT	405	5	68	155	95	58	18	6	0	0
SHARKEY	140	2	47	47	27	13	4	0	0	0
SIMPSON	351	1	60	132	94	43	19	2	0	0
SMITH	215	0	28	95	54	24	12	2	0	0
STONE	153	1	32	54	40	18	6	2	0	0
SUNFLOWER	599	6	175	209	125	56	22	6	0	0
TALLAHATCHIE	301	5	91	105	62	28	9	1	0	0
TATE	329	1	64	121	91	35	13	4	0	0
TIPPAH	308	2	62	102	93	32	17	0	0	0
TISHOMINGO	209	1	36	74	55	32	10	1	0	0
TUNICA	184	4	52	65	34	21	8	0	0	0
UNION	330	2	58	131	83	43	11	2	0	0
WALTHALL	217	4	44	68	58	27	12	4	0	0
WARREN	731	5	137	230	211	111	29	8	0	0
WASHINGTON	1,308	14	323	436	336	149	41	9	0	0
WAYNE	319	3	78	107	85	33	13	0	0	0
WEBSTER	134	0	30	44	37	12	10	1	0	0
WILKINSON	158	0	35	50	41	22	9	1	0	0
WINSTON	306	8	61	104	78	42	11	2	0	0
YALOBUSHA	169	1	42	60	42	17	7	0	0	0
YAZOO	453	9	97	167	95	58	21	6	0	0

TABLE 3B
 WHITE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
 MISSISSIPPI, 1987

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>21,576</u>	<u>41</u>	<u>2,900</u>	<u>7,142</u>	<u>6,997</u>	<u>3,390</u>	<u>965</u>	<u>138</u>	<u>2</u>	<u>1</u>
ADAMS	245	0	28	82	90	37	8	0	0	0
ALCORN	364	2	64	121	104	55	15	2	1	0
AMITE	79	0	10	20	36	9	4	0	0	0
ATTALA	107	1	15	32	40	14	3	2	0	0
BENTON	70	0	9	22	27	11	1	0	0	0
BOLIVAR	175	0	32	54	64	18	6	1	0	0
CALHOUN	114	1	22	40	35	8	8	0	0	0
CARROLL	47	0	7	18	14	5	3	0	0	0
CHICKASAW	162	0	22	65	43	23	8	1	0	0
CHOCTAW	64	0	8	25	18	11	2	0	0	0
CLAIBORNE	23	0	1	8	6	6	2	0	0	0
CLARKE	124	0	22	52	33	13	4	0	0	0
CLAY	113	0	15	34	39	20	5	0	0	0
COAHOMA	146	0	23	39	46	30	4	3	1	0
COPIAH	166	0	29	49	58	22	7	1	0	0
COVINGTON	151	0	30	44	45	19	11	2	0	0
DESOTO	776	2	97	275	246	127	21	7	0	1
FORREST	525	1	66	160	175	103	16	4	0	0
FRANKLIN	51	0	2	16	23	9	1	0	0	0
GEORGE	220	0	40	89	63	17	8	3	0	0
GREENE	110	0	19	31	39	17	4	0	0	0
GRENADA	163	0	21	57	50	34	1	0	0	0
HANCOCK	396	1	76	131	113	54	16	5	0	0
HARRISON	2,080	4	257	756	659	295	97	12	0	0
HINDS	1,610	0	123	386	601	366	118	16	0	0
HOLMES	63	0	10	27	16	7	3	0	0	0
HUMPHREYS	59	0	11	21	16	6	5	0	0	0
ISSAQUENA	7	0	1	3	2	1	0	0	0	0
ITAWAMBA	213	0	39	78	63	26	5	2	0	0
JACKSON	1,379	1	205	438	441	227	60	7	0	0
JASPER	113	0	15	36	37	18	6	1	0	0
JEFFERSON	19	0	4	5	8	1	0	1	0	0
JEFF DAVIS	74	1	15	27	18	9	4	0	0	0
JONES	603	1	74	204	195	94	32	3	0	0
KEMPER	43	0	4	17	12	6	3	1	0	0
LAFAYETTE	218	0	16	66	77	48	8	3	0	0
LAMAR	416	0	55	129	139	78	13	2	0	0
LAUDERDALE	692	0	79	228	226	131	25	3	0	0
LAWRENCE	116	0	16	42	45	8	4	1	0	0
LEAKE	112	0	22	34	31	21	4	0	0	0
LEE	769	4	120	242	244	121	34	4	0	0
LEFLORE	193	0	24	75	51	33	10	0	0	0

TABLE 3B - PAGE 2
 WHITE LIVE BIRTHS - MISSISSIPPI - 1987

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	244	0	31	82	81	37	11	2	0	0
LOWNDES	552	0	54	195	198	80	23	2	0	0
MADISON	412	0	21	77	191	92	26	5	0	0
MARION	221	0	40	74	70	24	11	2	0	0
MARSHALL	212	0	41	79	55	25	10	2	0	0
MONROE	331	1	48	119	106	44	13	0	0	0
MONTGOMERY	86	1	9	30	24	15	7	0	0	0
NESHOBA	180	1	23	65	51	28	11	1	0	0
NEWTON	144	0	27	45	46	19	6	1	0	0
NOXUBEE	55	1	2	17	18	9	6	2	0	0
OKTIBBEHA	236	0	16	60	91	52	14	3	0	0
PANOLA	203	2	42	68	61	15	14	1	0	0
PEARL RIVER	453	1	82	166	131	48	24	1	0	0
PERRY	110	0	17	40	34	11	7	1	0	0
PIKE	210	0	21	71	75	30	11	2	0	0
PONTOTOC	261	0	41	97	81	29	12	1	0	0
PRENTISS	244	1	50	104	53	30	3	3	0	0
QUITMAN	66	0	15	21	20	6	4	0	0	0
RANKIN	932	5	112	295	305	168	41	6	0	0
SCOTT	206	2	27	85	48	36	6	2	0	0
SHARKEY	26	0	3	10	7	5	1	0	0	0
SIMPSON	186	0	26	69	60	22	8	1	0	0
SMITH	138	0	16	60	39	17	5	1	0	0
STONE	93	0	14	35	28	13	3	0	0	0
SUNFLOWER	114	0	13	37	41	19	3	1	0	0
TALLAHATCHIE	73	0	12	27	22	9	2	1	0	0
TATE	172	0	30	58	57	21	4	2	0	0
TIPPAH	247	1	48	80	76	28	14	0	0	0
TISHOMINGO	196	1	33	68	53	32	8	1	0	0
TUNICA	26	1	2	6	8	7	2	0	0	0
UNION	264	1	45	106	67	34	9	2	0	0
WALTHALL	88	0	11	32	26	12	7	0	0	0
WARREN	371	0	44	115	132	63	14	3	0	0
WASHINGTON	417	0	49	143	147	59	18	1	0	0
WAYNE	161	2	21	55	59	21	3	0	0	0
WEBSTER	91	0	15	30	28	12	6	0	0	0
WILKINSON	39	0	6	14	14	5	0	0	0	0
WINSTON	121	1	15	45	40	19	1	0	0	0
YALOBUSHA	80	0	16	33	21	9	1	0	0	0
YAZOO	145	0	14	51	45	27	7	1	0	0

TABLE 3C
NONWHITE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1987

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>19,703</u>	<u>260</u>	<u>5,101</u>	<u>6,626</u>	<u>4,290</u>	<u>2,399</u>	<u>868</u>	<u>154</u>	<u>5</u>	<u>0</u>
ADAMS	329	5	76	109	78	39	21	1	0	0
ALCORN	64	1	19	22	12	9	1	0	0	0
AMITE	85	3	22	27	15	13	3	2	0	0
ATTALA	171	0	47	57	34	23	9	1	0	0
BENTON	70	0	14	30	16	10	0	0	0	0
BOLIVAR	657	7	253	219	94	60	24	0	0	0
CALHOUN	98	1	32	33	20	6	5	1	0	0
CARROLL	58	0	14	21	13	5	4	1	0	0
CHICKASAW	156	1	34	59	29	24	6	3	0	0
CHOCTAW	67	0	18	26	16	3	3	1	0	0
CLAIBORNE	172	3	32	67	40	24	6	0	0	0
CLARKE	103	3	24	31	28	11	5	0	1	0
CLAY	214	2	60	57	51	31	12	1	0	0
COAHOMA	502	9	168	173	89	47	9	7	0	0
COPIAH	306	4	89	87	62	46	13	5	0	0
COVINGTON	142	2	38	50	24	19	7	2	0	0
DESOTO	171	1	34	64	46	14	12	0	0	0
FORREST	486	8	116	179	106	51	20	6	0	0
FRANKLIN	84	1	12	34	16	15	4	0	2	0
GEORGE	39	1	3	18	9	4	3	1	0	0
GREENE	43	0	7	15	13	6	2	0	0	0
GRENADA	192	1	64	60	32	25	8	2	0	0
HANCOCK	65	0	13	23	21	6	2	0	0	0
HARRISON	829	8	193	280	190	122	29	6	1	0
HINDS	2,698	26	560	863	688	412	137	11	1	0
HOLMES	402	3	120	135	73	50	18	3	0	0
HUMPHREYS	193	4	65	59	36	20	7	2	0	0
ISSAQUENA	18	0	4	8	5	1	0	0	0	0
ITAWAMBA	19	0	3	5	7	3	1	0	0	0
JACKSON	513	4	115	159	129	79	24	3	0	0
JASPER	160	0	34	55	35	26	8	2	0	0
JEFFERSON	145	1	19	51	38	27	9	0	0	0
JEFF DAVIS	137	5	36	48	19	19	8	2	0	0
JONES	327	5	85	107	77	32	16	5	0	0
KEMPER	103	0	30	40	19	9	5	0	0	0
LAFAYETTE	142	0	41	37	36	20	7	1	0	0
LAMAR	67	1	10	27	16	10	3	0	0	0
LAUDERDALE	559	9	141	185	130	68	22	4	0	0
LAWRENCE	59	1	8	21	11	12	2	4	0	0
LEAKE	142	3	24	51	36	18	7	3	0	0
LEE	307	4	67	131	68	31	5	1	0	0
LEFLORE	496	11	140	174	88	62	18	3	0	0

TABLE 3C - PAGE 2
NONWHITE LIVE BIRTHS - MISSISSIPPI - 1987

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	147	4	35	53	32	12	10	1	0	0
LOWNDES	462	6	119	152	108	52	21	4	0	0
MADISON	531	8	144	175	103	72	25	4	0	0
MARION	157	0	42	55	31	16	10	3	0	0
MARSHALL	325	1	71	111	85	40	16	1	0	0
MONROE	233	4	56	78	55	32	7	1	0	0
MONTGOMERY	103	2	21	34	27	15	2	2	0	0
NESHOBA	187	4	49	79	29	15	9	2	0	0
NEWTON	129	2	35	43	31	14	4	0	0	0
NOXUBEE	189	3	50	67	41	22	6	0	0	0
OKTIBBEHA	268	0	53	92	67	38	16	2	0	0
PANOLA	332	3	101	99	81	34	12	2	0	0
PEARL RIVER	125	4	48	36	25	9	3	0	0	0
PERRY	59	1	17	16	12	8	5	0	0	0
PIKE	289	3	81	83	67	40	14	1	0	0
PONTOTOC	57	0	13	20	12	7	5	0	0	0
PRENTISS	54	1	14	16	11	11	0	1	0	0
QUITMAN	152	5	59	53	19	11	2	3	0	0
RANKIN	249	6	49	70	71	35	16	2	0	0
SCOTT	199	3	41	70	47	22	12	4	0	0
SHARKEY	114	2	44	37	20	8	3	0	0	0
SIMPSON	165	1	34	63	34	21	11	1	0	0
SMITH	77	0	12	35	15	7	7	1	0	0
STONE	60	1	18	19	12	5	3	2	0	0
SUNFLOWER	485	6	162	172	84	37	19	5	0	0
TALLAHATCHIE	228	5	79	78	40	19	7	0	0	0
TATE	157	1	34	63	34	14	9	2	0	0
TIPPAH	61	1	14	22	17	4	3	0	0	0
TISHOMINGO	13	0	3	6	2	0	2	0	0	0
TUNICA	158	3	50	59	26	14	6	0	0	0
UNION	66	1	13	25	16	9	2	0	0	0
WALTHALL	129	4	33	36	32	15	5	4	0	0
WARREN	360	5	93	115	79	48	15	5	0	0
WASHINGTON	891	14	274	293	189	90	23	8	0	0
WAYNE	158	1	57	52	26	12	10	0	0	0
WEBSTER	43	0	15	14	9	0	4	1	0	0
WILKINSON	119	0	29	36	27	17	9	1	0	0
WINSTON	185	7	46	59	38	23	10	2	0	0
YALOBUSHA	89	1	26	27	21	8	6	0	0	0
YAZOO	308	9	83	116	50	31	14	5	0	0

TABLE 4
 ILLEGITIMATE LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
 BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 1987

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>14,489</u>	<u>2,112</u>	<u>12,377</u>	<u>35.1</u>	<u>9.8</u>	<u>62.8</u>
ADAMS	244	23	221	42.5	9.4	67.2
ALCORN	83	46	37	19.4	12.6	57.8
AMITE	48	4	44	29.3	5.1	51.8
ATTALA	112	9	103	40.3	8.4	60.2
BENTON	41	7	34	29.3	10.0	48.6
BOLIVAR	540	25	515	64.9	14.3	78.4
CALHOUN	74	9	65	34.9	7.9	66.3
CARROLL	36	3	33	34.3	6.4	56.9
CHICKASAW	86	16	70	27.0	9.9	44.9
CHOCTAW	51	6	45	38.9	9.4	67.2
CLAIBORNE	123	1	122	63.1	4.3	70.9
CLARKE	73	7	66	32.2	5.6	64.1
CLAY	145	14	131	44.3	12.4	61.2
COAHOMA	402	17	385	62.0	11.6	76.7
COPIAH	201	18	183	42.6	10.8	59.8
COVINGTON	98	9	89	33.4	6.0	62.7
DESOTO	188	76	112	19.8	9.8	65.5
FORREST	380	56	324	37.6	10.7	66.7
FRANKLIN	46	2	44	34.1	3.9	52.4
GEORGE	33	17	16	12.7	7.7	41.0
GREENE	42	15	27	27.4	13.6	62.8
GRENADA	143	10	133	40.3	6.1	69.3
HANCOCK	108	75	33	23.4	18.9	50.8
HARRISON	699	289	410	24.0	13.9	49.4
HINDS	1,691	112	1,579	39.2	7.0	58.5
HOLMES	284	2	282	61.1	3.2	70.1
HUMPHREYS	154	3	151	61.1	5.1	78.2
ISSAQUENA	13	0	13	52.0	-	72.2
ITAWAMBA	16	10	6	6.9	4.7	31.6
JACKSON	457	175	282	24.2	12.7	55.0
JASPER	76	3	73	27.8	2.6	45.6
JEFFERSON	97	3	94	59.1	15.8	64.8
JEFF DAVIS	89	3	86	42.2	4.0	62.8
JONES	260	59	201	28.0	9.8	61.5
KEMPER	60	2	58	41.1	4.6	56.3
LAFAYETTE	95	11	84	26.4	5.0	59.2
LAMAR	61	33	28	12.6	7.9	41.8
LAUDERDALE	394	66	328	31.5	9.5	58.7
LAWRENCE	37	9	28	21.1	7.8	47.4
LEAKE	75	13	62	29.5	11.6	43.7
LEE	267	90	177	24.8	11.7	57.6
LEFLORE	362	15	347	52.5	7.8	70.0

TABLE 4 - PAGE 2
 ILLEGITIMATE LIVE BIRTHS - MISSISSIPPI - 1987

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	112	19	93	28.6	7.8	63.3
LOWNDES	325	41	284	32.0	7.4	61.5
MADISON	376	18	358	39.9	4.4	67.4
MARION	105	26	79	27.8	11.8	50.3
MARSHALL	231	29	202	43.0	13.7	62.2
MONROE	175	31	144	31.0	9.4	61.8
MONTGOMERY	63	4	59	33.3	4.6	57.3
NESHOBA	123	17	106	33.5	9.4	56.7
NEWTON	84	12	72	30.8	8.3	55.8
NOXUBEE	128	1	127	52.4	1.8	67.2
OKTIBBEHA	170	11	159	33.7	4.7	59.3
PANOLA	240	21	219	44.9	10.3	66.0
PEARL RIVER	159	68	91	27.5	15.0	72.8
PERRY	41	12	29	24.3	10.9	49.2
PIKE	197	22	175	39.5	10.5	60.6
PONTOTOC	57	30	27	17.9	11.5	47.4
PRENTISS	55	20	35	18.4	8.2	64.8
QUITMAN	120	8	112	55.0	12.1	73.7
RANKIN	222	81	141	18.8	8.7	56.6
SCOTT	128	20	108	31.6	9.7	54.3
SHARKEY	92	1	91	65.7	3.8	79.8
SIMPSON	97	14	83	27.6	7.5	50.3
SMITH	39	3	36	18.1	2.2	46.8
STONE	47	10	37	30.7	10.8	61.7
SUNFLOWER	376	10	366	62.8	8.8	75.5
TALLAHATCHIE	185	10	175	61.5	13.7	76.8
TATE	123	21	102	37.4	12.2	65.0
TIPPAH	49	21	28	15.9	8.5	45.9
TISHOMINGO	26	18	8	12.4	9.2	61.5
TUNICA	125	5	120	67.9	19.2	75.9
UNION	62	26	36	18.8	9.8	54.5
WALTHALL	64	3	61	29.5	3.4	47.3
WARREN	260	32	228	35.6	8.6	63.3
WASHINGTON	699	32	667	53.4	7.7	74.9
WAYNE	112	8	104	35.1	5.0	65.8
WEBSTER	33	9	24	24.6	9.9	55.8
WILKINSON	80	6	74	50.6	15.4	62.2
WINSTON	130	10	120	42.5	8.3	64.9
YALOBUSHA	66	9	57	39.0	11.2	64.0
YAZOO	229	10	219	50.6	6.9	71.1

TABLE 5A
TOTAL ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1987

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>14,489</u>	<u>289</u>	<u>5,549</u>	<u>5,152</u>	<u>2,209</u>	<u>921</u>	<u>309</u>	<u>58</u>	<u>2</u>	<u>0</u>
ADAMS	244	5	84	86	42	19	7	1	0	0
ALCORN	83	2	37	22	13	7	1	0	1	0
AMITE	48	3	23	15	3	4	0	0	0	0
ATTALA	112	1	47	36	17	7	4	0	0	0
BENTON	41	0	12	18	9	2	0	0	0	0
BOLIVAR	540	7	261	184	56	22	10	0	0	0
CALHOUN	74	1	34	24	13	1	1	0	0	0
CARROLL	36	0	15	14	4	1	2	0	0	0
CHICKASAW	86	1	33	33	11	7	1	0	0	0
CHOCTAW	51	0	19	24	6	0	2	0	0	0
CLAIBORNE	123	3	32	55	23	9	1	0	0	0
CLARKE	73	3	28	21	12	5	3	0	1	0
CLAY	145	2	57	45	26	11	3	1	0	0
COAHOMA	402	9	170	140	55	19	4	5	0	0
COPIAH	201	4	85	63	26	13	6	4	0	0
COVINGTON	98	2	40	31	12	7	5	1	0	0
DESOTO	188	2	68	71	30	9	8	0	0	0
FORREST	380	9	132	145	58	25	7	4	0	0
FRANKLIN	46	1	10	22	7	6	0	0	0	0
GEORGE	33	1	13	13	3	2	1	0	0	0
GREENE	42	0	14	18	8	2	0	0	0	0
GRENADA	143	1	68	47	18	7	1	1	0	0
HANCOCK	108	1	39	40	21	5	1	1	0	0
HARRISON	699	12	256	258	107	54	11	1	0	0
HINDS	1,691	26	552	630	309	125	45	4	0	0
HOLMES	284	3	112	97	38	28	6	0	0	0
HUMPHREYS	154	4	62	49	26	9	3	1	0	0
ISSAQUENA	13	0	4	5	3	1	0	0	0	0
ITAWAMBA	16	0	7	6	1	2	0	0	0	0
JACKSON	457	5	189	155	75	23	8	2	0	0
JASPER	76	0	27	29	13	5	1	1	0	0
JEFFERSON	97	1	21	37	22	11	5	0	0	0
JEFF DAVIS	89	6	34	34	10	4	1	0	0	0
JONES	260	6	99	97	40	9	6	3	0	0
KEMPER	60	0	27	19	7	4	3	0	0	0
LAFAYETTE	95	0	38	23	19	10	4	1	0	0
LAMAR	61	1	22	30	4	2	2	0	0	0
LAUDERDALE	394	9	156	143	52	26	7	1	0	0
LAWRENCE	37	1	11	17	3	4	0	1	0	0
LEAKE	75	3	26	29	11	2	4	0	0	0
LEE	267	7	100	98	48	11	2	1	0	0
LEFLORE	362	11	142	135	42	24	8	0	0	0

TABLE 5A - PAGE 2
TOTAL ILLEGITIMATE LIVE BIRTHS - MISSISSIPPI - 1987

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	112	4	40	41	19	4	3	1	0	0
LOWNDES	325	6	131	111	50	22	4	1	0	0
MADISON	376	8	143	138	51	26	9	1	0	0
MARION	105	0	49	34	14	7	0	1	0	0
MARSHALL	231	1	81	79	46	17	6	1	0	0
MONROE	175	5	62	70	27	8	2	1	0	0
MONTGOMERY	63	2	19	24	13	5	0	0	0	0
NESHOBA	123	5	47	51	11	7	1	1	0	0
NEWTON	84	2	31	24	19	7	1	0	0	0
NOXUBEE	128	3	47	46	17	12	3	0	0	0
OKTIBBEHA	170	0	48	61	34	20	5	2	0	0
PANOLA	240	5	105	78	38	9	5	0	0	0
PEARL RIVER	159	5	70	53	21	7	3	0	0	0
PERRY	41	1	18	13	6	1	2	0	0	0
PIKE	197	3	78	65	33	12	6	0	0	0
PONTOTOC	57	0	22	20	8	4	3	0	0	0
PRENTISS	55	2	22	17	9	3	0	2	0	0
QUITMAN	120	5	58	42	8	4	3	0	0	0
RANKIN	222	10	70	71	47	17	6	1	0	0
SCOTT	128	4	44	49	17	10	3	1	0	0
SHARKEY	92	2	42	30	13	3	2	0	0	0
SIMPSON	97	1	37	36	12	7	3	1	0	0
SMITH	39	0	9	20	8	2	0	0	0	0
STONE	47	1	21	15	7	2	1	0	0	0
SUNFLOWER	376	6	165	137	43	17	6	2	0	0
TALLAHATCHIE	185	5	77	63	29	8	3	0	0	0
TATE	123	1	41	48	19	9	5	0	0	0
TIPPAH	49	1	23	15	6	3	1	0	0	0
TISHOMINGO	26	0	12	11	2	0	1	0	0	0
TUNICA	125	4	47	45	17	8	4	0	0	0
UNION	62	2	27	19	11	3	0	0	0	0
WALTHALL	64	4	25	19	11	4	0	1	0	0
WARREN	260	5	102	92	35	20	5	1	0	0
WASHINGTON	699	14	275	243	106	48	10	3	0	0
WAYNE	112	1	55	33	15	5	3	0	0	0
WEBSTER	33	0	18	9	6	0	0	0	0	0
WILKINSON	80	0	27	24	20	6	3	0	0	0
WINSTON	130	8	46	45	20	7	3	1	0	0
YALOBUSHA	66	1	28	20	12	4	1	0	0	0
YAZOO	229	9	81	83	26	19	9	2	0	0

TABLE 5B
 WHITE ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
 MISSISSIPPI, 1987

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
STATE	2,112	29	866	725	346	103	36	6	1	0
ADAMS	23	0	11	6	4	2	0	0	0	0
ALCORN	46	1	19	13	9	3	0	0	1	0
AMITE	4	0	3	1	0	0	0	0	0	0
ATTALA	9	1	7	1	0	0	0	0	0	0
BENTON	7	0	1	4	2	0	0	0	0	0
BOLIVAR	25	0	14	7	3	0	1	0	0	0
CALHOUN	9	0	5	3	1	0	0	0	0	0
CARROLL	3	0	1	1	1	0	0	0	0	0
CHICKASAW	16	0	6	4	5	0	1	0	0	0
CHOCTAW	6	0	1	4	0	0	1	0	0	0
CLAIBORNE	1	0	0	1	0	0	0	0	0	0
CLARKE	7	0	5	1	1	0	0	0	0	0
CLAY	14	0	5	4	3	2	0	0	0	0
COAHOMA	17	0	9	4	2	1	0	1	0	0
COPIAH	18	0	8	2	5	1	2	0	0	0
COVINGTON	9	0	3	2	1	2	0	1	0	0
DESOTO	76	1	36	27	11	1	0	0	0	0
FORREST	56	1	22	19	9	4	1	0	0	0
FRANKLIN	2	0	0	1	1	0	0	0	0	0
GEORGE	17	0	10	7	0	0	0	0	0	0
GREENE	15	0	7	5	3	0	0	0	0	0
GRENADA	10	0	6	2	2	0	0	0	0	0
HANCOCK	75	1	29	26	13	4	1	1	0	0
HARRISON	289	4	90	117	52	21	5	0	0	0
HINDS	112	0	43	41	21	4	3	0	0	0
HOLMES	2	0	0	2	0	0	0	0	0	0
HUMPHREYS	3	0	3	0	0	0	0	0	0	0
ISSAQUENA	0	0	0	0	0	0	0	0	0	0
ITAWAMBA	10	0	5	3	1	1	0	0	0	0
JACKSON	175	1	78	54	28	10	4	0	0	0
JASPER	3	0	2	0	0	0	0	1	0	0
JEFFERSON	3	0	2	1	0	0	0	0	0	0
JEFF DAVIS	3	1	1	0	1	0	0	0	0	0
JONES	59	1	23	23	8	1	3	0	0	0
KEMPER	2	0	0	1	0	1	0	0	0	0
LAFAYETTE	11	0	2	5	3	1	0	0	0	0
LAMAR	33	0	12	17	2	1	1	0	0	0
LAUDERDALE	66	0	28	26	9	1	2	0	0	0
LAWRENCE	9	0	4	4	1	0	0	0	0	0
LEAKE	13	0	8	3	2	0	0	0	0	0
LEE	90	3	44	20	21	1	1	0	0	0
LEFLORE	15	0	5	6	3	1	0	0	0	0

TABLE 5B - PAGE 2
 WHITE ILLEGITIMATE LIVE BIRTHS - MISSISSIPPI - 1987

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	19	0	7	6	4	1	1	0	0	0
LOWNDES	41	0	21	8	6	6	0	0	0	0
MADISON	18	0	9	6	1	1	1	0	0	0
MARION	26	0	12	9	4	1	0	0	0	0
MARSHALL	29	0	15	8	6	0	0	0	0	0
MONROE	31	1	9	13	6	2	0	0	0	0
MONTGOMERY	4	0	0	4	0	0	0	0	0	0
NESHOBA	17	1	8	6	0	1	0	1	0	0
NEWTON	12	0	4	6	2	0	0	0	0	0
NOXUBEE	1	0	0	0	1	0	0	0	0	0
OKTIBBEHA	11	0	0	4	4	3	0	0	0	0
PANOLA	21	2	9	8	1	0	1	0	0	0
PEARL RIVER	68	1	28	26	8	3	2	0	0	0
PERRY	12	0	4	4	3	1	0	0	0	0
PIKE	22	0	8	12	2	0	0	0	0	0
PONTOTOC	30	0	10	10	5	4	1	0	0	0
PRENTISS	20	1	8	8	2	0	0	1	0	0
QUITMAN	8	0	3	2	2	0	1	0	0	0
RANKIN	81	4	23	29	20	4	1	0	0	0
SCOTT	20	1	6	10	3	0	0	0	0	0
SHARKEY	1	0	1	0	0	0	0	0	0	0
SIMPSON	14	0	7	4	3	0	0	0	0	0
SMITH	3	0	0	2	0	1	0	0	0	0
STONE	10	0	4	4	2	0	0	0	0	0
SUNFLOWER	10	0	6	2	2	0	0	0	0	0
TALLAHATCHIE	10	0	1	6	3	0	0	0	0	0
TATE	21	0	11	8	1	0	1	0	0	0
TIPPAH	21	0	11	5	3	2	0	0	0	0
TISHOMINGO	18	0	10	7	1	0	0	0	0	0
TUNICA	5	1	0	1	0	3	0	0	0	0
UNION	26	1	15	6	2	2	0	0	0	0
WALTHALL	3	0	2	0	0	1	0	0	0	0
WARREN	32	0	16	12	3	1	0	0	0	0
WASHINGTON	32	0	15	11	5	1	0	0	0	0
WAYNE	8	0	3	2	2	1	0	0	0	0
WEBSTER	9	0	5	1	3	0	0	0	0	0
WILKINSON	6	0	2	1	3	0	0	0	0	0
WINSTON	10	1	5	1	3	0	0	0	0	0
YALOBUSHA	9	0	4	3	1	1	0	0	0	0
YAZOO	10	0	6	2	1	0	1	0	0	0

TABLE 5C
NONWHITE ILLEGITIMATE LIVE BIRTHS, BY COUNTY OF RESIDENCE AND AGE OF MOTHER,
MISSISSIPPI, 1987

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
<u>STATE</u>	<u>12,377</u>	<u>260</u>	<u>4,683</u>	<u>4,427</u>	<u>1,863</u>	<u>818</u>	<u>273</u>	<u>52</u>	<u>1</u>	<u>0</u>
ADAMS	221	5	73	80	38	17	7	1	0	0
ALCORN	37	1	18	9	4	4	1	0	0	0
AMITE	44	3	20	14	3	4	0	0	0	0
ATTALA	103	0	40	35	17	7	4	0	0	0
BENTON	34	0	11	14	7	2	0	0	0	0
BOLIVAR	515	7	247	177	53	22	9	0	0	0
CALHOUN	65	1	29	21	12	1	1	0	0	0
CARROLL	33	0	14	13	3	1	2	0	0	0
CHICKASAW	70	1	27	29	6	7	0	0	0	0
CHOCTAW	45	0	18	20	6	0	1	0	0	0
CLAIBORNE	122	3	32	54	23	9	1	0	0	0
CLARKE	66	3	23	20	11	5	3	0	1	0
CLAY	131	2	52	41	23	9	3	1	0	0
COAHOMA	385	9	161	136	53	18	4	4	0	0
COPIAH	183	4	77	61	21	12	4	4	0	0
COVINGTON	89	2	37	29	11	5	5	0	0	0
DESOTO	112	1	32	44	19	8	8	0	0	0
FORREST	324	8	110	126	49	21	6	4	0	0
FRANKLIN	44	1	10	21	6	6	0	0	0	0
GEORGE	16	1	3	6	3	2	1	0	0	0
GREENE	27	0	7	13	5	2	0	0	0	0
GRENADA	133	1	62	45	16	7	1	1	0	0
HANCOCK	33	0	10	14	8	1	0	0	0	0
HARRISON	410	8	166	141	55	33	6	1	0	0
HINDS	1,579	26	509	589	288	121	42	4	0	0
HOLMES	282	3	112	95	38	28	6	0	0	0
HUMPHREYS	151	4	59	49	26	9	3	1	0	0
ISSAQUENA	13	0	4	5	3	1	0	0	0	0
ITAWAMBA	6	0	2	3	0	1	0	0	0	0
JACKSON	282	4	111	101	47	13	4	2	0	0
JASPER	73	0	25	29	13	5	1	0	0	0
JEFFERSON	94	1	19	36	22	11	5	0	0	0
JEFF DAVIS	86	5	33	34	9	4	1	0	0	0
JONES	201	5	76	74	32	8	3	3	0	0
KEMPER	58	0	27	18	7	3	3	0	0	0
LAFAYETTE	84	0	36	18	16	9	4	1	0	0
LAMAR	28	1	10	13	2	1	1	0	0	0
LAUDERDALE	328	9	128	117	43	25	5	1	0	0
LAWRENCE	28	1	7	13	2	4	0	1	0	0
LEAKE	62	3	18	26	9	2	4	0	0	0
LEE	177	4	56	78	27	10	1	1	0	0
LEFLORE	347	11	137	129	39	23	8	0	0	0

TABLE 5C - PAGE 2
NONWHITE ILLEGITIMATE LIVE BIRTHS - MISSISSIPPI - 1987

COUNTY	TOTAL	AGE OF MOTHER								UN- KNOWN
		UNDER 15	15-19	20-24	25-29	30-34	35-39	40-44	45-49	
LINCOLN	93	4	33	35	15	3	2	1	0	0
LOWNDES	284	6	110	103	44	16	4	1	0	0
MADISON	358	8	134	132	50	25	8	1	0	0
MARION	79	0	37	25	10	6	0	1	0	0
MARSHALL	202	1	66	71	40	17	6	1	0	0
MONROE	144	4	53	57	21	6	2	1	0	0
MONTGOMERY	59	2	19	20	13	5	0	0	0	0
NESHOBA	106	4	39	45	11	6	1	0	0	0
NEWTON	72	2	27	18	17	7	1	0	0	0
NOXUBEE	127	3	47	46	16	12	3	0	0	0
OKTIBBEHA	159	0	48	57	30	17	5	2	0	0
PANOLA	219	3	96	70	37	9	4	0	0	0
PEARL RIVER	91	4	42	27	13	4	1	0	0	0
PERRY	29	1	14	9	3	0	2	0	0	0
PIKE	175	3	70	53	31	12	6	0	0	0
PONTOTOC	27	0	12	10	3	0	2	0	0	0
PRENTISS	35	1	14	9	7	3	0	1	0	0
QUITMAN	112	5	55	40	6	4	2	0	0	0
RANKIN	141	6	47	42	27	13	5	1	0	0
SCOTT	108	3	38	39	14	10	3	1	0	0
SHARKEY	91	2	41	30	13	3	2	0	0	0
SIMPSON	83	1	30	32	9	7	3	1	0	0
SMITH	36	0	9	18	8	1	0	0	0	0
STONE	37	1	17	11	5	2	1	0	0	0
SUNFLOWER	366	6	159	135	41	17	6	2	0	0
TALLAHATCHIE	175	5	76	57	26	8	3	0	0	0
TATE	102	1	30	40	18	9	4	0	0	0
TIPPAH	28	1	12	10	3	1	1	0	0	0
TISHOMINGO	8	0	2	4	1	0	1	0	0	0
TUNICA	120	3	47	44	17	5	4	0	0	0
UNION	36	1	12	13	9	1	0	0	0	0
WALTHALL	61	4	23	19	11	3	0	1	0	0
WARREN	228	5	86	80	32	19	5	1	0	0
WASHINGTON	667	14	260	232	101	47	10	3	0	0
WAYNE	104	1	52	31	13	4	3	0	0	0
WEBSTER	24	0	13	8	3	0	0	0	0	0
WILKINSON	74	0	25	23	17	6	3	0	0	0
WINSTON	120	7	41	44	17	7	3	1	0	0
YALOBUSHA	57	1	24	17	11	3	1	0	0	0
YAZOO	219	9	75	81	25	19	8	2	0	0

TABLE 6
 IMMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
 BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 1987

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
STATE	3,705	1,362	2,343	9.0	6.3	11.9
ADAMS	56	13	43	9.8	5.3	13.1
ALCORN	36	25	11	8.4	6.9	17.2
AMITE	13	4	9	7.9	5.1	10.6
ATTALA	20	6	14	7.2	5.6	8.2
BENTON	17	8	9	12.1	11.4	12.8
BOLIVAR	99	9	90	11.9	5.1	13.7
CALHOUN	25	8	17	11.8	7.0	17.3
CARROLL	13	3	10	12.4	6.4	17.2
CHICKASAW	31	11	20	9.7	6.8	12.8
CHOCTAW	9	3	6	6.9	4.7	9.0
CLAIBORNE	17	0	17	8.7	-	9.9
CLARKE	19	8	11	8.4	6.4	10.7
CLAY	42	3	39	12.8	2.6	18.2
COAHOMA	61	9	52	9.4	6.2	10.4
COPIAH	52	10	42	11.0	6.0	13.7
COVINGTON	34	12	22	11.6	7.9	15.5
DESOTO	62	43	19	6.5	5.5	11.1
FORREST	71	26	45	7.0	5.0	9.2
FRANKLIN	15	1	14	11.1	2.0	16.7
GEORGE	15	10	5	5.8	4.5	12.8
GREENE	9	6	3	5.9	5.4	7.0
GRENADA	17	5	12	4.8	3.1	6.2
HANCOCK	35	24	11	7.6	6.1	16.9
HARRISON	202	119	83	6.9	5.7	10.0
HINDS	440	108	332	10.2	6.7	12.3
HOLMES	55	4	51	11.8	6.3	12.7
HUMPHREYS	30	7	23	11.9	11.9	11.9
ISSAQUENA	3	0	3	12.0	-	16.7
ITAWAMBA	14	11	3	6.0	5.2	15.8
JACKSON	147	94	53	7.8	6.8	10.3
JASPER	30	9	21	11.0	8.0	13.1
JEFFERSON	17	0	17	10.4	-	11.7
JEFF DAVIS	32	8	24	15.2	10.8	17.5
JONES	70	34	36	7.5	5.6	11.0
KEMPER	12	1	11	8.2	2.3	10.7
LAFAYETTE	24	10	14	6.7	4.6	9.8
LAMAR	27	20	7	5.6	4.8	10.4
LAUDERDALE	104	50	54	8.3	7.2	9.7
LAWRENCE	17	9	8	9.7	7.8	13.6
LEAKE	24	9	15	9.4	8.0	10.6
LEE	104	60	44	9.7	7.8	14.3
LEFLORE	96	19	77	13.9	9.8	15.5

TABLE 6 - PAGE 2
IMMATURE LIVE BIRTHS - MISSISSIPPI - 1987

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	29	12	17	7.4	4.9	11.6
LOWNDES	61	19	42	6.0	3.4	9.1
MADISON	94	32	62	10.0	7.8	11.7
MARION	41	19	22	10.8	8.6	14.0
MARSHALL	47	17	30	8.8	8.0	9.2
MONROE	40	14	26	7.1	4.2	11.2
MONTGOMERY	17	7	10	9.0	8.1	9.7
NESHOBA	20	6	14	5.4	3.3	7.5
NEWTON	21	8	13	7.7	5.6	10.1
NOXUBEE	24	2	22	9.8	3.6	11.6
OKTIBBEHA	41	4	37	8.1	1.7	13.8
PANOLA	43	12	31	8.0	5.9	9.3
PEARL RIVER	58	39	19	10.0	8.6	15.2
PERRY	11	4	7	6.5	3.6	11.9
PIKE	64	20	44	12.8	9.5	15.2
PONTOTOC	25	18	7	7.9	6.9	12.3
PRENTISS	26	17	9	8.7	7.0	16.7
QUITMAN	24	2	22	11.0	3.0	14.5
RANKIN	102	69	33	8.6	7.4	13.2
SCOTT	42	17	25	10.4	8.2	12.6
SHARKEY	7	0	7	5.0	-	6.1
SIMPSON	22	10	12	6.3	5.4	7.3
SMITH	16	8	8	7.4	5.8	10.4
STONE	14	4	10	9.2	4.3	16.7
SUNFLOWER	62	5	57	10.4	4.4	11.8
TALLAHATCHIE	33	2	31	11.0	2.7	13.6
TATE	28	9	19	8.5	5.2	12.1
TIPPAH	30	23	7	9.7	9.3	11.5
TISHOMINGO	17	15	2	8.1	7.6	15.4
TUNICA	18	4	14	9.8	15.4	8.9
UNION	34	22	12	10.3	8.3	18.2
WALTHALL	23	9	14	10.6	10.2	10.8
WARREN	65	23	42	8.9	6.2	11.7
WASHINGTON	127	22	105	9.7	5.3	11.8
WAYNE	34	14	20	10.6	8.7	12.6
WEBSTER	11	10	1	8.2	11.0	2.3
WILKINSON	22	7	15	13.9	17.9	12.6
WINSTON	39	7	32	12.7	5.8	17.3
YALOBUSHA	18	4	14	10.6	5.0	15.7
YAZOO	39	7	32	8.6	4.8	10.4

* BIRTHWEIGHT LESS THAN 2,500 GRAMS.

TABLE 7
 PREMATURE* LIVE BIRTHS AND PERCENT OF TOTAL LIVE BIRTHS,
 BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 1987

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
STATE	5,873	2,092	3,781	14.2	9.7	19.2
ADAMS	74	23	51	12.9	9.4	15.5
ALCORN	51	33	18	11.9	9.1	28.1
AMITE	25	9	16	15.2	11.4	18.8
ATTALA	33	9	24	11.9	8.4	14.0
BENTON	24	8	16	17.1	11.4	22.8
BOLIVAR	160	15	145	19.2	8.6	22.1
CALHOUN	39	13	26	18.4	11.4	26.5
CARROLL	19	6	13	18.1	12.8	22.4
CHICKASAW	51	22	29	16.0	13.6	18.6
CHOCTAW	13	4	9	9.9	6.2	13.4
CLAIBORNE	31	0	31	15.9	-	18.0
CLARKE	27	9	18	11.9	7.2	17.5
CLAY	46	10	36	14.1	8.8	16.8
COAHOMA	120	16	104	18.5	11.0	20.7
COPIAH	84	9	75	17.8	5.4	24.5
COVINGTON	44	16	28	15.0	10.6	19.7
DESOTO	100	63	37	10.6	8.1	21.6
FORREST	127	40	87	12.6	7.6	17.9
FRANKLIN	22	2	20	16.3	3.9	23.8
GEORGE	26	22	4	10.0	10.0	10.2
GREENE	10	3	7	6.5	2.7	16.3
GRENADA	43	13	30	12.1	8.0	15.6
HANCOCK	53	37	16	11.5	9.3	24.6
HARRISON	332	183	149	11.4	8.8	18.0
HINDS	660	144	516	15.3	8.9	19.1
HOLMES	83	4	79	17.8	6.3	19.6
HUMPHREYS	52	10	42	20.6	16.9	21.8
ISSAQUENA	1	0	1	4.0	-	5.6
ITAWAMBA	29	22	7	12.5	10.3	36.8
JACKSON	236	148	88	12.5	10.7	17.2
JASPER	37	6	31	13.6	5.3	19.4
JEFFERSON	19	2	17	11.6	10.5	11.7
JEFF DAVIS	38	11	27	18.0	14.9	19.7
JONES	104	58	46	11.2	9.6	14.1
KEMPER	21	1	20	14.4	2.3	19.4
LAFAYETTE	41	16	25	11.4	7.3	17.6
LAMAR	50	34	16	10.4	8.2	23.9
LAUDERDALE	157	68	89	12.6	9.8	15.9
LAWRENCE	29	16	13	16.6	13.8	22.0
LEAKE	37	12	25	14.6	10.7	17.6
LEE	175	96	79	16.3	12.5	25.7
LEFLORE	130	23	107	18.9	11.9	21.6

TABLE 7 - PAGE 2
 PREMATURE LIVE BIRTHS - MISSISSIPPI - 1987

COUNTY	NUMBER			PERCENT		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	66	32	34	16.9	13.1	23.1
LOWNDES	107	35	72	10.6	6.3	15.6
MADISON	152	47	105	16.1	11.4	19.8
MARION	54	26	28	14.3	11.8	17.8
MARSHALL	87	30	57	16.2	14.2	17.5
MONROE	72	26	46	12.8	7.8	19.7
MONTGOMERY	44	12	32	23.3	14.0	31.1
NESHOBA	45	17	28	12.3	9.4	15.0
NEWTON	28	7	21	10.2	4.9	16.3
NOXUBEE	39	4	35	16.0	7.3	18.5
OKTIBBEHA	73	14	59	14.5	5.9	22.0
PANOLA	86	21	65	16.1	10.3	19.6
PEARL RIVER	73	37	36	12.6	8.2	28.8
PERRY	20	9	11	11.8	8.2	18.6
PIKE	105	28	77	21.0	13.3	26.6
PONTOTOC	52	34	18	16.4	13.0	31.6
PRENTISS	43	28	15	14.4	11.5	27.8
QUITMAN	53	13	40	24.3	19.7	26.3
RANKIN	129	96	33	10.9	10.3	13.2
SCOTT	58	27	31	14.3	13.1	15.6
SHARKEY	29	4	25	20.7	15.4	21.9
SIMPSON	46	26	20	13.1	14.0	12.1
SMITH	22	10	12	10.2	7.2	15.6
STONE	16	8	8	10.4	8.6	13.3
SUNFLOWER	100	11	89	16.7	9.6	18.4
TALLAHATCHIE	51	4	47	16.9	5.5	20.6
TATE	51	23	28	15.5	13.4	17.8
TIPPAH	44	29	15	14.3	11.7	24.6
TISHOMINGO	24	21	3	11.5	10.7	23.1
TUNICA	32	2	30	17.4	7.7	19.0
UNION	51	37	14	15.4	14.0	21.2
WALTHALL	33	9	24	15.2	10.2	18.6
WARREN	85	30	55	11.6	8.1	15.3
WASHINGTON	228	37	191	17.4	8.9	21.4
WAYNE	41	20	21	12.8	12.4	13.3
WEBSTER	17	9	8	12.7	9.9	18.6
WILKINSON	21	3	18	13.3	7.7	15.1
WINSTON	61	17	44	19.9	14.0	23.8
YALOBUSHA	31	5	26	18.3	6.2	29.2
YAZOO	51	8	43	11.2	5.5	14.0

* GESTATION LESS THAN 37 WEEKS.

TABLE 8
 REPORTABLE* FETAL DEATHS, BY COUNTY OF OCCURRENCE AND RACE,
 ALSO REPORTABLE* FETAL DEATHS AND FETAL DEATH RATIOS,
 BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 1987

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>STATE</u>	<u>473</u>	<u>164</u>	<u>309</u>	<u>485</u>	<u>169</u>	<u>316</u>	<u>11.7</u>	<u>7.8</u>	<u>16.0</u>
ADAMS	15	1	14	17	1	16	29.6	4.1	48.6
ALCORN	5	4	1	5	4	1	11.7	11.0	15.6
AMITE	0	0	0	1	0	1	6.1	-	11.8
ATTALA	2	0	2	3	1	2	10.8	9.3	11.7
BENTON	0	0	0	2	0	2	14.3	-	28.6
BOLIVAR	13	0	13	19	1	18	22.8	5.7	27.4
CALHOUN	0	0	0	5	1	4	23.6	8.8	40.8
CARROLL	0	0	0	3	0	3	28.6	-	51.7
CHICKASAW	0	0	0	6	1	5	18.9	6.2	32.0
CHOCTAW	1	1	0	1	0	1	7.6	-	14.9
CLAIBORNE	2	0	2	5	0	5	25.6	-	29.1
CLARKE	0	0	0	6	3	3	26.4	24.2	29.1
CLAY	3	1	2	4	2	2	12.2	17.7	9.3
COAHOMA	19	3	16	14	2	12	21.6	13.7	23.9
COPIAH	3	0	3	8	0	8	16.9	-	26.1
COVINGTON	2	0	2	5	2	3	17.1	13.2	21.1
DESOTO	0	0	0	9	4	5	9.5	5.2	29.2
FORREST	19	10	9	8	3	5	7.9	5.7	10.3
FRANKLIN	0	0	0	0	0	0	-	-	-
GEORGE	1	0	1	2	1	1	7.7	4.5	25.6
GREENE	0	0	0	0	0	0	-	-	-
GRENADA	12	3	9	5	2	3	14.1	12.3	15.6
HANCOCK	4	2	2	6	4	2	13.0	10.1	30.8
HARRISON	20	16	4	21	17	4	7.2	8.2	4.8
HINDS	110	22	88	39	11	28	9.0	6.8	10.4
HOLMES	1	0	1	7	0	7	15.0	-	17.4
HUMPHREYS	1	0	1	5	0	5	19.8	-	25.9
ISSAQUENA	0	0	0	0	0	0	-	-	-
ITAWAMBA	0	0	0	3	3	0	12.9	14.1	-
JACKSON	23	17	6	23	17	6	12.2	12.3	11.7
JASPER	0	0	0	4	1	3	14.6	8.8	18.8
JEFFERSON	0	0	0	0	0	0	-	-	-
JEFF DAVIS	0	0	0	0	0	0	-	-	-
JONES	16	6	10	12	7	5	12.9	11.6	15.3
KEMPER	0	0	0	2	0	2	13.7	-	19.4
LAFAYETTE	9	4	5	4	0	4	11.1	-	28.2
LAMAR	0	0	0	0	0	0	-	-	-
LAUDERDALE	24	10	14	24	10	14	19.2	14.4	25.0
LAWRENCE	0	0	0	3	1	2	17.1	8.6	33.9
LEAKE	0	0	0	2	1	1	7.9	8.9	7.0
LEE	27	15	12	12	7	5	11.2	9.1	16.3
LEFLORE	20	0	20	11	0	11	16.0	-	22.2

TABLE 8 - PAGE 2
FETAL DEATHS - MISSISSIPPI - 1987

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATIO**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	0	0	0	5	2	3	12.8	8.2	20.4
LOWNDES	9	5	4	11	6	5	10.8	10.9	10.8
MADISON	3	0	3	11	3	8	11.7	7.3	15.1
MARION	3	1	2	6	3	3	15.9	13.6	19.1
MARSHALL	0	0	0	6	2	4	11.2	9.4	12.3
MONROE	12	10	2	8	6	2	14.2	18.1	8.6
MONTGOMERY	3	0	3	1	0	1	5.3	-	9.7
NESHOBA	1	0	1	3	0	3	8.2	-	16.0
NEWTON	0	0	0	3	1	2	11.0	6.9	15.5
NOXUBEE	1	0	1	2	1	1	8.2	18.2	5.3
OKTIBBEHA	13	2	11	11	3	8	21.8	12.7	29.8
PANOLA	2	0	2	5	1	4	9.3	4.9	12.0
PEARL RIVER	3	2	1	4	3	1	6.9	6.6	8.0
PERRY	1	1	0	0	0	0	-	-	-
PIKE	10	4	6	7	2	5	14.0	9.5	17.3
PONTOTOC	0	0	0	1	1	0	3.1	3.8	-
PRENTISS	0	0	0	3	1	2	10.1	4.1	37.0
QUITMAN	0	0	0	0	0	0	-	-	-
RANKIN	14	13	1	13	5	8	11.0	5.4	32.1
SCOTT	0	0	0	1	0	1	2.5	-	5.0
SHARKEY	0	0	0	0	0	0	-	-	-
SIMPSON	0	0	0	5	2	3	14.2	10.8	18.2
SMITH	1	0	1	3	1	2	14.0	7.2	26.0
STONE	0	0	0	1	0	1	6.5	-	16.7
SUNFLOWER	4	0	4	8	1	7	13.4	8.8	14.4
TALLAHATCHIE	0	0	0	4	0	4	13.3	-	17.5
TATE	0	0	0	0	0	0	-	-	-
TIPPAH	0	0	0	3	1	2	9.7	4.0	32.8
TISHOMINGO	0	0	0	2	2	0	9.6	10.2	-
TUNICA	0	0	0	2	1	1	10.9	38.5	6.3
UNION	9	2	7	3	2	1	9.1	7.6	15.2
WALTHALL	0	0	0	2	0	2	9.2	-	15.5
WARREN	5	2	3	8	2	6	10.9	5.4	16.7
WASHINGTON	16	3	13	19	5	14	14.5	12.0	15.7
WAYNE	5	2	3	4	1	3	12.5	6.2	19.0
WEBSTER	1	0	1	0	0	0	-	-	-
WILKINSON	1	1	0	2	2	0	12.6	51.3	-
WINSTON	1	0	1	2	0	2	6.5	-	10.8
YALOBUSHA	0	0	0	2	0	2	11.8	-	22.5
YAZOO	3	1	2	8	2	6	17.7	13.8	19.5
OUT OF STATE	27	13	14	15	8	7			

* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

** REPORTABLE FETAL DEATHS PER 1,000 LIVE BIRTHS.

TABLE 9
DEATHS, BY PLACE OF OCCURRENCE AND RACE,
ALSO DEATHS AND RATES, BY PLACE OF RESIDENCE AND RACE,
(PLACE INCLUDES COUNTIES, OUT OF STATE, TOWNS OF 10,000 OR MORE),
MISSISSIPPI, 1987

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
STATE	23,824	15,321	8,503	24,525	15,835	8,690	9.0	9.1	8.9
ADAMS	451	232	219	431	202	229	11.0	10.4	11.7
ALCORN	295	259	36	332	288	44	9.0	8.8	11.0
AMITE	45	23	22	119	67	52	9.0	9.4	8.6
ATTALA	198	127	71	259	164	95	12.9	13.5	12.0
BENTON	31	24	7	82	59	23	9.3	10.6	7.1
BOLIVAR	419	160	259	492	192	300	11.2	12.1	10.7
CALHOUN	100	74	26	168	135	33	10.1	10.9	7.9
CARROLL	39	19	20	91	57	34	9.0	10.1	7.7
CHICKASAW	132	92	40	170	112	58	9.2	9.6	8.6
CHOCTAW	57	40	17	81	59	22	8.5	8.7	8.0
CLAIBORNE	60	16	44	103	26	77	7.7	8.0	7.6
CLARKE	134	84	50	190	123	67	10.4	10.3	10.5
CLAY	161	84	77	198	96	102	8.6	8.6	8.5
COAHOMA	423	166	257	371	141	230	10.7	11.4	10.3
COPIAH	187	93	94	289	149	140	10.3	10.1	10.4
COVINGTON	106	82	24	157	115	42	9.3	10.2	7.6
DESOTO	126	90	36	369	288	81	5.8	5.3	8.2
FORREST	863	644	219	719	523	196	9.9	10.3	9.0
FRANKLIN	76	51	25	98	64	34	11.5	11.9	10.9
GEORGE	102	87	15	147	130	17	9.1	8.8	11.8
GREENE	60	51	9	100	80	20	9.3	9.2	9.9
GRENADA	219	127	92	229	130	99	10.3	9.9	10.7
HANCOCK	220	187	33	282	247	35	9.8	9.6	12.1
HARRISON	1,687	1,404	283	1,409	1,163	246	8.2	8.9	6.1
HINDS	3,924	2,257	1,667	2,123	1,195	928	7.7	8.5	6.8
HOLMES	197	61	136	249	79	170	10.9	13.1	10.0
HUMPHREYS	101	26	75	142	42	100	10.6	9.5	11.0
ISSAQUENA	2	1	1	9	2	7	3.6	1.7	5.4
ITAWAMBA	126	117	9	205	193	12	8.9	8.9	8.2
JACKSON	690	548	142	791	643	148	5.8	6.0	5.1
JASPER	100	66	34	177	98	79	9.8	11.1	8.5
JEFFERSON	51	4	47	89	17	72	10.1	11.3	9.8
JEFF DAVIS	77	42	35	127	68	59	8.7	10.8	7.1
JONES	584	417	167	611	451	160	9.1	8.8	10.3
KEMPER	76	42	34	122	68	54	12.1	14.6	9.9
LAFAYETTE	313	227	86	231	153	78	6.6	6.1	7.8
LAMAR	317	267	50	213	189	24	7.5	7.5	7.7
LAUDERDALE	1,154	800	354	803	551	252	9.8	10.2	8.9
LAWRENCE	107	72	35	173	119	54	12.7	12.5	13.3
LEAKE	172	122	50	249	174	75	12.5	14.4	9.6
LEE	1,088	872	216	593	461	132	9.3	9.2	10.0
LEFLORE	446	207	239	422	189	233	10.2	12.0	9.1

TABLE 9 - PAGE 2
DEATHS - MISSISSIPPI - 1987

COUNTY	OCCURRENCE DATA			RESIDENCE DATA					
	NUMBER			NUMBER			RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	330	216	114	332	226	106	9.9	9.7	10.5
LOWNDES	458	296	162	440	275	165	6.8	6.9	6.7
MADISON	212	85	127	362	174	188	7.2	7.2	7.2
MARION	198	141	57	271	193	78	9.7	9.8	9.4
MARSHALL	162	72	90	281	142	139	8.5	8.6	8.3
MONROE	289	206	83	389	289	100	10.2	10.8	8.8
MONTGOMERY	152	90	62	171	107	64	12.5	12.6	12.3
NESHOBA	153	94	59	289	204	85	11.2	11.2	11.2
NEWTON	176	136	40	263	196	67	12.8	13.6	10.8
NOXUBEE	102	39	63	131	51	80	10.6	11.7	10.0
OKTIBBEHA	242	120	122	247	123	124	5.8	4.6	7.9
PANOLA	213	116	97	332	185	147	11.5	12.2	10.7
PEARL RIVER	259	224	35	353	304	49	8.9	8.9	9.1
PERRY	36	28	8	68	55	13	6.5	6.5	6.8
PIKE	445	266	179	434	260	174	11.3	12.3	10.0
PONTOTOC	116	102	14	213	186	27	8.9	9.2	7.4
PRENTISS	141	124	17	242	217	25	8.8	8.9	8.3
QUITMAN	75	20	55	135	67	68	12.2	13.1	11.3
RANKIN	350	264	86	541	413	128	6.8	6.3	9.3
SCOTT	190	124	66	257	167	90	9.8	10.3	9.2
SHARKEY	61	26	35	92	33	59	12.1	12.5	11.8
SIMPSON	203	146	57	243	178	65	9.2	9.7	8.1
SMITH	75	59	16	161	131	30	10.0	10.2	9.1
STONE	80	72	8	109	98	11	9.8	11.6	4.1
SUNFLOWER	294	106	188	357	133	224	10.4	10.3	10.5
TALLAHATCHIE	108	57	51	176	92	84	11.4	13.2	9.8
TATE	120	69	51	186	111	75	8.6	8.6	8.6
TIPPAH	186	157	29	257	221	36	12.5	12.8	10.9
TISHOMINGO	116	109	7	189	175	14	9.4	9.1	17.0
TUNICA	62	14	48	100	27	73	11.4	11.2	11.5
UNION	276	234	42	266	231	35	11.2	11.2	11.4
WALTHALL	106	67	39	122	74	48	8.3	8.6	7.8
WARREN	511	271	240	487	260	227	8.7	7.7	10.3
WASHINGTON	765	300	465	710	275	435	9.8	8.9	10.4
WAYNE	122	82	40	173	125	48	8.4	9.4	6.5
WEBSTER	111	93	18	137	119	18	13.3	14.0	9.9
WILKINSON	149	57	92	143	46	97	15.1	15.3	15.1
WINSTON	170	104	66	223	133	90	11.0	11.1	11.0
YALOBUSHA	104	74	30	149	108	41	10.9	13.1	7.5
YAZOO	190	97	93	279	129	150	10.2	9.6	10.7
OUT OF STATE	1,567	1,169	398	866	655	211			

TABLE 9 - PAGE 3
DEATHS - MISSISSIPPI - 1987

TOWN**	RESIDENCE DATA		
	TOTAL	WHITE	NON- WHITE
BILOXI	378	315	63
BROOKHAVEN	173	102	71
CANTON	148	66	82
CLARKSDALE	259	112	147
CLEVELAND	160	94	66
CLINTON	139	103	36
COLUMBUS	286	181	105
CORINTH	157	126	31
GAUTIER	62	58	4
GREENVILLE	491	185	306
GREENWOOD	269	117	152
GRENADA	155	87	68
GULFPORT	474	352	122
HATTIESBURG	529	354	175
JACKSON	1,713	953	760
LAUREL	285	180	105
MCCOMB	186	142	44
MERIDIAN	528	327	201
MOSS POINT	150	74	76
NATCHEZ	314	127	187
OCEAN SPRINGS	132	117	15
PASCAGOULA	233	192	41
PEARL	106	93	13
PICAYUNE	147	109	38
SOUTHAVEN	85	84	1
STARKVILLE	115	70	45
TUPELO	288	228	60
VICKSBURG	316	156	160
YAZOO CITY	160	62	98

* DEATHS PER 1,000 POPULATION.

** TOWNS OF 10,000 POPULATION OR MORE.

NOTE: RATES ARE NOT AVAILABLE BY TOWN.

TABLE 10
DEATHS, BY CAUSE AND RACE,
MISSISSIPPI RESIDENTS, 1987

International Classification Number*	Cause*	Total	White	Non-white
<u>001-999</u>	<u>ALL CAUSES</u>	<u>24,525</u>	<u>15,835</u>	<u>8,690</u>
<u>001-139</u>	<u>INFECTIOUS AND PARASITIC DISEASES</u>	<u>366</u>	<u>191</u>	<u>175</u>
<u>001-009</u>	<u>Intestinal infectious diseases</u>	<u>13</u>	<u>5</u>	<u>8</u>
<u>002-003</u>	<u>Typhoid and paratyphoid fevers, and other salmonella infections</u>	<u>4</u>	<u>2</u>	<u>2</u>
003	Other salmonella infections	4	2	2
<u>004,006</u>	<u>Shigellosis and amebiasis</u>	<u>1</u>	<u>0</u>	<u>1</u>
004	Shigellosis	1	0	1
<u>008,009</u>	<u>Other and ill-defined intestinal infections</u>	<u>8</u>	<u>3</u>	<u>5</u>
008	Intestinal infections due to other organisms	2	1	1
009	Ill-defined intestinal infections	6	2	4
<u>010-018</u>	<u>Tuberculosis</u>	<u>22</u>	<u>9</u>	<u>13</u>
<u>010-012</u>	<u>Respiratory</u>	<u>17</u>	<u>8</u>	<u>9</u>
011	Pulmonary	17	8	9
<u>013-018</u>	<u>Other forms</u>	<u>5</u>	<u>1</u>	<u>4</u>
015	Bones and joints	1	0	1
018	Miliary	4	1	3
<u>020-027</u>	<u>Zoonotic bacterial diseases</u>	<u>2</u>	<u>1</u>	<u>1</u>
021	Tularemia	1	0	1
027	Other zoonotic bacterial diseases	1	1	0
<u>030-041</u>	<u>Other bacterial diseases</u>	<u>198</u>	<u>102</u>	<u>96</u>
031	Other diseases due to mycobacteria	3	3	0
036	Meningococcal infection	3	1	2
037	Tetanus	2	0	2
038	Septicemia	183	96	87
040	Other bacterial diseases	3	0	3
041	Bacterial infection of unspecified site	4	2	2
<u>042-044</u>	<u>Human immunodeficiency virus infection</u>	<u>63</u>	<u>42</u>	<u>21</u>
042	With specified conditions	63	42	21
<u>045-049</u>	<u>Poliomyelitis and other non-arthropod-borne diseases of central nervous system</u>	<u>4</u>	<u>3</u>	<u>1</u>
046	Slow virus infection	2	2	0
048	Other enterovirus diseases	1	0	1
049	Other non-arthropod-borne diseases	1	1	0
<u>050-057</u>	<u>Viral diseases accompanied by exanthem</u>	<u>4</u>	<u>3</u>	<u>1</u>
053	Herpes zoster	1	1	0
054	Herpes simplex	3	2	1
<u>060-066</u>	<u>Arthropod-borne viral diseases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>070-079</u>	<u>Other diseases due to viruses and Chlamydiae</u>	<u>16</u>	<u>4</u>	<u>12</u>
070	Viral hepatitis	11	2	9
079	Viral infection in conditions classified elsewhere and of unspecified site	5	2	3
<u>080-088</u>	<u>Rickettsioses and other arthropod-borne diseases</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>090-099</u>	<u>Syphilis and other venereal diseases</u>	<u>3</u>	<u>0</u>	<u>3</u>
<u>090-097</u>	<u>Syphilis and its sequelae</u>	<u>3</u>	<u>0</u>	<u>3</u>
090	Congenital	1	0	1
093	Cardiovascular	1	0	1
094	Neurosyphilis	1	0	1
<u>100-104</u>	<u>Other spirochetal diseases</u>	<u>0</u>	<u>0</u>	<u>0</u>

Table 10 - Page 2
Deaths - Mississippi - 1987

International Classification Number*	Cause*	Total	White	Non-white
<u>110-118</u>	<u>Mycoses</u>	<u>24</u>	<u>15</u>	<u>9</u>
112	Candidiasis	9	6	3
116	Blastomycotic infection	5	3	2
117	Other mycoses	10	6	4
<u>120-129</u>	<u>Helminthiases</u>	<u>1</u>	<u>1</u>	<u>0</u>
127	Other intestinal helminthiases	1	1	0
<u>130-139</u>	<u>Other infectious and parasitic diseases</u>	<u>16</u>	<u>6</u>	<u>10</u>
135	Sarcoidosis	4	1	3
136	Other and unspecified infectious and parasitic diseases	6	3	3
137	Late effects of tuberculosis	5	2	3
138	Late effects of acute poliomyelitis	1	0	1
<u>140-239</u>	<u>NEOPLASMS</u>	<u>5,099</u>	<u>3,417</u>	<u>1,682</u>
<u>140-208</u>	<u>Malignant neoplasms</u>	<u>5,038</u>	<u>3,377</u>	<u>1,661</u>
<u>140-149</u>	<u>Lip, oral cavity, and pharynx</u>	<u>90</u>	<u>64</u>	<u>26</u>
140	Lip	2	2	0
141	Tongue	17	14	3
142	Major salivary glands	4	3	1
143	Gum	6	3	3
144	Floor of mouth	2	1	1
145	Other and unspecified parts of mouth	5	4	1
146	Oropharynx	12	7	5
147	Nasopharynx	11	7	4
148	Hypopharynx	7	6	1
149	Other and ill-defined sites	24	17	7
<u>150-159</u>	<u>Digestive organs and peritoneum</u>	<u>1,153</u>	<u>747</u>	<u>406</u>
150	Esophagus	89	53	36
151	Stomach	156	84	72
152	Small intestine, including duodenum	11	8	3
153	Colon	431	296	135
154	Rectum, rectosigmoid junction, and anus	61	36	25
155	Liver and intrahepatic bile ducts	100	62	38
156	Gallbladder and extrahepatic bile ducts	28	22	6
157	Pancreas	259	175	84
158	Retroperitoneum and peritoneum	4	2	2
159	Other and ill-defined sites	14	9	5
<u>160-165</u>	<u>Respiratory and intrathoracic organs</u>	<u>1,601</u>	<u>1,160</u>	<u>441</u>
160	Nasal cavities, middle ear, and accessory sinuses	5	3	2
161	Larynx	37	26	11
162	Trachea, bronchus, and lung	1,555	1,129	426
163	Pleura	1	1	0
164	Thymus, heart, and mediastinum	3	1	2
<u>170-175</u>	<u>Bone, connective tissue, skin, and breast</u>	<u>472</u>	<u>332</u>	<u>140</u>
170	Bone and articular cartilage	18	12	6
171	Connective and other soft tissue	24	13	11
172	Melanoma of skin	53	50	3
173	Skin, other	25	21	4
174	Female breast	352	236	116

Table 10 - Page 3
Deaths - Mississippi - 1987

International Classification Number*	Cause*	Total	White	Non-white
<u>179-189</u>	<u>Genitourinary organs</u>	<u>730</u>	<u>403</u>	<u>327</u>
(179-187)	(<u>Genital organs</u>)	<u>558</u>	<u>291</u>	<u>267</u>
179	Uterus, part unspecified	35	15	20
180	Cervix uteri	60	25	35
181	Placenta	1	1	0
182	Body of uterus	25	12	13
183	Ovary and other uterine adnexa	104	72	32
184	Other and unspecified female genital organs	5	5	0
185	Prostate	317	154	163
186	Testis	5	3	2
187	Penis and other male genital organs	6	4	2
(188,189)	(<u>Urinary organs</u>)	<u>172</u>	<u>112</u>	<u>60</u>
188	Bladder	84	57	27
189	Kidney and other and unspecified urinary organs	88	55	33
<u>190-199</u>	<u>Other and unspecified sites</u>	<u>555</u>	<u>352</u>	<u>203</u>
190	Eye	4	4	0
191	Brain	102	86	16
192	Other and unspecified parts of nervous system	4	3	1
193	Thyroid gland	7	3	4
194	Other endocrine glands and related structures	7	6	1
195	Other and ill-defined sites	35	23	12
199	Site unspecified	396	227	169
<u>200-208</u>	<u>Lymphatic and hematopoietic tissue</u>	<u>437</u>	<u>319</u>	<u>118</u>
200	Lymphosarcoma and reticulosarcoma	20	16	4
201	Hodgkin's disease	20	14	6
202	Other lymphoid and histiocytic tissue	125	107	18
203	Multiple myeloma and immunoproliferative neoplasms	95	49	46
(204-208)	(<u>Leukemia</u>)	<u>177</u>	<u>133</u>	<u>44</u>
204	Lymphatic	51	38	13
205	Myeloid	77	58	19
206	Monocytic	2	1	1
207	Other specified	2	1	1
208	Unspecified cell type	45	35	10
<u>210-229</u>	<u>Benign neoplasms</u>	<u>19</u>	<u>12</u>	<u>7</u>
211	Benign neoplasm of other parts of digestive system	2	1	1
212	Benign neoplasm of respiratory and intrathoracic organs	1	1	0
220	Benign neoplasm of ovary	2	1	1
225	Benign neoplasm of brain and other parts of nervous system	10	7	3
226	Benign neoplasm of thyroid gland	1	1	0
227	Benign neoplasm of other endocrine glands and related structures	2	0	2
228	Hemangioma and lymphangioma, any site	1	1	0
<u>230-234</u>	<u>Carcinoma in situ</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>235-239</u>	<u>Neoplasms of uncertain behavior and unspecified nature</u>	<u>42</u>	<u>28</u>	<u>14</u>
<u>235-238</u>	<u>Uncertain behavior</u>	<u>14</u>	<u>8</u>	<u>6</u>
235	Digestive and respiratory systems	3	3	0

Table 10 - Page 4
Deaths - Mississippi - 1987

International Classification Number*	Cause*	Total	White	Non-white
238	Other and unspecified sites and tissues	11	5	6
239	Unspecified nature	28	20	8
<u>240-279</u>	<u>ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES</u>	<u>648</u>	<u>332</u>	<u>316</u>
<u>240-246</u>	<u>Diseases of thyroid gland</u>	<u>6</u>	<u>3</u>	<u>3</u>
244	Acquired hypothyroidism	6	3	3
<u>250-259</u>	<u>Diseases of other endocrine glands</u>	<u>463</u>	<u>239</u>	<u>224</u>
250	Diabetes mellitus	448	228	220
251	Other disorders of pancreatic internal secretion	6	4	2
252	Disorders of parathyroid gland	3	2	1
253	Disorders of pituitary gland and its hypothalamic control	1	1	0
254	Diseases of thymus gland	1	1	0
255	Disorders of adrenal glands	3	2	1
259	Other endocrine disorders	1	1	0
<u>260-269</u>	<u>Nutritional deficiencies</u>	<u>34</u>	<u>17</u>	<u>17</u>
261	Nutritional marasmus	1	0	1
262	Other severe protein-calorie malnutrition	1	1	0
263	Other and unspecified protein-calorie malnutrition	30	15	15
265	Thiamine and niacin deficiency states	1	0	1
269	Other nutritional deficiencies	1	1	0
<u>270-279</u>	<u>Other metabolic disorders and immunity disorders</u>	<u>145</u>	<u>73</u>	<u>72</u>
271	Disorders of carbohydrate transport and metabolism	1	0	1
272	Disorders of lipid metabolism	2	2	0
273	Disorders of plasma protein metabolism	9	7	2
274	Gout	1	1	0
275	Disorders of mineral metabolism	22	11	11
276	Disorders of fluid, electrolyte, and acid-base balance	71	32	39
277	Other and unspecified disorders of metabolism	17	12	5
278	Obesity and other hyperalimentation	20	6	14
279	Disorders involving the immune mechanism	2	2	0
<u>280-289</u>	<u>DISEASES OF THE BLOOD AND BLOOD-FORMING ORGANS</u>	<u>112</u>	<u>77</u>	<u>35</u>
<u>280-285</u>	<u>Anemias</u>	<u>61</u>	<u>37</u>	<u>24</u>
280	Iron deficiency	1	0	1
282	Hereditary hemolytic	12	3	9
283	Acquired hemolytic	3	3	0
284	Aplastic	24	22	2
285	Other and unspecified	21	9	12
286	Coagulation defects	15	13	2
287	Purpura and other hemorrhagic conditions	9	6	3
288	Diseases of white blood cells	5	3	2
289	Other diseases of blood and blood-forming organs	22	18	4
<u>290-319</u>	<u>MENTAL DISORDERS</u>	<u>189</u>	<u>129</u>	<u>60</u>
<u>290-299</u>	<u>Psychoses</u>	<u>48</u>	<u>37</u>	<u>11</u>
290	Senile and presenile organic psychotic conditions	22	18	4
291	Alcoholic psychoses	3	2	1

Table 10 - Page 5
Deaths - Mississippi - 1987

International Classification Number*	Cause*	Total	White	Non-white
294	Other organic psychotic conditions (chronic)	1	1	0
295	Schizophrenic psychoses	8	6	2
298	Other nonorganic psychoses	14	10	4
<u>300-316</u>	<u>Neurotic disorders, personality disorders, and other nonpsychotic mental disorders</u>	<u>136</u>	<u>90</u>	<u>46</u>
300	Neurotic disorders	2	1	1
303	Alcohol dependence syndrome	53	28	25
304	Drug dependence	1	1	0
305	Nondependent abuse of drugs	10	5	5
307	Special symptoms or syndromes not elsewhere classified	2	1	1
310	Specific nonpsychotic mental disorders following organic brain damage	63	49	14
311	Depressive disorder, not elsewhere classified	5	5	0
<u>317-319</u>	<u>Mental retardation</u>	<u>5</u>	<u>2</u>	<u>3</u>
318	Other specified	1	1	0
319	Unspecified	4	1	3
<u>320-389</u>	<u>DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS</u>	<u>337</u>	<u>248</u>	<u>89</u>
<u>320-326</u>	<u>Inflammatory diseases of central nervous system</u>	<u>31</u>	<u>17</u>	<u>14</u>
320	Bacterial meningitis	18	9	9
322	Meningitis of unspecified cause	6	2	4
323	Encephalitis, myelitis, and encephalomyelitis	3	2	1
324	Intracranial and intraspinal abscess	2	2	0
326	Late effects of intracranial abscess or pyogenic infection	2	2	0
<u>330-337</u>	<u>Hereditary and degenerative diseases of the central nervous system</u>	<u>181</u>	<u>157</u>	<u>24</u>
330	Cerebral degenerations usually manifest in childhood	1	1	0
331	Other cerebral degenerations	106	93	13
332	Parkinson's disease	36	27	9
333	Other extrapyramidal disease and abnormal movement disorders	4	4	0
334	Spinocerebellar disease	2	1	1
335	Anterior horn cell disease	29	29	0
336	Other diseases of spinal cord	2	1	1
337	Disorders of the autonomic nervous system	1	1	0
<u>340-349</u>	<u>Other disorders of the central nervous system</u>	<u>93</u>	<u>53</u>	<u>40</u>
340	Multiple sclerosis	10	8	2
341	Other demyelinating diseases of central nervous system	1	0	1
343	Infantile cerebral palsy	6	0	6
344	Other paralytic syndromes	6	4	2
345	Epilepsy	32	17	15
348	Other conditions of brain	31	20	11
349	Other and unspecified disorders of the nervous system	7	4	3
<u>350-359</u>	<u>Disorders of peripheral nervous system</u>	<u>26</u>	<u>18</u>	<u>8</u>
355	Mononeuritis of lower limb	1	1	0

Table 10 - Page 6
Deaths - Mississippi - 1987

International Classification Number*	Cause*	Total	White	Non-white
356	Hereditary and idiopathic peripheral neuropathy	1	1	0
357	Inflammatory and toxic neuropathy	4	2	2
358	Myoneural disorders	5	5	0
359	Muscular dystrophies and other myopathies	15	9	6
<u>360-379</u>	<u>Disorders of the eye and adnexa</u>	<u>1</u>	<u>1</u>	<u>0</u>
371	Corneal opacity and other disorders of cornea	1	1	0
<u>380-389</u>	<u>Diseases of the ear and mastoid process</u>	<u>5</u>	<u>2</u>	<u>3</u>
<u>381-383</u>	<u>Otitis media and mastoiditis</u>	<u>5</u>	<u>2</u>	<u>3</u>
382	Suppurative and unspecified otitis media	5	2	3
<u>390-459</u>	<u>DISEASES OF THE CIRCULATORY SYSTEM</u>	<u>11,584</u>	<u>7,537</u>	<u>4,047</u>
<u>390-392</u>	<u>Active rheumatic fever</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>393-398</u>	<u>Chronic rheumatic heart disease</u>	<u>22</u>	<u>19</u>	<u>3</u>
394	Diseases of mitral valve	13	13	0
395	Diseases of aortic valve	1	1	0
396	Diseases of mitral and aortic valves	3	2	1
398	Other rheumatic heart disease	5	3	2
<u>401-405</u>	<u>Hypertensive disease</u>	<u>527</u>	<u>219</u>	<u>308</u>
<u>401,403</u>	<u>Hypertension with or without renal disease</u>	<u>133</u>	<u>55</u>	<u>78</u>
401	Essential hypertension	78	29	49
403	Hypertensive renal disease	55	26	29
<u>402,404</u>	<u>Hypertensive heart disease with or without renal disease</u>	<u>394</u>	<u>164</u>	<u>230</u>
402	Hypertensive heart disease	343	139	204
404	Hypertensive heart and renal disease	51	25	26
<u>410-414</u>	<u>Ischemic heart disease</u>	<u>4,615</u>	<u>3,270</u>	<u>1,345</u>
410	Acute myocardial infarction	3,006	2,097	909
411	Other acute and subacute forms of ischemic heart disease	15	6	9
412	Old myocardial infarction	12	11	1
413	Angina pectoris	14	13	1
414	Other forms of chronic ischemic heart disease	1,568	1,143	425
<u>415-417</u>	<u>Diseases of pulmonary circulation</u>	<u>196</u>	<u>114</u>	<u>82</u>
415	Acute pulmonary heart disease	172	100	72
416	Chronic pulmonary heart disease	23	13	10
417	Other diseases of pulmonary circulation	1	1	0
<u>420-429</u>	<u>Other forms of heart disease</u>	<u>3,880</u>	<u>2,429</u>	<u>1,451</u>
420	Acute pericarditis	1	1	0
421	Acute and subacute endocarditis	5	5	0
422	Acute myocarditis	5	3	2
423	Other diseases of pericardium	2	2	0
424	Other diseases of endocardium	59	44	15
425	Cardiomyopathy	213	129	84
426	Conduction disorders	11	5	6
427	Cardiac dysrhythmias	801	455	346
428	Heart failure	616	415	201
429	Ill-defined heart diseases	2,167	1,370	797
<u>430-438</u>	<u>Cerebrovascular diseases</u>	<u>1,862</u>	<u>1,141</u>	<u>721</u>
430	Subarachnoid hemorrhage	64	35	29
431	Intracerebral hemorrhage	209	129	80
432	Other and unspecified intracranial hemorrhage	35	14	21

Table 10 - Page 7
Deaths - Mississippi - 1987

International Classification Number*	Cause*	Total	White	Non-white
433	Occlusion and stenosis of precerebral arteries	16	14	2
434	Occlusion of cerebral arteries	247	169	78
435	Transient cerebral ischemia	1	1	0
436	Acute but ill-defined cerebrovascular disease	1,095	661	434
437	Other and ill-defined cerebrovascular disease	99	69	30
438	Late effects of cerebrovascular disease	96	49	47
<u>440-448</u>	<u>Diseases of arteries, arterioles, and capillaries</u>	<u>420</u>	<u>307</u>	<u>113</u>
440	Atherosclerosis	205	158	47
<u>441-448</u>	<u>Other diseases of arteries, arterioles, and capillaries</u>	<u>215</u>	<u>149</u>	<u>66</u>
441	Aortic aneurysm	133	100	33
442	Other aneurysm	12	8	4
443	Other peripheral vascular disease	37	21	16
444	Arterial embolism and thrombosis	17	9	8
446	Polyarteritis nodosa and allied conditions	6	3	3
447	Other disorders of arteries and arterioles	10	8	2
<u>451-459</u>	<u>Diseases of veins and lymphatics, and other diseases of circulatory system</u>	<u>62</u>	<u>38</u>	<u>24</u>
<u>451-453</u>	<u>Venous thrombosis and embolism</u>	<u>16</u>	<u>15</u>	<u>1</u>
451	Phlebitis and thrombophlebitis	11	10	1
453	Other venous embolism and thrombosis	5	5	0
<u>454-459</u>	<u>Other diseases of the circulatory system</u>	<u>46</u>	<u>23</u>	<u>23</u>
454	Varicose veins of lower extremities	4	3	1
455	Hemorrhoids	1	0	1
456	Varicose veins of other sites	2	1	1
457	Noninfective disorders of lymphatic channels	1	0	1
458	Hypotension	15	8	7
459	Other disorders of circulatory system	23	11	12
<u>460-519</u>	<u>DISEASES OF THE RESPIRATORY SYSTEM</u>	<u>1,713</u>	<u>1,284</u>	<u>429</u>
<u>460-466</u>	<u>Acute respiratory infections</u>	<u>7</u>	<u>6</u>	<u>1</u>
462	Acute pharyngitis	1	0	1
465	Acute upper respiratory infection of multiple or unspecified sites	2	2	0
466	Acute bronchitis and bronchiolitis	4	4	0
<u>470-478</u>	<u>Other diseases of upper respiratory tract</u>	<u>3</u>	<u>2</u>	<u>1</u>
473	Chronic sinusitis	1	1	0
478	Other diseases of upper respiratory tract	2	1	1
<u>480-487</u>	<u>Pneumonia and influenza</u>	<u>722</u>	<u>504</u>	<u>218</u>
<u>480-486</u>	<u>Pneumonia</u>	<u>719</u>	<u>501</u>	<u>218</u>
480	Viral	8	7	1
481	Pneumococcal	17	15	2
482	Other bacterial	39	29	10
483	Due to other specified organism	2	2	0
485	Broncho, organism unspecified	51	33	18
486	Organism unspecified	602	415	187
487	Influenza	3	3	0
<u>490-496</u>	<u>Chronic obstructive pulmonary disease and allied conditions</u>	<u>728</u>	<u>589</u>	<u>139</u>
<u>490,491</u>	<u>Chronic and unqualified bronchitis</u>	<u>43</u>	<u>37</u>	<u>6</u>
490	Unqualified	13	13	0

Table 10 - Page 8
Deaths - Mississippi - 1987

International Classification Number*	Cause*	Total	White	Non-white
491	Chronic	30	24	6
492	Emphysema	104	79	25
493	Asthma	34	14	20
494	Bronchiectasis	8	6	2
496	Chronic airways obstruction, not elsewhere classified	539	453	86
500-508	<u>Pneumoconioses and other lung diseases due to external agents</u>	85	62	23
501	Asbestosis	6	5	1
502	Pneumoconiosis due to other silica or silicates	1	1	0
507	Pneumonitis due to solids and liquids	78	56	22
510-519	<u>Other diseases of respiratory system</u>	168	121	47
510	Empyema	3	0	3
511	Pleurisy	14	12	2
512	Pneumothorax	7	5	2
513	Abscess of lung and mediastinum	10	3	7
514	Pulmonary congestion and hypostasis	14	9	5
515	Postinflammatory pulmonary fibrosis	31	29	2
516	Other alveolar and parietoalveolar pneumopathy	11	9	2
518	Other diseases of lung	62	43	19
519	Other diseases of respiratory system	16	11	5
520-579	<u>DISEASES OF THE DIGESTIVE SYSTEM</u>	713	525	188
520-529	<u>Diseases of oral cavity, salivary glands, and jaws</u>	2	1	1
520	Disorders of tooth development and eruption	1	0	1
523	Gingival and periodontal diseases	1	1	0
530-537	<u>Diseases of esophagus, stomach, and duodenum</u>	97	74	23
530	Diseases of esophagus	20	18	2
531-533	<u>Peptic ulcer</u>	58	45	13
531	Gastric ulcer	20	11	9
532	Duodenal ulcer	20	19	1
533	Peptic ulcer, site unspecified	18	15	3
535	Gastritis and duodenitis	12	6	6
536	Disorders of function of stomach	1	0	1
537	Other disorders of stomach and duodenum	6	5	1
540-543	<u>Appendicitis</u>	6	1	5
540	Acute appendicitis	4	1	3
541	Appendicitis, unqualified	2	0	2
550-553	<u>Hernia of abdominal cavity</u>	8	6	2
550	Inguinal	1	0	1
552	Other, of abdominal cavity with obstruction, without mention of gangrene	3	2	1
553	Other, of abdominal cavity without mention of obstruction or gangrene	4	4	0
555-558	<u>Noninfective enteritis and colitis</u>	68	53	15
555	Regional enteritis	2	2	0
556	Idiopathic proctocolitis	2	1	1
557	Vascular insufficiency of intestine	52	46	6
558	Other noninfective gastroenteritis and colitis	12	4	8
560-569	<u>Other diseases of intestine and peritoneum</u>	134	94	40
560	Intestinal obstruction without mention of hernia	68	45	23

Table 10 - Page 9
Deaths - Mississippi - 1987

International Classification Number*	Cause*	Total	White	Non-white
562	Diverticula of intestine	32	23	9
564	Functional digestive disorders, not elsewhere classified	5	3	2
566	Abscess of anal and rectal regions	1	0	1
567	Peritonitis	9	8	1
569	Other disorders of intestine	19	15	4
<u>570-579</u>	<u>Other diseases of digestive system</u>	<u>398</u>	<u>296</u>	<u>102</u>
570	Acute and subacute necrosis of liver	7	4	3
571	Chronic liver disease and cirrhosis	202	160	42
572	Liver abscess and sequelae of chronic liver disease	37	26	11
573	Other disorders of liver	15	8	7
<u>574,575</u>	<u>Cholelithiasis and other disorders of gallbladder</u>	<u>35</u>	<u>28</u>	<u>7</u>
574	Cholelithiasis	18	13	5
575	Other disorders of gallbladder	17	15	2
576	Other disorders of biliary tract	10	8	2
577	Diseases of pancreas	33	23	10
578	Gastrointestinal hemorrhage	58	39	19
579	Intestinal malabsorption	1	0	1
<u>580-629</u>	<u>DISEASES OF THE GENITOURINARY SYSTEM</u>	<u>607</u>	<u>339</u>	<u>268</u>
<u>580-589</u>	<u>Nephritis, nephrotic syndrome, and nephrosis</u>	<u>308</u>	<u>161</u>	<u>147</u>
580	Acute glomerulonephritis	3	2	1
581	Nephrotic syndrome	4	3	1
582	Chronic glomerulonephritis	21	10	11
583	Nephritis and nephropathy, unqualified	6	5	1
<u>584-587</u>	<u>Renal failure and renal sclerosis</u>	<u>271</u>	<u>140</u>	<u>131</u>
584	Acute	39	22	17
585	Chronic	66	26	40
586	Unspecified	165	91	74
587	Renal sclerosis, unspecified	1	1	0
588	Disorders resulting from impaired renal function	3	1	2
<u>590-599</u>	<u>Other diseases of urinary system</u>	<u>286</u>	<u>171</u>	<u>115</u>
590	Infections of kidney	40	26	14
<u>592,594</u>	<u>Calculus of urinary system</u>	<u>12</u>	<u>10</u>	<u>2</u>
592	Of kidney and ureter	11	9	2
594	Of lower urinary tract	1	1	0
593	Other disorders of kidney and ureter	59	23	36
595	Cystitis	4	2	2
596	Other disorders of bladder	3	1	2
598	Urethral stricture	1	0	1
599	Other disorders of urethra and urinary tract	167	109	58
<u>600-608</u>	<u>Diseases of male genital organs</u>	<u>7</u>	<u>4</u>	<u>3</u>
600	Hyperplasia of prostate	3	3	0
601	Inflammatory diseases of prostate	2	1	1
607	Disorders of penis	1	0	1
608	Other disorders of male genital organs	1	0	1
<u>610,611</u>	<u>Disorders of breast</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>614-616</u>	<u>Inflammatory disease of female pelvic organs</u>	<u>3</u>	<u>1</u>	<u>2</u>
614	Inflammatory disease of ovary, fallopian tube, pelvic cellular tissue, and peritoneum	3	1	2

Table 10 - Page 10
Deaths - Mississippi - 1987

International Classification Number*	Cause*	Total	White	Non-white
<u>617-629</u>	<u>Other disorders of female genital tract</u>	<u>3</u>	<u>2</u>	<u>1</u>
618	Genital prolapse	1	0	1
629	Other disorders of female genital organs	2	2	0
<u>630-676</u>	<u>COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM</u>	<u>4</u>	<u>2</u>	<u>2</u>
<u>630-639</u>	<u>Pregnancy with abortive outcome</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>640-648</u>	<u>Complications mainly related to pregnancy</u>	<u>2</u>	<u>2</u>	<u>0</u>
642	Hypertension complicating pregnancy, childbirth, and the puerperium	2	2	0
<u>650-659</u>	<u>Normal delivery, and other indications for care in pregnancy, labor, and delivery</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>660-669</u>	<u>Complications occurring mainly in the course of labor and delivery</u>	<u>1</u>	<u>0</u>	<u>1</u>
665	Other obstetrical trauma	1	0	1
<u>670-676</u>	<u>Complications of the puerperium</u>	<u>1</u>	<u>0</u>	<u>1</u>
674	Other and unspecified complications of the puerperium, not elsewhere classified	1	0	1
<u>680-709</u>	<u>DISEASES OF THE SKIN AND SUBCUTANEOUS TISSUE</u>	<u>73</u>	<u>37</u>	<u>36</u>
<u>680-686</u>	<u>Infections of skin and subcutaneous tissue</u>	<u>15</u>	<u>11</u>	<u>4</u>
682	Other cellulitis and abscess	12	8	4
686	Other local infections of skin and subcutaneous tissue	3	3	0
<u>690-698</u>	<u>Other inflammatory conditions of skin and subcutaneous tissue</u>	<u>8</u>	<u>2</u>	<u>6</u>
694	Bullous dermatoses	4	2	2
695	Erythematous conditions	4	0	4
<u>700-709</u>	<u>Other diseases of skin and subcutaneous tissue</u>	<u>50</u>	<u>24</u>	<u>26</u>
707	Chronic ulcer of skin	49	23	26
709	Other disorders of skin and subcutaneous tissue	1	1	0
<u>710-739</u>	<u>DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE</u>	<u>68</u>	<u>39</u>	<u>29</u>
<u>710-719</u>	<u>Arthropathies and related disorders</u>	<u>48</u>	<u>28</u>	<u>20</u>
710	Diffuse diseases of connective tissue	23	11	12
<u>711-716</u>	<u>Arthropathy, rheumatoid arthritis, and osteoarthritis</u>	<u>23</u>	<u>16</u>	<u>7</u>
711	Arthropathy associated with infections	2	1	1
714	Rheumatoid arthritis and other inflammatory polyarthropathies	13	9	4
715	Osteoarthritis and allied disorders	7	5	2
716	Other and unspecified arthropathies	1	1	0
718	Other derangement of joint	1	0	1
719	Other and unspecified disorder of joint	1	1	0
<u>720-724</u>	<u>Dorsopathies</u>	<u>3</u>	<u>3</u>	<u>0</u>
720	Ankylosing spondylitis and other inflammatory spondylopathies	1	1	0
722	Intervertebral disc disorders	1	1	0
724	Other and unspecified disorders of back	1	1	0

Table 10 - Page 11
Deaths - Mississippi - 1987

International Classification Number*	Cause*	Total	White	Non-white
<u>725-729</u>	<u>Rheumatism, excluding the back</u>	<u>6</u>	<u>0</u>	<u>6</u>
727	Other disorders of synovium, tendon, and bursa	1	0	1
728	Disorders of muscle, ligament, and fascia	2	0	2
729	Other disorders of soft tissues	3	0	3
<u>730-739</u>	<u>Osteopathies, chondropathies, and acquired musculoskeletal deformities</u>	<u>11</u>	<u>8</u>	<u>3</u>
730	Osteomyelitis, periostitis, and other infections involving bone	6	3	3
733	Other disorders of bone and cartilage	3	3	0
737	Curvature of spine	2	2	0
<u>740-759</u>	<u>CONGENITAL ANOMALIES</u>	<u>154</u>	<u>82</u>	<u>72</u>
<u>740-742</u>	<u>Nervous system</u>	<u>27</u>	<u>12</u>	<u>15</u>
740	Anencephalus and similar anomalies	11	4	7
741	Spina bifida	4	2	2
742	Other congenital anomalies of nervous system	12	6	6
<u>743,744</u>	<u>Eye, ear, face, and neck</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>745-747</u>	<u>Circulatory system</u>	<u>69</u>	<u>36</u>	<u>33</u>
745	Bulbus cordis anomalies and anomalies of cardiac septal closure	19	9	10
746	Heart	33	18	15
747	Other congenital anomalies of circulatory system	17	9	8
748	Respiratory system	10	6	4
<u>749-751</u>	<u>Digestive system</u>	<u>6</u>	<u>5</u>	<u>1</u>
751	Other congenital anomalies of digestive system	6	5	1
<u>752,753</u>	<u>Genitourinary system</u>	<u>8</u>	<u>5</u>	<u>3</u>
753	Urinary system	8	5	3
<u>754-756</u>	<u>Musculoskeletal system</u>	<u>6</u>	<u>4</u>	<u>2</u>
756	Other congenital musculoskeletal anomalies	6	4	2
757	Congenital anomalies of the integument	1	0	1
758	Chromosomal anomalies	13	9	4
759	Other and unspecified congenital anomalies	14	5	9
<u>760-779</u>	<u>CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD</u>	<u>271</u>	<u>86</u>	<u>185</u>
760	Maternal conditions unrelated to present pregnancy	1	1	0
<u>761-763</u>	<u>Complications of pregnancy, labor, and delivery</u>	<u>32</u>	<u>7</u>	<u>25</u>
761	Maternal complications of pregnancy	20	3	17
762	Complications of placenta, cord, and membranes	8	3	5
763	Other complications of labor and delivery	4	1	3
<u>765,766</u>	<u>Disorders relating to gestation</u>	<u>52</u>	<u>10</u>	<u>42</u>
765	Short gestation and unspecified low birthweight	52	10	42
767	Birth trauma	2	1	1
<u>768-770</u>	<u>Respiratory conditions of fetus and newborn</u>	<u>120</u>	<u>45</u>	<u>75</u>
768	Intrauterine hypoxia and birth asphyxia	11	5	6
769	Respiratory distress syndrome	72	26	46
770	Other respiratory conditions of fetus and newborn	37	14	23

Table 10 - Page 12
Deaths - Mississippi - 1987

International Classification Number*	Cause*	Total	White	Non-white
771	Infections specific to the perinatal period	19	7	12
772	Fetal and neonatal hemorrhage	6	1	5
777	Perinatal disorders of digestive system	10	4	6
778	Conditions involving the integument and temperature regulation of fetus and newborn	2	1	1
779	Other and ill-defined conditions originating in the perinatal period	27	9	18
780-799	<u>SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS</u>	462	241	221
780-789	<u>Symptoms</u>	20	13	7
780	General	5	2	3
785	Involving cardiovascular system	8	5	3
786	Involving respiratory system and other chest symptoms	3	2	1
787	Involving digestive system	1	1	0
789	Other involving abdomen and pelvis	3	3	0
790-796	<u>Nonspecific abnormal findings</u>	2	1	1
790	Nonspecific findings on examination of blood	1	1	0
791	Nonspecific findings on examination of urine	1	0	1
797-799	<u>Ill-defined and unknown causes of morbidity and mortality</u>	440	227	213
797	Senility without mention of psychosis	28	19	9
798	Sudden death, cause unknown	76	32	44
799	Other ill-defined and unknown causes	336	176	160
800-999	<u>EXTERNAL CAUSES OF INJURY AND POISONING</u>	2,125	1,269	856
800-949	<u>Accidents and adverse effects</u>	1,509	921	588
800-807	<u>Railway</u>	4	1	3
805	Hit by rolling stock	4	1	3
810-825	<u>Motor vehicle</u>	804	543	261
(810-819)	<u>(Traffic)</u>	782	527	255
810	Involving collision with train	10	8	2
812	Involving collision with another motor vehicle	317	234	83
813	Involving collision with other vehicle	15	7	8
814	Involving collision with pedestrian	70	28	42
815	Other involving collision on the highway	59	38	21
816	Due to loss of control, without collision on the highway	211	142	69
818	Other noncollision	6	3	3
819	Of unspecified nature	94	67	27
(820-825)	<u>(Nontraffic)</u>	22	16	6
821	Involving other off-road motor vehicle	5	5	0
822	Involving collision of other motor vehicle with moving object	7	3	4
823	Involving collision with stationary object	4	4	0
825	Of other and unspecified nature	6	4	2
826-829	<u>Other road vehicle</u>	3	2	1
826	Pedal cycle accident	2	2	0
828	Involving animal being ridden	1	0	1
830-838	<u>Water transport</u>	26	17	9
830	Accident to watercraft causing submersion	12	8	4

Table 10 - Page 13
Deaths - Mississippi - 1987

International Classification Number*	Cause*	Total	White	Non-white
832	Other submersion or drowning in water transport	9	4	5
837	Explosion, fire or burning in watercraft	3	3	0
838	Other and unspecified	2	2	0
<u>840-845</u>	<u>Air and space transport</u>	<u>11</u>	<u>10</u>	<u>1</u>
840	Accident to powered aircraft at takeoff or landing	1	1	0
841	Accident to powered aircraft, other and unspecified	10	9	1
<u>846-848</u>	<u>Vehicle accidents not elsewhere classifiable</u>	<u>0</u>	<u>0</u>	<u>0</u>
<u>850-869</u>	<u>Poisoning</u>	<u>60</u>	<u>34</u>	<u>26</u>
(850-858)	(By drugs, medicaments, and biologicals)	<u>29</u>	<u>18</u>	<u>11</u>
850	Analgesics, antipyretics, antirheumatics	2	2	0
851	Barbiturates	1	1	0
853	Tranquillizers	1	1	0
854	Other psychotropic agents	2	2	0
855	Other drugs acting on central and autonomic nervous systems	7	4	3
856	Antibiotics	1	0	1
858	Other drugs	15	8	7
(860-869)	(By other solid and liquid substances, gases, and vapors)	<u>31</u>	<u>16</u>	<u>15</u>
860	Alcohol, not elsewhere classified	1	1	0
862	Petroleum products, other solvents and their vapors, not elsewhere classified	4	3	1
867	Gas distributed by pipeline	4	2	2
868	Other utility gas and other carbon monoxide	19	8	11
869	Other gases and vapors	3	2	1
<u>870-876</u>	<u>Misadventures to patients during surgical and medical care</u>	<u>3</u>	<u>0</u>	<u>3</u>
870	Accidental cut, puncture, perforation, or hemorrhage during medical care	1	0	1
874	Mechanical failure of instrument or apparatus during procedure	1	0	1
876	Other and unspecified misadventures during medical care	1	0	1
<u>878,879</u>	<u>Surgical and medical procedures as the cause of abnormal reaction of patient or later complication, without mention of misadventures at the time of procedure</u>	<u>19</u>	<u>14</u>	<u>5</u>
878	Surgical operation or other surgical procedure	17	13	4
879	Other procedures	2	1	1
<u>880-888</u>	<u>Falls</u>	<u>99</u>	<u>75</u>	<u>24</u>
880	On or from stairs or steps	2	1	1
881	On or from ladders or scaffolding	3	2	1
882	From or out of building or other structure	7	5	2
884	Other from one level to another	6	4	2
885	On same level from slipping, tripping, or stumbling	4	3	1
887	Fracture, cause unspecified	42	33	9
888	Other and unspecified fall	35	27	8

Table 10 - Page 14
Deaths - Mississippi - 1987

International Classification Number*	Cause*	Total	White	Non-white
<u>890-899</u>	<u>Caused by fires and flames</u>	<u>136</u>	<u>34</u>	<u>102</u>
890	Conflagration in private dwelling	114	22	92
891	Conflagration in other and unspecified building or structure	2	2	0
892	Conflagration not in building or structure	1	0	1
893	Ignition of clothing	10	5	5
895	Controlled fire in private dwelling	1	0	1
897	Controlled fire not in building or structure	2	1	1
898	Other specified fire and flames	1	1	0
899	Unspecified fire	5	3	2
<u>900-909</u>	<u>Due to natural and environmental factors</u>	<u>32</u>	<u>19</u>	<u>13</u>
900	Excessive heat	10	5	5
901	Excessive cold	3	2	1
904	Hunger, thirst, exposure, and neglect	6	3	3
905	Venomous animals and plants as the cause of poisoning and toxic reactions	1	0	1
906	Other injury caused by animals	2	2	0
907	Lightning	4	1	3
908	Cataclysmic storms and floods resulting from storms	6	6	0
<u>910-915</u>	<u>Accidents caused by submersion, suffocation, and foreign bodies</u>	<u>128</u>	<u>64</u>	<u>64</u>
910	Drowning and submersion	65	26	39
911	Inhalation and ingestion of food causing obstruction of respiratory tract or suffocation	22	11	11
912	Inhalation and ingestion of other object causing obstruction of respiratory tract or suffocation	30	21	9
913	Mechanical suffocation	9	6	3
915	Foreign body accidentally entering other orifice	2	0	2
<u>916-929</u>	<u>Other accidents</u>	<u>182</u>	<u>107</u>	<u>75</u>
916	Struck by falling object	21	13	8
917	Striking against or struck by objects or persons	2	1	1
918	Caught accidentally in or between objects	1	0	1
919	Caused by machinery	24	17	7
920	Caused by cutting and piercing instruments or objects	2	2	0
921	Caused by explosion of pressure vessel	1	1	0
922	Caused by firearm missile	72	42	30
923	Caused by explosive material	2	2	0
924	Caused by hot substance or object, caustic or corrosive material, and steam	3	0	3
925	Caused by electric current	12	7	5
927	Overexertion and strenuous movements	2	2	0
928	Other and unspecified environmental and accidental causes	30	14	16
929	Late effects of accidental injury	10	6	4
<u>930-949</u>	<u>Drugs, medicaments, and biological substances causing adverse effects in therapeutic use</u>	<u>2</u>	<u>1</u>	<u>1</u>
935	Analgesics, antipyretics, and antirheumatics	1	1	0

Table 10 - Page 15
Deaths - Mississippi - 1987

International Classification Number*	Cause*	Total	White	Non-white
947	Other and unspecified drugs and medicaments	1	0	1
<u>950-959</u>	<u>Suicide and self-inflicted injury</u>	<u>282</u>	<u>244</u>	<u>38</u>
<u>950-952</u>	<u>By poisoning</u>	<u>18</u>	<u>17</u>	<u>1</u>
950	By solid or liquid substances	10	9	1
952	By other gases and vapors	8	8	0
953	By hanging, strangulation, and suffocation	14	10	4
954	By submersion (drowning)	1	1	0
955	By firearms and explosives	245	212	33
956	By cutting and piercing instruments	2	2	0
958	By other and unspecified means	2	2	0
<u>960-978</u>	<u>Homicide and injury purposely inflicted by other persons; legal intervention</u>	<u>315</u>	<u>89</u>	<u>226</u>
<u>960-969</u>	<u>Homicide and injury purposely inflicted by other persons</u>	<u>307</u>	<u>87</u>	<u>220</u>
960	Fight, brawl, rape	2	1	1
963	Assault by hanging and strangulation	10	3	7
964	Assault by submersion (drowning)	1	0	1
965	Assault by firearms and explosives	210	63	147
966	Assault by cutting and piercing instrument	49	10	39
967	Child battering and other maltreatment	2	0	2
968	Assault by other and unspecified means	33	10	23
<u>970-978</u>	<u>Legal intervention</u>	<u>8</u>	<u>2</u>	<u>6</u>
970	Injury by firearms	6	2	4
978	Legal execution	2	0	2
<u>980-989</u>	<u>Injury undetermined whether accidentally or purposely inflicted</u>	<u>18</u>	<u>14</u>	<u>4</u>
980	Poisoning by solid or liquid substances	5	5	0
982	Poisoning by other gases	1	1	0
984	Submersion (drowning)	1	1	0
985	Injury by firearms and explosives	7	5	2
988	Injury by other and unspecified means	4	2	2
<u>990-999</u>	<u>Injury resulting from operations of war</u>	<u>1</u>	<u>1</u>	<u>0</u>
999	Late effects of injury due to war operations	1	1	0

* Numbers and causes are from the Ninth Revision International Statistical Classification of Diseases, Injuries, and Causes of Death. If no deaths were reported for a specific three-digit category, number and cause were omitted from this listing.

TABLE 11
 DEATHS FROM MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES, BY RACE, SEX, AND AGE,
 ALSO RATES FOR MAJOR CAUSE GROUPS AND CERTAIN SELECTED CAUSES,
 MISSISSIPPI RESIDENTS, 1987

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL NUMBER	TOTAL RATE#	SEX	TOTAL BY RACE SEX	TOTAL BY RACE AND SEX	AGE							65 AND OVER			
							1- 4	5- 9	10- 14	15- 24	25- 34	35- 44	45- 54		55- 64		
001-999	ALL CAUSES	24,525	9.0	W	15,835	8,460	103	23	25	28	225	247	324	574	1,461	5,448	2
				NW	8,690	7,375	109	21	13	10	100	99	162	297	766	5,798	0
				W	191	117	2	0	0	1	4	13	18	9	13	57	0
001-139	INFECTIOUS AND PARASITIC DISEASES	366	13.5	NW	175	106	6	2	0	0	5	10	10	7	13	53	0
				W	69	69	4	2	1	0	5	3	9	1	6	38	0
010-018	TUBERCULOSIS	22	0.8	W	9	6	0	0	0	0	0	0	0	0	1	5	0
				NW	13	9	0	0	0	0	0	0	1	0	0	3	0
070	VIRAL HEPATITIS	11	0.4	W	2	1	0	0	0	0	0	0	0	0	1	0	0
				NW	9	5	0	0	0	1	1	0	0	1	0	3	0
140-208	MALIGNANT NEOPLASMS	5,038	185.4	W	3,377	1,929	1	1	2	2	3	15	49	151	458	1,247	0
				NW	1,661	1,448	0	0	0	0	7	16	61	146	298	910	0
				W	40	15	0	0	0	0	0	1	1	0	1	12	0
210-239	BENIGN NEOPLASMS AND NEOPLASMS OF UNDETERMINED NATURE	61	2.2	NW	21	25	0	0	0	0	1	0	1	0	3	20	0
				W	8	8	0	0	1	0	0	0	1	0	1	5	0
				NW	13	13	0	0	0	0	0	0	1	1	2	9	0

TABLE 11 - PAGE 2
DEATHS - MISSISSIPPI - 1987

INTER-NATIONAL CLASSIFICATION NUMBER*	CAUSE*	TOTAL NUMBER		RACE	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER
		NUMBER	RATE#					1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64			
240-279	ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS	648	23.8	W	332	M	153	3	0	0	6	4	7	3	34	96		
				NW	316	F	179	1	0	1	3	2	5	6	15	146		
							111	1	0	0	2	5	7	8	21	67		
							205	2	0	0	2	4	5	14	26	149		
250	DIABETES MELLITUS	448	16.5	W	228	M	99	0	0	0	1	4	6	1	24	63		
				NW	220	F	129	0	0	0	0	2	3	5	13	106		
							69	0	0	0	1	4	5	5	15	39		
							151	0	0	0	1	3	4	9	22	111		
260-269	NUTRITIONAL DEFICIENCIES	34	1.2	W	17	M	7	0	0	0	1	0	0	0	0	6		
				NW	17	F	10	0	0	0	0	0	0	1	0	9		
							7	0	0	0	0	0	0	1	1	5		
							10	0	0	0	0	0	0	1	1	8		
280-289	DISEASES OF BLOOD AND BLOOD-FORMING ORGANS	112	4.1	W	77	M	42	1	0	0	0	0	1	2	5	31		
				NW	35	F	35	0	0	0	1	0	0	2	2	31		
							18	0	1	1	0	2	2	1	3	6		
							17	0	0	0	0	1	4	3	2	7		
280-285	ANEMIAS	61	2.2	W	37	M	17	0	0	0	0	0	0	1	2	13		
				NW	24	F	20	0	0	0	0	0	0	0	1	19		
							12	0	1	1	0	0	0	1	1	4		
							12	0	0	0	0	1	2	2	2	5		
290-319	MENTAL DISORDERS	189	7.0	W	129	M	68	0	0	0	0	2	5	6	13	41		
				NW	60	F	61	0	0	0	0	0	1	1	6	53		
							38	0	0	0	1	0	1	5	7	10		
							22	0	0	0	0	2	1	2	2	15		
303	ALCOHOLISM	53	1.9	W	28	M	22	0	0	0	0	1	2	5	9	5		
				NW	25	F	6	0	0	0	0	0	1	1	2	2		
							21	0	0	0	0	1	10	1	6	1		
							4	0	0	0	0	1	0	2	1	0		

TABLE 11 - PAGE 3
DEATHS - MISSISSIPPI - 1987

INTER-NATIONAL CLASSIFICATION NUMBER*	CAUSE*	TOTAL NUMBER		C O Z	TOTAL BY RACE	SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER	ND
		NUMBER	RATE#					1-4	5-9	10-14	15-24	25-34	35-44	45-54	55-64				
320-389	DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS	337	12.4	W	248	M	123	4	0	2	1	4	8	11	17	75	0		
				NW	89	F	125	3	1	0	1	3	5	4	12	0	0		
320-322	MENINGITIS	24	0.9	W	11	M	6	3	0	0	0	0	0	0	2	0	0		
				NW	13	F	5	1	0	0	0	0	0	1	0	3	0		
345	EPILEPSY	32	1.2	W	17	M	9	0	0	0	0	1	4	0	2	2	0		
				NW	15	F	8	1	0	0	0	0	0	1	0	6	0		
390-459	DISEASES OF THE CIRCULATORY SYSTEM	11,584	426.2	W	7,537	M	3,750	2	0	6	22	89	242	640	2,747	0	0		
				NW	4,047	F	3,787	8	1	0	7	30	80	270	3,390	0	0		
390-398, 402, 404-429	HEART DISEASES	9,107	335.0	W	5,996	M	2,902	6	0	5	18	81	225	565	2,197	0	0		
				NW	3,111	F	1,537	3	1	0	6	19	61	217	2,591	0	0		
401, 403	HYPERTENSION	133	4.9	W	55	M	25	0	0	0	0	1	0	3	21	0	0		
				NW	78	F	30	0	0	0	0	1	1	3	25	0	0		
430-438	CEREBROVASCULAR DISEASES	1,862	68.5	W	1,141	M	465	1	0	0	3	6	12	58	385	0	0		
				NW	721	F	676	2	0	0	0	8	16	40	610	0	0		
							328	0	1	1	9	18	21	35	242	0	0		
							393	1	0	0	4	7	15	40	322	2	2		

TABLE 11 - PAGE 7
DEATHS - MISSISSIPPI - 1987

INTER- NATIONAL CLASSI- FICATION NUMBER*	CAUSE*	TOTAL NUMBER RATE#	RACE	SEX	TOTAL BY RACE SEX	TOTAL BY RACE AND SEX	AGE										65 AND OVER	DNK
							1- 4	5- 9	10- 14	15- 24	25- 34	35- 44	45- 54	55- 64				
950-959	SUICIDE	282	W	M	244	189	0	0	0	0	21	35	30	29	19	54	1	
			NW	F	38	55	0	0	1	4	15	11	8	7	9	0	0	
				F		3	0	0	0	2	7	10	3	3	2	8	0	
				M		0	0	0	0	0	3	0	0	0	0	0	0	
960-978	HOMICIDE AND LEGAL INTERVENTION	315	W	M	89	53	0	0	0	10	13	11	9	5	4	1	1	
			NW	F	226	36	0	1	0	5	13	6	1	4	6	0	0	
				M		177	2	1	1	32	68	42	9	11	10	0	0	
				F		49	1	2	0	11	18	7	4	2	4	0	0	

* NUMBERS AND CAUSES ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES (CLASSIFICATION NUMBERS 630-676) ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (CLASSIFICATION NUMBERS 760-779) ARE PER 1,000 LIVE BIRTHS.

TABLE 12A
 INFANT, NEONATAL, AND POSTNEONATAL DEATHS*, BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 1987

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
STATE	565	212	353	363	128	235	202	84	118
ADAMS	4	0	4	1	0	1	3	0	3
ALCORN	3	1	2	3	1	2	0	0	0
AMITE	2	0	2	2	0	2	0	0	0
ATTALA	1	0	1	1	0	1	0	0	0
BENTON	3	3	0	2	2	0	1	1	0
BOLIVAR	19	3	16	11	2	9	8	1	7
CALHOUN	1	0	1	0	0	0	1	0	1
CARROLL	1	0	1	0	0	0	1	0	1
CHICKASAW	6	4	2	3	2	1	3	2	1
CHOCTAW	0	0	0	0	0	0	0	0	0
CLAIBORNE	3	0	3	2	0	2	1	0	1
CLARKE	2	0	2	1	0	1	1	0	1
CLAY	8	2	6	5	0	5	3	2	1
COAHOMA	12	2	10	11	2	9	1	0	1
COPIAH	9	1	8	5	0	5	4	1	3
COVINGTON	6	2	4	4	1	3	2	1	1
DESOTO	8	7	1	5	4	1	3	3	0
FORREST	11	6	5	6	3	3	5	3	2
FRANKLIN	1	0	1	1	0	1	0	0	0
GEORGE	0	0	0	0	0	0	0	0	0
GREENE	1	0	1	1	0	1	0	0	0
GRENADA	5	2	3	4	2	2	1	0	1
HANCOCK	4	2	2	2	1	1	2	1	1
HARRISON	26	17	9	14	8	6	12	9	3
HINDS	61	12	49	46	6	40	15	6	9
HOLMES	7	1	6	4	0	4	3	1	2
HUMPHREYS	11	3	8	9	3	6	2	0	2
ISSAQUENA	0	0	0	0	0	0	0	0	0
ITAWAMBA	4	4	0	2	2	0	2	2	0
JACKSON	21	10	11	14	8	6	7	2	5
JASPER	8	1	7	5	0	5	3	1	2
JEFFERSON	2	0	2	0	0	0	2	0	2
JEFF DAVIS	2	2	0	2	2	0	0	0	0
JONES	12	10	2	6	6	0	6	4	2
KEMPER	1	0	1	0	0	0	1	0	1
LAFAYETTE	4	2	2	1	1	0	3	1	2
LAMAR	12	9	3	9	6	3	3	3	0
LAUDERDALE	12	5	7	10	4	6	2	1	1
LAWRENCE	2	1	1	1	0	1	1	1	0
LEAKE	3	1	2	2	1	1	1	0	1
LEE	22	13	9	14	8	6	8	5	3
LEFLORE	12	2	10	9	1	8	3	1	2

TABLE 12A - PAGE 2
 INFANT, NEONATAL, AND POSTNEONATAL DEATHS - MISSISSIPPI - 1987

COUNTY	INFANT DEATHS			NEONATAL DEATHS			POSTNEONATAL DEATHS		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	1	1	0	1	1	0	0	0	0
LOWNDES	22	9	13	10	5	5	12	4	8
MADISON	8	2	6	3	0	3	5	2	3
MARION	9	7	2	2	1	1	7	6	1
MARSHALL	8	3	5	5	2	3	3	1	2
MONROE	8	5	3	4	3	1	4	2	2
MONTGOMERY	6	2	4	1	0	1	5	2	3
NESHOBA	4	2	2	2	1	1	2	1	1
NEWTON	4	3	1	2	2	0	2	1	1
NOXUBEE	4	0	4	3	0	3	1	0	1
OKTIBBEHA	8	0	8	5	0	5	3	0	3
PANOLA	13	4	9	7	2	5	6	2	4
PEARL RIVER	11	7	4	8	4	4	3	3	0
PERRY	0	0	0	0	0	0	0	0	0
PIKE	9	3	6	7	3	4	2	0	2
PONTOTOC	1	1	0	1	1	0	0	0	0
PRENTISS	4	3	1	3	3	0	1	0	1
QUITMAN	4	1	3	4	1	3	0	0	0
RANKIN	8	4	4	6	3	3	2	1	1
SCOTT	5	0	5	3	0	3	2	0	2
SHARKEY	3	0	3	1	0	1	2	0	2
SIMPSON	3	1	2	2	0	2	1	1	0
SMITH	0	0	0	0	0	0	0	0	0
STONE	1	0	1	1	0	1	0	0	0
SUNFLOWER	9	0	9	6	0	6	3	0	3
TALLAHATCHIE	4	0	4	2	0	2	2	0	2
TATE	1	1	0	1	1	0	0	0	0
TIPPAH	5	2	3	5	2	3	0	0	0
TISHOMINGO	2	1	1	1	1	0	1	0	1
TUNICA	2	0	2	2	0	2	0	0	0
UNION	6	5	1	4	3	1	2	2	0
WALTHALL	2	0	2	2	0	2	0	0	0
WARREN	10	5	5	7	4	3	3	1	2
WASHINGTON	17	4	13	12	3	9	5	1	4
WAYNE	4	1	3	4	1	3	0	0	0
WEBSTER	5	5	0	4	4	0	1	1	0
WILKINSON	6	0	6	4	0	4	2	0	2
WINSTON	7	2	5	5	1	4	2	1	1
YALOBUSHA	2	0	2	2	0	2	0	0	0
YAZOO	7	0	7	3	0	3	4	0	4

* INFANT DEATHS ARE THOSE OF CHILDREN UNDER ONE YEAR OF AGE; NEONATAL DEATHS ARE THOSE OF INFANTS UNDER 28 DAYS OF AGE; POSTNEONATAL DEATHS ARE THOSE OF INFANTS AGES 28 DAYS TO ONE YEAR.

TABLE 12B
 INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES*,
 BY COUNTY OF RESIDENCE AND RACE,
 MISSISSIPPI, 1983-1987 (5-YEAR AVERAGE)

COUNTY	INFANT**			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
STATE	13.9	9.7	18.4	8.7	6.3	11.2	5.2	3.4	7.1
ADAMS	15.4	7.4	21.4	9.4	5.9	12.1	6.0	1.5	9.3
ALCORN	7.9	7.7	9.0	4.2	3.8	6.0	3.7	3.8	3.0
AMITE	17.4	15.4	19.1	11.3	8.8	13.4	6.1	6.6	5.7
ATTALA	9.3	6.5	11.6	6.4	6.5	6.4	2.9	-	5.2
BENTON	12.7	13.4	12.2	8.0	10.0	6.1	4.8	3.3	6.1
BOLIVAR	15.7	10.2	17.2	8.3	9.1	8.0	7.4	1.0	9.2
CALHOUN	7.6	4.8	11.4	2.8	3.2	2.3	4.7	1.6	9.1
CARROLL	14.4	-	23.8	10.8	-	17.8	3.6	-	6.0
CHICKASAW	19.3	22.2	16.5	10.3	14.4	6.3	9.0	7.8	10.2
CHOCTAW	13.6	3.1	23.7	12.1	-	23.7	1.5	3.1	-
CLAIBORNE	17.2	-	19.9	10.1	-	11.7	7.1	-	8.2
CLARKE	10.0	7.4	12.9	5.4	5.9	4.8	4.6	1.5	8.0
CLAY	15.6	10.2	18.6	9.9	2.9	13.8	5.7	7.3	4.8
COAHOMA	20.4	11.7	22.8	14.3	9.1	15.7	6.2	2.6	7.1
COPIAH	16.2	7.2	21.4	10.9	4.8	14.5	5.2	2.4	6.9
COVINGTON	12.7	7.8	17.8	7.4	5.2	9.6	5.4	2.6	8.2
DESOTO	11.4	11.8	9.4	7.6	8.3	4.7	3.8	3.6	4.7
FORREST	12.1	10.8	13.9	7.6	7.3	7.9	4.5	3.5	6.0
FRANKLIN	17.3	9.1	24.7	14.4	9.1	19.2	2.9	-	5.5
GEORGE	12.5	11.2	19.9	8.8	9.5	5.0	3.7	1.7	14.9
GREENE	9.2	7.3	14.0	6.5	3.6	14.0	2.6	3.6	-
GRENADA	13.0	6.6	18.2	8.9	4.0	12.9	4.1	2.6	5.4
HANCOCK	11.6	10.6	17.7	6.5	5.8	10.6	5.1	4.8	7.1
HARRISON	10.4	9.3	13.0	6.0	5.2	8.0	4.4	4.1	5.1
HINDS	12.2	7.2	15.4	8.5	4.8	10.8	3.8	2.3	4.6
HOLMES	22.2	13.9	23.6	12.3	8.4	13.0	9.8	5.6	10.6
HUMPHREYS	31.3	21.5	34.0	22.8	21.5	23.2	8.5	-	10.8
ISSAQUENA	6.0	-	7.8	-	-	-	6.0	-	7.8
ITAWAMBA	12.3	10.0	34.5	7.4	5.4	25.9	4.9	4.5	8.6
JACKSON	11.4	9.0	18.3	7.8	6.5	11.5	3.6	2.5	6.8
JASPER	19.0	15.3	21.2	13.1	13.4	13.0	5.8	1.9	8.2
JEFFERSON	16.6	-	18.4	7.1	-	7.9	9.5	-	10.5
JEFF DAVIS	10.6	5.0	13.6	7.0	5.0	8.2	3.5	-	5.4
JONES	12.6	8.0	21.3	7.9	5.1	13.0	4.8	2.9	8.3
KEMPER	13.2	8.4	15.4	7.9	4.2	9.6	5.3	4.2	5.8
LAFAYETTE	8.7	8.0	9.5	4.9	4.0	5.9	3.8	4.0	3.6
LAMAR	10.1	8.7	18.2	6.6	5.1	15.2	3.5	3.6	3.0
LAUDERDALE	13.3	8.9	18.6	8.5	6.6	10.7	4.9	2.3	7.9
LAWRENCE	9.7	3.3	19.1	4.8	-	11.9	4.8	3.3	7.2
LEAKE	14.9	7.5	21.0	8.8	7.5	9.9	6.1	-	11.1
LEE	14.6	9.9	25.9	9.8	7.7	14.9	4.8	2.2	11.0
LEFLORE	22.1	14.5	25.2	13.8	9.9	15.3	8.3	4.5	9.8

TABLE 12B - PAGE 2
 INFANT, NEONATAL, AND POSTNEONATAL MORTALITY RATES - MISSISSIPPI - 1983-1987

COUNTY	INFANT**			NEONATAL**			POSTNEONATAL**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
LINCOLN	9.4	7.1	13.4	6.7	5.7	8.5	2.7	1.4	4.9
LOWNDES	11.2	7.4	16.2	6.9	4.7	9.8	4.3	2.7	6.4
MADISON	12.3	5.9	17.0	6.5	2.7	9.3	5.8	3.2	7.7
MARION	13.3	15.0	10.4	5.7	6.7	3.9	7.6	8.2	6.5
MARSHALL	14.8	9.8	18.0	9.5	4.9	12.4	5.3	4.9	5.6
MONROE	14.3	11.0	19.0	8.5	7.0	10.8	5.8	4.1	8.3
MONTGOMERY	17.9	14.1	20.2	8.4	5.6	10.1	9.5	8.5	10.1
NESHOBA	15.4	13.1	17.7	7.7	7.1	8.3	7.7	6.1	9.4
NEWTON	11.6	12.7	10.2	8.2	8.9	7.3	3.4	3.8	2.9
NOXUBEE	16.3	6.7	19.1	9.6	6.7	10.5	6.7	-	8.6
OKTIBBEHA	11.8	7.8	15.1	6.8	4.7	8.5	5.0	3.1	6.6
PANOLA	15.2	8.3	19.1	8.9	4.2	11.6	6.3	4.2	7.5
PEARL RIVER	17.8	14.9	30.0	12.7	12.0	15.9	5.0	2.9	14.1
PERRY	4.7	3.5	7.1	-	-	-	4.7	3.5	7.1
PIKE	18.3	15.1	20.7	14.0	10.9	16.3	4.3	4.2	4.4
PONTOTOC	8.7	7.4	14.8	6.7	5.7	11.1	2.0	1.6	3.7
PRENTISS	11.6	11.3	13.1	6.4	6.8	4.4	5.2	4.5	8.7
QUITMAN	19.1	9.5	23.0	11.8	9.5	12.8	7.3	-	10.2
RANKIN	8.9	8.0	12.0	4.8	3.9	8.0	4.1	4.1	4.0
SCOTT	19.4	15.3	23.8	10.4	8.1	12.9	9.0	7.2	10.9
SHARKEY	17.5	17.8	17.4	12.8	17.8	11.6	4.7	-	5.8
SIMPSON	15.8	14.1	18.1	7.9	5.6	10.8	7.9	8.4	7.2
SMITH	10.6	8.7	14.4	7.7	5.8	11.5	2.9	2.9	2.9
STONE	5.0	1.8	12.6	3.8	1.8	8.4	1.2	-	4.2
SUNFLOWER	15.8	4.4	18.7	11.3	4.4	13.1	4.5	-	5.6
TALLAHATCHIE	23.5	13.0	26.9	14.0	2.6	17.6	9.5	10.4	9.2
TATE	12.2	10.4	14.4	9.8	9.2	10.5	2.4	1.2	3.9
TIPPAH	17.0	16.0	21.1	14.2	12.4	21.1	2.8	3.5	-
TISHOMINGO	16.2	15.3	30.8	9.9	9.6	15.4	6.3	5.7	15.4
TUNICA	22.4	12.9	24.2	8.1	6.4	8.4	14.2	6.4	15.7
UNION	12.2	10.0	21.8	6.8	5.0	14.5	5.4	5.0	7.3
WALTHALL	12.2	6.1	16.7	7.8	4.1	10.6	4.3	2.0	6.1
WARREN	19.0	15.9	22.0	12.5	12.0	12.9	6.5	3.8	9.1
WASHINGTON	16.4	6.3	21.0	9.8	4.5	12.1	6.6	1.8	8.8
WAYNE	14.6	11.7	17.8	10.1	7.4	13.1	4.5	4.3	4.8
WEBSTER	16.3	17.4	14.5	8.2	10.9	3.6	8.2	6.5	10.9
WILKINSON	17.2	16.5	17.5	13.7	16.5	12.7	3.4	-	4.8
WINSTON	16.6	12.5	19.5	10.2	6.3	13.0	6.4	6.3	6.5
YALOBUSHA	9.8	2.2	16.8	6.5	2.2	10.5	3.2	-	6.3
YAZOO	20.5	13.8	23.9	9.6	4.6	12.2	10.8	9.2	11.6

* DEATHS PER 1,000 LIVE BIRTHS.

** INFANT - AGE LESS THAN ONE YEAR; NEONATAL - AGE LESS THAN 28 DAYS;
 POSTNEONATAL - AGE 28 DAYS TO 1 YEAR.

TABLE 13
 INFANT DEATHS* FROM SELECTED CAUSES, BY RACE AND AGE,
 ALSO MORTALITY RATES FOR SELECTED CAUSES,
 MISSISSIPPI RESIDENTS, 1987

CAUSE OF DEATH AND INTERNATIONAL CLASSI- FICATION NUMBER**	TOTAL		RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE					28 DAYS AND OVER	
	NUMBER	RATE#			TOTAL	UNDER 1 DAY	1- 6	7- 13	14- 20		21- 27
<u>ALL CAUSES</u>	<u>565</u>	<u>13.7</u>	W	<u>212</u>	<u>128</u>	<u>60</u>	<u>37</u>	<u>17</u>	<u>9</u>	<u>5</u>	<u>84</u>
			NW	<u>353</u>	<u>235</u>	<u>131</u>	<u>71</u>	<u>11</u>	<u>13</u>	<u>9</u>	<u>118</u>
MENINGOCOCCAL INFECTION (036)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
SEPTICEMIA (038)	6	0.1	W	2	0	0	0	0	0	0	2
			NW	4	0	0	0	0	0	0	4
OTHER INFECTIOUS AND PARASITIC DISEASES (001-035, 037, 039-139)	8	0.2	W	2	0	0	0	0	0	0	2
			NW	6	1	0	1	0	0	0	5
MENINGITIS (320-322)	8	0.2	W	4	1	0	0	0	1	0	3
			NW	4	2	0	0	1	0	1	2
ACUTE UPPER RESPIRATORY INFECTIONS (460-465)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
BRONCHITIS AND BRONCHIO- LITIS (466, 490, 491)	1	##	W	1	0	0	0	0	0	0	1
			NW	0	0	0	0	0	0	0	0
PNEUMONIA AND INFLUENZA (480-487)	15	0.4	W	2	0	0	0	0	0	0	2
			NW	13	2	0	1	1	0	0	11
HERNIA AND INTESTINAL OBSTRUCTION (550-553, 560)	1	##	W	0	0	0	0	0	0	0	0
			NW	1	0	0	0	0	0	0	1
CONGENITAL ANOMALIES (740-759)	100	2.4	W	45	33	13	7	8	3	2	12
			NW	55	42	17	20	3	2	0	13
MATERNAL CONDITIONS UN- RELATED TO PREGNANCY (760)	1	##	W	1	1	1	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
MATERNAL COMPLICATIONS OF PREGNANCY (761)	20	0.5	W	3	3	3	0	0	0	0	0
			NW	17	16	16	0	0	0	0	1
COMPLICATIONS OF PLACENTA, CORD, AND MEMBRANES (762)	8	0.2	W	3	3	1	2	0	0	0	0
			NW	5	5	4	1	0	0	0	0
OTHER COMPLICATIONS OF LABOR AND DELIVERY (763)	4	0.1	W	1	1	1	0	0	0	0	0
			NW	3	3	2	0	0	1	0	0
DISORDERS RELATING TO SHORT GESTATION AND UN- SPECIFIED LOW BIRTH- WEIGHT (765)	52	1.3	W	10	10	10	0	0	0	0	0
			NW	42	42	42	0	0	0	0	0

TABLE 13 - PAGE 2
 INFANT DEATHS - MISSISSIPPI - 1987

CAUSE OF DEATH AND INTERNATIONAL CLASSI- FICATION NUMBER**	TOTAL		RACE	TOTAL BY RACE	UNDER 28 DAYS OF AGE						28 DAYS AND OVER
	NUMBER	RATE#			TOTAL	UNDER 1 DAY	1- 6	7- 13	14- 20	21- 27	
BIRTH TRAUMA (767)	2	##	W	1	1	0	0	1	0	0	0
			NW	1	1	1	0	0	0	0	0
INTRAUTERINE HYPOXIA AND BIRTH ASPHYXIA (768)	11	0.3	W	5	4	3	1	0	0	0	1
			NW	6	6	4	2	0	0	0	0
RESPIRATORY DISTRESS SYNDROME (769)	72	1.7	W	26	26	7	17	1	1	0	0
			NW	46	44	15	26	3	0	0	2
INFECTIONS SPECIFIC TO THE PERINATAL PERIOD (771)	19	0.5	W	7	7	2	4	0	1	0	0
			NW	12	12	5	1	2	3	1	0
NEONATAL HEMORRHAGE (772)	6	0.1	W	1	1	0	1	0	0	0	0
			NW	5	5	1	4	0	0	0	0
HEMORRHAGIC DISEASE OF NEWBORN (776.0)	0	-	W	0	0	0	0	0	0	0	0
			NW	0	0	0	0	0	0	0	0
SUDDEN INFANT DEATH SYNDROME (798.0)	73	1.8	W	31	4	0	0	1	1	2	27
			NW	42	5	0	2	0	0	3	37
ALL OTHER SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-797, 798.1-799)	10	0.2	W	5	1	0	1	0	0	0	4
			NW	5	1	0	0	0	1	0	4
ACCIDENTS (800-949)	21	0.5	W	9	0	0	0	0	0	0	9
			NW	12	1	0	0	0	1	0	11
ALL OTHER CAUSES	127	3.1	W	53	32	19	4	6	2	1	21
			NW	74	47	24	13	1	5	4	27

* DEATHS OF CHILDREN UNDER 1 YEAR OF AGE.

** CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

DEATHS PER 1,000 LIVE BIRTHS.

LESS THAN 0.06.

TABLE 14
ACCIDENTAL DEATHS, BY COUNTY OF OCCURRENCE AND TYPE OF ACCIDENT,
MISSISSIPPI, 1987

COUNTY	TOTAL	MOTOR VEHICLE	WATER TRANS- PORT	POISON- ING	FALLS	FIRES AND FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
<u>STATE</u>	<u>1,461</u>	<u>802</u>	<u>20</u>	<u>56</u>	<u>99</u>	<u>131</u>	<u>64</u>	<u>68</u>	<u>221</u>
ADAMS	16	12	0	1	1	0	0	0	2
ALCORN	16	9	0	3	0	2	1	1	0
AMITE	5	5	0	0	0	0	0	0	0
ATTALA	9	5	0	0	0	2	0	0	2
BENTON	6	5	0	0	0	0	1	0	0
BOLIVAR	13	5	0	2	1	1	0	0	4
CALHOUN	12	8	0	1	0	0	0	0	3
CARROLL	14	11	0	0	0	3	0	0	0
CHICKASAW	10	6	0	0	0	1	0	2	1
CHOCTAW	1	1	0	0	0	0	0	0	0
CLAIBORNE	10	4	0	0	0	1	1	2	2
CLARKE	9	7	0	0	0	0	1	0	1
CLAY	13	6	0	0	1	0	0	1	5
COAHOMA	17	7	0	1	1	0	3	0	5
COPIAH	18	14	0	0	1	1	0	0	2
COVINGTON	17	13	0	0	0	3	0	0	1
DESOTO	22	13	0	0	0	2	2	2	3
FORREST	46	29	0	0	8	2	0	1	6
FRANKLIN	1	1	0	0	0	0	0	0	0
GEORGE	9	6	1	0	1	0	0	1	0
GREENE	7	5	1	0	0	0	0	1	0
GRENADA	18	7	0	1	3	3	1	0	3
HANCOCK	22	17	0	0	0	0	2	1	2
HARRISON	71	39	2	2	11	1	2	1	13
HINDS	188	85	0	10	25	11	6	14	37
HOLMES	13	10	0	0	0	0	0	0	3
HUMPHREYS	15	4	0	2	0	6	1	1	1
ISSAQUENA	1	0	1	0	0	0	0	0	0
ITAWAMBA	11	8	0	0	0	1	0	2	0
JACKSON	44	21	0	3	0	2	2	3	13
JASPER	17	12	0	1	0	1	0	1	2
JEFFERSON	6	5	0	0	0	1	0	0	0
JEFF DAVIS	8	5	0	0	0	2	1	0	0
JONES	27	11	0	0	1	3	1	0	11
KEMPER	3	2	0	0	0	1	0	0	0
LAFAYETTE	24	12	1	3	1	0	0	1	6
LAMAR	10	5	1	0	2	0	1	0	1
LAUDERDALE	63	35	0	2	8	4	2	4	8
LAWRENCE	6	3	1	0	0	0	0	0	2
LEAKE	14	9	0	0	0	0	4	0	1
LEE	52	35	0	0	2	5	1	1	8
LEFLORE	26	13	2	0	3	3	2	1	2

TABLE 14 - PAGE 2
ACCIDENTAL DEATHS - MISSISSIPPI - 1987

COUNTY	TOTAL	MOTOR VEHICLE	WATER TRANS- PORT	POISON- ING	FALLS	FIRES AND FLAMES	DROWNING AND SUB- MERSION	FIRE- ARMS	ALL OTHER
LINCOLN	18	15	0	0	2	0	0	0	1
LOWNDES	25	11	0	2	3	2	1	0	6
MADISON	18	7	0	0	0	4	0	3	4
MARION	15	9	0	0	1	1	0	2	2
MARSHALL	17	14	0	0	0	2	1	0	0
MONROE	27	14	0	0	1	6	1	1	4
MONTGOMERY	7	5	0	0	0	1	0	1	0
NESHOBA	15	9	0	1	0	1	0	2	2
NEWTON	11	8	0	0	1	1	0	1	0
NOXUBEE	6	3	0	0	0	0	0	1	2
OKTIBBEHA	15	7	0	0	0	1	1	1	5
PANOLA	12	9	0	0	1	1	0	0	1
PEARL RIVER	17	14	0	2	1	0	0	0	0
PERRY	7	3	0	0	1	0	2	1	0
PIKE	24	13	0	1	1	4	1	1	3
PONTOTOC	8	2	0	1	1	3	0	0	1
PRENTISS	10	8	0	1	0	1	0	0	0
QUITMAN	7	4	0	1	0	0	0	1	1
RANKIN	17	9	0	0	2	0	1	0	5
SCOTT	16	9	0	1	0	0	2	1	3
SHARKEY	4	3	0	0	0	0	1	0	0
SIMPSON	8	5	0	1	1	1	0	0	0
SMITH	1	0	0	0	0	0	1	0	0
STONE	9	5	0	0	2	0	0	1	1
SUNFLOWER	20	11	0	2	0	4	2	0	1
TALLAHATCHIE	12	4	0	0	0	4	0	1	3
TATE	11	5	0	1	0	1	2	1	1
TIPPAH	9	7	0	1	1	0	0	0	0
TISHOMINGO	10	7	0	0	1	0	1	1	0
TUNICA	13	7	3	0	0	2	0	0	1
UNION	14	9	0	0	0	0	1	1	3
WALTHALL	3	1	0	1	0	0	0	0	1
WARREN	25	12	1	2	3	2	2	0	3
WASHINGTON	70	16	5	2	5	24	7	3	8
WAYNE	10	7	0	1	0	0	0	0	2
WEBSTER	8	7	0	0	0	1	0	0	0
WILKINSON	3	1	0	0	0	0	0	0	2
WINSTON	9	6	0	0	0	0	0	1	2
YALOBUSHA	10	2	1	3	1	0	2	0	1
YAZOO	10	4	0	0	0	2	0	2	2

TABLE 15
MARRIAGES, BY COUNTY OF LICENSURE AND RACE OF BRIDE,
ALSO BY COUNTY OF OCCURRENCE AND RACE OF BRIDE,
ALSO BY COUNTY OF RESIDENCE OF BRIDE AND RACE OF BRIDE,
MISSISSIPPI, 1987

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
STATE	23,729	17,286	6,443	23,729	17,286	6,443	22,094	16,025	6,069
ADAMS	343	226	117	369	245	124	302	190	112
ALCORN	275	249	26	292	267	25	244	222	22
AMITE	105	71	34	129	83	46	87	61	26
ATTALA	156	112	44	165	126	39	156	113	43
BENTON	47	36	11	73	52	21	57	41	16
BOLIVAR	338	178	160	324	162	162	324	164	160
CALHOUN	139	111	28	138	113	25	148	118	30
CARROLL	45	30	15	70	52	18	50	32	18
CHICKASAW	205	146	59	206	151	55	176	127	49
CHOCTAW	83	65	18	78	61	17	71	56	15
CLAIBORNE	57	17	40	56	17	39	55	17	38
CLARKE	136	106	30	159	124	35	139	105	34
CLAY	167	102	65	170	99	71	165	95	70
COAHOMA	267	102	165	266	100	166	238	85	153
COPIAH	216	117	99	226	130	96	224	124	100
COVINGTON	128	99	29	157	124	33	137	106	31
DESOTO	577	489	88	551	463	88	397	354	43
FORREST	806	642	164	704	560	144	732	576	156
FRANKLIN	84	57	27	92	65	27	75	48	27
GEORGE	265	240	25	252	228	24	198	178	20
GREENE	66	58	8	87	78	9	71	61	10
GRENADA	207	135	72	209	133	76	202	128	74
HANCOCK	275	254	21	284	265	19	226	213	13
HARRISON	2,067	1,697	370	2,045	1,681	364	1,708	1,402	306
HINDS	2,732	1,683	1,049	2,470	1,496	974	2,480	1,471	1,009
HOLMES	138	45	93	154	52	102	146	52	94
HUMPHREYS	73	25	48	80	33	47	76	23	53
ISSAQUENA	9	6	3	13	8	5	12	6	6
ITAWAMBA	168	163	5	184	180	4	172	167	5
JACKSON	1,210	1,042	168	1,262	1,082	180	1,211	1,048	163
JASPER	132	83	49	129	80	49	134	78	56
JEFFERSON	43	5	38	51	12	39	31	6	25
JEFF DAVIS	105	58	47	104	55	49	98	50	48
JONES	590	495	95	598	509	89	570	482	88
KEMPER	62	33	29	75	44	31	68	36	32
LAFAYETTE	213	148	65	225	157	68	198	138	60
LAMAR	213	190	23	251	222	29	243	219	24
LAUDERDALE	710	529	181	673	493	180	652	479	173
LAWRENCE	105	87	18	117	95	22	102	84	18
LEAKE	174	128	46	185	136	49	175	124	51
LEE	726	629	97	668	577	91	682	591	91
LEFLORE	286	167	119	268	147	121	267	152	115

TABLE 15 - PAGE 2
MARRIAGES - MISSISSIPPI - 1987

COUNTY	LICENSURE DATA			OCCURRENCE DATA			RESIDENCE DATA		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
LINCOLN	289	216	73	292	217	75	263	195	68
LOWNDES	509	343	166	497	327	170	449	294	155
MADISON	294	159	135	354	194	160	390	249	141
MARION	263	212	51	261	208	53	245	203	42
MARSHALL	264	154	110	236	130	106	235	134	101
MONROE	291	235	56	310	253	57	286	230	56
MONTGOMERY	105	76	29	103	73	30	93	67	26
NESHOBA	242	177	65	233	171	62	225	166	59
NEWTON	137	93	44	156	110	46	149	103	46
NOXUBEE	87	30	57	95	36	59	86	28	58
OKTIBBEHA	237	151	86	251	168	83	234	148	86
PANOLA	256	170	86	261	173	88	254	168	86
PEARL RIVER	386	345	41	385	341	44	352	311	41
PERRY	136	111	25	122	105	17	105	90	15
PIKE	335	210	125	329	208	121	316	199	117
PONTOTOC	235	215	20	256	233	23	234	214	20
PRENTISS	212	198	14	214	198	16	216	197	19
QUITMAN	71	35	36	78	42	36	71	40	31
RANKIN	835	729	106	812	705	107	839	753	86
SCOTT	257	170	87	260	174	86	253	175	78
SHARKEY	40	19	21	38	19	19	35	20	15
SIMPSON	201	156	45	198	159	39	204	158	46
SMITH	95	80	15	128	108	20	106	88	18
STONE	134	115	19	125	104	21	109	93	16
SUNFLOWER	223	89	134	223	96	127	190	81	109
TALLAHATCHIE	103	56	47	117	65	52	107	57	50
TATE	188	129	59	172	120	52	164	114	50
TIPPAH	186	170	16	186	167	19	171	160	11
TISHOMINGO	208	202	6	216	211	5	155	152	3
TUNICA	59	24	35	54	21	33	53	19	34
UNION	223	201	22	212	196	16	221	201	20
WALTHALL	107	69	38	120	78	42	103	65	38
WARREN	476	330	146	485	337	148	456	314	142
WASHINGTON	515	256	259	544	265	279	494	241	253
WAYNE	145	91	54	142	88	54	138	95	43
WEBSTER	94	81	13	89	78	11	95	83	12
WILKINSON	95	54	41	94	58	36	54	22	32
WINSTON	143	98	45	151	103	48	139	96	43
YALOBUSHA	100	61	39	105	68	37	104	66	38
YAZOO	210	121	89	216	122	94	202	114	88
OUT OF STATE	*	*	*	*	*	*	1,634	1,260	374
UNKNOWN STATE							1	1	0

* INFORMATION ON MISSISSIPPI BRIDES WHO OBTAINED LICENSES AND/OR MARRIED IN OTHER STATES IS NOT AVAILABLE.

TABLE 16
 DIVORCES, BY COUNTY OF OCCURRENCE AND RACE*,
 MISSISSIPPI, 1987

COUNTY	TOTAL	WHITE	NON- WHITE	UN- KNOWN
STATE	12,142	9,542	2,420	180
ADAMS	243	162	81	0
ALCORN	107	60	7	40
AMITE	67	47	20	0
ATTALA	94	72	22	0
BENTON	31	28	3	0
BOLIVAR	145	75	70	0
CALHOUN	69	61	8	0
CARROLL	5	4	1	0
CHICKASAW	79	59	20	0
CHOCTAW	33	28	4	1
CLAIBORNE	44	15	29	0
CLARKE	45	32	13	0
CLAY	32	17	15	0
COAHOMA	137	64	73	0
COPIAH	126	75	51	0
COVINGTON	76	61	15	0
DESOTO	420	405	15	0
FORREST	431	350	56	25
FRANKLIN	44	37	7	0
GEORGE	81	76	5	0
GREENE	0	0	0	0
GRENADA	120	88	32	0
HANCOCK	184	167	8	9
HARRISON	1,288	1,128	159	1
HINDS	1,328	877	432	19
HOLMES	64	20	44	0
HUMPHREYS	26	14	12	0
ISSAQUENA	2	1	1	0
ITAWAMBA	102	95	6	1
JACKSON	809	708	101	0
JASPER	75	43	32	0
JEFFERSON	0	0	0	0
JEFF DAVIS	38	29	7	2
JONES	262	231	30	1
KEMPER	19	15	4	0
LAFAYETTE	106	71	35	0
LAMAR	149	112	13	24
LAUDERDALE	411	306	87	18
LAWRENCE	82	66	15	1
LEAKE	79	64	15	0
LEE	0	0	0	0
LEFLORE	144	97	47	0

TABLE 16 - PAGE 2
 DIVORCES - MISSISSIPPI - 1987

COUNTY	TOTAL	WHITE	NON- WHITE	UN- KNOWN
LINCOLN	0	0	0	0
LOWNDES	367	301	64	2
MADISON	157	117	39	1
MARION	153	130	22	1
MARSHALL	103	80	23	0
MONROE	194	166	27	1
MONTGOMERY	46	34	11	1
NESHOBA	114	96	18	0
NEWTON	33	26	6	1
NOXUBEE	34	11	22	1
OKTIBBEHA	130	86	31	13
PANOLA	115	91	24	0
PEARL RIVER	230	212	17	1
PERRY	45	43	2	0
PIKE	81	54	26	1
PONTOTOC	168	151	16	1
PRENTISS	156	149	5	2
QUITMAN	0	0	0	0
RANKIN	542	494	45	3
SCOTT	158	118	40	0
SHARKEY	19	12	7	0
SIMPSON	70	55	15	0
SMITH	70	66	4	0
STONE	51	47	4	0
SUNFLOWER	99	52	47	0
TALLAHATCHIE	37	26	9	2
TATE	99	79	20	0
TIPPAH	113	104	9	0
TISHOMINGO	109	101	3	5
TUNICA	0	0	0	0
UNION	132	116	16	0
WALTHALL	41	35	6	0
WARREN	149	117	32	0
WASHINGTON	337	214	123	0
WAYNE	109	84	23	2
WEBSTER	43	40	3	0
WILKINSON	0	0	0	0
WINSTON	89	54	35	0
YALOBUSHA	65	53	12	0
YAZOO	87	68	19	0

* DIVORCES OF MIXED-RACE COUPLES ARE
 INCLUDED IN FIGURES FOR NONWHITES.

NOTE:

Table 17 extends from page 103 through page 144 with identical data for each county as well as for the state.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF ADAMS AND ALCORN COUNTIES, MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	ADAMS COUNTY				ALCORN COUNTY			
	NUMBER		RATE**		NUMBER		RATE**	
	TOTAL	NON-WHITE	WHITE	TOTAL	NON-WHITE	WHITE	TOTAL	NON-WHITE
TUBERCULOSIS (010-018)	0	0	-	-	0	0	-	-
MALIGNANT NEOPLASMS (140-208)	89	42	228.2	216.4	47	69	211.6	226.1
DIABETES MELLITUS (250)	8	2	20.5	10.3	6	3	10.8	25.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	168	69	430.8	355.5	99	108	330.9	351.8
HYPERTENSION (401, 403)	2	1	5.1	5.2	1	0	5.4	50.2
CEREBROVASCULAR DISEASES (430-438)	47	26	120.5	134.0	21	18	54.2	50.2
ATHEROSCLEROSIS (440)	7	2	18.0	10.3	5	2	5.4	-
PNEUMONIA AND INFLUENZA (480-487)	4	1	10.2	5.2	3	10	32.6	50.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	15	11	38.5	56.7	4	6	19.0	25.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	1	5.1	5.2	4	1	2.7	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	5	0	12.8	-	5	1	2.7	-
INFECTIONS OF KIDNEY (590)	5	2	12.8	10.3	3	1	2.7	-
MATERNAL CAUSES (630-676)	1	0	174.2	-	1	0	-	-
CONGENITAL ANOMALIES (740-759)	1	1	2.6	5.2	0	3	8.1	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1.7	-	1	0	4.7	31.2
ACCIDENTS (800-949)	19	9	48.7	46.4	10	24	73.2	75.4
MOTOR VEHICLE ACCIDENTS# (810-825)	14	6	35.9	30.9	8	16	46.1	25.1
SUICIDE (950-959)	6	6	15.4	30.9	0	5	13.6	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	6	0	15.4	-	6	1	5.4	25.1
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	2.6	5.2	0	1	5.4	25.1

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF AMITE AND ATTALA COUNTIES, MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	AMITE COUNTY						ATTALA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	0	1	7.6	-	16.5	1	0	1	5.0	-	12.7
MALIGNANT NEOPLASMS (140-208)	19	13	6	144.5	183.4	98.9	42	27	15	209.6	221.9	190.2
DIABETES MELLITUS (250)	4	1	3	30.4	14.1	49.5	5	4	1	25.0	32.9	12.7
DISEASES OF HEART (390-398, 402, 404, 410-429)	32	17	15	243.4	239.8	247.4	107	69	38	534.1	567.2	481.9
HYPERTENSION (401, 403)	0	0	0	-	-	-	5	0	5	25.0	-	63.4
CEREBROVASCULAR DISEASES (430-438)	10	5	5	76.0	70.5	82.4	22	13	9	109.8	106.9	114.1
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	2	2	0	10.0	16.4	-
PNEUMONIA AND INFLUENZA (480-487)	0	0	0	-	-	-	7	6	1	34.9	49.3	12.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	4	1	38.0	56.4	16.5	6	5	1	29.9	41.1	12.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	7.6	14.1	-	2	2	0	10.0	16.4	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	1	0	7.6	14.1	-	5	1	4	25.0	8.2	50.7
INFECTIONS OF KIDNEY (590)	1	1	0	7.6	14.1	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	12.2	-	23.5	0	0	0	-	-	-
ACCIDENTS (800-949)	6	2	4	45.6	28.2	66.0	13	6	7	64.9	49.3	88.8
MOTOR VEHICLE ACCIDENTS* (810-825)	5	2	3	38.0	28.2	49.5	8	4	4	39.9	32.9	50.7
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	3	0	22.8	42.3	-	4	4	0	20.0	32.9	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS* (780-799)	1	1	0	7.6	14.1	-	0	0	0	-	-	-
	1	1	0	7.6	14.1	-	1	0	1	5.0	-	12.7

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF BENTON AND BOLIVAR COUNTIES, MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	BENTON COUNTY					BOLIVAR COUNTY				
	NUMBER		RATE**		NON-WHITE	NUMBER		RATE**		NON-WHITE
	TOTAL	WHITE	TOTAL	WHITE		TOTAL	WHITE	TOTAL	WHITE	
TUBERCULOSIS (010-018)	0	0	-	-	-	1	2.3	6.3	-	
MALIGNANT NEOPLASMS (140-208)	15	11	170.6	197.4	124.0	44	239.7	278.1	218.0	
DIABETES MELLITUS (250)	2	1	22.7	18.0	31.0	1	22.8	6.3	32.2	
DISEASES OF HEART (390-398, 402, 404, 410-429)	35	23	398.0	412.8	371.9	66	385.9	417.2	368.1	
HYPERTENSION (401, 403)	0	0	-	-	-	0	4.6	-	7.1	
CEREBROVASCULAR DISEASES (430-438)	5	5	56.8	89.8	-	15	100.5	94.8	103.6	
ATHEROSCLEROSIS (440)	0	0	-	-	-	7	22.8	44.2	10.7	
PNEUMONIA AND INFLUENZA (480-487)	2	1	22.7	18.0	31.0	14	63.9	88.5	50.0	
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	3	3	34.1	53.8	-	11	25.1	56.9	7.1	
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	-	-	-	2	4.6	12.6	-	
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	1	11.4	18.0	-	4	20.5	25.3	17.9	
INFECTIONS OF KIDNEY (590)	0	0	-	-	-	0	-	-	-	
MATERNAL CAUSES (630-676)	0	0	-	-	-	0	-	-	-	
CONGENITAL ANOMALIES (740-759)	0	0	-	-	-	2	4.6	-	7.1	
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	7.1	14.3	-	9	10.8	5.7	12.2	
ACCIDENTS (800-949)	6	4	68.2	71.8	62.0	17	38.8	63.2	25.0	
MOTOR VEHICLE ACCIDENTS# (810-825)	5	3	56.8	53.8	62.0	9	20.5	44.2	7.1	
SUICIDE (950-959)	1	1	11.4	18.0	-	3	6.8	19.0	-	
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	-	-	-	6	13.7	-	21.4	
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	3	34.1	53.8	-	17	38.8	31.6	42.9	

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CALHOUN AND CARROLL COUNTIES, MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CALHOUN COUNTY						CARROLL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	34	27	7	205.2	218.1	167.1	21	12	9	208.7	212.1	204.3
DIABETES MELLITUS (250)	0	0	0	-	-	-	2	1	1	19.9	17.7	22.7
DISEASES OF HEART (390-398, 402, 404, 410-429)	61	50	11	368.2	403.8	262.6	34	20	14	337.9	353.5	317.8
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	13	9	4	78.5	72.7	95.5	6	4	2	59.6	70.7	45.4
ATHEROSCLEROSIS (440)	3	3	0	18.1	24.2	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	5	3	2	30.2	24.2	47.8	3	2	1	29.8	35.4	22.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	2	2	0	12.1	16.2	-	3	3	0	29.8	53.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	6.0	8.1	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	2	0	12.1	16.2	-	1	0	1	9.9	-	22.7
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	6.0	-	23.9	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (800-949)	16	15	1	96.6	121.2	23.9	12	8	4	119.2	141.4	90.8
MOTOR VEHICLE ACCIDENTS# (810-825)	10	9	1	60.4	72.7	23.9	9	7	2	89.4	123.7	45.4
SUICIDE (950-959)	1	1	0	6.0	8.1	-	1	0	1	9.9	-	22.7
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	0	2	12.1	-	47.8	1	1	0	9.9	17.7	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	6.0	8.1	-	1	0	1	9.9	-	22.7

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CHICKASAW AND CHOCTAW COUNTIES, MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CHICKASAW COUNTY						CHOCTAW COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TUBERCULOSIS (010-018)	2	0	2	10.8	-	29.5	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	33	23	10	178.9	197.1	147.6	11	7	4	115.6	103.4	145.3
DIABETES MELLITUS (250)	3	2	1	16.3	17.1	17.8	1	0	1	10.5	-	36.3
DISEASES OF HEART (390-398, 402, 404, 410-429)	66	42	24	357.9	359.9	354.2	33	28	5	346.9	413.8	181.7
HYPERTENSION (401, 403)	1	1	0	5.4	8.6	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430- 438)	16	12	4	86.8	102.8	59.0	5	4	1	52.6	59.1	36.3
ATHEROSCLEROSIS (440)	1	0	1	5.4	-	14.8	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480- 487)	2	2	0	10.8	17.1	-	0	0	0	-	-	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	7	6	1	38.0	51.4	14.8	4	3	1	42.0	44.3	36.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	1	1	0	10.5	14.8	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	3	0	16.3	25.7	-	2	2	0	21.0	29.6	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759) CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD	1	1	0	5.4	8.6	-	0	0	0	-	-	-
(760-779)	3	2	1	9.4	12.3	6.4	0	0	0	-	-	-
ACCIDENTS (800-949)	11	4	7	59.6	34.3	103.3	5	3	2	52.6	44.3	72.7
MOTOR VEHICLE ACCIDENTS# (810-825)	6	3	3	32.5	25.7	44.3	2	2	0	21.0	29.6	-
SUICIDE (950-959)	1	0	1	5.4	-	14.8	1	0	1	10.5	-	36.3
HOMICIDE AND LEGAL INTER- VENTION (960-978)	1	1	0	5.4	8.6	-	2	0	2	21.0	-	72.7
SYMPTOMS, SIGNS, AND ILL- DEFINED CONDITIONS# (780-799)	5	2	3	27.1	17.1	44.3	1	0	1	10.5	-	36.3

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CLAIBORNE AND CLARKE COUNTIES, MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CLAIBORNE COUNTY						CLARKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	22	6	16	164.7	185.0	158.2	24	24	11	191.7	201.9	172.5
DIABETES MELLITUS (250)	1	0	1	7.5	-	9.9	3	3	3	32.9	25.2	47.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	29	10	19	217.1	308.4	187.9	50	74	24	405.3	420.6	376.3
HYPERTENSION (401, 403)	1	1	0	7.5	30.8	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	5	0	5	37.4	-	49.4	10	15	5	82.2	84.1	78.4
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	2	1	11.0	8.4	15.7
PNEUMONIA AND INFLUENZA (480-487)	5	0	5	37.4	-	49.4	7	13	6	71.2	58.9	94.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	1	0	1	7.5	-	9.9	7	7	0	38.3	58.9	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	1	2	22.5	30.8	19.8	1	2	1	11.0	8.4	15.7
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	0	0	0	-	-	-	1	3	2	16.4	8.4	31.4
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	10.2	-	11.6	1	1	1	4.4	-	9.7
ACCIDENTS (800-949)	8	1	7	59.9	30.8	69.2	6	14	8	76.7	50.5	125.4
MOTOR VEHICLE ACCIDENTS# (810-825)	4	0	4	30.0	-	39.6	5	10	5	54.8	42.0	78.4
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	2	1	22.5	61.7	9.9	3	3	0	16.4	25.2	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	4	1	3	30.0	30.8	29.7	2	3	2	16.4	16.8	15.7
	6	1	5	44.9	30.8	49.4	0	0	0	-	-	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF CLAY AND COAHOMA COUNTIES, MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	CLAY COUNTY						COAHOMA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	31	14	17	134.2	125.5	142.3	87	25	62	251.4	202.1	278.7
DIABETES MELLITUS (250)	1	0	1	4.3	-	8.4	3	1	2	8.7	8.1	9.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	78	40	38	337.7	358.6	318.1	130	51	79	375.6	412.4	355.1
HYPERTENSION (401, 403)	1	0	1	4.3	-	8.4	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	19	5	14	82.2	44.8	117.2	39	17	22	112.7	137.4	98.9
ATHEROSCLEROSIS (440)	2	2	0	8.6	17.9	-	2	1	1	5.8	8.1	4.5
PNEUMONIA AND INFLUENZA (480-487)	4	3	1	17.3	26.9	8.4	10	7	3	28.9	56.6	13.5
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	4	0	17.3	35.9	-	8	5	3	23.1	40.4	13.5
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	8.6	17.9	-	3	0	3	8.7	-	13.5
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	6	4	2	26.0	35.9	16.7	6	0	6	17.3	-	27.0
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	2	0	2	5.8	-	9.0
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	1	0	1	2.9	-	4.5
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	5	0	5	15.3	-	23.4	9	2	7	13.9	13.7	13.9
ACCIDENTS (800-949)	15	7	8	64.9	62.8	67.0	16	8	8	46.2	64.7	36.0
MOTOR VEHICLE ACCIDENTS* (810-825)	9	5	4	39.0	44.8	33.5	4	1	3	11.6	8.1	13.5
SUICIDE (950-959)	2	2	0	8.6	17.9	-	5	4	1	14.4	32.3	4.5
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	0	2	8.6	-	16.7	4	1	3	11.6	8.1	13.5
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS* (780-799)	4	2	2	17.3	17.9	16.7	12	4	8	34.7	32.3	36.0

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

* NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF COPIAH AND COVINGTON COUNTIES, MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	COPIAH COUNTY						COVINGTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	53	27	26	188.2	182.8	194.2	29	23	6	172.5	203.8	108.5
DIABETES MELLITUS (250)	9	5	4	32.0	33.8	29.9	9	4	5	53.5	35.4	90.4
DISEASES OF HEART (390-398, 402, 404, 410-429)	121	64	57	429.7	433.2	425.8	47	35	12	279.6	310.1	217.1
HYPERTENSION (401, 403)	0	0	0	-	-	-	10	6	4	59.5	53.2	72.4
CEREBROVASCULAR DISEASES (430-438)	16	9	7	56.8	60.9	52.3	12	9	3	71.4	79.7	54.3
ATHEROSCLEROSIS (440)	1	1	0	3.6	6.8	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	8	7	1	28.4	47.4	7.5	3	3	0	17.8	26.6	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	9	6	3	32.0	40.6	22.4	8	7	1	47.6	62.0	18.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	5	3	2	17.8	20.3	14.9	3	3	0	17.8	26.6	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	1	2	10.6	6.8	14.9	2	1	1	11.9	8.8	18.1
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	1	1	7.1	6.8	7.5	1	0	1	5.9	-	18.1
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	5	0	5	10.6	-	16.3	2	1	1	6.8	6.6	7.0
ACCIDENTS (800-949)	15	6	9	53.3	40.6	67.2	13	10	3	77.3	88.6	54.3
MOTOR VEHICLE ACCIDENTS# (810-825)	6	2	4	21.3	13.5	29.9	9	6	3	53.5	53.2	54.3
SUICIDE (950-959)	3	3	0	10.6	20.3	-	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	0	3	10.6	-	22.4	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	1	0	1	5.9	-	18.1

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF DESOTO AND FORREST COUNTIES, MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	DESOTO COUNTY					FORREST COUNTY				
	NUMBER		RATE**		NON-WHITE	NUMBER		RATE**		NON-WHITE
	TOTAL	WHITE	TOTAL	WHITE		TOTAL	WHITE	TOTAL	WHITE	
TUBERCULOSIS (010-018)	0	0	-	-	-	3	3	4.1	5.9	-
MALIGNANT NEOPLASMS (140-208)	87	74	136.2	137.1	130.9	163	123	224.1	241.9	182.7
DIABETES MELLITUS (250)	4	2	6.3	3.7	20.1	20	14	27.5	27.5	27.4
DISEASES OF HEART (390-398, 402, 404, 410-429)	130	99	203.4	183.4	312.2	275	205	378.1	403.2	319.8
HYPERTENSION (401, 403)	0	0	-	-	-	5	2	6.9	3.9	13.7
CEREBROVASCULAR DISEASES (430-438)	20	17	31.3	31.5	30.2	53	35	72.9	68.8	82.2
ATHEROSCLEROSIS (440)	3	2	4.7	3.7	10.1	24	20	33.0	39.3	18.3
PNEUMONIA AND INFLUENZA (480-487)	19	11	29.7	20.4	80.6	20	14	27.5	27.5	27.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	13	11	20.3	20.4	20.1	16	10	22.0	19.7	27.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	3.1	3.7	-	8	6	11.0	11.8	9.1
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	2	3.1	3.7	-	8	6	11.0	11.8	9.1
INFECTIONS OF KIDNEY (590)	0	0	-	-	-	1	0	1.4	-	4.6
MATERNAL CAUSES (630-676)	1	1	105.6	128.9	-	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	3	3	4.7	5.6	-	2	2	2.8	3.9	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	2	3.2	2.6	5.8	6	3	5.9	5.7	6.2
ACCIDENTS (800-949)	32	21	50.1	38.9	110.8	29	24	39.9	47.2	22.8
MOTOR VEHICLE ACCIDENTS# (810-825)	16	11	25.0	20.4	50.3	15	14	20.6	27.5	4.6
SUICIDE (950-959)	11	11	17.2	20.4	-	5	5	6.9	9.8	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	7	5	11.0	9.3	20.1	3	0	4.1	-	13.7
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	6	5	9.4	9.3	10.1	5	2	6.9	3.9	13.7

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF FRANKLIN AND GEORGE COUNTIES, MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	FRANKLIN COUNTY						GEORGE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	19	11	8	223.8	205.0	256.1	42	37	5	259.4	250.8	346.3
DIABETES MELLITUS (250)	1	1	0	11.8	18.6	-	4	3	1	24.7	20.3	69.2
DISEASES OF HEART (390-398, 402, 404, 410-429)	40	27	13	471.2	503.2	416.1	45	37	8	277.9	250.8	554.0
HYPERTENSION (401, 403)	1	1	0	11.8	18.6	-	3	3	0	18.5	20.3	-
CEREBROVASCULAR DISEASES (430-438)	9	7	2	106.0	130.4	64.0	11	10	1	67.9	67.8	69.2
ATHEROSCLEROSIS (440)	3	2	1	35.3	37.3	32.0	1	1	0	6.2	6.8	-
PNEUMONIA AND INFLUENZA (480-487)	0	0	0	-	-	-	3	3	0	18.5	20.3	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	3	2	1	35.3	37.3	32.0	4	4	0	24.7	27.1	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	1	23.6	18.6	32.0	3	3	0	18.5	20.3	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	1	1	0	6.2	6.8	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	7.4	-	11.9	0	0	0	-	-	-
ACCIDENTS (800-949)	5	3	2	58.9	55.9	64.0	14	13	1	86.4	88.1	69.2
MOTOR VEHICLE ACCIDENTS# (810-825)	3	1	2	35.3	18.6	64.0	8	7	1	49.4	47.4	69.2
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	4	4	0	24.7	27.1	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	3	0	35.3	55.9	-	1	1	0	6.2	6.8	-
	0	0	0	-	-	-	0	0	0	-	-	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF GREENE AND GRENADA COUNTIES, MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	GREENE COUNTY					GRENADA COUNTY				
	NUMBER		RATE**		NON-WHITE	NUMBER		RATE**		NON-WHITE
	TOTAL	WHITE	TOTAL	WHITE		TOTAL	WHITE	TOTAL	WHITE	
TUBERCULOSIS (010-018)	0	0	-	-	-	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	15	13	139.9	149.3	99.2	26	26	152.4	198.9	86.7
DIABETES MELLITUS (250)	3	2	28.0	23.0	49.6	0	0	13.4	-	32.5
DISEASES OF HEART (390-398, 402, 404, 410-429)	39	32	363.8	367.4	347.0	57	57	443.9	436.0	455.0
HYPERTENSION (401, 403)	0	0	-	-	-	0	0	9.0	-	21.7
CEREBROVASCULAR DISEASES (430-438)	5	5	46.6	57.4	-	13	13	125.5	99.4	162.5
ATHEROSCLEROSIS (440)	4	4	37.3	45.9	-	0	0	4.5	-	10.8
PNEUMONIA AND INFLUENZA (480-487)	4	1	37.3	11.5	148.7	3	3	17.9	22.9	10.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	4	37.3	45.9	-	3	3	22.4	22.9	21.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	18.6	23.0	-	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	9.3	-	49.6	3	3	26.9	22.9	32.5
INFECTIONS OF KIDNEY (590)	0	0	-	-	-	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	-	-	-	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	9.3	-	49.6	1	0	4.5	-	10.8
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	6.5	-	23.2	2	2	11.3	12.3	10.4
ACCIDENTS (800-949)	9	7	84.0	80.4	99.2	10	10	98.6	76.5	130.0
MOTOR VEHICLE ACCIDENTS# (810-825)	6	5	56.0	57.4	49.6	4	4	31.4	30.6	32.5
SUICIDE (950-959)	0	0	-	-	-	2	1	9.0	7.6	10.8
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	-	-	-	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	3	28.0	34.4	-	0	0	-	-	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF HANCOCK AND HARRISON COUNTIES, MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	HANCOCK COUNTY						HARRISON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	2	1	1	1.2	0.8	2.5
MALIGNANT NEOPLASMS (140-208)	58	53	5	202.7	206.0	173.3	321	258	63	187.3	197.2	155.2
DIABETES MELLITUS (250)	5	2	3	17.5	7.8	104.0	17	12	5	9.9	9.2	12.3
DISEASES OF HEART (390-398, 402, 404, 410-429)	113	97	16	395.0	377.1	554.6	533	464	69	311.0	354.7	170.0
HYPERTENSION (401, 403)	1	0	1	3.5	-	34.7	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	13	10	3	45.4	38.9	104.0	77	59	18	44.9	45.1	44.3
ATHEROSCLEROSIS (440)	1	0	1	3.5	-	34.7	8	8	0	4.7	6.1	-
PNEUMONIA AND INFLUENZA (480-487)	5	4	1	17.5	15.6	34.7	35	28	7	20.4	21.4	17.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	17	17	0	59.4	66.1	-	48	43	5	28.0	32.9	12.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	4	4	0	14.0	15.6	-	17	13	4	9.9	9.9	9.8
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	6	5	1	21.0	19.4	34.7	15	13	2	8.8	9.9	4.9
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	1	0	0.6	0.8	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	3	2	1	10.5	7.8	34.7	14	11	3	8.2	8.4	7.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	2.2	-	15.4	10	6	4	3.4	2.9	4.8
ACCIDENTS (800-949)	19	19	0	66.4	73.9	-	73	57	16	42.6	43.6	39.4
MOTOR VEHICLE ACCIDENTS* (810-825)	11	11	0	38.4	42.8	-	37	32	5	21.6	24.5	12.3
HOMICIDE AND LEGAL INTERVENTION (960-978)	6	6	0	21.0	23.3	-	32	27	5	18.7	20.6	12.3
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS* (780-799)	3	2	1	10.5	7.8	34.7	21	11	10	12.2	8.4	24.6
	2	2	0	7.0	7.8	-	11	9	2	6.4	6.9	4.9

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

* NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF HINDS AND HOLMES COUNTIES, MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	HINDS COUNTY				HOLMES COUNTY				
	NUMBER		RATE**		NUMBER		RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	1	0	0.4	0.7	-	0	-	-
MALIGNANT NEOPLASMS (140-208)	439	272	167	158.9	193.5	123.1	40	174.5	232.6
DIABETES MELLITUS (250)	46	19	27	16.6	13.5	19.9	3	13.1	16.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	760	437	323	275.2	311.0	238.1	57	248.6	398.7
HYPERTENSION (401, 403)	6	3	3	2.2	2.1	2.2	3	13.1	-
CEREBROVASCULAR DISEASES (430-438)	132	74	58	47.8	52.6	42.7	22	96.0	83.1
ATHEROSCLEROSIS (440)	14	11	3	5.1	7.8	2.2	1	4.4	-
PNEUMONIA AND INFLUENZA (480-487)	65	36	29	23.5	25.6	21.4	4	17.4	49.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	56	45	11	20.3	32.0	8.1	4	17.4	33.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	16	14	2	5.8	10.0	1.5	1	4.4	16.6
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	20	9	11	7.2	6.4	8.1	4	17.4	16.6
INFECTIONS OF KIDNEY (590)	1	0	1	0.4	-	0.7	0	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	-	-
CONGENITAL ANOMALIES (740-759)	22	10	12	8.0	7.1	8.8	1	4.4	5.9
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	32	1	31	7.4	0.6	11.5	3	6.4	7.5
ACCIDENTS (800-949)	98	49	49	35.5	34.9	36.1	11	48.0	49.8
MOTOR VEHICLE ACCIDENTS# (810-825)	43	27	16	15.6	19.2	11.8	7	30.5	29.6
SUICIDE (950-959)	21	16	5	7.6	11.4	3.7	3	13.1	16.6
HOMICIDE AND LEGAL INTERVENTION (960-978)	52	6	46	18.8	4.3	33.9	1	4.4	5.9
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	18	8	10	6.5	5.7	7.4	67	292.3	249.2
							52	249.2	307.6

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF HUMPHREYS AND ISSAQUENA COUNTIES, MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	HUMPHREYS COUNTY				ISSAQUENA COUNTY			
	NUMBER		RATE**		NUMBER		RATE**	
	TOTAL	NON-WHITE	TOTAL	WHITE	TOTAL	NON-WHITE	TOTAL	WHITE
TUBERCULOSIS (010-018)	0	0	-	-	0	0	-	-
MALIGNANT NEOPLASMS (140-208)	18	13	133.8	113.3	2	2	81.3	154.2
DIABETES MELLITUS (250)	1	0	7.4	-	0	0	-	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	54	39	401.3	340.0	0	0	-	-
HYPERTENSION (401, 403)	0	0	-	-	0	0	-	-
CEREBROVASCULAR DISEASES (430-438)	13	8	96.6	113.3	2	1	81.3	77.1
ATHEROSCLEROSIS (440)	1	1	7.4	-	0	0	-	-
PNEUMONIA AND INFLUENZA (480-487)	5	4	37.2	90.7	2	2	81.3	154.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	2	1	14.9	22.7	2	1	81.3	77.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	7.4	-	0	0	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	7.4	-	0	0	-	-
INFECTIONS OF KIDNEY (590)	0	0	-	-	0	0	-	-
MATERNAL CAUSES (630-676)	0	0	-	-	0	0	-	-
CONGENITAL ANOMALIES (740-759)	1	0	7.4	-	0	0	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	9	6	35.7	50.8	0	0	-	-
ACCIDENTS (800-949)	19	15	141.2	90.7	1	1	40.6	77.1
MOTOR VEHICLE ACCIDENTS# (810-825)	8	4	59.4	90.7	0	0	-	-
SUICIDE (950-959)	1	0	7.4	22.7	0	0	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	4	29.7	-	0	0	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	0	14.9	-	0	0	-	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF ITAWAMBA AND JACKSON COUNTIES, MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	ITAWAMBA COUNTY						JACKSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	30	28	2	129.9	129.5	135.9	195	165	30	144.1	155.1	103.8
DIABETES MELLITUS (250)	3	3	0	13.0	13.9	-	16	12	4	11.8	11.3	13.8
DISEASES OF HEART (390-398, 402, 404, 410-429)	88	83	5	381.1	383.8	339.7	291	222	69	215.1	208.6	238.7
HYPERTENSION (401, 403)	0	0	0	-	-	-	4	3	1	3.0	2.8	3.5
CEREBROVASCULAR DISEASES (430-438)	25	24	1	108.3	111.0	67.9	38	31	7	28.1	29.1	24.2
ATHEROSCLEROSIS (440)	2	2	0	8.7	9.2	-	4	4	0	3.0	3.8	-
PNEUMONIA AND INFLUENZA (480-487)	7	7	0	30.3	32.4	-	19	17	2	14.0	16.0	6.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	10	10	0	43.3	46.2	-	28	27	1	20.7	25.4	3.5
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	17	15	2	12.6	14.1	6.9
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	3	0	13.0	13.9	-	2	2	0	1.5	1.9	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	1	0	0.7	0.9	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	4.3	4.6	-	6	6	0	4.4	5.6	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	2	0	8.6	9.4	-	12	5	7	6.3	3.6	13.6
ACCIDENTS (800-949)	16	13	3	69.3	60.1	203.8	51	43	8	37.7	40.4	27.7
MOTOR VEHICLE ACCIDENTS# (810-825)	11	10	1	47.6	46.2	67.9	27	25	2	20.0	23.5	6.9
SUICIDE (950-959)	3	3	0	13.0	13.9	-	12	9	3	8.9	8.4	10.4
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	4.3	-	67.9	9	6	3	6.6	5.6	10.4
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	0	-	-	-	2	0	2	1.5	-	6.9

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF JASPER AND JEFFERSON COUNTIES, MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	JASPER COUNTY				JEFFERSON COUNTY			
	NUMBER		RATE**		NUMBER		RATE**	
	TOTAL	NON-WHITE	WHITE	TOTAL	NON-WHITE	WHITE	TOTAL	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	0	-	-
MALIGNANT NEOPLASMS (140-208)	34	14	20	188.1	151.0	19	265.4	204.6
DIABETES MELLITUS (250)	5	3	2	27.7	21.6	0	-	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	67	27	40	370.7	291.3	27	464.5	272.7
HYPERTENSION (401, 403)	2	0	2	11.1	-	0	-	-
CEREBROVASCULAR DISEASES (430-438)	9	6	3	49.8	32.4	6	132.7	54.5
ATHEROSCLEROSIS (440)	1	1	0	5.5	11.4	1	66.4	-
PNEUMONIA AND INFLUENZA (480-487)	5	3	2	27.7	21.6	0	-	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	4	1	27.7	10.8	3	34.0	40.9
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	5.5	-	0	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	16.6	10.8	1	11.3	13.6
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	0	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	0	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	0	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	5	0	5	18.3	31.2	0	-	-
ACCIDENTS (800-949)	17	8	9	94.1	97.1	6	132.7	54.5
MOTOR VEHICLE ACCIDENTS# (810-825)	12	4	8	66.4	86.3	4	45.3	27.3
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	0	2	11.1	21.6	0	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	5.5	10.8	3	34.0	40.9
				5.5	10.8	10	113.2	136.4

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF JEFF DAVIS AND JONES COUNTIES, MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	JEFF DAVIS COUNTY				JONES COUNTY			
	NUMBER		RATE**		NUMBER		RATE**	
	TOTAL	NON-WHITE	TOTAL	WHITE	TOTAL	NON-WHITE	TOTAL	WHITE
TUBERCULOSIS (010-018)	0	0	-	-	1	0	1.5	-
MALIGNANT NEOPLASMS (140-208)	33	21	226.7	335.1	112	85	167.3	165.2
DIABETES MELLITUS (250)	3	0	20.6	-	10	4	14.9	7.8
DISEASES OF HEART (390-398, 402, 404, 410-429)	40	23	274.8	367.1	240	175	358.5	340.1
HYPERTENSION (401, 403)	0	0	-	-	4	2	6.0	3.9
CEREBROVASCULAR DISEASES (430-438)	4	2	27.5	31.9	53	39	79.2	75.8
ATHEROSCLEROSIS (440)	1	1	6.9	16.0	2	2	3.0	3.9
PNEUMONIA AND INFLUENZA (480-487)	5	4	34.4	63.8	29	25	43.3	48.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	4	34.4	63.8	9	9	13.4	17.5
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	-	-	6	5	9.0	9.7
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	20.6	31.9	11	4	16.4	7.8
INFECTIONS OF KIDNEY (590)	0	0	-	-	1	1	1.5	1.9
MATERNAL CAUSES (630-676)	0	0	-	-	0	0	-	-
CONGENITAL ANOMALIES (740-759)	2	1	13.7	16.0	3	3	4.5	5.8
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	4.7	13.5	5	5	5.4	8.3
ACCIDENTS (800-949)	11	2	75.6	31.9	39	29	58.2	56.4
MOTOR VEHICLE ACCIDENTS# (810-825)	6	1	41.2	16.0	17	12	25.4	23.3
SUICIDE (950-959)	2	2	13.7	31.9	12	11	17.9	21.4
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	0	27.5	-	8	3	12.0	5.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	0	0	-	-	4	4	6.0	7.8

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF KEMPER AND LAFAYETTE COUNTIES, MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	KEMPER COUNTY					LAFAYETTE COUNTY				
	NUMBER		RATE**		NON-WHITE	NUMBER		RATE**		NON-WHITE
	TOTAL	WHITE	TOTAL	WHITE		TOTAL	WHITE	TOTAL	WHITE	
TUBERCULOSIS (010-018)	0	0	-	-	-	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	28	12	277.2	258.3	293.2	37	9	131.9	148.4	90.5
DIABETES MELLITUS (250)	1	0	9.9	-	18.3	2	3	14.3	8.0	30.2
DISEASES OF HEART (390-398, 402, 404, 410-429)	40	29	396.0	624.2	201.6	61	35	275.3	244.7	352.1
HYPERTENSION (401, 403)	0	0	-	-	-	4	3	11.5	4.0	30.2
CEREBROVASCULAR DISEASES (430-438)	11	4	108.9	86.1	128.3	4	2	17.2	16.0	20.1
ATHEROSCLEROSIS (440)	1	0	9.9	-	18.3	1	0	2.9	4.0	-
PNEUMONIA AND INFLUENZA (480-487)	5	3	49.5	64.6	36.6	1	1	2.9	4.0	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	3	39.6	64.6	18.3	6	5	17.2	20.0	10.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	-	-	-	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	19.8	21.5	18.3	3	0	8.6	12.0	-
INFECTIONS OF KIDNEY (590)	2	0	19.8	43.0	-	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	-	-	-	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	-	-	-	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	-	-	-	1	1	2.8	4.6	-
ACCIDENTS (800-949)	8	5	79.2	107.6	55.0	16	9	45.9	28.1	90.5
MOTOR VEHICLE ACCIDENTS# (810-825)	5	3	49.5	64.6	36.6	7	4	20.1	16.0	30.2
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	-	-	-	5	0	14.3	20.0	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	9.9	-	18.3	1	0	2.9	-	10.1
	3	1	29.7	21.5	36.6	2	1	5.7	4.0	10.1

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LAMAR AND LAUDERDALE COUNTIES, MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LAMAR COUNTY						LAUDERDALE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	1	0	1	3.5	-	32.1	2	1	1	2.4	1.8	3.5
MALIGNANT NEOPLASMS (140-208)	43	42	1	151.2	165.8	32.1	150	99	51	182.4	183.7	180.0
DIABETES MELLITUS (250)	2	1	1	7.0	3.9	32.1	9	7	2	10.9	13.0	7.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	89	79	10	313.0	312.0	321.2	311	227	84	378.2	421.2	296.4
HYPERTENSION (401, 403)	1	1	0	3.5	3.9	-	5	4	1	6.1	7.4	3.5
CEREBROVASCULAR DISEASES (430-438)	13	10	3	45.7	39.5	96.4	84	51	33	102.2	94.6	116.5
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	2	2	0	2.4	3.7	-
PNEUMONIA AND INFLUENZA (480-487)	8	8	0	28.1	31.6	-	15	12	3	18.2	22.3	10.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	6	5	1	21.1	19.7	32.1	28	21	7	34.0	39.0	24.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	7.0	7.9	-	4	4	0	4.9	7.4	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	0	0	0	-	-	-	19	8	11	23.1	14.8	38.8
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	2	0	2	2.4	-	7.0
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	5	3	2	17.6	11.8	64.2	2	0	2	2.4	-	7.0
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	4	3	1	8.3	7.2	14.9	10	4	6	8.0	5.8	10.7
ACCIDENTS (800-949)	12	11	1	42.2	43.4	32.1	48	36	12	58.4	66.8	42.4
MOTOR VEHICLE ACCIDENTS# (810-825)	8	7	1	28.1	27.6	32.1	30	25	5	36.5	46.4	17.6
SUICIDE (950-959)	6	6	0	21.1	23.7	-	10	10	0	12.2	18.6	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	1	1	7.0	3.9	32.1	13	4	9	15.8	7.4	31.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	3.5	3.9	-	7	5	2	8.5	9.3	7.0

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LAWRENCE AND LEAKE COUNTIES, MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LAWRENCE COUNTY						LEAKE COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	31	15	16	228.0	157.2	394.4	62	43	19	311.4	356.4	242.2
DIABETES MELLITUS (250)	2	1	1	14.7	10.5	24.6	4	3	1	20.1	24.9	12.7
DISEASES OF HEART (390-398, 402, 404, 410-429)	62	46	16	456.0	482.1	394.4	103	73	30	517.4	605.0	382.4
HYPERTENSION (401, 403)	1	1	0	7.4	10.5	-	2	2	0	10.0	16.6	-
CEREBROVASCULAR DISEASES (430-438)	10	6	4	73.5	62.9	98.6	8	4	4	40.2	33.2	51.0
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	1	0	5.0	8.3	-
PNEUMONIA AND INFLUENZA (480-487)	10	8	2	73.5	83.8	49.3	5	4	1	25.1	33.2	12.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	10	7	3	73.5	73.4	73.9	4	4	0	20.1	33.2	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	1	2	22.1	10.5	49.3	7	6	1	35.2	49.7	12.7
INFECTIONS OF KIDNEY (590)	1	0	1	7.4	-	24.6	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	2	2	0	10.0	16.6	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	5.7	-	16.9	1	0	1	3.9	-	7.0
ACCIDENTS (800-949)	11	8	3	80.9	83.8	73.9	21	14	7	105.5	116.0	89.2
MOTOR VEHICLE ACCIDENTS# (810-825)	7	6	1	51.5	62.9	24.6	11	7	4	55.2	58.0	51.0
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	2	0	14.7	21.0	-	0	0	0	-	-	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS‡ (780-799)	3	0	3	22.1	-	73.9	0	0	0	-	-	-
	2	2	0	14.7	21.0	-	3	1	2	15.1	8.3	25.5

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

‡ NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LEE AND LEFLORE COUNTIES, MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LEE COUNTY					LEFLORE COUNTY					
	NUMBER		RATE**		TOTAL	NUMBER		RATE**		TOTAL	
	TOTAL	NON-WHITE	WHITE	TOTAL		NON-WHITE	WHITE	TOTAL	NON-WHITE		WHITE
TUBERCULOSIS (010-018)	0	0	0	-	2	0	2	4.8	-	4.8	7.8
MALIGNANT NEOPLASMS (140-208)	122	92	30	192.3	87	43	44	210.6	273.3	210.6	172.0
DIABETES MELLITUS (250)	4	4	0	6.3	10	3	7	24.2	19.1	24.2	27.4
DISEASES OF HEART (390-398, 402, 404, 410-429)	230	177	53	362.6	177	80	97	428.5	508.4	428.5	379.3
HYPERTENSION (401, 403)	4	3	1	6.3	1	0	1	2.4	-	2.4	3.9
CEREBROVASCULAR DISEASES (430-438)	35	32	3	55.2	29	11	18	70.2	69.9	70.2	70.4
ATHEROSCLEROSIS (440)	7	7	0	11.0	0	0	0	-	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	19	14	5	30.0	10	6	4	24.2	38.1	24.2	15.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	28	26	2	44.1	7	4	3	16.9	25.4	16.9	11.7
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	9	9	0	14.2	2	2	0	4.8	12.7	4.8	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	6	4	2	9.4	2	2	0	4.8	12.7	4.8	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	0	0	0	-	-	-	-
MATERNAL CAUSES (630-676)	1	1	0	92.9	1	0	1	145.1	-	145.1	201.6
CONGENITAL ANOMALIES (740-759)	2	2	0	3.2	2	1	1	4.8	6.4	4.8	3.9
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	11	5	6	10.2	8	1	7	11.6	5.2	11.6	14.1
ACCIDENTS (800-949)	32	21	11	50.4	27	10	17	65.4	63.6	65.4	66.5
MOTOR VEHICLE ACCIDENTS# (810-825)	19	16	3	30.0	13	5	8	31.5	31.8	31.5	31.3
SUICIDE (950-959)	5	5	0	7.9	5	5	0	12.1	31.8	12.1	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	0	3	4.7	13	1	12	31.5	6.4	31.5	46.9
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	6	6	0	9.4	4	2	2	9.7	12.7	9.7	7.8

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF LINCOLN AND LOWNDES COUNTIES, MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	LINCOLN COUNTY						LOWNDES COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	58	42	16	173.6	179.8	159.0	107	70	37	166.4	175.9	150.9
DIABETES MELLITUS (250)	10	8	2	29.9	34.2	19.9	14	9	5	21.8	22.6	20.4
DISEASES OF HEART (390-398, 402, 404, 410-429)	149	105	44	445.9	449.6	437.2	168	105	63	261.2	263.9	256.9
HYPERTENSION (401, 403)	0	0	0	-	-	-	8	1	7	12.4	2.5	28.5
CEREBROVASCULAR DISEASES (430-438)	23	10	13	68.8	42.8	129.2	24	12	12	37.3	30.2	48.9
ATHEROSCLEROSIS (440)	1	0	1	3.0	-	9.9	2	1	1	3.1	2.5	4.1
PNEUMONIA AND INFLUENZA (480-487)	12	9	3	35.9	38.5	29.8	9	7	2	14.0	17.6	8.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	6	2	4	18.0	8.6	39.7	10	10	0	15.6	25.1	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	5	5	0	15.0	21.4	-	4	2	2	6.2	5.0	8.2
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	6	3	3	18.0	12.8	29.8	5	2	3	7.8	5.0	12.2
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	-	5	3	2	7.8	7.5	8.2
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	2.6	4.1	-	7	2	5	6.9	3.6	10.8
ACCIDENTS (800-949)	19	14	5	56.8	59.9	49.7	19	12	7	29.5	30.2	28.5
MOTOR VEHICLE ACCIDENTS# (810-825)	15	10	5	44.9	42.8	49.7	8	5	3	12.4	12.6	12.2
SUICIDE (950-959)	4	4	0	12.0	17.1	-	2	2	0	3.1	5.0	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	5	2	3	15.0	8.6	29.8	3	0	3	4.7	-	12.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	3.0	4.3	-	11	6	5	17.1	15.1	20.4

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF MARSHALL AND MONROE COUNTIES, MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	MARSHALL COUNTY				MONROE COUNTY			
	NUMBER		RATE**		NUMBER		RATE**	
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE
TUBERCULOSIS (010-018)	1	0	1	3.0	-	6.0	0	-
MALIGNANT NEOPLASMS (140-208)	54	27	27	163.0	164.1	161.8	66	246.0
DIABETES MELLITUS (250)	7	6	1	21.1	36.5	6.0	1	3.7
DISEASES OF HEART (390-398, 402, 404, 410-429)	116	60	56	350.0	364.6	335.7	101	376.5
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	-
CEREBROVASCULAR DISEASES (430-438)	17	8	9	51.3	48.6	53.9	19	70.8
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	3.7
PNEUMONIA AND INFLUENZA (480-487)	10	5	5	30.2	30.4	30.0	10	37.3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	7	4	3	21.1	24.3	18.0	8	29.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	3	0	9.0	18.2	-	2	7.4
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	0	2	6.0	-	12.0	4	14.9
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	3.7
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	-
CONGENITAL ANOMALIES (740-759)	1	1	0	3.0	6.1	-	1	3.7
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	1	2	5.6	4.7	6.2	2	6.0
ACCIDENTS (800-949)	28	15	13	84.5	91.2	77.9	35	96.9
MOTOR VEHICLE ACCIDENTS# (810-825)	13	7	6	39.2	42.5	36.0	14	41.0
SUICIDE (950-959)	2	1	1	6.0	6.1	6.0	5	18.6
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	1	3	12.1	6.1	18.0	3	11.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	5	2	3	15.1	12.2	18.0	9	14.9
							4	23.6
							5	44.0

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF MONTGOMERY AND NESHOBIA COUNTIES, MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	MONTGOMERY COUNTY						NESHOBIA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	26	19	7	189.6	222.9	134.8	49	39	10	189.7	213.5	132.1
DIABETES MELLITUS (250)	2	0	2	14.6	-	38.5	11	5	6	42.6	27.4	79.3
DISEASES OF HEART (390-398, 402, 404, 410-429)	68	43	25	495.9	504.4	481.6	117	89	28	453.0	487.3	369.9
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430- 438)	25	15	10	182.3	176.0	192.6	20	17	3	77.4	93.1	39.6
ATHEROSCLEROSIS (440)	1	0	1	7.3	-	19.3	1	1	0	3.9	5.5	-
PNEUMONIA AND INFLUENZA (480- 487)	7	6	1	51.0	70.4	19.3	7	4	3	27.1	21.9	39.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	3	1	29.2	35.2	19.3	2	2	0	7.7	11.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	14.6	23.5	-	4	0	4	15.5	-	52.8
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	4	1	3	29.2	11.7	57.8	3	2	1	11.6	11.0	13.2
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	7.3	-	19.3	4	2	2	15.5	11.0	26.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	0	0	0	-	-	-
ACCIDENTS (800-949)	10	3	7	72.9	35.2	134.8	20	10	10	77.4	54.8	132.1
MOTOR VEHICLE ACCIDENTS# (810-825)	5	2	3	36.5	23.5	57.8	12	4	8	46.4	21.9	105.7
HOMICIDE AND LEGAL INTER- VENTION (960-978)	1	0	1	7.3	-	19.3	2	2	0	7.7	11.0	-
SYMPTOMS, SIGNS, AND ILL- DEFINED CONDITIONS# (780-799)	1	0	1	7.3	-	19.3	0	0	0	-	-	-
	2	1	1	14.6	11.7	19.3	17	10	7	65.8	54.8	92.5

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF NEWTON AND NOXUBEE COUNTIES, MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	NEWTON COUNTY				NOXUBEE COUNTY			
	NUMBER		RATE**		NUMBER		RATE**	
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	0	-	-
MALIGNANT NEOPLASMS (140-208)	58	45	13	281.7	312.6	24	194.4	252.5
DIABETES MELLITUS (250)	7	6	1	34.0	41.7	2	16.2	23.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	109	81	28	529.3	562.6	38	307.8	390.2
HYPERTENSION (401, 403)	3	2	1	14.6	13.9	1	8.1	-
CEREBROVASCULAR DISEASES (430-438)	18	13	5	87.4	90.3	11	89.1	45.9
ATHEROSCLEROSIS (440)	1	1	0	4.8	6.9	1	8.1	-
PNEUMONIA AND INFLUENZA (480-487)	5	3	2	24.3	20.8	4	32.4	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	10	9	1	48.6	62.5	6	48.6	114.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	0	1	4.8	-	2	16.2	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	14.6	13.9	3	24.3	23.0
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	0	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	0	-	-
CONGENITAL ANOMALIES (740-759)	0	0	0	-	-	1	8.1	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	3.7	6.9	2	8.2	-
ACCIDENTS (800-949)	12	6	6	58.3	41.7	11	89.1	91.8
MOTOR VEHICLE ACCIDENTS# (810-825)	9	5	4	43.7	34.7	7	56.7	45.9
SUICIDE (950-959)	3	2	1	14.6	13.9	1	8.1	23.0
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	1	0	4.8	6.9	1	8.1	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	1	1	9.7	6.9	8	64.8	45.9

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF OKTIBBEHA AND PANOLA COUNTIES, MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	OKTIBBEHA COUNTY						PANOLA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	59	32	27	138.6	119.4	171.2	67	39	28	231.5	256.3	203.9
DIABETES MELLITUS (250)	10	5	5	23.5	18.6	31.7	4	1	3	13.8	6.6	21.8
DISEASES OF HEART (390-398, 402, 404, 410-429)	72	34	38	169.1	126.8	240.9	115	65	50	397.3	427.2	364.1
HYPERTENSION (401, 403)	9	2	7	21.1	7.5	44.4	5	2	3	17.3	13.1	21.8
CEREBROVASCULAR DISEASES (430-438)	17	12	5	39.9	44.8	31.7	30	15	15	103.6	98.6	109.2
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	4	3	1	13.8	19.7	7.3
PNEUMONIA AND INFLUENZA (480-487)	9	8	1	21.1	29.8	6.3	9	8	1	31.1	52.6	7.3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	11	7	4	25.8	26.1	25.4	11	8	3	38.0	52.6	21.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	3	1	2	10.4	6.6	14.6
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	2.3	-	6.3	4	0	4	13.8	-	29.1
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	2.3	-	6.3	3	2	1	10.4	13.1	7.3
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	0	3	6.0	-	11.2	5	1	4	9.3	4.9	12.0
ACCIDENTS (800-949)	12	6	6	28.2	22.4	38.0	22	13	9	76.0	85.4	65.5
MOTOR VEHICLE ACCIDENTS# (810-825)	7	5	2	16.4	18.6	12.7	14	11	3	48.4	72.3	21.8
SUICIDE (950-959)	3	1	2	7.0	3.7	12.7	2	1	1	6.9	6.6	7.3
HOMICIDE AND LEGAL INTERVENTION (960-978)	5	1	4	11.7	3.7	25.4	3	1	2	10.4	6.6	14.6
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	4	0	4	9.4	-	25.4	7	2	5	24.2	13.1	36.4

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF PEARL RIVER AND PERRY COUNTIES, MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	PEARL RIVER COUNTY					PERRY COUNTY				
	NUMBER		RATE**		NON-WHITE	NUMBER		RATE**		NON-WHITE
	TOTAL	WHITE	TOTAL	WHITE		TOTAL	WHITE	TOTAL	WHITE	
TUBERCULOSIS (010-018)	0	0	-	-	-	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	82	75	207.6	219.8	130.3	15	13	144.3	153.6	104.0
DIABETES MELLITUS (250)	3	2	7.6	5.9	18.6	1	1	9.6	11.8	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	137	117	346.8	342.8	372.4	25	20	240.5	236.3	260.0
HYPERTENSION (401, 403)	2	2	5.1	5.9	-	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	16	14	40.5	41.0	37.2	8	7	77.0	82.7	52.0
ATHEROSCLEROSIS (440)	2	2	5.1	5.9	-	2	2	19.2	23.6	-
PNEUMONIA AND INFLUENZA (480-487)	13	11	32.9	32.2	37.2	1	0	9.6	-	52.0
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	12	9	30.4	26.4	55.8	2	2	19.2	23.6	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	5.1	5.9	-	2	2	19.2	23.6	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	6	6	15.2	17.6	-	2	1	19.2	11.8	52.0
INFECTIONS OF KIDNEY (590)	4	4	10.1	11.7	-	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	-	-	-	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	2	5.1	5.9	-	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	7	3	12.1	6.6	32.0	0	0	-	-	-
ACCIDENTS (800-949)	19	18	48.1	52.7	18.6	5	4	48.1	47.2	52.0
MOTOR VEHICLE ACCIDENTS# (810-825)	12	11	30.4	32.2	18.6	3	3	28.9	35.4	-
SUICIDE (950-959)	5	4	12.6	11.7	18.6	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	2.5	-	18.6	1	1	9.6	11.8	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	2.5	2.9	-	1	1	9.6	11.8	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF PIKE AND PONTOTOC COUNTIES, MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	PIKE COUNTY				PONTOTOC COUNTY			
	NUMBER		RATE**		NUMBER		RATE**	
	TOTAL	NON-WHITE	WHITE	TOTAL	TOTAL	NON-WHITE	WHITE	TOTAL
TUBERCULOSIS (010-018)	0	0	-	-	0	0	-	-
MALIGNANT NEOPLASMS (140-208)	89	33	230.9	264.3	46	39	192.8	192.3
DIABETES MELLITUS (250)	16	7	41.5	33.0	2	2	8.4	9.9
DISEASES OF HEART (390-398, 402, 404, 410-429)	151	53	391.8	462.5	79	71	331.1	219.8
HYPERTENSION (401, 403)	3	2	7.8	9.4	0	0	-	-
CEREBROVASCULAR DISEASES (430-438)	52	20	134.9	151.0	13	12	54.5	59.3
ATHEROSCLEROSIS (440)	3	2	7.8	9.4	9	9	37.7	44.5
PNEUMONIA AND INFLUENZA (480-487)	5	3	13.0	9.4	11	11	46.1	54.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	9	2	23.4	33.0	8	8	33.5	39.6
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	4	3	10.4	14.2	2	1	8.4	4.9
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	6	4	15.6	9.4	3	2	12.6	9.9
INFECTIONS OF KIDNEY (590)	0	0	-	-	0	0	-	-
MATERNAL CAUSES (630-676)	0	0	-	-	0	0	-	-
CONGENITAL ANOMALIES (740-759)	4	4	10.4	-	0	0	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	7	3	14.0	14.3	1	1	3.1	3.8
ACCIDENTS (800-949)	25	13	64.9	61.4	12	7	50.3	34.6
MOTOR VEHICLE ACCIDENTS# (810-825)	13	9	33.7	42.5	5	4	21.0	19.8
SUICIDE (950-959)	4	3	10.4	14.2	3	3	12.6	14.8
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	1	10.4	4.7	4	2	16.8	9.9
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	6	2	15.6	9.4	1	1	4.2	4.9

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF PRENTISS AND QUITMAN COUNTIES, MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	PRENTISS COUNTY						QUITMAN COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	47	42	5	171.6	172.3	165.9	27	16	11	243.4	313.9	183.4
DIABETES MELLITUS (250)	3	2	1	11.0	8.2	33.2	4	1	3	36.1	19.6	50.0
DISEASES OF HEART (390-398, 402, 404, 410-429)	72	67	5	262.8	274.8	165.9	47	26	21	423.8	510.1	350.0
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	18	15	3	65.7	61.5	99.5	17	5	12	153.3	98.1	200.0
ATHEROSCLEROSIS (440)	2	2	0	7.3	8.2	-	1	1	0	9.0	19.6	-
PNEUMONIA AND INFLUENZA (480-487)	13	11	2	47.4	45.1	66.4	2	1	1	18.0	19.6	16.7
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	13	11	2	47.4	45.1	66.4	2	2	0	18.0	39.2	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	2	2	0	7.3	8.2	-	1	1	0	9.0	19.6	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	0	1	3.6	-	33.2	3	2	1	27.0	39.2	16.7
INFECTIONS OF KIDNEY (590)	4	4	0	14.6	16.4	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	3.6	4.1	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	2	0	6.7	8.2	-	4	1	3	18.3	15.2	19.7
ACCIDENTS (800-949)	13	13	0	47.4	53.3	-	12	6	6	108.2	117.7	100.0
MOTOR VEHICLE ACCIDENTS# (810-825)	8	8	0	29.2	32.8	-	7	5	2	63.1	98.1	33.3
SUICIDE (950-959)	1	1	0	3.6	4.1	-	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	0	0	0	-	-	-	1	0	1	9.0	-	16.7
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	24	21	3	87.6	86.1	99.5	0	0	0	-	-	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF RANKIN AND SCOTT COUNTIES, MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	RANKIN COUNTY				SCOTT COUNTY			
	NUMBER		RATE**		NUMBER		RATE**	
	TOTAL	NON-WHITE	WHITE	TOTAL	NON-WHITE	WHITE	TOTAL	NON-WHITE
TUBERCULOSIS (010-018)	0	0	-	-	0	0	-	-
MALIGNANT NEOPLASMS (140-208)	124	24	153.2	174.8	17	28	172.2	173.1
DIABETES MELLITUS (250)	16	5	20.2	36.4	1	2	7.7	10.2
DISEASES OF HEART (390-398, 402, 404, 410-429)	168	38	212.6	276.8	62	89	341.3	274.9
HYPERTENSION (401, 403)	4	4	5.1	29.1	0	0	-	-
CEREBROVASCULAR DISEASES (430-438)	34	10	43.0	72.8	18	20	76.7	20.4
ATHEROSCLEROSIS (440)	5	0	6.3	7.6	9	11	42.2	20.4
PNEUMONIA AND INFLUENZA (480-487)	20	5	25.3	36.4	3	4	15.3	10.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	16	1	20.2	7.3	6	7	26.8	10.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	8	0	10.1	12.2	1	1	3.8	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	9	4	11.4	29.1	3	3	11.5	-
INFECTIONS OF KIDNEY (590)	2	0	2.5	3.1	0	1	3.8	10.2
MATERNAL CAUSES (630-676)	0	0	-	-	0	0	-	-
CONGENITAL ANOMALIES (740-759)	2	1	2.5	7.3	1	4	15.3	30.5
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	4	2	3.4	8.0	0	2	4.9	10.0
ACCIDENTS (800-949)	33	7	41.8	51.0	11	21	80.5	101.8
MOTOR VEHICLE ACCIDENTS* (810-825)	17	15	21.5	14.6	7	12	46.0	50.9
SUICIDE (950-959)	6	0	7.6	9.2	5	5	19.2	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	3	5.1	4.6	1	5	19.2	40.7
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS* (780-799)	11	4	13.9	6.1	0	2	7.7	20.4

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

* NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF SHARKEY AND SIMPSON COUNTIES, MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	SHARKEY COUNTY						SIMPSON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	0	1	3.8	-	12.4
MALIGNANT NEOPLASMS (140-208)	23	9	14	301.9	341.4	280.8	52	41	11	196.7	223.0	136.6
DIABETES MELLITUS (250)	0	0	0	-	-	-	1	1	0	3.8	5.4	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	30	10	20	393.8	379.4	401.1	78	58	20	295.0	315.4	248.3
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	10	2	8	131.3	75.9	160.4	21	15	6	79.4	81.6	74.5
ATHEROSCLEROSIS (440)	0	0	0	-	-	-	1	1	0	3.8	5.4	-
PNEUMONIA AND INFLUENZA (480-487)	5	3	2	65.6	113.8	40.1	9	8	1	34.0	43.5	12.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	1	0	1	13.1	-	20.0	10	8	2	37.8	43.5	24.8
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	13.1	37.9	-	1	1	0	3.8	5.4	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	0	2	26.2	-	40.1	4	3	1	15.1	16.3	12.4
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	1	0	1	3.8	-	12.4
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	2	0	2	26.2	-	40.1	2	0	2	7.6	-	24.8
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	0	1	7.1	-	8.8	0	0	0	-	-	-
ACCIDENTS (800-949)	5	2	3	65.6	75.9	60.2	14	8	6	53.0	43.5	74.5
MOTOR VEHICLE ACCIDENTS# (810-825)	2	1	1	26.2	37.9	20.0	7	5	2	26.5	27.2	24.8
SUICIDE (950-959)	1	1	0	13.1	37.9	-	1	1	0	3.8	5.4	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	1	0	1	13.1	-	20.0	2	0	2	7.6	-	24.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	1	1	26.2	37.9	20.0	7	6	1	26.5	32.6	12.4

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF SMITH AND STONE COUNTIES, MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	SMITH COUNTY				STONE COUNTY			
	NUMBER		RATE**		NUMBER		RATE**	
	TOTAL	NON-WHITE	TOTAL	WHITE	TOTAL	NON-WHITE	TOTAL	WHITE
TUBERCULOSIS (010-018)	0	0	-	-	1	0	9.0	11.8
MALIGNANT NEOPLASMS (140-208)	31	26	192.4	202.8	25	1	224.6	283.0
DIABETES MELLITUS (250)	2	2	12.4	15.6	1	0	9.0	11.8
DISEASES OF HEART (390-398, 402, 404, 410-429)	52	46	322.8	358.8	42	5	377.3	436.2
HYPERTENSION (401, 403)	2	2	12.4	15.6	0	0	-	-
CEREBROVASCULAR DISEASES (430-438)	10	7	62.1	54.6	6	1	53.9	58.9
ATHEROSCLEROSIS (440)	3	3	18.6	23.4	0	0	-	-
PNEUMONIA AND INFLUENZA (480-487)	3	3	18.6	23.4	2	1	18.0	11.8
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	5	4	31.0	31.2	9	1	80.8	94.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	2	18.6	15.6	2	0	18.0	23.6
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	2	12.4	15.6	0	0	-	-
INFECTIONS OF KIDNEY (590)	0	0	-	-	0	0	-	-
MATERNAL CAUSES (630-676)	0	0	-	-	0	0	-	-
CONGENITAL ANOMALIES (740-759)	0	0	-	-	0	0	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	-	-	1	0	6.5	94.3
ACCIDENTS (800-949)	4	2	24.8	15.6	8	0	71.9	94.3
MOTOR VEHICLE ACCIDENTS# (810-825)	3	1	18.6	7.8	2	0	18.0	23.6
SUICIDE (950-959)	1	1	6.2	7.8	1	0	9.0	11.8
HOMICIDE AND LEGAL INTERVENTION (960-978)	5	2	31.0	15.6	1	1	9.0	11.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	28	21	173.8	163.8	0	0	-	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF SUNFLOWER AND TALLAHATCHIE COUNTIES, MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	SUNFLOWER COUNTY					TALLAHATCHIE COUNTY						
	NUMBER		RATE**		TOTAL	NUMBER		RATE**		TOTAL		
	TOTAL	WHITE	NON-WHITE	WHITE		NON-WHITE	TOTAL	WHITE	NON-WHITE			
TUBERCULOSIS (010-018)	0	0	0	-	-	1	0	1	6.4	6.4	-	11.7
MALIGNANT NEOPLASMS (140-208)	68	30	38	232.2	198.3	40	23	17	258.2	331.2	331.2	198.7
DIABETES MELLITUS (250)	3	0	3	-	8.8	5	4	1	32.3	57.6	57.6	11.7
DISEASES OF HEART (390-398, 402, 404, 410-429)	162	69	93	534.0	472.5	53	27	26	342.1	388.8	388.8	304.0
HYPERTENSION (401, 403)	2	0	2	-	5.8	2	0	2	12.9	-	-	23.4
CEREBROVASCULAR DISEASES (430-438)	31	10	21	77.4	90.4	16	8	8	103.3	115.2	115.2	93.5
ATHEROSCLEROSIS (440)	2	1	1	7.7	5.8	0	0	0	-	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	9	1	8	7.7	26.2	6	4	2	38.7	57.6	57.6	23.4
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	4	3	1	23.2	11.7	4	2	2	25.8	28.8	28.8	23.4
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	2	1	15.5	8.8	0	0	0	-	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	0	0	0	-	-	3	1	2	19.4	14.4	14.4	23.4
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	0	0	0	-	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	0	0	0	-	-	-	-
CONGENITAL ANOMALIES (740-759)	2	0	2	-	5.8	1	0	1	6.4	-	-	11.7
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	4	0	4	-	6.7	2	0	2	6.6	6.6	6.6	8.8
ACCIDENTS (800-949)	23	5	18	38.7	67.1	13	6	7	83.9	86.4	86.4	81.8
MOTOR VEHICLE ACCIDENTS# (810-825)	10	4	6	31.0	29.2	8	4	4	51.6	57.6	57.6	46.8
SUICIDE (950-959)	3	2	1	15.5	8.8	2	2	0	12.9	28.8	28.8	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	9	2	7	15.5	26.2	1	0	1	6.4	-	-	11.7
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	0	1	-	2.9	6	3	3	38.7	43.2	43.2	35.1

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF TISHOMINGO AND TUNICA COUNTIES, MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	TISHOMINGO COUNTY						TUNICA COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	40	36	4	199.2	186.9	485.4	12	6	6	137.4	248.6	94.9
DIABETES MELLITUS (250)	2	2	0	10.0	10.4	-	1	0	1	11.4	-	15.8
DISEASES OF HEART (390-398, 402, 404, 410-429)	68	66	2	338.6	342.7	242.7	50	13	37	572.4	538.5	585.2
HYPERTENSION (401, 403)	1	1	0	5.0	5.2	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	16	15	1	79.7	77.9	121.4	7	2	5	80.1	82.8	79.1
ATHEROSCLEROSIS (440)	2	2	0	10.0	10.4	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	13	12	1	64.7	62.3	121.4	2	0	2	22.9	-	31.6
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	7	7	0	34.9	36.3	-	1	1	0	11.4	41.4	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	1	0	1	11.4	-	15.8
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	2	1	14.9	10.4	121.4	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	5.0	5.2	-	0	0	0	-	-	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	1	1	0	4.8	5.1	-	2	0	2	10.9	-	12.6
ACCIDENTS (800-949)	12	10	2	59.8	51.9	242.7	9	1	8	103.0	41.4	126.5
MOTOR VEHICLE ACCIDENTS# (810-825)	9	7	2	44.8	36.3	242.7	6	0	6	68.7	-	94.9
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	3	0	14.9	15.6	-	1	0	1	11.4	-	15.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	3	3	0	14.9	15.6	-	2	1	1	22.9	41.4	15.8
	3	1	2	14.9	5.2	242.7	1	0	1	11.4	-	15.8

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF UNION AND WALTHALL COUNTIES, MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	UNION COUNTY						WALTHALL COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	53	46	7	224.0	223.2	228.5	25	18	7	169.5	208.8	114.1
DIABETES MELLITUS (250)	2	1	1	8.4	4.8	32.6	3	1	2	20.3	11.6	32.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	105	92	13	443.7	446.4	424.4	55	32	23	372.9	371.3	375.0
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	31	25	6	131.0	121.3	195.9	8	5	3	54.2	58.0	48.9
ATHEROSCLEROSIS (440)	1	0	1	4.2	-	32.6	1	1	0	6.8	11.6	-
PNEUMONIA AND INFLUENZA (480-487)	6	6	0	25.4	29.1	-	1	1	0	6.8	11.6	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	10	10	0	42.3	48.5	-	2	2	0	13.6	23.2	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	0	0	0	-	-	-	2	2	0	13.6	23.2	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	6	4	2	25.4	19.4	65.3	1	0	1	6.8	-	16.3
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	2	2	0	13.6	23.2	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	4.2	4.8	-	1	1	0	6.8	-	16.3
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	2	1	9.1	7.6	15.2	1	0	1	4.6	-	7.8
ACCIDENTS (800-949)	13	12	1	54.9	58.2	32.6	6	2	4	40.7	23.2	65.2
MOTOR VEHICLE ACCIDENTS# (810-825)	7	6	1	29.6	29.1	32.6	3	2	1	20.3	23.2	16.3
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	4	0	16.9	19.4	-	2	2	0	13.6	23.2	-
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	4.2	4.8	-	1	0	1	6.8	-	16.3
	2	1	1	8.4	4.8	32.6	0	0	0	-	-	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF WARREN AND WASHINGTON COUNTIES, MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	WARREN COUNTY				WASHINGTON COUNTY			
	NUMBER		RATE**		NUMBER		RATE**	
	TOTAL	NON-WHITE	WHITE	TOTAL	NON-WHITE	WHITE	TOTAL	NON-WHITE
TUBERCULOSIS (010-018)	0	0	-	-	0	0	-	-
MALIGNANT NEOPLASMS (140-208)	112	48	201.1	190.6	83	49	159.3	198.0
DIABETES MELLITUS (250)	8	6	14.4	6.0	8	3	9.8	19.1
DISEASES OF HEART (390-398, 402, 404, 410-429)	189	84	339.4	312.6	194	123	399.9	462.8
HYPERTENSION (401, 403)	3	3	5.4	-	2	0	-	4.8
CEREBROVASCULAR DISEASES (430-438)	54	32	97.0	65.5	30	19	61.8	71.6
ATHEROSCLEROSIS (440)	4	2	7.2	6.0	2	2	6.5	4.8
PNEUMONIA AND INFLUENZA (480-487)	9	2	16.2	20.8	8	7	22.8	19.1
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	9	5	16.2	11.9	8	15	48.8	19.1
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	4	1	7.2	8.9	2	2	6.5	4.8
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	1	3.6	3.0	1	1	3.2	21.5
INFECTIONS OF KIDNEY (590)	1	0	1.8	3.0	0	0	-	-
MATERNAL CAUSES (630-676)	0	0	-	-	0	0	-	-
CONGENITAL ANOMALIES (740-759)	2	1	3.6	3.0	4	2	6.5	9.5
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	5	2	6.8	8.1	5	3	7.2	5.6
ACCIDENTS (800-949)	31	15	55.7	47.6	26	14	45.5	62.0
MOTOR VEHICLE ACCIDENTS# (810-825)	15	5	26.9	29.8	5	8	17.9	11.9
SUICIDE (950-959)	4	1	7.2	8.9	1	4	6.9	2.4
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	4	7.2	-	3	3	9.8	35.8
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	2	2	3.6	-	3	2	6.5	7.2

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF WAYNE AND WEBSTER COUNTIES, MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	WAYNE COUNTY						WEBSTER COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	24	17	7	116.4	128.6	94.5	35	29	6	340.2	341.9	331.3
DIABETES MELLITUS (250)	4	1	3	19.4	7.6	40.5	2	2	0	19.4	23.6	-
DISEASES OF HEART (390-398, 402, 404, 410-429)	78	58	20	378.3	438.9	269.9	42	39	3	408.2	459.7	165.6
HYPERTENSION (401, 403)	0	0	0	-	-	-	0	0	0	-	-	-
CEREBROVASCULAR DISEASES (430-438)	12	8	4	58.2	60.5	54.0	12	11	1	116.6	129.7	55.2
ATHEROSCLEROSIS (440)	3	3	0	14.5	22.7	-	0	0	0	-	-	-
PNEUMONIA AND INFLUENZA (480-487)	4	3	1	19.4	22.7	13.5	5	4	1	48.6	47.2	55.2
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	2	2	0	9.7	15.1	-	6	6	0	58.3	70.7	-
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	4.8	7.6	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	3	1	2	14.5	7.6	27.0	1	1	0	9.7	11.8	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	4	2	2	19.4	15.1	27.0	2	2	0	19.4	23.6	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	0	0	0	-	-	-	2	2	0	14.9	22.0	-
ACCIDENTS (800-949)	17	13	4	82.4	98.4	54.0	4	4	0	38.9	47.2	-
MOTOR VEHICLE ACCIDENTS# (810-825)	8	7	1	38.8	53.0	13.5	2	2	0	19.4	23.6	-
SUICIDE (950-959)	1	1	0	4.8	7.6	-	0	0	0	-	-	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	3	0	3	14.5	-	40.5	2	1	1	19.4	11.8	55.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS# (780-799)	1	1	0	4.8	7.6	-	4	4	0	38.9	47.2	-

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF WILKINSON AND WINSTON COUNTIES, MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	WILKINSON COUNTY						WINSTON COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	0	0	0	-	-	-
MALIGNANT NEOPLASMS (140-208)	30	10	20	317.8	332.9	310.5	55	29	26	272.4	241.8	316.9
DIABETES MELLITUS (250)	5	0	5	53.0	-	77.6	6	3	3	29.7	25.0	36.6
DISEASES OF HEART (390-398, 402, 404, 410-429)	48	10	38	508.5	332.9	590.0	75	48	27	371.4	400.2	329.1
HYPERTENSION (401, 403)	1	0	1	10.6	-	15.5	2	1	1	9.9	8.3	12.2
CEREBROVASCULAR DISEASES (430-438)	12	8	4	127.1	266.3	62.1	18	13	5	89.1	108.4	60.9
ATHEROSCLEROSIS (440)	3	1	2	31.8	33.3	31.0	1	1	0	5.0	8.3	-
PNEUMONIA AND INFLUENZA (480-487)	3	1	2	31.8	33.3	31.0	5	5	0	24.8	41.7	-
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	8	3	5	84.7	99.9	77.6	10	9	1	49.5	75.0	12.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	1	1	0	10.6	33.3	-	2	1	1	9.9	8.3	12.2
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	2	0	2	21.2	-	31.0	3	0	3	14.8	-	36.6
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	0	1	10.6	-	15.5	1	1	0	5.0	8.3	-
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	3	0	3	19.0	-	25.2	4	1	3	13.1	8.3	16.2
ACCIDENTS (800-949)	5	3	2	53.0	99.9	31.0	12	7	5	59.4	58.4	60.9
MOTOR VEHICLE ACCIDENTS* (810-825)	3	2	1	31.8	66.6	15.5	9	5	4	44.6	41.7	48.8
SUICIDE (950-959)	0	0	0	-	-	-	2	2	0	9.9	16.7	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	4	0	4	42.4	-	62.1	2	1	1	9.9	8.3	12.2
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS* (780-799)	2	1	1	21.2	33.3	15.5	2	0	2	9.9	-	24.4

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF YALOBUSHA AND YAZOO COUNTIES, MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	YALOBUSHA COUNTY						YAZOO COUNTY					
	NUMBER			RATE**			NUMBER			RATE**		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TUBERCULOSIS (010-018)	0	0	0	-	-	-	1	1	0	3.6	7.4	-
MALIGNANT NEOPLASMS (140-208)	31	28	3	226.1	340.6	54.6	47	11	36	171.3	82.0	256.8
DIABETES MELLITUS (250)	3	1	2	21.9	12.2	36.4	3	1	2	10.9	7.4	14.3
DISEASES OF HEART (390-398, 402, 404, 410-429)	59	43	16	430.2	523.1	291.4	115	57	58	419.2	424.9	413.7
HYPERTENSION (401, 403)	2	1	1	14.6	12.2	18.2	1	0	1	3.6	-	7.1
CEREBROVASCULAR DISEASES (430-438)	13	10	3	94.8	121.6	54.6	22	9	13	80.2	67.1	92.7
ATHEROSCLEROSIS (440)	2	1	1	14.6	12.2	18.2	9	6	3	32.8	44.7	21.4
PNEUMONIA AND INFLUENZA (480-487)	3	1	2	21.9	12.2	36.4	14	7	7	51.0	52.2	49.9
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	2	1	1	14.6	12.2	18.2	12	10	2	43.7	74.5	14.3
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	3	3	0	21.9	36.5	-	0	0	0	-	-	-
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	1	1	0	7.3	12.2	-	0	0	0	-	-	-
INFECTIONS OF KIDNEY (590)	0	0	0	-	-	-	0	0	0	-	-	-
MATERNAL CAUSES (630-676)	0	0	0	-	-	-	0	0	0	-	-	-
CONGENITAL ANOMALIES (740-759)	1	1	0	7.3	12.2	-	5	1	4	18.2	7.4	28.5
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	2	0	2	11.8	-	22.5	1	0	1	2.2	-	3.2
ACCIDENTS (800-949)	10	5	5	72.9	60.8	91.0	15	6	9	54.7	44.7	64.2
MOTOR VEHICLE ACCIDENTS* (810-825)	1	0	1	7.3	-	18.2	6	4	2	21.9	29.8	14.3
SUICIDE (950-959)	2	2	0	14.6	24.3	-	1	1	0	3.6	7.4	-
HOMICIDE AND LEGAL INTERVENTION (960-978)	2	0	2	14.6	-	36.4	3	1	2	10.9	7.4	14.3
SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS* (780-799)	1	0	1	7.3	-	18.2	2	0	2	7.3	-	14.3

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TABLE 17
DEATHS AND RATES FROM SELECTED CAUSES USED FOR RANKING LEADING CAUSES, BY RACE,
RESIDENTS OF STATE OF MISSISSIPPI, 1987

CAUSE AND INTERNATIONAL CLASSIFICATION NUMBER*	STATE OF MISSISSIPPI					
	NUMBER			RATE**		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TUBERCULOSIS (010-018)	22	9	13	0.8	0.5	1.3
MALIGNANT NEOPLASMS (140-208)	5,038	3,377	1,661	185.4	194.0	169.9
DIABETES MELLITUS (250)	448	228	220	16.5	13.1	22.5
DISEASES OF HEART (390-398, 402, 404, 410-429)	9,107	5,996	3,111	335.0	344.5	318.2
HYPERTENSION (401, 403)	133	55	78	4.9	3.2	8.0
CEREBROVASCULAR DISEASES (430- 438)	1,862	1,141	721	68.5	65.5	73.7
ATHEROSCLEROSIS (440)	205	158	47	7.5	9.1	4.8
PNEUMONIA AND INFLUENZA (480- 487)	722	504	218	26.6	29.0	22.3
EMPHYSEMA AND OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES (490-496)	728	589	139	26.8	33.8	14.2
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)	202	160	42	7.4	9.2	4.3
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)	308	161	147	11.3	9.2	15.0
INFECTIONS OF KIDNEY (590)	40	26	14	1.5	1.5	1.4
MATERNAL CAUSES (630-676)	4	2	2	9.7	9.3	10.2
CONGENITAL ANOMALIES (740-759)	154	82	72	5.7	4.7	7.4
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)	271	86	185	6.6	4.0	9.4
ACCIDENTS (800-949)	1,509	921	588	55.5	52.9	60.1
MOTOR VEHICLE ACCIDENTS# (810-825)	804	543	261	29.6	31.2	26.7
SUICIDE (950-959)	282	244	38	10.4	14.0	3.9
HOMICIDE AND LEGAL INTER- VENTION (960-978)	315	89	226	11.6	5.1	23.1
SYMPTOMS, SIGNS, AND ILL- DEFINED CONDITIONS# (780-799)	462	241	221	17.0	13.8	22.6

* CAUSES AND NUMBERS ARE FROM THE NINTH REVISION INTERNATIONAL STATISTICAL CLASSIFICATION OF DISEASES, INJURIES, AND CAUSES OF DEATH.

** DEATHS PER 100,000 POPULATION, EXCEPT MATERNAL DEATHS ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS.

NOT TO BE USED FOR RANKING.

TIME SERIES TABLES

TABLE 18
 LIVE BIRTHS AND RATES, BY YEAR AND RACE,
 MISSISSIPPI, 1913-1987,
 (OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1987)

Year	Number			Rate*		
	Total	White	Non- white	Total	White	Non- white
1913	41,103	21,874	19,229	21.9	26.6	18.2
1914	40,623	21,360	19,263	21.4	25.7	18.0
1915	39,484	20,999	18,485	20.5	23.8	17.1
1916	39,033	20,130	18,903	20.0	23.6	17.2
1917	37,141	19,056	18,085	18.8	22.0	16.3
1918	39,391	20,005	19,386	19.7	22.8	17.2
1919	42,491	22,028	20,463	21.0	24.9	18.0
1920	43,743	22,438	21,305	24.4	26.3	22.7
1921	46,482	23,703	22,779	25.6	27.3	24.1
1922	43,723	21,286	22,437	23.8	24.1	23.6
1923	43,266	21,140	22,126	23.3	23.6	23.1
1924	43,960	22,180	21,780	23.4	24.3	22.5
1925	45,563	22,265	23,298	24.0	24.1	23.9
1926	50,449	24,600	25,849	26.2	26.2	26.3
1927	49,204	24,163	25,041	25.3	25.3	25.3
1928	48,126	23,642	24,484	24.5	24.4	24.5
1929	45,570	22,105	23,465	22.9	22.5	23.3
1930	47,982	23,192	24,790	23.8	23.2	24.0
1931	45,123	21,637	23,486	22.2	21.4	22.9
1932	46,481	21,883	24,598	22.6	21.4	23.9
1933	44,184	20,407	23,777	21.3	19.7	22.9
1934	47,905	22,342	25,563	23.0	21.4	24.6
1935	48,291	21,972	26,319	23.0	20.8	25.1
1936	49,261	22,194	27,067	23.3	20.8	25.7
1937	52,170	23,285	28,885	24.4	21.6	27.3
1938	53,729	24,046	29,683	25.0	22.1	27.8
1939	52,288	23,505	28,783	24.1	21.4	26.8
1940	52,526	23,084	29,442	24.0	20.9	27.3
1941	54,561	24,167	30,394	24.7	21.6	28.0
1942	56,521	25,306	31,215	25.4	22.4	28.6
1943	59,408	27,611	31,797	28.9	26.4	31.6
1944	56,586	25,647	30,939	28.3	25.2	31.6
1945	53,540	23,426	30,114	26.9	23.1	30.9
1946	61,430	29,715	31,715	26.8	25.4	28.2
1947	66,291	32,423	33,868	28.6	27.5	29.9
1948	65,291	29,666	35,625	28.0	24.9	31.2
1949	66,128	28,786	37,342	28.1	24.0	32.5

TABLE 18 - PAGE 2
LIVE BIRTHS - MISSISSIPPI - 1913-1987

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1950	64,427	27,188	37,239	29.6	22.9	37.6
1951	65,512	27,798	37,714	30.1	23.4	38.1
1952	64,509	28,073	36,436	29.6	23.6	36.8
1953	64,061	28,312	35,749	29.4	23.8	36.1
1954	64,748	28,781	35,967	29.7	24.2	36.3
1955	63,244	27,546	35,698	29.0	23.2	36.0
1956	62,178	27,278	34,900	29.5	23.8	36.2
1957	60,712	26,804	33,908	28.8	23.4	35.2
1958	59,189	26,812	32,377	27.1	20.9	35.9
1959	60,562	27,979	32,583	27.2	20.9	36.6
1960	59,210	27,198	32,012	27.2	21.6	34.8
1961	59,523	27,435	32,088	27.3	21.8	34.8
1962	58,921	27,512	31,409	26.1	20.8	33.5
1963	57,316	26,823	30,493	25.0	19.9	32.4
1964	56,650	25,942	30,708	24.5	18.9	32.5
1965	51,171	23,369	27,802	22.0	17.4	28.2
1966	48,230	22,736	25,494	20.4	16.5	25.9
1967	46,594	22,675	23,919	19.7	15.9	25.6
1968	45,719	22,807	22,912	19.4	15.7	25.4
1969	47,120	24,025	23,095	21.2	17.2	28.0
1970	48,141	24,893	23,248	21.7	17.9	28.2
1971	48,601	25,199	23,402	21.9	18.1	28.4
1972	45,907	23,745	22,162	20.3	NOT AVAILABLE	
1973	44,638	23,119	21,519	19.3	NOT AVAILABLE	
1974	44,032	23,023	21,009	18.9	NOT AVAILABLE	
1975	43,336	22,559	20,777	18.5	NOT AVAILABLE	
1976	42,983	22,605	20,378	18.2	NOT AVAILABLE	
1977	45,532	23,369	22,163	19.1	NOT AVAILABLE	
1978	44,373	22,632	21,741	18.5	NOT AVAILABLE	
1979	45,919	23,487	22,432	19.1	NOT AVAILABLE	
1980	47,821	24,687	23,134	19.0	15.3	25.5
1981	46,228	23,777	22,451	18.3	14.7	24.8
1982	45,926	24,028	21,898	18.0	NOT AVAILABLE	
1983	43,992	22,659	21,333	17.0	NOT AVAILABLE	
1984	43,742	22,672	21,070	16.9	NOT AVAILABLE	
1985	43,432	22,943	20,489	16.3	13.5	21.5
1986	41,868	22,060	19,808	15.8	13.0	20.8
1987	41,279	21,576	19,703	15.2	12.4	20.2

* Births per 1,000 population.

TABLE 19
DEATHS AND RATES, BY YEAR AND RACE,
MISSISSIPPI, 1913-1987,
(OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1987)

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1913	21,305	7,643	13,662	11.4	9.3	13.0
1914	21,485	7,442	14,043	11.3	8.9	13.1
1915	24,001	8,088	15,913	12.5	9.6	14.7
1916	21,794	7,588	14,206	11.2	8.9	13.0
1917	23,579	8,048	15,531	11.9	9.3	14.0
1918	30,437	10,177	20,260	15.2	11.6	18.0
1919	22,667	8,142	14,525	12.7	9.5	15.5
1920	22,072	7,916	14,156	12.3	9.3	15.1
1921	19,991	7,308	12,683	11.0	8.4	13.4
1922	19,278	7,312	11,966	10.5	8.3	12.6
1923	20,363	7,688	12,675	11.0	8.6	13.2
1924	21,155	7,809	13,346	11.3	8.6	13.8
1925	22,229	8,143	14,086	11.7	8.8	14.4
1926	23,929	9,133	14,796	12.5	9.7	15.1
1927	23,257	8,765	14,492	12.0	9.2	14.6
1928	25,965	10,111	15,854	13.2	10.4	15.9
1929	25,868	10,048	15,820	13.0	10.2	15.7
1930	24,098	9,072	15,026	11.9	9.0	14.8
1931	22,007	8,641	13,366	10.8	8.5	13.0
1932	20,322	8,295	12,027	9.9	8.1	11.6
1933	21,617	8,898	12,719	10.4	8.6	12.2
1934	21,786	9,350	12,436	10.5	9.0	12.0
1935	21,285	9,186	12,099	10.1	8.7	11.6
1936	24,127	10,367	13,760	11.4	9.7	13.1
1937	24,005	10,055	13,950	11.2	9.3	13.2
1938	22,814	9,471	13,343	10.6	8.7	12.5
1939	22,701	9,464	13,237	10.5	8.6	12.3
1940	23,185	9,565	13,620	10.6	8.6	12.6
1941	22,573	9,442	13,131	10.2	8.4	12.1
1942	20,693	8,750	11,943	9.3	7.7	10.9
1943	20,850	9,139	11,711	10.2	8.7	11.6
1944	20,199	8,830	11,369	10.1	8.7	11.6
1945	19,024	8,452	10,572	9.6	8.3	10.8
1946	19,321	8,995	10,326	8.4	7.7	9.2
1947	20,007	9,238	10,769	8.6	7.8	9.5
1948	20,183	9,216	10,967	8.6	7.7	9.6
1949	20,489	9,233	11,256	8.7	7.7	9.8

TABLE 19 - PAGE 2
DEATHS - MISSISSIPPI - 1913-1987

Year	Number			Rate*		
	Total	White	Non-white	Total	White	Non-white
1950	20,567	9,466	11,101	9.4	8.0	11.2
1951	21,007	9,593	11,414	9.6	8.1	11.5
1952	20,657	9,387	11,270	9.5	7.9	11.4
1953	20,492	9,495	10,997	9.4	8.0	11.1
1954	19,353	9,453	9,900	8.9	8.0	10.0
1955	19,403	9,501	9,902	8.9	8.0	10.0
1956	19,780	9,969	9,811	9.4	8.7	10.2
1957	20,476	10,339	10,137	9.7	9.0	10.5
1958	21,541	10,811	10,730	9.9	8.4	11.9
1959	20,890	10,742	10,148	9.4	8.0	11.4
1960	21,713	11,204	10,509	10.0	8.9	11.4
1961	21,232	11,063	10,169	9.7	8.8	11.0
1962	22,713	11,868	10,845	10.0	9.0	11.6
1963	23,339	12,118	11,221	10.2	9.0	11.9
1964	22,559	12,039	10,520	9.7	8.8	11.1
1965	22,652	12,376	10,276	9.7	9.2	10.4
1966	23,350	12,976	10,374	9.9	9.4	10.5
1967	22,609	12,816	9,793	9.6	9.0	10.5
1968	23,986	13,468	10,518	10.2	9.3	11.7
1969	23,865	13,873	9,992	10.8	10.0	12.1
1970	23,305	13,623	9,682	10.5	9.8	11.8
1971	23,426	13,980	9,446	10.6	10.0	11.5
1972	23,663	14,077	9,586	10.5	NOT AVAILABLE	
1973	24,007	14,461	9,546	10.4	NOT AVAILABLE	
1974	23,153	14,268	8,885	9.9	NOT AVAILABLE	
1975	22,768	13,790	8,978	9.7	NOT AVAILABLE	
1976	23,124	14,307	8,817	9.8	NOT AVAILABLE	
1977	23,022	14,318	8,704	9.6	NOT AVAILABLE	
1978	23,363	14,631	8,732	9.7	NOT AVAILABLE	
1979	22,932	14,348	8,584	9.5	NOT AVAILABLE	
1980	23,576	14,531	9,045	9.4	9.0	10.0
1981	23,405	14,876	8,529	9.3	9.2	9.4
1982	23,173	14,863	8,310	9.1	NOT AVAILABLE	
1983	23,831	15,250	8,581	9.2	NOT AVAILABLE	
1984	23,781	15,225	8,556	9.2	NOT AVAILABLE	
1985	24,568	15,803	8,765	9.2	9.3	9.2
1986	24,341	15,694	8,647	9.2	9.2	9.1
1987	24,525	15,835	8,690	9.0	9.1	8.9

* Deaths per 1,000 population.

TABLE 20
 MATERNAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
 MISSISSIPPI, 1913-1987,
 (OCCURRENCE DATA 1913-1943, RESIDENCE DATA 1944-1987)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1913	447	162	285	1087.5	740.6	1482.1
1914	413	124	289	1016.7	580.5	1500.3
1915	289	88	201	731.9	419.1	1087.4
1916	326	102	224	835.2	506.7	1185.0
1917	297	105	192	799.6	551.0	1061.6
1918	302	82	220	766.7	409.9	1134.8
1919	407	173	234	957.8	785.4	1143.5
1920	393	127	266	898.4	566.0	1248.5
1921	391	145	246	841.2	611.7	1079.9
1922	313	110	203	715.9	516.8	904.8
1923	321	108	213	741.9	510.9	962.7
1924	413	137	276	939.5	617.7	1267.2
1925	435	143	292	954.7	642.3	1253.3
1926	388	153	235	769.1	622.0	909.1
1927	409	134	275	831.2	554.6	1098.2
1928	421	161	260	874.8	681.0	1061.9
1929	410	152	258	899.7	687.6	1099.5
1930	489	171	318	1019.1	737.3	1282.8
1931	352	131	221	780.1	605.4	941.0
1932	279	103	176	600.2	470.7	715.5
1933	315	116	199	712.9	568.4	836.9
1934	306	116	190	638.8	519.2	743.3
1935	334	137	197	691.6	623.5	748.5
1936	358	134	224	726.7	603.8	827.6
1937	370	150	220	709.2	644.2	761.6
1938	333	116	217	619.8	482.4	731.0
1939	311	97	214	594.8	412.7	743.5
1940	327	106	221	622.5	459.2	750.6
1941	293	93	200	537.0	384.8	658.0
1942	248	77	171	438.8	304.3	547.8
1943	233	66	167	392.2	239.0	525.2
1944	225	72	153	397.6	280.7	494.5
1945	216	64	152	403.4	273.2	504.7
1946	199	67	132	323.9	225.5	416.2
1947	175	50	125	264.0	154.2	369.1
1948	177	38	139	271.1	128.1	390.2
1949	147	32	115	222.3	111.2	308.0

TABLE 20 - PAGE 2
 MATERNAL DEATHS - MISSISSIPPI - 1913-1987

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1950	165	30	135	256.1	110.3	362.5
1951	143	28	115	218.3	100.7	304.9
1952	119	15	104	184.5	53.4	285.4
1953	119	24	95	185.8	84.8	265.7
1954	104	11	93	160.6	38.2	258.6
1955	76	12	64	120.2	43.6	179.3
1956	74	12	62	119.0	44.0	177.6
1957	75	14	61	123.5	52.2	179.9
1958	53	10	43	89.5	37.3	132.8
1959	55	9	46	90.8	32.2	141.2
1960	59	8	51	99.6	29.4	159.3
1961	49	9	40	82.3	32.8	124.6
1962	55	7	48	93.3	25.4	152.8
1963	44	9	35	76.8	33.6	114.8
1964	57	9	48	100.6	34.7	156.3
1965	40	3	37	78.2	12.8	133.1
1966	27	6	21	56.0	26.4	82.4
1967	36	10	26	77.3	44.1	108.7
1968	21	3	18	45.9	13.2	78.6
1969	23	3	20	48.8	12.5	86.6
1970	34	5	29	70.6	20.1	124.7
1971	21	5	16	43.2	19.8	68.4
1972	24	5	19	52.3	21.0	85.7
1973	12	4	8	26.9	17.3	37.2
1974	12	4	8	27.2	17.4	38.1
1975	6	0	6	13.8	-	28.9
1976	8	4	4	18.6	17.7	19.6
1977	10	2	8	22.0	8.6	36.1
1978	6	1	5	13.5	4.4	23.0
1979	10	3	7	21.8	12.8	31.2
1980	2	1	1	4.2	4.0	4.3
1981	7	5	2	15.1	21.0	8.9
1982	1	1	0	2.2	4.2	-
1983	1	0	1	2.3	-	4.7
1984	3	1	2	6.8	4.4	9.5
1985	3	2	1	6.9	8.7	4.9
1986	3	0	3	7.2	-	15.1
1987	4	2	2	9.7	9.3	10.2

* Deaths resulting from deliveries and complications of pregnancy, childbirth, and the puerperium.

** Deaths per 100,000 live births.

TABLE 21
 INFANT DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
 MISSISSIPPI, 1917-1987,
 (OCCURRENCE DATA 1917-1944, RESIDENCE DATA 1945-1987)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1917	3,689	1,296	2,393	99.3	68.0	132.3
1918	#	#	#	#	#	#
1919	3,554	#	#	83.6	#	#
1920	3,499	1,344	2,155	80.0	59.9	101.1
1921	3,157	1,243	1,914	67.9	52.4	84.0
1922	2,826	1,067	1,759	64.6	50.1	78.4
1923	2,908	1,104	1,804	67.2	52.2	81.5
1924	3,137	1,188	1,949	71.4	53.6	89.5
1925	3,176	1,179	1,997	69.7	53.0	85.7
1926	3,578	1,447	2,131	70.9	58.8	82.4
1927	3,291	1,303	1,988	66.9	54.0	79.4
1928	3,567	1,416	2,151	74.1	59.9	87.9
1929	3,275	1,268	2,007	71.9	57.4	85.5
1930	3,276	1,182	2,094	68.3	51.0	84.5
1931	2,547	961	1,586	56.4	44.4	67.5
1932	2,482	965	1,517	53.4	44.1	61.7
1933	2,800	1,035	1,765	63.4	50.7	74.2
1934	3,070	1,199	1,871	64.1	53.7	73.2
1935	2,587	1,044	1,543	53.6	47.5	58.6
1936	2,883	1,105	1,778	58.5	49.8	65.7
1937	3,098	1,174	1,924	59.4	50.4	66.6
1938	3,051	1,205	1,846	56.8	50.1	62.2
1939	2,908	1,135	1,773	55.6	48.3	61.6
1940	2,864	1,070	1,794	54.5	46.4	60.9
1941	2,969	1,113	1,856	54.4	46.1	61.1
1942	2,654	957	1,697	47.0	37.8	54.4
1943	2,774	1,137	1,637	46.7	41.2	51.5
1944	2,481	965	1,516	43.6	37.1	49.0
1945	2,192	846	1,346	40.9	36.1	44.7
1946	2,298	1,005	1,293	37.4	33.8	40.8
1947	2,428	1,009	1,419	36.6	31.1	41.9
1948	2,470	988	1,482	37.8	33.3	41.6
1949	2,612	900	1,712	39.5	31.3	45.8

TABLE 21 - PAGE 2
 INFANT DEATHS - MISSISSIPPI - 1917-1987

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1950	2,348	763	1,585	36.4	28.1	42.6
1951	2,589	814	1,775	39.5	29.3	47.1
1952	2,592	760	1,832	40.2	27.1	50.3
1953	2,534	807	1,727	39.6	28.5	48.3
1954	2,360	744	1,616	36.4	25.8	44.9
1955	2,338	680	1,658	37.0	24.7	46.4
1956	2,353	734	1,619	37.8	26.9	46.4
1957	2,257	694	1,563	37.2	25.9	46.1
1958	2,424	706	1,718	41.0	26.3	53.1
1959	2,355	677	1,678	38.9	24.2	51.5
1960	2,457	714	1,743	41.5	26.2	54.4
1961	2,250	645	1,605	37.8	23.5	50.0
1962	2,353	705	1,648	39.9	25.6	52.5
1963	2,372	610	1,762	41.4	22.7	57.8
1964	2,230	599	1,631	39.4	23.1	53.1
1965	2,126	593	1,533	41.5	25.4	55.1
1966	1,856	520	1,336	38.5	22.9	52.4
1967	1,645	512	1,133	35.3	22.6	47.4
1968	1,613	517	1,096	35.3	22.7	47.8
1969	1,513	530	983	32.1	22.1	42.6
1970	1,403	480	923	29.1	19.3	39.7
1971	1,311	460	851	27.0	18.2	36.4
1972	1,187	459	728	25.8	19.3	32.8
1973	1,154	392	762	25.8	17.0	35.4
1974	1,024	356	668	23.2	15.5	31.8
1975	975	356	619	22.5	15.8	29.8
1976	927	331	596	21.6	14.6	29.2
1977	834	285	549	18.3	12.2	24.8
1978	846	266	580	19.1	11.8	26.7
1979	809	280	529	17.6	11.9	23.6
1980	812	272	540	17.0	11.0	23.3
1981	711	248	463	15.4	10.4	20.6
1982	706	249	457	15.4	10.4	20.9
1983	664	240	424	15.1	10.6	19.9
1984	629	224	405	14.4	9.9	19.2
1985	596	213	383	13.7	9.3	18.7
1986	517	197	320	12.3	8.9	16.2
1987	565	212	353	13.7	9.8	17.9

* Deaths of children under 1 year of age.

** Deaths per 1,000 live births.

Not available.

TABLE 22
 NEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
 MISSISSIPPI, 1924-1987,
 (OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1987)

Year	Number			Rate**		
	Total	White	Non- white	Total	White	Non- white
1924	1,598	730	868	36.4	32.9	39.8
1925	1,639	701	938	36.0	31.5	40.3
1926	1,731	823	908	34.3	33.4	35.1
1927	1,644	786	858	33.4	32.5	34.3
1928	1,788	804	984	37.2	34.0	40.2
1929	1,662	773	889	36.5	35.0	37.9
1930	1,692	715	977	35.3	30.8	39.4
1931	1,339	590	749	29.7	27.3	31.9
1932	1,361	572	789	29.3	26.1	32.1
1933	1,540	636	904	34.8	31.2	38.0
1934	1,505	644	861	31.4	28.8	33.7
1935	1,446	642	804	29.9	29.2	30.5
1936	1,494	676	818	30.3	30.4	30.2
1937	1,678	755	923	32.2	32.4	32.0
1938	1,688	747	941	31.4	31.1	31.7
1939	1,637	735	902	31.3	31.3	31.3
1940	1,613	680	933	30.7	29.4	31.7
1941	1,663	734	929	30.5	30.4	30.6
1942	1,544	638	906	27.3	25.2	29.0
1943	1,652	791	861	27.8	28.6	27.1
1944	1,436	661	775	25.2	25.4	25.1
1945	1,351	624	727	25.2	26.6	24.1
1946	1,561	794	767	25.4	26.7	24.2
1947	1,595	750	845	24.1	23.1	24.9
1948	1,674	773	901	25.6	26.0	25.3
1949	1,594	661	933	24.1	23.0	25.0
1950	1,446	560	886	22.4	20.6	23.8
1951	1,679	626	1,053	25.6	22.5	27.9
1952	1,658	581	1,077	25.7	20.7	29.6
1953	1,630	635	995	25.4	22.4	27.8
1954	1,521	601	920	23.5	20.9	25.6
1955	1,440	527	913	22.8	19.1	25.6
1956	1,451	581	870	23.3	21.3	24.9
1957	1,425	540	885	23.5	20.1	26.1
1958	1,475	540	935	24.9	20.1	28.9
1959	1,450	515	935	23.9	18.4	28.7

TABLE 22 - PAGE 2
NEONATAL DEATHS - MISSISSIPPI - 1924-1987

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1960	1,497	550	947	25.3	20.2	29.6
1961	1,401	509	892	23.5	18.6	27.8
1962	1,456	550	906	24.7	20.0	28.8
1963	1,449	470	979	25.3	17.5	32.1
1964	1,372	460	912	24.2	17.7	29.7
1965	1,283	470	813	25.1	20.1	29.2
1966	1,123	386	737	23.3	17.0	28.9
1967	1,053	388	665	22.6	17.1	27.8
1968	1,116	424	692	24.4	18.6	30.2
1969	1,066	441	625	22.6	18.4	27.1
1970	976	391	585	20.3	15.7	25.2
1971	940	382	558	19.3	15.2	23.8
1972	837	362	475	18.2	15.2	21.4
1973	793	301	492	17.8	13.0	22.9
1974	710	276	434	16.1	12.0	20.6
1975	677	257	420	15.6	11.4	20.2
1976	626	243	383	14.6	10.7	18.8
1977	588	222	366	12.9	9.5	16.5
1978	559	191	368	12.6	8.4	16.9
1979	514	191	323	11.2	8.1	14.4
1980	523	189	334	10.9	7.6	14.4
1981	486	166	320	10.5	7.0	14.2
1982	467	166	301	10.2	6.9	13.7
1983	410	160	250	9.3	7.1	11.7
1984	395	158	237	9.0	7.0	11.2
1985	368	127	241	8.5	5.5	11.8
1986	323	133	190	7.7	6.0	9.6
1987	363	128	235	8.8	5.9	11.9

* Deaths of infants under 28 days of age, but figures for 1924-1948 include deaths of infants under one month of age.

** Deaths per 1,000 live births.

TABLE 23
 POSTNEONATAL DEATHS* AND MORTALITY RATES, BY YEAR AND RACE,
 MISSISSIPPI, 1924-1987,
 (OCCURRENCE DATA 1924-1944, RESIDENCE DATA 1945-1987)

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1924	1,539	458	1,081	35.0	20.6	49.6
1925	1,537	478	1,059	33.7	21.5	45.4
1926	1,847	624	1,223	36.6	25.4	47.3
1927	1,647	517	1,130	33.5	21.4	45.1
1928	1,779	612	1,167	37.0	25.9	47.7
1929	1,613	495	1,118	35.4	22.4	47.6
1930	1,584	467	1,117	33.0	20.1	45.0
1931	1,208	371	837	26.8	17.1	35.6
1932	1,121	393	728	24.1	18.0	29.6
1933	1,260	399	861	28.5	19.6	36.2
1934	1,565	555	1,010	32.7	24.8	39.5
1935	1,141	402	739	23.6	18.3	28.1
1936	1,389	429	960	28.2	19.3	35.5
1937	1,420	419	1,001	27.2	18.0	34.6
1938	1,363	458	905	25.4	19.0	30.5
1939	1,271	400	871	24.3	17.0	30.3
1940	1,251	390	861	23.8	16.9	29.2
1941	1,306	379	927	23.9	15.7	30.5
1942	1,110	319	791	19.6	12.6	25.3
1943	1,122	346	776	18.9	12.5	24.4
1944	1,045	304	741	18.4	11.7	24.0
1945	841	222	619	15.7	9.5	20.6
1946	737	211	526	12.0	7.1	16.6
1947	833	259	574	12.6	8.0	16.9
1948	796	215	581	12.2	7.2	16.3
1949	1,018	239	779	15.4	8.3	20.9
1950	902	203	699	14.0	7.5	18.8
1951	910	188	722	13.9	6.8	19.1
1952	934	179	755	14.5	6.4	20.7
1953	904	172	732	14.1	6.1	20.5
1954	839	143	696	13.0	5.0	19.4
1955	898	153	745	14.2	5.6	20.9
1956	902	153	749	14.5	5.6	21.5
1957	832	154	678	13.7	5.7	20.0
1958	949	166	783	16.0	6.2	24.2
1959	905	162	743	14.9	5.8	22.8

TABLE 23 - PAGE 2
 POSTNEONATAL DEATHS - MISSISSIPPI - 1924-1987

Year	Number			Rate**		
	Total	White	Non-white	Total	White	Non-white
1960	960	164	796	16.2	6.0	24.9
1961	849	136	713	14.3	5.0	22.2
1962	897	155	742	15.2	5.6	23.6
1963	923	140	783	16.1	5.2	25.7
1964	858	139	719	15.1	5.4	23.4
1965	843	123	720	16.5	5.3	25.9
1966	733	134	599	15.2	5.9	23.5
1967	592	124	468	12.7	5.5	19.6
1968	497	93	404	10.9	4.1	17.6
1969	447	89	358	9.5	3.7	15.5
1970	427	89	338	8.9	3.6	14.5
1971	371	78	293	7.6	3.1	12.5
1972	350	97	253	7.6	4.1	11.4
1973	361	91	270	8.1	3.9	12.5
1974	314	80	234	7.1	3.5	11.1
1975	298	99	199	6.9	4.4	9.6
1976	301	88	213	7.0	3.9	10.4
1977	246	63	183	5.4	2.7	8.2
1978	287	75	212	6.5	3.3	9.8
1979	295	89	206	6.4	3.8	9.2
1980	289	83	206	6.0	3.4	8.9
1981	225	82	143	4.9	3.4	6.4
1982	239	83	156	5.2	3.4	7.1
1983	254	80	174	5.8	3.5	8.2
1984	234	66	168	5.4	2.9	8.0
1985	228	86	142	5.2	3.7	6.9
1986	194	64	130	4.6	2.9	6.6
1987	202	84	118	4.9	3.9	6.0

* Deaths of infants 28 days of age or older, but figures for 1924-1948 only include deaths of infants one month of age or older.

** Deaths per 1,000 live births.

TABLE 24
MARRIAGES AND DIVORCES, BY YEAR AND RACE, OCCURRENCE DATA,
MISSISSIPPI, 1926-1987

Year	Marriages			Divorces		
	Total	White	Non-white	Total	White	Non-white
1926*	28,712			2,766		
1927*	29,048**	11,402	17,383	2,895		
1928	30,231**	11,662	18,257	3,009	1,435	1,574
1929	31,495**	12,864	18,388	3,172	1,598	1,574
1930	25,728**	10,815	14,751	2,743	1,487	1,256
1931	21,589**	9,952	11,629	2,015	1,308	707
1932	22,688**	10,147	12,453	1,918	1,308	610
1933	27,567**	12,201	15,300	1,955	1,396	559
1934	30,149**	13,497	16,541	2,446	1,704	742
1935	28,722**	12,955	15,635	2,425	1,681	744
1936	32,480**	14,120	18,196	2,520	1,690	830
1937	32,055**	14,802	17,246	2,977	1,984	993
1938	31,495	14,224	17,271	2,916	2,069	847
1939	31,956	15,370	16,586	3,034	2,166	868
1940	34,088	16,834	17,254	3,251	2,295	956
1941	42,142	21,611	20,531	3,831	2,444	1,387
1942	49,565	27,227	22,338	4,326	2,606	1,720
1943	46,030	23,445	22,585	5,851	3,062	2,789
1944	41,559	21,173	20,386	6,742	3,425	3,317
1945	44,871	24,738	20,133	6,727	3,919	2,808
1946	64,204	37,099	27,105	9,495	5,867	3,628
1947	53,584	30,514	23,070	7,004	4,323	2,681
1948	53,645	31,504	22,141	6,697	3,864	2,833
1949	52,765	32,191	20,574	6,285	3,621	2,664
1950	56,738	37,871	18,867	6,065	3,711	2,354
1951	57,321	37,857	19,464	5,464	3,601	1,863
1952	58,116	39,162	18,954	5,419	3,607	1,812
1953	61,751	42,961	18,790	5,204	3,515	1,689
1954	61,381	43,268	18,113	5,001	3,424	1,577
1955	66,423	47,618	18,805	4,845	3,372	1,473
1956	66,223	48,140	18,083	5,027	3,452	1,575
1957	62,495	46,868	15,627	4,974	3,350	1,624
1958	36,402	26,998	9,404	5,016	3,485	1,531
1959	20,447	13,547	6,900	5,108	3,557	1,551

TABLE 24 - PAGE 2
MARRIAGES AND DIVORCES - MISSISSIPPI - 1926-1987

Year	Marriages			Divorces		
	Total	White	Non-white	Total	White	Non-white
1960	21,233	14,029	7,204	5,260	3,553	1,707
1961	21,610	14,438	7,172	5,213	3,545	1,668
1962	22,007	14,432	7,575	5,467	3,827	1,640
1963	22,140	14,508	7,632	5,452	3,930	1,522
1964	22,784	15,159	7,625	5,631	4,077	1,554
1965	23,343	15,613	7,730	5,730	4,220	1,510
1966	23,476	15,860	7,616	6,306	4,650	1,656
1967	23,535	15,752	7,783	6,455	4,704	1,751
1968	25,355	17,142	8,213	7,020	5,202	1,818
1969	25,956	17,582	8,374	7,506	5,616	1,890
1970	26,328	17,883	8,445	8,211	6,227	1,984
1971	27,597	18,668	8,929	8,936	6,705	2,231
1972	28,703	19,178	9,525	10,097	7,510	2,587
1973	28,513	19,276	9,237	10,787	8,138	2,649
1974	27,613	19,236	8,377	11,866	9,203	2,663
1975	26,279	18,602	7,677	12,303	9,570	2,733
1976	26,772	18,969	7,803	12,243	9,399	2,844
1977	26,843	19,200	7,643	12,759	9,921	2,838
1978	27,280	19,762	7,518	13,313	10,339	2,974
1979	27,279	19,843	7,436	13,628	10,402	3,226
1980	27,908	20,620	7,288	13,846	10,760	3,086
1981	28,002	20,877	7,125	14,182**	10,403	2,795
1982	27,584	20,547	7,037	12,861**	10,239	2,570
1983	26,921	19,950	6,971	13,436**	10,709	2,674
1984	26,025	19,255	6,770	12,911**	10,205	2,664
1985	24,750	18,241	6,509	12,535**	9,766	2,662
1986	24,283	17,729	6,554	12,871**	10,155	2,630
1987	23,729	17,286	6,443	12,142**	9,542	2,420

* Total number of marriages for 1926 and total number of divorces for 1926 and 1927 furnished by U.S. Bureau of Census; distribution by race not available.

** Includes some records on which the race of the couple was not stated.