

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: ADAMS**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	33,573	2,504	1,245	1,259	472
WHITE	15,054	861	416	445	149
NONWHITE	18,519	1,643	829	814	323

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	87	4	32	51	19	0	6	13	68	4	26	38
TEENAGE IMMATURE BIRTHS	12	3	4	5	1	0	1	0	11	3	3	5
TEENAGE PREMATURE BIRTHS	13	1	4	8	0	0	0	0	13	1	4	8
TEENAGE ILLEGITIMATE BIRTHS	81	4	32	45	15	0	6	9	66	4	26	36
TEENS WHO HAD PREVIOUS LIVE BIRTHS	18	1	4	13	1	0	0	1	17	1	4	12
TEENS WHO HAD PREVIOUS PREGNANCIES	22	1	6	15	2	0	0	2	20	1	6	13
TEENS WITH INADEQUATE* PRENATAL CARE	12	0	8	4	2	0	0	2	10	0	8	2
TEENAGE FERTILITY RATE	34.7	3.2	65.9 (15-19)		22.1	-	42.7 (15-19)		41.4	4.8	78.6 (15-19)	
TEENAGE FETAL DEATHS**	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE FETAL DEATH RATIO	23.0	-	62.5	-	-	-	-	-	29.4	-	76.9	-
TEENAGE INDUCED TERMINATIONS#	14	0	8	6	3	0	1	2	11	0	7	4
TEENAGE INDUCED TERMINATION RATIO	160.9	-	250.0	117.6	157.9	-	166.7	153.8	161.8	-	269.2	105.3
TEENAGE PREGNANCIES#	103	4	42	57	22	0	7	15	81	4	35	42
TEENAGE PREGNANCY RATE	41.1	3.2	78.6 (15-19)		25.6	-	49.4 (15-19)		49.3	4.8	94.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	11.5	-	31.3	-	-	-	-	-	14.7	-	38.5	-

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: ALCORN**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	34,733	2,136	1,116	1,020	473
WHITE	30,500	1,796	940	856	397
NONWHITE	4,233	340	176	164	76

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	75	4	19	52	54	3	11	40	21	1	8	12
TEENAGE IMMATURE BIRTHS	8	0	2	6	5	0	2	3	3	0	0	3
TEENAGE PREMATURE BIRTHS	12	0	4	8	8	0	2	6	4	0	2	2
TEENAGE ILLEGITIMATE BIRTHS	61	4	14	43	40	3	6	31	21	1	8	12
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	2	13	9	0	1	8	6	0	1	5
TEENS WHO HAD PREVIOUS PREGNANCIES	19	0	2	17	12	0	1	11	7	0	1	6
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FERTILITY RATE	35.1	3.6	69.6 (15-19)		30.1	3.2	59.6 (15-19)		61.8	5.7	122.0 (15-19)	
TEENAGE FETAL DEATHS**	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE FETAL DEATH RATIO	26.7	-	52.6	19.2	18.5	-	-	25.0	47.6	-	125.0	-
TEENAGE INDUCED TERMINATIONS#	4	0	4	0	2	0	2	0	2	0	2	0
TEENAGE INDUCED TERMINATION RATIO	53.3	-	210.5	-	37.0	-	181.8	-	95.2	-	250.0	-
TEENAGE PREGNANCIES#	81	4	24	53	57	3	13	41	24	1	11	12
TEENAGE PREGNANCY RATE	37.9	3.6	75.5 (15-19)		31.7	3.2	63.1 (15-19)		70.6	5.7	140.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	13.3	-	-	19.2	18.5	-	-	25.0	-	-	-	-

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: AMITE**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,451	992	473	519	141
WHITE	7,530	436	213	223	72
NONWHITE	5,921	556	260	296	69

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	23	0	7	16	10	0	1	9	13	0	6	7
TEENAGE IMMATURE BIRTHS	5	0	3	2	0	0	0	0	5	0	3	2
TEENAGE PREMATURE BIRTHS	6	0	4	2	0	0	0	0	6	0	4	2
TEENAGE ILLEGITIMATE BIRTHS	14	0	6	8	1	0	0	1	13	0	6	7
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	1	2	1	0	0	1	2	0	1	1
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	2	4	3	0	1	2	3	0	1	2
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE FERTILITY RATE	23.2	-	44.3 (15-19)		22.9	-	44.8 (15-19)		23.4	-	43.9 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	43.5	-	-	62.5	-	-	-	-	76.9	-	-	142.8
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	87.0	-	142.8	62.5	100.0	-	-	111.1	76.9	-	166.7	-
TEENAGE PREGNANCIES#	26	0	8	18	11	0	1	10	15	0	7	8
TEENAGE PREGNANCY RATE	26.2	-	50.1 (15-19)		25.2	-	49.3 (15-19)		27.0	-	50.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: ATTALA**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,748	1,387	733	654	257
WHITE	11,715	634	328	306	123
NONWHITE	8,033	753	405	348	134

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	42	0	17	25	19	0	7	12	23	0	10	13
TEENAGE IMMATURE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE PREMATURE BIRTHS	8	0	4	4	2	0	2	0	6	0	2	4
TEENAGE ILLEGITIMATE BIRTHS	32	0	16	16	10	0	6	4	22	0	10	12
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	0	7	2	0	0	2	5	0	0	5
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	1	8	4	0	1	3	5	0	0	5
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE FERTILITY RATE	30.3	-	64.2 (15-19)		30.0	-	62.1 (15-19)		30.5	-	66.1 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	9	2	6	1	0	0	0	0	9	2	6	1
TEENAGE INDUCED TERMINATION RATIO	214.3	&	352.9	40.0	-	-	-	-	391.3	&	600.0	76.9
TEENAGE PREGNANCIES#	51	2	23	26	19	0	7	12	32	2	16	14
TEENAGE PREGNANCY RATE	36.8	2.7	74.9 (15-19)		30.0	-	62.1 (15-19)		42.5	4.9	86.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	23.8	-	58.8	-	-	-	-	-	43.5	-	100.0	-

\* ACCORDING TO THE KESSNER INDEX.  
 \*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.  
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.  
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.  
 PREMATURE=GESTATION LESS THAN 37 WEEKS.  
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.  
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.  
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.  
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.  
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.  
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.  
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: BENTON**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	7,935	515	265	250	118
WHITE	5,012	263	135	128	65
NONWHITE	2,923	252	130	122	53

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	22	0	11	11	8	0	5	3	14	0	6	8
TEENAGE IMMATURE BIRTHS	5	0	1	4	1	0	0	1	4	0	1	3
TEENAGE PREMATURE BIRTHS	4	0	1	3	1	0	1	0	3	0	0	3
TEENAGE ILLEGITIMATE BIRTHS	19	0	10	9	6	0	5	1	13	0	5	8
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	1	2	0	0	0	0	3	0	1	2
TEENS WHO HAD PREVIOUS PREGNANCIES	3	0	1	2	0	0	0	0	3	0	1	2
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	42.7	-	88.0 (15-19)		30.4	-	62.5 (15-19)		55.6	-	114.8 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	45.4	-	90.9	-	125.0	-	200.0	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	23	0	12	11	9	0	6	3	14	0	6	8
TEENAGE PREGNANCY RATE	44.7	-	92.0 (15-19)		34.2	-	70.3 (15-19)		55.6	-	114.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	45.5	-	-	90.9	-	-	-	-	71.4	-	-	125.0

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: BOLIVAR**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	39,839	3,469	1,621	1,848	605
WHITE	13,265	799	335	464	147
NONWHITE	26,574	2,670	1,286	1,384	458

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	123	6	46	71	13	0	4	9	110	6	42	62
TEENAGE IMMATURE BIRTHS	18	0	6	12	1	0	0	1	17	0	6	11
TEENAGE PREMATURE BIRTHS	28	2	10	16	2	0	0	2	26	2	10	14
TEENAGE ILLEGITIMATE BIRTHS	119	6	46	67	10	0	4	6	109	6	42	61
TEENS WHO HAD PREVIOUS LIVE BIRTHS	34	0	5	29	1	0	0	1	33	0	5	28
TEENS WHO HAD PREVIOUS PREGNANCIES	39	0	8	31	1	0	0	1	38	0	8	30
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE FERTILITY RATE	35.4	3.7	63.3 (15-19)		16.3	-	28.0 (15-19)		41.2	4.7	75.1 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	8.1	-	21.7	-	-	-	-	-	9.1	-	23.8	-
TEENAGE INDUCED TERMINATIONS#	6	1	1	4	1	0	0	1	5	1	1	3
TEENAGE INDUCED TERMINATION RATIO	48.8	166.7	21.7	56.3	76.9	-	-	111.1	45.4	166.7	23.8	48.4
TEENAGE PREGNANCIES#	130	7	48	75	14	0	4	10	116	7	44	65
TEENAGE PREGNANCY RATE	37.5	4.3	66.6 (15-19)		17.5	-	30.2 (15-19)		43.4	5.4	78.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	8.1	-	21.7	-	-	-	-	-	9.1	-	23.8	-

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: CALHOUN**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	14,900	1,007	498	509	192
WHITE	10,469	605	296	309	114
NONWHITE	4,431	402	202	200	78

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	49	2	16	31	24	1	6	17	25	1	10	14
TEENAGE IMMATURE BIRTHS	6	2	3	1	1	1	0	0	5	1	3	1
TEENAGE PREMATURE BIRTHS	8	2	2	4	5	1	1	3	3	1	1	1
TEENAGE ILLEGITIMATE BIRTHS	33	2	12	19	9	1	2	6	24	1	10	13
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	2	14	8	0	0	8	8	0	2	6
TEENS WHO HAD PREVIOUS PREGNANCIES	19	0	3	16	9	0	0	9	10	0	3	7
TEENS WITH INADEQUATE* PRENATAL CARE	2	1	1	0	0	0	0	0	2	1	1	0
TEENAGE FERTILITY RATE	48.6	4.0	92.3 (15-19)		39.7	3.4	74.4 (15-19)		62.2	5.0	120.0 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	20.4	-	-	32.2	-	-	-	-	40.0	-	-	71.4
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	20.4	-	-	32.2	-	-	-	-	40.0	-	-	71.4
TEENAGE PREGNANCIES#	51	2	16	33	24	1	6	17	27	1	10	16
TEENAGE PREGNANCY RATE	50.6	4.0	96.3 (15-19)		39.7	3.4	74.4 (15-19)		67.2	5.0	130.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	1	0	0	1	1	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	20.4	500.0	-	-	41.7	1000.0	-	-	-	-	-	-

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2002

COUNTY: CARROLL

Table with 6 columns: RACE, TOTAL POPULATION ALL AGES, FEMALES AGES 10-19, FEMALES AGES 10-14, FEMALES AGES 15-19, TOTAL LIVE BIRTHS. Rows include TOTAL, WHITE, and NONWHITE.

Summary table with 12 columns: ALL RACES (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19), WHITE (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19), NONWHITE (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19).

Main data table with 12 columns corresponding to the summary table above. Rows include TEENAGE BIRTHS, TEENAGE IMMATURE BIRTHS, TEENAGE PREMATURE BIRTHS, TEENAGE ILLEGITIMATE BIRTHS, TEENS WHO HAD PREVIOUS LIVE BIRTHS, TEENS WHO HAD PREVIOUS PREGNANCIES, TEENS WITH INADEQUATE\* PRENATAL CARE, TEENAGE FERTILITY RATE, TEENAGE FETAL DEATHS\*\*, TEENAGE FETAL DEATH RATIO, TEENAGE INDUCED TERMINATIONS#, TEENAGE INDUCED TERMINATION RATIO, TEENAGE PREGNANCIES#, TEENAGE PREGNANCY RATE, INFANT DEATHS TO TEENAGE MOTHERS, and INFANT MORTALITY RATE, TEEN MOMS.

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: CHICKASAW**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,524	1,425	730	695	290
WHITE	11,331	638	321	317	149
NONWHITE	8,193	787	409	378	141

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	70	2	33	35	30	1	14	15	40	1	19	20
TEENAGE IMMATURE BIRTHS	10	0	6	4	4	0	2	2	6	0	4	2
TEENAGE PREMATURE BIRTHS	17	1	8	8	5	0	2	3	12	1	6	5
TEENAGE ILLEGITIMATE BIRTHS	56	2	28	26	16	1	9	6	40	1	19	20
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	6	10	9	0	3	6	7	0	3	4
TEENS WHO HAD PREVIOUS PREGNANCIES	18	0	7	11	10	0	4	6	8	0	3	5
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE	49.1	2.7	97.8 (15-19)		47.0	3.1	91.5 (15-19)		50.8	2.4	103.2 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	14.3	-	-	28.6	-	-	-	-	25.0	-	-	50.0
TEENAGE PREGNANCIES#	71	2	33	36	30	1	14	15	41	1	19	21
TEENAGE PREGNANCY RATE	49.8	2.7	99.3 (15-19)		47.0	3.1	91.5 (15-19)		52.1	2.4	105.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: CHOCTAW**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,652	795	386	409	114
WHITE	6,570	478	228	250	76
NONWHITE	3,082	317	158	159	38

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	18	0	10	8	8	0	3	5	10	0	7	3
TEENAGE IMMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE PREMATURE BIRTHS	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE ILLEGITIMATE BIRTHS	16	0	10	6	6	0	3	3	10	0	7	3
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	1	3	2	0	1	1	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	5	0	1	4	3	0	1	2	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE FERTILITY RATE	22.6	-	44.0 (15-19)		16.7	-	32.0 (15-19)		31.5	-	62.9 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	55.6	-	-	125.0	-	-	-	-	100.0	-	-	333.3
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	111.1	-	100.0	125.0	-	-	-	-	200.0	-	142.8	333.3
TEENAGE PREGNANCIES#	21	0	11	10	8	0	3	5	13	0	8	5
TEENAGE PREGNANCY RATE	26.4	-	51.3 (15-19)		16.7	-	32.0 (15-19)		41.0	-	81.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: CLAIBORNE**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	11,735	1,199	430	769	168
WHITE	1,738	68	34	34	12
NONWHITE	9,997	1,131	396	735	156

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	30	0	9	21	2	0	0	2	28	0	9	19
TEENAGE IMMATURE BIRTHS	7	0	2	5	0	0	0	0	7	0	2	5
TEENAGE PREMATURE BIRTHS	5	0	2	3	0	0	0	0	5	0	2	3
TEENAGE ILLEGITIMATE BIRTHS	28	0	8	20	1	0	0	1	27	0	8	19
TEENS WHO HAD PREVIOUS LIVE BIRTHS	10	0	1	9	0	0	0	0	10	0	1	9
TEENS WHO HAD PREVIOUS PREGNANCIES	14	0	2	12	1	0	0	1	13	0	2	11
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	1	3	0	0	0	0	4	0	1	3
TEENAGE FERTILITY RATE	25.0	-	39.0 (15-19)		29.4	-	58.8 (15-19)		24.8	-	38.1 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	9	1	1	7	0	0	0	0	9	1	1	7
TEENAGE INDUCED TERMINATION RATIO	300.0	&	111.1	333.3	-	-	-	-	321.4	&	111.1	368.4
TEENAGE PREGNANCIES#	39	1	10	28	2	0	0	2	37	1	10	26
TEENAGE PREGNANCY RATE	32.5	2.3	49.4 (15-19)		29.4	-	58.8 (15-19)		32.7	2.5	49.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	33.3	-	-	47.6	-	-	-	-	35.7	-	-	52.6

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: CLARKE**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	17,968	1,263	634	629	204
WHITE	11,623	698	368	330	113
NONWHITE	6,345	565	266	299	91

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	27	0	12	15	13	0	6	7	14	0	6	8
TEENAGE IMMATURE BIRTHS	2	0	1	1	2	0	1	1	0	0	0	0
TEENAGE PREMATURE BIRTHS	5	0	3	2	2	0	1	1	3	0	2	1
TEENAGE ILLEGITIMATE BIRTHS	20	0	10	10	7	0	4	3	13	0	6	7
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	0	3	2	0	0	2	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	1	5	2	0	0	2	4	0	1	3
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	21.4	-	42.9 (15-19)		18.6	-	39.4 (15-19)		24.8	-	46.8 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	5	1	0	4	1	1	0	0	4	0	0	4
TEENAGE INDUCED TERMINATION RATIO	185.2	&	-	266.7	76.9	&	-	-	285.7	-	-	500.0
TEENAGE PREGNANCIES#	32	1	12	19	14	1	6	7	18	0	6	12
TEENAGE PREGNANCY RATE	25.3	1.6	49.3 (15-19)		20.0	2.7	39.4 (15-19)		31.8	-	60.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: CLAY**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,857	1,710	847	863	322
WHITE	9,240	507	249	258	122
NONWHITE	12,617	1,203	598	605	200

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	58	3	20	35	12	0	4	8	46	3	16	27
TEENAGE IMMATURE BIRTHS	8	0	4	4	0	0	0	0	8	0	4	4
TEENAGE PREMATURE BIRTHS	7	1	3	3	0	0	0	0	7	1	3	3
TEENAGE ILLEGITIMATE BIRTHS	53	3	18	32	8	0	2	6	45	3	16	26
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	4	9	0	0	0	0	13	0	4	9
TEENS WHO HAD PREVIOUS PREGNANCIES	16	0	5	11	2	0	1	1	14	0	4	10
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	4	3	0	0	0	0	7	0	4	3
TEENAGE FERTILITY RATE	33.9	3.5	63.7 (15-19)	23.7	-	46.5 (15-19)	38.2	5.0	71.1 (15-19)			
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	17.2	-	50.0	-	-	-	-	-	21.7	-	62.5	-
TEENAGE INDUCED TERMINATIONS#	5	0	4	1	0	0	0	0	5	0	4	1
TEENAGE INDUCED TERMINATION RATIO	86.2	-	200.0	28.6	-	-	-	-	108.7	-	250.0	37.0
TEENAGE PREGNANCIES#	64	3	25	36	12	0	4	8	52	3	21	28
TEENAGE PREGNANCY RATE	37.4	3.5	70.7 (15-19)	23.7	-	46.5 (15-19)	43.2	5.0	81.0 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	2	0	2	0	0	0	0	0	2	0	2	0
INFANT MORTALITY RATE, TEEN MOMS	34.5	-	100.0	-	-	-	-	-	43.5	-	125.0	-

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2002

COUNTY: COAHOMA

Table with 6 columns: RACE, TOTAL POPULATION ALL AGES, FEMALES AGES 10-19, FEMALES AGES 10-14, FEMALES AGES 15-19, TOTAL LIVE BIRTHS. Rows include TOTAL, WHITE, and NONWHITE.

Table with 13 columns: ALL RACES (ALL TEENS, AGES 10-14, 15-17, 18-19), WHITE (ALL TEENS, AGES 10-14, 15-17, 18-19), NONWHITE (ALL TEENS, AGES 10-14, 15-17, 18-19). Rows include TEENAGE BIRTHS, TEENAGE IMMATURE BIRTHS, TEENAGE PREMATURE BIRTHS, TEENAGE ILLEGITIMATE BIRTHS, TEENS WHO HAD PREVIOUS LIVE BIRTHS, TEENS WHO HAD PREVIOUS PREGNANCIES, TEENS WITH INADEQUATE\* PRENATAL CARE, TEENAGE FERTILITY RATE, TEENAGE FETAL DEATHS\*\*, TEENAGE FETAL DEATH RATIO, TEENAGE INDUCED TERMINATIONS#, TEENAGE INDUCED TERMINATION RATIO, TEENAGE PREGNANCIES#, TEENAGE PREGNANCY RATE, INFANT DEATHS TO TEENAGE MOTHERS, INFANT MORTALITY RATE, TEEN MOMS.

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: COPIAH**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	28,808	2,368	1,052	1,316	407
WHITE	13,854	888	383	505	175
NONWHITE	14,954	1,480	669	811	232

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	90	1	35	54	30	0	11	19	60	1	24	35
TEENAGE IMMATURE BIRTHS	18	0	7	11	8	0	4	4	10	0	3	7
TEENAGE PREMATURE BIRTHS	22	0	8	14	10	0	4	6	12	0	4	8
TEENAGE ILLEGITIMATE BIRTHS	77	1	33	43	18	0	9	9	59	1	24	34
TEENS WHO HAD PREVIOUS LIVE BIRTHS	23	0	3	20	4	0	1	3	19	0	2	17
TEENS WHO HAD PREVIOUS PREGNANCIES	27	0	5	22	6	0	2	4	21	0	3	18
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	3	4	4	0	2	2	3	0	1	2
TEENAGE FERTILITY RATE	38.0	1.0	67.6 (15-19)		33.8	-	59.4 (15-19)		40.5	1.5	72.8 (15-19)	
TEENAGE FETAL DEATHS**	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FETAL DEATH RATIO	22.2	-	-	37.0	-	-	-	-	33.3	-	-	57.1
TEENAGE INDUCED TERMINATIONS#	14	0	5	9	3	0	1	2	11	0	4	7
TEENAGE INDUCED TERMINATION RATIO	155.6	-	142.8	166.7	100.0	-	90.9	105.3	183.3	-	166.7	200.0
TEENAGE PREGNANCIES#	106	1	40	65	33	0	12	21	73	1	28	44
TEENAGE PREGNANCY RATE	44.8	1.0	79.8 (15-19)		37.2	-	65.3 (15-19)		49.3	1.5	88.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	3	0	1	2	1	0	1	0	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	33.3	-	28.6	37.0	33.3	-	90.9	-	33.3	-	-	57.1

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2002

COUNTY: COVINGTON

Table with 6 columns: RACE, TOTAL POPULATION ALL AGES, FEMALES AGES 10-19, FEMALES AGES 10-14, FEMALES AGES 15-19, TOTAL LIVE BIRTHS. Rows include TOTAL, WHITE, and NONWHITE.

Summary table with 14 columns: ALL RACES (ALL TEENS, AGES 10-14, 15-17, 18-19), WHITE (ALL TEENS, AGES 10-14, 15-17, 18-19), NONWHITE (ALL TEENS, AGES 10-14, 15-17, 18-19).

Main data table with 14 columns corresponding to the summary table above. Rows include TEENAGE BIRTHS, TEENAGE IMMATURE BIRTHS, TEENAGE PREMATURE BIRTHS, TEENAGE ILLEGITIMATE BIRTHS, TEENS WHO HAD PREVIOUS LIVE BIRTHS, TEENS WHO HAD PREVIOUS PREGNANCIES, TEENS WITH INADEQUATE\* PRENATAL CARE, TEENAGE FERTILITY RATE, TEENAGE FETAL DEATHS\*\*, TEENAGE FETAL DEATH RATIO, TEENAGE INDUCED TERMINATIONS#, TEENAGE INDUCED TERMINATION RATIO, TEENAGE PREGNANCIES#, TEENAGE PREGNANCY RATE, INFANT DEATHS TO TEENAGE MOTHERS, and INFANT MORTALITY RATE, TEEN MOMS.

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: DESOTO**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	118,458	8,534	4,612	3,922	1,809
WHITE	100,145	6,931	3,720	3,211	1,522
NONWHITE	18,313	1,603	892	711	287

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	217	2	68	147	173	2	54	117	44	0	14	30
TEENAGE IMMATURE BIRTHS	18	0	6	12	13	0	4	9	5	0	2	3
TEENAGE PREMATURE BIRTHS	25	1	6	18	16	1	4	11	9	0	2	7
TEENAGE ILLIGITIMATE BIRTHS	169	2	59	108	126	2	45	79	43	0	14	29
TEENS WHO HAD PREVIOUS LIVE BIRTHS	37	0	6	31	25	0	5	20	12	0	1	11
TEENS WHO HAD PREVIOUS PREGNANCIES	48	0	8	40	34	0	7	27	14	0	1	13
TEENS WITH INADEQUATE* PRENATAL CARE	18	0	8	10	14	0	6	8	4	0	2	2
TEENAGE FERTILITY RATE	25.4	0.4	54.8 (15-19)		25.0	0.5	53.2 (15-19)		27.4	-	61.9 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	4.6	-	-	6.8	5.8	-	-	8.5	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	1	1	0	0	0	0	0	0	1	1	0	0
TEENAGE INDUCED TERMINATION RATIO	4.6	500.0	-	-	-	-	-	-	22.7	&	-	-
TEENAGE PREGNANCIES#	219	3	68	148	174	2	54	118	45	1	14	30
TEENAGE PREGNANCY RATE	25.7	0.6	55.1 (15-19)		25.1	0.5	53.6 (15-19)		28.1	1.1	61.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	4	0	0	4	3	0	0	3	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	18.4	-	-	27.2	17.3	-	-	25.6	22.7	-	-	33.3

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: FORREST**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	73,465	5,527	2,421	3,106	1,094
WHITE	46,901	2,989	1,250	1,739	587
NONWHITE	26,564	2,538	1,171	1,367	507

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	173	3	57	113	65	1	13	51	108	2	44	62
TEENAGE IMMATURE BIRTHS	24	0	8	16	8	0	0	8	16	0	8	8
TEENAGE PREMATURE BIRTHS	34	1	14	19	9	0	1	8	25	1	13	11
TEENAGE ILLEGITIMATE BIRTHS	139	3	53	83	35	1	9	25	104	2	44	58
TEENS WHO HAD PREVIOUS LIVE BIRTHS	42	0	8	34	15	0	2	13	27	0	6	21
TEENS WHO HAD PREVIOUS PREGNANCIES	48	0	10	38	19	0	3	16	29	0	7	22
TEENS WITH INADEQUATE* PRENATAL CARE	10	1	4	5	8	1	3	4	2	0	1	1
TEENAGE FERTILITY RATE	31.3	1.2	54.7 (15-19)		21.7	0.8	36.8 (15-19)		42.6	1.7	77.5 (15-19)	
TEENAGE FETAL DEATHS**	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	11.6	-	17.5	8.8	15.4	-	76.9	-	9.2	-	-	16.1
TEENAGE INDUCED TERMINATIONS#	38	0	8	30	18	0	5	13	20	0	3	17
TEENAGE INDUCED TERMINATION RATIO	219.6	-	140.4	265.5	276.9	-	384.6	254.9	185.2	-	68.2	274.2
TEENAGE PREGNANCIES#	213	3	66	144	84	1	19	64	129	2	47	80
TEENAGE PREGNANCY RATE	38.5	1.2	67.6 (15-19)		28.1	0.8	47.7 (15-19)		50.8	1.7	92.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	5	0	2	3	2	0	0	2	3	0	2	1
INFANT MORTALITY RATE, TEEN MOMS	28.9	-	35.1	26.5	30.8	-	-	39.2	27.8	-	45.5	16.1

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: FRANKLIN**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	8,349	640	303	337	96
WHITE	5,206	318	143	175	57
NONWHITE	3,143	322	160	162	39

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	16	0	2	14	8	0	2	6	8	0	0	8
TEENAGE IMMATURE BIRTHS	5	0	1	4	2	0	1	1	3	0	0	3
TEENAGE PREMATURE BIRTHS	5	0	0	5	1	0	0	1	4	0	0	4
TEENAGE ILLEGITIMATE BIRTHS	12	0	2	10	6	0	2	4	6	0	0	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	2	0	0	2	0	0	0	0	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	25.0	-	47.5 (15-19)		25.2	-	45.7 (15-19)		24.8	-	49.4 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	62.5	-	500.0	-	125.0	-	500.0	-	-	-	-	-
TEENAGE PREGNANCIES#	17	0	3	14	9	0	3	6	8	0	0	8
TEENAGE PREGNANCY RATE	26.6	-	50.4 (15-19)		28.3	-	51.4 (15-19)		24.8	-	49.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2002

COUNTY: GEORGE

Table with 6 columns: RACE, TOTAL POPULATION ALL AGES, FEMALES AGES 10-19, FEMALES AGES 10-14, FEMALES AGES 15-19, TOTAL LIVE BIRTHS. Rows include TOTAL, WHITE, and NONWHITE.

Summary table with 12 columns: ALL RACES (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19), WHITE (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19), NONWHITE (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19).

Main data table with 12 columns corresponding to the summary table above. Rows include TEENAGE BIRTHS, TEENAGE IMMATURE BIRTHS, TEENAGE PREMATURE BIRTHS, TEENAGE ILLEGITIMATE BIRTHS, TEENS WHO HAD PREVIOUS LIVE BIRTHS, TEENS WHO HAD PREVIOUS PREGNANCIES, TEENS WITH INADEQUATE\* PRENATAL CARE, TEENAGE FERTILITY RATE, TEENAGE FETAL DEATHS\*\*, TEENAGE FETAL DEATH RATIO, TEENAGE INDUCED TERMINATIONS#, TEENAGE INDUCED TERMINATION RATIO, TEENAGE PREGNANCIES#, TEENAGE PREGNANCY RATE, INFANT DEATHS TO TEENAGE MOTHERS, and INFANT MORTALITY RATE, TEEN MOMS.

\* ACCORDING TO THE KESSNER INDEX.
\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
PREMATURE=GESTATION LESS THAN 37 WEEKS.
FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2002

COUNTY: GREENE

Table with 6 columns: RACE, TOTAL POPULATION ALL AGES, FEMALES AGES 10-19, FEMALES AGES 10-14, FEMALES AGES 15-19, TOTAL LIVE BIRTHS. Rows include TOTAL, WHITE, and NONWHITE.

Summary table with 12 columns: ALL RACES (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19), WHITE (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19), NONWHITE (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19).

Main data table with 12 columns corresponding to the summary table above. Rows include TEENAGE BIRTHS, TEENAGE IMMATURE BIRTHS, TEENAGE PREMATURE BIRTHS, TEENAGE ILLEGITIMATE BIRTHS, TEENS WHO HAD PREVIOUS LIVE BIRTHS, TEENS WHO HAD PREVIOUS PREGNANCIES, TEENS WITH INADEQUATE\* PRENATAL CARE, TEENAGE FERTILITY RATE, TEENAGE FETAL DEATHS\*\*, TEENAGE FETAL DEATH RATIO, TEENAGE INDUCED TERMINATIONS#, TEENAGE INDUCED TERMINATION RATIO, TEENAGE PREGNANCIES#, TEENAGE PREGNANCY RATE, INFANT DEATHS TO TEENAGE MOTHERS, and INFANT MORTALITY RATE, TEEN MOMS.

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: GRENADA**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	22,915	1,764	993	771	272
WHITE	13,170	854	461	393	145
NONWHITE	9,745	910	532	378	127

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	45	2	22	21	14	0	7	7	31	2	15	14
TEENAGE IMMATURE BIRTHS	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE PREMATURE BIRTHS	8	0	3	5	1	0	0	1	7	0	3	4
TEENAGE ILLEGITIMATE BIRTHS	40	2	20	18	9	0	5	4	31	2	15	14
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	2	5	1	0	0	1	6	0	2	4
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	2	9	3	0	0	3	8	0	2	6
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE FERTILITY RATE	25.5	2.0	55.8 (15-19)		16.4	-	35.6 (15-19)		34.1	3.8	76.7 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	6	0	3	3	5	0	2	3	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	133.3	-	136.4	142.8	357.1	-	285.7	428.6	32.2	-	66.7	-
TEENAGE PREGNANCIES#	51	2	25	24	19	0	9	10	32	2	16	14
TEENAGE PREGNANCY RATE	28.9	2.0	63.6 (15-19)		22.2	-	48.3 (15-19)		35.2	3.8	79.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2002

COUNTY: HANCOCK

Table with 6 columns: RACE, TOTAL POPULATION ALL AGES, FEMALES AGES 10-19, FEMALES AGES 10-14, FEMALES AGES 15-19, TOTAL LIVE BIRTHS. Rows include TOTAL, WHITE, and NONWHITE.

Summary table with 12 columns: ALL RACES (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19), WHITE (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19), NONWHITE (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19).

Main data table with 12 columns corresponding to the summary table above. Rows include TEENAGE BIRTHS, TEENAGE IMMATURE BIRTHS, TEENAGE PREMATURE BIRTHS, TEENAGE ILLEGITIMATE BIRTHS, TEENS WHO HAD PREVIOUS LIVE BIRTHS, TEENS WHO HAD PREVIOUS PREGNANCIES, TEENS WITH INADEQUATE\* PRENATAL CARE, TEENAGE FERTILITY RATE, TEENAGE FETAL DEATHS\*\*, TEENAGE FETAL DEATH RATIO, TEENAGE INDUCED TERMINATIONS#, TEENAGE INDUCED TERMINATION RATIO, TEENAGE PREGNANCIES#, TEENAGE PREGNANCY RATE, INFANT DEATHS TO TEENAGE MOTHERS, and INFANT MORTALITY RATE, TEEN MOMS.

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2002

COUNTY: HARRISON

Table with 6 columns: RACE, TOTAL POPULATION ALL AGES, FEMALES AGES 10-19, FEMALES AGES 10-14, FEMALES AGES 15-19, TOTAL LIVE BIRTHS. Rows include TOTAL, WHITE, and NONWHITE.

Table with 13 columns: ALL RACES (ALL TEENS, AGES 10-14, 15-17, 18-19), WHITE (ALL TEENS, AGES 10-14, 15-17, 18-19), NONWHITE (ALL TEENS, AGES 10-14, 15-17, 18-19). Rows include TEENAGE BIRTHS, TEENAGE IMMATURE BIRTHS, TEENAGE PREMATURE BIRTHS, TEENAGE ILLEGITIMATE BIRTHS, TEENS WHO HAD PREVIOUS LIVE BIRTHS, TEENS WHO HAD PREVIOUS PREGNANCIES, TEENS WITH INADEQUATE\* PRENATAL CARE, TEENAGE FERTILITY RATE, TEENAGE FETAL DEATHS\*\*, TEENAGE FETAL DEATH RATIO, TEENAGE INDUCED TERMINATIONS#, TEENAGE INDUCED TERMINATION RATIO, TEENAGE PREGNANCIES#, TEENAGE PREGNANCY RATE, INFANT DEATHS TO TEENAGE MOTHERS, INFANT MORTALITY RATE, TEEN MOMS.

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: HINDS**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	249,579	19,356	9,424	9,932	3,812
WHITE	89,370	5,143	2,280	2,863	969
NONWHITE	160,209	14,213	7,144	7,069	2,843

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	663	20	214	429	71	0	19	52	592	20	195	377
TEENAGE IMMATURE BIRTHS	105	6	39	60	7	0	3	4	98	6	36	56
TEENAGE PREMATURE BIRTHS	158	8	63	87	9	0	5	4	149	8	58	83
TEENAGE ILLEGITIMATE BIRTHS	625	20	207	398	48	0	13	35	577	20	194	363
TEENS WHO HAD PREVIOUS LIVE BIRTHS	194	0	35	159	13	0	1	12	181	0	34	147
TEENS WHO HAD PREVIOUS PREGNANCIES	226	0	44	182	16	0	3	13	210	0	41	169
TEENS WITH INADEQUATE* PRENATAL CARE	56	3	15	38	2	0	0	2	54	3	15	36
TEENAGE FERTILITY RATE	34.2	2.1	64.7 (15-19)		13.8	-	24.8 (15-19)		41.6	2.8	80.9 (15-19)	
TEENAGE FETAL DEATHS**	8	2	3	3	1	0	0	1	7	2	3	2
TEENAGE FETAL DEATH RATIO	12.1	100.0	14.0	7.0	14.1	-	-	19.2	11.8	100.0	15.4	5.3
TEENAGE INDUCED TERMINATIONS#	224	9	58	157	36	2	10	24	188	7	48	133
TEENAGE INDUCED TERMINATION RATIO	337.8	450.0	271.0	366.0	507.0	&	526.3	461.5	317.6	350.0	246.2	352.8
TEENAGE PREGNANCIES#	895	31	275	589	108	2	29	77	787	29	246	512
TEENAGE PREGNANCY RATE	46.2	3.3	87.0 (15-19)		21.0	0.9	37.0 (15-19)		55.4	4.0	107.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	12	0	5	7	1	0	1	0	11	0	4	7
INFANT MORTALITY RATE, TEEN MOMS	18.1	-	23.4	16.3	14.1	-	52.6	-	18.6	-	20.5	18.6

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: HOLMES**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,651	1,954	909	1,045	339
WHITE	4,144	279	94	185	33
NONWHITE	17,507	1,675	815	860	306

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	82	4	28	50	2	0	1	1	80	4	27	49
TEENAGE IMMATURE BIRTHS	12	1	5	6	0	0	0	0	12	1	5	6
TEENAGE PREMATURE BIRTHS	17	0	9	8	0	0	0	0	17	0	9	8
TEENAGE ILLEGITIMATE BIRTHS	81	4	27	50	1	0	0	1	80	4	27	49
TEENS WHO HAD PREVIOUS LIVE BIRTHS	18	0	7	11	0	0	0	0	18	0	7	11
TEENS WHO HAD PREVIOUS PREGNANCIES	25	0	10	15	1	0	1	0	24	0	9	15
TEENS WITH INADEQUATE* PRENATAL CARE	19	1	7	11	0	0	0	0	19	1	7	11
TEENAGE FERTILITY RATE	42.0	4.4	74.6 (15-19)		7.2	-	10.8 (15-19)		47.8	4.9	88.4 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	12.2	-	35.7	-	500.0	-	1000.0	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	13	0	6	7	1	0	1	0	12	0	5	7
TEENAGE INDUCED TERMINATION RATIO	158.5	-	214.3	140.0	500.0	-	1000.0	-	150.0	-	185.2	142.8
TEENAGE PREGNANCIES#	96	4	35	57	4	0	3	1	92	4	32	56
TEENAGE PREGNANCY RATE	49.1	4.4	88.0 (15-19)		14.3	-	21.6 (15-19)		54.9	4.9	102.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	2	0	0	0	0	0	2	0	2	0
INFANT MORTALITY RATE, TEEN MOMS	24.4	-	71.4	-	-	-	-	-	25.0	-	74.1	-

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: HUMPHREYS**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,750	942	458	484	205
WHITE	2,994	164	78	86	30
NONWHITE	7,756	778	380	398	175

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	63	6	23	34	6	0	3	3	57	6	20	31
TEENAGE IMMATURE BIRTHS	8	0	2	6	0	0	0	0	8	0	2	6
TEENAGE PREMATURE BIRTHS	15	1	6	8	1	0	1	0	14	1	5	8
TEENAGE ILLEGITIMATE BIRTHS	60	6	22	32	3	0	2	1	57	6	20	31
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	1	0	12	0	0	0	0	13	1	0	12
TEENS WHO HAD PREVIOUS PREGNANCIES	16	1	1	14	1	0	0	1	15	1	1	13
TEENS WITH INADEQUATE* PRENATAL CARE	4	2	1	1	0	0	0	0	4	2	1	1
TEENAGE FERTILITY RATE	66.9	13.1	117.8 (15-19)	36.6	-	69.8 (15-19)	73.3	15.8	128.1 (15-19)			
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	15.9	-	-	29.4	-	-	-	-	17.5	-	-	32.2
TEENAGE INDUCED TERMINATIONS#	4	0	2	2	1	0	1	0	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	63.5	-	87.0	58.8	166.7	-	333.3	-	52.6	-	50.0	64.5
TEENAGE PREGNANCIES#	68	6	25	37	7	0	4	3	61	6	21	34
TEENAGE PREGNANCY RATE	72.2	13.1	128.1 (15-19)	42.7	-	81.4 (15-19)	78.4	15.8	138.2 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	15.9	-	-	29.4	-	-	-	-	17.5	-	-	32.3

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2002

COUNTY: ISSAQUENA

Table with 6 columns: RACE, TOTAL POPULATION ALL AGES, FEMALES AGES 10-19, FEMALES AGES 10-14, FEMALES AGES 15-19, TOTAL LIVE BIRTHS. Rows include TOTAL, WHITE, and NONWHITE.

Summary table with 12 columns: ALL RACES (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19), WHITE (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19), NONWHITE (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19).

Main data table with 12 columns corresponding to the summary table above. Rows include TEENAGE BIRTHS, TEENAGE IMMATURE BIRTHS, TEENAGE PREMATURE BIRTHS, TEENAGE ILLEGITIMATE BIRTHS, TEENS WHO HAD PREVIOUS LIVE BIRTHS, TEENS WHO HAD PREVIOUS PREGNANCIES, TEENS WITH INADEQUATE\* PRENATAL CARE, TEENAGE FERTILITY RATE, TEENAGE FETAL DEATHS\*\*, TEENAGE FETAL DEATH RATIO, TEENAGE INDUCED TERMINATIONS#, TEENAGE INDUCED TERMINATION RATIO, TEENAGE PREGNANCIES#, TEENAGE PREGNANCY RATE, INFANT DEATHS TO TEENAGE MOTHERS, and INFANT MORTALITY RATE, TEEN MOMS.

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: ITAWAMBA**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	22,975	1,685	828	857	262
WHITE	21,309	1,510	767	743	236
NONWHITE	1,666	175	61	114	26

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	38	0	11	27	35	0	9	26	3	0	2	1
TEENAGE IMMATURE BIRTHS	3	0	2	1	2	0	1	1	1	0	1	0
TEENAGE PREMATURE BIRTHS	8	0	4	4	7	0	3	4	1	0	1	0
TEENAGE ILLEGITIMATE BIRTHS	19	0	9	10	16	0	7	9	3	0	2	1
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	0	7	6	0	0	6	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	1	9	9	0	1	8	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	2	0	0	2	0	0	0	0
TEENAGE FERTILITY RATE	22.6	-	44.3 (15-19)		23.2	-	47.1 (15-19)		17.1	-	26.3 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	52.6	-	-	74.1	-	-	-	-	666.7	-	-	2000.0
TEENAGE PREGNANCIES#	40	0	11	29	35	0	9	26	5	0	2	3
TEENAGE PREGNANCY RATE	23.7	-	46.7 (15-19)		23.2	-	47.1 (15-19)		28.6	-	43.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2002

COUNTY: JACKSON

Table with 6 columns: RACE, TOTAL POPULATION ALL AGES, FEMALES AGES 10-19, FEMALES AGES 10-14, FEMALES AGES 15-19, TOTAL LIVE BIRTHS. Rows include TOTAL, WHITE, and NONWHITE.

Table with 13 columns: ALL RACES (ALL TEENS, AGES 10-14, 15-17, 18-19), WHITE (ALL TEENS, AGES 10-14, 15-17, 18-19), NONWHITE (ALL TEENS, AGES 10-14, 15-17, 18-19). Rows include TEENAGE BIRTHS, TEENAGE IMMATURE BIRTHS, TEENAGE PREMATURE BIRTHS, TEENAGE ILLEGITIMATE BIRTHS, TEENS WHO HAD PREVIOUS LIVE BIRTHS, TEENS WHO HAD PREVIOUS PREGNANCIES, TEENS WITH INADEQUATE\* PRENATAL CARE, TEENAGE FERTILITY RATE, TEENAGE FETAL DEATHS\*\*, TEENAGE FETAL DEATH RATIO, TEENAGE INDUCED TERMINATIONS#, TEENAGE INDUCED TERMINATION RATIO, TEENAGE PREGNANCIES#, TEENAGE PREGNANCY RATE, INFANT DEATHS TO TEENAGE MOTHERS, INFANT MORTALITY RATE, TEEN MOMS.

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: JASPER**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	18,286	1,401	738	663	200
WHITE	8,433	480	249	231	87
NONWHITE	9,853	921	489	432	113

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	33	3	8	22	10	0	3	7	23	3	5	15
TEENAGE IMMATURE BIRTHS	3	0	0	3	1	0	0	1	2	0	0	2
TEENAGE PREMATURE BIRTHS	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	27	3	6	18	4	0	1	3	23	3	5	15
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	2	4	2	0	1	1	4	0	1	3
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	2	5	2	0	1	1	5	0	1	4
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	2	1	1	0	0	1	2	0	2	0
TEENAGE FERTILITY RATE	23.6	4.1	45.2 (15-19)		20.8	-	43.3 (15-19)		25.0	6.1	46.3 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	33	3	8	22	10	0	3	7	23	3	5	15
TEENAGE PREGNANCY RATE	23.6	4.1	45.2 (15-19)		20.8	-	43.3 (15-19)		25.0	6.1	46.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2002

COUNTY: JEFFERSON

Table with 6 columns: RACE, TOTAL POPULATION ALL AGES, FEMALES AGES 10-19, FEMALES AGES 10-14, FEMALES AGES 15-19, TOTAL LIVE BIRTHS. Rows include TOTAL, WHITE, and NONWHITE.

Summary table with 12 columns: ALL RACES (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19), WHITE (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19), NONWHITE (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19).

Main data table with 12 columns corresponding to the summary table above. Rows include TEENAGE BIRTHS, TEENAGE IMMATURE BIRTHS, TEENAGE PREMATURE BIRTHS, TEENAGE ILLEGITIMATE BIRTHS, TEENS WHO HAD PREVIOUS LIVE BIRTHS, TEENS WHO HAD PREVIOUS PREGNANCIES, TEENS WITH INADEQUATE\* PRENATAL CARE, TEENAGE FERTILITY RATE, TEENAGE FETAL DEATHS\*\*, TEENAGE FETAL DEATH RATIO, TEENAGE INDUCED TERMINATIONS#, TEENAGE INDUCED TERMINATION RATIO, TEENAGE PREGNANCIES#, TEENAGE PREGNANCY RATE, INFANT DEATHS TO TEENAGE MOTHERS, and INFANT MORTALITY RATE, TEEN MOMS.

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: JEFF DAVIS**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,521	1,042	501	541	155
WHITE	5,649	315	145	170	56
NONWHITE	7,872	727	356	371	99

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	35	0	18	17	14	0	7	7	21	0	11	10
TEENAGE IMMATURE BIRTHS	11	0	7	4	5	0	3	2	6	0	4	2
TEENAGE PREMATURE BIRTHS	10	0	6	4	4	0	3	1	6	0	3	3
TEENAGE ILLEGITIMATE BIRTHS	25	0	13	12	5	0	3	2	20	0	10	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	3	4	5	0	2	3	2	0	1	1
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	3	5	6	0	2	4	2	0	1	1
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	33.6	-	64.7 (15-19)		44.4	-	82.4 (15-19)		28.9	-	56.6 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	28.6	-	-	58.8	71.4	-	-	142.8	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	1	1	0	0	0	0	0	0	1	1	0	0
TEENAGE INDUCED TERMINATION RATIO	28.6	&	-	-	-	-	-	-	47.6	&	-	-
TEENAGE PREGNANCIES#	37	1	18	18	15	0	7	8	22	1	11	10
TEENAGE PREGNANCY RATE	35.5	2.0	66.5 (15-19)		47.6	-	88.2 (15-19)		30.3	2.8	56.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	28.6	-	-	58.8	71.4	-	-	142.9	-	-	-	-

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: JONES**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	65,053	4,628	2,216	2,412	959
WHITE	46,784	2,923	1,346	1,577	608
NONWHITE	18,269	1,705	870	835	351

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	174	7	55	112	92	2	29	61	82	5	26	51
TEENAGE IMMATURE BIRTHS	16	2	4	10	5	0	1	4	11	2	3	6
TEENAGE PREMATURE BIRTHS	17	3	9	5	8	1	5	2	9	2	4	3
TEENAGE ILLEGITIMATE BIRTHS	139	7	48	84	58	2	22	34	81	5	26	50
TEENS WHO HAD PREVIOUS LIVE BIRTHS	34	0	2	32	14	0	0	14	20	0	2	18
TEENS WHO HAD PREVIOUS PREGNANCIES	44	0	4	40	19	0	1	18	25	0	3	22
TEENS WITH INADEQUATE* PRENATAL CARE	5	1	4	0	3	0	3	0	2	1	1	0
TEENAGE FERTILITY RATE	37.6	3.2	69.2 (15-19)		31.5	1.5	57.1 (15-19)		48.1	5.7	92.2 (15-19)	
TEENAGE FETAL DEATHS**	4	0	2	2	1	0	1	0	3	0	1	2
TEENAGE FETAL DEATH RATIO	23.0	-	36.4	17.8	10.9	-	34.5	-	36.6	-	38.5	39.2
TEENAGE INDUCED TERMINATIONS#	14	2	4	8	4	0	2	2	10	2	2	6
TEENAGE INDUCED TERMINATION RATIO	80.5	285.7	72.7	71.4	43.5	-	69.0	32.8	122.0	400.0	76.9	117.6
TEENAGE PREGNANCIES#	192	9	61	122	97	2	32	63	95	7	29	59
TEENAGE PREGNANCY RATE	41.5	4.1	75.9 (15-19)		33.2	1.5	60.2 (15-19)		55.7	8.0	105.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	1	0	0	1	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	11.5	-	-	17.9	10.9	-	-	16.4	12.2	-	-	19.6

\* ACCORDING TO THE KESSNER INDEX.  
 \*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.  
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.  
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.  
 PREMATURE=GESTATION LESS THAN 37 WEEKS.  
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.  
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.  
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.  
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.  
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.  
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.  
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2002

COUNTY: KEMPER

Table with 6 columns: RACE, TOTAL POPULATION ALL AGES, FEMALES AGES 10-19, FEMALES AGES 10-14, FEMALES AGES 15-19, TOTAL LIVE BIRTHS. Rows include TOTAL, WHITE, and NONWHITE.

Summary table with 12 columns: ALL RACES (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19), WHITE (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19), NONWHITE (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19).

Main data table with 12 columns corresponding to the summary table above. Rows include TEENAGE BIRTHS, TEENAGE IMMATURE BIRTHS, TEENAGE PREMATURE BIRTHS, TEENAGE ILLEGITIMATE BIRTHS, TEENS WHO HAD PREVIOUS LIVE BIRTHS, TEENS WHO HAD PREVIOUS PREGNANCIES, TEENS WITH INADEQUATE\* PRENATAL CARE, TEENAGE FERTILITY RATE, TEENAGE FETAL DEATHS\*\*, TEENAGE FETAL DEATH RATIO, TEENAGE INDUCED TERMINATIONS#, TEENAGE INDUCED TERMINATION RATIO, TEENAGE PREGNANCIES#, TEENAGE PREGNANCY RATE, INFANT DEATHS TO TEENAGE MOTHERS, and INFANT MORTALITY RATE, TEEN MOMS.

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: LAFAYETTE**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	39,524	3,091	983	2,108	482
WHITE	28,494	2,158	623	1,535	294
NONWHITE	11,030	933	360	573	188

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	64	3	19	42	20	0	9	11	44	3	10	31
TEENAGE IMMATURE BIRTHS	9	1	3	5	1	0	0	1	8	1	3	4
TEENAGE PREMATURE BIRTHS	10	0	3	7	1	0	0	1	9	0	3	6
TEENAGE ILLEGITIMATE BIRTHS	52	3	17	32	12	0	7	5	40	3	10	27
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	0	1	16	1	0	0	1	16	0	1	15
TEENS WHO HAD PREVIOUS PREGNANCIES	22	0	2	20	4	0	1	3	18	0	1	17
TEENS WITH INADEQUATE* PRENATAL CARE	5	1	2	2	0	0	0	0	5	1	2	2
TEENAGE FERTILITY RATE	20.7	3.0	28.9 (15-19)		9.3	-	13.0 (15-19)		47.2	8.3	71.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	4	0	0	4	3	0	0	3	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	62.5	-	-	95.2	150.0	-	-	272.7	22.7	-	-	32.2
TEENAGE PREGNANCIES#	68	3	19	46	23	0	9	14	45	3	10	32
TEENAGE PREGNANCY RATE	22.0	3.0	30.8 (15-19)		10.6	-	15.0 (15-19)		48.2	8.3	73.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	1	0	1	0	0	0	0	2	1	0	1
INFANT MORTALITY RATE, TEEN MOMS	31.3	333.3	-	23.8	-	-	-	-	45.5	333.3	-	32.3

\* ACCORDING TO THE KESSNER INDEX.  
 \*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.  
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.  
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.  
 PREMATURE=GESTATION LESS THAN 37 WEEKS.  
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.  
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.  
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.  
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.  
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.  
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.  
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: LAMAR**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	41,167	3,043	1,549	1,494	626
WHITE	35,029	2,479	1,258	1,221	521
NONWHITE	6,138	564	291	273	105

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	73	1	26	46	60	0	18	42	13	1	8	4
TEENAGE IMMATURE BIRTHS	12	0	4	8	9	0	2	7	3	0	2	1
TEENAGE PREMATURE BIRTHS	13	0	4	9	9	0	1	8	4	0	3	1
TEENAGE ILLEGITIMATE BIRTHS	39	1	18	20	27	0	10	17	12	1	8	3
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	0	5	12	14	0	3	11	3	0	2	1
TEENS WHO HAD PREVIOUS PREGNANCIES	20	0	5	15	16	0	3	13	4	0	2	2
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	3	0	1	2	0	0	0	0
TEENAGE FERTILITY RATE	24.0	0.6	48.2 (15-19)		24.2	-	49.1 (15-19)		23.0	3.4	44.0 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	11	0	2	9	8	0	1	7	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	150.7	-	76.9	195.6	133.3	-	55.6	166.7	230.8	-	125.0	500.0
TEENAGE PREGNANCIES#	84	1	28	55	68	0	19	49	16	1	9	6
TEENAGE PREGNANCY RATE	27.6	0.6	55.6 (15-19)		27.4	-	55.7 (15-19)		28.4	3.4	54.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	13.7	-	-	21.7	16.7	-	-	23.8	-	-	-	-

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: LAUDERDALE**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	77,600	5,581	2,874	2,707	1,149
WHITE	46,084	2,696	1,378	1,318	605
NONWHITE	31,516	2,885	1,496	1,389	544

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	177	5	56	116	52	0	16	36	125	5	40	80
TEENAGE IMMATURE BIRTHS	16	0	5	11	5	0	2	3	11	0	3	8
TEENAGE PREMATURE BIRTHS	24	1	10	13	6	0	3	3	18	1	7	10
TEENAGE ILLEGITIMATE BIRTHS	155	5	52	98	32	0	12	20	123	5	40	78
TEENS WHO HAD PREVIOUS LIVE BIRTHS	42	0	9	33	6	0	2	4	36	0	7	29
TEENS WHO HAD PREVIOUS PREGNANCIES	54	0	10	44	8	0	2	6	46	0	8	38
TEENS WITH INADEQUATE* PRENATAL CARE	9	1	4	4	4	0	3	1	5	1	1	3
TEENAGE FERTILITY RATE	31.7	1.7	63.5 (15-19)		19.3	-	39.4 (15-19)		43.3	3.3	86.4 (15-19)	
TEENAGE FETAL DEATHS**	5	0	2	3	2	0	2	0	3	0	0	3
TEENAGE FETAL DEATH RATIO	28.2	-	35.7	25.9	38.5	-	125.0	-	24.0	-	-	37.5
TEENAGE INDUCED TERMINATIONS#	49	1	18	30	20	1	8	11	29	0	10	19
TEENAGE INDUCED TERMINATION RATIO	276.8	200.0	321.4	258.6	384.6	&	500.0	305.6	232.0	-	250.0	237.5
TEENAGE PREGNANCIES#	231	6	76	149	74	1	26	47	157	5	50	102
TEENAGE PREGNANCY RATE	41.4	2.1	83.1 (15-19)		27.4	0.7	55.4 (15-19)		54.4	3.3	109.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	5.7	-	-	8.6	-	-	-	-	8.0	-	-	12.5

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: LAWRENCE**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,448	977	509	468	157
WHITE	9,038	599	314	285	94
NONWHITE	4,410	378	195	183	63

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	25	0	6	19	15	0	2	13	10	0	4	6
TEENAGE IMMATURE BIRTHS	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE PREMATURE BIRTHS	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	19	0	5	14	9	0	1	8	10	0	4	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	2	6	4	0	0	4	4	0	2	2
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	2	8	6	0	0	6	4	0	2	2
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	1	5	4	0	1	3	2	0	0	2
TEENAGE FERTILITY RATE	25.6	-	53.4 (15-19)		25.0	-	52.6 (15-19)		26.4	-	54.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	3	0	2	1	1	0	0	1	2	0	2	0
TEENAGE INDUCED TERMINATION RATIO	120.0	-	333.3	52.6	66.7	-	-	76.9	200.0	-	500.0	-
TEENAGE PREGNANCIES#	28	0	8	20	16	0	2	14	12	0	6	6
TEENAGE PREGNANCY RATE	28.6	-	59.8 (15-19)		26.7	-	56.1 (15-19)		31.7	-	65.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: LEAKE**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,540	1,551	823	728	348
WHITE	12,256	720	384	336	187
NONWHITE	9,284	831	439	392	161

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	59	2	21	36	36	0	14	22	23	2	7	14
TEENAGE IMMATURE BIRTHS	6	0	1	5	4	0	1	3	2	0	0	2
TEENAGE PREMATURE BIRTHS	7	0	2	5	2	0	0	2	5	0	2	3
TEENAGE ILLEGITIMATE BIRTHS	47	2	18	27	24	0	11	13	23	2	7	14
TEENS WHO HAD PREVIOUS LIVE BIRTHS	14	0	3	11	10	0	3	7	4	0	0	4
TEENS WHO HAD PREVIOUS PREGNANCIES	17	0	3	14	13	0	3	10	4	0	0	4
TEENS WITH INADEQUATE* PRENATAL CARE	5	2	1	2	0	0	0	0	5	2	1	2
TEENAGE FERTILITY RATE	38.0	2.4	78.3 (15-19)		50.0	-	107.1 (15-19)		27.7	4.6	53.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	4	0	1	3	1	0	0	1	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	67.8	-	47.6	83.3	27.8	-	-	45.4	130.4	-	142.8	142.8
TEENAGE PREGNANCIES#	63	2	22	39	37	0	14	23	26	2	8	16
TEENAGE PREGNANCY RATE	40.6	2.4	83.8 (15-19)		51.4	-	110.1 (15-19)		31.3	4.6	61.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	2	0	0	2	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	33.9	-	-	55.6	55.6	-	-	90.9	-	-	-	-

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: LEE**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	77,220	5,482	2,891	2,591	1,161
WHITE	56,306	3,548	1,891	1,657	790
NONWHITE	20,914	1,934	1,000	934	371

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	185	3	61	121	105	1	30	74	80	2	31	47
TEENAGE IMMATURE BIRTHS	16	1	5	10	10	0	3	7	6	1	2	3
TEENAGE PREMATURE BIRTHS	49	2	15	32	22	0	6	16	27	2	9	16
TEENAGE ILLEGITIMATE BIRTHS	140	3	54	83	66	1	24	41	74	2	30	42
TEENS WHO HAD PREVIOUS LIVE BIRTHS	52	0	10	42	21	0	3	18	31	0	7	24
TEENS WHO HAD PREVIOUS PREGNANCIES	62	0	12	50	27	0	3	24	35	0	9	26
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	1	4	1	0	0	1	4	0	1	3
TEENAGE FERTILITY RATE	33.7	1.0	70.2 (15-19)		29.6	0.5	62.8 (15-19)		41.4	2.0	83.5 (15-19)	
TEENAGE FETAL DEATHS**	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	10.8	-	16.4	8.3	9.5	-	33.3	-	12.5	-	-	21.3
TEENAGE INDUCED TERMINATIONS#	4	0	2	2	3	0	1	2	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	21.6	-	32.8	16.5	28.6	-	33.3	27.0	12.5	-	32.2	-
TEENAGE PREGNANCIES#	191	3	64	124	109	1	32	76	82	2	32	48
TEENAGE PREGNANCY RATE	34.8	1.0	72.6 (15-19)		30.7	0.5	65.2 (15-19)		42.4	2.0	85.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	4	0	2	2	2	0	1	1	2	0	1	1
INFANT MORTALITY RATE, TEEN MOMS	21.6	-	32.8	16.5	19.0	-	33.3	13.5	25.0	-	32.3	21.3

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2002

COUNTY: LEFLORE

Table with 6 columns: RACE, TOTAL POPULATION ALL AGES, FEMALES AGES 10-19, FEMALES AGES 10-14, FEMALES AGES 15-19, TOTAL LIVE BIRTHS. Rows include TOTAL, WHITE, and NONWHITE.

Table with 13 columns: ALL RACES (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19), WHITE (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19), NONWHITE (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19). Rows include TEENAGE BIRTHS, TEENAGE IMMATURE BIRTHS, TEENAGE PREMATURE BIRTHS, TEENAGE ILLEGITIMATE BIRTHS, TEENS WHO HAD PREVIOUS LIVE BIRTHS, TEENS WHO HAD PREVIOUS PREGNANCIES, TEENS WITH INADEQUATE\* PRENATAL CARE, TEENAGE FERTILITY RATE, TEENAGE FETAL DEATHS\*\*, TEENAGE FETAL DEATH RATIO, TEENAGE INDUCED TERMINATIONS#, TEENAGE INDUCED TERMINATION RATIO, TEENAGE PREGNANCIES#, TEENAGE PREGNANCY RATE, INFANT DEATHS TO TEENAGE MOTHERS, INFANT MORTALITY RATE, TEEN MOMS.

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2002

COUNTY: LINCOLN

Table with 6 columns: RACE, TOTAL POPULATION ALL AGES, FEMALES AGES 10-19, FEMALES AGES 10-14, FEMALES AGES 15-19, TOTAL LIVE BIRTHS. Rows include TOTAL, WHITE, and NONWHITE.

Summary table with 12 columns: ALL RACES (ALL TEENS, AGES 10-14, 15-17, 18-19), WHITE (ALL TEENS, AGES 10-14, 15-17, 18-19), NONWHITE (ALL TEENS, AGES 10-14, 15-17, 18-19).

Main data table with 12 columns corresponding to the summary table above. Rows include TEENAGE BIRTHS, TEENAGE IMMATURE BIRTHS, TEENAGE PREMATURE BIRTHS, TEENAGE ILLEGITIMATE BIRTHS, TEENS WHO HAD PREVIOUS LIVE BIRTHS, TEENS WHO HAD PREVIOUS PREGNANCIES, TEENS WITH INADEQUATE\* PRENATAL CARE, TEENAGE FERTILITY RATE, TEENAGE FETAL DEATHS\*\*, TEENAGE FETAL DEATH RATIO, TEENAGE INDUCED TERMINATIONS#, TEENAGE INDUCED TERMINATION RATIO, TEENAGE PREGNANCIES#, TEENAGE PREGNANCY RATE, INFANT DEATHS TO TEENAGE MOTHERS, and INFANT MORTALITY RATE, TEEN MOMS.

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2002

COUNTY: LOWNDES

Table with 6 columns: RACE, TOTAL POPULATION ALL AGES, FEMALES AGES 10-19, FEMALES AGES 10-14, FEMALES AGES 15-19, TOTAL LIVE BIRTHS. Rows include TOTAL, WHITE, and NONWHITE.

Table with 13 columns: ALL RACES (ALL TEENS, AGES 10-14, 15-17, 18-19), WHITE (ALL TEENS, AGES 10-14, 15-17, 18-19), NONWHITE (ALL TEENS, AGES 10-14, 15-17, 18-19). Rows include TEENAGE BIRTHS, TEENAGE IMMATURE BIRTHS, TEENAGE FETAL DEATHS, TEENAGE INDUCED TERMINATIONS, TEENAGE PREGNANCIES, and INFANT DEATHS TO TEENAGE MOTHERS.

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2002

COUNTY: MADISON

Table with 6 columns: RACE, TOTAL POPULATION ALL AGES, FEMALES AGES 10-19, FEMALES AGES 10-14, FEMALES AGES 15-19, TOTAL LIVE BIRTHS. Rows include TOTAL, WHITE, and NONWHITE.

Table with 14 columns: ALL RACES (ALL TEENS, AGES 10-14, 15-17, 18-19), WHITE (ALL TEENS, AGES 10-14, 15-17, 18-19), NONWHITE (ALL TEENS, AGES 10-14, 15-17, 18-19). Rows include TEENAGE BIRTHS, TEENAGE IMMATURE BIRTHS, TEENAGE PREMATURE BIRTHS, TEENAGE ILLEGITIMATE BIRTHS, TEENS WHO HAD PREVIOUS LIVE BIRTHS, TEENS WHO HAD PREVIOUS PREGNANCIES, TEENS WITH INADEQUATE\* PRENATAL CARE, TEENAGE FERTILITY RATE, TEENAGE FETAL DEATHS\*\*, TEENAGE FETAL DEATH RATIO, TEENAGE INDUCED TERMINATIONS#, TEENAGE INDUCED TERMINATION RATIO, TEENAGE PREGNANCIES#, TEENAGE PREGNANCY RATE, INFANT DEATHS TO TEENAGE MOTHERS, INFANT MORTALITY RATE, TEEN MOMS.

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2002

COUNTY: MARION

Table with 6 columns: RACE, TOTAL POPULATION ALL AGES, FEMALES AGES 10-19, FEMALES AGES 10-14, FEMALES AGES 15-19, TOTAL LIVE BIRTHS. Rows include TOTAL, WHITE, and NONWHITE.

Summary table with 12 columns: ALL RACES (ALL TEENS, AGES 10-14, 15-17, 18-19), WHITE (ALL TEENS, AGES 10-14, 15-17, 18-19), NONWHITE (ALL TEENS, AGES 10-14, 15-17, 18-19).

Main data table with 12 columns corresponding to the summary table above. Rows include TEENAGE BIRTHS, TEENAGE IMMATURE BIRTHS, TEENAGE PREMATURE BIRTHS, TEENAGE ILLEGITIMATE BIRTHS, TEENS WHO HAD PREVIOUS LIVE BIRTHS, TEENS WHO HAD PREVIOUS PREGNANCIES, TEENS WITH INADEQUATE\* PRENATAL CARE, TEENAGE FERTILITY RATE, TEENAGE FETAL DEATHS\*\*, TEENAGE FETAL DEATH RATIO, TEENAGE INDUCED TERMINATIONS#, TEENAGE INDUCED TERMINATION RATIO, TEENAGE PREGNANCIES#, TEENAGE PREGNANCY RATE, INFANT DEATHS TO TEENAGE MOTHERS, and INFANT MORTALITY RATE, TEEN MOMS.

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: MARSHALL**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	35,163	2,566	1,301	1,265	514
WHITE	17,207	969	505	464	243
NONWHITE	17,956	1,597	796	801	271

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	103	3	35	65	35	0	11	24	68	3	24	41
TEENAGE IMMATURE BIRTHS	13	0	7	6	4	0	1	3	9	0	6	3
TEENAGE PREMATURE BIRTHS	16	0	7	9	2	0	1	1	14	0	6	8
TEENAGE ILLEGITIMATE BIRTHS	85	3	32	50	19	0	8	11	66	3	24	39
TEENS WHO HAD PREVIOUS LIVE BIRTHS	25	0	6	19	8	0	2	6	17	0	4	13
TEENS WHO HAD PREVIOUS PREGNANCIES	31	0	8	23	11	0	2	9	20	0	6	14
TEENS WITH INADEQUATE* PRENATAL CARE	10	0	3	7	3	0	2	1	7	0	1	6
TEENAGE FERTILITY RATE	40.1	2.3	79.0 (15-19)		36.1	-	75.4 (15-19)		42.6	3.8	81.1 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	103	3	35	65	35	0	11	24	68	3	24	41
TEENAGE PREGNANCY RATE	40.1	2.3	79.0 (15-19)		36.1	-	75.4 (15-19)		42.6	3.8	81.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	0	0	0	0	2	0	1	1
INFANT MORTALITY RATE, TEEN MOMS	19.4	-	28.6	15.4	-	-	-	-	29.4	-	41.7	24.4

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2002

COUNTY: MONROE

Table with 6 columns: RACE, TOTAL POPULATION ALL AGES, FEMALES AGES 10-19, FEMALES AGES 10-14, FEMALES AGES 15-19, TOTAL LIVE BIRTHS. Rows include TOTAL, WHITE, and NONWHITE.

Table with 14 columns: ALL RACES (ALL TEENS, AGES 10-14, 15-17, 18-19), WHITE (ALL TEENS, AGES 10-14, 15-17, 18-19), NONWHITE (ALL TEENS, AGES 10-14, 15-17, 18-19). Rows include TEENAGE BIRTHS, TEENAGE IMMATURE BIRTHS, TEENAGE PREMATURE BIRTHS, TEENAGE ILLEGITIMATE BIRTHS, TEENS WHO HAD PREVIOUS LIVE BIRTHS, TEENS WHO HAD PREVIOUS PREGNANCIES, TEENS WITH INADEQUATE\* PRENATAL CARE, TEENAGE FERTILITY RATE, TEENAGE FETAL DEATHS\*\*, TEENAGE FETAL DEATH RATIO, TEENAGE INDUCED TERMINATIONS#, TEENAGE INDUCED TERMINATION RATIO, TEENAGE PREGNANCIES#, TEENAGE PREGNANCY RATE, INFANT DEATHS TO TEENAGE MOTHERS, INFANT MORTALITY RATE, TEEN MOMS.

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: MONTGOMERY**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	11,863	904	487	417	152
WHITE	6,342	350	186	164	66
NONWHITE	5,521	554	301	253	86

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	32	0	9	23	8	0	2	6	24	0	7	17
TEENAGE IMMATURE BIRTHS	5	0	3	2	1	0	0	1	4	0	3	1
TEENAGE PREMATURE BIRTHS	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE ILLEGITIMATE BIRTHS	29	0	8	21	6	0	1	5	23	0	7	16
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	1	8	3	0	0	3	6	0	1	5
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	1	9	3	0	0	3	7	0	1	6
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE FERTILITY RATE	35.4	-	76.7 (15-19)		22.8	-	48.8 (15-19)		43.3	-	94.9 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	9	1	5	3	5	1	1	3	4	0	4	0
TEENAGE INDUCED TERMINATION RATIO	281.2	&	555.6	130.4	625.0	&	500.0	500.0	166.7	-	571.4	-
TEENAGE PREGNANCIES#	41	1	14	26	13	1	3	9	28	0	11	17
TEENAGE PREGNANCY RATE	45.4	2.0	95.9 (15-19)		37.1	5.4	73.2 (15-19)		50.5	-	110.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: NESHOPA**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	29,027	2,161	1,091	1,070	448
WHITE	18,818	1,155	571	584	211
NONWHITE	10,209	1,006	520	486	237

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	100	3	34	63	37	0	14	23	63	3	20	40
TEENAGE IMMATURE BIRTHS	9	1	3	5	3	0	1	2	6	1	2	3
TEENAGE PREMATURE BIRTHS	21	1	7	13	6	0	3	3	15	1	4	10
TEENAGE ILLEGITIMATE BIRTHS	75	3	28	44	20	0	9	11	55	3	19	33
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	0	4	13	4	0	1	3	13	0	3	10
TEENS WHO HAD PREVIOUS PREGNANCIES	23	0	5	18	6	0	1	5	17	0	4	13
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	4	3	3	0	2	1	4	0	2	2
TEENAGE FERTILITY RATE	46.3	2.8	90.6 (15-19)		32.0	-	63.4 (15-19)		62.6	5.8	123.4 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	10	0	6	4	6	0	3	3	4	0	3	1
TEENAGE INDUCED TERMINATION RATIO	100.0	-	176.5	63.5	162.2	-	214.3	130.4	63.5	-	150.0	25.0
TEENAGE PREGNANCIES#	110	3	40	67	43	0	17	26	67	3	23	41
TEENAGE PREGNANCY RATE	50.9	2.8	100.0 (15-19)		37.2	-	73.6 (15-19)		66.6	5.8	131.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2002

COUNTY: NEWTON

Table with 6 columns: RACE, TOTAL POPULATION ALL AGES, FEMALES AGES 10-19, FEMALES AGES 10-14, FEMALES AGES 15-19, TOTAL LIVE BIRTHS. Rows include TOTAL, WHITE, and NONWHITE.

Summary table with 12 columns: ALL RACES (ALL TEENS, AGES 10-14, 15-17, 18-19), WHITE (ALL TEENS, AGES 10-14, 15-17, 18-19), NONWHITE (ALL TEENS, AGES 10-14, 15-17, 18-19).

Main data table with 12 columns corresponding to the summary table above. Rows include TEENAGE BIRTHS, TEENAGE IMMATURE BIRTHS, TEENAGE PREMATURE BIRTHS, TEENAGE ILLEGITIMATE BIRTHS, TEENS WHO HAD PREVIOUS LIVE BIRTHS, TEENS WHO HAD PREVIOUS PREGNANCIES, TEENS WITH INADEQUATE\* PRENATAL CARE, TEENAGE FERTILITY RATE, TEENAGE FETAL DEATHS\*\*, TEENAGE FETAL DEATH RATIO, TEENAGE INDUCED TERMINATIONS#, TEENAGE INDUCED TERMINATION RATIO, TEENAGE PREGNANCIES#, TEENAGE PREGNANCY RATE, INFANT DEATHS TO TEENAGE MOTHERS, and INFANT MORTALITY RATE, TEEN MOMS.

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2002

COUNTY: NOXUBEE

Table with 6 columns: RACE, TOTAL POPULATION ALL AGES, FEMALES AGES 10-19, FEMALES AGES 10-14, FEMALES AGES 15-19, TOTAL LIVE BIRTHS. Rows include TOTAL, WHITE, and NONWHITE.

Summary table with 12 columns: ALL RACES (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19), WHITE (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19), NONWHITE (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19).

Main data table with 12 columns corresponding to the summary table above. Rows include TEENAGE BIRTHS, TEENAGE IMMATURE BIRTHS, TEENAGE PREMATURE BIRTHS, TEENAGE ILLEGITIMATE BIRTHS, TEENS WHO HAD PREVIOUS LIVE BIRTHS, TEENS WHO HAD PREVIOUS PREGNANCIES, TEENS WITH INADEQUATE\* PRENATAL CARE, TEENAGE FERTILITY RATE, TEENAGE FETAL DEATHS\*\*, TEENAGE FETAL DEATH RATIO, TEENAGE INDUCED TERMINATIONS#, TEENAGE INDUCED TERMINATION RATIO, TEENAGE PREGNANCIES#, TEENAGE PREGNANCY RATE, INFANT DEATHS TO TEENAGE MOTHERS, and INFANT MORTALITY RATE, TEEN MOMS.

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: OKTIBBEHA**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	42,751	3,282	1,176	2,106	556
WHITE	25,207	1,565	474	1,091	281
NONWHITE	17,544	1,717	702	1,015	275

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	75	2	29	44	17	0	4	13	58	2	25	31
TEENAGE IMMATURE BIRTHS	5	0	2	3	0	0	0	0	5	0	2	3
TEENAGE PREMATURE BIRTHS	9	0	6	3	2	0	0	2	7	0	6	1
TEENAGE ILLEGITIMATE BIRTHS	62	2	27	33	5	0	2	3	57	2	25	30
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	4	11	4	0	0	4	11	0	4	7
TEENS WHO HAD PREVIOUS PREGNANCIES	17	0	5	12	4	0	0	4	13	0	5	8
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	4	1	0	0	0	0	5	0	4	1
TEENAGE FERTILITY RATE	22.8	1.7	34.7 (15-19)		10.9	-	15.6 (15-19)		33.8	2.8	55.2 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	34	0	5	29	15	0	2	13	19	0	3	16
TEENAGE INDUCED TERMINATION RATIO	453.3	-	172.4	659.1	882.4	-	500.0	1000.0	327.6	-	120.0	516.1
TEENAGE PREGNANCIES#	109	2	34	73	32	0	6	26	77	2	28	47
TEENAGE PREGNANCY RATE	33.2	1.7	50.8 (15-19)		20.4	-	29.3 (15-19)		44.8	2.8	73.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	13.3	-	34.5	-	-	-	-	-	17.2	-	40.0	-

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2002

COUNTY: PANOLA

Table with 6 columns: RACE, TOTAL POPULATION ALL AGES, FEMALES AGES 10-19, FEMALES AGES 10-14, FEMALES AGES 15-19, TOTAL LIVE BIRTHS. Rows include TOTAL, WHITE, and NONWHITE.

Table with 13 columns: ALL RACES (ALL TEENS, AGES 10-14, 15-17, 18-19), WHITE (ALL TEENS, AGES 10-14, 15-17, 18-19), NONWHITE (ALL TEENS, AGES 10-14, 15-17, 18-19). Rows include TEENAGE BIRTHS, TEENAGE FERTILITY RATE, TEENAGE FETAL DEATHS, TEENAGE INDUCED TERMINATIONS, TEENAGE PREGNANCIES, and INFANT DEATHS TO TEENAGE MOTHERS.

\* ACCORDING TO THE KESSNER INDEX.
\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
PREMATURE=GESTATION LESS THAN 37 WEEKS.
FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: PEARL RIVER**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	50,473	3,744	1,833	1,911	678
WHITE	43,332	3,080	1,482	1,598	571
NONWHITE	7,141	664	351	313	107

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	119	4	35	80	96	2	26	68	23	2	9	12
TEENAGE IMMATURE BIRTHS	13	1	5	7	9	1	4	4	4	0	1	3
TEENAGE PREMATURE BIRTHS	15	1	7	7	12	1	7	4	3	0	0	3
TEENAGE ILLEGITIMATE BIRTHS	87	4	29	54	64	2	20	42	23	2	9	12
TEENS WHO HAD PREVIOUS LIVE BIRTHS	22	0	3	19	15	0	1	14	7	0	2	5
TEENS WHO HAD PREVIOUS PREGNANCIES	26	0	3	23	18	0	1	17	8	0	2	6
TEENS WITH INADEQUATE* PRENATAL CARE	4	1	1	2	3	0	1	2	1	1	0	0
TEENAGE FERTILITY RATE	31.8	2.2	60.2 (15-19)		31.2	1.4	58.8 (15-19)		34.6	5.7	67.1 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	8.4	-	-	12.5	10.4	-	-	14.7	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	120	4	35	81	97	2	26	69	23	2	9	12
TEENAGE PREGNANCY RATE	32.0	2.2	60.7 (15-19)		31.5	1.4	59.4 (15-19)		34.6	5.7	67.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	8.4	-	-	12.5	-	-	-	-	43.5	-	-	83.3

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: PERRY**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,200	907	470	437	178
WHITE	9,334	623	314	309	140
NONWHITE	2,866	284	156	128	38

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	35	0	12	23	30	0	9	21	5	0	3	2
TEENAGE IMMATURE BIRTHS	3	0	2	1	2	0	1	1	1	0	1	0
TEENAGE PREMATURE BIRTHS	7	0	5	2	5	0	3	2	2	0	2	0
TEENAGE ILLEGITIMATE BIRTHS	19	0	6	13	14	0	3	11	5	0	3	2
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	2	4	6	0	2	4	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	2	4	6	0	2	4	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FERTILITY RATE	38.6	-	80.1 (15-19)		48.2	-	97.1 (15-19)		17.6	-	39.1 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	2	0	2	0	1	0	1	0	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	57.1	-	166.7	-	33.3	-	111.1	-	200.0	-	333.3	-
TEENAGE PREGNANCIES#	37	0	14	23	31	0	10	21	6	0	4	2
TEENAGE PREGNANCY RATE	40.8	-	84.7 (15-19)		49.8	-	100.3 (15-19)		21.1	-	46.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2002

COUNTY: PIKE

Table with 6 columns: RACE, TOTAL POPULATION ALL AGES, FEMALES AGES 10-19, FEMALES AGES 10-14, FEMALES AGES 15-19, TOTAL LIVE BIRTHS. Rows include TOTAL, WHITE, and NONWHITE.

Table with 14 columns: ALL RACES (ALL TEENS, AGES 10-14, 15-17, 18-19), WHITE (ALL TEENS, AGES 10-14, 15-17, 18-19), NONWHITE (ALL TEENS, AGES 10-14, 15-17, 18-19). Rows include TEENAGE BIRTHS, TEENAGE FERTILITY RATE, TEENAGE FETAL DEATHS, TEENAGE INDUCED TERMINATIONS, TEENAGE PREGNANCIES, and INFANT DEATHS TO TEENAGE MOTHERS.

\* ACCORDING TO THE KESSNER INDEX.
\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
PREMATURE=GESTATION LESS THAN 37 WEEKS.
FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2002

COUNTY: PONTOTOC

Table with 6 columns: RACE, TOTAL POPULATION ALL AGES, FEMALES AGES 10-19, FEMALES AGES 10-14, FEMALES AGES 15-19, TOTAL LIVE BIRTHS. Rows include TOTAL, WHITE, and NONWHITE.

Summary table with 12 columns: ALL RACES (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19), WHITE (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19), NONWHITE (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19).

Main data table with 12 columns corresponding to the summary table above. Rows include TEENAGE BIRTHS, TEENAGE IMMATURE BIRTHS, TEENAGE PREMATURE BIRTHS, TEENAGE ILLEGITIMATE BIRTHS, TEENS WHO HAD PREVIOUS LIVE BIRTHS, TEENS WHO HAD PREVIOUS PREGNANCIES, TEENS WITH INADEQUATE\* PRENATAL CARE, TEENAGE FERTILITY RATE, TEENAGE FETAL DEATHS\*\*, TEENAGE FETAL DEATH RATIO, TEENAGE INDUCED TERMINATIONS#, TEENAGE INDUCED TERMINATION RATIO, TEENAGE PREGNANCIES#, TEENAGE PREGNANCY RATE, INFANT DEATHS TO TEENAGE MOTHERS, and INFANT MORTALITY RATE, TEEN MOMS.

\* ACCORDING TO THE KESSNER INDEX.
\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
PREMATURE=GESTATION LESS THAN 37 WEEKS.
FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: PRENTISS**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	25,746	1,848	869	979	327
WHITE	22,105	1,505	721	784	272
NONWHITE	3,641	343	148	195	55

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	51	0	18	33	37	0	8	29	14	0	10	4
TEENAGE IMMATURE BIRTHS	6	0	2	4	5	0	2	3	1	0	0	1
TEENAGE PREMATURE BIRTHS	10	0	5	5	3	0	1	2	7	0	4	3
TEENAGE ILLEGITIMATE BIRTHS	35	0	15	20	21	0	5	16	14	0	10	4
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	0	5	5	0	0	5	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	0	8	8	0	0	8	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	2	0	0	2	0	0	0	0
TEENAGE FERTILITY RATE	27.6	-	52.1 (15-19)		24.6	-	47.2 (15-19)		40.8	-	71.8 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	1	1	0	0	0	0	0	0	1	1	0	0
TEENAGE INDUCED TERMINATION RATIO	19.6	&	-	-	-	-	-	-	71.4	&	-	-
TEENAGE PREGNANCIES#	52	1	18	33	37	0	8	29	15	1	10	4
TEENAGE PREGNANCY RATE	28.1	1.2	52.1 (15-19)		24.6	-	47.2 (15-19)		43.7	6.8	71.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: QUITMAN**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,806	834	433	401	147
WHITE	2,995	163	89	74	24
NONWHITE	6,811	671	344	327	123

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	38	1	15	22	6	0	1	5	32	1	14	17
TEENAGE IMMATURE BIRTHS	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE PREMATURE BIRTHS	7	0	1	6	1	0	0	1	6	0	1	5
TEENAGE ILLEGITIMATE BIRTHS	38	1	15	22	6	0	1	5	32	1	14	17
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	1	6	0	0	0	0	7	0	1	6
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	1	7	0	0	0	0	8	0	1	7
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	45.6	2.3	92.3 (15-19)		36.8	-	81.1 (15-19)		47.7	2.9	94.8 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	26.3	-	66.7	-	166.7	-	1000.0	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	39	1	16	22	7	0	2	5	32	1	14	17
TEENAGE PREGNANCY RATE	46.8	2.3	94.8 (15-19)		42.9	-	94.6 (15-19)		47.7	2.9	94.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2002

COUNTY: RANKIN

Table with 6 columns: RACE, TOTAL POPULATION ALL AGES, FEMALES AGES 10-19, FEMALES AGES 10-14, FEMALES AGES 15-19, TOTAL LIVE BIRTHS. Rows include TOTAL, WHITE, and NONWHITE.

Summary table with 12 columns: ALL RACES (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19), WHITE (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19), NONWHITE (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19).

Main data table with 12 columns corresponding to the summary table above. Rows include TEENAGE BIRTHS, TEENAGE IMMATURE BIRTHS, TEENAGE PREMATURE BIRTHS, TEENAGE ILLEGITIMATE BIRTHS, TEENS WHO HAD PREVIOUS LIVE BIRTHS, TEENS WHO HAD PREVIOUS PREGNANCIES, TEENS WITH INADEQUATE\* PRENATAL CARE, TEENAGE FERTILITY RATE, TEENAGE FETAL DEATHS\*\*, TEENAGE FETAL DEATH RATIO, TEENAGE INDUCED TERMINATIONS#, TEENAGE INDUCED TERMINATION RATIO, TEENAGE PREGNANCIES#, TEENAGE PREGNANCY RATE, INFANT DEATHS TO TEENAGE MOTHERS, and INFANT MORTALITY RATE, TEEN MOMS.

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: SCOTT**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	28,338	2,158	1,137	1,021	447
WHITE	16,863	1,091	564	527	264
NONWHITE	11,475	1,067	573	494	183

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	76	3	30	43	42	1	17	24	34	2	13	19
TEENAGE IMMATURE BIRTHS	11	1	4	6	6	1	3	2	5	0	1	4
TEENAGE PREMATURE BIRTHS	11	1	4	6	7	0	2	5	4	1	2	1
TEENAGE ILLEGITIMATE BIRTHS	61	3	26	32	28	1	13	14	33	2	13	18
TEENS WHO HAD PREVIOUS LIVE BIRTHS	18	0	4	14	8	0	3	5	10	0	1	9
TEENS WHO HAD PREVIOUS PREGNANCIES	22	0	4	18	11	0	3	8	11	0	1	10
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	3	4	3	0	3	0	4	0	0	4
TEENAGE FERTILITY RATE	35.2	2.6	71.5 (15-19)		38.5	1.8	77.8 (15-19)		31.9	3.5	64.8 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	17	0	6	11	7	0	3	4	10	0	3	7
TEENAGE INDUCED TERMINATION RATIO	223.7	-	200.0	255.8	166.7	-	176.5	166.7	294.1	-	230.8	368.4
TEENAGE PREGNANCIES#	93	3	36	54	49	1	20	28	44	2	16	26
TEENAGE PREGNANCY RATE	43.1	2.6	88.1 (15-19)		44.9	1.8	91.1 (15-19)		41.2	3.5	85.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	2	0	2	0	2	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	26.3	-	66.7	-	47.6	-	117.6	-	-	-	-	-

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2002

COUNTY: SHARKEY

Table with 5 columns: RACE, TOTAL POPULATION ALL AGES, FEMALES AGES 10-19, FEMALES AGES 10-14, FEMALES AGES 15-19, TOTAL LIVE BIRTHS. Rows include TOTAL, WHITE, and NONWHITE.

Summary table with 12 columns: ALL RACES (ALL TEENS, AGES 10-14, 15-17, 18-19), WHITE (ALL TEENS, AGES 10-14, 15-17, 18-19), NONWHITE (ALL TEENS, AGES 10-14, 15-17, 18-19).

Main data table with 12 columns corresponding to the summary table above. Rows include TEENAGE BIRTHS, TEENAGE IMMATURE BIRTHS, TEENAGE PREMATURE BIRTHS, TEENAGE ILLEGITIMATE BIRTHS, TEENS WHO HAD PREVIOUS LIVE BIRTHS, TEENS WHO HAD PREVIOUS PREGNANCIES, TEENS WITH INADEQUATE\* PRENATAL CARE, TEENAGE FERTILITY RATE, TEENAGE FETAL DEATHS\*\*, TEENAGE FETAL DEATH RATIO, TEENAGE INDUCED TERMINATIONS#, TEENAGE INDUCED TERMINATION RATIO, TEENAGE PREGNANCIES#, TEENAGE PREGNANCY RATE, INFANT DEATHS TO TEENAGE MOTHERS, and INFANT MORTALITY RATE, TEEN MOMS.

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: SIMPSON**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	27,672	2,025	1,054	971	410
WHITE	17,912	1,100	577	523	245
NONWHITE	9,760	925	477	448	165

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	77	2	23	52	41	1	13	27	36	1	10	25
TEENAGE IMMATURE BIRTHS	11	0	4	7	4	0	1	3	7	0	3	4
TEENAGE PREMATURE BIRTHS	13	0	5	8	8	0	2	6	5	0	3	2
TEENAGE ILLEGITIMATE BIRTHS	58	2	20	36	22	1	10	11	36	1	10	25
TEENS WHO HAD PREVIOUS LIVE BIRTHS	19	0	2	17	8	0	1	7	11	0	1	10
TEENS WHO HAD PREVIOUS PREGNANCIES	25	0	4	21	14	0	3	11	11	0	1	10
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	1	3	2	0	0	2	2	0	1	1
TEENAGE FERTILITY RATE	38.0	1.9	77.2 (15-19)		37.3	1.7	76.5 (15-19)		38.9	2.1	78.1 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	13.0	-	-	19.2	-	-	-	-	27.8	-	-	40.0
TEENAGE INDUCED TERMINATIONS#	7	0	5	2	5	0	4	1	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	90.9	-	217.4	38.5	122.0	-	307.7	37.0	55.6	-	100.0	40.0
TEENAGE PREGNANCIES#	85	2	28	55	46	1	17	28	39	1	11	27
TEENAGE PREGNANCY RATE	42.0	1.9	85.5 (15-19)		41.8	1.7	86.0 (15-19)		42.2	2.1	84.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: SMITH**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	15,893	1,115	580	535	200
WHITE	12,094	758	387	371	129
NONWHITE	3,799	357	193	164	71

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	26	0	7	19	11	0	3	8	15	0	4	11
TEENAGE IMMATURE BIRTHS	6	0	2	4	0	0	0	0	6	0	2	4
TEENAGE PREMATURE BIRTHS	6	0	2	4	0	0	0	0	6	0	2	4
TEENAGE ILLEGITIMATE BIRTHS	19	0	6	13	5	0	2	3	14	0	4	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	0	6	3	0	0	3	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	0	7	3	0	0	3	4	0	0	4
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	23.3	-	48.6 (15-19)		14.5	-	29.6 (15-19)		42.0	-	91.5 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	38.5	-	-	52.6	90.9	-	-	125.0	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	7	0	4	3	5	0	3	2	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	269.2	-	571.4	157.9	454.5	-	1000.0	250.0	133.3	-	250.0	90.9
TEENAGE PREGNANCIES#	34	0	11	23	17	0	6	11	17	0	5	12
TEENAGE PREGNANCY RATE	30.5	-	63.6 (15-19)		22.4	-	45.8 (15-19)		47.6	-	103.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	0	0	0	0	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	76.9	-	-	105.3	-	-	-	-	133.3	-	-	181.8

\* ACCORDING TO THE KESSNER INDEX.  
 \*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.  
 # FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.  
 ## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.  
 PREMATURE=GESTATION LESS THAN 37 WEEKS.  
 FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.  
 FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.  
 INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.  
 PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.  
 PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.  
 INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.  
 INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2002

COUNTY: STONE

Table with 6 columns: RACE, TOTAL POPULATION ALL AGES, FEMALES AGES 10-19, FEMALES AGES 10-14, FEMALES AGES 15-19, TOTAL LIVE BIRTHS. Rows include TOTAL, WHITE, and NONWHITE.

Summary table with 14 columns: ALL RACES (ALL TEENS, AGES 10-14, 15-17, 18-19), WHITE (ALL TEENS, AGES 10-14, 15-17, 18-19), NONWHITE (ALL TEENS, AGES 10-14, 15-17, 18-19).

Main data table with 14 columns corresponding to the summary table above. Rows include TEENAGE BIRTHS, TEENAGE IMMATURE BIRTHS, TEENAGE PREMATURE BIRTHS, TEENAGE ILLEGITIMATE BIRTHS, TEENS WHO HAD PREVIOUS LIVE BIRTHS, TEENS WHO HAD PREVIOUS PREGNANCIES, TEENS WITH INADEQUATE\* PRENATAL CARE, TEENAGE FERTILITY RATE, TEENAGE FETAL DEATHS\*\*, TEENAGE FETAL DEATH RATIO, TEENAGE INDUCED TERMINATIONS#, TEENAGE INDUCED TERMINATION RATIO, TEENAGE PREGNANCIES#, TEENAGE PREGNANCY RATE, INFANT DEATHS TO TEENAGE MOTHERS, and INFANT MORTALITY RATE, TEEN MOMS.

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2002

COUNTY: SUNFLOWER

Table with 6 columns: RACE, TOTAL POPULATION ALL AGES, FEMALES AGES 10-19, FEMALES AGES 10-14, FEMALES AGES 15-19, TOTAL LIVE BIRTHS. Rows include TOTAL, WHITE, and NONWHITE.

Summary table with 12 columns: ALL RACES (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19), WHITE (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19), NONWHITE (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19).

Main data table with 12 columns corresponding to the summary table above. Rows include TEENAGE BIRTHS, TEENAGE IMMATURE BIRTHS, TEENAGE PREMATURE BIRTHS, TEENAGE ILLEGITIMATE BIRTHS, TEENS WHO HAD PREVIOUS LIVE BIRTHS, TEENS WHO HAD PREVIOUS PREGNANCIES, TEENS WITH INADEQUATE\* PRENATAL CARE, TEENAGE FERTILITY RATE, TEENAGE FETAL DEATHS\*\*, TEENAGE FETAL DEATH RATIO, TEENAGE INDUCED TERMINATIONS#, TEENAGE INDUCED TERMINATION RATIO, TEENAGE PREGNANCIES#, TEENAGE PREGNANCY RATE, INFANT DEATHS TO TEENAGE MOTHERS, and INFANT MORTALITY RATE, TEEN MOMS.

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: TALLAHATCHIE**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	14,411	1,238	651	587	185
WHITE	5,620	337	164	173	47
NONWHITE	8,791	901	487	414	138

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	49	3	18	28	5	0	2	3	44	3	16	25
TEENAGE IMMATURE BIRTHS	6	1	2	3	0	0	0	0	6	1	2	3
TEENAGE PREMATURE BIRTHS	7	0	3	4	0	0	0	0	7	0	3	4
TEENAGE ILLEGITIMATE BIRTHS	47	3	18	26	3	0	2	1	44	3	16	25
TEENS WHO HAD PREVIOUS LIVE BIRTHS	19	0	6	13	0	0	0	0	19	0	6	13
TEENS WHO HAD PREVIOUS PREGNANCIES	23	0	8	15	0	0	0	0	23	0	8	15
TEENS WITH INADEQUATE* PRENATAL CARE	6	1	4	1	0	0	0	0	6	1	4	1
TEENAGE FERTILITY RATE	39.6	4.6	78.4 (15-19)		14.8	-	28.9 (15-19)		48.8	6.2	99.0 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	49	3	18	28	5	0	2	3	44	3	16	25
TEENAGE PREGNANCY RATE	39.6	4.6	78.4 (15-19)		14.8	-	28.9 (15-19)		48.8	6.2	99.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: TATE**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	25,751	2,126	1,041	1,085	379
WHITE	17,616	1,257	651	606	233
NONWHITE	8,135	869	390	479	146

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	62	0	15	47	29	0	8	21	33	0	7	26
TEENAGE IMMATURE BIRTHS	10	0	3	7	2	0	2	0	8	0	1	7
TEENAGE PREMATURE BIRTHS	10	0	2	8	1	0	1	0	9	0	1	8
TEENAGE ILLEGITIMATE BIRTHS	50	0	11	39	19	0	4	15	31	0	7	24
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	0	1	16	4	0	1	3	13	0	0	13
TEENS WHO HAD PREVIOUS PREGNANCIES	18	0	1	17	5	0	1	4	13	0	0	13
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	1	0	1	0	2	0	0	2
TEENAGE FERTILITY RATE	29.2	-	57.1 (15-19)		23.1	-	47.8 (15-19)		38.0	-	68.9 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	62	0	15	47	29	0	8	21	33	0	7	26
TEENAGE PREGNANCY RATE	29.2	-	57.1 (15-19)		23.1	-	47.8 (15-19)		38.0	-	68.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: TIPP AH**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,044	1,481	725	756	319
WHI TE	17,324	1,152	573	579	242
NONWHI TE	3,720	329	152	177	77

	ALL RACES				WHI TE				NONWHI TE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	50	0	12	38	32	0	7	25	18	0	5	13
TEENAGE IMMATURE BIRTHS	14	0	1	13	6	0	1	5	8	0	0	8
TEENAGE PREMATURE BIRTHS	11	0	4	7	8	0	3	5	3	0	1	2
TEENAGE ILL EGI TI MATE BIRTHS	25	0	7	18	12	0	2	10	13	0	5	8
TEENS WHO HAD PREVIOUS LIVE BIRTHS	14	0	2	12	7	0	1	6	7	0	1	6
TEENS WHO HAD PREVIOUS PREGNANCIES	20	0	2	18	12	0	1	11	8	0	1	7
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTI LITY RATE	33.8	-	66.1 (15-19)		27.8	-	55.3 (15-19)		54.7	-	101.7 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	20.0	-	83.3	-	31.2	-	142.8	-	-	-	-	-
TEENAGE I NDUCED TERMI NATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE I NDUCED TERMI NATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	51	0	13	38	33	0	8	25	18	0	5	13
TEENAGE PREGNANCY RATE	34.4	-	67.5 (15-19)		28.6	-	57.0 (15-19)		54.7	-	101.7 (15-19)	
I NFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	2	0	1	1	0	0	0	0
I NFANT MORTAL I TY RATE, TEEN MOMS	40.0	-	83.3	26.3	62.5	-	142.9	40.0	-	-	-	-

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFI NI TI ONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTI LITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

I NDUCED TERMI NATION RATIO=I NDUCED TERMI NATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS I NDUCED TERMI NATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

I NFANT DEATH=DEATH OF A LIVE-BORN I NFANT BEFORE REACHI NG 1 YEAR OF AGE.

I NFANT MORTAL I TY RATE=I NFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: TISHOMINGO**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,050	1,188	632	556	223
WHITE	18,281	1,146	614	532	220
NONWHITE	769	42	18	24	3

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	38	0	9	29	37	0	9	28	1	0	0	1
TEENAGE IMMATURE BIRTHS	5	0	3	2	5	0	3	2	0	0	0	0
TEENAGE PREMATURE BIRTHS	8	0	3	5	7	0	3	4	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	19	0	4	15	18	0	4	14	1	0	0	1
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	1	7	8	0	1	7	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	1	8	8	0	1	7	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FERTILITY RATE	32.0	-	68.3 (15-19)		32.3	-	69.5 (15-19)		23.8	-	41.7 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	38	0	9	29	37	0	9	28	1	0	0	1
TEENAGE PREGNANCY RATE	32.0	-	68.3 (15-19)		32.3	-	69.5 (15-19)		23.8	-	41.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: TUNICA**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,575	815	422	393	200
WHITE	2,624	99	49	50	35
NONWHITE	6,951	716	373	343	165

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	38	0	14	24	2	0	1	1	36	0	13	23
TEENAGE IMMATURE BIRTHS	9	0	5	4	1	0	1	0	8	0	4	4
TEENAGE PREMATURE BIRTHS	4	0	3	1	0	0	0	0	4	0	3	1
TEENAGE ILLEGITIMATE BIRTHS	37	0	14	23	1	0	1	0	36	0	13	23
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	3	8	0	0	0	0	11	0	3	8
TEENS WHO HAD PREVIOUS PREGNANCIES	13	0	3	10	0	0	0	0	13	0	3	10
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FERTILITY RATE	46.6	-	96.7 (15-19)		20.2	-	40.0 (15-19)		50.3	-	105.0 (15-19)	
TEENAGE FETAL DEATHS**	1	1	0	0	0	0	0	0	1	1	0	0
TEENAGE FETAL DEATH RATIO	26.3	&	-	-	-	-	-	-	27.8	&	-	-
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE PREGNANCIES#	39	1	14	24	2	0	1	1	37	1	13	23
TEENAGE PREGNANCY RATE	47.8	2.4	96.7 (15-19)		20.2	-	40.0 (15-19)		51.7	2.7	105.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	2	0	0	0	0	0	2	0	2	0
INFANT MORTALITY RATE, TEEN MOMS	52.6	-	142.9	-	-	-	-	-	55.6	-	153.8	-

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: UNION**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	26,099	1,716	906	810	350
WHITE	22,014	1,413	740	673	299
NONWHITE	4,085	303	166	137	51

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	56	2	22	32	42	0	18	24	14	2	4	8
TEENAGE IMMATURE BIRTHS	6	1	3	2	4	0	2	2	2	1	1	0
TEENAGE PREMATURE BIRTHS	5	1	1	3	4	0	1	3	1	1	0	0
TEENAGE ILLEGITIMATE BIRTHS	42	2	19	21	29	0	15	14	13	2	4	7
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	4	5	7	0	3	4	2	0	1	1
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	4	7	8	0	3	5	3	0	1	2
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	2	0	1	0	1	0	1	0	1	0
TEENAGE FERTILITY RATE	32.6	2.2	66.7 (15-19)		29.7	-	62.4 (15-19)		46.2	12.0	87.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	2	0	0	2	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	35.7	-	-	62.5	47.6	-	-	83.3	-	-	-	-
TEENAGE PREGNANCIES#	58	2	22	34	44	0	18	26	14	2	4	8
TEENAGE PREGNANCY RATE	33.8	2.2	69.1 (15-19)		31.1	-	65.4 (15-19)		46.2	12.0	87.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	1	0	1	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	17.9	-	45.5	-	23.8	-	55.6	-	-	-	-	-

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: WALTHALL**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	15,141	1,142	590	552	215
WHITE	8,243	480	237	243	91
NONWHITE	6,898	662	353	309	124

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	38	2	7	29	10	0	0	10	28	2	7	19
TEENAGE IMMATURE BIRTHS	5	1	2	2	1	0	0	1	4	1	2	1
TEENAGE PREMATURE BIRTHS	7	0	3	4	0	0	0	0	7	0	3	4
TEENAGE ILLEGITIMATE BIRTHS	31	2	7	22	3	0	0	3	28	2	7	19
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	0	8	4	0	0	4	4	0	0	4
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	0	8	4	0	0	4	4	0	0	4
TEENS WITH INADEQUATE* PRENATAL CARE	10	1	3	6	2	0	0	2	8	1	3	4
TEENAGE FERTILITY RATE	33.3	3.4	65.2 (15-19)		20.8	-	41.2 (15-19)		42.3	5.7	84.1 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	3	0	0	3	2	0	0	2	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	78.9	-	-	103.4	200.0	-	-	200.0	35.7	-	-	52.6
TEENAGE PREGNANCIES#	41	2	7	32	12	0	0	12	29	2	7	20
TEENAGE PREGNANCY RATE	35.9	3.4	70.6 (15-19)		25.0	-	49.4 (15-19)		43.8	5.7	87.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: WARREN**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	49,443	3,761	1,958	1,803	720
WHITE	26,548	1,733	893	840	306
NONWHITE	22,895	2,028	1,065	963	414

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	122	6	37	79	30	1	10	19	92	5	27	60
TEENAGE IMMATURE BIRTHS	15	1	6	8	3	0	1	2	12	1	5	6
TEENAGE PREMATURE BIRTHS	21	1	6	14	5	0	2	3	16	1	4	11
TEENAGE ILLEGITIMATE BIRTHS	115	6	35	74	24	1	8	15	91	5	27	59
TEENS WHO HAD PREVIOUS LIVE BIRTHS	23	0	3	20	4	0	0	4	19	0	3	16
TEENS WHO HAD PREVIOUS PREGNANCIES	30	1	6	23	6	0	1	5	24	1	5	18
TEENS WITH INADEQUATE* PRENATAL CARE	5	1	2	2	0	0	0	0	5	1	2	2
TEENAGE FERTILITY RATE	32.4	3.1	64.3 (15-19)		17.3	1.1	34.5 (15-19)		45.4	4.7	90.3 (15-19)	
TEENAGE FETAL DEATHS**	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE FETAL DEATH RATIO	24.6	-	27.0	25.3	33.3	-	-	52.6	21.7	-	37.0	16.7
TEENAGE INDUCED TERMINATIONS#	19	0	6	13	7	0	3	4	12	0	3	9
TEENAGE INDUCED TERMINATION RATIO	155.7	-	162.2	164.6	233.3	-	300.0	210.5	130.4	-	111.1	150.0
TEENAGE PREGNANCIES#	144	6	44	94	38	1	13	24	106	5	31	70
TEENAGE PREGNANCY RATE	38.3	3.1	76.5 (15-19)		21.9	1.1	44.0 (15-19)		52.3	4.7	104.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: WASHINGTON**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	61,315	5,031	2,516	2,515	997
WHITE	20,233	1,185	567	618	227
NONWHITE	41,082	3,846	1,949	1,897	770

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	222	9	87	126	29	0	8	21	193	9	79	105
TEENAGE IMMATURE BIRTHS	30	4	11	15	1	0	1	0	29	4	10	15
TEENAGE PREMATURE BIRTHS	37	3	12	22	3	0	1	2	34	3	11	20
TEENAGE ILLEGITIMATE BIRTHS	207	9	84	114	16	0	5	11	191	9	79	103
TEENS WHO HAD PREVIOUS LIVE BIRTHS	51	0	12	39	10	0	1	9	41	0	11	30
TEENS WHO HAD PREVIOUS PREGNANCIES	67	1	15	51	13	0	1	12	54	1	14	39
TEENS WITH INADEQUATE* PRENATAL CARE	17	2	7	8	0	0	0	0	17	2	7	8
TEENAGE FERTILITY RATE	44.1	3.6	84.7 (15-19)		24.5	-	46.9 (15-19)		50.2	4.6	97.0 (15-19)	
TEENAGE FETAL DEATHS**	5	1	1	3	0	0	0	0	5	1	1	3
TEENAGE FETAL DEATH RATIO	22.5	111.1	11.5	23.8	-	-	-	-	25.9	111.1	12.6	28.6
TEENAGE INDUCED TERMINATIONS#	19	2	10	7	7	2	2	3	12	0	8	4
TEENAGE INDUCED TERMINATION RATIO	85.6	222.2	114.9	55.6	241.4	&	250.0	142.8	62.2	-	101.3	38.1
TEENAGE PREGNANCIES#	246	12	98	136	36	2	10	24	210	10	88	112
TEENAGE PREGNANCY RATE	48.9	4.8	93.0 (15-19)		30.4	3.5	55.0 (15-19)		54.6	5.1	105.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	2	0	0	0	0	0	2	0	2	0
INFANT MORTALITY RATE, TEEN MOMS	9.0	-	23.0	-	-	-	-	-	10.4	-	25.3	-

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: WAYNE**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21, 219	1, 637	795	842	309
WHI TE	13, 106	870	431	439	163
NONWHI TE	8, 113	767	364	403	146

	ALL RACES				WHI TE				NONWHI TE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	65	1	28	36	26	0	11	15	39	1	17	21
TEENAGE IMMATURE BIRTHS	8	0	1	7	4	0	1	3	4	0	0	4
TEENAGE PREMATURE BIRTHS	10	0	3	7	2	0	1	1	8	0	2	6
TEENAGE ILL EGI TI MATE BIRTHS	50	1	26	23	13	0	9	4	37	1	17	19
TEENS WHO HAD PREVIOUS LIVE BIRTHS	13	0	0	13	6	0	0	6	7	0	0	7
TEENS WHO HAD PREVIOUS PREGNANCIES	18	0	2	16	8	0	0	8	10	0	2	8
TEENS WITH INADEQUATE* PRENATAL CARE	14	1	6	7	4	0	2	2	10	1	4	5
TEENAGE FERTI LITI TY RATE	39.7	1.2	76.0 (15-19)		29.9	-	59.2 (15-19)		50.8	2.7	94.3 (15-19)	
TEENAGE FETAL DEATHS**	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FETAL DEATH RATIO	30.8	-	-	55.6	-	-	-	-	51.3	-	-	95.2
TEENAGE I NDUCE D TERMI NATIONS#	5	0	3	2	2	0	2	0	3	0	1	2
TEENAGE I NDUCE D TERMI NATION RATIO	76.9	-	107.1	55.6	76.9	-	181.8	-	76.9	-	58.8	95.2
TEENAGE PREGNANCIES#	72	1	31	40	28	0	13	15	44	1	18	25
TEENAGE PREGNANCY RATE	44.0	1.2	84.3 (15-19)		32.2	-	63.8 (15-19)		57.4	2.7	106.7 (15-19)	
I NFA N T DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
I NFA N T MORTALI TY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THI S AGE/RACE GROUP.

**DEFI NI TI ONS:**

IMMATURE=BIRTHWEI GHT LESS THAN 2, 500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTI LITI TY RATE=LIVE BIRTHS TO MOTHERS I N SPECI FIC AGE GROUP PER 1, 000 FEMALES I N SPECI FIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN I N SPECI FIC AGE GROUP PER 1, 000 LIVE BIRTHS TO WOMEN I N SPECI FIC AGE GROUP.

I NDUCE D TERMI NATION RATIO=I NDUCE D TERMI NATIONS TO WOMEN I N SPECI FIC AGE GROUP PER 1, 000 LIVE BIRTHS TO WOMEN I N SPECI FIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS I NDUCE D TERMI NATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN I N SPECI FIC AGE GROUP PER 1, 000 FEMALES I N SPECI FIC AGE GROUP.

I NFA N T DEATH=DEATH OF A LIVE-BORN I NFA N T BEFORE REACHI NG 1 YEAR OF AGE.

I NFA N T MORTALI TY RATE=I NFA N T DEATHS TO WOMEN I N SPECI FIC AGE GROUP PER 1, 000 LIVE BIRTHS TO WOMEN I N SPECI FIC AGE GROUP.

**TEENAGE VITAL STATISTICS DATA  
BY COUNTY OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 2002**

**COUNTY: WEBSTER**

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,317	730	352	378	132
WHITE	8,068	510	256	254	91
NONWHITE	2,249	220	96	124	41

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	30	0	11	19	16	0	6	10	14	0	5	9
TEENAGE IMMATURE BIRTHS	4	0	3	1	1	0	1	0	3	0	2	1
TEENAGE PREMATURE BIRTHS	3	0	2	1	1	0	1	0	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	22	0	7	15	8	0	2	6	14	0	5	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	0	6	1	0	0	1	5	0	0	5
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	0	6	1	0	0	1	5	0	0	5
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	4	3	2	0	1	1	5	0	3	2
TEENAGE FERTILITY RATE	41.1	-	79.4 (15-19)		31.4	-	63.0 (15-19)		63.6	-	112.9 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	-	-	-	-	-	-	-	-	-	-	-	-
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	2	0	1	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	66.7	-	90.9	52.6	125.0	-	166.7	100.0	-	-	-	-
TEENAGE PREGNANCIES#	32	0	12	20	18	0	7	11	14	0	5	9
TEENAGE PREGNANCY RATE	43.8	-	84.6 (15-19)		35.3	-	70.9 (15-19)		63.6	-	112.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	-	-	-	-	-	-	-	-	-	-	-	-

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

**DEFINITIONS:**

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2002

COUNTY: WILKINSON

Table with 6 columns: RACE, TOTAL POPULATION ALL AGES, FEMALES AGES 10-19, FEMALES AGES 10-14, FEMALES AGES 15-19, TOTAL LIVE BIRTHS. Rows include TOTAL, WHITE, and NONWHITE.

Summary table with 12 columns: ALL RACES (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19), WHITE (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19), NONWHITE (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19).

Main data table with 12 columns corresponding to the summary table above. Rows include TEENAGE BIRTHS, TEENAGE IMMATURE BIRTHS, TEENAGE PREMATURE BIRTHS, TEENAGE ILLEGITIMATE BIRTHS, TEENS WHO HAD PREVIOUS LIVE BIRTHS, TEENS WHO HAD PREVIOUS PREGNANCIES, TEENS WITH INADEQUATE\* PRENATAL CARE, TEENAGE FERTILITY RATE, TEENAGE FETAL DEATHS\*\*, TEENAGE FETAL DEATH RATIO, TEENAGE INDUCED TERMINATIONS#, TEENAGE INDUCED TERMINATION RATIO, TEENAGE PREGNANCIES#, TEENAGE PREGNANCY RATE, INFANT DEATHS TO TEENAGE MOTHERS, and INFANT MORTALITY RATE, TEEN MOMS.

\* ACCORDING TO THE KESSNER INDEX.
\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.
# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.
## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.
PREMATURE=GESTATION LESS THAN 37 WEEKS.
FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.
PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.
PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.
INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.
INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2002

COUNTY: WINSTON

Table with 6 columns: RACE, TOTAL POPULATION ALL AGES, FEMALES AGES 10-19, FEMALES AGES 10-14, FEMALES AGES 15-19, TOTAL LIVE BIRTHS. Rows include TOTAL, WHITE, and NONWHITE.

Summary table with 12 columns: ALL RACES (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19), WHITE (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19), NONWHITE (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19).

Main data table with 12 columns corresponding to the summary table above. Rows include TEENAGE BIRTHS, TEENAGE IMMATURE BIRTHS, TEENAGE PREMATURE BIRTHS, TEENAGE ILLEGITIMATE BIRTHS, TEENS WHO HAD PREVIOUS LIVE BIRTHS, TEENS WHO HAD PREVIOUS PREGNANCIES, TEENS WITH INADEQUATE\* PRENATAL CARE, TEENAGE FERTILITY RATE, TEENAGE FETAL DEATHS\*\*, TEENAGE FETAL DEATH RATIO, TEENAGE INDUCED TERMINATIONS#, TEENAGE INDUCED TERMINATION RATIO, TEENAGE PREGNANCIES#, TEENAGE PREGNANCY RATE, INFANT DEATHS TO TEENAGE MOTHERS, and INFANT MORTALITY RATE, TEEN MOMS.

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2002

COUNTY: YALOBUSHA

Table with 6 columns: RACE, TOTAL POPULATION ALL AGES, FEMALES AGES 10-19, FEMALES AGES 10-14, FEMALES AGES 15-19, TOTAL LIVE BIRTHS. Rows include TOTAL, WHITE, and NONWHITE.

Summary table with 12 columns: ALL RACES (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19), WHITE (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19), NONWHITE (ALL TEENS, AGES 10-14, AGES 15-17, AGES 18-19).

Main data table with 12 columns corresponding to the summary table above. Rows include TEENAGE BIRTHS, TEENAGE IMMATURE BIRTHS, TEENAGE PREMATURE BIRTHS, TEENAGE ILLEGITIMATE BIRTHS, TEENS WHO HAD PREVIOUS LIVE BIRTHS, TEENS WHO HAD PREVIOUS PREGNANCIES, TEENS WITH INADEQUATE\* PRENATAL CARE, TEENAGE FERTILITY RATE, TEENAGE FETAL DEATHS\*\*, TEENAGE FETAL DEATH RATIO, TEENAGE INDUCED TERMINATIONS#, TEENAGE INDUCED TERMINATION RATIO, TEENAGE PREGNANCIES#, TEENAGE PREGNANCY RATE, INFANT DEATHS TO TEENAGE MOTHERS, and INFANT MORTALITY RATE, TEEN MOMS.

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2002

COUNTY: YAZOO

Table with 6 columns: RACE, TOTAL POPULATION ALL AGES, FEMALES AGES 10-19, FEMALES AGES 10-14, FEMALES AGES 15-19, TOTAL LIVE BIRTHS. Rows include TOTAL, WHITE, and NONWHITE.

Summary table with 12 columns: ALL RACES (ALL TEENS, AGES 10-14, 15-17, 18-19), WHITE (ALL TEENS, AGES 10-14, 15-17, 18-19), NONWHITE (ALL TEENS, AGES 10-14, 15-17, 18-19).

Main data table with 12 columns corresponding to the summary table above. Rows include TEENAGE BIRTHS, TEENAGE IMMATURE BIRTHS, TEENAGE PREMATURE BIRTHS, TEENAGE ILLEGITIMATE BIRTHS, TEENS WHO HAD PREVIOUS LIVE BIRTHS, TEENS WHO HAD PREVIOUS PREGNANCIES, TEENS WITH INADEQUATE\* PRENATAL CARE, TEENAGE FERTILITY RATE, TEENAGE FETAL DEATHS\*\*, TEENAGE FETAL DEATH RATIO, TEENAGE INDUCED TERMINATIONS#, TEENAGE INDUCED TERMINATION RATIO, TEENAGE PREGNANCIES#, TEENAGE PREGNANCY RATE, INFANT DEATHS TO TEENAGE MOTHERS, and INFANT MORTALITY RATE, TEEN MOMS.

\* ACCORDING TO THE KESSNER INDEX.

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

## RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.