

(HSWWDTCO)

COUNTY: ADAMS

SELECTED DEATH STATISTICS, RESIDENTS OF ADAMS COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	446	214	232	13.0	12.8	13.2
HEART DISEASES	174	78	96	508.4	466.7	548.2
MALIGNANT NEOPLASMS	89	42	47	260.0	251.3	268.4
CEREBROVASCULAR DISEASES	40	18	22	116.9	107.7	125.6
EMPHYSEMA AND OTHER COPD	20	12	8	58.4	71.8	45.7
PNEUMONIA AND INFLUENZA	16	10	6	46.7	59.8	34.3
ACCIDENTS	14	6	8	40.9	35.9	45.7
DIABETES MELLITUS	11	7	4	32.1	41.9	22.8
HYPERTENSION	4	2	2	11.7	12.0	11.4
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	1	3	11.7	6.0	17.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	2	1	8.8	12.0	5.7
CONGENITAL ANOMALIES	3	1	2	8.8	6.0	11.4
CONDITIONS ORIG IN PERINATAL PERIOD	3	1	2	5.6	5.0	6.0
SUICIDE	3	3	0	8.8	18.0	-
HIV INFECTION	2	0	2	5.8	-	11.4
ATHEROSCLEROSIS	1	0	1	2.9	-	5.7
HOMICIDE AND LEGAL INTERVENTION	1	0	1	2.9	-	5.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	2.9	-	5.7
ALL OTHER	57	31	26	166.5	185.5	148.5

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	446	214	232	221	105	116	225	109	116
UNDER 1	8	3	5	5	2	3	3	1	2
(NEONATAL)	6	2	4	4	2	2	2	0	2
(POSTNEONATAL)	2	1	1	1	0	1	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	2	3	3	1	2	2	1	1
25-34	4	1	3	2	0	2	2	1	1
35-44	21	9	12	12	5	7	9	4	5
45-54	39	16	23	24	11	13	15	5	10
55-64	50	22	28	33	15	18	17	7	10
65-74	80	39	41	46	24	22	34	15	19
75-84	130	72	58	65	34	31	65	38	27
85 AND OVER	109	50	59	31	13	18	78	37	41
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	34,225
WHITE	16,713
NONWHITE	17,512

(HSWWDTCO)

COUNTY: ALCORN

SELECTED DEATH STATISTICS, RESIDENTS OF ALCORN COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	385	335	50	11.8	11.7	12.2
HEART DISEASES	103	93	10	314.8	325.1	243.4
MALIGNANT NEOPLASMS	75	65	10	229.2	227.2	243.4
ACCIDENTS	30	25	5	91.7	87.4	121.7
CEREBROVASCULAR DISEASES	26	22	4	79.5	76.9	97.3
PNEUMONIA AND INFLUENZA	26	24	2	79.5	83.9	48.7
EMPHYSEMA AND OTHER COPD	23	20	3	70.3	69.9	73.0
DIABETES MELLITUS	12	10	2	36.7	35.0	48.7
HYPERTENSION	8	5	3	24.4	17.5	73.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	6	3	3	18.3	10.5	73.0
SUICIDE	5	5	0	15.3	17.5	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	6.1	7.0	-
ATHEROSCLEROSIS	1	1	0	3.0	3.5	-
CONGENITAL ANOMALIES	1	1	0	3.0	3.5	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.2	-	13.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	4	0	12.2	14.0	-
ALL OTHER	62	55	7	189.5	192.3	170.4

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	385	335	50	193	167	26	192	168	24
UNDER 1	3	2	1	2	1	1	1	1	0
(NEONATAL)	2	1	1	2	1	1	0	0	0
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	2	2	0	1	1	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	9	7	2	6	5	1	3	2	1
25-34	4	4	0	4	4	0	0	0	0
35-44	11	9	2	9	8	1	2	1	1
45-54	32	23	9	17	13	4	15	10	5
55-64	41	34	7	22	17	5	19	17	2
65-74	86	79	7	57	53	4	29	26	3
75-84	97	86	11	47	40	7	50	46	4
85 AND OVER	100	89	11	28	25	3	72	64	8
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	32,716
WHITE	28,607
NONWHITE	4,109

(HSWWDTCO)

COUNTY: AMITE

SELECTED DEATH STATISTICS, RESIDENTS OF AMITE COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	123	63	60	8.9	8.8	9.2
MALIGNANT NEOPLASMS	41	26	15	298.1	361.1	228.9
HEART DISEASES	33	13	20	240.0	180.6	305.2
ACCIDENTS	13	5	8	94.5	69.4	122.1
DIABETES MELLITUS	6	4	2	43.6	55.6	30.5
CEREBROVASCULAR DISEASES	5	1	4	36.4	13.9	61.0
EMPHYSEMA AND OTHER COPD	3	3	0	21.8	41.7	-
SUICIDE	3	3	0	21.8	41.7	-
HOMICIDE AND LEGAL INTERVENTION	2	1	1	14.5	13.9	15.3
PNEUMONIA AND INFLUENZA	1	1	0	7.3	13.9	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	7.3	-	15.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	7.3	13.9	-
ALL OTHER	14	5	9	101.8	69.4	137.4

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	123	63	60	69	36	33	54	27	27
UNDER 1	1	1	0	1	1	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	1	1	0	1	0	1
25-34	2	1	1	2	1	1	0	0	0
35-44	7	3	4	4	2	2	3	1	2
45-54	12	6	6	7	3	4	5	3	2
55-64	11	2	9	9	2	7	2	0	2
65-74	37	20	17	18	12	6	19	8	11
75-84	28	18	10	17	9	8	11	9	2
85 AND OVER	23	11	12	10	5	5	13	6	7
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL 13,752  
 WHITE 7,200  
 NONWHITE 6,552

(HSWWDTCO)

COUNTY: ATTALA

SELECTED DEATH STATISTICS, RESIDENTS OF ATTALA COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	306	210	96	16.6	19.7	12.4
HEART DISEASES	98	71	27	532.5	667.2	347.8
MALIGNANT NEOPLASMS	69	49	20	374.9	460.4	257.7
ACCIDENTS	21	14	7	114.1	131.6	90.2
CEREBROVASCULAR DISEASES	20	10	10	108.7	94.0	128.8
EMPHYSEMA AND OTHER COPD	10	10	0	54.3	94.0	-
PNEUMONIA AND INFLUENZA	8	4	4	43.5	37.6	51.5
ATHEROSCLEROSIS	6	4	2	32.6	37.6	25.8
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	6	3	3	32.6	28.2	38.6
HOMICIDE AND LEGAL INTERVENTION	6	1	5	32.6	9.4	64.4
HYPERTENSION	5	1	4	27.2	9.4	51.5
DIABETES MELLITUS	3	2	1	16.3	18.8	12.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	16.3	28.2	-
CONGENITAL ANOMALIES	2	2	0	10.9	18.8	-
SUICIDE	2	2	0	10.9	18.8	-
HIV INFECTION	2	0	2	10.9	-	25.8
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	3.9	-	8.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	10.9	9.4	12.9
ALL OTHER	42	33	9	228.2	310.1	115.9

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	306	210	96	172	121	51	134	89	45
UNDER 1	4	2	2	4	2	2	0	0	0
(NEONATAL)	3	1	2	3	1	2	0	0	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	3	2	3	1	2	2	2	0
25-34	7	3	4	6	2	4	1	1	0
35-44	12	5	7	7	3	4	5	2	3
45-54	18	12	6	10	7	3	8	5	3
55-64	27	17	10	19	13	6	8	4	4
65-74	59	39	20	39	29	10	20	10	10
75-84	106	79	27	57	43	14	49	36	13
85 AND OVER	68	50	18	27	21	6	41	29	12
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL 18,404  
 WHITE 10,642  
 NONWHITE 7,762

(HSWWDTCO)

COUNTY: BENTON

SELECTED DEATH STATISTICS, RESIDENTS OF BENTON COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	118	94	24	14.5	19.7	7.1
HEART DISEASES	28	26	2	344.0	544.0	59.5
MALIGNANT NEOPLASMS	21	16	5	258.0	334.8	148.8
CEREBROVASCULAR DISEASES	18	15	3	221.1	313.9	89.2
ACCIDENTS	11	6	5	135.1	125.5	148.8
PNEUMONIA AND INFLUENZA	9	7	2	110.6	146.5	59.5
EMPHYSEMA AND OTHER COPD	7	6	1	86.0	125.5	29.8
HYPERTENSION	3	2	1	36.8	41.8	29.8
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	0	2	24.6	-	59.5
SUICIDE	2	2	0	24.6	41.8	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	4	2	73.7	83.7	59.5
ALL OTHER	11	10	1	135.1	209.2	29.8

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	118	94	24	51	41	10	67	53	14
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	0	0	0	2	1	1
25-34	4	2	2	3	2	1	1	0	1
35-44	4	3	1	1	1	0	3	2	1
45-54	3	2	1	0	0	0	3	2	1
55-64	15	12	3	8	6	2	7	6	1
65-74	18	15	3	14	11	3	4	4	0
75-84	34	30	4	13	11	2	21	19	2
85 AND OVER	37	29	8	12	10	2	25	19	6
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL 8,140  
 WHITE 4,779  
 NONWHITE 3,361

(HSWWDTCO)

COUNTY: BOLIVAR

SELECTED DEATH STATISTICS, RESIDENTS OF BOLIVAR COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	411	146	265	10.2	10.4	10.1
HEART DISEASES	133	42	91	329.9	299.0	346.4
MALIGNANT NEOPLASMS	85	31	54	210.8	220.7	205.5
CEREBROVASCULAR DISEASES	30	6	24	74.4	42.7	91.3
ACCIDENTS	27	11	16	67.0	78.3	60.9
PNEUMONIA AND INFLUENZA	23	11	12	57.0	78.3	45.7
EMPHYSEMA AND OTHER COPD	15	10	5	37.2	71.2	19.0
DIABETES MELLITUS	13	1	12	32.2	7.1	45.7
HOMICIDE AND LEGAL INTERVENTION	6	1	5	14.9	7.1	19.0
CONDITIONS ORIG IN PERINATAL PERIOD	5	1	4	7.2	6.2	7.6
SUICIDE	4	2	2	9.9	14.2	7.6
HYPERTENSION	3	0	3	7.4	-	11.4
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	1	2	7.4	7.1	7.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	5.0	7.1	3.8
CONGENITAL ANOMALIES	2	1	1	5.0	7.1	3.8
TUBERCULOSIS	1	0	1	2.5	-	3.8
INFECTIONS OF KIDNEY	1	1	0	2.5	7.1	-
HIV INFECTION	1	0	1	2.5	-	3.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	7.4	14.2	3.8
ALL OTHER	54	24	30	133.9	170.9	114.2

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	411	146	265	206	66	140	205	80	125
UNDER 1	7	2	5	4	1	3	3	1	2
(NEONATAL)	5	1	4	3	1	2	2	0	2
(POSTNEONATAL)	2	1	1	1	0	1	1	1	0
1-4	2	1	1	1	1	0	1	0	1
5-9	3	1	2	1	0	1	2	1	1
10-14	0	0	0	0	0	0	0	0	0
15-24	6	1	5	5	0	5	1	1	0
25-34	12	1	11	7	0	7	5	1	4
35-44	24	6	18	10	2	8	14	4	10
45-54	34	7	27	24	4	20	10	3	7
55-64	46	16	30	28	10	18	18	6	12
65-74	86	32	54	43	18	25	43	14	29
75-84	85	37	48	42	17	25	43	20	23
85 AND OVER	106	42	64	41	13	28	65	29	36
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	40,318
WHITE	14,045
NONWHITE	26,273

(HSWWDTCO)

COUNTY: CALHOUN

SELECTED DEATH STATISTICS, RESIDENTS OF CALHOUN COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	186	154	32	12.5	14.6	7.5
HEART DISEASES	66	53	13	445.3	502.8	303.7
MALIGNANT NEOPLASMS	34	27	7	229.4	256.1	163.5
CEREBROVASCULAR DISEASES	26	22	4	175.4	208.7	93.4
ACCIDENTS	10	10	0	67.5	94.9	-
EMPHYSEMA AND OTHER COPD	7	6	1	47.2	56.9	23.4
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	5	3	2	33.7	28.5	46.7
DIABETES MELLITUS	4	3	1	27.0	28.5	23.4
PNEUMONIA AND INFLUENZA	4	4	0	27.0	37.9	-
HYPERTENSION	1	0	1	6.7	-	23.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	6.7	9.5	-
CONGENITAL ANOMALIES	1	1	0	6.7	9.5	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	5.0	7.5	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER	26	23	3	175.4	218.2	70.1

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	186	154	32	88	71	17	98	83	15
UNDER 1	1	1	0	0	0	0	1	1	0
(NEONATAL)	1	1	0	0	0	0	1	1	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	4	0	1	1	0	3	3	0
25-34	1	0	1	0	0	0	1	0	1
35-44	2	0	2	1	0	1	1	0	1
45-54	11	9	2	7	6	1	4	3	1
55-64	21	18	3	16	13	3	5	5	0
65-74	37	28	9	20	15	5	17	13	4
75-84	55	44	11	27	23	4	28	21	7
85 AND OVER	54	50	4	16	13	3	38	37	1
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	14,822
WHITE	10,541
NONWHITE	4,281

(HSWWDTCO)

COUNTY: CARROLL

SELECTED DEATH STATISTICS, RESIDENTS OF CARROLL COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	102	58	44	10.2	10.0	10.4
HEART DISEASES	36	26	10	360.2	450.2	237.0
MALIGNANT NEOPLASMS	32	19	13	320.2	329.0	308.0
ACCIDENTS	8	4	4	80.0	69.3	94.8
CEREBROVASCULAR DISEASES	6	3	3	60.0	51.9	71.1
EMPHYSEMA AND OTHER COPD	5	3	2	50.0	51.9	47.4
DIABETES MELLITUS	3	1	2	30.0	17.3	47.4
PNEUMONIA AND INFLUENZA	3	1	2	30.0	17.3	47.4
HYPERTENSION	1	0	1	10.0	-	23.7
CONGENITAL ANOMALIES	1	0	1	10.0	-	23.7
HOMICIDE AND LEGAL INTERVENTION	1	0	1	10.0	-	23.7
---						
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER	6	1	5	60.0	17.3	118.5

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	102	58	44	60	34	26	42	24	18
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	3	1	2	3	1	2	0	0	0
25-34	2	2	0	1	1	0	1	1	0
35-44	2	0	2	1	0	1	1	0	1
45-54	3	0	3	1	0	1	2	0	2
55-64	14	5	9	8	2	6	6	3	3
65-74	21	15	6	14	11	3	7	4	3
75-84	31	18	13	19	11	8	12	7	5
85 AND OVER	25	16	9	13	8	5	12	8	4
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL 9,995  
 WHITE 5,775  
 NONWHITE 4,220



(HSWWDTCO)

COUNTY: CHICKASAW

SELECTED DEATH STATISTICS, RESIDENTS OF CHICKASAW COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	182	122	60	10.1	11.5	8.1
HEART DISEASES	64	42	22	355.3	396.7	296.3
MALIGNANT NEOPLASMS	42	30	12	233.2	283.3	161.6
CEREBROVASCULAR DISEASES	12	6	6	66.6	56.7	80.8
PNEUMONIA AND INFLUENZA	10	6	4	55.5	56.7	53.9
ACCIDENTS	9	7	2	50.0	66.1	26.9
EMPHYSEMA AND OTHER COPD	6	4	2	33.3	37.8	26.9
HOMICIDE AND LEGAL INTERVENTION	5	3	2	27.8	28.3	26.9
DIABETES MELLITUS	4	0	4	22.2	-	53.9
SUICIDE	4	3	1	22.2	28.3	13.5
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	2	1	16.6	18.9	13.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	11.1	18.9	-
HYPERTENSION	1	1	0	5.6	9.4	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER	20	16	4	111.0	151.1	53.9

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	182	122	60	99	68	31	83	54	29
UNDER 1	1	1	0	1	1	0	0	0	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	2	4	6	2	4	0	0	0
25-34	1	1	0	1	1	0	0	0	0
35-44	11	6	5	6	4	2	5	2	3
45-54	13	9	4	12	9	3	1	0	1
55-64	22	17	5	15	12	3	7	5	2
65-74	36	24	12	19	15	4	17	9	8
75-84	47	34	13	25	17	8	22	17	5
85 AND OVER	45	28	17	14	7	7	31	21	10
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	18,013
WHITE	10,588
NONWHITE	7,425

(HSWWDTCO)

COUNTY: CHOCTAW

SELECTED DEATH STATISTICS, RESIDENTS OF CHOCTAW COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	85	52	33	9.0	8.2	10.9
HEART DISEASES	33	21	12	351.6	330.4	396.0
MALIGNANT NEOPLASMS	25	16	9	266.4	251.8	297.0
CEREBROVASCULAR DISEASES	5	3	2	53.3	47.2	66.0
EMPHYSEMA AND OTHER COPD	4	4	0	42.6	62.9	-
DIABETES MELLITUS	3	1	2	32.0	15.7	66.0
ACCIDENTS	3	3	0	32.0	47.2	-
HYPERTENSION	1	0	1	10.6	-	33.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	1	1	0	10.6	15.7	-
SUICIDE	1	0	1	10.6	-	33.0
HIV INFECTION	1	0	1	10.6	-	33.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	21.3	15.7	33.0
ALL OTHER	6	2	4	63.9	31.5	132.0

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	85	52	33	39	27	12	46	25	21
UNDER 1	1	1	0	1	1	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	0	0	0	1	1	0
25-34	3	0	3	2	0	2	1	0	1
35-44	2	1	1	1	0	1	1	1	0
45-54	4	2	2	2	2	0	2	0	2
55-64	10	9	1	5	5	0	5	4	1
65-74	12	5	7	5	4	1	7	1	6
75-84	30	16	14	15	9	6	15	7	8
85 AND OVER	22	17	5	8	6	2	14	11	3
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL 9,385  
 WHITE 6,355  
 NONWHITE 3,030

(HSWWDTCO)

COUNTY: CLAIBORNE

SELECTED DEATH STATISTICS, RESIDENTS OF CLAIBORNE COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	109	27	82	9.3	13.6	8.5
HEART DISEASES	54	15	39	463.0	754.5	403.1
MALIGNANT NEOPLASMS	19	5	14	162.9	251.5	144.7
CEREBROVASCULAR DISEASES	7	1	6	60.0	50.3	62.0
PNEUMONIA AND INFLUENZA	4	0	4	34.3	-	41.3
ACCIDENTS	4	1	3	34.3	50.3	31.0
HOMICIDE AND LEGAL INTERVENTION	2	0	2	17.2	-	20.7
DIABETES MELLITUS	1	0	1	8.6	-	10.3
HYPERTENSION	1	0	1	8.6	-	10.3
EMPHYSEMA AND OTHER COPD	1	1	0	8.6	50.3	-
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	1	0	1	8.6	-	10.3
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	6.1	-	6.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	8.6	50.3	-
ALL OTHER	13	3	10	111.5	150.9	103.4

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	109	27	82	57	14	43	52	13	39
UNDER 1	3	0	3	0	0	0	3	0	3
(NEONATAL)	2	0	2	0	0	0	2	0	2
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	2	0	2	0	0	0
25-34	2	0	2	1	0	1	1	0	1
35-44	6	0	6	4	0	4	2	0	2
45-54	5	1	4	4	0	4	1	1	0
55-64	13	2	11	9	2	7	4	0	4
65-74	18	8	10	14	6	8	4	2	2
75-84	34	10	24	16	6	10	18	4	14
85 AND OVER	26	6	20	7	0	7	19	6	13
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	11,662
WHITE	1,988
NONWHITE	9,674

(HSWWDTCO)

COUNTY: CLARKE

SELECTED DEATH STATISTICS, RESIDENTS OF CLARKE COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	161	88	73	8.8	7.6	10.9
HEART DISEASES	78	40	38	427.8	346.8	567.5
MALIGNANT NEOPLASMS	20	10	10	109.7	86.7	149.3
CEREBROVASCULAR DISEASES	9	3	6	49.4	26.0	89.6
ACCIDENTS	7	5	2	38.4	43.3	29.9
DIABETES MELLITUS	6	3	3	32.9	26.0	44.8
PNEUMONIA AND INFLUENZA	6	4	2	32.9	34.7	29.9
EMPHYSEMA AND OTHER COPD	6	4	2	32.9	34.7	29.9
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	3	1	21.9	26.0	14.9
HYPERTENSION	2	0	2	11.0	-	29.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	11.0	17.3	-
SUICIDE	2	1	1	11.0	8.7	14.9
HOMICIDE AND LEGAL INTERVENTION	1	0	1	5.5	-	14.9
HIV INFECTION	1	1	0	5.5	8.7	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	11.0	8.7	14.9
ALL OTHER	15	11	4	82.3	95.4	59.7

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	161	88	73	80	41	39	81	47	34
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	3	1	2	2	1	1	1	0	1
25-34	4	3	1	3	3	0	1	0	1
35-44	7	2	5	3	1	2	4	1	3
45-54	8	2	6	3	0	3	5	2	3
55-64	12	3	9	5	1	4	7	2	5
65-74	32	19	13	21	13	8	11	6	5
75-84	45	29	16	16	8	8	29	21	8
85 AND OVER	49	28	21	27	14	13	22	14	8
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL 18,231  
 WHITE 11,535  
 NONWHITE 6,696

(HSWWDTCO)

COUNTY: CLAY

SELECTED DEATH STATISTICS, RESIDENTS OF CLAY COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	242	128	114	11.2	13.4	9.4
HEART DISEASES	101	53	48	466.8	553.2	398.1
MALIGNANT NEOPLASMS	45	24	21	208.0	250.5	174.2
ACCIDENTS	19	9	10	87.8	93.9	82.9
CEREBROVASCULAR DISEASES	15	7	8	69.3	73.1	66.4
PNEUMONIA AND INFLUENZA	6	5	1	27.7	52.2	8.3
EMPHYSEMA AND OTHER COPD	6	4	2	27.7	41.7	16.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	4	1	23.1	41.7	8.3
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	5	3	2	23.1	31.3	16.6
DIABETES MELLITUS	3	2	1	13.9	20.9	8.3
SUICIDE	2	1	1	9.2	10.4	8.3
HOMICIDE AND LEGAL INTERVENTION	2	1	1	9.2	10.4	8.3
HIV INFECTION	2	0	2	9.2	-	16.6
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.8	-	4.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	2	2	18.5	20.9	16.6
ALL OTHER	26	13	13	120.2	135.7	107.8

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	242	128	114	128	65	63	114	63	51
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	2	1	1	1	0	1	1	1	0
10-14	2	1	1	1	0	1	1	1	0
15-24	1	0	1	1	0	1	0	0	0
25-34	6	1	5	4	1	3	2	0	2
35-44	15	6	9	11	5	6	4	1	3
45-54	15	6	9	13	5	8	2	1	1
55-64	22	8	14	14	5	9	8	3	5
65-74	49	28	21	26	17	9	23	11	12
75-84	64	36	28	32	16	16	32	20	12
85 AND OVER	64	41	23	24	16	8	40	25	15
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	21,637
WHITE	9,581
NONWHITE	12,056

(HSWWDTCO)

COUNTY: COAHOMA

SELECTED DEATH STATISTICS, RESIDENTS OF COAHOMA COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	355	129	226	11.4	12.5	10.9
HEART DISEASES	119	45	74	382.8	435.0	356.7
MALIGNANT NEOPLASMS	83	28	55	267.0	270.7	265.1
ACCIDENTS	28	13	15	90.1	125.7	72.3
CEREBROVASCULAR DISEASES	23	5	18	74.0	48.3	86.8
PNEUMONIA AND INFLUENZA	16	5	11	51.5	48.3	53.0
DIABETES MELLITUS	11	6	5	35.4	58.0	24.1
EMPHYSEMA AND OTHER COPD	8	6	2	25.7	58.0	9.6
HOMICIDE AND LEGAL INTERVENTION	7	0	7	22.5	-	33.7
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	1	3	12.9	9.7	14.5
CONDITIONS ORIG IN PERINATAL PERIOD	4	1	3	6.4	8.7	5.8
SUICIDE	3	2	1	9.6	19.3	4.8
HIV INFECTION	3	0	3	9.6	-	14.5
HYPERTENSION	2	1	1	6.4	9.7	4.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	0	2	6.4	-	9.6
CONGENITAL ANOMALIES	2	0	2	6.4	-	9.6
TUBERCULOSIS	1	1	0	3.2	9.7	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	1	3	12.9	9.7	14.5
ALL OTHER	35	14	21	112.6	135.3	101.2

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	355	129	226	167	55	112	188	74	114
UNDER 1	9	1	8	6	1	5	3	0	3
(NEONATAL)	4	1	3	2	1	1	2	0	2
(POSTNEONATAL)	5	0	5	4	0	4	1	0	1
1-4	3	0	3	3	0	3	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	5	2	3	3	1	2	2	1	1
25-34	13	0	13	9	0	9	4	0	4
35-44	20	6	14	8	2	6	12	4	8
45-54	31	7	24	18	3	15	13	4	9
55-64	32	16	16	16	9	7	16	7	9
65-74	58	19	39	38	15	23	20	4	16
75-84	97	42	55	40	15	25	57	27	30
85 AND OVER	86	36	50	26	9	17	60	27	33
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL 31,089  
 WHITE 10,344  
 NONWHITE 20,745

(HSWWDTCO)

COUNTY: COPIAH

SELECTED DEATH STATISTICS, RESIDENTS OF COPIAH COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	287	155	132	9.9	11.3	8.6
HEART DISEASES	102	53	49	352.4	388.0	320.6
MALIGNANT NEOPLASMS	64	39	25	221.1	285.5	163.5
ACCIDENTS	22	14	8	76.0	102.5	52.3
CEREBROVASCULAR DISEASES	16	9	7	55.3	65.9	45.8
EMPHYSEMA AND OTHER COPD	14	8	6	48.4	58.6	39.2
PNEUMONIA AND INFLUENZA	9	5	4	31.1	36.6	26.2
DIABETES MELLITUS	6	2	4	20.7	14.6	26.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	1	3	13.8	7.3	19.6
HOMICIDE AND LEGAL INTERVENTION	4	0	4	13.8	-	26.2
CONDITIONS ORIG IN PERINATAL PERIOD	3	1	2	6.9	5.6	7.8
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	0	2	6.9	-	13.1
SUICIDE	2	2	0	6.9	14.6	-
ATHEROSCLEROSIS	1	1	0	3.4	7.3	-
HIV INFECTION	1	0	1	3.4	-	6.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	3.4	-	6.5
ALL OTHER	36	20	16	124.4	146.4	104.7

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	287	155	132	156	90	66	131	65	66
UNDER 1	5	1	4	2	0	2	3	1	2
(NEONATAL)	4	1	3	2	0	2	2	1	1
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	3	3	4	2	2	2	1	1
25-34	6	5	1	5	4	1	1	1	0
35-44	17	8	9	10	4	6	7	4	3
45-54	22	11	11	15	9	6	7	2	5
55-64	39	18	21	29	15	14	10	3	7
65-74	58	34	24	32	21	11	26	13	13
75-84	65	38	27	29	17	12	36	21	15
85 AND OVER	68	36	32	29	17	12	39	19	20
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	28,944
WHITE	13,658
NONWHITE	15,286

(HSWWDTCO)

COUNTY: COVINGTON

SELECTED DEATH STATISTICS, RESIDENTS OF COVINGTON COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	230	160	70	12.9	14.4	10.5
HEART DISEASES	86	64	22	483.1	575.7	329.0
MALIGNANT NEOPLASMS	55	37	18	309.0	332.8	269.2
ACCIDENTS	20	12	8	112.3	108.0	119.6
CEREBROVASCULAR DISEASES	10	7	3	56.2	63.0	44.9
ATHEROSCLEROSIS	5	1	4	28.1	9.0	59.8
PNEUMONIA AND INFLUENZA	5	5	0	28.1	45.0	-
DIABETES MELLITUS	4	3	1	22.5	27.0	15.0
EMPHYSEMA AND OTHER COPD	3	2	1	16.8	18.0	15.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	2	1	16.8	18.0	15.0
HOMICIDE AND LEGAL INTERVENTION	3	0	3	16.8	-	44.9
HYPERTENSION	2	2	0	11.2	18.0	-
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	1	1	11.2	9.0	15.0
SUICIDE	2	2	0	11.2	18.0	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	3.1	5.6	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	5.6	9.0	-
ALL OTHER	28	20	8	157.3	179.9	119.6

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	230	160	70	141	99	42	89	61	28
UNDER 1	3	3	0	1	1	0	2	2	0
(NEONATAL)	2	2	0	0	0	0	2	2	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	7	6	1	4	3	1	3	3	0
25-34	7	1	6	4	0	4	3	1	2
35-44	10	4	6	7	2	5	3	2	1
45-54	13	7	6	8	4	4	5	3	2
55-64	22	16	6	13	9	4	9	7	2
65-74	42	25	17	28	18	10	14	7	7
75-84	68	58	10	47	40	7	21	18	3
85 AND OVER	57	40	17	28	22	6	29	18	11
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL 17,802  
 WHITE 11,116  
 NONWHITE 6,686



(HSWWDTCO)

COUNTY: DESOTO

SELECTED DEATH STATISTICS, RESIDENTS OF DESOTO COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	674	577	97	7.0	7.0	6.8
HEART DISEASES	182	155	27	187.8	187.3	190.9
MALIGNANT NEOPLASMS	164	141	23	169.2	170.4	162.6
HYPERTENSION	52	41	11	53.7	49.5	77.8
ACCIDENTS	43	39	4	44.4	47.1	28.3
CEREBROVASCULAR DISEASES	35	31	4	36.1	37.5	28.3
EMPHYSEMA AND OTHER COPD	33	32	1	34.0	38.7	7.1
PNEUMONIA AND INFLUENZA	22	20	2	22.7	24.2	14.1
DIABETES MELLITUS	12	9	3	12.4	10.9	21.2
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	12	10	2	12.4	12.1	14.1
SUICIDE	9	9	0	9.3	10.9	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	6	0	6.2	7.2	-
CONDITIONS ORIG IN PERINATAL PERIOD	6	5	1	3.8	3.7	4.7
CONGENITAL ANOMALIES	3	2	1	3.1	2.4	7.1
HOMICIDE AND LEGAL INTERVENTION	3	1	2	3.1	1.2	14.1
ATHEROSCLEROSIS	1	1	0	1.0	1.2	-
INFECTIONS OF KIDNEY	1	1	0	1.0	1.2	-
MATERNAL CAUSES	1	1	0	63.7	73.7	-
HIV INFECTION	1	1	0	1.0	1.2	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	3	1	4.1	3.6	7.1
ALL OTHER	84	69	15	86.7	83.4	106.1

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	674	577	97	352	305	47	322	272	50
UNDER 1	10	7	3	7	4	3	3	3	0
(NEONATAL)	8	5	3	6	3	3	2	2	0
(POSTNEONATAL)	2	2	0	1	1	0	1	1	0
1-4	3	3	0	0	0	0	3	3	0
5-9	2	2	0	2	2	0	0	0	0
10-14	2	2	0	2	2	0	0	0	0
15-24	17	14	3	9	8	1	8	6	2
25-34	15	13	2	10	8	2	5	5	0
35-44	41	36	5	26	24	2	15	12	3
45-54	42	39	3	24	23	1	18	16	2
55-64	104	86	18	66	56	10	38	30	8
65-74	152	136	16	87	75	12	65	61	4
75-84	157	132	25	76	68	8	81	64	17
85 AND OVER	129	107	22	43	35	8	86	72	14
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	96,897
WHITE	82,754
NONWHITE	14,143

(HSWWDTCO)

COUNTY: FORREST

SELECTED DEATH STATISTICS, RESIDENTS OF FORREST COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	707	516	191	9.5	10.5	7.5
HEART DISEASES	257	191	66	345.6	389.3	260.8
MALIGNANT NEOPLASMS	166	126	40	223.2	256.8	158.1
CEREBROVASCULAR DISEASES	44	25	19	59.2	51.0	75.1
EMPHYSEMA AND OTHER COPD	43	36	7	57.8	73.4	27.7
ACCIDENTS	34	26	8	45.7	53.0	31.6
PNEUMONIA AND INFLUENZA	24	19	5	32.3	38.7	19.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	9	4	5	12.1	8.2	19.8
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	9	6	3	12.1	12.2	11.8
DIABETES MELLITUS	6	4	2	8.1	8.2	7.9
HOMICIDE AND LEGAL INTERVENTION	6	3	3	8.1	6.1	11.8
SUICIDE	4	3	1	5.4	6.1	4.0
CONDITIONS ORIG IN PERINATAL PERIOD	3	1	2	2.8	1.7	4.0
HYPERTENSION	2	1	1	2.7	2.0	4.0
ATHEROSCLEROSIS	1	1	0	1.3	2.0	-
CONGENITAL ANOMALIES	1	1	0	1.3	2.0	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	2	1	4.0	4.1	4.0
ALL OTHER	95	67	28	127.8	136.6	110.7

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	707	516	191	327	231	96	380	285	95
UNDER 1	5	2	3	3	1	2	2	1	1
(NEONATAL)	2	1	1	1	0	1	1	1	0
(POSTNEONATAL)	3	1	2	2	1	1	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	2	0	2	1	0	1	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	9	5	4	6	4	2	3	1	2
25-34	13	6	7	8	2	6	5	4	1
35-44	20	9	11	10	4	6	10	5	5
45-54	51	34	17	27	18	9	24	16	8
55-64	82	49	33	51	30	21	31	19	12
65-74	138	110	28	72	60	12	66	50	16
75-84	211	157	54	91	66	25	120	91	29
85 AND OVER	176	144	32	58	46	12	118	98	20
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL 74,364  
 WHITE 49,062  
 NONWHITE 25,302

(HSWWDTCO)

COUNTY: FRANKLIN

SELECTED DEATH STATISTICS, RESIDENTS OF FRANKLIN COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	126	86	40	15.1	16.9	12.4
HEART DISEASES	59	39	20	709.2	765.4	620.3
MALIGNANT NEOPLASMS	28	19	9	336.6	372.9	279.2
ACCIDENTS	10	5	5	120.2	98.1	155.1
PNEUMONIA AND INFLUENZA	6	6	0	72.1	117.8	-
DIABETES MELLITUS	3	2	1	36.1	39.2	31.0
CEREBROVASCULAR DISEASES	3	2	1	36.1	39.2	31.0
EMPHYSEMA AND OTHER COPD	3	3	0	36.1	58.9	-
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	2	0	24.0	39.2	-
ATHEROSCLEROSIS	1	1	0	12.0	19.6	-
HIV INFECTION	1	0	1	12.0	-	31.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	12.0	19.6	-
ALL OTHER	9	6	3	108.2	117.8	93.0

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	126	86	40	53	36	17	73	50	23
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	2	0	2	2	0	0	0	0
15-24	4	3	1	3	3	0	1	0	1
25-34	1	0	1	0	0	0	1	0	1
35-44	3	0	3	2	0	2	1	0	1
45-54	2	0	2	2	0	2	0	0	0
55-64	16	12	4	8	5	3	8	7	1
65-74	27	17	10	11	7	4	16	10	6
75-84	35	22	13	15	9	6	20	13	7
85 AND OVER	35	29	6	9	9	0	26	20	6
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL 8,319  
 WHITE 5,095  
 NONWHITE 3,224

(HSWWDTCO)

COUNTY: GEORGE

SELECTED DEATH STATISTICS, RESIDENTS OF GEORGE COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	171	159	12	8.7	9.1	5.7
MALIGNANT NEOPLASMS	48	43	5	244.3	245.3	236.5
HEART DISEASES	34	33	1	173.1	188.2	47.3
CEREBROVASCULAR DISEASES	13	13	0	66.2	74.2	-
DIABETES MELLITUS	12	9	3	61.1	51.3	141.9
ACCIDENTS	10	10	0	50.9	57.0	-
EMPHYSEMA AND OTHER COPD	7	7	0	35.6	39.9	-
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	5	5	0	25.4	28.5	-
PNEUMONIA AND INFLUENZA	3	3	0	15.3	17.1	-
CONGENITAL ANOMALIES	3	2	1	15.3	11.4	47.3
ATHEROSCLEROSIS	2	2	0	10.2	11.4	-
HYPERTENSION	1	1	0	5.1	5.7	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	5.1	5.7	-
HOMICIDE AND LEGAL INTERVENTION	1	1	0	5.1	5.7	-
HIV INFECTION	1	1	0	5.1	5.7	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	3	0	15.3	17.1	-
ALL OTHER	27	25	2	137.4	142.6	94.6

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	171	159	12	76	72	4	95	87	8
UNDER 1	6	5	1	3	2	1	3	3	0
(NEONATAL)	3	2	1	2	1	1	1	1	0
(POSTNEONATAL)	3	3	0	1	1	0	2	2	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	2	0	2	2	0	0	0	0
15-24	2	2	0	2	2	0	0	0	0
25-34	2	2	0	0	0	0	2	2	0
35-44	6	5	1	4	4	0	2	1	1
45-54	16	13	3	9	9	0	7	4	3
55-64	22	20	2	9	8	1	13	12	1
65-74	29	28	1	13	12	1	16	16	0
75-84	48	48	0	22	22	0	26	26	0
85 AND OVER	37	33	4	11	10	1	26	23	3
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL 19,645  
 WHITE 17,531  
 NONWHITE 2,114

(HSWWDTCO)

COUNTY: GREENE

SELECTED DEATH STATISTICS, RESIDENTS OF GREENE COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	89	66	23	7.6	7.4	7.9
HEART DISEASES	28	19	9	238.0	214.2	310.7
MALIGNANT NEOPLASMS	21	17	4	178.5	191.7	138.1
DIABETES MELLITUS	9	6	3	76.5	67.6	103.6
ACCIDENTS	7	4	3	59.5	45.1	103.6
PNEUMONIA AND INFLUENZA	5	4	1	42.5	45.1	34.5
CEREBROVASCULAR DISEASES	4	3	1	34.0	33.8	34.5
HYPERTENSION	2	2	0	17.0	22.6	-
EMPHYSEMA AND OTHER COPD	2	2	0	17.0	22.6	-
ATHEROSCLEROSIS	1	1	0	8.5	11.3	-
CONGENITAL ANOMALIES	1	1	0	8.5	11.3	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	6.3	8.1	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER	8	6	2	68.0	67.6	69.0

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	89	66	23	48	32	16	41	34	7
UNDER 1	2	2	0	2	2	0	0	0	0
(NEONATAL)	2	2	0	2	2	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	2	2	3	1	2	1	1	0
25-34	2	1	1	1	0	1	1	1	0
35-44	1	1	0	1	1	0	0	0	0
45-54	6	4	2	4	2	2	2	2	0
55-64	17	12	5	11	7	4	6	5	1
65-74	16	12	4	8	6	2	8	6	2
75-84	23	16	7	14	10	4	9	6	3
85 AND OVER	18	16	2	4	3	1	14	13	1
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	11,766
WHITE	8,869
NONWHITE	2,897

(HSWWDTCO)

COUNTY: GRENADA

SELECTED DEATH STATISTICS, RESIDENTS OF GRENADA COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	278	175	103	12.4	14.0	10.4
HEART DISEASES	107	66	41	477.1	527.0	414.0
MALIGNANT NEOPLASMS	49	32	17	218.5	255.5	171.7
CEREBROVASCULAR DISEASES	27	15	12	120.4	119.8	121.2
PNEUMONIA AND INFLUENZA	16	9	7	71.3	71.9	70.7
ACCIDENTS	10	6	4	44.6	47.9	40.4
EMPHYSEMA AND OTHER COPD	8	8	0	35.7	63.9	-
SUICIDE	5	4	1	22.3	31.9	10.1
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	3	1	17.8	24.0	10.1
HOMICIDE AND LEGAL INTERVENTION	4	0	4	17.8	-	40.4
DIABETES MELLITUS	3	3	0	13.4	24.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	8.9	16.0	-
CONGENITAL ANOMALIES	2	0	2	8.9	-	20.2
HIV INFECTION	2	1	1	8.9	8.0	10.1
ATHEROSCLEROSIS	1	0	1	4.4	-	10.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	4.4	8.0	-
ALL OTHER	37	25	12	165.0	199.6	121.2

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	278	175	103	133	78	55	145	97	48
UNDER 1	3	0	3	2	0	2	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	2	0	2	2	0	2	0	0	0
1-4	2	2	0	0	0	0	2	2	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	4	4	0	3	3	0	1	1	0
35-44	14	3	11	7	1	6	7	2	5
45-54	15	7	8	9	4	5	6	3	3
55-64	35	19	16	21	12	9	14	7	7
65-74	57	43	14	23	16	7	34	27	7
75-84	79	55	24	44	28	16	35	27	8
85 AND OVER	69	42	27	24	14	10	45	28	17
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	22,427
WHITE	12,524
NONWHITE	9,903

(HSWWDTCO)

COUNTY: HANCOCK

SELECTED DEATH STATISTICS, RESIDENTS OF HANCOCK COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	409	386	23	10.1	10.7	5.3
HEART DISEASES	141	128	13	349.6	355.7	299.6
MALIGNANT NEOPLASMS	90	86	4	223.2	239.0	92.2
EMPHYSEMA AND OTHER COPD	29	28	1	71.9	77.8	23.0
ACCIDENTS	28	27	1	69.4	75.0	23.0
CEREBROVASCULAR DISEASES	19	19	0	47.1	52.8	-
PNEUMONIA AND INFLUENZA	18	18	0	44.6	50.0	-
SUICIDE	11	11	0	27.3	30.6	-
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	10	7	3	24.8	19.4	69.1
DIABETES MELLITUS	6	5	1	14.9	13.9	23.0
HOMICIDE AND LEGAL INTERVENTION	4	4	0	9.9	11.1	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	7.4	8.3	-
CONGENITAL ANOMALIES	3	3	0	7.4	8.3	-
HYPERTENSION	1	1	0	2.5	2.8	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	5.0	5.6	-
ALL OTHER	44	44	0	109.1	122.3	-

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	409	386	23	227	213	14	182	173	9
UNDER 1	1	1	0	1	1	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	2	2	0	1	1	0	1	1	0
10-14	1	1	0	1	1	0	0	0	0
15-24	2	2	0	1	1	0	1	1	0
25-34	10	9	1	7	6	1	3	3	0
35-44	12	12	0	8	8	0	4	4	0
45-54	34	31	3	22	19	3	12	12	0
55-64	64	59	5	44	40	4	20	19	1
65-74	101	99	2	54	53	1	47	46	1
75-84	115	106	9	58	54	4	57	52	5
85 AND OVER	66	63	3	30	29	1	36	34	2
UNKNOWN	1	1	0	0	0	0	1	1	0

1998 POPULATION:

TOTAL	40,327
WHITE	35,988
NONWHITE	4,339

(HSWWDTCO)

COUNTY: HARRISON

SELECTED DEATH STATISTICS, RESIDENTS OF HARRISON COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	1,753	1,420	333	9.8	10.6	7.5
HEART DISEASES	635	517	118	356.8	386.9	266.0
MALIGNANT NEOPLASMS	407	336	71	228.7	251.4	160.1
ACCIDENTS	107	79	28	60.1	59.1	63.1
CEREBROVASCULAR DISEASES	73	63	10	41.0	47.1	22.5
EMPHYSEMA AND OTHER COPD	70	63	7	39.3	47.1	15.8
PNEUMONIA AND INFLUENZA	65	58	7	36.5	43.4	15.8
SUICIDE	39	30	9	21.9	22.4	20.3
HOMICIDE AND LEGAL INTERVENTION	22	12	10	12.4	9.0	22.5
DIABETES MELLITUS	20	16	4	11.2	12.0	9.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	19	14	5	10.7	10.5	11.3
ATHEROSCLEROSIS	17	11	6	9.6	8.2	13.5
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	17	13	4	9.6	9.7	9.0
CONGENITAL ANOMALIES	16	9	7	9.0	6.7	15.8
HIV INFECTION	8	6	2	4.5	4.5	4.5
HYPERTENSION	6	4	2	3.4	3.0	4.5
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1	0.7	0.5	1.1
TUBERCULOSIS	1	1	0	0.6	0.7	-
INFECTIONS OF KIDNEY	1	1	0	0.6	0.7	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	9	9	0	5.0	6.7	-
ALL OTHER	219	177	42	123.0	132.5	94.7

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	1,753	1,420	333	924	751	173	829	669	160
UNDER 1	29	18	11	11	7	4	18	11	7
(NEONATAL)	11	7	4	5	3	2	6	4	2
(POSTNEONATAL)	18	11	7	6	4	2	12	7	5
1-4	4	4	0	1	1	0	3	3	0
5-9	5	3	2	3	2	1	2	1	1
10-14	4	3	1	3	2	1	1	1	0
15-24	38	22	16	28	16	12	10	6	4
25-34	35	24	11	24	16	8	11	8	3
35-44	83	59	24	59	44	15	24	15	9
45-54	153	106	47	98	72	26	55	34	21
55-64	223	181	42	140	111	29	83	70	13
65-74	378	311	67	211	178	33	167	133	34
75-84	489	414	75	246	215	31	243	199	44
85 AND OVER	312	275	37	100	87	13	212	188	24
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	177,981
WHITE	133,624
NONWHITE	44,357



(HSWWDTCO)

COUNTY: HINDS

SELECTED DEATH STATISTICS, RESIDENTS OF HINDS COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	2,467	1,210	1,257	10.0	10.6	9.4
HEART DISEASES	778	428	350	314.8	376.2	262.4
MALIGNANT NEOPLASMS	562	275	287	227.4	241.7	215.2
CEREBROVASCULAR DISEASES	156	69	87	63.1	60.6	65.2
ACCIDENTS	141	56	85	57.0	49.2	63.7
EMPHYSEMA AND OTHER COPD	98	71	27	39.6	62.4	20.2
PNEUMONIA AND INFLUENZA	89	47	42	36.0	41.3	31.5
HOMICIDE AND LEGAL INTERVENTION	61	4	57	24.7	3.5	42.7
DIABETES MELLITUS	49	18	31	19.8	15.8	23.2
HIV INFECTION	46	4	42	18.6	3.5	31.5
CONDITIONS ORIG IN PERINATAL PERIOD	27	4	23	6.7	3.5	7.9
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	25	14	11	10.1	12.3	8.2
SUICIDE	23	17	6	9.3	14.9	4.5
HYPERTENSION	19	6	13	7.7	5.3	9.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	14	8	6	5.7	7.0	4.5
CONGENITAL ANOMALIES	12	7	5	4.8	6.2	3.7
TUBERCULOSIS	2	1	1	0.8	0.9	0.8
ATHEROSCLEROSIS	2	1	1	0.8	0.9	0.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	11	3	8	4.4	2.6	6.0
ALL OTHER	352	177	175	142.4	155.6	131.2

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	2,467	1,210	1,257	1,199	555	644	1,268	655	613
UNDER 1	47	8	39	21	4	17	26	4	22
(NEONATAL)	31	7	24	17	4	13	14	3	11
(POSTNEONATAL)	16	1	15	4	0	4	12	1	11
1-4	10	1	9	4	1	3	6	0	6
5-9	7	1	6	4	0	4	3	1	2
10-14	11	2	9	10	2	8	1	0	1
15-24	51	9	42	35	5	30	16	4	12
25-34	80	15	65	57	9	48	23	6	17
35-44	158	41	117	102	26	76	56	15	41
45-54	195	64	131	115	39	76	80	25	55
55-64	240	88	152	127	46	81	113	42	71
65-74	479	255	224	262	143	119	217	112	105
75-84	605	364	241	278	176	102	327	188	139
85 AND OVER	582	361	221	183	104	79	399	257	142
UNKNOWN	2	1	1	1	0	1	1	1	0

1998 POPULATION:

TOTAL	247,144
WHITE	113,778
NONWHITE	133,366

(HSWWDTCO)

COUNTY: HOLMES

SELECTED DEATH STATISTICS, RESIDENTS OF HOLMES COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	272	84	188	12.6	17.1	11.3
HEART DISEASES	88	30	58	408.9	611.1	349.1
MALIGNANT NEOPLASMS	47	16	31	218.4	325.9	186.6
CEREBROVASCULAR DISEASES	27	5	22	125.4	101.8	132.4
ACCIDENTS	18	5	13	83.6	101.8	78.2
EMPHYSEMA AND OTHER COPD	8	6	2	37.2	122.2	12.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	8	1	7	37.2	20.4	42.1
HOMICIDE AND LEGAL INTERVENTION	8	2	6	37.2	40.7	36.1
DIABETES MELLITUS	7	1	6	32.5	20.4	36.1
PNEUMONIA AND INFLUENZA	7	4	3	32.5	81.5	18.0
CONDITIONS ORIG IN PERINATAL PERIOD	4	0	4	9.8	-	11.1
CONGENITAL ANOMALIES	3	0	3	13.9	-	18.0
ATHEROSCLEROSIS	2	0	2	9.3	-	12.0
SUICIDE	2	1	1	9.3	20.4	6.0
HIV INFECTION	2	0	2	9.3	-	12.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	4.6	20.4	-
MATERNAL CAUSES	1	0	1	244.5	-	277.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	1	4	23.2	20.4	24.1
ALL OTHER	34	11	23	158.0	224.1	138.4

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	272	84	188	135	32	103	137	52	85
UNDER 1	10	1	9	8	0	8	2	1	1
(NEONATAL)	5	0	5	4	0	4	1	0	1
(POSTNEONATAL)	5	1	4	4	0	4	1	1	0
1-4	3	0	3	3	0	3	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	2	0	2	2	0	2	0	0	0
15-24	7	1	6	4	0	4	3	1	2
25-34	6	0	6	5	0	5	1	0	1
35-44	11	1	10	7	1	6	4	0	4
45-54	13	2	11	9	2	7	4	0	4
55-64	36	9	27	23	6	17	13	3	10
65-74	53	14	39	31	10	21	22	4	18
75-84	71	34	37	23	8	15	48	26	22
85 AND OVER	59	22	37	19	5	14	40	17	23
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL 21,522  
 WHITE 4,909  
 NONWHITE 16,613

(HSWWDTCO)

COUNTY: HUMPHREYS

SELECTED DEATH STATISTICS, RESIDENTS OF HUMPHREYS COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	103	38	65	9.1	11.1	8.2
HEART DISEASES	34	13	21	299.7	380.6	264.9
MALIGNANT NEOPLASMS	20	7	13	176.3	204.9	164.0
ACCIDENTS	10	3	7	88.2	87.8	88.3
CEREBROVASCULAR DISEASES	7	1	6	61.7	29.3	75.7
PNEUMONIA AND INFLUENZA	7	3	4	61.7	87.8	50.4
EMPHYSEMA AND OTHER COPD	3	2	1	26.4	58.5	12.6
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	1	1	17.6	29.3	12.6
HOMICIDE AND LEGAL INTERVENTION	2	0	2	17.6	-	25.2
INFECTIONS OF KIDNEY	1	0	1	8.8	-	12.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	8.8	29.3	-
ALL OTHER	16	7	9	141.0	204.9	113.5

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	103	38	65	55	24	31	48	14	34
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	0	2	1	0	1	1	0	1
15-24	0	0	0	0	0	0	0	0	0
25-34	3	0	3	3	0	3	0	0	0
35-44	4	1	3	1	1	0	3	0	3
45-54	10	4	6	9	4	5	1	0	1
55-64	9	3	6	6	3	3	3	0	3
65-74	23	6	17	11	5	6	12	1	11
75-84	25	11	14	11	4	7	14	7	7
85 AND OVER	26	13	13	12	7	5	14	6	8
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL 11,344  
 WHITE 3,416  
 NONWHITE 7,928

(HSWWDTCO)

COUNTY: ISSAQUENA

SELECTED DEATH STATISTICS, RESIDENTS OF ISSAQUENA COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	11	6	5	6.8	9.0	5.2
HEART DISEASES	5	3	2	306.9	451.1	207.5
ACCIDENTS	2	1	1	122.8	150.4	103.7
MALIGNANT NEOPLASMS	1	1	0	61.4	150.4	-
ATHEROSCLEROSIS	1	0	1	61.4	-	103.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	61.4	-	103.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER	1	1	0	61.4	150.4	-

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGINATING IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	11	6	5	8	4	4	3	2	1
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	1	0	1	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	0	0	0	0	0	0	0	0	0
55-64	3	1	2	3	1	2	0	0	0
65-74	2	1	1	2	1	1	0	0	0
75-84	3	3	0	2	2	0	1	1	0
85 AND OVER	2	1	1	0	0	0	2	1	1
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	1,629
WHITE	665
NONWHITE	964

(HSWWDTCO)

COUNTY: ITAWAMBA

SELECTED DEATH STATISTICS, RESIDENTS OF ITAWAMBA COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	264	252	12	12.5	13.0	7.2
HEART DISEASES	106	102	4	503.0	525.8	239.2
MALIGNANT NEOPLASMS	56	51	5	265.8	262.9	299.0
ACCIDENTS	19	19	0	90.2	97.9	-
CEREBROVASCULAR DISEASES	16	16	0	75.9	82.5	-
EMPHYSEMA AND OTHER COPD	11	11	0	52.2	56.7	-
PNEUMONIA AND INFLUENZA	9	9	0	42.7	46.4	-
DIABETES MELLITUS	4	3	1	19.0	15.5	59.8
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	4	0	19.0	20.6	-
SUICIDE	3	3	0	14.2	15.5	-
ATHEROSCLEROSIS	1	1	0	4.7	5.2	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	4.7	5.2	-
HOMICIDE AND LEGAL INTERVENTION	1	1	0	4.7	5.2	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	4	0	19.0	20.6	-
ALL OTHER	29	27	2	137.6	139.2	119.6

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	264	252	12	137	130	7	127	122	5
UNDER 1	2	2	0	2	2	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	2	2	0	2	2	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	5	5	0	4	4	0	1	1	0
25-34	2	2	0	1	1	0	1	1	0
35-44	13	11	2	6	4	2	7	7	0
45-54	17	16	1	11	11	0	6	5	1
55-64	29	29	0	21	21	0	8	8	0
65-74	41	38	3	24	22	2	17	16	1
75-84	76	71	5	39	36	3	37	35	2
85 AND OVER	78	77	1	28	28	0	50	49	1
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	21,072
WHITE	19,400
NONWHITE	1,672

(HSWWDTCO)

COUNTY: JACKSON

SELECTED DEATH STATISTICS, RESIDENTS OF JACKSON COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	1,112	916	196	8.5	9.2	6.3
HEART DISEASES	334	275	59	255.1	275.1	190.7
MALIGNANT NEOPLASMS	260	216	44	198.6	216.0	142.2
CEREBROVASCULAR DISEASES	76	62	14	58.0	62.0	45.2
ACCIDENTS	64	56	8	48.9	56.0	25.9
EMPHYSEMA AND OTHER COPD	57	54	3	43.5	54.0	9.7
PNEUMONIA AND INFLUENZA	33	27	6	25.2	27.0	19.4
DIABETES MELLITUS	31	22	9	23.7	22.0	29.1
HOMICIDE AND LEGAL INTERVENTION	18	10	8	13.8	10.0	25.9
SUICIDE	17	17	0	13.0	17.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	16	14	2	12.2	14.0	6.5
HYPERTENSION	9	8	1	6.9	8.0	3.2
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	7	6	1	5.3	6.0	3.2
CONGENITAL ANOMALIES	6	4	2	4.6	4.0	6.5
CONDITIONS ORIG IN PERINATAL PERIOD	5	1	4	2.7	0.8	7.2
ATHEROSCLEROSIS	3	3	0	2.3	3.0	-
HIV INFECTION	3	2	1	2.3	2.0	3.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	5	1	4.6	5.0	3.2
ALL OTHER	167	134	33	127.6	134.0	106.7

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	1,112	916	196	595	498	97	517	418	99
UNDER 1	12	5	7	6	4	2	6	1	5
(NEONATAL)	6	1	5	3	1	2	3	0	3
(POSTNEONATAL)	6	4	2	3	3	0	3	1	2
1-4	4	1	3	1	0	1	3	1	2
5-9	2	2	0	2	2	0	0	0	0
10-14	3	3	0	1	1	0	2	2	0
15-24	21	16	5	17	14	3	4	2	2
25-34	28	23	5	20	15	5	8	8	0
35-44	48	36	12	34	24	10	14	12	2
45-54	90	64	26	58	43	15	32	21	11
55-64	155	127	28	94	82	12	61	45	16
65-74	246	212	34	146	129	17	100	83	17
75-84	311	273	38	150	129	21	161	144	17
85 AND OVER	192	154	38	66	55	11	126	99	27
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	130,910
WHITE	99,974
NONWHITE	30,936

(HSWWDTCO)

COUNTY: JASPER

SELECTED DEATH STATISTICS, RESIDENTS OF JASPER COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	193	122	71	10.9	14.8	7.6
HEART DISEASES	74	48	26	418.7	580.5	276.5
MALIGNANT NEOPLASMS	43	28	15	243.3	338.6	159.5
ACCIDENTS	11	6	5	62.2	72.6	53.2
CEREBROVASCULAR DISEASES	10	6	4	56.6	72.6	42.5
DIABETES MELLITUS	9	4	5	50.9	48.4	53.2
PNEUMONIA AND INFLUENZA	7	3	4	39.6	36.3	42.5
EMPHYSEMA AND OTHER COPD	3	2	1	17.0	24.2	10.6
SUICIDE	3	3	0	17.0	36.3	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	11.3	24.2	-
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	1	1	11.3	12.1	10.6
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1	6.5	9.4	4.9
HYPERTENSION	1	1	0	5.6	12.1	-
HOMICIDE AND LEGAL INTERVENTION	1	0	1	5.6	-	10.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	11.3	24.2	-
ALL OTHER	23	15	8	130.1	181.4	85.1

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	193	122	71	99	59	40	94	63	31
UNDER 1	3	2	1	1	0	1	2	2	0
(NEONATAL)	2	1	1	1	0	1	1	1	0
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	0	3	2	0	2	1	0	1
25-34	5	3	2	3	2	1	2	1	1
35-44	8	2	6	5	1	4	3	1	2
45-54	12	7	5	3	1	2	9	6	3
55-64	24	10	14	15	6	9	9	4	5
65-74	47	26	21	28	16	12	19	10	9
75-84	47	38	9	26	20	6	21	18	3
85 AND OVER	44	34	10	16	13	3	28	21	7
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	17,672
WHITE	8,269
NONWHITE	9,403

(HSWWDTCO)

COUNTY: JEFFERSON

SELECTED DEATH STATISTICS, RESIDENTS OF JEFFERSON COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	100	19	81	11.9	17.2	11.1
HEART DISEASES	31	5	26	367.9	452.9	355.0
MALIGNANT NEOPLASMS	18	1	17	213.6	90.6	232.1
ACCIDENTS	9	3	6	106.8	271.7	81.9
CEREBROVASCULAR DISEASES	8	1	7	94.9	90.6	95.6
PNEUMONIA AND INFLUENZA	4	1	3	47.5	90.6	41.0
DIABETES MELLITUS	3	0	3	35.6	-	41.0
EMPHYSEMA AND OTHER COPD	2	0	2	23.7	-	27.3
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	0	2	23.7	-	27.3
CONGENITAL ANOMALIES	2	1	1	23.7	90.6	13.6
HIV INFECTION	2	0	2	23.7	-	27.3
TUBERCULOSIS	1	0	1	11.9	-	13.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	11.9	90.6	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	8.8	-	9.8
SUICIDE	1	1	0	11.9	90.6	-
HOMICIDE AND LEGAL INTERVENTION	1	0	1	11.9	-	13.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	11.9	90.6	-
ALL OTHER	13	4	9	154.3	362.3	122.9

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	100	19	81	54	12	42	46	7	39
UNDER 1	3	1	2	2	1	1	1	0	1
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	2	1	1	1	1	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	6	1	5	5	1	4	1	0	1
35-44	6	2	4	2	2	0	4	0	4
45-54	9	2	7	5	1	4	4	1	3
55-64	14	1	13	8	1	7	6	0	6
65-74	18	4	14	11	3	8	7	1	6
75-84	26	4	22	12	1	11	14	3	11
85 AND OVER	16	4	12	7	2	5	9	2	7
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL 8,427  
 WHITE 1,104  
 NONWHITE 7,323



(HSWWDTCO)

COUNTY: JEFF DAVIS

SELECTED DEATH STATISTICS, RESIDENTS OF JEFF DAVIS COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	142	73	69	10.2	12.3	8.7
HEART DISEASES	63	31	32	454.5	521.5	404.2
MALIGNANT NEOPLASMS	31	20	11	223.7	336.5	139.0
ACCIDENTS	8	3	5	57.7	50.5	63.2
CEREBROVASCULAR DISEASES	6	2	4	43.3	33.6	50.5
HOMICIDE AND LEGAL INTERVENTION	6	4	2	43.3	67.3	25.3
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	5	1	4	36.1	16.8	50.5
PNEUMONIA AND INFLUENZA	3	2	1	21.6	33.6	12.6
EMPHYSEMA AND OTHER COPD	2	2	0	14.4	33.6	-
DIABETES MELLITUS	1	1	0	7.2	16.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	7.2	16.8	-
SUICIDE	1	1	0	7.2	16.8	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	7.2	16.8	-
ALL OTHER	14	4	10	101.0	67.3	126.3

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	142	73	69	75	39	36	67	34	33
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	2	0	2	1	1	0
25-34	3	0	3	2	0	2	1	0	1
35-44	5	0	5	3	0	3	2	0	2
45-54	9	4	5	5	2	3	4	2	2
55-64	18	15	3	13	10	3	5	5	0
65-74	31	20	11	19	13	6	12	7	5
75-84	45	22	23	23	12	11	22	10	12
85 AND OVER	26	10	16	7	2	5	19	8	11
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	13,860
WHITE	5,944
NONWHITE	7,916

(HSWWDTCO)

COUNTY: JONES

SELECTED DEATH STATISTICS, RESIDENTS OF JONES COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	625	476	149	9.8	10.3	8.6
HEART DISEASES	208	161	47	327.8	348.8	271.5
MALIGNANT NEOPLASMS	126	97	29	198.5	210.2	167.5
PNEUMONIA AND INFLUENZA	40	34	6	63.0	73.7	34.7
ACCIDENTS	38	27	11	59.9	58.5	63.5
CEREBROVASCULAR DISEASES	37	30	7	58.3	65.0	40.4
EMPHYSEMA AND OTHER COPD	21	21	0	33.1	45.5	-
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	11	7	4	17.3	15.2	23.1
DIABETES MELLITUS	8	3	5	12.6	6.5	28.9
HOMICIDE AND LEGAL INTERVENTION	8	4	4	12.6	8.7	23.1
CONDITIONS ORIG IN PERINATAL PERIOD	7	2	5	7.7	3.7	13.7
SUICIDE	7	6	1	11.0	13.0	5.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	4	2	9.4	8.7	11.6
CONGENITAL ANOMALIES	6	4	2	9.4	8.7	11.6
HIV INFECTION	4	0	4	6.3	-	23.1
HYPERTENSION	2	1	1	3.2	2.2	5.8
ATHEROSCLEROSIS	2	1	1	3.2	2.2	5.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	4	1	7.9	8.7	5.8
ALL OTHER	89	70	19	140.2	151.7	109.8

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	625	476	149	331	248	83	294	228	66
UNDER 1	14	5	9	9	3	6	5	2	3
(NEONATAL)	11	3	8	7	1	6	4	2	2
(POSTNEONATAL)	3	2	1	2	2	0	1	0	1
1-4	2	1	1	1	1	0	1	0	1
5-9	3	1	2	2	1	1	1	0	1
10-14	3	1	2	3	1	2	0	0	0
15-24	18	14	4	14	11	3	4	3	1
25-34	13	8	5	10	6	4	3	2	1
35-44	25	14	11	17	10	7	8	4	4
45-54	44	32	12	31	21	10	13	11	2
55-64	65	45	20	42	29	13	23	16	7
65-74	133	103	30	79	63	16	54	40	14
75-84	162	138	24	72	63	9	90	75	15
85 AND OVER	143	114	29	51	39	12	92	75	17
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL 63,461  
 WHITE 46,151  
 NONWHITE 17,310

(HSWWDTCO)

COUNTY: KEMPER

SELECTED DEATH STATISTICS, RESIDENTS OF KEMPER COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	101	54	47	9.6	12.6	7.4
HEART DISEASES	39	22	17	368.8	515.1	269.7
MALIGNANT NEOPLASMS	17	9	8	160.8	210.7	126.9
ACCIDENTS	8	3	5	75.6	70.2	79.3
CEREBROVASCULAR DISEASES	5	4	1	47.3	93.6	15.9
DIABETES MELLITUS	3	2	1	28.4	46.8	15.9
EMPHYSEMA AND OTHER COPD	2	1	1	18.9	23.4	15.9
SUICIDE	2	2	0	18.9	46.8	-
HOMICIDE AND LEGAL INTERVENTION	2	0	2	18.9	-	31.7
ATHEROSCLEROSIS	1	1	0	9.4	23.4	-
PNEUMONIA AND INFLUENZA	1	1	0	9.4	23.4	-
CONGENITAL ANOMALIES	1	0	1	9.4	-	15.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER	20	9	11	189.1	210.7	174.5

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	101	54	47	53	27	26	48	27	21
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	0	2	1	0	1	1	0	1
35-44	5	2	3	2	0	2	3	2	1
45-54	6	1	5	3	0	3	3	1	2
55-64	18	5	13	11	1	10	7	4	3
65-74	15	11	4	11	9	2	4	2	2
75-84	30	19	11	15	10	5	15	9	6
85 AND OVER	24	16	8	9	7	2	15	9	6
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	10,575
WHITE	4,271
NONWHITE	6,304

(HSWWDTCO)

COUNTY: LAFAYETTE

SELECTED DEATH STATISTICS, RESIDENTS OF LAFAYETTE COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	319	252	67	9.2	10.4	6.4
HEART DISEASES	115	89	26	332.8	369.3	248.6
MALIGNANT NEOPLASMS	60	48	12	173.6	199.2	114.7
CEREBROVASCULAR DISEASES	26	23	3	75.2	95.4	28.7
ACCIDENTS	23	17	6	66.6	70.5	57.4
PNEUMONIA AND INFLUENZA	15	13	2	43.4	53.9	19.1
DIABETES MELLITUS	10	3	7	28.9	12.4	66.9
EMPHYSEMA AND OTHER COPD	10	10	0	28.9	41.5	-
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	5	2	3	14.5	8.3	28.7
CONDITIONS ORIG IN PERINATAL PERIOD	4	3	1	9.5	12.5	5.6
SUICIDE	3	3	0	8.7	12.4	-
HOMICIDE AND LEGAL INTERVENTION	3	2	1	8.7	8.3	9.6
HYPERTENSION	2	2	0	5.8	8.3	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	5.8	8.3	-
CONGENITAL ANOMALIES	1	0	1	2.9	-	9.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	2.9	4.2	-
ALL OTHER	39	34	5	112.9	141.1	47.8

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	319	252	67	167	142	25	152	110	42
UNDER 1	4	3	1	0	0	0	4	3	1
(NEONATAL)	4	3	1	0	0	0	4	3	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	2	0	2	2	0	0	0	0
15-24	5	2	3	4	2	2	1	0	1
25-34	8	5	3	6	4	2	2	1	1
35-44	15	10	5	9	8	1	6	2	4
45-54	12	7	5	7	6	1	5	1	4
55-64	30	19	11	8	6	2	22	13	9
65-74	65	55	10	44	40	4	21	15	6
75-84	96	81	15	57	50	7	39	31	8
85 AND OVER	82	68	14	30	24	6	52	44	8
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL 34,555  
 WHITE 24,097  
 NONWHITE 10,458

(HSWWDTCO)

COUNTY: LAMAR

SELECTED DEATH STATISTICS, RESIDENTS OF LAMAR COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	274	239	35	7.4	7.5	6.9
HEART DISEASES	87	75	12	235.8	235.8	236.3
MALIGNANT NEOPLASMS	69	60	9	187.0	188.6	177.2
ACCIDENTS	24	21	3	65.1	66.0	59.1
CEREBROVASCULAR DISEASES	15	13	2	40.7	40.9	39.4
PNEUMONIA AND INFLUENZA	13	12	1	35.2	37.7	19.7
DIABETES MELLITUS	8	7	1	21.7	22.0	19.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	7	7	0	19.0	22.0	-
EMPHYSEMA AND OTHER COPD	6	6	0	16.3	18.9	-
SUICIDE	5	5	0	13.6	15.7	-
HOMICIDE AND LEGAL INTERVENTION	5	3	2	13.6	9.4	39.4
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	3	0	8.1	9.4	-
CONGENITAL ANOMALIES	3	3	0	8.1	9.4	-
TUBERCULOSIS	1	1	0	2.7	3.1	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	1.6	-	10.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	5.4	6.3	-
ALL OTHER	25	21	4	67.8	66.0	78.8

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	274	239	35	137	120	17	137	119	18
UNDER 1	4	2	2	2	0	2	2	2	0
(NEONATAL)	2	1	1	1	0	1	1	1	0
(POSTNEONATAL)	2	1	1	1	0	1	1	1	0
1-4	1	0	1	1	0	1	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	14	11	3	10	9	1	4	2	2
25-34	12	9	3	4	3	1	8	6	2
35-44	18	15	3	11	11	0	7	4	3
45-54	17	14	3	14	12	2	3	2	1
55-64	30	27	3	19	16	3	11	11	0
65-74	56	47	9	31	26	5	25	21	4
75-84	67	63	4	31	29	2	36	34	2
85 AND OVER	54	50	4	13	13	0	41	37	4
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL 36,888  
 WHITE 31,809  
 NONWHITE 5,079

COUNTY: LAUDERDALE

SELECTED DEATH STATISTICS, RESIDENTS OF LAUDERDALE COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	890	594	296	11.7	12.5	10.3
HEART DISEASES	331	234	97	434.7	493.1	338.1
MALIGNANT NEOPLASMS	182	110	72	239.0	231.8	251.0
CEREBROVASCULAR DISEASES	52	35	17	68.3	73.8	59.2
EMPHYSEMA AND OTHER COPD	49	41	8	64.4	86.4	27.9
ACCIDENTS	40	28	12	52.5	59.0	41.8
PNEUMONIA AND INFLUENZA	36	30	6	47.3	63.2	20.9
SUICIDE	16	13	3	21.0	27.4	10.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	9	6	3	11.8	12.6	10.4
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	9	2	7	11.8	4.2	24.4
CONDITIONS ORIG IN PERINATAL PERIOD	9	0	9	7.6	-	15.8
DIABETES MELLITUS	8	4	4	10.5	8.4	13.9
HOMICIDE AND LEGAL INTERVENTION	8	4	4	10.5	8.4	13.9
CONGENITAL ANOMALIES	4	0	4	5.2	-	13.9
HYPERTENSION	3	2	1	3.9	4.2	3.5
HIV INFECTION	3	0	3	3.9	-	10.4
ATHEROSCLEROSIS	2	2	0	2.6	4.2	-
INFECTIONS OF KIDNEY	1	1	0	1.3	2.1	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	9	4	5	11.8	8.4	17.4
ALL OTHER	119	78	41	156.3	164.4	142.9

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	890	594	296	420	286	134	470	308	162
UNDER 1	19	3	16	13	2	11	6	1	5
(NEONATAL)	11	0	11	7	0	7	4	0	4
(POSTNEONATAL)	8	3	5	6	2	4	2	1	1
1-4	6	3	3	4	3	1	2	0	2
5-9	3	2	1	2	2	0	1	0	1
10-14	2	1	1	2	1	1	0	0	0
15-24	8	6	2	8	6	2	0	0	0
25-34	17	11	6	14	10	4	3	1	2
35-44	34	17	17	21	10	11	13	7	6
45-54	57	33	24	39	24	15	18	9	9
55-64	104	61	43	59	35	24	45	26	19
65-74	145	101	44	81	61	20	64	40	24
75-84	254	181	73	108	85	23	146	96	50
85 AND OVER	241	175	66	69	47	22	172	128	44
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	76,143
WHITE	47,452
NONWHITE	28,691

(HSWWDTCO)

COUNTY: LAWRENCE

SELECTED DEATH STATISTICS, RESIDENTS OF LAWRENCE COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	151	100	51	11.6	11.9	11.0
HEART DISEASES	63	43	20	482.6	511.2	430.9
MALIGNANT NEOPLASMS	28	18	10	214.5	214.0	215.5
ACCIDENTS	8	5	3	61.3	59.4	64.6
CEREBROVASCULAR DISEASES	7	6	1	53.6	71.3	21.5
EMPHYSEMA AND OTHER COPD	7	5	2	53.6	59.4	43.1
DIABETES MELLITUS	6	4	2	46.0	47.6	43.1
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	5	4	1	38.3	47.6	21.5
PNEUMONIA AND INFLUENZA	4	2	2	30.6	23.8	43.1
HYPERTENSION	1	0	1	7.7	-	21.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	7.7	11.9	-
HOMICIDE AND LEGAL INTERVENTION	1	1	0	7.7	11.9	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	7.7	11.9	-
ALL OTHER	19	10	9	145.6	118.9	193.9

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	151	100	51	75	48	27	76	52	24
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	0	2	1	0	1	1	0	1
25-34	0	0	0	0	0	0	0	0	0
35-44	8	5	3	6	3	3	2	2	0
45-54	8	3	5	4	3	1	4	0	4
55-64	26	16	10	16	10	6	10	6	4
65-74	29	22	7	15	11	4	14	11	3
75-84	44	27	17	24	15	9	20	12	8
85 AND OVER	33	27	6	8	6	2	25	21	4
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	13,053
WHITE	8,412
NONWHITE	4,641

(HSWWDTCO)

COUNTY: LEAKE

SELECTED DEATH STATISTICS, RESIDENTS OF LEAKE COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	252	167	85	13.0	14.9	10.4
HEART DISEASES	100	70	30	516.2	625.8	366.4
MALIGNANT NEOPLASMS	48	32	16	247.8	286.1	195.4
PNEUMONIA AND INFLUENZA	15	13	2	77.4	116.2	24.4
CEREBROVASCULAR DISEASES	13	9	4	67.1	80.5	48.8
EMPHYSEMA AND OTHER COPD	11	9	2	56.8	80.5	24.4
ACCIDENTS	10	6	4	51.6	53.6	48.8
DIABETES MELLITUS	9	4	5	46.4	35.8	61.1
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	5	3	2	25.8	26.8	24.4
CONGENITAL ANOMALIES	3	1	2	15.5	8.9	24.4
SUICIDE	3	2	1	15.5	17.9	12.2
HOMICIDE AND LEGAL INTERVENTION	3	2	1	15.5	17.9	12.2
HYPERTENSION	2	2	0	10.3	17.9	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	5.2	-	12.2
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.9	-	5.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	5.2	8.9	-
ALL OTHER	27	13	14	139.4	116.2	171.0

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	252	167	85	127	77	50	125	90	35
UNDER 1	4	1	3	3	1	2	1	0	1
(NEONATAL)	3	1	2	3	1	2	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	2	2	0	1	1	0	1	1	0
25-34	4	0	4	4	0	4	0	0	0
35-44	18	5	13	11	3	8	7	2	5
45-54	14	6	8	8	2	6	6	4	2
55-64	31	20	11	22	15	7	9	5	4
65-74	43	29	14	23	15	8	20	14	6
75-84	61	42	19	32	21	11	29	21	8
85 AND OVER	73	60	13	21	17	4	52	43	9
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL 19,372  
 WHITE 11,185  
 NONWHITE 8,187



(HSWWDTCO)

COUNTY: LEE

SELECTED DEATH STATISTICS, RESIDENTS OF LEE COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	671	541	130	9.0	9.5	7.4
HEART DISEASES	250	204	46	335.0	357.8	260.9
MALIGNANT NEOPLASMS	131	101	30	175.5	177.2	170.2
CEREBROVASCULAR DISEASES	57	49	8	76.4	86.0	45.4
ACCIDENTS	37	29	8	49.6	50.9	45.4
PNEUMONIA AND INFLUENZA	34	30	4	45.6	52.6	22.7
EMPHYSEMA AND OTHER COPD	17	16	1	22.8	28.1	5.7
HOMICIDE AND LEGAL INTERVENTION	12	7	5	16.1	12.3	28.4
DIABETES MELLITUS	8	6	2	10.7	10.5	11.3
CONDITIONS ORIG IN PERINATAL PERIOD	7	0	7	5.8	-	18.2
SUICIDE	7	6	1	9.4	10.5	5.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	4	2	8.0	7.0	11.3
HYPERTENSION	5	3	2	6.7	5.3	11.3
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	3	0	4.0	5.3	-
CONGENITAL ANOMALIES	3	2	1	4.0	3.5	5.7
TUBERCULOSIS	1	0	1	1.3	-	5.7
ATHEROSCLEROSIS	1	1	0	1.3	1.8	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	7	5	2	9.4	8.8	11.3
ALL OTHER	85	75	10	113.9	131.6	56.7

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	671	541	130	356	294	62	315	247	68
UNDER 1	11	2	9	5	1	4	6	1	5
(NEONATAL)	9	1	8	4	0	4	5	1	4
(POSTNEONATAL)	2	1	1	1	1	0	1	0	1
1-4	1	1	0	0	0	0	1	1	0
5-9	2	2	0	2	2	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	15	12	3	11	10	1	4	2	2
25-34	7	5	2	5	4	1	2	1	1
35-44	33	22	11	22	15	7	11	7	4
45-54	57	49	8	38	33	5	19	16	3
55-64	74	52	22	51	38	13	23	14	9
65-74	132	109	23	90	79	11	42	30	12
75-84	169	136	33	82	67	15	87	69	18
85 AND OVER	169	150	19	50	45	5	119	105	14
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	74,637
WHITE	57,008
NONWHITE	17,629

(HSWWDTCO)

COUNTY: LEFLORE

SELECTED DEATH STATISTICS, RESIDENTS OF LEFLORE COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	385	162	223	10.4	12.0	9.5
HEART DISEASES	169	71	98	457.4	524.8	418.4
MALIGNANT NEOPLASMS	73	33	40	197.6	243.9	170.8
ACCIDENTS	22	5	17	59.5	37.0	72.6
CEREBROVASCULAR DISEASES	20	10	10	54.1	73.9	42.7
EMPHYSEMA AND OTHER COPD	13	8	5	35.2	59.1	21.3
PNEUMONIA AND INFLUENZA	12	6	6	32.5	44.3	25.6
HOMICIDE AND LEGAL INTERVENTION	11	1	10	29.8	7.4	42.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	7	5	2	18.9	37.0	8.5
DIABETES MELLITUS	5	1	4	13.5	7.4	17.1
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	2	2	10.8	14.8	8.5
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1	3.1	6.6	2.0
SUICIDE	1	1	0	2.7	7.4	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	8.1	7.4	8.5
ALL OTHER	43	17	26	116.4	125.6	111.0

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	385	162	223	179	76	103	206	86	120
UNDER 1	3	1	2	2	0	2	1	1	0
(NEONATAL)	2	1	1	1	0	1	1	1	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	3	1	2	2	0	2	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	9	1	8	7	0	7	2	1	1
25-34	11	2	9	7	2	5	4	0	4
35-44	8	0	8	2	0	2	6	0	6
45-54	24	9	15	13	8	5	11	1	10
55-64	35	12	23	19	10	9	16	2	14
65-74	73	30	43	42	16	26	31	14	17
75-84	105	48	57	41	21	20	64	27	37
85 AND OVER	113	58	55	43	19	24	70	39	31
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	36,951
WHITE	13,530
NONWHITE	23,421

(HSWWDTCO)

COUNTY: LINCOLN

SELECTED DEATH STATISTICS, RESIDENTS OF LINCOLN COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	401	281	120	12.6	13.1	11.6
HEART DISEASES	115	86	29	362.0	400.6	281.4
MALIGNANT NEOPLASMS	88	66	22	277.0	307.4	213.5
CEREBROVASCULAR DISEASES	31	22	9	97.6	102.5	87.3
DIABETES MELLITUS	29	17	12	91.3	79.2	116.5
ACCIDENTS	26	9	17	81.8	41.9	165.0
PNEUMONIA AND INFLUENZA	16	13	3	50.4	60.6	29.1
EMPHYSEMA AND OTHER COPD	15	14	1	47.2	65.2	9.7
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	6	3	3	18.9	14.0	29.1
HYPERTENSION	5	4	1	15.7	18.6	9.7
CONGENITAL ANOMALIES	3	1	2	9.4	4.6	19.4
SUICIDE	3	2	1	9.4	9.3	9.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	6.3	4.6	9.7
INFECTIONS OF KIDNEY	2	1	1	6.3	4.6	9.7
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1	3.9	3.2	5.0
HOMICIDE AND LEGAL INTERVENTION	2	1	1	6.3	4.6	9.7
TUBERCULOSIS	1	0	1	3.1	-	9.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	3	1	12.6	14.0	9.7
ALL OTHER	51	37	14	160.5	172.4	135.9

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	401	281	120	194	128	66	207	153	54
UNDER 1	7	2	5	3	0	3	4	2	2
(NEONATAL)	5	2	3	2	0	2	3	2	1
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	4	1	3	3	0	3	1	1	0
10-14	1	0	1	0	0	0	1	0	1
15-24	6	1	5	5	0	5	1	1	0
25-34	7	6	1	6	5	1	1	1	0
35-44	17	6	11	11	4	7	6	2	4
45-54	24	15	9	16	10	6	8	5	3
55-64	47	30	17	25	19	6	22	11	11
65-74	82	57	25	49	36	13	33	21	12
75-84	99	79	20	44	32	12	55	47	8
85 AND OVER	107	84	23	32	22	10	75	62	13
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	31,771
WHITE	21,467
NONWHITE	10,304

(HSWWDTCO)

COUNTY: LOWNDES

SELECTED DEATH STATISTICS, RESIDENTS OF LOWNDES COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	526	321	205	8.6	8.8	8.3
HEART DISEASES	177	101	76	289.2	276.0	308.7
MALIGNANT NEOPLASMS	109	70	39	178.1	191.3	158.4
CEREBROVASCULAR DISEASES	31	19	12	50.6	51.9	48.7
ACCIDENTS	26	15	11	42.5	41.0	44.7
EMPHYSEMA AND OTHER COPD	20	20	0	32.7	54.6	-
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	12	10	2	19.6	27.3	8.1
PNEUMONIA AND INFLUENZA	10	4	6	16.3	10.9	24.4
DIABETES MELLITUS	7	4	3	11.4	10.9	12.2
CONDITIONS ORIG IN PERINATAL PERIOD	7	1	6	7.1	2.0	12.3
HOMICIDE AND LEGAL INTERVENTION	7	2	5	11.4	5.5	20.3
SUICIDE	4	4	0	6.5	10.9	-
HIV INFECTION	4	1	3	6.5	2.7	12.2
HYPERTENSION	2	1	1	3.3	2.7	4.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	3.3	2.7	4.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	42	28	14	68.6	76.5	56.9
ALL OTHER	66	40	26	107.8	109.3	105.6

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	526	321	205	261	163	98	265	158	107
UNDER 1	13	3	10	4	1	3	9	2	7
(NEONATAL)	9	1	8	1	0	1	8	1	7
(POSTNEONATAL)	4	2	2	3	1	2	1	1	0
1-4	5	0	5	2	0	2	3	0	3
5-9	2	0	2	1	0	1	1	0	1
10-14	3	0	3	1	0	1	2	0	2
15-24	12	7	5	10	6	4	2	1	1
25-34	10	5	5	6	3	3	4	2	2
35-44	30	8	22	15	6	9	15	2	13
45-54	34	18	16	20	11	9	14	7	7
55-64	59	30	29	38	19	19	21	11	10
65-74	100	64	36	60	40	20	40	24	16
75-84	132	98	34	58	46	12	74	52	22
85 AND OVER	126	88	38	46	31	15	80	57	23
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	61,208
WHITE	36,591
NONWHITE	24,617

(HSWWDTCO)

COUNTY: MADISON

SELECTED DEATH STATISTICS, RESIDENTS OF MADISON COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	518	292	226	7.1	7.6	6.6
HEART DISEASES	173	97	76	237.4	252.3	220.9
MALIGNANT NEOPLASMS	90	57	33	123.5	148.2	95.9
ACCIDENTS	36	17	19	49.4	44.2	55.2
CEREBROVASCULAR DISEASES	33	19	14	45.3	49.4	40.7
DIABETES MELLITUS	24	8	16	32.9	20.8	46.5
PNEUMONIA AND INFLUENZA	20	15	5	27.4	39.0	14.5
EMPHYSEMA AND OTHER COPD	16	12	4	22.0	31.2	11.6
HOMICIDE AND LEGAL INTERVENTION	11	1	10	15.1	2.6	29.1
CONDITIONS ORIG IN PERINATAL PERIOD	10	1	9	8.0	1.5	15.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	7	5	2	9.6	13.0	5.8
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	7	4	3	9.6	10.4	8.7
CONGENITAL ANOMALIES	6	5	1	8.2	13.0	2.9
SUICIDE	6	5	1	8.2	13.0	2.9
HYPERTENSION	5	1	4	6.9	2.6	11.6
HIV INFECTION	2	0	2	2.7	-	5.8
ATHEROSCLEROSIS	1	1	0	1.4	2.6	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	3	3	8.2	7.8	8.7
ALL OTHER	65	41	24	89.2	106.6	69.8

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	518	292	226	249	137	112	269	155	114
UNDER 1	17	5	12	6	2	4	11	3	8
(NEONATAL)	10	2	8	4	1	3	6	1	5
(POSTNEONATAL)	7	3	4	2	1	1	5	2	3
1-4	3	0	3	2	0	2	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	3	1	2	2	0	2	1	1	0
15-24	10	4	6	8	3	5	2	1	1
25-34	12	6	6	9	5	4	3	1	2
35-44	27	10	17	22	10	12	5	0	5
45-54	35	13	22	25	12	13	10	1	9
55-64	60	28	32	31	14	17	29	14	15
65-74	98	48	50	52	29	23	46	19	27
75-84	118	81	37	55	38	17	63	43	20
85 AND OVER	135	96	39	37	24	13	98	72	26
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	72,857
WHITE	38,452
NONWHITE	34,405

(HSWWDTCO)

COUNTY: MARION

SELECTED DEATH STATISTICS, RESIDENTS OF MARION COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	316	232	84	12.0	13.1	9.7
HEART DISEASES	81	64	17	307.0	360.9	196.5
MALIGNANT NEOPLASMS	71	51	20	269.1	287.6	231.2
CEREBROVASCULAR DISEASES	29	22	7	109.9	124.0	80.9
ACCIDENTS	19	14	5	72.0	78.9	57.8
PNEUMONIA AND INFLUENZA	18	14	4	68.2	78.9	46.2
DIABETES MELLITUS	11	5	6	41.7	28.2	69.3
EMPHYSEMA AND OTHER COPD	10	8	2	37.9	45.1	23.1
HOMICIDE AND LEGAL INTERVENTION	7	5	2	26.5	28.2	23.1
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	2	2	15.2	11.3	23.1
SUICIDE	4	4	0	15.2	22.6	-
HYPERTENSION	2	1	1	7.6	5.6	11.6
ATHEROSCLEROSIS	2	2	0	7.6	11.3	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	7.6	5.6	11.6
CONGENITAL ANOMALIES	2	2	0	7.6	11.3	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.7	-	6.9
HIV INFECTION	1	1	0	3.8	5.6	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	3.8	5.6	-
ALL OTHER	51	35	16	193.3	197.4	184.9

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	316	232	84	144	108	36	172	124	48
UNDER 1	3	1	2	0	0	0	3	1	2
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	2	1	1	0	0	0	2	1	1
1-4	3	1	2	1	1	0	2	0	2
5-9	0	0	0	0	0	0	0	0	0
10-14	3	3	0	3	3	0	0	0	0
15-24	9	6	3	7	4	3	2	2	0
25-34	3	2	1	3	2	1	0	0	0
35-44	9	7	2	7	5	2	2	2	0
45-54	15	8	7	7	4	3	8	4	4
55-64	24	15	9	10	6	4	14	9	5
65-74	72	57	15	40	33	7	32	24	8
75-84	91	70	21	43	34	9	48	36	12
85 AND OVER	84	62	22	23	16	7	61	46	15
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	26,386
WHITE	17,734
NONWHITE	8,652

(HSWWDTCO)

COUNTY: MARSHALL

SELECTED DEATH STATISTICS, RESIDENTS OF MARSHALL COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	305	164	141	9.4	10.8	8.2
MALIGNANT NEOPLASMS	87	54	33	269.4	357.0	192.2
HEART DISEASES	87	38	49	269.4	251.2	285.3
CEREBROVASCULAR DISEASES	20	9	11	61.9	59.5	64.0
ACCIDENTS	14	8	6	43.3	52.9	34.9
EMPHYSEMA AND OTHER COPD	12	7	5	37.2	46.3	29.1
PNEUMONIA AND INFLUENZA	8	3	5	24.8	19.8	29.1
HYPERTENSION	7	6	1	21.7	39.7	5.8
SUICIDE	7	6	1	21.7	39.7	5.8
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	6	1	5	18.6	6.6	29.1
DIABETES MELLITUS	5	4	1	15.5	26.4	5.8
CONDITIONS ORIG IN PERINATAL PERIOD	5	0	5	10.0	-	18.4
HOMICIDE AND LEGAL INTERVENTION	4	2	2	12.4	13.2	11.6
TUBERCULOSIS	1	0	1	3.1	-	5.8
HIV INFECTION	1	0	1	3.1	-	5.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	4	2	18.6	26.4	11.6
ALL OTHER	35	22	13	108.4	145.5	75.7

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	305	164	141	166	91	75	139	73	66
UNDER 1	5	0	5	4	0	4	1	0	1
(NEONATAL)	5	0	5	4	0	4	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	2	1	1	1	0	1	1	1	0
5-9	1	1	0	0	0	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	7	3	4	7	3	4	0	0	0
25-34	12	6	6	10	6	4	2	0	2
35-44	16	7	9	8	3	5	8	4	4
45-54	27	18	9	15	10	5	12	8	4
55-64	41	27	14	28	20	8	13	7	6
65-74	62	33	29	33	17	16	29	16	13
75-84	70	40	30	37	22	15	33	18	15
85 AND OVER	62	28	34	23	10	13	39	18	21
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL 32,296  
 WHITE 15,124  
 NONWHITE 17,172

(HSWWDTCO)

COUNTY: MONROE

SELECTED DEATH STATISTICS, RESIDENTS OF MONROE COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	404	297	107	10.6	11.5	8.6
HEART DISEASES	130	103	27	339.8	399.9	215.8
MALIGNANT NEOPLASMS	91	65	26	237.8	252.4	207.8
CEREBROVASCULAR DISEASES	27	20	7	70.6	77.6	56.0
PNEUMONIA AND INFLUENZA	26	22	4	68.0	85.4	32.0
ACCIDENTS	21	14	7	54.9	54.4	56.0
EMPHYSEMA AND OTHER COPD	20	16	4	52.3	62.1	32.0
DIABETES MELLITUS	10	5	5	26.1	19.4	40.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	6	4	2	15.7	15.5	16.0
SUICIDE	5	5	0	13.1	19.4	-
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	5.5	-	14.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	5.2	7.8	-
INFECTIONS OF KIDNEY	2	2	0	5.2	7.8	-
HYPERTENSION	1	1	0	2.6	3.9	-
HIV INFECTION	1	0	1	2.6	-	8.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	0	3	7.8	-	24.0
ALL OTHER	56	38	18	146.4	147.6	143.9

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	404	297	107	218	152	66	186	145	41
UNDER 1	4	0	4	4	0	4	0	0	0
(NEONATAL)	2	0	2	2	0	2	0	0	0
(POSTNEONATAL)	2	0	2	2	0	2	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	7	5	2	5	4	1	2	1	1
25-34	7	4	3	5	3	2	2	1	1
35-44	15	8	7	9	5	4	6	3	3
45-54	35	19	16	21	12	9	14	7	7
55-64	47	34	13	31	21	10	16	13	3
65-74	83	62	21	51	37	14	32	25	7
75-84	113	90	23	61	47	14	52	43	9
85 AND OVER	93	75	18	31	23	8	62	52	10
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL 38,263  
 WHITE 25,754  
 NONWHITE 12,509



(HSWWDTCO)

COUNTY: MONTGOMERY

SELECTED DEATH STATISTICS, RESIDENTS OF MONTGOMERY COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	155	101	54	12.5	15.1	9.4
HEART DISEASES	47	31	16	378.3	464.8	278.0
MALIGNANT NEOPLASMS	27	23	4	217.3	344.8	69.5
CEREBROVASCULAR DISEASES	18	12	6	144.9	179.9	104.2
ACCIDENTS	11	5	6	88.5	75.0	104.2
CONDITIONS ORIG IN PERINATAL PERIOD	8	3	5	41.9	41.7	42.0
PNEUMONIA AND INFLUENZA	5	5	0	40.2	75.0	-
EMPHYSEMA AND OTHER COPD	5	4	1	40.2	60.0	17.4
DIABETES MELLITUS	4	3	1	32.2	45.0	17.4
HYPERTENSION	3	0	3	24.1	-	52.1
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	2	1	24.1	30.0	17.4
CONGENITAL ANOMALIES	3	0	3	24.1	-	52.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	16.1	30.0	-
SUICIDE	1	1	0	8.0	15.0	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	8.0	15.0	-
ALL OTHER	17	9	8	136.8	134.9	139.0

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	155	101	54	84	52	32	71	49	22
UNDER 1	12	3	9	9	2	7	3	1	2
(NEONATAL)	11	3	8	8	2	6	3	1	2
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	3	3	4	2	2	2	1	1
25-34	2	1	1	2	1	1	0	0	0
35-44	7	3	4	7	3	4	0	0	0
45-54	9	3	6	6	2	4	3	1	2
55-64	15	8	7	13	6	7	2	2	0
65-74	22	19	3	9	9	0	13	10	3
75-84	40	33	7	19	17	2	21	16	5
85 AND OVER	41	28	13	14	10	4	27	18	9
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	12,425
WHITE	6,670
NONWHITE	5,755

(HSWWDTCO)

COUNTY: NESHOBA

SELECTED DEATH STATISTICS, RESIDENTS OF NESHOBA COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	331	241	90	12.0	13.2	9.6
HEART DISEASES	118	92	26	426.7	503.3	277.3
MALIGNANT NEOPLASMS	58	47	11	209.7	257.1	117.3
CEREBROVASCULAR DISEASES	30	25	5	108.5	136.8	53.3
ACCIDENTS	29	15	14	104.9	82.1	149.3
PNEUMONIA AND INFLUENZA	11	6	5	39.8	32.8	53.3
EMPHYSEMA AND OTHER COPD	11	10	1	39.8	54.7	10.7
DIABETES MELLITUS	9	4	5	32.5	21.9	53.3
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	8	6	2	28.9	32.8	21.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	2	4	21.7	10.9	42.7
HYPERTENSION	2	1	1	7.2	5.5	10.7
ATHEROSCLEROSIS	2	1	1	7.2	5.5	10.7
CONGENITAL ANOMALIES	2	1	1	7.2	5.5	10.7
SUICIDE	2	2	0	7.2	10.9	-
HOMICIDE AND LEGAL INTERVENTION	2	0	2	7.2	-	21.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	5	1	21.7	27.4	10.7
ALL OTHER	35	24	11	126.6	131.3	117.3

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	331	241	90	167	123	44	164	118	46
UNDER 1	4	1	3	3	1	2	1	0	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	4	1	3	3	1	2	1	0	1
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	9	3	6	8	3	5	1	0	1
25-34	7	5	2	5	4	1	2	1	1
35-44	15	8	7	9	7	2	6	1	5
45-54	25	11	14	13	6	7	12	5	7
55-64	32	23	9	20	15	5	12	8	4
65-74	60	48	12	36	30	6	24	18	6
75-84	98	79	19	48	37	11	50	42	8
85 AND OVER	80	63	17	25	20	5	55	43	12
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL 27,653  
 WHITE 18,278  
 NONWHITE 9,375

(HSWWDTCO)

COUNTY: NEWTON

SELECTED DEATH STATISTICS, RESIDENTS OF NEWTON COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	243	164	79	11.3	11.7	10.5
HEART DISEASES	82	57	25	381.1	406.4	333.8
MALIGNANT NEOPLASMS	58	44	14	269.6	313.7	186.9
CEREBROVASCULAR DISEASES	14	8	6	65.1	57.0	80.1
ACCIDENTS	12	6	6	55.8	42.8	80.1
DIABETES MELLITUS	9	6	3	41.8	42.8	40.0
EMPHYSEMA AND OTHER COPD	7	5	2	32.5	35.6	26.7
PNEUMONIA AND INFLUENZA	6	5	1	27.9	35.6	13.4
SUICIDE	6	5	1	27.9	35.6	13.4
CONDITIONS ORIG IN PERINATAL PERIOD	5	2	3	14.4	10.5	19.2
HOMICIDE AND LEGAL INTERVENTION	5	1	4	23.2	7.1	53.4
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	1	3	18.6	7.1	40.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	1	2	13.9	7.1	26.7
ATHEROSCLEROSIS	2	2	0	9.3	14.2	-
TUBERCULOSIS	1	0	1	4.6	-	13.4
HYPERTENSION	1	1	0	4.6	7.1	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER	28	20	8	130.1	142.6	106.8

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	243	164	79	122	90	32	121	74	47
UNDER 1	5	2	3	4	2	2	1	0	1
(NEONATAL)	5	2	3	4	2	2	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	6	3	3	4	2	2	2	1	1
25-34	4	1	3	1	0	1	3	1	2
35-44	12	6	6	9	5	4	3	1	2
45-54	8	6	2	5	4	1	3	2	1
55-64	31	17	14	20	13	7	11	4	7
65-74	61	47	14	32	28	4	29	19	10
75-84	56	41	15	31	25	6	25	16	9
85 AND OVER	59	41	18	16	11	5	43	30	13
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL 21,516  
 WHITE 14,026  
 NONWHITE 7,490

(HSWWDTCO)

COUNTY: NOXUBEE

SELECTED DEATH STATISTICS, RESIDENTS OF NOXUBEE COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	121	31	90	9.8	8.4	10.4
HEART DISEASES	52	13	39	420.5	353.8	448.7
MALIGNANT NEOPLASMS	19	6	13	153.6	163.3	149.6
ACCIDENTS	8	2	6	64.7	54.4	69.0
CEREBROVASCULAR DISEASES	6	1	5	48.5	27.2	57.5
CONDITIONS ORIG IN PERINATAL PERIOD	6	0	6	29.0	-	38.7
PNEUMONIA AND INFLUENZA	3	2	1	24.3	54.4	11.5
DIABETES MELLITUS	2	0	2	16.2	-	23.0
HYPERTENSION	2	0	2	16.2	-	23.0
EMPHYSEMA AND OTHER COPD	2	0	2	16.2	-	23.0
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	1	1	16.2	27.2	11.5
CONGENITAL ANOMALIES	1	0	1	8.1	-	11.5
HOMICIDE AND LEGAL INTERVENTION	1	0	1	8.1	-	11.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	0	3	24.3	-	34.5
ALL OTHER	14	6	8	113.2	163.3	92.0

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	121	31	90	65	10	55	56	21	35
UNDER 1	9	0	9	7	0	7	2	0	2
(NEONATAL)	6	0	6	4	0	4	2	0	2
(POSTNEONATAL)	3	0	3	3	0	3	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	1	0	1	0	0	0	1	0	1
15-24	1	0	1	1	0	1	0	0	0
25-34	1	0	1	0	0	0	1	0	1
35-44	2	0	2	1	0	1	1	0	1
45-54	7	1	6	3	0	3	4	1	3
55-64	19	4	15	13	3	10	6	1	5
65-74	27	6	21	18	4	14	9	2	7
75-84	22	5	17	12	2	10	10	3	7
85 AND OVER	31	15	16	10	1	9	21	14	7
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL 12,366  
 WHITE 3,674  
 NONWHITE 8,692

(HSWWDTCO)

COUNTY: OKTIBBEHA

SELECTED DEATH STATISTICS, RESIDENTS OF OKTIBBEHA COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	283	162	121	7.2	6.9	7.6
HEART DISEASES	119	71	48	302.9	302.9	302.8
MALIGNANT NEOPLASMS	53	29	24	134.9	123.7	151.4
CEREBROVASCULAR DISEASES	17	9	8	43.3	38.4	50.5
ACCIDENTS	14	10	4	35.6	42.7	25.2
EMPHYSEMA AND OTHER COPD	10	6	4	25.4	25.6	25.2
PNEUMONIA AND INFLUENZA	8	7	1	20.4	29.9	6.3
SUICIDE	8	5	3	20.4	21.3	18.9
DIABETES MELLITUS	5	1	4	12.7	4.3	25.2
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	5	1	4	12.7	4.3	25.2
HYPERTENSION	2	1	1	5.1	4.3	6.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	5.1	4.3	6.3
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	4.0	-	7.4
HOMICIDE AND LEGAL INTERVENTION	1	0	1	2.5	-	6.3
HIV INFECTION	1	0	1	2.5	-	6.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	2.5	4.3	-
ALL OTHER	35	20	15	89.1	85.3	94.6

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	283	162	121	147	82	65	136	80	56
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	2	0	2	1	0	1	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	8	5	3	7	5	2	1	0	1
25-34	4	2	2	2	1	1	2	1	1
35-44	12	3	9	10	2	8	2	1	1
45-54	19	10	9	11	7	4	8	3	5
55-64	30	9	21	21	6	15	9	3	6
65-74	46	31	15	27	20	7	19	11	8
75-84	73	43	30	31	20	11	42	23	19
85 AND OVER	88	58	30	37	21	16	51	37	14
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	39,291
WHITE	23,439
NONWHITE	15,852

(HSWWDTCO)

COUNTY: PANOLA

SELECTED DEATH STATISTICS, RESIDENTS OF PANOLA COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	382	230	152	11.4	14.0	8.9
HEART DISEASES	130	77	53	389.2	469.7	311.6
MALIGNANT NEOPLASMS	67	46	21	200.6	280.6	123.5
CEREBROVASCULAR DISEASES	35	22	13	104.8	134.2	76.4
ACCIDENTS	29	14	15	86.8	85.4	88.2
PNEUMONIA AND INFLUENZA	17	12	5	50.9	73.2	29.4
EMPHYSEMA AND OTHER COPD	15	12	3	44.9	73.2	17.6
DIABETES MELLITUS	7	2	5	21.0	12.2	29.4
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	6	2	4	18.0	12.2	23.5
HOMICIDE AND LEGAL INTERVENTION	6	2	4	18.0	12.2	23.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	4	1	15.0	24.4	5.9
CONDITIONS ORIG IN PERINATAL PERIOD	4	0	4	7.2	-	12.0
CONGENITAL ANOMALIES	3	1	2	9.0	6.1	11.8
SUICIDE	3	2	1	9.0	12.2	5.9
ATHEROSCLEROSIS	2	2	0	6.0	12.2	-
HYPERTENSION	1	1	0	3.0	6.1	-
HIV INFECTION	1	1	0	3.0	6.1	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	7	2	5	21.0	12.2	29.4
ALL OTHER	44	28	16	131.7	170.8	94.1

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	382	230	152	205	124	81	177	106	71
UNDER 1	10	2	8	7	2	5	3	0	3
(NEONATAL)	5	0	5	3	0	3	2	0	2
(POSTNEONATAL)	5	2	3	4	2	2	1	0	1
1-4	3	2	1	2	1	1	1	1	0
5-9	2	1	1	1	1	0	1	0	1
10-14	1	0	1	0	0	0	1	0	1
15-24	7	2	5	5	2	3	2	0	2
25-34	11	4	7	8	3	5	3	1	2
35-44	17	9	8	10	5	5	7	4	3
45-54	31	15	16	18	10	8	13	5	8
55-64	43	26	17	29	15	14	14	11	3
65-74	77	48	29	47	30	17	30	18	12
75-84	103	66	37	50	35	15	53	31	22
85 AND OVER	77	55	22	28	20	8	49	35	14
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL 33,400  
 WHITE 16,394  
 NONWHITE 17,006

(HSWWDTCO)

COUNTY: PEARL RIVER

SELECTED DEATH STATISTICS, RESIDENTS OF PEARL RIVER COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	461	393	68	9.8	10.0	8.9
HEART DISEASES	135	116	19	288.1	295.6	249.1
MALIGNANT NEOPLASMS	107	91	16	228.3	231.9	209.8
EMPHYSEMA AND OTHER COPD	25	24	1	53.3	61.2	13.1
ACCIDENTS	25	22	3	53.3	56.1	39.3
DIABETES MELLITUS	21	16	5	44.8	40.8	65.6
CEREBROVASCULAR DISEASES	20	14	6	42.7	35.7	78.7
PNEUMONIA AND INFLUENZA	17	14	3	36.3	35.7	39.3
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	11	11	0	23.5	28.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	8	7	1	17.1	17.8	13.1
SUICIDE	4	4	0	8.5	10.2	-
HYPERTENSION	3	1	2	6.4	2.5	26.2
HOMICIDE AND LEGAL INTERVENTION	3	2	1	6.4	5.1	13.1
HIV INFECTION	2	1	1	4.3	2.5	13.1
TUBERCULOSIS	1	1	0	2.1	2.5	-
ATHEROSCLEROSIS	1	1	0	2.1	2.5	-
CONGENITAL ANOMALIES	1	1	0	2.1	2.5	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	1.6	1.9	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	8	7	1	17.1	17.8	13.1
ALL OTHER	68	59	9	145.1	150.4	118.0

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	461	393	68	248	218	30	213	175	38
UNDER 1	4	3	1	3	2	1	1	1	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	3	2	1	2	1	1	1	1	0
1-4	1	1	0	0	0	0	1	1	0
5-9	2	2	0	2	2	0	0	0	0
10-14	3	2	1	2	2	0	1	0	1
15-24	8	6	2	7	5	2	1	1	0
25-34	11	8	3	6	4	2	5	4	1
35-44	17	11	6	9	7	2	8	4	4
45-54	37	30	7	24	21	3	13	9	4
55-64	58	51	7	38	35	3	20	16	4
65-74	110	99	11	69	63	6	41	36	5
75-84	120	105	15	58	53	5	62	52	10
85 AND OVER	90	75	15	30	24	6	60	51	9
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL 46,862  
 WHITE 39,236  
 NONWHITE 7,626

(HSWWDTCO)

COUNTY: PERRY

SELECTED DEATH STATISTICS, RESIDENTS OF PERRY COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	89	60	29	7.5	6.8	9.7
HEART DISEASES	40	23	17	339.0	260.7	571.2
MALIGNANT NEOPLASMS	12	10	2	101.7	113.4	67.2
CEREBROVASCULAR DISEASES	12	10	2	101.7	113.4	67.2
EMPHYSEMA AND OTHER COPD	4	4	0	33.9	45.3	-
ACCIDENTS	3	3	0	25.4	34.0	-
PNEUMONIA AND INFLUENZA	2	2	0	17.0	22.7	-
DIABETES MELLITUS	1	0	1	8.5	-	33.6
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	1	1	0	8.5	11.3	-
CONGENITAL ANOMALIES	1	1	0	8.5	11.3	-
HOMICIDE AND LEGAL INTERVENTION	1	1	0	8.5	11.3	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	8.5	-	33.6
ALL OTHER	11	5	6	93.2	56.7	201.6

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	89	60	29	49	37	12	40	23	17
UNDER 1	2	1	1	2	1	1	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	2	2	0	2	2	0	0	0	0
35-44	1	1	0	1	1	0	0	0	0
45-54	6	2	4	3	1	2	3	1	2
55-64	10	8	2	6	4	2	4	4	0
65-74	26	18	8	17	14	3	9	4	5
75-84	29	20	9	14	11	3	15	9	6
85 AND OVER	12	8	4	4	3	1	8	5	3
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL 11,798  
 WHITE 8,822  
 NONWHITE 2,976



(HSWWDTCO)

COUNTY: PIKE

SELECTED DEATH STATISTICS, RESIDENTS OF PIKE COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	436	256	180	11.5	13.0	9.8
HEART DISEASES	137	91	46	361.3	463.9	251.3
MALIGNANT NEOPLASMS	81	46	35	213.6	234.5	191.2
DIABETES MELLITUS	34	16	18	89.7	81.6	98.3
EMPHYSEMA AND OTHER COPD	29	22	7	76.5	112.2	38.2
ACCIDENTS	24	11	13	63.3	56.1	71.0
CEREBROVASCULAR DISEASES	23	12	11	60.6	61.2	60.1
PNEUMONIA AND INFLUENZA	11	5	6	29.0	25.5	32.8
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	7	2	5	18.5	10.2	27.3
SUICIDE	4	2	2	10.5	10.2	10.9
CONGENITAL ANOMALIES	3	0	3	7.9	-	16.4
HOMICIDE AND LEGAL INTERVENTION	3	1	2	7.9	5.1	10.9
HYPERTENSION	1	0	1	2.6	-	5.5
ATHEROSCLEROSIS	1	1	0	2.6	5.1	-
INFECTIONS OF KIDNEY	1	0	1	2.6	-	5.5
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	1.6	-	2.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	2	2	10.5	10.2	10.9
ALL OTHER	72	45	27	189.9	229.4	147.5

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	436	256	180	212	119	93	224	137	87
UNDER 1	3	1	2	1	0	1	2	1	1
(NEONATAL)	3	1	2	1	0	1	2	1	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	3	0	3	1	0	1	2	0	2
5-9	3	1	2	1	0	1	2	1	1
10-14	0	0	0	0	0	0	0	0	0
15-24	5	2	3	3	2	1	2	0	2
25-34	3	0	3	3	0	3	0	0	0
35-44	14	3	11	7	2	5	7	1	6
45-54	29	14	15	20	12	8	9	2	7
55-64	57	32	25	34	20	14	23	12	11
65-74	84	38	46	45	22	23	39	16	23
75-84	118	81	37	54	32	22	64	49	15
85 AND OVER	117	84	33	43	29	14	74	55	19
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	37,920
WHITE	19,616
NONWHITE	18,304

(HSWWDTCO)

COUNTY: PONTOTOC

SELECTED DEATH STATISTICS, RESIDENTS OF PONTOTOC COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	244	220	24	9.6	10.4	5.7
HEART DISEASES	84	77	7	330.7	363.5	166.2
MALIGNANT NEOPLASMS	49	43	6	192.9	203.0	142.4
ACCIDENTS	18	17	1	70.9	80.2	23.7
EMPHYSEMA AND OTHER COPD	15	14	1	59.1	66.1	23.7
CEREBROVASCULAR DISEASES	14	10	4	55.1	47.2	95.0
PNEUMONIA AND INFLUENZA	10	9	1	39.4	42.5	23.7
DIABETES MELLITUS	7	7	0	27.6	33.0	-
SUICIDE	7	7	0	27.6	33.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	11.8	14.2	-
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	3	0	11.8	14.2	-
CONGENITAL ANOMALIES	1	1	0	3.9	4.7	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	2.7	3.1	-
HIV INFECTION	1	0	1	3.9	-	23.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	3.9	-	23.7
ALL OTHER	30	28	2	118.1	132.2	47.5

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	244	220	24	126	116	10	118	104	14
UNDER 1	1	1	0	1	1	0	0	0	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	3	3	0	3	3	0	0	0	0
25-34	5	4	1	3	2	1	2	2	0
35-44	14	12	2	10	9	1	4	3	1
45-54	12	11	1	9	8	1	3	3	0
55-64	29	27	2	20	19	1	9	8	1
65-74	45	41	4	30	28	2	15	13	2
75-84	68	64	4	31	31	0	37	33	4
85 AND OVER	65	55	10	17	13	4	48	42	6
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL 25,397  
 WHITE 21,185  
 NONWHITE 4,212

(HSWWDTCO)

COUNTY: PRENTISS

SELECTED DEATH STATISTICS, RESIDENTS OF PRENTISS COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	202	191	11	8.3	9.1	3.4
HEART DISEASES	73	68	5	300.5	322.9	154.4
MALIGNANT NEOPLASMS	37	37	0	152.3	175.7	-
EMPHYSEMA AND OTHER COPD	19	19	0	78.2	90.2	-
CEREBROVASCULAR DISEASES	13	11	2	53.5	52.2	61.7
ACCIDENTS	12	10	2	49.4	47.5	61.7
SUICIDE	5	5	0	20.6	23.7	-
CONDITIONS ORIG IN PERINATAL PERIOD	3	3	0	8.5	9.7	-
PNEUMONIA AND INFLUENZA	2	2	0	8.2	9.5	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	8.2	9.5	-
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	2	0	8.2	9.5	-
HOMICIDE AND LEGAL INTERVENTION	2	1	1	8.2	4.7	30.9
DIABETES MELLITUS	1	1	0	4.1	4.7	-
ATHEROSCLEROSIS	1	1	0	4.1	4.7	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	8.2	9.5	-
ALL OTHER	28	27	1	115.2	128.2	30.9

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	202	191	11	113	104	9	89	87	2
UNDER 1	3	3	0	2	2	0	1	1	0
(NEONATAL)	2	2	0	2	2	0	0	0	0
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	2	2	3	1	2	1	1	0
25-34	5	4	1	5	4	1	0	0	0
35-44	9	7	2	6	4	2	3	3	0
45-54	17	14	3	11	9	2	6	5	1
55-64	21	21	0	15	15	0	6	6	0
65-74	52	51	1	30	29	1	22	22	0
75-84	54	53	1	25	24	1	29	29	0
85 AND OVER	36	36	0	16	16	0	20	20	0
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	24,295
WHITE	21,056
NONWHITE	3,239

(HSWWDTCO)

COUNTY: QUITMAN

SELECTED DEATH STATISTICS, RESIDENTS OF QUITMAN COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	132	62	70	13.3	16.3	11.5
HEART DISEASES	43	25	18	433.7	655.6	295.0
MALIGNANT NEOPLASMS	31	13	18	312.7	340.9	295.0
ACCIDENTS	13	4	9	131.1	104.9	147.5
PNEUMONIA AND INFLUENZA	4	4	0	40.3	104.9	-
EMPHYSEMA AND OTHER COPD	4	1	3	40.3	26.2	49.2
HOMICIDE AND LEGAL INTERVENTION	4	3	1	40.3	78.7	16.4
CEREBROVASCULAR DISEASES	3	0	3	30.3	-	49.2
DIABETES MELLITUS	2	0	2	20.2	-	32.8
HYPERTENSION	2	0	2	20.2	-	32.8
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	1	1	20.2	26.2	16.4
CONGENITAL ANOMALIES	2	1	1	20.2	26.2	16.4
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	5.7	34.5	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	10.1	-	16.4
ALL OTHER	20	9	11	201.7	236.0	180.3

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	132	62	70	67	29	38	65	33	32
UNDER 1	3	1	2	2	1	1	1	0	1
(NEONATAL)	3	1	2	2	1	1	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	2	0	2	1	0	1	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	1	1	0	2	0	2
25-34	1	0	1	1	0	1	0	0	0
35-44	5	1	4	2	1	1	3	0	3
45-54	4	2	2	4	2	2	0	0	0
55-64	20	11	9	15	8	7	5	3	2
65-74	24	11	13	10	2	8	14	9	5
75-84	36	16	20	15	5	10	21	11	10
85 AND OVER	33	19	14	15	9	6	18	10	8
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	9,914
WHITE	3,813
NONWHITE	6,101

COUNTY: RANKIN

SELECTED DEATH STATISTICS, RESIDENTS OF RANKIN COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	756	618	138	6.9	7.0	6.5
HEART DISEASES	279	239	40	254.5	270.2	188.9
MALIGNANT NEOPLASMS	155	129	26	141.4	145.9	122.8
ACCIDENTS	51	44	7	46.5	49.8	33.1
CEREBROVASCULAR DISEASES	42	32	10	38.3	36.2	47.2
PNEUMONIA AND INFLUENZA	38	29	9	34.7	32.8	42.5
EMPHYSEMA AND OTHER COPD	35	31	4	31.9	35.0	18.9
SUICIDE	12	12	0	10.9	13.6	-
DIABETES MELLITUS	10	5	5	9.1	5.6	23.6
HOMICIDE AND LEGAL INTERVENTION	9	8	1	8.2	9.0	4.7
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	8	5	3	7.3	5.6	14.2
CONDITIONS ORIG IN PERINATAL PERIOD	4	3	1	2.5	2.4	3.2
HIV INFECTION	4	2	2	3.6	2.3	9.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	2	1	2.7	2.3	4.7
CONGENITAL ANOMALIES	2	2	0	1.8	2.3	-
HYPERTENSION	1	0	1	0.9	-	4.7
ATHEROSCLEROSIS	1	1	0	0.9	1.1	-
MATERNAL CAUSES	1	1	0	63.7	79.7	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	1	3	3.6	1.1	14.2
ALL OTHER	97	72	25	88.5	81.4	118.1

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	756	618	138	363	300	63	393	318	75
UNDER 1	9	7	2	7	5	2	2	2	0
(NEONATAL)	7	5	2	7	5	2	0	0	0
(POSTNEONATAL)	2	2	0	0	0	0	2	2	0
1-4	4	3	1	2	2	0	2	1	1
5-9	0	0	0	0	0	0	0	0	0
10-14	4	3	1	2	2	0	2	1	1
15-24	12	11	1	7	7	0	5	4	1
25-34	28	23	5	19	15	4	9	8	1
35-44	46	30	16	24	17	7	22	13	9
45-54	69	52	17	44	33	11	25	19	6
55-64	85	70	15	52	44	8	33	26	7
65-74	155	135	20	80	72	8	75	63	12
75-84	187	155	32	87	72	15	100	83	17
85 AND OVER	157	129	28	39	31	8	118	98	20
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	109,613
WHITE	88,440
NONWHITE	21,173

(HSWWDTCO)

COUNTY: SCOTT

SELECTED DEATH STATISTICS, RESIDENTS OF SCOTT COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	321	214	107	12.8	14.4	10.6
HEART DISEASES	117	90	27	468.0	605.4	266.4
MALIGNANT NEOPLASMS	71	47	24	284.0	316.2	236.8
ACCIDENTS	22	12	10	88.0	80.7	98.6
EMPHYSEMA AND OTHER COPD	19	14	5	76.0	94.2	49.3
CEREBROVASCULAR DISEASES	15	6	9	60.0	40.4	88.8
PNEUMONIA AND INFLUENZA	11	6	5	44.0	40.4	49.3
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	8	5	3	32.0	33.6	29.6
HOMICIDE AND LEGAL INTERVENTION	7	2	5	28.0	13.4	49.3
DIABETES MELLITUS	4	1	3	16.0	6.7	29.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	3	1	16.0	20.2	9.9
SUICIDE	4	3	1	16.0	20.2	9.9
ATHEROSCLEROSIS	3	3	0	12.0	20.2	-
HIV INFECTION	3	1	2	12.0	6.7	19.7
HYPERTENSION	2	1	1	8.0	6.7	9.9
CONGENITAL ANOMALIES	1	1	0	4.0	6.7	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.3	-	4.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	3	3	24.0	20.2	29.6
ALL OTHER	23	16	7	92.0	107.6	69.1

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	321	214	107	178	126	52	143	88	55
UNDER 1	5	2	3	3	2	1	2	0	2
(NEONATAL)	2	1	1	1	1	0	1	0	1
(POSTNEONATAL)	3	1	2	2	1	1	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	9	3	6	9	3	6	0	0	0
25-34	11	5	6	7	4	3	4	1	3
35-44	15	7	8	11	5	6	4	2	2
45-54	20	11	9	12	6	6	8	5	3
55-64	46	30	16	27	19	8	19	11	8
65-74	62	42	20	36	26	10	26	16	10
75-84	81	57	24	41	34	7	40	23	17
85 AND OVER	70	56	14	30	26	4	40	30	10
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL 25,001  
 WHITE 14,865  
 NONWHITE 10,136

(HSWWDTCO)

COUNTY: SHARKEY

SELECTED DEATH STATISTICS, RESIDENTS OF SHARKEY COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	82	23	59	12.3	11.1	12.9
HEART DISEASES	26	8	18	391.0	386.3	393.1
MALIGNANT NEOPLASMS	15	4	11	225.6	193.1	240.2
CEREBROVASCULAR DISEASES	9	3	6	135.3	144.8	131.0
ACCIDENTS	5	1	4	75.2	48.3	87.4
PNEUMONIA AND INFLUENZA	4	1	3	60.2	48.3	65.5
DIABETES MELLITUS	3	1	2	45.1	48.3	43.7
EMPHYSEMA AND OTHER COPD	2	0	2	30.1	-	43.7
HYPERTENSION	1	0	1	15.0	-	21.8
HIV INFECTION	1	0	1	15.0	-	21.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	15.0	-	21.8
ALL OTHER	15	5	10	225.6	241.4	218.4

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	82	23	59	41	14	27	41	9	32
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	0	2	1	0	1	1	0	1
15-24	3	0	3	1	0	1	2	0	2
25-34	1	0	1	1	0	1	0	0	0
35-44	6	2	4	4	1	3	2	1	1
45-54	11	1	10	6	1	5	5	0	5
55-64	8	2	6	5	2	3	3	0	3
65-74	12	5	7	9	4	5	3	1	2
75-84	18	6	12	6	3	3	12	3	9
85 AND OVER	21	7	14	8	3	5	13	4	9
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL 6,650  
 WHITE 2,071  
 NONWHITE 4,579

(HSWWDTCO)

COUNTY: SIMPSON

SELECTED DEATH STATISTICS, RESIDENTS OF SIMPSON COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	318	219	99	12.6	13.2	11.2
HEART DISEASES	104	77	27	410.4	465.7	306.6
MALIGNANT NEOPLASMS	69	45	24	272.3	272.2	272.6
CEREBROVASCULAR DISEASES	23	17	6	90.8	102.8	68.1
ACCIDENTS	23	15	8	90.8	90.7	90.8
EMPHYSEMA AND OTHER COPD	16	12	4	63.1	72.6	45.4
ATHEROSCLEROSIS	13	8	5	51.3	48.4	56.8
PNEUMONIA AND INFLUENZA	10	7	3	39.5	42.3	34.1
SUICIDE	6	5	1	23.7	30.2	11.4
DIABETES MELLITUS	4	3	1	15.8	18.1	11.4
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	2	1	11.8	12.1	11.4
CONGENITAL ANOMALIES	3	2	1	11.8	12.1	11.4
HOMICIDE AND LEGAL INTERVENTION	3	0	3	11.8	-	34.1
HYPERTENSION	2	0	2	7.9	-	22.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	7.9	12.1	-
HIV INFECTION	2	0	2	7.9	-	22.7
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.4	-	5.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	7.9	6.0	11.4
ALL OTHER	32	23	9	126.3	139.1	102.2

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	318	219	99	155	107	48	163	112	51
UNDER 1	7	2	5	6	1	5	1	1	0
(NEONATAL)	4	0	4	4	0	4	0	0	0
(POSTNEONATAL)	3	2	1	2	1	1	1	1	0
1-4	3	1	2	1	0	1	2	1	1
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	9	4	5	4	2	2	5	2	3
25-34	5	4	1	5	4	1	0	0	0
35-44	12	9	3	8	8	0	4	1	3
45-54	29	15	14	16	9	7	13	6	7
55-64	40	29	11	22	16	6	18	13	5
65-74	59	42	17	33	24	9	26	18	8
75-84	70	54	16	31	26	5	39	28	11
85 AND OVER	83	59	24	29	17	12	54	42	12
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	25,338
WHITE	16,533
NONWHITE	8,805



(HSWWDTCO)

COUNTY: SMITH

SELECTED DEATH STATISTICS, RESIDENTS OF SMITH COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	163	127	36	10.6	10.9	9.8
HEART DISEASES	60	44	16	392.2	378.6	435.5
MALIGNANT NEOPLASMS	45	36	9	294.2	309.8	245.0
CEREBROVASCULAR DISEASES	9	8	1	58.8	68.8	27.2
ACCIDENTS	9	7	2	58.8	60.2	54.4
PNEUMONIA AND INFLUENZA	6	5	1	39.2	43.0	27.2
DIABETES MELLITUS	3	2	1	19.6	17.2	27.2
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	1	2	19.6	8.6	54.4
SUICIDE	3	3	0	19.6	25.8	-
EMPHYSEMA AND OTHER COPD	1	1	0	6.5	8.6	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	6.5	8.6	-
INFECTIONS OF KIDNEY	1	1	0	6.5	8.6	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	4.1	6.1	-
HOMICIDE AND LEGAL INTERVENTION	1	1	0	6.5	8.6	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	6.5	-	27.2
ALL OTHER	19	16	3	124.2	137.7	81.6

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	163	127	36	88	68	20	75	59	16
UNDER 1	1	1	0	0	0	0	1	1	0
(NEONATAL)	1	1	0	0	0	0	1	1	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	3	3	0	2	2	0	1	1	0
25-34	5	3	2	5	3	2	0	0	0
35-44	9	3	6	6	3	3	3	0	3
45-54	7	5	2	2	1	1	5	4	1
55-64	26	19	7	15	12	3	11	7	4
65-74	46	43	3	29	28	1	17	15	2
75-84	38	31	7	17	13	4	21	18	3
85 AND OVER	27	19	8	11	6	5	16	13	3
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	15,296
WHITE	11,622
NONWHITE	3,674

(HSWWDTCO)

COUNTY: STONE

SELECTED DEATH STATISTICS, RESIDENTS OF STONE COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	131	103	28	10.0	10.3	8.8
HEART DISEASES	44	35	9	334.2	350.7	282.5
MALIGNANT NEOPLASMS	29	25	4	220.3	250.5	125.5
PNEUMONIA AND INFLUENZA	10	7	3	76.0	70.1	94.2
EMPHYSEMA AND OTHER COPD	9	9	0	68.4	90.2	-
ACCIDENTS	7	5	2	53.2	50.1	62.8
CEREBROVASCULAR DISEASES	6	2	4	45.6	20.0	125.5
DIABETES MELLITUS	3	3	0	22.8	30.1	-
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	2	0	15.2	20.0	-
TUBERCULOSIS	1	1	0	7.6	10.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	7.6	10.0	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	5.4	-	17.5
SUICIDE	1	1	0	7.6	10.0	-
HOMICIDE AND LEGAL INTERVENTION	1	1	0	7.6	10.0	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER	16	11	5	121.5	110.2	156.9

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	131	103	28	71	55	16	60	48	12
UNDER 1	1	0	1	0	0	0	1	0	1
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	1	0	1	0	0	0	1	0	1
25-34	1	1	0	1	1	0	0	0	0
35-44	5	1	4	3	0	3	2	1	1
45-54	7	4	3	6	3	3	1	1	0
55-64	25	20	5	15	11	4	10	9	1
65-74	24	20	4	18	15	3	6	5	1
75-84	43	38	5	19	18	1	24	20	4
85 AND OVER	23	18	5	9	7	2	14	11	3
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL 13,166  
 WHITE 9,980  
 NONWHITE 3,186

(HSWWDTCO)

COUNTY: SUNFLOWER

SELECTED DEATH STATISTICS, RESIDENTS OF SUNFLOWER COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	341	139	202	9.9	12.3	8.7
HEART DISEASES	130	57	73	376.0	505.6	313.2
MALIGNANT NEOPLASMS	76	32	44	219.8	283.9	188.8
CEREBROVASCULAR DISEASES	21	8	13	60.7	71.0	55.8
ACCIDENTS	21	5	16	60.7	44.4	68.6
EMPHYSEMA AND OTHER COPD	11	4	7	31.8	35.5	30.0
PNEUMONIA AND INFLUENZA	10	4	6	28.9	35.5	25.7
DIABETES MELLITUS	9	3	6	26.0	26.6	25.7
HIV INFECTION	7	1	6	20.2	8.9	25.7
CONDITIONS ORIG IN PERINATAL PERIOD	4	1	3	7.6	8.8	7.2
SUICIDE	4	3	1	11.6	26.6	4.3
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	1	2	8.7	8.9	8.6
CONGENITAL ANOMALIES	3	1	2	8.7	8.9	8.6
HOMICIDE AND LEGAL INTERVENTION	2	0	2	5.8	-	8.6
HYPERTENSION	1	0	1	2.9	-	4.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	2.9	8.9	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	0	4	11.6	-	17.2
ALL OTHER	34	18	16	98.3	159.7	68.6

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	341	139	202	175	72	103	166	67	99
UNDER 1	10	1	9	6	1	5	4	0	4
(NEONATAL)	4	0	4	2	0	2	2	0	2
(POSTNEONATAL)	6	1	5	4	1	3	2	0	2
1-4	2	0	2	1	0	1	1	0	1
5-9	2	0	2	0	0	0	2	0	2
10-14	2	1	1	2	1	1	0	0	0
15-24	8	2	6	7	1	6	1	1	0
25-34	14	4	10	12	2	10	2	2	0
35-44	21	7	14	14	5	9	7	2	5
45-54	31	9	22	16	5	11	15	4	11
55-64	35	13	22	20	10	10	15	3	12
65-74	62	30	32	36	20	16	26	10	16
75-84	77	41	36	36	22	14	41	19	22
85 AND OVER	77	31	46	25	5	20	52	26	26
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	34,577
WHITE	11,273
NONWHITE	23,304

(HSWWDTCO)

COUNTY: TALLAHATCHIE

SELECTED DEATH STATISTICS, RESIDENTS OF TALLAHATCHIE COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	152	78	74	10.2	13.4	8.1
HEART DISEASES	48	26	22	322.3	448.1	242.0
MALIGNANT NEOPLASMS	35	17	18	235.0	293.0	198.0
ACCIDENTS	17	8	9	114.1	137.9	99.0
CEREBROVASCULAR DISEASES	9	5	4	60.4	86.2	44.0
PNEUMONIA AND INFLUENZA	9	4	5	60.4	68.9	55.0
DIABETES MELLITUS	5	3	2	33.6	51.7	22.0
SUICIDE	4	4	0	26.8	68.9	-
HOMICIDE AND LEGAL INTERVENTION	2	0	2	13.4	-	22.0
TUBERCULOSIS	1	0	1	6.7	-	11.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	6.7	17.2	-
CONGENITAL ANOMALIES	1	0	1	6.7	-	11.0
HIV INFECTION	1	0	1	6.7	-	11.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER	19	10	9	127.6	172.4	99.0

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	152	78	74	86	40	46	66	38	28
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	7	1	6	6	1	5	1	0	1
25-34	7	2	5	6	2	4	1	0	1
35-44	11	5	6	7	3	4	4	2	2
45-54	10	2	8	8	2	6	2	0	2
55-64	12	8	4	8	5	3	4	3	1
65-74	30	17	13	17	10	7	13	7	6
75-84	34	21	13	19	11	8	15	10	5
85 AND OVER	41	22	19	15	6	9	26	16	10
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	14,893
WHITE	5,802
NONWHITE	9,091

(HSWWDTCO)

COUNTY: TATE

SELECTED DEATH STATISTICS, RESIDENTS OF TATE COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	216	140	76	9.0	9.3	8.6
HEART DISEASES	77	52	25	321.9	345.5	281.8
MALIGNANT NEOPLASMS	52	35	17	217.4	232.5	191.6
ACCIDENTS	18	10	8	75.2	66.4	90.2
CEREBROVASCULAR DISEASES	12	5	7	50.2	33.2	78.9
EMPHYSEMA AND OTHER COPD	9	8	1	37.6	53.2	11.3
PNEUMONIA AND INFLUENZA	6	4	2	25.1	26.6	22.5
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	5	2	3	20.9	13.3	33.8
HOMICIDE AND LEGAL INTERVENTION	3	1	2	12.5	6.6	22.5
DIABETES MELLITUS	2	1	1	8.4	6.6	11.3
HYPERTENSION	2	1	1	8.4	6.6	11.3
CONGENITAL ANOMALIES	2	2	0	8.4	13.3	-
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	5.2	-	13.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	4.2	6.6	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	4.2	-	11.3
ALL OTHER	24	18	6	100.3	119.6	67.6

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	216	140	76	107	73	34	109	67	42
UNDER 1	4	1	3	3	1	2	1	0	1
(NEONATAL)	2	0	2	1	0	1	1	0	1
(POSTNEONATAL)	2	1	1	2	1	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	1	3	3	1	2	1	0	1
25-34	6	3	3	5	3	2	1	0	1
35-44	7	2	5	5	1	4	2	1	1
45-54	21	12	9	14	9	5	7	3	4
55-64	28	15	13	13	10	3	15	5	10
65-74	41	30	11	26	20	6	15	10	5
75-84	52	38	14	25	19	6	27	19	8
85 AND OVER	53	38	15	13	9	4	40	29	11
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	23,923
WHITE	15,051
NONWHITE	8,872

(HSWWDTCO)

COUNTY: TIPPAH

SELECTED DEATH STATISTICS, RESIDENTS OF TIPPAH COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	256	228	28	12.2	13.2	7.3
HEART DISEASES	94	88	6	447.0	511.4	156.9
MALIGNANT NEOPLASMS	53	44	9	252.0	255.7	235.4
ACCIDENTS	22	21	1	104.6	122.0	26.2
CEREBROVASCULAR DISEASES	15	13	2	71.3	75.6	52.3
EMPHYSEMA AND OTHER COPD	14	14	0	66.6	81.4	-
PNEUMONIA AND INFLUENZA	8	8	0	38.0	46.5	-
HYPERTENSION	3	1	2	14.3	5.8	52.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	2	1	14.3	11.6	26.2
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	3	0	14.3	17.4	-
HOMICIDE AND LEGAL INTERVENTION	3	1	2	14.3	5.8	52.3
DIABETES MELLITUS	2	1	1	9.5	5.8	26.2
CONGENITAL ANOMALIES	2	1	1	9.5	5.8	26.2
SUICIDE	1	1	0	4.8	5.8	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	9.5	5.8	26.2
ALL OTHER	31	29	2	147.4	168.5	52.3

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	256	228	28	127	112	15	129	116	13
UNDER 1	2	2	0	1	1	0	1	1	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	8	6	2	6	5	1	2	1	1
25-34	1	1	0	1	1	0	0	0	0
35-44	8	5	3	3	2	1	5	3	2
45-54	11	9	2	4	2	2	7	7	0
55-64	29	28	1	22	21	1	7	7	0
65-74	47	39	8	29	25	4	18	14	4
75-84	77	70	7	35	31	4	42	39	3
85 AND OVER	73	68	5	26	24	2	47	44	3
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	21,031
WHITE	17,207
NONWHITE	3,824

(HSWWDTCO)

COUNTY: TISHOMINGO

SELECTED DEATH STATISTICS, RESIDENTS OF TISHOMINGO COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	281	274	7	15.1	15.4	8.7
HEART DISEASES	101	98	3	541.4	549.1	371.3
MALIGNANT NEOPLASMS	74	74	0	396.7	414.6	-
CEREBROVASCULAR DISEASES	17	16	1	91.1	89.6	123.8
ACCIDENTS	16	16	0	85.8	89.6	-
EMPHYSEMA AND OTHER COPD	14	14	0	75.0	78.4	-
PNEUMONIA AND INFLUENZA	13	13	0	69.7	72.8	-
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	4	0	21.4	22.4	-
SUICIDE	4	4	0	21.4	22.4	-
CONGENITAL ANOMALIES	3	3	0	16.1	16.8	-
ATHEROSCLEROSIS	2	2	0	10.7	11.2	-
DIABETES MELLITUS	1	0	1	5.4	-	123.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	5.4	5.6	-
HIV INFECTION	1	1	0	5.4	5.6	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	10.7	11.2	-
ALL OTHER	28	26	2	150.1	145.7	247.5

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	281	274	7	142	140	2	139	134	5
UNDER 1	3	3	0	0	0	0	3	3	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	3	3	0	0	0	0	3	3	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	3	3	0	0	0	0	3	3	0
25-34	5	5	0	5	5	0	0	0	0
35-44	10	9	1	7	6	1	3	3	0
45-54	18	18	0	12	12	0	6	6	0
55-64	27	25	2	19	18	1	8	7	1
65-74	56	56	0	35	35	0	21	21	0
75-84	75	74	1	35	35	0	40	39	1
85 AND OVER	82	79	3	28	28	0	54	51	3
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	18,654
WHITE	17,846
NONWHITE	808

COUNTY: TUNICA

SELECTED DEATH STATISTICS, RESIDENTS OF TUNICA COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	90	39	51	11.2	21.0	8.2
MALIGNANT NEOPLASMS	27	13	14	335.9	698.9	226.6
HEART DISEASES	20	9	11	248.8	483.9	178.0
CEREBROVASCULAR DISEASES	5	2	3	62.2	107.5	48.6
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	3	1	49.8	161.3	16.2
ACCIDENTS	4	2	2	49.8	107.5	32.4
SUICIDE	3	3	0	37.3	161.3	-
DIABETES MELLITUS	2	0	2	24.9	-	32.4
HYPERTENSION	2	0	2	24.9	-	32.4
PNEUMONIA AND INFLUENZA	2	2	0	24.9	107.5	-
EMPHYSEMA AND OTHER COPD	2	1	1	24.9	53.8	16.2
HOMICIDE AND LEGAL INTERVENTION	2	0	2	24.9	-	32.4
HIV INFECTION	2	0	2	24.9	-	32.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	12.4	-	16.2
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	5.8	-	6.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	24.9	-	32.4
ALL OTHER	11	4	7	136.8	215.0	113.3

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	90	39	51	46	18	28	44	21	23
UNDER 1	3	0	3	0	0	0	3	0	3
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	2	0	2	0	0	0	2	0	2
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	1	1	0	1	0	1
25-34	2	0	2	2	0	2	0	0	0
35-44	9	3	6	5	1	4	4	2	2
45-54	3	2	1	3	2	1	0	0	0
55-64	12	1	11	8	1	7	4	0	4
65-74	22	14	8	9	7	2	13	7	6
75-84	20	11	9	14	6	8	6	5	1
85 AND OVER	17	7	10	4	0	4	13	7	6
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	8,039
WHITE	1,860
NONWHITE	6,179



(HSWWDTCO)

COUNTY: UNION

SELECTED DEATH STATISTICS, RESIDENTS OF UNION COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	263	227	36	11.0	11.4	9.3
HEART DISEASES	78	72	6	327.3	361.0	154.6
MALIGNANT NEOPLASMS	60	52	8	251.8	260.7	206.1
CEREBROVASCULAR DISEASES	24	18	6	100.7	90.2	154.6
EMPHYSEMA AND OTHER COPD	18	15	3	75.5	75.2	77.3
PNEUMONIA AND INFLUENZA	12	11	1	50.4	55.1	25.8
DIABETES MELLITUS	9	7	2	37.8	35.1	51.5
ACCIDENTS	9	9	0	37.8	45.1	-
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	6	4	2	25.2	20.0	51.5
SUICIDE	2	2	0	8.4	10.0	-
HYPERTENSION	1	1	0	4.2	5.0	-
CONGENITAL ANOMALIES	1	1	0	4.2	5.0	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	2.8	-	11.5
HOMICIDE AND LEGAL INTERVENTION	1	1	0	4.2	5.0	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	3	0	12.6	15.0	-
ALL OTHER	38	31	7	159.5	155.4	180.3

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	263	227	36	139	121	18	124	106	18
UNDER 1	3	2	1	1	1	0	2	1	1
(NEONATAL)	2	1	1	1	1	0	1	0	1
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	3	0	3	3	0	0	0	0
25-34	5	5	0	4	4	0	1	1	0
35-44	8	7	1	6	6	0	2	1	1
45-54	19	15	4	12	9	3	7	6	1
55-64	27	24	3	16	15	1	11	9	2
65-74	46	40	6	28	23	5	18	17	1
75-84	80	68	12	41	35	6	39	33	6
85 AND OVER	72	63	9	28	25	3	44	38	6
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	23,828
WHITE	19,946
NONWHITE	3,882

(HSWWDTCO)

COUNTY: WALTHALL

SELECTED DEATH STATISTICS, RESIDENTS OF WALTHALL COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	171	110	61	11.9	13.9	9.5
HEART DISEASES	64	48	16	445.4	605.8	248.2
MALIGNANT NEOPLASMS	31	17	14	215.7	214.5	217.2
PNEUMONIA AND INFLUENZA	15	8	7	104.4	101.0	108.6
ACCIDENTS	10	5	5	69.6	63.1	77.6
CEREBROVASCULAR DISEASES	6	2	4	41.8	25.2	62.1
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	6	5	1	41.8	63.1	15.5
EMPHYSEMA AND OTHER COPD	5	3	2	34.8	37.9	31.0
DIABETES MELLITUS	4	2	2	27.8	25.2	31.0
HYPERTENSION	2	0	2	13.9	-	31.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	7.0	12.6	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	4.4	-	7.8
HOMICIDE AND LEGAL INTERVENTION	1	0	1	7.0	-	15.5
HIV INFECTION	1	1	0	7.0	12.6	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER	24	18	6	167.0	227.2	93.1

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	171	110	61	76	46	30	95	64	31
UNDER 1	2	1	1	1	0	1	1	1	0
(NEONATAL)	2	1	1	1	0	1	1	1	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	1	0	1	1	1	0
25-34	2	1	1	2	1	1	0	0	0
35-44	4	1	3	2	1	1	2	0	2
45-54	15	6	9	9	3	6	6	3	3
55-64	22	13	9	13	7	6	9	6	3
65-74	32	18	14	12	8	4	20	10	10
75-84	37	30	7	20	15	5	17	15	2
85 AND OVER	55	39	16	16	11	5	39	28	11
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL 14,369  
 WHITE 7,924  
 NONWHITE 6,445

(HSWWDTCO)

COUNTY: WARREN

SELECTED DEATH STATISTICS, RESIDENTS OF WARREN COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	513	287	226	10.4	10.0	10.9
HEART DISEASES	174	99	75	352.2	345.3	361.7
MALIGNANT NEOPLASMS	110	65	45	222.6	226.7	217.0
CEREBROVASCULAR DISEASES	41	22	19	83.0	76.7	91.6
PNEUMONIA AND INFLUENZA	31	23	8	62.7	80.2	38.6
ACCIDENTS	27	13	14	54.6	45.3	67.5
EMPHYSEMA AND OTHER COPD	13	10	3	26.3	34.9	14.5
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	8	5	3	16.2	17.4	14.5
DIABETES MELLITUS	6	1	5	12.1	3.5	24.1
CONDITIONS ORIG IN PERINATAL PERIOD	6	2	4	7.7	5.4	9.8
HYPERTENSION	5	0	5	10.1	-	24.1
HIV INFECTION	5	0	5	10.1	-	24.1
SUICIDE	4	4	0	8.1	14.0	-
HOMICIDE AND LEGAL INTERVENTION	3	1	2	6.1	3.5	9.6
CONGENITAL ANOMALIES	2	0	2	4.0	-	9.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	2.0	3.5	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	6.1	3.5	9.6
ALL OTHER	74	40	34	149.8	139.5	164.0

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	513	287	226	257	132	125	256	155	101
UNDER 1	10	3	7	6	1	5	4	2	2
(NEONATAL)	8	2	6	6	1	5	2	1	1
(POSTNEONATAL)	2	1	1	0	0	0	2	1	1
1-4	1	1	0	0	0	0	1	1	0
5-9	1	1	0	0	0	0	1	1	0
10-14	2	1	1	2	1	1	0	0	0
15-24	7	2	5	5	1	4	2	1	1
25-34	11	3	8	8	2	6	3	1	2
35-44	24	5	19	16	5	11	8	0	8
45-54	37	21	16	26	16	10	11	5	6
55-64	57	34	23	41	25	16	16	9	7
65-74	87	46	41	48	28	20	39	18	21
75-84	134	90	44	50	31	19	84	59	25
85 AND OVER	142	80	62	55	22	33	87	58	29
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	49,404
WHITE	28,668
NONWHITE	20,736

(HSWWDTCO)

COUNTY: WASHINGTON

SELECTED DEATH STATISTICS, RESIDENTS OF WASHINGTON COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	696	280	416	10.7	10.9	10.5
HEART DISEASES	243	109	134	372.3	422.8	339.4
MALIGNANT NEOPLASMS	121	46	75	185.4	178.4	190.0
CEREBROVASCULAR DISEASES	58	23	35	88.9	89.2	88.6
ACCIDENTS	39	10	29	59.8	38.8	73.4
EMPHYSEMA AND OTHER COPD	22	17	5	33.7	65.9	12.7
HOMICIDE AND LEGAL INTERVENTION	20	3	17	30.6	11.6	43.0
PNEUMONIA AND INFLUENZA	19	11	8	29.1	42.7	20.3
DIABETES MELLITUS	13	5	8	19.9	19.4	20.3
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	13	4	9	19.9	15.5	22.8
HIV INFECTION	8	2	6	12.2	7.8	15.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	7	4	3	10.7	15.5	7.6
HYPERTENSION	6	2	4	9.2	7.8	10.1
CONGENITAL ANOMALIES	4	0	4	6.1	-	10.1
SUICIDE	4	4	0	6.1	15.5	-
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	2.4	-	3.3
TUBERCULOSIS	1	0	1	1.5	-	2.5
ATHEROSCLEROSIS	1	0	1	1.5	-	2.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	14	1	13	21.4	3.9	32.9
ALL OTHER	100	39	61	153.2	151.3	154.5

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	696	280	416	350	142	208	346	138	208
UNDER 1	15	0	15	8	0	8	7	0	7
(NEONATAL)	6	0	6	3	0	3	3	0	3
(POSTNEONATAL)	9	0	9	5	0	5	4	0	4
1-4	2	0	2	1	0	1	1	0	1
5-9	1	0	1	0	0	0	1	0	1
10-14	4	0	4	3	0	3	1	0	1
15-24	18	5	13	13	4	9	5	1	4
25-34	23	7	16	17	5	12	6	2	4
35-44	31	16	15	20	11	9	11	5	6
45-54	67	23	44	49	16	33	18	7	11
55-64	96	34	62	52	22	30	44	12	32
65-74	128	53	75	70	32	38	58	21	37
75-84	174	82	92	73	34	39	101	48	53
85 AND OVER	137	60	77	44	18	26	93	42	51
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	65,264
WHITE	25,782
NONWHITE	39,482

(HSWWDTCO)

COUNTY: WAYNE

SELECTED DEATH STATISTICS, RESIDENTS OF WAYNE COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	212	135	77	10.4	10.8	9.8
HEART DISEASES	72	48	24	353.5	382.7	306.7
MALIGNANT NEOPLASMS	40	28	12	196.4	223.2	153.4
ACCIDENTS	16	12	4	78.6	95.7	51.1
CEREBROVASCULAR DISEASES	11	7	4	54.0	55.8	51.1
EMPHYSEMA AND OTHER COPD	9	8	1	44.2	63.8	12.8
PNEUMONIA AND INFLUENZA	6	4	2	29.4	31.9	25.6
DIABETES MELLITUS	4	2	2	19.6	15.9	25.6
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	2	2	19.6	15.9	25.6
SUICIDE	3	1	2	14.7	8.0	25.6
INFECTIONS OF KIDNEY	2	2	0	9.8	15.9	-
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	5.4	-	10.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	4.9	8.0	-
HOMICIDE AND LEGAL INTERVENTION	1	0	1	4.9	-	12.8
HIV INFECTION	1	0	1	4.9	-	12.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	4	1	24.5	31.9	12.8
ALL OTHER	35	16	19	171.8	127.6	242.8

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	212	135	77	115	75	40	97	60	37
UNDER 1	5	1	4	3	1	2	2	0	2
(NEONATAL)	3	0	3	2	0	2	1	0	1
(POSTNEONATAL)	2	1	1	1	1	0	1	0	1
1-4	1	1	0	1	1	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	7	4	3	4	2	2	3	2	1
25-34	4	2	2	3	2	1	1	0	1
35-44	9	5	4	5	2	3	4	3	1
45-54	10	6	4	8	5	3	2	1	1
55-64	17	12	5	13	9	4	4	3	1
65-74	56	42	14	35	29	6	21	13	8
75-84	57	38	19	30	18	12	27	20	7
85 AND OVER	44	23	21	11	5	6	33	18	15
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL 20,368  
 WHITE 12,543  
 NONWHITE 7,825

(HSWWDTCO)

COUNTY: WEBSTER

SELECTED DEATH STATISTICS, RESIDENTS OF WEBSTER COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	133	117	16	12.6	14.5	6.4
HEART DISEASES	44	41	3	417.2	509.7	119.8
MALIGNANT NEOPLASMS	25	21	4	237.0	261.1	159.8
CEREBROVASCULAR DISEASES	13	11	2	123.2	136.7	79.9
EMPHYSEMA AND OTHER COPD	8	7	1	75.8	87.0	40.0
ACCIDENTS	8	7	1	75.8	87.0	40.0
DIABETES MELLITUS	6	6	0	56.9	74.6	-
PNEUMONIA AND INFLUENZA	3	3	0	28.4	37.3	-
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	2	2	0	19.0	24.9	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	9.5	12.4	-
CONGENITAL ANOMALIES	1	0	1	9.5	-	40.0
SUICIDE	1	1	0	9.5	12.4	-
HOMICIDE AND LEGAL INTERVENTION	1	1	0	9.5	12.4	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	9.5	12.4	-
ALL OTHER	19	15	4	180.1	186.5	159.8

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	133	117	16	69	59	10	64	58	6
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	6	6	0	5	5	0	1	1	0
45-54	7	6	1	6	5	1	1	1	0
55-64	11	9	2	8	6	2	3	3	0
65-74	28	25	3	18	16	2	10	9	1
75-84	33	28	5	19	15	4	14	13	1
85 AND OVER	47	43	4	13	12	1	34	31	3
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	10,547
WHITE	8,044
NONWHITE	2,503

(HSWWDTCO)

COUNTY: WILKINSON

SELECTED DEATH STATISTICS, RESIDENTS OF WILKINSON COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	121	47	74	13.2	16.7	11.6
HEART DISEASES	45	16	29	490.5	569.2	455.8
MALIGNANT NEOPLASMS	31	10	21	337.9	355.7	330.0
ACCIDENTS	9	2	7	98.1	71.1	110.0
EMPHYSEMA AND OTHER COPD	6	6	0	65.4	213.4	-
CEREBROVASCULAR DISEASES	5	1	4	54.5	35.6	62.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	3	1	43.6	106.7	15.7
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	4	1	3	43.6	35.6	47.1
PNEUMONIA AND INFLUENZA	3	2	1	32.7	71.1	15.7
DIABETES MELLITUS	1	0	1	10.9	-	15.7
SUICIDE	1	1	0	10.9	35.6	-
HOMICIDE AND LEGAL INTERVENTION	1	0	1	10.9	-	15.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	10.9	-	15.7
ALL OTHER	10	5	5	109.0	177.9	78.6

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	121	47	74	68	27	41	53	20	33
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	2	1	1	0	0	0
25-34	5	2	3	5	2	3	0	0	0
35-44	9	1	8	5	1	4	4	0	4
45-54	7	2	5	3	1	2	4	1	3
55-64	11	6	5	8	3	5	3	3	0
65-74	15	6	9	8	4	4	7	2	5
75-84	37	15	22	22	10	12	15	5	10
85 AND OVER	34	14	20	14	5	9	20	9	11
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	9,174
WHITE	2,811
NONWHITE	6,363

(HSWWDTCO)

COUNTY: WINSTON

SELECTED DEATH STATISTICS, RESIDENTS OF WINSTON COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	218	142	76	11.2	13.2	8.8
HEART DISEASES	90	58	32	464.2	540.0	370.1
MALIGNANT NEOPLASMS	40	27	13	206.3	251.4	150.3
CEREBROVASCULAR DISEASES	22	12	10	113.5	111.7	115.6
ACCIDENTS	16	11	5	82.5	102.4	57.8
EMPHYSEMA AND OTHER COPD	6	6	0	30.9	55.9	-
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	5	2	3	25.8	18.6	34.7
DIABETES MELLITUS	4	1	3	20.6	9.3	34.7
PNEUMONIA AND INFLUENZA	3	3	0	15.5	27.9	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	10.3	18.6	-
SUICIDE	2	2	0	10.3	18.6	-
HYPERTENSION	1	1	0	5.2	9.3	-
ATHEROSCLEROSIS	1	1	0	5.2	9.3	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	4.1	-	6.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	0	3	15.5	-	34.7
ALL OTHER	22	16	6	113.5	149.0	69.4

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	218	142	76	103	61	42	115	81	34
UNDER 1	2	0	2	1	0	1	1	0	1
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	1	3	4	1	3	0	0	0
25-34	2	2	0	2	2	0	0	0	0
35-44	7	4	3	5	2	3	2	2	0
45-54	16	9	7	7	5	2	9	4	5
55-64	24	13	11	14	9	5	10	4	6
65-74	56	34	22	32	19	13	24	15	9
75-84	52	38	14	20	15	5	32	23	9
85 AND OVER	55	41	14	18	8	10	37	33	4
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL 19,387  
 WHITE 10,740  
 NONWHITE 8,647



(HSWWDTCO)

COUNTY: YALOBUSHA

SELECTED DEATH STATISTICS, RESIDENTS OF YALOBUSHA COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL OF ALL CAUSES	184	131	53	14.9	17.7	10.7
HEART DISEASES	55	42	13	444.8	566.9	262.2
MALIGNANT NEOPLASMS	51	40	11	412.4	539.9	221.9
ACCIDENTS	16	8	8	129.4	108.0	161.4
CEREBROVASCULAR DISEASES	13	11	2	105.1	148.5	40.3
EMPHYSEMA AND OTHER COPD	7	7	0	56.6	94.5	-
DIABETES MELLITUS	4	1	3	32.3	13.5	60.5
PNEUMONIA AND INFLUENZA	4	4	0	32.3	54.0	-
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	3	3	0	24.3	40.5	-
HOMICIDE AND LEGAL INTERVENTION	2	1	1	16.2	13.5	20.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	8.1	13.5	-
MATERNAL CAUSES	1	0	1	520.8	-	1098.9
CONGENITAL ANOMALIES	1	0	1	8.1	-	20.2
SUICIDE	1	1	0	8.1	13.5	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	8.1	-	20.2
ALL OTHER	24	12	12	194.1	162.0	242.1

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
TOTAL	184	131	53	100	68	32	84	63	21
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	2	0	2	1	0	1	1	0	1
5-9	2	0	2	2	0	2	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	2	4	5	1	4	1	1	0
25-34	3	1	2	2	1	1	1	0	1
35-44	4	0	4	4	0	4	0	0	0
45-54	14	8	6	12	6	6	2	2	0
55-64	20	16	4	8	6	2	12	10	2
65-74	51	43	8	31	26	5	20	17	3
75-84	39	27	12	19	16	3	20	11	9
85 AND OVER	42	34	8	15	12	3	27	22	5
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL	12,366
WHITE	7,409
NONWHITE	4,957

(HSWWDTCO)

COUNTY: YAZOO

SELECTED DEATH STATISTICS, RESIDENTS OF YAZOO COUNTY, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----			---MORTALITY RATE*---		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	303	142	161	11.9	12.4	11.4
HEART DISEASES	87	46	41	341.0	401.8	291.5
MALIGNANT NEOPLASMS	55	25	30	215.6	218.4	213.3
CEREBROVASCULAR DISEASES	28	12	16	109.8	104.8	113.8
ACCIDENTS	20	7	13	78.4	61.2	92.4
PNEUMONIA AND INFLUENZA	14	6	8	54.9	52.4	56.9
DIABETES MELLITUS	11	4	7	43.1	34.9	49.8
EMPHYSEMA AND OTHER COPD	10	7	3	39.2	61.2	21.3
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	6	2	4	23.5	17.5	28.4
HOMICIDE AND LEGAL INTERVENTION	5	2	3	19.6	17.5	21.3
SUICIDE	4	4	0	15.7	34.9	-
HYPERTENSION	3	2	1	11.8	17.5	7.1
HIV INFECTION	3	0	3	11.8	-	21.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	7.8	8.7	7.1
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1	4.1	5.6	3.2
ATHEROSCLEROSIS	1	0	1	3.9	-	7.1
INFECTIONS OF KIDNEY	1	1	0	3.9	8.7	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	3	0	11.8	26.2	-
ALL OTHER	48	19	29	188.2	166.0	206.2

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1998 PROJECTION.

# LESS THAN 0.06.

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	303	142	161	161	70	91	142	72	70
UNDER 1	4	2	2	2	1	1	2	1	1
(NEONATAL)	2	1	1	2	1	1	0	0	0
(POSTNEONATAL)	2	1	1	0	0	0	2	1	1
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	8	7	1	5	5	0	3	2	1
25-34	6	0	6	5	0	5	1	0	1
35-44	15	5	10	13	4	9	2	1	1
45-54	15	1	14	10	1	9	5	0	5
55-64	31	14	17	22	10	12	9	4	5
65-74	63	36	27	39	23	16	24	13	11
75-84	76	39	37	38	18	20	38	21	17
85 AND OVER	84	38	46	27	8	19	57	30	27
UNKNOWN	0	0	0	0	0	0	0	0	0

1998 POPULATION:

TOTAL 25,510  
 WHITE 11,447  
 NONWHITE 14,063