











































































































































































































































## SELECTED DEATH STATISTICS, RESIDENTS OF JACKSON, 1998

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	-----NUMBER-----		
	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	2,040	972	1,068
HEART DISEASES	621	337	284
MALIGNANT NEOPLASMS	473	228	245
CEREBROVASCULAR DISEASES	135	56	79
ACCIDENTS	110	37	73
EMPHYSEMA AND OTHER COPD	80	57	23
PNEUMONIA AND INFLUENZA	75	37	38
HOMICIDE AND LEGAL INTERVENTION	59	4	55
HIV INFECTION	45	4	41
DIABETES MELLITUS	40	14	26
CONDITIONS ORIG IN PERINATAL PERIOD	24	1	23
NEPHRITIS, NEPH SYNDROME, NEPHROSIS	22	12	10
SUICIDE	21	15	6
HYPERTENSION	18	6	12
CHRONIC LIVER DISEASE AND CIRRHOSIS	12	7	5
CONGENITAL ANOMALIES	9	5	4
TUBERCULOSIS	2	1	1
ATHEROSCLEROSIS	1	1	0
---			
NOT INCLUDED IN RANKING ---			
SYMPTOMS, SIGNS, ILL-DEFINED	8	2	6
ALL OTHER	285	148	137

AGE	----- TOTAL -----			----- MALE -----			----- FEMALE -----		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	2,040	972	1,068	1,010	452	558	1,030	520	510
UNDER 1	37	3	34	17	1	16	20	2	18
(NEONATAL)	24	2	22	13	1	12	11	1	10
(POSTNEONATAL)	13	1	12	4	0	4	9	1	8
1-4	9	1	8	3	1	2	6	0	6
5-9	7	1	6	4	0	4	3	1	2
10-14	9	2	7	8	2	6	1	0	1
15-24	45	4	41	31	2	29	14	2	12
25-34	76	12	64	54	7	47	22	5	17
35-44	132	31	101	86	19	67	46	12	34
45-54	165	53	112	100	33	67	65	20	45
55-64	192	64	128	102	31	71	90	33	57
65-74	395	211	184	219	120	99	176	91	85
75-84	498	296	202	235	147	88	263	149	114
85 AND OVER	473	293	180	150	89	61	323	204	119
UNKNOWN	2	1	1	1	0	1	1	1	0

































































































































































































































































































































