

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT I, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	2,532	1,659	873	9.8	10.3	8.9
HEART DISEASES	761	500	261	293.9	311.6	265.0
MALIGNANT NEOPLASMS	551	372	179	212.8	231.8	181.8
ACCIDENTS	184	120	64	71.1	74.8	65.0
CEREBROVASCULAR DISEASE	180	120	60	69.5	74.8	60.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	114	97	17	44.0	60.4	17.3
INFLUENZA AND PNEUMONIA	80	55	25	30.9	34.3	25.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	60	38	22	23.2	23.7	22.3
DIABETES MELLITUS	59	25	34	22.8	15.6	34.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	58	30	28	22.4	18.7	28.4
SEPTICEMIA	42	25	17	16.2	15.6	17.3
SUICIDE	37	29	8	14.3	18.1	8.1
HOMICIDE	26	9	17	10.0	5.6	17.3
CONDITIONS ORIGIN IN PERINATAL PERIOD	22	11	11	5.3	4.8	5.9
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	20	11	9	7.7	6.8	9.1
ALZHEIMERS DISEASE	19	14	5	7.3	8.7	5.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	19	13	6	7.3	8.1	6.1
AORTIC ANEURYSM AND DISSECTION	17	12	5	6.6	7.5	5.1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	12	6	6	4.6	3.7	6.1
HIV DISEASE	11	1	10	4.2	0.6	10.2
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	11	10	1	4.2	6.2	1.0
PARKINSONS DISEASE	9	8	1	3.5	5.0	1.0
ANEMIAS	5	3	2	1.9	1.9	2.0
ATHEROSCLEROSIS	5	3	2	1.9	1.9	2.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	3	2	1	1.2	1.2	1.0
COMPLICATIONS MEDICAL/SURGICAL CARE	3	2	1	1.2	1.2	1.0
TUBERCULOSIS	2	0	2	0.8	-	2.0
PEPTIC ULCER	2	0	2	0.8	-	2.0
HERNIA	2	2	0	0.8	1.2	-
CHOLELITHIASIS/GALLBLADDER DISORDER	2	0	2	0.8	-	2.0
MENINGITIS	1	1	0	0.4	0.6	-
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	0.4	0.6	-
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	0.4	0.6	-
INFECTIONS OF KIDNEY	1	1	0	0.4	0.6	-
MATERNAL CAUSES	1	0	1	24.0	-	53.7
LEGAL INTERVENTION	1	0	1	0.4	-	1.0
--- NOT INCLUDED IN RANKING --- SYMPTOMS, SIGNS, ILL-DEFINED	21	13	8	8.1	8.1	8.1
ALL OTHER CAUSES	189	124	65	73.0	77.3	66.0

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	2,532	1,659	873	1,255	834	421	1,277	825	452
UNDER 1	45	22	23	27	16	11	18	6	12
(Neonatal)	29	16	13	18	12	6	11	4	7
(Postneonatal)	16	6	10	9	4	5	7	2	5
1-4	9	5	4	8	4	4	1	1	0
5-9	5	5	0	3	3	0	2	2	0
10-14	13	8	5	9	4	5	4	4	0
15-24	64	30	34	40	19	21	24	11	13
25-34	68	37	31	50	27	23	18	10	8
35-44	113	58	55	70	38	32	43	20	23
45-54	214	120	94	137	75	62	77	45	32
55-64	305	189	116	180	120	60	125	69	56
65-74	494	360	134	256	198	58	238	162	76
75-84	638	447	191	299	218	81	339	229	110
85 AND OVER	564	378	186	176	112	64	388	266	122

MORTALITY RATES**			
INFANT	10.8	9.6	12.4
NEONATAL	7.0	6.9	7.0
POSTNEONATAL	3.8	2.6	5.4

1999 POPULATION	
TOTAL	258,934
WHITE	160,458
NONWHITE	98,476

** DEATHS PER 1,000 LIVE BIRTHS.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT II, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	3,374	2,776	598	10.6	11.2	8.4
HEART DISEASES	1,156	979	177	362.6	395.6	248.2
MALIGNANT NEOPLASMS	693	563	130	217.4	227.5	182.3
CEREBROVASCULAR DISEASE	264	220	44	82.8	88.9	61.7
ACCIDENTS	228	188	40	71.5	76.0	56.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	159	152	7	49.9	61.4	9.8
INFLUENZA AND PNEUMONIA	99	80	19	31.0	32.3	26.6
SEPTICEMIA	55	43	12	17.2	17.4	16.8
DIABETES MELLITUS	55	44	11	17.2	17.8	15.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	55	36	19	17.2	14.5	26.6
ALZHEIMERS DISEASE	47	46	1	14.7	18.6	1.4
SUICIDE	32	30	2	10.0	12.1	2.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	28	22	6	8.8	8.9	8.4
HYPERTENSION/HYPERTENSIVE RENAL DZ	27	17	10	8.5	6.9	14.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	25	21	4	7.8	8.5	5.6
AORTIC ANEURYSM AND DISSECTION	20	16	4	6.3	6.5	5.6
HOMICIDE	19	8	11	6.0	3.2	15.4
CONDITIONS ORIGIN PERINATAL PERIOD	18	8	10	3.9	2.4	7.5
ATHEROSCLEROSIS	16	13	3	5.0	5.2	4.2
PARKINSONS DISEASE	13	12	1	4.1	4.8	1.4
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	13	8	5	4.1	3.2	7.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	11	11	0	3.4	4.4	-
ANEMIAS	8	5	3	2.5	2.0	4.2
COMPLICATIONS MEDICAL/SURGICAL CARE	6	6	0	1.9	2.4	-
PEPTIC ULCER	5	5	0	1.6	2.0	-
CHOLELITHIASIS/GALLBLADDER DISORDER	5	5	0	1.6	2.0	-
HIV DISEASE	4	1	3	1.2	0.4	4.2
MALNUTRITION/NUTRITIONAL DEFICIENCY	4	3	1	1.2	1.2	1.4
VIRAL HEPATITIS	2	2	0	0.6	0.8	-
MENINGITIS	2	1	1	0.6	0.4	1.4
HERNIA	2	2	0	0.6	0.8	-
INFECTIONS OF KIDNEY	2	2	0	0.6	0.8	-
TUBERCULOSIS	1	0	1	0.3	-	1.4
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	0.3	0.4	-
HYPERPLASIA OF PROSTATE	1	1	0	0.3	0.4	-
LEGAL INTERVENTION	1	1	0	0.3	0.4	-
--- NOT INCLUDED IN RANKING --- SYMPTOMS, SIGNS, ILL-DEFINED	37	27	10	11.6	10.9	14.0
ALL OTHER CAUSES	260	197	63	81.6	79.6	88.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	3,374	2,776	598	1,692	1,388	304	1,682	1,388	294
UNDER 1 (NEONATAL)	34	15	19	19	10	9	15	5	10
(POSTNEONATAL)	25	11	14	14	7	7	11	4	7
1-4	9	4	5	5	3	2	4	1	3
5-9	8	7	1	5	5	0	3	2	1
10-14	9	8	1	4	4	0	5	4	1
15-24	3	3	0	2	2	0	1	1	0
25-34	55	38	17	38	27	11	17	11	6
35-44	66	47	19	42	32	10	24	15	9
45-54	156	106	50	93	65	28	63	41	22
55-64	209	166	43	135	104	31	74	62	12
65-74	407	328	79	265	225	40	142	103	39
75-84	699	579	120	413	351	62	286	228	58
85 AND OVER	893	765	128	426	362	64	467	403	64

MORTALITY RATES**

INFANT	7.3	4.5	14.2
NEONATAL	5.4	3.3	10.5
POSTNEONATAL	1.9	1.2	3.7

1999 POPULATION

TOTAL	318,818
WHITE	247,503
NONWHITE	71,315

** DEATHS PER 1,000 LIVE BIRTHS.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT III, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	2,753	1,191	1,562	11.1	12.6	10.2
HEART DISEASES	950	418	532	383.6	442.8	347.2
MALIGNANT NEOPLASMS	579	261	318	233.8	276.5	207.5
CEREBROVASCULAR DISEASE	191	88	103	77.1	93.2	67.2
ACCIDENTS	151	54	97	61.0	57.2	63.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	111	75	36	44.8	79.4	23.5
INFLUENZA AND PNEUMONIA	82	37	45	33.1	39.2	29.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	70	14	56	28.3	14.8	36.5
DIABETES MELLITUS	55	26	29	22.2	27.5	18.9
HOMICIDE	42	8	34	17.0	8.5	22.2
ALZHEIMERS DISEASE	37	26	11	14.9	27.5	7.2
SEPTICEMIA	34	11	23	13.7	11.6	15.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	27	4	23	10.9	4.2	15.0
CONDITIONS ORIG IN PERINATAL PERIOD	24	2	22	5.9	2.0	7.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	22	7	15	8.9	7.4	9.8
SUICIDES	21	14	7	8.5	14.8	4.6
HIV DISEASE	18	0	18	7.3	-	11.7
CHRONIC LIVER DISEASE AND CIRRHOSIS IN SITU, BENIGN & UNSPECIFIED	18	14	4	7.3	14.8	2.6
NEOPLASMS	14	4	10	5.6	4.2	6.5
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	12	2	10	4.8	2.1	6.5
ANEMIAS	8	2	6	3.2	2.1	3.9
PARKINSONS DISEASE	7	7	0	2.8	7.4	-
ATHEROSCLEROSIS	6	4	2	2.4	4.2	1.3
AORTIC ANEURYSM AND DISSECTION	6	1	5	2.4	1.0	3.3
COMPLICATIONS MEDICAL/SURGICAL CARE	5	3	2	2.0	3.2	1.3
VIRAL HEPATITIS	4	2	2	1.6	2.1	1.3
MALNUTRITION/NUTRITIONAL DEFICIENCY	4	1	3	1.6	1.0	2.0
PEPTIC ULCER	4	1	3	1.6	1.0	2.0
HERNIA	3	2	1	1.2	2.1	0.6
TUBERCULOSIS	2	0	2	0.8	-	1.3
LEGAL INTERVENTION	2	0	2	0.8	-	1.3
MENINGOCOCCAL INFECTION	1	1	0	0.4	1.0	-
MENINGITIS	1	1	0	0.4	1.0	-
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	0	1	0.4	-	0.6
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	0.4	1.0	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	40	8	32	16.2	8.5	20.9
ALL OTHER CAUSES	200	92	108	80.8	97.5	70.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	2,753	1,191	1,562	1,393	615	778	1,360	576	784
UNDER 1	50	5	45	30	4	26	20	1	19
(Neonatal)	28	2	26	18	2	16	10	0	10
(Postneonatal)	22	3	19	12	2	10	10	1	9
1-4	13	1	12	9	1	8	4	0	4
5-9	9	2	7	6	2	4	3	0	3
10-14	4	0	4	4	0	4	0	0	0
15-24	58	24	34	40	16	24	18	8	10
25-34	54	15	39	40	12	28	14	3	11
35-44	152	35	117	82	20	62	70	15	55
45-54	216	54	162	136	39	97	80	15	65
55-64	314	126	188	197	84	113	117	42	75
65-74	506	235	271	268	139	129	238	96	142
75-84	703	370	333	350	196	154	353	174	179
85 AND OVER	674	324	350	231	102	129	443	222	221

MORTALITY RATES**			
INFANT	12.2	5.1	14.4
NEONATAL	6.8	2.0	8.3
POSTNEONATAL	5.4	3.1	6.1

1999 POPULATION	
TOTAL	247,639
WHITE	94,395
NONWHITE	153,244

** DEATHS PER 1,000 LIVE BIRTHS.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT IV, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	2,459	1,551	908	10.0	10.7	9.1
HEART DISEASES	819	516	303	334.4	356.3	302.7
MALIGNANT NEOPLASMS	504	332	172	205.8	229.2	171.8
CEREBROVASCULAR DISEASE	176	111	65	71.8	76.6	64.9
ACCIDENTS	152	84	68	62.0	58.0	67.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	96	79	17	39.2	54.5	17.0
INFLUENZA AND PNEUMONIA	80	61	19	32.7	42.1	19.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	58	24	34	23.7	16.6	34.0
DIABETES MELLITUS	51	26	25	20.8	18.0	25.0
SEPTICEMIA	36	19	17	14.7	13.1	17.0
ALZHEIMERS DISEASE	33	26	7	13.5	18.0	7.0
SUICIDE	27	21	6	11.0	14.5	6.0
HOMICIDE	23	4	19	9.4	2.8	19.0
CONDITIONS ORIGIN PERINATAL PERIOD	22	9	13	6.0	5.0	6.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	20	8	12	8.2	5.5	12.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	18	15	3	7.3	10.4	3.0
HIV DISEASE	15	1	14	6.1	0.7	14.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	13	8	5	5.3	5.5	5.0
PARKINSONS DISEASE	12	12	0	4.9	8.3	-
AORTIC ANEURYSM AND DISSECTION	11	10	1	4.5	6.9	1.0
ANEMIAS	7	2	5	2.8	1.4	5.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	6	1	5	2.4	0.7	5.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	5	4	1	2.0	2.8	1.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	5	2	3	2.0	1.4	3.0
VIRAL HEPATITIS	3	3	0	1.2	2.1	-
ATHEROSCLEROSIS	3	3	0	1.2	2.1	-
PEPTIC ULCER	3	3	0	1.2	2.1	-
HERNIA	3	3	0	1.2	2.1	-
CHOLELITHIASIS/GALLBLADDER DISORDER	2	1	1	0.8	0.7	1.0
COMPLICATIONS MEDICAL/SURGICAL CARE	2	1	1	0.8	0.7	1.0
TUBERCULOSIS	1	0	1	0.4	-	1.0
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	0.4	0.7	-
DISEASES OF APPENDIX	1	1	0	0.4	0.7	-
FEMALE PELVIC INFLAMMATORY DISEASE	1	1	0	0.4	0.7	-
LEGAL INTERVENTION	1	1	0	0.4	0.7	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	54	28	26	22.0	19.3	26.0
ALL OTHER CAUSES	195	130	65	79.6	89.8	64.9

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	2,459	1,551	908	1,251	768	483	1,208	783	425
UNDER 1	46	17	29	28	10	18	18	7	11
(NEONATAL)	24	10	14	14	5	9	10	5	5
(POSTNEONATAL)	22	7	15	14	5	9	8	2	6
1-4	7	2	5	3	1	2	4	1	3
5-9	7	4	3	5	3	2	2	1	1
10-14	7	2	5	6	2	4	1	0	1
15-24	53	22	31	32	15	17	21	7	14
25-34	49	17	32	33	13	20	16	4	12
35-44	115	49	66	79	34	45	36	15	21
45-54	179	83	96	114	61	53	65	22	43
55-64	267	150	117	174	103	71	93	47	46
65-74	445	272	173	254	161	93	191	111	80
75-84	640	465	175	305	218	87	335	247	88
85 AND OVER	644	468	176	218	147	71	426	321	105

MORTALITY RATES**

INFANT	12.4	9.4	15.5
NEONATAL	6.5	5.5	7.5
POSTNEONATAL	6.0	3.8	8.0

1999 POPULATION

TOTAL	244,940
WHITE	144,833
NONWHITE	100,107

** DEATHS PER 1,000 LIVE BIRTHS.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT V, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	5,403	3,049	2,354	9.3	9.6	8.9
HEART DISEASES	1,766	1,058	708	303.9	334.3	267.6
MALIGNANT NEOPLASMS	1,173	698	475	201.9	220.6	179.5
CEREBROVASCULAR DISEASE	368	212	156	63.3	67.0	59.0
ACCIDENTS	277	136	141	47.7	43.0	53.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	225	166	59	38.7	52.4	22.3
INFLUENZA AND PNEUMONIA	150	92	58	25.8	29.1	21.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	108	39	69	18.6	12.3	26.1
DIABETES MELLITUS	105	45	60	18.1	14.2	22.7
SEPTICEMIA	92	40	52	15.8	12.6	19.6
HOMICIDE	87	15	72	15.0	4.7	27.2
ALZHEIMERS DISEASE	67	51	16	11.5	16.1	6.0
HIV DISEASE	61	3	58	10.5	0.9	21.9
CONDITIONS ORIGIN PERINATAL PERIOD	57	11	46	6.3	2.9	8.9
SUICIDE	54	44	10	9.3	13.9	3.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	48	19	29	8.3	6.0	11.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	41	24	17	7.0	7.6	6.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	35	20	15	6.0	6.3	5.7
AORTIC ANEURYSM AND DISSECTION	29	20	9	5.0	6.3	3.4
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	23	9	14	4.0	2.8	5.3
PARKINSONS DISEASE	20	15	5	3.4	4.7	1.9
ATHEROSCLEROSIS	18	11	7	3.1	3.5	2.6
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	17	10	7	2.9	3.2	2.6
COMPLICATIONS MEDICAL/SURGICAL CARE	12	6	6	2.1	1.9	2.3
ANEMIAS	11	6	5	1.9	1.9	1.9
MALNUTRITION/NUTRITIONAL DEFICIENCY	11	6	5	1.9	1.9	1.9
PEPTIC ULCER	8	6	2	1.4	1.9	0.8
MENINGITIS	6	3	3	1.0	0.9	1.1
INFECTIONS OF KIDNEY	5	2	3	0.9	0.6	1.1
CHOLELITHIASIS/GALLBLADDER DISORDER	4	1	3	0.7	0.3	1.1
VI RAL HEPATITIS	3	2	1	0.5	0.6	0.4
TUBERCULOSIS	2	2	0	0.3	0.6	-
HYPERPLASIA OF PROSTATE	2	1	1	0.3	0.3	0.4
FEMALE PELVIC INFLAMMATORY DISEASE	2	1	1	0.3	0.3	0.4
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	0	1	0.2	-	0.4
HERNIA	1	0	1	0.2	-	0.4
MATERNAL CAUSES	1	0	1	11.1	-	19.3
--- NOT INCLUDED IN RANKING --- SYMPTOMS, SIGNS, ILL-DEFINED	51	23	28	8.8	7.3	10.6
ALL OTHER CAUSES	462	252	210	79.5	79.6	79.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	5,403	3,049	2,354	2,709	1,491	1,218	2,694	1,558	1,136
UNDER 1	116	28	88	73	17	56	43	11	32
(NEONATAL)	71	16	55	48	10	38	23	6	17
(POSTNEONATAL)	45	12	33	25	7	18	20	5	15
1-4	23	6	17	12	2	10	11	4	7
5-9	6	1	5	2	0	2	4	1	3
10-14	14	9	5	10	7	3	4	2	2
15-24	114	39	75	81	28	53	33	11	22
25-34	141	55	86	92	36	56	49	19	30
35-44	281	102	179	174	69	105	107	33	74
45-54	436	214	222	282	149	133	154	65	89
55-64	589	317	272	341	198	143	248	119	129
65-74	1,047	618	429	588	352	236	459	266	193
75-84	1,345	869	476	614	402	212	731	467	264
85 AND OVER	1,291	791	500	440	231	209	851	560	291

MORTALITY RATES**			
INFANT	12.9	7.3	17.0
NEONATAL	7.9	4.2	10.6
POSTNEONATAL	5.0	3.1	6.4

1999 POPULATION	
TOTAL	581,044
WHITE	316,475
NONWHITE	264,569

** DEATHS PER 1,000 LIVE BIRTHS.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VI, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	2,663	1,802	861	11.5	12.7	9.5
HEART DISEASES	918	649	269	395.1	459.0	295.8
MALIGNANT NEOPLASMS	573	386	187	246.6	273.0	205.6
CEREBROVASCULAR DISEASE	166	120	46	71.4	84.9	50.6
ACCIDENTS	154	95	59	66.3	67.2	64.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	108	89	19	46.5	62.9	20.9
INFLUENZA AND PNEUMONIA	83	62	21	35.7	43.8	23.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	66	35	31	28.4	24.8	34.1
DIABETES MELLITUS	53	21	32	22.8	14.8	35.2
ALZHEIMERS DISEASE	45	39	6	19.4	27.6	6.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	38	26	12	16.4	18.4	13.2
SEPTICEMIA	30	23	7	12.9	16.3	7.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	28	15	13	12.0	10.6	14.3
HOMICIDE	26	13	13	11.2	9.2	14.3
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	20	12	8	8.6	8.5	8.8
CONDITIONS ORIG IN PERINATAL PERIOD	20	3	17	5.6	1.7	9.5
SUICIDE	19	16	3	8.2	11.3	3.3
ATHEROSCLEROSIS	17	12	5	7.3	8.5	5.5
HIV DISEASE	13	1	12	5.6	0.7	13.2
PARKINSONS DISEASE	13	10	3	5.6	7.1	3.3
AORTIC ANEURYSM AND DISSECTION	10	8	2	4.3	5.6	2.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	6	3	3	2.6	2.1	3.3
ANEMIAS	5	1	4	2.2	0.7	4.4
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	4	2	2	1.7	1.4	2.2
MALNUTRITION/NUTRITIONAL DEFICIENCY	4	2	2	1.7	1.4	2.2
PEPTIC ULCER	4	3	1	1.7	2.1	1.1
COMPLICATIONS MEDICAL/SURGICAL CARE	4	1	3	1.7	0.7	3.3
TUBERCULOSIS	2	0	2	0.9	-	2.2
CHOLELITHIASIS/GALLBLADDER DISORDER	2	1	1	0.9	0.7	1.1
VIRAL HEPATITIS	1	1	0	0.4	0.7	-
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	0.4	0.7	-
HERNIA	1	1	0	0.4	0.7	-
MATERNAL CAUSES	1	0	1	28.0	-	55.7
--- NOT INCLUDED IN RANKING --- SYMPTOMS, SIGNS, ILL-DEFINED	27	18	9	11.6	12.7	9.9
ALL OTHER CAUSES	201	133	68	86.5	94.0	74.8

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	2,663	1,802	861	1,340	892	448	1,323	910	413
UNDER 1	37	9	28	17	6	11	20	3	17
(Neonatal)	21	3	18	10	3	7	11	0	11
(Postneonatal)	16	6	10	7	3	4	9	3	6
1-4	6	3	3	2	0	2	4	3	1
5-9	5	3	2	3	2	1	2	1	1
10-14	6	1	5	5	1	4	1	0	1
15-24	52	32	20	38	23	15	14	9	5
25-34	55	22	33	33	12	21	22	10	12
35-44	106	52	54	69	37	32	37	15	22
45-54	163	88	75	117	63	54	46	25	21
55-64	305	192	113	190	125	65	115	67	48
65-74	517	364	153	302	224	78	215	140	75
75-84	714	505	209	351	246	105	363	259	104
85 AND OVER	697	531	166	213	153	60	484	378	106

MORTALITY RATES**			
INFANT	10.4	5.1	15.6
NEONATAL	5.9	1.7	10.0
POSTNEONATAL	4.5	3.4	5.6

1999 POPULATION	
TOTAL	232,344
WHITE	141,402
NONWHITE	90,942

** DEATHS PER 1,000 LIVE BIRTHS.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VII, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	2,064	1,209	855	12.1	13.5	10.6
HEART DISEASES	700	429	271	410.7	477.9	335.9
MALIGNANT NEOPLASMS	437	252	185	256.4	280.7	229.3
CEREBROVASCULAR DISEASE	134	82	52	78.6	91.3	64.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	109	78	31	64.0	86.9	38.4
ACCIDENTS	97	49	48	56.9	54.6	59.5
DIABETES MELLITUS	83	43	40	48.7	47.9	49.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	59	21	38	34.6	23.4	47.1
INFLUENZA AND PNEUMONIA	56	38	18	32.8	42.3	22.3
SEPTICEMIA	34	18	16	19.9	20.0	19.8
SUICIDE	34	22	12	19.9	24.5	14.9
HOMICIDE	25	5	20	14.7	5.6	24.8
ALZHEIMERS DISEASE	24	20	4	14.1	22.3	5.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	20	11	9	11.7	12.2	11.2
CONDITIONS ORIGIN PERINATAL PERIOD	13	2	11	5.1	1.8	7.5
PARKINSONS DISEASE	12	11	1	7.0	12.2	1.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	11	5	6	6.4	5.6	7.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS IN SITU, BENIGN & UNSPECIFIED	9	4	5	5.3	4.4	6.2
NEOPLASMS	7	5	2	4.1	5.6	2.5
MALNUTRITION/NUTRITIONAL DEFICIENCY	6	4	2	3.5	4.4	2.5
AORTIC ANEURYSM AND DISSECTION	6	3	3	3.5	3.3	3.7
HIV DISEASE	5	0	5	2.9	-	6.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	4	1	3	2.3	1.1	3.7
COMPLICATIONS MEDICAL/SURGICAL CARE	4	2	2	2.3	2.2	2.5
ANEMIAS	3	0	3	1.8	-	3.7
ATHEROSCLEROSIS	3	1	2	1.8	1.1	2.5
INFECTIONS OF KIDNEY	3	2	1	1.8	2.2	1.2
ACUTE BRONCHITIS AND BRONCHIOLITIS	2	2	0	1.2	2.2	-
PEPTIC ULCER	2	1	1	1.2	1.1	1.2
CHOLELITHIASIS/GALLBLADDER DISORDER	2	0	2	1.2	-	2.5
TUBERCULOSIS	1	0	1	0.6	-	1.2
VIRAL HEPATITIS	1	0	1	0.6	-	1.2
HERNIA	1	1	0	0.6	1.1	-
MATERNAL CAUSES	1	0	1	39.0	-	67.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	7	4	3	4.1	4.4	3.7
ALL OTHER CAUSES	149	93	56	87.4	103.6	69.4

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	2,064	1,209	855	1,029	589	440	1,035	620	415
UNDER 1	21	3	18	10	0	10	11	3	8
(Neonatal)	14	2	12	6	0	6	8	2	6
(Postneonatal)	7	1	6	4	0	4	3	1	2
1-4	2	0	2	1	0	1	1	0	1
5-9	2	1	1	0	0	0	2	1	1
10-14	6	3	3	4	2	2	2	1	1
15-24	27	4	23	22	3	19	5	1	4
25-34	41	15	26	23	8	15	18	7	11
35-44	96	32	64	57	21	36	39	11	28
45-54	133	60	73	80	37	43	53	23	30
55-64	235	129	106	138	82	56	97	47	50
65-74	431	253	178	238	153	85	193	100	93
75-84	594	396	198	289	194	95	305	202	103
85 AND OVER	476	313	163	167	89	78	309	224	85

MORTALITY RATES**			
INFANT	8.2	2.7	12.2
NEONATAL	5.4	1.8	8.2
POSTNEONATAL	2.7	0.9	4.1

1999 POPULATION	
TOTAL	170,442
WHITE	89,769
NONWHITE	80,673

** DEATHS PER 1,000 LIVE BIRTHS.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT VIII, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	2,789	2,056	733	10.0	10.6	8.5
HEART DISEASES	905	691	214	323.7	357.7	247.6
MALIGNANT NEOPLASMS	618	467	151	221.0	241.7	174.7
CEREBROVASCULAR DISEASE	175	119	56	62.6	61.6	64.8
ACCIDENTS	159	110	49	56.9	56.9	56.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	147	118	29	52.6	61.1	33.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	73	50	23	26.1	25.9	26.6
INFLUENZA AND PNEUMONIA	66	53	13	23.6	27.4	15.0
DIABETES MELLITUS	42	25	17	15.0	12.9	19.7
SEPTICEMIA	41	24	17	14.7	12.4	19.7
ALZHEIMERS DISEASE	33	29	4	11.8	15.0	4.6
HOMICIDE	28	10	18	10.0	5.2	20.8
SUICIDE	25	20	5	8.9	10.4	5.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	22	16	6	7.9	8.3	6.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	20	15	5	7.2	7.8	5.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	20	15	5	7.2	7.8	5.8
AORTIC ANEURYSM AND DISSECTION	18	15	3	6.4	7.8	3.5
PARKINSONS DISEASE	16	15	1	5.7	7.8	1.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	15	12	3	5.4	6.2	3.5
CONDITIONS ORIGIN PERINATAL PERIOD	12	6	6	2.8	2.3	3.6
HIV DISEASE	10	3	7	3.6	1.6	8.1
ATHEROSCLEROSIS	10	7	3	3.6	3.6	3.5
INSITU, BENIGN & UNSPECIFIED NEOPLASMS	8	7	1	2.9	3.6	1.2
PEPTIC ULCER	7	5	2	2.5	2.6	2.3
MALNUTRITION/NUTRITIONAL DEFICIENCY	6	3	3	2.1	1.6	3.5
COMPLICATIONS MEDICAL/SURGICAL CARE	6	3	3	2.1	1.6	3.5
VIRAL HEPATITIS	5	5	0	1.8	2.6	-
INFECTIONS OF KIDNEY	4	4	0	1.4	2.1	-
MENINGITIS	3	2	1	1.1	1.0	1.2
TUBERCULOSIS	2	1	1	0.7	0.5	1.2
CHOLELITHIASIS/GALLBLADDER DISORDER	2	1	1	0.7	0.5	1.2
MENINGOCOCCAL INFECTION	1	1	0	0.4	0.5	-
HERNIA	1	1	0	0.4	0.5	-
--- NOT INCLUDED IN RANKING --- SYMPTOMS, SIGNS, ILL-DEFINED	29	21	8	10.4	10.9	9.2
ALL OTHER CAUSES	260	182	78	93.0	94.2	90.3

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	2,789	2,056	733	1,416	1,043	373	1,373	1,013	360
UNDER 1	32	19	13	14	10	4	18	9	9
(Neonatal)	18	9	9	7	4	3	11	5	6
(Postneonatal)	14	10	4	7	6	1	7	4	3
1-4	11	6	5	7	3	4	4	3	1
5-9	3	3	0	2	2	0	1	1	0
10-14	15	6	9	8	2	6	7	4	3
15-24	57	32	25	47	28	19	10	4	6
25-34	59	27	32	39	21	18	20	6	14
35-44	95	59	36	54	35	19	41	24	17
45-54	204	113	91	127	77	50	77	36	41
55-64	302	205	97	188	131	57	114	74	40
65-74	605	466	139	343	268	75	262	198	64
75-84	724	586	138	364	293	71	360	293	67
85 AND OVER	682	534	148	223	173	50	459	361	98

MORTALITY RATES**			
INFANT	7.5	7.4	7.8
NEONATAL	4.2	3.5	5.4
POSTNEONATAL	3.3	3.9	2.4

1999 POPULATION	
TOTAL	279,611
WHITE	193,197
NONWHITE	86,414

** DEATHS PER 1,000 LIVE BIRTHS.

SELECTED DEATH STATISTICS, RESIDENTS OF DISTRICT IX, 1999

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL OF ALL CAUSES	4,053	3,400	653	9.3	10.0	6.9
HEART DISEASES	1,334	1,106	228	306.8	324.8	241.6
MALIGNANT NEOPLASMS	1,003	866	137	230.6	254.3	145.2
ACCIDENTS	237	200	37	54.5	58.7	39.2
CEREBROVASCULAR DISEASE	195	157	38	44.8	46.1	40.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	193	179	14	44.4	52.6	14.8
INFLUENZA AND PNEUMONIA	100	93	7	23.0	27.3	7.4
DIABETES MELLITUS	86	70	16	19.8	20.6	17.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	73	65	8	16.8	19.1	8.5
SEPTICEMIA	62	50	12	14.2	14.7	12.7
SUICIDE	56	50	6	12.9	14.7	6.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	49	40	9	11.3	11.7	9.5
ALZHEIMERS DISEASE	46	39	7	10.6	11.4	7.4
HOMICIDE	36	17	19	8.3	5.0	20.1
CONDITIONS ORIGIN PERINATAL PERIOD	27	16	11	4.0	3.2	6.4
ATHEROSCLEROSIS	22	18	4	5.0	5.3	4.2
AORTIC ANEURYSM AND DISSECTION	20	17	3	4.6	5.0	3.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS IN SITU, BENIGN & UNSPECIFIED	18	15	3	4.1	4.4	3.2
NEOPLASMS	17	14	3	3.9	4.1	3.2
HIV DISEASE	16	12	4	3.7	3.5	4.2
PARKINSONS DISEASE	16	14	2	3.7	4.1	2.1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	16	11	5	3.7	3.2	5.3
COMPLICATIONS MEDICAL/SURGICAL CARE	12	11	1	2.8	3.2	1.1
MALNUTRITION/NUTRITIONAL DEFICIENCY	8	5	3	1.8	1.5	3.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	8	5	3	1.8	1.5	3.2
VIRAL HEPATITIS	7	5	2	1.6	1.5	2.1
PEPTIC ULCER	4	3	1	0.9	0.9	1.1
CHOLELITHIASIS/GALLBLADDER DISORDER	4	4	0	0.9	1.2	-
ANEMIAS	3	2	1	0.7	0.6	1.1
MENINGITIS	3	1	2	0.7	0.3	2.1
ACUTE BRONCHITIS AND BRONCHIOLITIS	2	1	1	0.5	0.3	1.1
PNEUMOCONIOSES & CHEMICAL EFFECTS	2	2	0	0.5	0.6	-
MATERNAL CAUSES	2	2	0	29.8	40.0	-
HERNIA	1	1	0	0.2	0.3	-
INFECTIONS OF KIDNEY	1	1	0	0.2	0.3	-
HYPERPLASIA OF PROSTATE	1	1	0	0.2	0.3	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	24	16	8	5.5	4.7	8.5
ALL OTHER CAUSES	349	291	58	80.2	85.5	61.5

* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE 1999 ESTIMATES.

LESS THAN 0.06.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
TOTAL	4,053	3,400	653	2,106	1,792	314	1,947	1,608	339
UNDER 1	54	34	20	30	20	10	24	14	10
(Neonatal)	37	22	15	22	14	8	15	8	7
(Postneonatal)	17	12	5	8	6	2	9	6	3
1-4	12	9	3	10	8	2	2	1	1
5-9	13	7	6	10	5	5	3	2	1
10-14	11	11	0	6	6	0	5	5	0
15-24	55	41	14	39	28	11	16	13	3
25-34	91	73	18	66	53	13	25	20	5
35-44	177	139	38	125	100	25	52	39	13
45-54	297	218	79	189	146	43	108	72	36
55-64	549	459	90	325	277	48	224	182	42
65-74	914	780	134	519	453	66	395	327	68
75-84	1,099	960	139	542	484	58	557	476	81
85 AND OVER	781	669	112	245	212	33	536	457	79

MORTALITY RATES**	TOTAL	WHITE	NON- WHITE
INFANT	8.0	6.8	11.7
NEONATAL	5.5	4.4	8.8
POSTNEONATAL	2.5	2.4	2.9

1999 POPULATION	TOTAL	WHITE	NONWHITE
TOTAL	434,847		
WHITE		340,488	
NONWHITE			94,359

** DEATHS PER 1,000 LIVE BIRTHS.