

(HSVSTEEND)

TEENAGE VITAL STATISTICS DATA  
BY DISTRICT OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

DISTRICT: I

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	243,891	20,228	9,959	10,269	3,797
WHITE	148,301	10,340	5,124	5,216	1,961
NONWHITE	95,590	9,888	4,835	5,053	1,836

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	891	38	404	449	276	2	109	165	615	36	295	284
TEENAGE IMMATURE BIRTHS	104	4	58	42	14	0	7	7	90	4	51	35
TEENAGE PREMATURE BIRTHS	201	12	100	89	30	0	12	18	171	12	88	71
TEENAGE ILLEGITIMATE BIRTHS	748	37	361	350	143	1	68	74	605	36	293	276
TEENS WHO HAD PREVIOUS LIVE BIRTHS	220	1	60	159	46	0	11	35	174	1	49	124
TEENS WHO HAD PREVIOUS PREGNANCIES	250	1	69	180	61	0	15	46	189	1	54	134
TEENS WITH INADEQUATE* PRENATAL CARE	80	7	38	35	8	0	3	5	72	7	35	30
TEENAGE FERTILITY RATE	44.0	3.8	83.1	(15-19)	26.7	0.4	52.5	(15-19)	62.2	7.4	114.6	(15-19)
TEENAGE FETAL DEATHS**	6	0	3	3	1	0	0	1	5	0	3	2
TEENAGE FETAL DEATH RATIO	6.7	0.0	7.4	6.7	3.6	0.0	0.0	6.1	8.1	0.0	10.2	7.0
TEENAGE INDUCED TERMINATIONS#	156	17	64	75	88	7	38	43	66	10	24	32
TEENAGE INDUCED TERMINATION RATIO	175.1	447.4	158.4	167.0	318.8	3500	348.6	260.6	107.3	277.8	81.4	112.7
TEENAGE PREGNANCIES#	1,053	55	471	527	365	9	147	209	686	46	322	318
TEENAGE PREGNANCY RATE	52.0	5.5	97.2	(15-19)	35.3	1.8	68.2	(15-19)	69.4	9.5	126.6	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	8	1	5	2	1	0	1	0	7	1	4	2
INFANT MORTALITY RATE, TEEN MOMS	9.0	26.3	12.4	4.5	3.6	0.0	9.2	0.0	11.4	27.8	13.6	7.0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEND)

TEENAGE VITAL STATISTICS DATA  
BY DISTRICT OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

DISTRICT: II

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	309,366	22,786	10,766	12,020	4,378
WHITE	243,417	16,332	7,745	8,587	3,051
NONWHITE	65,949	6,454	3,021	3,433	1,323

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	934	21	379	534	529	6	202	321	405	15	177	213
TEENAGE IMMATURE BIRTHS	113	2	51	60	52	1	25	26	61	1	26	34
TEENAGE PREMATURE BIRTHS	153	7	66	80	67	1	30	36	86	6	36	44
TEENAGE ILLEGITIMATE BIRTHS	611	21	287	303	226	6	113	107	385	15	174	196
TEENS WHO HAD PREVIOUS LIVE BIRTHS	182	0	37	145	83	0	18	65	99	0	19	80
TEENS WHO HAD PREVIOUS PREGNANCIES	238	0	55	183	116	0	27	89	122	0	28	94
TEENS WITH INADEQUATE* PRENATAL CARE	69	3	25	41	20	0	9	11	49	3	16	30
TEENAGE FERTILITY RATE	41.0	2.0	76.0	(15-19)	32.4	0.8	60.9	(15-19)	62.8	5.0	113.6	(15-19)
TEENAGE FETAL DEATHS**	4	0	3	1	2	0	2	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	4.3	0.0	7.9	1.9	3.8	0.0	9.9	0.0	4.9	0.0	5.6	4.7
TEENAGE INDUCED TERMINATIONS#	145	11	36	98	97	2	26	69	48	9	10	29
TEENAGE INDUCED TERMINATION RATIO	155.2	523.8	95.0	183.5	183.4	333.3	128.7	215.0	118.5	600.0	56.5	136.2
TEENAGE PREGNANCIES#	1,083	32	418	633	628	8	230	390	455	24	188	243
TEENAGE PREGNANCY RATE	47.5	3.0	87.4	(15-19)	38.4	1.0	72.2	(15-19)	70.5	7.9	125.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	16	0	8	8	9	0	5	4	7	0	3	4
INFANT MORTALITY RATE, TEEN MOMS	17.1	0.0	21.1	15.0	17.0	0.0	24.8	12.5	17.3	0.0	16.9	18.8

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEND)

TEENAGE VITAL STATISTICS DATA  
BY DISTRICT OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

DISTRICT: III

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	256,349	23,461	11,566	11,895	4,228
WHITE	98,210	6,653	3,146	3,507	1,070
NONWHITE	158,139	16,808	8,420	8,388	3,158

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	1,271	73	555	643	165	2	49	114	1,106	71	506	529
TEENAGE IMMATURE BIRTHS	154	15	63	76	13	1	2	10	141	14	61	66
TEENAGE PREMATURE BIRTHS	267	26	116	125	17	1	4	12	250	25	112	113
TEENAGE ILLEGITIMATE BIRTHS	1,165	70	533	562	80	0	30	50	1,085	70	503	512
TEENS WHO HAD PREVIOUS LIVE BIRTHS	342	1	99	242	33	0	5	28	309	1	94	214
TEENS WHO HAD PREVIOUS PREGNANCIES	416	2	125	289	42	0	7	35	374	2	118	254
TEENS WITH INADEQUATE* PRENATAL CARE	175	10	75	90	13	0	3	10	162	10	72	80
TEENAGE FERTILITY RATE	54.2	6.3	100.7	(15-19)	24.8	0.6	46.5	(15-19)	65.8	8.4	123.4	(15-19)
TEENAGE FETAL DEATHS**	17	0	4	13	3	0	1	2	14	0	3	11
TEENAGE FETAL DEATH RATIO	13.4	0.0	7.2	20.2	18.2	0.0	20.4	17.5	12.6	0.0	5.9	20.8
TEENAGE INDUCED TERMINATIONS#	191	21	75	95	60	3	22	35	131	18	53	60
TEENAGE INDUCED TERMINATION RATIO	150.3	287.7	135.1	147.7	363.6	1500	449.0	307.0	118.4	253.5	104.7	113.4
TEENAGE PREGNANCIES#	1,479	94	634	751	228	5	72	151	1,251	89	562	600
TEENAGE PREGNANCY RATE	63.0	8.1	116.4	(15-19)	34.3	1.6	63.6	(15-19)	74.4	10.6	138.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	10	1	0	9	0	0	0	0	10	1	0	9
INFANT MORTALITY RATE, TEEN MOMS	7.9	13.7	0.0	14.0	0.0	0.0	0.0	0.0	9.0	14.1	0.0	17.0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEND)

TEENAGE VITAL STATISTICS DATA  
BY DISTRICT OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

DISTRICT: IV

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	242,066	19,539	9,122	10,417	3,609
WHITE	145,308	9,955	4,449	5,506	1,801
NONWHITE	96,758	9,584	4,673	4,911	1,808

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	778	32	317	429	268	3	107	158	510	29	210	271
TEENAGE IMMATURE BIRTHS	90	3	46	41	20	0	13	7	70	3	33	34
TEENAGE PREMATURE BIRTHS	147	9	69	69	30	0	22	8	117	9	47	61
TEENAGE ILLEGITIMATE BIRTHS	610	29	273	308	115	0	63	52	495	29	210	256
TEENS WHO HAD PREVIOUS LIVE BIRTHS	188	4	44	140	44	0	7	37	144	4	37	103
TEENS WHO HAD PREVIOUS PREGNANCIES	232	4	59	169	59	0	9	50	173	4	50	119
TEENS WITH INADEQUATE* PRENATAL CARE	89	5	33	51	16	0	8	8	73	5	25	43
TEENAGE FERTILITY RATE	39.8	3.5	71.6	(15-19)	26.9	0.7	48.1	(15-19)	53.2	6.2	97.9	(15-19)
TEENAGE FETAL DEATHS**	12	0	6	6	3	0	1	2	9	0	5	4
TEENAGE FETAL DEATH RATIO	15.4	0.0	18.9	14.0	11.2	0.0	9.3	12.6	17.6	0.0	23.8	14.8
TEENAGE INDUCED TERMINATIONS#	162	14	52	96	72	4	14	54	89	10	38	41
TEENAGE INDUCED TERMINATION RATIO	208.2	437.5	164.0	223.8	268.6	1333	130.8	341.8	174.5	344.8	181.0	151.3
TEENAGE PREGNANCIES#	952	46	375	531	343	7	122	214	608	39	253	316
TEENAGE PREGNANCY RATE	48.7	5.0	87.0	(15-19)	34.4	1.6	61.0	(15-19)	63.4	8.3	115.9	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	13	0	7	6	4	0	3	1	9	0	4	5
INFANT MORTALITY RATE, TEEN MOMS	16.7	0.0	22.1	14.0	14.9	0.0	28.0	6.3	17.6	0.0	19.0	18.5

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEND)

TEENAGE VITAL STATISTICS DATA  
BY DISTRICT OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

DISTRICT: V

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	570,535	45,838	22,282	23,556	9,156
WHITE	314,256	20,880	10,395	10,485	3,941
NONWHITE	256,279	24,958	11,887	13,071	5,214

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	1,837	74	757	1,006	434	9	146	279	1,403	65	611	727
TEENAGE IMMATURE BIRTHS	233	11	107	115	45	2	14	29	188	9	93	86
TEENAGE PREMATURE BIRTHS	304	11	135	158	45	1	12	32	259	10	123	126
TEENAGE ILLEGITIMATE BIRTHS	1,595	72	709	814	233	7	100	126	1,362	65	609	688
TEENS WHO HAD PREVIOUS LIVE BIRTHS	453	6	123	324	85	0	12	73	368	6	111	251
TEENS WHO HAD PREVIOUS PREGNANCIES	542	7	146	389	115	0	19	96	427	7	127	293
TEENS WITH INADEQUATE* PRENATAL CARE	158	14	64	80	21	2	7	12	137	12	57	68
TEENAGE FERTILITY RATE	40.1	3.3	74.8	(15-19)	20.8	0.9	40.5	(15-19)	56.2	5.5	102.4	(15-19)
TEENAGE FETAL DEATHS**	36	2	15	19	3	0	1	2	33	2	14	17
TEENAGE FETAL DEATH RATIO	19.6	27.0	19.8	18.9	6.9	0.0	6.8	7.2	23.5	30.8	22.9	23.4
TEENAGE INDUCED TERMINATIONS#	427	24	147	256	154	5	59	90	273	19	88	166
TEENAGE INDUCED TERMINATION RATIO	232.4	324.3	194.2	254.5	354.8	555.6	404.1	322.6	194.6	292.3	144.0	228.3
TEENAGE PREGNANCIES#	2,300	100	919	1,281	591	14	206	371	1,709	86	713	910
TEENAGE PREGNANCY RATE	50.2	4.5	93.4	(15-19)	28.3	1.3	55.0	(15-19)	68.5	7.2	124.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	20	0	12	8	5	0	3	2	15	0	9	6
INFANT MORTALITY RATE, TEEN MOMS	10.9	0.0	15.9	8.0	11.5	0.0	20.5	7.2	10.7	0.0	14.7	8.3

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEND)

TEENAGE VITAL STATISTICS DATA  
BY DISTRICT OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

DISTRICT: VI

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	227,735	17,734	8,747	8,987	3,511
WHITE	141,369	9,243	4,562	4,681	1,738
NONWHITE	86,366	8,491	4,185	4,306	1,773

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	709	30	273	406	241	7	77	157	468	23	196	249
TEENAGE IMMATURE BIRTHS	86	5	26	55	16	1	7	8	70	4	19	47
TEENAGE PREMATURE BIRTHS	100	8	38	54	27	1	11	15	73	7	27	39
TEENAGE ILLEGITIMATE BIRTHS	551	29	229	293	103	7	39	57	448	22	190	236
TEENS WHO HAD PREVIOUS LIVE BIRTHS	157	0	41	116	39	0	10	29	118	0	31	87
TEENS WHO HAD PREVIOUS PREGNANCIES	191	0	49	142	56	0	13	43	135	0	36	99
TEENS WITH INADEQUATE* PRENATAL CARE	93	5	39	49	11	2	5	4	82	3	34	45
TEENAGE FERTILITY RATE	40.0	3.4	75.6	(15-19)	26.1	1.5	50.0	(15-19)	55.1	5.5	103.3	(15-19)
TEENAGE FETAL DEATHS**	11	0	4	7	2	0	1	1	9	0	3	6
TEENAGE FETAL DEATH RATIO	15.5	0.0	14.6	17.2	8.3	0.0	13.0	6.4	19.2	0.0	15.3	24.1
TEENAGE INDUCED TERMINATIONS#	129	5	63	61	53	1	30	22	74	4	32	38
TEENAGE INDUCED TERMINATION RATIO	181.9	166.7	230.8	150.2	219.9	142.8	389.6	140.1	158.1	173.9	163.3	152.6
TEENAGE PREGNANCIES#	849	35	340	474	296	8	108	180	551	27	231	293
TEENAGE PREGNANCY RATE	47.9	4.0	90.6	(15-19)	32.0	1.8	61.5	(15-19)	64.9	6.4	121.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	5	0	4	1	0	0	0	0	5	0	4	1
INFANT MORTALITY RATE, TEEN MOMS	7.1	0.0	14.7	2.5	0.0	0.0	0.0	0.0	10.7	0.0	20.4	4.0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEND)

TEENAGE VITAL STATISTICS DATA  
BY DISTRICT OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

DISTRICT: VII

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	170,590	14,433	7,140	7,293	2,488
WHITE	91,175	6,339	3,155	3,184	1,041
NONWHITE	79,415	8,094	3,985	4,109	1,445

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	568	13	243	312	145	1	53	91	423	12	190	221
TEENAGE IMMATURE BIRTHS	67	4	35	28	14	0	9	5	53	4	26	23
TEENAGE PREMATURE BIRTHS	98	5	47	46	14	0	8	6	84	5	39	40
TEENAGE ILLEGITIMATE BIRTHS	479	13	221	245	68	1	34	33	411	12	187	212
TEENS WHO HAD PREVIOUS LIVE BIRTHS	113	0	30	83	19	0	1	18	94	0	29	65
TEENS WHO HAD PREVIOUS PREGNANCIES	151	0	45	106	31	0	6	25	120	0	39	81
TEENS WITH INADEQUATE* PRENATAL CARE	64	5	26	33	9	1	2	6	55	4	24	27
TEENAGE FERTILITY RATE	39.4	1.8	76.1 (15-19)		22.9	0.3	45.2 (15-19)		52.3	3.0	100.0 (15-19)	
TEENAGE FETAL DEATHS**	14	0	8	6	0	0	0	0	14	0	8	6
TEENAGE FETAL DEATH RATIO	24.6	0.0	32.9	19.2	0.0	0.0	0.0	0.0	33.1	0.0	42.1	27.1
TEENAGE INDUCED TERMINATIONS#	48	7	20	21	16	3	6	7	32	4	14	14
TEENAGE INDUCED TERMINATION RATIO	84.5	538.5	82.3	67.3	110.3	3000	113.2	76.9	75.6	333.3	73.7	63.3
TEENAGE PREGNANCIES#	630	20	271	339	161	4	59	98	469	16	212	241
TEENAGE PREGNANCY RATE	43.6	2.8	83.6 (15-19)		25.4	1.3	49.3 (15-19)		57.9	4.0	110.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	6	1	3	2	1	0	1	0	5	1	2	2
INFANT MORTALITY RATE, TEEN MOMS	10.6	76.9	12.3	6.4	6.9	0.0	18.9	0.0	11.8	83.3	10.5	9.1

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

(HSVSTEEND)

TEENAGE VITAL STATISTICS DATA  
BY DISTRICT OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

DISTRICT: VIII

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	262,501	21,128	10,339	10,789	3,928
WHITE	184,414	12,980	6,435	6,545	2,351
NONWHITE	78,087	8,148	3,904	4,244	1,577

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	897	24	377	496	421	8	165	248	476	16	212	248
TEENAGE IMMATURE BIRTHS	115	3	52	60	44	1	23	20	71	2	29	40
TEENAGE PREMATURE BIRTHS	147	7	67	73	53	3	24	26	94	4	43	47
TEENAGE ILLEGITIMATE BIRTHS	630	23	287	320	167	7	76	84	463	16	211	236
TEENS WHO HAD PREVIOUS LIVE BIRTHS	217	1	62	154	90	0	25	65	127	1	37	89
TEENS WHO HAD PREVIOUS PREGNANCIES	258	1	73	184	115	0	33	82	143	1	40	102
TEENS WITH INADEQUATE* PRENATAL CARE	75	2	36	37	14	1	2	11	61	1	34	26
TEENAGE FERTILITY RATE	42.4	2.3	80.9	(15-19)	32.4	1.2	63.1	(15-19)	58.4	4.1	108.4	(15-19)
TEENAGE FETAL DEATHS**	13	0	7	6	5	0	1	4	8	0	6	2
TEENAGE FETAL DEATH RATIO	14.5	0.0	18.6	12.1	11.9	0.0	6.1	16.1	16.8	0.0	28.3	8.1
TEENAGE INDUCED TERMINATIONS#	93	6	32	55	49	1	16	32	44	5	16	23
TEENAGE INDUCED TERMINATION RATIO	103.7	250.0	84.9	110.9	116.4	125.0	97.0	129.0	92.4	312.5	75.5	92.7
TEENAGE PREGNANCIES#	1,003	30	416	557	475	9	182	284	528	21	234	273
TEENAGE PREGNANCY RATE	47.5	2.9	90.2	(15-19)	36.6	1.4	71.2	(15-19)	64.8	5.4	119.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	8	1	2	5	1	0	0	1	7	1	2	4
INFANT MORTALITY RATE, TEEN MOMS	8.9	41.7	5.3	10.1	2.4	0.0	0.0	4.0	14.7	62.5	9.4	16.1

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP



(HSVSTEEND)

TEENAGE VITAL STATISTICS DATA  
BY DISTRICT OF RESIDENCE AND RACE OF MOTHER  
MISSISSIPPI, 1995

DISTRICT: IX

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	412,246	31,511	15,672	15,839	6,237
WHITE	326,850	23,012	11,535	11,477	4,610
NONWHITE	85,396	8,499	4,137	4,362	1,627

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	1,300	32	510	758	815	11	295	509	485	21	215	249
TEENAGE IMMATURE BIRTHS	117	0	50	67	54	0	25	29	63	0	25	38
TEENAGE PREMATURE BIRTHS	192	4	83	105	78	1	34	43	114	3	49	62
TEENAGE ILLEGITIMATE BIRTHS	930	32	416	482	467	11	206	250	463	21	210	232
TEENS WHO HAD PREVIOUS LIVE BIRTHS	292	0	69	223	157	0	24	133	135	0	45	90
TEENS WHO HAD PREVIOUS PREGNANCIES	360	0	96	264	201	0	40	161	159	0	56	103
TEENS WITH INADEQUATE* PRENATAL CARE	204	10	91	103	77	3	28	46	127	7	63	57
TEENAGE FERTILITY RATE	41.2	2.0	80.0	(15-19)	35.4	1.0	70.0	(15-19)	57.1	5.1	106.4	(15-19)
TEENAGE FETAL DEATHS**	13	0	6	7	8	0	2	6	5	0	4	1
TEENAGE FETAL DEATH RATIO	10.0	0.0	11.8	9.2	9.8	0.0	6.8	11.8	10.3	0.0	18.6	4.0
TEENAGE INDUCED TERMINATIONS#	116	6	49	61	74	3	33	38	42	3	16	23
TEENAGE INDUCED TERMINATION RATIO	89.2	187.5	96.1	80.5	90.8	272.7	111.9	74.6	86.6	142.8	74.4	92.4
TEENAGE PREGNANCIES#	1,429	38	565	826	897	14	330	553	532	24	235	273
TEENAGE PREGNANCY RATE	45.3	2.4	87.8	(15-19)	39.0	1.2	76.9	(15-19)	62.6	5.8	116.5	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	15	0	5	10	9	0	2	7	6	0	3	3
INFANT MORTALITY RATE, TEEN MOMS	11.5	0.0	9.8	13.2	11.0	0.0	6.8	13.8	12.4	0.0	14.0	12.0

\* ACCORDING TO THE KESSNER INDEX

\*\* SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE

# FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS

PREMATURE=GESTATION LESS THAN 37 WEEKS

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP