

# SELECTED DEATH STATISTICS, RESIDENTS OF ADAMS COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>439</u>	<u>205</u>	<u>234</u>	<u>12.8</u>	<u>13.0</u>	<u>12.6</u>
HEART DISEASES	126	58	68	366.9	366.9	367.0
MALIGNANT NEOPLASMS	99	41	58	288.3	259.3	313.0
CEREBROVASCULAR DISEASE	38	16	22	110.6	101.2	118.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	21	15	6	61.2	94.9	32.4
SEPTICEMIA	18	12	6	52.4	75.9	32.4
ACCIDENTS	18	11	7	52.4	69.6	37.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	16	0	16	46.6	-	86.3
INFLUENZA AND PNEUMONIA	15	10	5	43.7	63.2	27.0
DIABETES MELLITUS	7	0	7	20.4	-	37.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	5	1	17.5	31.6	5.4
AORTIC ANEURYSM AND DISSECTION	4	2	2	11.6	12.6	10.8
ALZHEIMERS DISEASE	3	2	1	8.7	12.6	5.4
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	6.7	-	10.1
SUICIDE	3	3	0	8.7	19.0	-
PARKINSONS DISEASE	2	2	0	5.8	12.6	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	0	2	5.8	-	10.8
PEPTIC ULCER	2	1	1	5.8	6.3	5.4
HIV DISEASE	1	0	1	2.9	-	5.4
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	2.9	6.3	-
ANEMIAS	1	0	1	2.9	-	5.4
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	2.9	-	5.4
ATHEROSCLEROSIS	1	0	1	2.9	-	5.4
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	2.9	6.3	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	2.9	-	5.4
HOMICIDE	1	0	1	2.9	-	5.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	22	12	10	64.1	75.9	54.0
ALL OTHER CAUSES	26	13	13	75.7	82.2	70.2

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>439</u>	<u>205</u>	<u>234</u>	<u>199</u>	<u>92</u>	<u>107</u>	<u>240</u>	<u>113</u>	<u>127</u>
UNDER 1	5	1	4	2	1	1	3	0	3
(Neonatal)	3	0	3	1	0	1	2	0	2
(Postneonatal)	2	1	1	1	1	0	1	0	1
1-4	1	1	0	1	1	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	3	1	2	1	1	2	2	0
25-34	5	0	5	4	0	4	1	0	1
35-44	16	8	8	8	4	4	8	4	4
45-54	30	9	21	16	6	10	14	3	11
55-64	42	16	26	22	7	15	20	9	11
65-74	97	43	54	45	24	21	52	19	33
75-84	123	65	58	62	33	29	61	32	29
85 AND OVER	114	59	55	35	15	20	79	44	35
UNKNOWN	1	0	1	1	0	1	0	0	0

2000 POPULATION: TOTAL...34,340 WHITE...15,809 NONWHITE...18,531

# SELECTED DEATH STATISTICS, RESIDENTS OF ALCORN COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>407</u>	<u>369</u>	<u>38</u>	<u>11.8</u>	<u>12.2</u>	<u>8.7</u>
HEART DISEASES	111	103	8	321.2	341.1	183.3
MALIGNANT NEOPLASMS	92	84	8	266.2	278.2	183.3
CEREBROVASCULAR DISEASE	46	41	5	133.1	135.8	114.5
ACCIDENTS	24	24	0	69.4	79.5	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	20	19	1	57.9	62.9	22.9
INFLUENZA AND PNEUMONIA	18	16	2	52.1	53.0	45.8
SEPTICEMIA	9	8	1	26.0	26.5	22.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	6	1	20.2	19.9	22.9
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	6	6	0	17.4	19.9	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	3	1	11.6	9.9	22.9
AORTIC ANEURYSM AND DISSECTION	4	4	0	11.6	13.2	-
SUICIDE	4	4	0	11.6	13.2	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	2	1	8.7	6.6	22.9
DIABETES MELLITUS	2	2	0	5.8	6.6	-
PARKINSONS DISEASE	2	2	0	5.8	6.6	-
PEPTIC ULCER	2	2	0	5.8	6.6	-
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1	4.1	2.4	12.3
COMPLICATIONS MEDICAL/SURGICAL CARE	2	2	0	5.8	6.6	-
HIV DISEASE	1	1	0	2.9	3.3	-
ALZHEIMERS DISEASE	1	1	0	2.9	3.3	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	2.9	3.3	-
HOMICIDE	1	1	0	2.9	3.3	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	3	1	11.6	9.9	22.9
<u>ALL OTHER CAUSES</u>	<u>41</u>	<u>33</u>	<u>8</u>	<u>118.6</u>	<u>109.3</u>	<u>183.3</u>

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>407</u>	<u>369</u>	<u>38</u>	<u>195</u>	<u>176</u>	<u>19</u>	<u>212</u>	<u>193</u>	<u>19</u>
UNDER 1	6	4	2	1	0	1	5	4	1
(NEONATAL)	3	2	1	0	0	0	3	2	1
(POSTNEONATAL)	3	2	1	1	0	1	2	2	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	1	1	0	0	0	0
15-24	2	2	0	1	1	0	1	1	0
25-34	11	11	0	7	7	0	4	4	0
35-44	14	13	1	10	10	0	4	3	1
45-54	23	15	8	18	11	7	5	4	1
55-64	48	40	8	31	28	3	17	12	5
65-74	76	70	6	42	39	3	34	31	3
75-84	105	99	6	49	44	5	56	55	1
85 AND OVER	121	114	7	35	35	0	86	79	7
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION:   TOTAL...34,558           WHITE...30,193           NONWHITE...4,365

# SELECTED DEATH STATISTICS, RESIDENTS OF AMITE COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>146</u>	<u>80</u>	<u>66</u>	<u>10.7</u>	<u>10.4</u>	<u>11.1</u>
HEART DISEASES	51	28	23	375.0	364.9	388.1
MALIGNANT NEOPLASMS	31	16	15	228.0	208.5	253.1
ACCIDENTS	12	3	9	88.2	39.1	151.9
CEREBROVASCULAR DISEASE	9	3	6	66.2	39.1	101.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	5	2	3	36.8	26.1	50.6
SEPTICEMIA	4	2	2	29.4	26.1	33.8
INFLUENZA AND PNEUMONIA	3	2	1	22.1	26.1	16.9
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	2	1	22.1	26.1	16.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	3	0	22.1	39.1	-
DIABETES MELLITUS	2	1	1	14.7	13.0	16.9
HIV DISEASE	1	0	1	7.4	-	16.9
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	7.4	13.0	-
ALZHEIMERS DISEASE	1	1	0	7.4	13.0	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	7.4	13.0	-
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	7.4	13.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	7.4	13.0	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	7.4	-	16.9
INFECTIONS OF KIDNEY	1	1	0	7.4	13.0	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	7.4	13.0	-
<u>ALL OTHER CAUSES</u>	<u>14</u>	<u>11</u>	<u>3</u>	<u>102.9</u>	<u>143.4</u>	<u>50.6</u>

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>146</u>	<u>80</u>	<u>66</u>	<u>67</u>	<u>36</u>	<u>31</u>	<u>79</u>	<u>44</u>	<u>35</u>
UNDER 1	1	0	1	1	0	1	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	4	1	3	2	0	2	2	1	1
35-44	5	2	3	2	1	1	3	1	2
45-54	13	3	10	6	2	4	7	1	6
55-64	14	5	9	10	4	6	4	1	3
65-74	32	20	12	18	14	4	14	6	8
75-84	44	28	16	23	13	10	21	15	6
85 AND OVER	31	20	11	4	1	3	27	19	8
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...13,599      WHITE...7,673      NONWHITE...5,926

# SELECTED DEATH STATISTICS, RESIDENTS OF ATTALA COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>275</u>	<u>180</u>	<u>95</u>	<u>14.0</u>	<u>15.7</u>	<u>11.6</u>
HEART DISEASES	59	40	19	300.1	348.7	232.0
MALIGNANT NEOPLASMS	58	38	20	295.0	331.3	244.2
CEREBROVASCULAR DISEASE	23	15	8	117.0	130.8	97.7
INFLUENZA AND PNEUMONIA	20	14	6	101.7	122.0	73.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	13	12	1	66.1	104.6	12.2
ACCIDENTS	11	8	3	55.9	69.7	36.6
ATHEROSCLEROSIS	7	7	0	35.6	61.0	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	4	3	35.6	34.9	36.6
ALZHEIMERS DISEASE	6	2	4	30.5	17.4	48.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	2	3	25.4	17.4	36.6
DIABETES MELLITUS	4	3	1	20.3	26.2	12.2
PARKINSONS DISEASE	4	4	0	20.3	34.9	-
SEPTICEMIA	3	2	1	15.2	17.4	12.2
SUICIDE	3	2	1	15.2	17.4	12.2
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	0	2	10.2	-	24.4
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	2	0	10.2	17.4	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	10.2	8.7	12.2
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	7.0	-	13.8
HOMICIDE	2	0	2	10.2	-	24.4
HIV DISEASE	1	0	1	5.1	-	12.2
ANEMIAS	1	1	0	5.1	8.7	-
AORTIC ANEURYSM AND DISSECTION	1	0	1	5.1	-	12.2
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	5.1	8.7	-
HYPERPLASIA OF PROSTATE	1	1	0	5.1	8.7	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	5.1	-	12.2
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	5.1	-	12.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	10.2	17.4	-
<u>ALL OTHER CAUSES</u>	<u>33</u>	<u>19</u>	<u>14</u>	<u>167.8</u>	<u>165.6</u>	<u>170.9</u>

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>275</u>	<u>180</u>	<u>95</u>	<u>152</u>	<u>100</u>	<u>52</u>	<u>123</u>	<u>80</u>	<u>43</u>
UNDER 1	2	0	2	2	0	2	0	0	0
(Neonatal)	2	0	2	2	0	2	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	3	1	2	0	0	0
25-34	7	2	5	6	2	4	1	0	1
35-44	8	5	3	5	3	2	3	2	1
45-54	10	5	5	7	5	2	3	0	3
55-64	17	7	10	6	1	5	11	6	5
65-74	67	43	24	42	30	12	25	13	12
75-84	91	68	23	58	42	16	33	26	7
85 AND OVER	69	49	20	22	16	6	47	33	14
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...19,661      WHITE...11,470      NONWHITE...8,191

# SELECTED DEATH STATISTICS, RESIDENTS OF BENTON COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>99</u>	<u>74</u>	<u>25</u>	<u>12.3</u>	<u>14.9</u>	<u>8.1</u>
HEART DISEASES	40	34	6	498.4	686.3	195.3
MALIGNANT NEOPLASMS	30	20	10	373.8	403.7	325.5
CEREBROVASCULAR DISEASE	5	5	0	62.3	100.9	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	5	3	2	62.3	60.6	65.1
INFLUENZA AND PNEUMONIA	4	3	1	49.8	60.6	32.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	1	1	24.9	20.2	32.6
SUICIDE	2	2	0	24.9	40.4	-
SEPTICEMIA	1	0	1	12.5	-	32.6
HIV DISEASE	1	1	0	12.5	20.2	-
ACCIDENTS	1	1	0	12.5	20.2	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	24.9	20.2	32.6
ALL OTHER CAUSES	6	3	3	74.8	60.6	97.6

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>99</u>	<u>74</u>	<u>25</u>	<u>48</u>	<u>38</u>	<u>10</u>	<u>51</u>	<u>36</u>	<u>15</u>
UNDER 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	1	1	0	1	0	1
25-34	2	1	1	1	1	0	1	0	1
35-44	3	2	1	2	2	0	1	0	1
45-54	6	4	2	4	3	1	2	1	1
55-64	14	7	7	8	4	4	6	3	3
65-74	22	16	6	13	10	3	9	6	3
75-84	28	24	4	12	11	1	16	13	3
85 AND OVER	21	18	3	6	5	1	15	13	2
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...8,026      WHITE...4,954      NONWHITE...3,072

# SELECTED DEATH STATISTICS, RESIDENTS OF BOLIVAR COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>440</u>	<u>189</u>	<u>251</u>	<u>10.8</u>	<u>14.0</u>	<u>9.2</u>
HEART DISEASES	170	71	99	418.4	525.6	365.0
MALIGNANT NEOPLASMS	84	33	51	206.7	244.3	188.0
CEREBROVASCULAR DISEASE	19	9	10	46.8	66.6	36.9
ACCIDENTS	17	7	10	41.8	51.8	36.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	15	6	9	36.9	44.4	33.2
ALZHEIMERS DISEASE	14	8	6	34.4	59.2	22.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	12	8	4	29.5	59.2	14.7
SEPTICEMIA	11	4	7	27.1	29.6	25.8
INFLUENZA AND PNEUMONIA	11	5	6	27.1	37.0	22.1
DIABETES MELLITUS	8	4	4	19.7	29.6	14.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	6	1	5	14.8	7.4	18.4
HOMICIDE	6	1	5	14.8	7.4	18.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	0	4	9.8	-	14.7
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	4	2	2	9.8	14.8	7.4
HIV DISEASE	3	0	3	7.4	-	11.1
ATHEROSCLEROSIS	3	2	1	7.4	14.8	3.7
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	2	1	7.4	14.8	3.7
SUICIDE	3	2	1	7.4	14.8	3.7
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	1	1	4.9	7.4	3.7
AORTIC ANEURYSM AND DISSECTION	2	1	1	4.9	7.4	3.7
COMPLICATIONS MEDICAL/SURGICAL CARE	2	0	2	4.9	-	7.4
PARKINSONS DISEASE	1	0	1	2.5	-	3.7
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	2.5	7.4	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	0	4	9.8	-	14.7
ALL OTHER CAUSES	35	21	14	86.1	155.5	51.6

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>440</u>	<u>189</u>	<u>251</u>	<u>216</u>	<u>88</u>	<u>128</u>	<u>224</u>	<u>101</u>	<u>123</u>
UNDER 1	8	1	7	5	0	5	3	1	2
(NEONATAL)	2	0	2	2	0	2	0	0	0
(POSTNEONATAL)	6	1	5	3	0	3	3	1	2
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	9	2	7	8	2	6	1	0	1
25-34	10	5	5	8	3	5	2	2	0
35-44	18	4	14	10	2	8	8	2	6
45-54	34	10	24	19	5	14	15	5	10
55-64	47	17	30	28	11	17	19	6	13
65-74	73	38	35	43	23	20	30	15	15
75-84	124	63	61	54	27	27	70	36	34
85 AND OVER	117	49	68	41	15	26	76	34	42
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...40,633 WHITE...13,507 NONWHITE...27,126

# SELECTED DEATH STATISTICS, RESIDENTS OF CALHOUN COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>197</u>	<u>159</u>	<u>38</u>	<u>13.1</u>	<u>15.2</u>	<u>8.2</u>
HEART DISEASES	66	55	11	438.0	525.8	238.7
MALIGNANT NEOPLASMS	29	26	3	192.4	248.6	65.1
CEREBROVASCULAR DISEASE	24	19	5	159.3	181.6	108.5
ACCIDENTS	14	12	2	92.9	114.7	43.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	13	11	2	86.3	105.2	43.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	4	2	39.8	38.2	43.4
DIABETES MELLITUS	5	4	1	33.2	38.2	21.7
ALZHEIMERS DISEASE	4	3	1	26.5	28.7	21.7
SEPTICEMIA	3	2	1	19.9	19.1	21.7
PARKINSONS DISEASE	3	3	0	19.9	28.7	-
INFLUENZA AND PNEUMONIA	3	2	1	19.9	19.1	21.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	13.3	9.6	21.7
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1	9.2	6.9	13.5
SUICIDE	2	2	0	13.3	19.1	-
HOMICIDE	2	1	1	13.3	9.6	21.7
ANEMIAS	1	1	0	6.6	9.6	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	6.6	9.6	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	6.6	9.6	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	6.6	-	21.7
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	6.6	9.6	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	6.6	9.6	-
<u>ALL OTHER CAUSES</u>	<u>13</u>	<u>8</u>	<u>5</u>	<u>86.3</u>	<u>76.5</u>	<u>108.5</u>

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>197</u>	<u>159</u>	<u>38</u>	<u>95</u>	<u>77</u>	<u>18</u>	<u>102</u>	<u>82</u>	<u>20</u>
UNDER 1	2	1	1	1	0	1	1	1	0
(Neonatal)	2	1	1	1	0	1	1	1	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	2	1	1	2	1	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	3	1	4	3	1	0	0	0
25-34	2	2	0	1	1	0	1	1	0
35-44	7	4	3	3	3	0	4	1	3
45-54	14	10	4	8	5	3	6	5	1
55-64	16	10	6	10	8	2	6	2	4
65-74	37	29	8	23	19	4	14	10	4
75-84	55	49	6	24	22	2	31	27	4
85 AND OVER	58	50	8	19	15	4	39	35	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION:   TOTAL...15,069           WHITE...10,460           NONWHITE...4,609

# SELECTED DEATH STATISTICS, RESIDENTS OF CARROLL COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>94</u>	<u>56</u>	<u>38</u>	<u>8.7</u>	<u>8.3</u>	<u>9.4</u>
HEART DISEASES	38	24	14	352.9	355.6	348.2
MALIGNANT NEOPLASMS	20	13	7	185.7	192.6	174.1
CEREBROVASCULAR DISEASE	6	4	2	55.7	59.3	49.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	5	2	3	46.4	29.6	74.6
ACCIDENTS	5	3	2	46.4	44.4	49.8
SEPTICEMIA	1	1	0	9.3	14.8	-
ANEMIAS	1	0	1	9.3	-	24.9
DIABETES MELLITUS	1	1	0	9.3	14.8	-
ALZHEIMERS DISEASE	1	1	0	9.3	14.8	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	9.3	14.8	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	9.3	14.8	-
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	1	1	0	9.3	14.8	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	9.3	-	21.3
SUICIDE	1	0	1	9.3	-	24.9
HOMICIDE	1	0	1	9.3	-	24.9
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	9.3	-	24.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	9.3	14.8	-
<u>ALL OTHER CAUSES</u>	<u>8</u>	<u>3</u>	<u>5</u>	<u>74.3</u>	<u>44.4</u>	<u>124.4</u>

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>94</u>	<u>56</u>	<u>38</u>	<u>51</u>	<u>30</u>	<u>21</u>	<u>43</u>	<u>26</u>	<u>17</u>
UNDER 1	1	0	1	0	0	0	1	0	1
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	0	0	0	0	0	0	0	0	0
25-34	1	0	1	0	0	0	1	0	1
35-44	5	2	3	2	1	1	3	1	2
45-54	13	8	5	11	7	4	2	1	1
55-64	13	7	6	9	5	4	4	2	2
65-74	16	13	3	7	6	1	9	7	2
75-84	28	15	13	16	7	9	12	8	4
85 AND OVER	16	11	5	6	4	2	10	7	3
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...10,769      WHITE...6,749      NONWHITE...4,020



# SELECTED DEATH STATISTICS, RESIDENTS OF CHICKASAW COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>228</u>	<u>155</u>	<u>73</u>	<u>11.7</u>	<u>14.0</u>	<u>8.7</u>
HEART DISEASES	82	55	27	421.8	497.3	322.2
MALIGNANT NEOPLASMS	42	31	11	216.0	280.3	131.3
ACCIDENTS	19	10	9	97.7	90.4	107.4
CEREBROVASCULAR DISEASE	18	9	9	92.6	81.4	107.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	9	8	1	46.3	72.3	11.9
DIABETES MELLITUS	6	4	2	30.9	36.2	23.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	6	0	30.9	54.2	-
ALZHEIMERS DISEASE	4	4	0	20.6	36.2	-
INFLUENZA AND PNEUMONIA	4	3	1	20.6	27.1	11.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	4	0	20.6	36.2	-
SEPTICEMIA	2	2	0	10.3	18.1	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	1	1	10.3	9.0	11.9
PARKINSONS DISEASE	2	1	1	10.3	9.0	11.9
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1	6.3	6.8	6.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	0	2	10.3	-	23.9
VIRAL HEPATITIS	1	1	0	5.1	9.0	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	5.1	9.0	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	5.1	-	11.9
AORTIC ANEURYSM AND DISSECTION	1	0	1	5.1	-	11.9
PEPTIC ULCER	1	0	1	5.1	-	11.9
MATERNAL CAUSES	1	0	1	316.4	-	595.2
HOMICIDE	1	0	1	5.1	-	11.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	10.3	18.1	-
ALL OTHER CAUSES	15	12	3	77.2	108.5	35.8

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>228</u>	<u>155</u>	<u>73</u>	<u>110</u>	<u>77</u>	<u>33</u>	<u>118</u>	<u>78</u>	<u>40</u>
UNDER 1	4	1	3	2	1	1	2	0	2
(Neonatal)	4	1	3	2	1	1	2	0	2
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	2	2	0	1	1	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	2	3	4	2	2	1	0	1
25-34	5	2	3	2	0	2	3	2	1
35-44	8	4	4	4	2	2	4	2	2
45-54	19	8	11	15	7	8	4	1	3
55-64	26	16	10	14	9	5	12	7	5
65-74	40	24	16	26	17	9	14	7	7
75-84	58	49	9	28	27	1	30	22	8
85 AND OVER	61	47	14	14	11	3	47	36	11
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION:   TOTAL...19,440                   WHITE...11,060                   NONWHITE...8,380

# SELECTED DEATH STATISTICS, RESIDENTS OF CHOCTAW COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>103</u>	<u>79</u>	<u>24</u>	<u>10.6</u>	<u>11.9</u>	<u>7.7</u>
HEART DISEASES	35	30	5	358.7	451.9	160.2
MALIGNANT NEOPLASMS	21	13	8	215.2	195.8	256.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	6	2	82.0	90.4	64.1
CEREBROVASCULAR DISEASE	7	5	2	71.7	75.3	64.1
DIABETES MELLITUS	5	3	2	51.2	45.2	64.1
ACCIDENTS	4	2	2	41.0	30.1	64.1
INFLUENZA AND PNEUMONIA	3	3	0	30.7	45.2	-
ALZHEIMERS DISEASE	2	2	0	20.5	30.1	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	2	0	20.5	30.1	-
TUBERCULOSIS	1	0	1	10.2	-	32.0
AORTIC ANEURYSM AND DISSECTION	1	1	0	10.2	15.1	-
PEPTIC ULCER	1	1	0	10.2	15.1	-
SUICIDE	1	1	0	10.2	15.1	-
HOMICIDE	1	1	0	10.2	15.1	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
<u>ALL OTHER CAUSES</u>	<u>11</u>	<u>9</u>	<u>2</u>	<u>112.7</u>	<u>135.6</u>	<u>64.1</u>

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>103</u>	<u>79</u>	<u>24</u>	<u>52</u>	<u>39</u>	<u>13</u>	<u>51</u>	<u>40</u>	<u>11</u>
UNDER 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	2	1	1	1	1	0	1	0	1
25-34	1	1	0	1	1	0	0	0	0
35-44	2	0	2	1	0	1	1	0	1
45-54	8	7	1	3	2	1	5	5	0
55-64	14	12	2	10	9	1	4	3	1
65-74	15	12	3	9	7	2	6	5	1
75-84	34	28	6	16	13	3	18	15	3
85 AND OVER	26	18	8	10	6	4	16	12	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION:   TOTAL...9,758                   WHITE...6,638                   NONWHITE...3,120

# SELECTED DEATH STATISTICS, RESIDENTS OF CLAIBORNE COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>113</u>	<u>30</u>	<u>83</u>	<u>9.6</u>	<u>16.7</u>	<u>8.3</u>
HEART DISEASES	47	16	31	397.3	890.9	308.9
MALIGNANT NEOPLASMS	16	3	13	135.2	167.0	129.5
CEREBROVASCULAR DISEASE	10	2	8	84.5	111.4	79.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	4	2	50.7	222.7	19.9
ACCIDENTS	5	0	5	42.3	-	49.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	1	2	25.4	55.7	19.9
CONDITIONS ORIG IN PERINATAL PERIOD	3	1	2	17.6	52.6	13.2
DIABETES MELLITUS	2	0	2	16.9	-	19.9
HERNIA	2	0	2	16.9	-	19.9
SEPTICEMIA	1	0	1	8.4	-	10.0
HIV DISEASE	1	0	1	8.4	-	10.0
MENINGITIS	1	0	1	8.4	-	10.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	8.4	-	10.0
INFLUENZA AND PNEUMONIA	1	0	1	8.4	-	10.0
SUICIDE	1	1	0	8.4	55.7	-
HOMICIDE	1	0	1	8.4	-	10.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	0	3	25.4	-	29.9
ALL OTHER CAUSES	9	2	7	76.1	111.4	69.8

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>113</u>	<u>30</u>	<u>83</u>	<u>43</u>	<u>9</u>	<u>34</u>	<u>70</u>	<u>21</u>	<u>49</u>
UNDER 1	4	1	3	1	0	1	3	1	2
(NEONATAL)	3	1	2	1	0	1	2	1	1
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	0	4	2	0	2	2	0	2
25-34	2	1	1	1	1	0	1	0	1
35-44	7	0	7	3	0	3	4	0	4
45-54	10	0	10	8	0	8	2	0	2
55-64	13	3	10	4	1	3	9	2	7
65-74	19	4	15	11	3	8	8	1	7
75-84	23	11	12	5	3	2	18	8	10
85 AND OVER	31	10	21	8	1	7	23	9	14
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...11,831      WHITE...1,796      NONWHITE...10,035

# SELECTED DEATH STATISTICS, RESIDENTS OF CLARKE COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>200</u>	<u>129</u>	<u>71</u>	<u>11.1</u>	<u>11.1</u>	<u>11.1</u>
HEART DISEASES	77	49	28	428.8	423.1	439.2
MALIGNANT NEOPLASMS	39	25	14	217.2	215.9	219.6
CEREBROVASCULAR DISEASE	16	6	10	89.1	51.8	156.9
INFLUENZA AND PNEUMONIA	12	10	2	66.8	86.4	31.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	9	9	0	50.1	77.7	-
ALZHEIMERS DISEASE	8	5	3	44.6	43.2	47.0
DIABETES MELLITUS	6	5	1	33.4	43.2	15.7
ACCIDENTS	5	4	1	27.8	34.5	15.7
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	2	1	16.7	17.3	15.7
SUICIDE	3	2	1	16.7	17.3	15.7
SEPTICEMIA	2	2	0	11.1	17.3	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	0	2	11.1	-	31.4
PARKINSONS DISEASE	1	1	0	5.6	8.6	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	5.6	8.6	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	5.6	8.6	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	1	1	0	5.6	8.6	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	4.1	7.2	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	5.6	-	15.7
ALL OTHER CAUSES	12	5	7	66.8	43.2	109.8

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>200</u>	<u>129</u>	<u>71</u>	<u>90</u>	<u>58</u>	<u>32</u>	<u>110</u>	<u>71</u>	<u>39</u>
UNDER 1	1	1	0	0	0	0	1	1	0
(NEONATAL)	1	1	0	0	0	0	1	1	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	2	2	0	2	2	0	0	0	0
35-44	2	0	2	2	0	2	0	0	0
45-54	8	4	4	4	3	1	4	1	3
55-64	25	13	12	14	8	6	11	5	6
65-74	36	22	14	22	16	6	14	6	8
75-84	59	44	15	31	21	10	28	23	5
85 AND OVER	65	43	22	14	8	6	51	35	16
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...17,955      WHITE...11,580      NONWHITE...6,375

# SELECTED DEATH STATISTICS, RESIDENTS OF CLAY COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>236</u>	<u>116</u>	<u>120</u>	<u>10.7</u>	<u>12.3</u>	<u>9.5</u>
HEART DISEASES	88	41	47	400.4	435.7	374.0
MALIGNANT NEOPLASMS	55	24	31	250.2	255.0	246.6
CEREBROVASCULAR DISEASE	20	14	6	91.0	148.8	47.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	8	0	36.4	85.0	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	8	3	5	36.4	31.9	39.8
SEPTICEMIA	7	3	4	31.8	31.9	31.8
ACCIDENTS	7	5	2	31.8	53.1	15.9
DIABETES MELLITUS	5	2	3	22.7	21.2	23.9
INFLUENZA AND PNEUMONIA	5	4	1	22.7	42.5	8.0
HIV DISEASE	3	1	2	13.6	10.6	15.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	1	2	13.6	10.6	15.9
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	9.2	-	13.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	1	2	13.6	10.6	15.9
ANEMIAS	2	0	2	9.1	-	15.9
PARKINSONS DISEASE	1	0	1	4.6	-	8.0
ALZHEIMERS DISEASE	1	0	1	4.6	-	8.0
ATHEROSCLEROSIS	1	1	0	4.6	10.6	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	4.6	-	8.0
HOMICIDE	1	0	1	4.6	-	8.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	4.6	10.6	-
ALL OTHER CAUSES	13	7	6	59.1	74.4	47.7

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>236</u>	<u>116</u>	<u>120</u>	<u>112</u>	<u>48</u>	<u>64</u>	<u>124</u>	<u>68</u>	<u>56</u>
UNDER 1	7	1	6	6	1	5	1	0	1
(Neonatal)	5	1	4	5	1	4	0	0	0
(Postneonatal)	2	0	2	1	0	1	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	3	2	3	2	1	2	1	1
25-34	5	2	3	4	1	3	1	1	0
35-44	8	3	5	7	3	4	1	0	1
45-54	16	4	12	12	4	8	4	0	4
55-64	20	8	12	12	3	9	8	5	3
65-74	44	21	23	26	12	14	18	9	9
75-84	56	33	23	22	14	8	34	19	15
85 AND OVER	74	41	33	20	8	12	54	33	21
UNKNOWN	1	0	1	0	0	0	1	0	1

2000 POPULATION: TOTAL...21,979      WHITE...9,411      NONWHITE...12,568

# SELECTED DEATH STATISTICS, RESIDENTS OF COAHOMA COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>339</u>	<u>108</u>	<u>231</u>	<u>11.1</u>	<u>12.0</u>	<u>10.7</u>
HEART DISEASES	112	41	71	365.8	457.3	327.8
MALIGNANT NEOPLASMS	60	20	40	195.9	223.1	184.7
CEREBROVASCULAR DISEASE	22	7	15	71.8	78.1	69.3
ACCIDENTS	19	5	14	62.0	55.8	64.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	17	7	10	55.5	78.1	46.2
DIABETES MELLITUS	16	4	12	52.2	44.6	55.4
HOMICIDE	12	0	12	39.2	-	55.4
INFLUENZA AND PNEUMONIA	10	7	3	32.6	78.1	13.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	9	0	9	29.4	-	41.6
SEPTICEMIA	5	1	4	16.3	11.2	18.5
SUICIDE	5	1	4	16.3	11.2	18.5
CONDITIONS ORIG IN PERINATAL PERIOD	4	0	4	7.0	-	8.3
HIV DISEASE	3	0	3	9.8	-	13.8
CHOLELITHIASIS/GALLBLADDER DISORDER	3	1	2	9.8	11.2	9.2
ANEMIAS	2	0	2	6.5	-	9.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	6.5	22.3	-
PEPTIC ULCER	2	1	1	6.5	11.2	4.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	0	2	6.5	-	9.2
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	2	1	1	6.5	11.2	4.6
VIRAL HEPATITIS	1	0	1	3.3	-	4.6
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	3.3	-	4.6
PARKINSONS DISEASE	1	1	0	3.3	11.2	-
ALZHEIMERS DISEASE	1	1	0	3.3	11.2	-
ATHEROSCLEROSIS	1	0	1	3.3	-	4.6
MATERNAL CAUSES	1	0	1	175.4	-	207.5
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	3.3	-	4.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	6.5	11.2	4.6
<u>ALL OTHER CAUSES</u>	<u>23</u>	<u>7</u>	<u>16</u>	<u>75.1</u>	<u>78.1</u>	<u>73.9</u>

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>339</u>	<u>108</u>	<u>231</u>	<u>161</u>	<u>46</u>	<u>115</u>	<u>178</u>	<u>62</u>	<u>116</u>
UNDER 1	6	1	5	3	0	3	3	1	2
(NEONATAL)	3	0	3	1	0	1	2	0	2
(POSTNEONATAL)	3	1	2	2	0	2	1	1	0
1-4	3	0	3	2	0	2	1	0	1
5-9	1	1	0	1	1	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	10	2	8	7	0	7	3	2	1
25-34	13	0	13	6	0	6	7	0	7
35-44	16	1	15	11	0	11	5	1	4
45-54	29	7	22	19	6	13	10	1	9
55-64	42	7	35	25	3	22	17	4	13
65-74	62	23	39	29	8	21	33	15	18
75-84	78	32	46	35	17	18	43	15	28
85 AND OVER	78	34	44	22	11	11	56	23	33
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...30,622

WHITE...8,965

NONWHITE...21,657

# SELECTED DEATH STATISTICS, RESIDENTS OF COPIAH COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>305</u>	<u>155</u>	<u>150</u>	<u>10.6</u>	<u>11.3</u>	<u>10.0</u>
HEART DISEASES	93	48	45	323.4	349.2	299.8
MALIGNANT NEOPLASMS	62	38	24	215.6	276.4	159.9
CEREBROVASCULAR DISEASE	22	8	14	76.5	58.2	93.3
ACCIDENTS	22	9	13	76.5	65.5	86.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	11	9	2	38.2	65.5	13.3
DIABETES MELLITUS	10	5	5	34.8	36.4	33.3
INFLUENZA AND PNEUMONIA	8	6	2	27.8	43.6	13.3
SEPTICEMIA	7	2	5	24.3	14.5	33.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	1	6	24.3	7.3	40.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	6	2	4	20.9	14.5	26.6
HOMICIDE	5	1	4	17.4	7.3	26.6
ALZHEIMERS DISEASE	3	2	1	10.4	14.5	6.7
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	7.1	-	11.8
ATHEROSCLEROSIS	2	2	0	7.0	14.5	-
AORTIC ANEURYSM AND DISSECTION	2	0	2	7.0	-	13.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	7.0	7.3	6.7
VIRAL HEPATITIS	1	1	0	3.5	7.3	-
HIV DISEASE	1	0	1	3.5	-	6.7
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	3.5	-	6.7
MENINGITIS	1	1	0	3.5	7.3	-
PARKINSONS DISEASE	1	1	0	3.5	7.3	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	3.5	7.3	-
INFECTIONS OF KIDNEY	1	0	1	3.5	-	6.7
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	3.5	-	6.7
SUICIDE	1	1	0	3.5	7.3	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	31	16	15	107.8	116.4	99.9

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>305</u>	<u>155</u>	<u>150</u>	<u>164</u>	<u>82</u>	<u>82</u>	<u>141</u>	<u>73</u>	<u>68</u>
UNDER 1	3	0	3	2	0	2	1	0	1
(Neonatal)	3	0	3	2	0	2	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	9	2	7	7	2	5	2	0	2
25-34	6	1	5	5	1	4	1	0	1
35-44	15	5	10	11	4	7	4	1	3
45-54	19	6	13	13	5	8	6	1	5
55-64	36	14	22	23	9	14	13	5	8
65-74	65	36	29	44	25	19	21	11	10
75-84	74	45	29	34	21	13	40	24	16
85 AND OVER	76	46	30	24	15	9	52	31	21
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...28,757

WHITE...13,747

NONWHITE...15,010

# SELECTED DEATH STATISTICS, RESIDENTS OF COVINGTON COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>214</u>	<u>153</u>	<u>61</u>	<u>11.0</u>	<u>12.4</u>	<u>8.6</u>
HEART DISEASES	81	62	19	417.4	503.8	267.6
MALIGNANT NEOPLASMS	32	23	9	164.9	186.9	126.8
CEREBROVASCULAR DISEASE	20	14	6	103.0	113.8	84.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	20	15	5	103.0	121.9	70.4
ACCIDENTS	14	9	5	72.1	73.1	70.4
DIABETES MELLITUS	5	4	1	25.8	32.5	14.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	2	3	25.8	16.2	42.2
HOMICIDE	4	2	2	20.6	16.2	28.2
SEPTICEMIA	3	3	0	15.4	24.4	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	15.4	24.4	-
INFLUENZA AND PNEUMONIA	2	2	0	10.3	16.2	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	0	2	10.3	-	28.2
SUICIDE	2	2	0	10.3	16.2	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	5.2	-	14.1
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	5.2	8.1	-
ATHEROSCLEROSIS	1	0	1	5.2	-	14.1
HERNIA	1	0	1	5.2	-	14.1
INFECTIONS OF KIDNEY	1	1	0	5.2	8.1	-
MATERNAL CAUSES	1	0	1	315.4	-	757.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	15.4	8.1	28.2
<u>ALL OTHER CAUSES</u>	<u>12</u>	<u>9</u>	<u>3</u>	<u>61.8</u>	<u>73.1</u>	<u>42.2</u>

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>214</u>	<u>153</u>	<u>61</u>	<u>129</u>	<u>98</u>	<u>31</u>	<u>85</u>	<u>55</u>	<u>30</u>
UNDER 1	4	1	3	2	0	2	2	1	1
(Neonatal)	2	0	2	1	0	1	1	0	1
(Postneonatal)	2	1	1	1	0	1	1	1	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	7	3	4	4	3	1	3	0	3
25-34	5	3	2	4	2	2	1	1	0
35-44	9	4	5	4	1	3	5	3	2
45-54	16	11	5	9	6	3	7	5	2
55-64	25	16	9	18	11	7	7	5	2
65-74	40	29	11	25	17	8	15	12	3
75-84	58	51	7	41	39	2	17	12	5
85 AND OVER	49	34	15	21	18	3	28	16	12
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION:   TOTAL...19,407                   WHITE...12,307                   NONWHITE...7,100



# SELECTED DEATH STATISTICS, RESIDENTS OF DESOTO COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL OF ALL CAUSES</b>	<b>796</b>	<b>693</b>	<b>103</b>	<b>7.4</b>	<b>7.5</b>	<b>6.8</b>
HEART DISEASES	209	183	26	195.0	199.0	170.5
MALIGNANT NEOPLASMS	195	171	24	181.9	186.0	157.4
DIABETES MELLITUS	45	38	7	42.0	41.3	45.9
CEREBROVASCULAR DISEASE	45	40	5	42.0	43.5	32.8
ACCIDENTS	43	36	7	40.1	39.2	45.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	41	39	2	38.2	42.4	13.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	28	23	5	26.1	25.0	32.8
INFLUENZA AND PNEUMONIA	19	16	3	17.7	17.4	19.7
SUICIDE	14	14	0	13.1	15.2	-
SEPTICEMIA	13	11	2	12.1	12.0	13.1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	13	13	0	12.1	14.1	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	10	9	1	9.3	9.8	6.6
ALZHEIMERS DISEASE	7	7	0	6.5	7.6	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	6	1	6.5	6.5	6.6
PARKINSONS DISEASE	6	6	0	5.6	6.5	-
HOMICIDE	6	4	2	5.6	4.4	13.1
HIV DISEASE	5	2	3	4.7	2.2	19.7
VIRAL HEPATITIS	4	4	0	3.7	4.4	-
AORTIC ANEURYSM AND DISSECTION	4	4	0	3.7	4.4	-
CONDITIONS ORIG IN PERINATAL PERIOD	4	1	3	2.3	0.7	11.2
PEPTIC ULCER	3	3	0	2.8	3.3	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	3	0	2.8	3.3	-
COMPLICATIONS MEDICAL/SURGICAL CARE IN SITU, BENIGN & UNSPECIFIED	3	2	1	2.8	2.2	6.6
NEOPLASMS	2	2	0	1.9	2.2	-
ANEMIAS	2	2	0	1.9	2.2	-
TUBERCULOSIS	1	1	0	0.9	1.1	-
PNEUMOCOCCI & CHEMICAL EFFECTS	1	1	0	0.9	1.1	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	0.9	1.1	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	8	6	2	7.5	6.5	13.1
ALL OTHER CAUSES	54	45	9	50.4	48.9	59.0

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL</b>	<b>796</b>	<b>693</b>	<b>103</b>	<b>393</b>	<b>342</b>	<b>51</b>	<b>403</b>	<b>351</b>	<b>52</b>
UNDER 1	12	9	3	3	2	1	9	7	2
(Neonatal)	6	4	2	0	0	0	6	4	2
(Postneonatal)	6	5	1	3	2	1	3	3	0
1-4	6	5	1	2	2	0	4	3	1
5-9	0	0	0	0	0	0	0	0	0
10-14	3	3	0	2	2	0	1	1	0
15-24	15	9	6	13	8	5	2	1	1
25-34	31	22	9	19	16	3	12	6	6
35-44	36	30	6	24	19	5	12	11	1
45-54	69	59	10	40	34	6	29	25	4
55-64	101	88	13	58	50	8	43	38	5
65-74	172	152	20	94	85	9	78	67	11
75-84	195	181	14	93	88	5	102	93	9
85 AND OVER	156	135	21	45	36	9	111	99	12
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...107,199

WHITE...91,950

NONWHITE...15,249

# SELECTED DEATH STATISTICS, RESIDENTS OF FORREST COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>704</u>	<u>473</u>	<u>231</u>	<u>9.7</u>	<u>10.1</u>	<u>8.9</u>
HEART DISEASES	206	142	64	283.7	304.0	247.2
MALIGNANT NEOPLASMS	148	113	35	203.8	241.9	135.2
CEREBROVASCULAR DISEASE	51	35	16	70.2	74.9	61.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	41	31	10	56.5	66.4	38.6
DIABETES MELLITUS	27	17	10	37.2	36.4	38.6
ACCIDENTS	23	19	4	31.7	40.7	15.4
SEPTICEMIA	21	7	14	28.9	15.0	54.1
ALZHEIMERS DISEASE	16	11	5	22.0	23.5	19.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	16	11	5	22.0	23.5	19.3
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	13	10	3	17.9	21.4	11.6
INFLUENZA AND PNEUMONIA	11	7	4	15.2	15.0	15.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	11	8	3	15.2	17.1	11.6
HIV DISEASE	8	0	8	11.0	-	30.9
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	7	3	4	9.6	6.4	15.4
CONDITIONS ORIG IN PERINATAL PERIOD	7	1	6	6.6	1.7	12.6
HOMICIDE	7	1	6	9.6	2.1	23.2
SUICIDE	4	3	1	5.5	6.4	3.9
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	2	1	4.1	4.3	3.9
AORTIC ANEURYSM AND DISSECTION	3	3	0	4.1	6.4	-
MENINGITIS	2	0	2	2.8	-	7.7
CHOLELITHIASIS/GALLBLADDER DISORDER	2	2	0	2.8	4.3	-
TUBERCULOSIS	1	0	1	1.4	-	3.9
ANEMIAS	1	0	1	1.4	-	3.9
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	1.4	-	3.9
PARKINSONS DISEASE	1	1	0	1.4	2.1	-
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	1.4	2.1	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	4.1	2.1	7.7
<u>ALL OTHER CAUSES</u>	<u>69</u>	<u>44</u>	<u>25</u>	<u>95.0</u>	<u>94.2</u>	<u>96.6</u>

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>704</u>	<u>473</u>	<u>231</u>	<u>328</u>	<u>215</u>	<u>113</u>	<u>376</u>	<u>258</u>	<u>118</u>
UNDER 1	12	2	10	8	0	8	4	2	2
(NEONATAL)	8	1	7	5	0	5	3	1	2
(POSTNEONATAL)	4	1	3	3	0	3	1	1	0
1-4	1	0	1	0	0	0	1	0	1
5-9	1	1	0	0	0	0	1	1	0
10-14	2	1	1	0	0	0	2	1	1
15-24	10	3	7	8	3	5	2	0	2
25-34	9	4	5	5	2	3	4	2	2
35-44	32	13	19	19	9	10	13	4	9
45-54	53	35	18	35	21	14	18	14	4
55-64	78	51	27	45	30	15	33	21	12
65-74	130	85	45	64	46	18	66	39	27
75-84	191	140	51	93	65	28	98	75	23
85 AND OVER	185	138	47	51	39	12	134	99	35
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...72,604

WHITE...46,717

NONWHITE...25,887

# SELECTED DEATH STATISTICS, RESIDENTS OF FRANKLIN COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>94</u>	<u>54</u>	<u>40</u>	<u>11.1</u>	<u>10.2</u>	<u>12.7</u>
HEART DISEASES	37	25	12	438.0	471.2	381.8
MALIGNANT NEOPLASMS	18	7	11	213.1	132.0	350.0
ACCIDENTS	5	3	2	59.2	56.6	63.6
DIABETES MELLITUS	3	3	0	35.5	56.6	-
CEREBROVASCULAR DISEASE	3	1	2	35.5	18.8	63.6
HIV DISEASE	2	0	2	23.7	-	63.6
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	23.7	37.7	-
SEPTICEMIA	1	0	1	11.8	-	31.8
ANEMIAS	1	0	1	11.8	-	31.8
MENINGITIS	1	0	1	11.8	-	31.8
INFLUENZA AND PNEUMONIA	1	0	1	11.8	-	31.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0	11.8	18.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	11.8	-	31.8
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	11.8	-	31.8
SUICIDE	1	1	0	11.8	18.8	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	3	0	35.5	56.6	-
ALL OTHER CAUSES	13	8	5	153.9	150.8	159.1

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>94</u>	<u>54</u>	<u>40</u>	<u>54</u>	<u>31</u>	<u>23</u>	<u>40</u>	<u>23</u>	<u>17</u>
UNDER 1	2	0	2	2	0	2	0	0	0
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	2	1	1	0	0	0
15-24	2	0	2	2	0	2	0	0	0
25-34	3	2	1	2	2	0	1	0	1
35-44	5	0	5	4	0	4	1	0	1
45-54	5	2	3	2	1	1	3	1	2
55-64	11	6	5	7	4	3	4	2	2
65-74	19	11	8	12	8	4	7	3	4
75-84	23	16	7	14	9	5	9	7	2
85 AND OVER	21	15	6	7	6	1	14	9	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...8,448      WHITE...5,305      NONWHITE...3,143

# SELECTED DEATH STATISTICS, RESIDENTS OF GEORGE COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>192</u>	<u>177</u>	<u>15</u>	<u>10.0</u>	<u>10.3</u>	<u>7.4</u>
HEART DISEASES	54	50	4	282.1	292.2	196.6
MALIGNANT NEOPLASMS	43	39	4	224.6	227.9	196.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	16	16	0	83.6	93.5	-
CEREBROVASCULAR DISEASE	14	13	1	73.1	76.0	49.2
ACCIDENTS	9	9	0	47.0	52.6	-
DIABETES MELLITUS	8	8	0	41.8	46.8	-
ALZHEIMERS DISEASE	5	5	0	26.1	29.2	-
SUICIDE	5	5	0	26.1	29.2	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	3	1	20.9	17.5	49.2
INFLUENZA AND PNEUMONIA	3	3	0	15.7	17.5	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	10.4	11.7	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	2	0	10.4	11.7	-
AORTIC ANEURYSM AND DISSECTION	2	1	1	10.4	5.8	49.2
PNEUMOCONIOSES & CHEMICAL EFFECTS	2	2	0	10.4	11.7	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	2	0	10.4	11.7	-
SEPTICEMIA	1	0	1	5.2	-	49.2
VIRAL HEPATITIS	1	1	0	5.2	5.8	-
HIV DISEASE	1	1	0	5.2	5.8	-
PARKINSONS DISEASE	1	1	0	5.2	5.8	-
ATHEROSCLEROSIS	1	1	0	5.2	5.8	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	5.2	-	49.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	5.2	5.8	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	5.2	5.8	-
HOMICIDE	1	1	0	5.2	5.8	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	10.4	11.7	-
ALL OTHER CAUSES	10	8	2	52.2	46.8	98.3

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>192</u>	<u>177</u>	<u>15</u>	<u>103</u>	<u>97</u>	<u>6</u>	<u>89</u>	<u>80</u>	<u>9</u>
UNDER 1	2	2	0	2	2	0	0	0	0
(Neonatal)	1	1	0	1	1	0	0	0	0
(Postneonatal)	1	1	0	1	1	0	0	0	0
1-4	3	3	0	2	2	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	2	2	0	0	0	0
25-34	5	4	1	3	3	0	2	1	1
35-44	9	9	0	7	7	0	2	2	0
45-54	17	14	3	9	8	1	8	6	2
55-64	22	20	2	14	12	2	8	8	0
65-74	44	42	2	26	25	1	18	17	1
75-84	51	46	5	26	25	1	25	21	4
85 AND OVER	37	35	2	12	11	1	25	24	1
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...19,144

WHITE...17,110

NONWHITE...2,034

# SELECTED DEATH STATISTICS, RESIDENTS OF GREENE COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>123</u>	<u>101</u>	<u>22</u>	<u>9.2</u>	<u>10.4</u>	<u>6.1</u>
HEART DISEASES	34	26	8	255.6	268.6	221.1
MALIGNANT NEOPLASMS	29	25	4	218.1	258.2	110.6
CEREBROVASCULAR DISEASE	7	6	1	52.6	62.0	27.6
ACCIDENTS	7	5	2	52.6	51.6	55.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	6	5	1	45.1	51.6	27.6
DIABETES MELLITUS	4	2	2	30.1	20.6	55.3
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	4	4	0	30.1	41.3	-
SUICIDE	4	4	0	30.1	41.3	-
INFLUENZA AND PNEUMONIA	3	3	0	22.6	31.0	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	2	0	15.0	20.6	-
AORTIC ANEURYSM AND DISSECTION	2	2	0	15.0	20.6	-
SEPTICEMIA	1	1	0	7.5	10.3	-
HIV DISEASE	1	1	0	7.5	10.3	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	7.5	10.3	-
ALZHEIMERS DISEASE	1	1	0	7.5	10.3	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	1	1	0	7.5	10.3	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	16	12	4	120.3	124.0	110.6

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>123</u>	<u>101</u>	<u>22</u>	<u>65</u>	<u>51</u>	<u>14</u>	<u>58</u>	<u>50</u>	<u>8</u>
UNDER 1	1	1	0	0	0	0	1	1	0
(Neonatal)	1	1	0	0	0	0	1	1	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	2	2	0	0	0	0	2	2	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	4	0	3	3	0	1	1	0
25-34	4	4	0	2	2	0	2	2	0
35-44	9	7	2	5	5	0	4	2	2
45-54	8	6	2	3	2	1	5	4	1
55-64	14	13	1	6	6	0	8	7	1
65-74	22	17	5	15	12	3	7	5	2
75-84	35	26	9	21	13	8	14	13	1
85 AND OVER	24	21	3	10	8	2	14	13	1
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...13,299      WHITE...9,681      NONWHITE...3,618

# SELECTED DEATH STATISTICS, RESIDENTS OF GRENADA COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>297</u>	<u>181</u>	<u>116</u>	<u>12.8</u>	<u>13.4</u>	<u>11.8</u>
HEART DISEASES	94	63	31	404.1	467.6	316.7
MALIGNANT NEOPLASMS	63	35	28	270.8	259.8	286.0
CEREBROVASCULAR DISEASE	41	24	17	176.2	178.1	173.7
INFLUENZA AND PNEUMONIA	11	8	3	47.3	59.4	30.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	9	7	2	38.7	52.0	20.4
ACCIDENTS	8	4	4	34.4	29.7	40.9
SEPTICEMIA	6	5	1	25.8	37.1	10.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	6	4	2	25.8	29.7	20.4
HOMICIDE	6	1	5	25.8	7.4	51.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	3	2	21.5	22.3	20.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	1	3	17.2	7.4	30.6
DIABETES MELLITUS	3	1	2	12.9	7.4	20.4
ALZHEIMERS DISEASE	3	2	1	12.9	14.8	10.2
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	8.6	14.8	-
SUICIDE	2	1	1	8.6	7.4	10.2
HIV DISEASE	1	1	0	4.3	7.4	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	4.3	-	10.2
PARKINSONS DISEASE	1	1	0	4.3	7.4	-
AORTIC ANEURYSM AND DISSECTION	1	0	1	4.3	-	10.2
MATERNAL CAUSES	1	1	0	350.9	671.1	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	3.5	-	7.4
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	4.3	7.4	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	12.9	7.4	20.4
ALL OTHER CAUSES	24	15	9	103.2	111.3	91.9

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>297</u>	<u>181</u>	<u>116</u>	<u>147</u>	<u>91</u>	<u>56</u>	<u>150</u>	<u>90</u>	<u>60</u>
UNDER 1	1	0	1	1	0	1	0	0	0
(NEONATAL)	1	0	1	1	0	1	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	2	2	3	1	2	1	1	0
25-34	10	7	3	8	6	2	2	1	1
35-44	14	3	11	10	3	7	4	0	4
45-54	16	6	10	9	3	6	7	3	4
55-64	33	19	14	20	11	9	13	8	5
65-74	49	30	19	24	17	7	25	13	12
75-84	103	68	35	47	32	15	56	36	20
85 AND OVER	66	46	20	24	18	6	42	28	14
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...23,263

WHITE...13,474

NONWHITE...9,789

# SELECTED DEATH STATISTICS, RESIDENTS OF HANCOCK COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>434</u>	<u>406</u>	<u>28</u>	<u>10.1</u>	<u>10.5</u>	<u>6.6</u>
HEART DISEASES	150	143	7	349.1	369.0	166.1
MALIGNANT NEOPLASMS	84	82	2	195.5	211.6	47.4
ACCIDENTS	35	34	1	81.4	87.7	23.7
CEREBROVASCULAR DISEASE	27	20	7	62.8	51.6	166.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	26	26	0	60.5	67.1	-
SUICIDE	16	15	1	37.2	38.7	23.7
SEPTICEMIA	8	7	1	18.6	18.1	23.7
DIABETES MELLITUS	8	6	2	18.6	15.5	47.4
HOMICIDE	8	5	3	18.6	12.9	71.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	6	0	14.0	15.5	-
ATHEROSCLEROSIS	5	5	0	11.6	12.9	-
AORTIC ANEURYSM AND DISSECTION	5	5	0	11.6	12.9	-
INFLUENZA AND PNEUMONIA	5	4	1	11.6	10.3	23.7
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	3	1	9.3	7.7	23.7
ALZHEIMERS DISEASE	3	3	0	7.0	7.7	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	3	0	7.0	7.7	-
COMPLICATIONS MEDICAL/SURGICAL CARE IN SITU, BENIGN & UNSPECIFIED	2	2	0	4.6	5.2	-
NEOPLASMS	1	1	0	2.3	2.6	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	2.3	2.6	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	2.3	2.6	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	1.9	-	22.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	3	0	7.0	7.7	-
ALL OTHER CAUSES	32	31	1	74.5	80.0	23.7

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>434</u>	<u>406</u>	<u>28</u>	<u>240</u>	<u>227</u>	<u>13</u>	<u>194</u>	<u>179</u>	<u>15</u>
UNDER 1	3	2	1	0	0	0	3	2	1
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	2	2	0	0	0	0	2	2	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	2	1	1	0	0	0
15-24	10	10	0	8	8	0	2	2	0
25-34	7	7	0	6	6	0	1	1	0
35-44	32	30	2	22	21	1	10	9	1
45-54	39	36	3	26	25	1	13	11	2
55-64	58	54	4	35	33	2	23	21	2
65-74	91	85	6	59	55	4	32	30	2
75-84	105	99	6	53	51	2	52	48	4
85 AND OVER	87	82	5	29	27	2	58	55	3
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...42,967

WHITE...38,752

NONWHITE...4,215

# SELECTED DEATH STATISTICS, RESIDENTS OF HARRISON COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL OF ALL CAUSES</b>	<b>1,699</b>	<b>1,365</b>	<b>334</b>	<b>9.0</b>	<b>9.8</b>	<b>6.6</b>
HEART DISEASES	600	482	118	316.4	347.5	231.8
MALIGNANT NEOPLASMS	365	295	70	192.5	212.7	137.5
CEREBROVASCULAR DISEASE	92	74	18	48.5	53.4	35.4
ACCIDENTS	89	68	21	46.9	49.0	41.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	79	71	8	41.7	51.2	15.7
INFLUENZA AND PNEUMONIA	40	31	9	21.1	22.4	17.7
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	36	31	5	19.0	22.4	9.8
SEPTICEMIA	29	24	5	15.3	17.3	9.8
SUICIDE	29	29	0	15.3	20.9	-
ALZHEIMERS DISEASE	28	26	2	14.8	18.7	3.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	26	22	4	13.7	15.9	7.8
HOMICIDE	19	9	10	10.0	6.5	19.6
DIABETES MELLITUS	15	10	5	7.9	7.2	9.8
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	14	10	4	7.4	7.2	7.8
CONDITIONS ORIG IN PERINATAL PERIOD	12	3	9	4.2	1.6	9.8
ATHEROSCLEROSIS	11	7	4	5.8	5.0	7.8
AORTIC ANEURYSM AND DISSECTION	8	7	1	4.2	5.0	2.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	8	8	0	4.2	5.8	-
HIV DISEASE	7	5	2	3.7	3.6	3.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	7	5	2	3.7	3.6	3.9
VIRAL HEPATITIS	6	6	0	3.2	4.3	-
ANEMIAS	6	5	1	3.2	3.6	2.0
MALNUTRITION/NUTRITIONAL DEFICIENCY	5	2	3	2.6	1.4	5.9
PARKINSONS DISEASE	4	4	0	2.1	2.9	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	1.0	1.4	-
COMPLICATIONS MEDICAL/SURGICAL CARE	2	2	0	1.0	1.4	-
MENINGOCOCCAL INFECTION	1	1	0	0.5	0.7	-
MENINGITIS	1	0	1	0.5	-	2.0
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	0.5	0.7	-
PEPTIC ULCER	1	1	0	0.5	0.7	-
HERNIA	1	1	0	0.5	0.7	-
LEGAL INTERVENTION	1	1	0	0.5	0.7	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	12	11	1	6.3	7.9	2.0
<b>ALL OTHER CAUSES</b>	<b>142</b>	<b>111</b>	<b>31</b>	<b>74.9</b>	<b>80.0</b>	<b>60.9</b>

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL</b>	<b>1,699</b>	<b>1,365</b>	<b>334</b>	<b>857</b>	<b>691</b>	<b>166</b>	<b>842</b>	<b>674</b>	<b>168</b>
UNDER 1	32	15	17	17	7	10	15	8	7
(Neonatal)	19	10	9	10	4	6	9	6	3
(Postneonatal)	13	5	8	7	3	4	6	2	4
1-4	11	4	7	9	3	6	2	1	1
5-9	3	1	2	2	0	2	1	1	0
10-14	5	2	3	2	0	2	3	2	1
15-24	23	14	9	17	11	6	6	3	3
25-34	38	27	11	29	21	8	9	6	3
35-44	94	65	29	58	43	15	36	22	14
45-54	124	80	44	74	50	24	50	30	20
55-64	215	173	42	134	109	25	81	64	17
65-74	358	300	58	201	173	28	157	127	30
75-84	469	407	62	228	200	28	241	207	34
85 AND OVER	327	277	50	86	74	12	241	203	38
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL... 189,601

WHITE... 138,692

NONWHITE... 50,909



# SELECTED DEATH STATISTICS, RESIDENTS OF HINDS COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>2,025</u>	<u>955</u>	<u>1,070</u>	<u>8.1</u>	<u>10.2</u>	<u>6.8</u>
HEART DISEASES	647	341	306	258.0	364.4	194.6
MALIGNANT NEOPLASMS	369	173	196	147.1	184.9	124.7
CEREBROVASCULAR DISEASE	137	63	74	54.6	67.3	47.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	85	60	25	33.9	64.1	15.9
ACCIDENTS	83	31	52	33.1	33.1	33.1
INFLUENZA AND PNEUMONIA	60	32	28	23.9	34.2	17.8
SEPTICEMIA	54	25	29	21.5	26.7	18.4
HIV DISEASE	52	1	51	20.7	1.1	32.4
HOMICIDE	47	4	43	18.7	4.3	27.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	38	12	26	15.2	12.8	16.5
DIABETES MELLITUS	37	12	25	14.8	12.8	15.9
SUICIDE	28	21	7	11.2	22.4	4.4
CONDITIONS ORIG IN PERINATAL PERIOD	27	7	20	7.0	7.0	7.0
ALZHEIMERS DISEASE	25	14	11	10.0	15.0	7.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	15	1	14	6.0	1.1	8.9
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	15	8	7	6.0	8.5	4.4
AORTIC ANEURYSM AND DISSECTION	13	8	5	5.2	8.5	3.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	12	10	2	4.8	10.7	1.3
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	10	2	8	4.0	2.1	5.1
PARKINSONS DISEASE	8	7	1	3.2	7.5	0.6
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	7	7	0	2.8	7.5	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	5	2	3	2.0	2.1	1.9
CHOLELITHIASIS/GALLBLADDER DISORDER	4	3	1	1.6	3.2	0.6
COMPLICATIONS MEDICAL/SURGICAL CARE	4	1	3	1.6	1.1	1.9
ANEMIAS	3	0	3	1.2	-	1.9
VIRAL HEPATITIS	2	0	2	0.8	-	1.3
ATHEROSCLEROSIS	2	2	0	0.8	2.1	-
PEPTIC ULCER	2	1	1	0.8	1.1	0.6
TUBERCULOSIS	1	1	0	0.4	1.1	-
SYPHILIS	1	0	1	0.4	-	0.6
MENINGITIS	1	1	0	0.4	1.1	-
INFECTIONS OF KIDNEY	1	0	1	0.4	-	0.6
HYPERPLASIA OF PROSTATE	1	1	0	0.4	1.1	-
MATERNAL CAUSES	1	0	1	26.0	-	35.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	9	2	7	3.6	2.1	4.4
ALL OTHER CAUSES	219	102	117	87.3	109.0	74.4

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	NON- WHITE	NON- WHITE	TOTAL	NON- WHITE	NON- WHITE	TOTAL	NON- WHITE	NON- WHITE
<u>TOTAL</u>	<u>2,025</u>	<u>955</u>	<u>1,070</u>	<u>981</u>	<u>442</u>	<u>539</u>	<u>1,044</u>	<u>513</u>	<u>531</u>
UNDER 1	52	11	41	28	9	19	24	2	22
(NEONATAL)	31	8	23	17	7	10	14	1	13
(POSTNEONATAL)	21	3	18	11	2	9	10	1	9
1-4	4	0	4	3	0	3	1	0	1
5-9	3	1	2	3	1	2	0	0	0
10-14	3	1	2	1	1	0	2	0	2
15-24	51	8	43	42	6	36	9	2	7
25-34	64	11	53	45	9	36	19	2	17
35-44	120	30	90	70	15	55	50	15	35
45-54	182	58	124	118	39	79	64	19	45
55-64	204	84	120	110	42	68	94	42	52
65-74	364	174	190	199	101	98	165	73	92
75-84	493	305	188	210	142	68	283	163	120
85 AND OVER	485	272	213	152	77	75	333	195	138
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...250,800      WHITE...93,584      NONWHITE...157,216

# SELECTED DEATH STATISTICS, RESIDENTS OF HOLMES COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>251</u>	<u>74</u>	<u>177</u>	<u>11.6</u>	<u>16.7</u>	<u>10.3</u>
HEART DISEASES	102	30	72	472.0	678.1	419.0
MALIGNANT NEOPLASMS	54	15	39	249.9	339.1	226.9
CEREBROVASCULAR DISEASE	13	7	6	60.2	158.2	34.9
ACCIDENTS	13	7	6	60.2	158.2	34.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	11	1	10	50.9	22.6	58.2
DIABETES MELLITUS	9	3	6	41.6	67.8	34.9
INFLUENZA AND PNEUMONIA	7	1	6	32.4	22.6	34.9
HOMICIDE	6	3	3	27.8	67.8	17.4
SUICIDE	5	2	3	23.1	45.2	17.4
SEPTICEMIA	3	1	2	13.9	22.6	11.6
VIRAL HEPATITIS	2	1	1	9.2	22.6	5.8
HIV DISEASE	2	1	1	9.2	22.6	5.8
ALZHEIMERS DISEASE	1	0	1	4.6	-	5.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	4.6	-	5.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	4.6	-	5.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	0	2	9.2	-	11.6
ALL OTHER CAUSES	19	2	17	87.9	45.2	98.9

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>251</u>	<u>74</u>	<u>177</u>	<u>125</u>	<u>33</u>	<u>92</u>	<u>126</u>	<u>41</u>	<u>85</u>
UNDER 1	2	0	2	2	0	2	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	2	0	2	2	0	2	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	6	0	6	5	0	5	1	0	1
25-34	3	0	3	2	0	2	1	0	1
35-44	20	2	18	18	1	17	2	1	1
45-54	25	6	19	15	5	10	10	1	9
55-64	26	8	18	12	5	7	14	3	11
65-74	45	13	32	27	8	19	18	5	13
75-84	59	21	38	24	8	16	35	13	22
85 AND OVER	65	24	41	20	6	14	45	18	27
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...21,609

WHITE...4,424

NONWHITE...17,185

# SELECTED DEATH STATISTICS, RESIDENTS OF HUMPHREYS COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>107</u>	<u>30</u>	<u>77</u>	<u>9.5</u>	<u>9.8</u>	<u>9.4</u>
HEART DISEASES	37	9	28	330.2	295.6	343.1
MALIGNANT NEOPLASMS	32	12	20	285.6	394.1	245.1
ACCIDENTS	7	3	4	62.5	98.5	49.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	5	3	2	44.6	98.5	24.5
CEREBROVASCULAR DISEASE	4	0	4	35.7	-	49.0
CONDITIONS ORIG IN PERINATAL PERIOD	4	0	4	17.8	-	21.0
INFLUENZA AND PNEUMONIA	3	0	3	26.8	-	36.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	0	3	26.8	-	36.8
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	0	2	17.8	-	24.5
HIV DISEASE	1	0	1	8.9	-	12.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	8.9	-	12.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	8.9	32.8	-
HOMICIDE	1	0	1	8.9	-	12.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	8.9	-	12.2
ALL OTHER CAUSES	5	2	3	44.6	65.7	36.8

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>107</u>	<u>30</u>	<u>77</u>	<u>54</u>	<u>17</u>	<u>37</u>	<u>53</u>	<u>13</u>	<u>40</u>
UNDER 1	4	0	4	2	0	2	2	0	2
(Neonatal)	4	0	4	2	0	2	2	0	2
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	4	1	3	4	1	3	0	0	0
25-34	5	1	4	4	1	3	1	0	1
35-44	2	1	1	0	0	0	2	1	1
45-54	9	0	9	5	0	5	4	0	4
55-64	16	7	9	10	6	4	6	1	5
65-74	15	5	10	10	4	6	5	1	4
75-84	23	9	14	11	3	8	12	6	6
85 AND OVER	27	6	21	7	2	5	20	4	16
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...11,206

WHITE...3,045

NONWHITE...8,161

# SELECTED DEATH STATISTICS, RESIDENTS OF ISSAQUENA COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>12</u>	<u>4</u>	<u>8</u>	<u>5.3</u>	<u>4.8</u>	<u>5.5</u>
MALIGNANT NEOPLASMS	3	1	2	131.9	121.1	138.1
HEART DISEASES	3	1	2	131.9	121.1	138.1
ACCIDENTS	2	1	1	88.0	121.1	69.1
CEREBROVASCULAR DISEASE	1	1	0	44.0	121.1	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	1	0	1	44.0	-	69.1
HOMICIDE	1	0	1	44.0	-	69.1
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	44.0	-	69.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	0	0	0	-	-	-

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>12</u>	<u>4</u>	<u>8</u>	<u>8</u>	<u>2</u>	<u>6</u>	<u>4</u>	<u>2</u>	<u>2</u>
UNDER 1	0	0	0	0	0	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	1	0	1	0	0	0
25-34	0	0	0	0	0	0	0	0	0
35-44	0	0	0	0	0	0	0	0	0
45-54	3	2	1	2	1	1	1	1	0
55-64	2	0	2	1	0	1	1	0	1
65-74	4	1	3	3	1	2	1	0	1
75-84	0	0	0	0	0	0	0	0	0
85 AND OVER	2	1	1	1	0	1	1	1	0
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...2,274

WHITE...826

NONWHITE...1,448

# SELECTED DEATH STATISTICS, RESIDENTS OF ITAWAMBA COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>300</u>	<u>288</u>	<u>12</u>	<u>13.2</u>	<u>13.7</u>	<u>7.0</u>
HEART DISEASES	113	109	4	496.3	517.7	233.2
MALIGNANT NEOPLASMS	57	52	5	250.3	247.0	291.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	26	26	0	114.2	123.5	-
CEREBROVASCULAR DISEASE	18	17	1	79.0	80.7	58.3
ACCIDENTS	16	16	0	70.3	76.0	-
DIABETES MELLITUS	8	7	1	35.1	33.2	58.3
INFLUENZA AND PNEUMONIA	8	8	0	35.1	38.0	-
ALZHEIMERS DISEASE	7	7	0	30.7	33.2	-
SEPTICEMIA	5	5	0	22.0	23.7	-
PARKINSONS DISEASE	3	3	0	13.2	14.2	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	13.2	14.2	-
SUICIDE	3	3	0	13.2	14.2	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	8.8	9.5	-
AORTIC ANEURYSM AND DISSECTION	2	2	0	8.8	9.5	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	8.8	9.5	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	2	0	8.8	9.5	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	2	0	8.8	9.5	-
ATHEROSCLEROSIS	1	1	0	4.4	4.7	-
PEPTIC ULCER	1	1	0	4.4	4.7	-
HOMICIDE	1	1	0	4.4	4.7	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	3	0	13.2	14.2	-
ALL OTHER CAUSES	17	16	1	74.7	76.0	58.3

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>300</u>	<u>288</u>	<u>12</u>	<u>168</u>	<u>162</u>	<u>6</u>	<u>132</u>	<u>126</u>	<u>6</u>
UNDER 1	1	1	0	1	1	0	0	0	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	4	0	4	4	0	0	0	0
25-34	3	3	0	2	2	0	1	1	0
35-44	9	7	2	6	4	2	3	3	0
45-54	17	16	1	12	11	1	5	5	0
55-64	31	29	2	21	21	0	10	8	2
65-74	51	49	2	33	32	1	18	17	1
75-84	93	89	4	51	49	2	42	40	2
85 AND OVER	91	90	1	38	38	0	53	52	1
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...22,770

WHITE...21,055

NONWHITE...1,715

# SELECTED DEATH STATISTICS, RESIDENTS OF JACKSON COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL OF ALL CAUSES</b>	<b>1,121</b>	<b>914</b>	<b>207</b>	<b>8.5</b>	<b>9.2</b>	<b>6.4</b>
HEART DISEASES	310	240	70	235.9	242.4	216.1
MALIGNANT NEOPLASMS	244	202	42	185.7	204.0	129.6
CEREBROVASCULAR DISEASE	85	68	17	64.7	68.7	52.5
ACCIDENTS	66	49	17	50.2	49.5	52.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	56	53	3	42.6	53.5	9.3
ALZHEIMERS DISEASE	40	35	5	30.4	35.3	15.4
INFLUENZA AND PNEUMONIA	20	17	3	15.2	17.2	9.3
SEPTICEMIA	19	18	1	14.4	18.2	3.1
HOMICIDE	19	10	9	14.4	10.1	27.8
SUICIDE	16	15	1	12.2	15.1	3.1
DIABETES MELLITUS	14	12	2	10.6	12.1	6.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	14	11	3	10.6	11.1	9.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	10	10	0	7.6	10.1	-
AORTIC ANEURYSM AND DISSECTION	8	8	0	6.1	8.1	-
PARKINSONS DISEASE	7	7	0	5.3	7.1	-
VIRAL HEPATITIS	5	5	0	3.8	5.0	-
HIV DISEASE	5	2	3	3.8	2.0	9.3
PNEUMONITIS DUE TO SOLIDS & LIQUIDS IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	4	4	0	3.0	4.0	-
ANEMIAS	4	3	1	3.0	3.0	3.1
MALNUTRITION/NUTRITIONAL DEFICIENCY	4	1	3	3.0	1.0	9.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	3	1	3.0	3.0	3.1
ATHEROSCLEROSIS	4	3	1	3.0	3.0	3.1
CONDITIONS ORIG IN PERINATAL PERIOD	4	1	3	2.1	0.8	5.4
CHOLELITHIASIS/GALLBLADDER DISORDER	3	3	0	2.3	3.0	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	3	0	2.3	3.0	-
COMPLICATIONS MEDICAL/SURGICAL CARE	3	3	0	2.3	3.0	-
LEGAL INTERVENTION	2	2	0	1.5	2.0	-
PEPTIC ULCER	1	1	0	0.8	1.0	-
HERNIA	1	1	0	0.8	1.0	-
INFECTIONS OF KIDNEY	1	1	0	0.8	1.0	-
MATERNAL CAUSES	1	0	1	53.4	-	180.8
--- NOT INCLUDED IN RANKING --- SYMPTOMS, SIGNS, ILL-DEFINED	5	5	0	3.8	5.0	-
ALL OTHER CAUSES	134	113	21	102.0	114.1	64.8

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERI-NATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL</b>	<b>1,121</b>	<b>914</b>	<b>207</b>	<b>551</b>	<b>440</b>	<b>111</b>	<b>570</b>	<b>474</b>	<b>96</b>
UNDER 1	13	7	6	7	5	2	6	2	4
(NEONATAL)	7	4	3	3	2	1	4	2	2
(POSTNEONATAL)	6	3	3	4	3	1	2	0	2
1-4	5	1	4	4	1	3	1	0	1
5-9	3	2	1	0	0	0	3	2	1
10-14	6	2	4	3	1	2	3	1	2
15-24	23	19	4	17	13	4	6	6	0
25-34	21	12	9	17	9	8	4	3	1
35-44	54	42	12	43	34	9	11	8	3
45-54	89	60	29	48	34	14	41	26	15
55-64	133	102	31	65	49	16	68	53	15
65-74	224	196	28	130	110	20	94	86	8
75-84	298	255	43	135	118	17	163	137	26
85 AND OVER	251	215	36	81	65	16	170	150	20
UNKNOWN	1	1	0	1	1	0	0	0	0

2000 POPULATION: TOTAL...131,420

WHITE...99,026

NONWHITE...32,394

# SELECTED DEATH STATISTICS, RESIDENTS OF JASPER COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>178</u>	<u>95</u>	<u>83</u>	<u>9.8</u>	<u>11.3</u>	<u>8.5</u>
HEART DISEASES	68	39	29	374.7	462.5	298.5
MALIGNANT NEOPLASMS	33	23	10	181.8	272.7	102.9
CEREBROVASCULAR DISEASE	15	7	8	82.6	83.0	82.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	14	6	8	77.1	71.1	82.3
ACCIDENTS	10	4	6	55.1	47.4	61.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	1	3	22.0	11.8	30.9
SEPTICEMIA	3	1	2	16.5	11.8	20.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	3	0	16.5	35.6	-
HOMICIDE	3	1	2	16.5	11.8	20.6
DIABETES MELLITUS	2	0	2	11.0	-	20.6
ALZHEIMERS DISEASE	2	2	0	11.0	23.7	-
AORTIC ANEURYSM AND DISSECTION	2	2	0	11.0	23.7	-
INFLUENZA AND PNEUMONIA	2	2	0	11.0	23.7	-
SUICIDE	2	2	0	11.0	23.7	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	5.5	-	10.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	5.5	-	10.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	5.5	-	10.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	16.5	11.8	20.6
ALL OTHER CAUSES	9	1	8	49.6	11.8	82.3

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>178</u>	<u>95</u>	<u>83</u>	<u>82</u>	<u>41</u>	<u>41</u>	<u>96</u>	<u>54</u>	<u>42</u>
UNDER 1	1	0	1	0	0	0	1	0	1
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	7	2	5	7	2	5	0	0	0
25-34	4	0	4	2	0	2	2	0	2
35-44	6	2	4	3	0	3	3	2	1
45-54	11	2	9	10	2	8	1	0	1
55-64	16	8	8	10	5	5	6	3	3
65-74	26	13	13	16	10	6	10	3	7
75-84	44	29	15	19	15	4	25	14	11
85 AND OVER	63	39	24	15	7	8	48	32	16
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...18,149

WHITE...8,433

NONWHITE...9,716

# SELECTED DEATH STATISTICS, RESIDENTS OF JEFFERSON COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>95</u>	<u>16</u>	<u>79</u>	<u>9.8</u>	<u>12.6</u>	<u>9.3</u>
HEART DISEASES	29	5	24	297.7	393.1	283.4
MALIGNANT NEOPLASMS	27	5	22	277.2	393.1	259.8
ACCIDENTS	8	3	5	82.1	235.8	59.0
DIABETES MELLITUS	5	1	4	51.3	78.6	47.2
CEREBROVASCULAR DISEASE	4	1	3	41.1	78.6	35.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	0	3	30.8	-	35.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	0	3	30.8	-	35.4
HIV DISEASE	2	0	2	20.5	-	23.6
SUICIDE	2	0	2	20.5	-	23.6
SEPTICEMIA	1	0	1	10.3	-	11.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	10.3	-	11.8
AORTIC ANEURYSM AND DISSECTION	1	0	1	10.3	-	11.8
INFLUENZA AND PNEUMONIA	1	0	1	10.3	-	11.8
HERNIA	1	1	0	10.3	78.6	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	10.3	-	11.8
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	7.5	-	7.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	5	0	5	51.3	-	59.0

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>95</u>	<u>16</u>	<u>79</u>	<u>55</u>	<u>8</u>	<u>47</u>	<u>40</u>	<u>8</u>	<u>32</u>
UNDER 1	2	0	2	2	0	2	0	0	0
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	2	1	1	0	0	0
25-34	4	0	4	3	0	3	1	0	1
35-44	7	0	7	5	0	5	2	0	2
45-54	13	2	11	9	2	7	4	0	4
55-64	12	2	10	5	0	5	7	2	5
65-74	17	3	14	10	2	8	7	1	6
75-84	24	5	19	13	2	11	11	3	8
85 AND OVER	14	3	11	6	1	5	8	2	6
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...9,740      WHITE...1,272      NONWHITE...8,468



# SELECTED DEATH STATISTICS, RESIDENTS OF JEFF DAVIS COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>143</u>	<u>77</u>	<u>66</u>	<u>10.2</u>	<u>13.2</u>	<u>8.1</u>
HEART DISEASES	42	25	17	300.8	429.8	208.7
MALIGNANT NEOPLASMS	38	19	19	272.2	326.7	233.2
ACCIDENTS	9	0	9	64.5	-	110.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	6	2	57.3	103.2	24.6
HOMICIDE	7	5	2	50.1	86.0	24.6
CEREBROVASCULAR DISEASE	6	4	2	43.0	68.8	24.6
SEPTICEMIA	5	1	4	35.8	17.2	49.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	2	2	28.6	34.4	24.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	1	2	21.5	17.2	24.6
DIABETES MELLITUS	2	1	1	14.3	17.2	12.3
INFLUENZA AND PNEUMONIA	2	2	0	14.3	34.4	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	14.3	17.2	12.3
CONDITIONS ORIG IN PERINATAL PERIOD	2	2	0	11.7	28.2	-
ALZHEIMERS DISEASE	1	1	0	7.2	17.2	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	7.2	17.2	-
SUICIDE	1	0	1	7.2	-	12.3
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	7.2	17.2	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	14.3	34.4	-
ALL OTHER CAUSES	7	3	4	50.1	51.6	49.1

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>143</u>	<u>77</u>	<u>66</u>	<u>74</u>	<u>39</u>	<u>35</u>	<u>69</u>	<u>38</u>	<u>31</u>
UNDER 1	4	2	2	1	0	1	3	2	1
(Neonatal)	2	2	0	0	0	0	2	2	0
(Postneonatal)	2	0	2	1	0	1	1	0	1
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	7	2	5	5	1	4	2	1	1
35-44	10	4	6	9	4	5	1	0	1
45-54	19	9	10	7	4	3	12	5	7
55-64	16	5	11	10	4	6	6	1	5
65-74	21	10	11	16	7	9	5	3	2
75-84	31	19	12	13	10	3	18	9	9
85 AND OVER	33	25	8	11	8	3	22	17	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...13,962

WHITE...5,816

NONWHITE...8,146

# SELECTED DEATH STATISTICS, RESIDENTS OF JONES COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL OF ALL CAUSES</b>	<b>715</b>	<b>554</b>	<b>161</b>	<b>11.0</b>	<b>12.0</b>	<b>8.6</b>
HEART DISEASES	224	181	43	344.8	391.8	229.1
MALIGNANT NEOPLASMS	137	108	29	210.9	233.8	154.5
INFLUENZA AND PNEUMONIA	41	35	6	63.1	75.8	32.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	40	34	6	61.6	73.6	32.0
CEREBROVASCULAR DISEASE	38	29	9	58.5	62.8	48.0
ACCIDENTS	35	29	6	53.9	62.8	32.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	18	12	6	27.7	26.0	32.0
SEPTICEMIA	16	6	10	24.6	13.0	53.3
DIABETES MELLITUS	13	9	4	20.0	19.5	21.3
ALZHEIMERS DISEASE	13	12	1	20.0	26.0	5.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	9	6	3	13.8	13.0	16.0
HOMICIDE	8	4	4	12.3	8.7	21.3
AORTIC ANEURYSM AND DISSECTION	7	5	2	10.8	10.8	10.6
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	5	3	2	7.7	6.5	10.6
PARKINSONS DISEASE	4	4	0	6.2	8.7	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	3	1	6.2	6.5	5.3
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	4	0	6.2	8.7	-
SUICIDE	4	4	0	6.2	8.7	-
HIV DISEASE	3	0	3	4.6	-	16.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	2	1	4.6	4.3	5.3
MALNUTRITION/NUTRITIONAL DEFICIENCY	3	1	2	4.6	2.2	10.6
CONDITIONS ORIG IN PERINATAL PERIOD	3	2	1	3.0	3.1	2.8
ANEMIAS	2	2	0	3.1	4.3	-
COMPLICATIONS MEDICAL/SURGICAL CARE	2	2	0	3.1	4.3	-
VIRAL HEPATITIS	1	0	1	1.5	-	5.3
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	1.5	2.2	-
DISEASES OF APPENDIX	1	1	0	1.5	2.2	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	2	4	9.2	4.3	21.3
ALL OTHER CAUSES	70	53	17	107.8	114.7	90.6

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL</b>	<b>715</b>	<b>554</b>	<b>161</b>	<b>366</b>	<b>285</b>	<b>81</b>	<b>349</b>	<b>269</b>	<b>80</b>
UNDER 1	10	6	4	3	1	2	7	5	2
(Neonatal)	6	4	2	2	1	1	4	3	1
(Postneonatal)	4	2	2	1	0	1	3	2	1
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	1	0	1	1	1	0
15-24	11	8	3	6	5	1	5	3	2
25-34	8	5	3	6	3	3	2	2	0
35-44	31	20	11	14	10	4	17	10	7
45-54	38	20	18	24	13	11	14	7	7
55-64	92	72	20	62	52	10	30	20	10
65-74	153	112	41	97	72	25	56	40	16
75-84	190	160	30	99	87	12	91	73	18
85 AND OVER	179	150	29	54	42	12	125	108	17
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...64,958

WHITE...46,192

NONWHITE...18,766

# SELECTED DEATH STATISTICS, RESIDENTS OF KEMPER COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>117</u>	<u>49</u>	<u>68</u>	<u>11.2</u>	<u>12.0</u>	<u>10.7</u>
HEART DISEASES	38	21	17	363.5	514.7	266.8
MALIGNANT NEOPLASMS	28	8	20	267.9	196.1	313.8
ACCIDENTS	12	4	8	114.8	98.0	125.5
DIABETES MELLITUS	8	3	5	76.5	73.5	78.4
CEREBROVASCULAR DISEASE	7	3	4	67.0	73.5	62.8
ALZHEIMERS DISEASE	3	1	2	28.7	24.5	31.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	1	2	28.7	24.5	31.4
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	22.0	-	32.2
INFLUENZA AND PNEUMONIA	2	2	0	19.1	49.0	-
SEPTICEMIA	1	0	1	9.6	-	15.7
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	9.6	24.5	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	9.6	24.5	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	1	1	0	9.6	24.5	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	9.6	24.5	-
MATERNAL CAUSES	1	1	0	735.3	2325.6	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	9.6	-	15.7
HOMICIDE	1	0	1	9.6	-	15.7
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	5	1	4	47.8	24.5	62.8

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>117</u>	<u>49</u>	<u>68</u>	<u>47</u>	<u>21</u>	<u>26</u>	<u>70</u>	<u>28</u>	<u>42</u>
UNDER 1	4	0	4	1	0	1	3	0	3
(NEONATAL)	3	0	3	1	0	1	2	0	2
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	2	1	1	1	0	1
25-34	1	1	0	0	0	0	1	1	0
35-44	4	1	3	2	1	1	2	0	2
45-54	9	0	9	5	0	5	4	0	4
55-64	17	6	11	6	2	4	11	4	7
65-74	23	5	18	10	4	6	13	1	12
75-84	22	12	10	6	4	2	16	8	8
85 AND OVER	33	23	10	15	9	6	18	14	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...10,453

WHITE...4,080

NONWHITE...6,373

# SELECTED DEATH STATISTICS, RESIDENTS OF LAFAYETTE COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>293</u>	<u>228</u>	<u>65</u>	<u>7.6</u>	<u>8.2</u>	<u>6.0</u>
HEART DISEASES	67	53	14	172.9	190.4	128.4
MALIGNANT NEOPLASMS	62	45	17	160.0	161.6	155.9
ACCIDENTS	21	14	7	54.2	50.3	64.2
INFLUENZA AND PNEUMONIA	15	13	2	38.7	46.7	18.3
DIABETES MELLITUS	14	12	2	36.1	43.1	18.3
CEREBROVASCULAR DISEASE	14	12	2	36.1	43.1	18.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	14	13	1	36.1	46.7	9.2
ALZHEIMERS DISEASE	12	12	0	31.0	43.1	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	10	7	3	25.8	25.1	27.5
SEPTICEMIA	7	7	0	18.1	25.1	-
PARKINSONS DISEASE	6	6	0	15.5	21.6	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	2	1	7.7	7.2	9.2
CONDITIONS ORIG IN PERINATAL PERIOD	3	1	2	6.7	3.8	10.7
HOMICIDE	3	1	2	7.7	3.6	18.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1	5.2	3.6	9.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	5.2	3.6	9.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	5.2	3.6	9.2
SUICIDE	2	2	0	5.2	7.2	-
HIV DISEASE	1	1	0	2.6	3.6	-
ANEMIAS	1	0	1	2.6	-	9.2
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	2.6	3.6	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	2.6	3.6	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	2.6	3.6	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
<u>ALL OTHER CAUSES</u>	<u>29</u>	<u>21</u>	<u>8</u>	<u>74.8</u>	<u>75.4</u>	<u>73.4</u>

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>293</u>	<u>228</u>	<u>65</u>	<u>146</u>	<u>114</u>	<u>32</u>	<u>147</u>	<u>114</u>	<u>33</u>
UNDER 1	5	3	2	1	0	1	4	3	1
(Neonatal)	4	2	2	1	0	1	3	2	1
(Postneonatal)	1	1	0	0	0	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	6	6	0	4	4	0	2	2	0
25-34	8	5	3	6	3	3	2	2	0
35-44	7	4	3	5	3	2	2	1	1
45-54	19	10	9	10	6	4	9	4	5
55-64	28	19	9	18	11	7	10	8	2
65-74	51	38	13	27	22	5	24	16	8
75-84	91	83	8	52	48	4	39	35	4
85 AND OVER	77	60	17	23	17	6	54	43	11
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...38,744

WHITE...27,838

NONWHITE...10,906

# SELECTED DEATH STATISTICS, RESIDENTS OF LAMAR COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>282</u>	<u>250</u>	<u>32</u>	<u>7.2</u>	<u>7.5</u>	<u>5.6</u>
HEART DISEASES	97	88	9	248.3	263.9	157.1
MALIGNANT NEOPLASMS	72	65	7	184.3	194.9	122.2
CEREBROVASCULAR DISEASE	19	16	3	48.6	48.0	52.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	17	17	0	43.5	51.0	-
ACCIDENTS	17	16	1	43.5	48.0	17.4
DIABETES MELLITUS	6	4	2	15.4	12.0	34.9
ALZHEIMERS DISEASE	5	5	0	12.8	15.0	-
SUICIDE	5	5	0	12.8	15.0	-
SEPTICEMIA	4	2	2	10.2	6.0	34.9
CONDITIONS ORIG IN PERINATAL PERIOD	4	2	2	6.4	3.9	18.3
VIRAL HEPATITIS	3	2	1	7.7	6.0	17.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	2	1	7.7	6.0	17.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	3	0	7.7	9.0	-
INFLUENZA AND PNEUMONIA	2	2	0	5.1	6.0	-
HIV DISEASE	1	1	0	2.6	3.0	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	2.6	3.0	-
ATHEROSCLEROSIS	1	1	0	2.6	3.0	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	2.6	3.0	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	2.6	-	17.4
ALL OTHER CAUSES	20	17	3	51.2	51.0	52.4

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>282</u>	<u>250</u>	<u>32</u>	<u>146</u>	<u>135</u>	<u>11</u>	<u>136</u>	<u>115</u>	<u>21</u>
UNDER 1	5	3	2	3	1	2	2	2	0
(Neonatal)	5	3	2	3	1	2	2	2	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	2	2	0	2	2	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	2	3	4	2	2	1	0	1
25-34	7	6	1	6	5	1	1	1	0
35-44	14	13	1	9	9	0	5	4	1
45-54	22	18	4	17	16	1	5	2	3
55-64	31	28	3	19	18	1	12	10	2
65-74	59	52	7	37	35	2	22	17	5
75-84	71	65	6	33	31	2	38	34	4
85 AND OVER	66	61	5	16	16	0	50	45	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...39,070

WHITE...33,342

NONWHITE...5,728

# SELECTED DEATH STATISTICS, RESIDENTS OF LAUDERDALE COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL OF ALL CAUSES</b>	<b>948</b>	<b>639</b>	<b>309</b>	<b>12.1</b>	<b>13.6</b>	<b>9.9</b>
HEART DISEASES	306	211	95	391.5	448.8	305.0
MALIGNANT NEOPLASMS	213	147	66	272.5	312.7	211.9
CEREBROVASCULAR DISEASE	59	39	20	75.5	83.0	64.2
ACCIDENTS	48	32	16	61.4	68.1	51.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	39	32	7	49.9	68.1	22.5
ALZHEIMERS DISEASE	38	30	8	48.6	63.8	25.7
INFLUENZA AND PNEUMONIA	20	11	9	25.6	23.4	28.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	20	6	14	25.6	12.8	44.9
DIABETES MELLITUS	13	7	6	16.6	14.9	19.3
HIV DISEASE	12	1	11	15.4	2.1	35.3
SEPTICEMIA	11	6	5	14.1	12.8	16.0
CONDITIONS ORIG IN PERINATAL PERIOD	9	1	8	7.4	1.7	13.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	8	6	2	10.2	12.8	6.4
PARKINSONS DISEASE	6	6	0	7.7	12.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	6	5	1	7.7	10.6	3.2
SUICIDE	6	4	2	7.7	8.5	6.4
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	5	2	3	6.4	4.2	9.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	2	3	6.4	4.2	9.6
AORTIC ANEURYSM AND DISSECTION	5	4	1	6.4	8.5	3.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	5	4	1	6.4	8.5	3.2
VIRAL HEPATITIS	4	3	1	5.1	6.4	3.2
ANEMIAS	2	2	0	2.6	4.2	-
MENINGITIS	2	2	0	2.6	4.2	-
HOMICIDE	2	1	1	2.6	2.1	3.2
COMPLICATIONS MEDICAL/SURGICAL CARE	2	0	2	2.6	-	6.4
ATHEROSCLEROSIS	1	1	0	1.3	2.1	-
PEPTIC ULCER	1	1	0	1.3	2.1	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	1.3	-	3.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	16	13	3	20.5	27.6	9.6
ALL OTHER CAUSES	83	60	23	106.2	127.6	73.8

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL</b>	<b>948</b>	<b>639</b>	<b>309</b>	<b>434</b>	<b>286</b>	<b>148</b>	<b>514</b>	<b>353</b>	<b>161</b>
UNDER 1	17	4	13	12	3	9	5	1	4
(Neonatal)	11	2	9	8	2	6	3	0	3
(Postneonatal)	6	2	4	4	1	3	2	1	1
1-4	0	0	0	0	0	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	18	8	10	11	5	6	7	3	4
25-34	18	9	9	9	4	5	9	5	4
35-44	30	21	9	16	13	3	14	8	6
45-54	73	40	33	47	24	23	26	16	10
55-64	102	59	43	62	34	28	40	25	15
65-74	191	130	61	100	71	29	91	59	32
75-84	252	177	75	103	74	29	149	103	46
85 AND OVER	245	190	55	72	57	15	173	133	40
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...78,161

WHITE...47,013

NONWHITE...31,148

# SELECTED DEATH STATISTICS, RESIDENTS OF LAWRENCE COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>143</u>	<u>100</u>	<u>43</u>	<u>10.8</u>	<u>11.3</u>	<u>9.8</u>
HEART DISEASES	60	47	13	452.6	529.6	296.6
MALIGNANT NEOPLASMS	23	17	6	173.5	191.5	136.9
CEREBROVASCULAR DISEASE	14	9	5	105.6	101.4	114.1
ACCIDENTS	13	7	6	98.0	78.9	136.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	4	4	0	30.2	45.1	-
CHOLELITHIASIS/GALLBLADDER DISORDER	3	2	1	22.6	22.5	22.8
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	3	2	1	22.6	22.5	22.8
ALZHEIMERS DISEASE	2	1	1	15.1	11.3	22.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	0	2	15.1	-	45.6
INFLUENZA AND PNEUMONIA	2	2	0	15.1	22.5	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	0	2	15.1	-	45.6
SUICIDE	2	2	0	15.1	22.5	-
DIABETES MELLITUS	1	0	1	7.5	-	22.8
ATHEROSCLEROSIS	1	1	0	7.5	11.3	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	7.5	-	22.8
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	5.0	-	11.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	7.5	-	22.8
ALL OTHER CAUSES	8	6	2	60.3	67.6	45.6

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>143</u>	<u>100</u>	<u>43</u>	<u>68</u>	<u>52</u>	<u>16</u>	<u>75</u>	<u>48</u>	<u>27</u>
UNDER 1	3	1	2	2	1	1	1	0	1
(Neonatal)	2	0	2	1	0	1	1	0	1
(Postneonatal)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	2	1	1	1	0	1	1	1	0
10-14	2	2	0	2	2	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	1	1	1	1	0	1	0	1
35-44	3	2	1	1	1	0	2	1	1
45-54	7	3	4	4	2	2	3	1	2
55-64	22	16	6	16	11	5	6	5	1
65-74	25	18	7	14	12	2	11	6	5
75-84	37	34	3	13	12	1	24	22	2
85 AND OVER	40	22	18	14	10	4	26	12	14
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...13,258

WHITE...8,875

NONWHITE...4,383

# SELECTED DEATH STATISTICS, RESIDENTS OF LEAKE COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>231</u>	<u>151</u>	<u>80</u>	<u>11.0</u>	<u>12.8</u>	<u>8.7</u>
HEART DISEASES	80	57	23	382.0	484.9	250.4
MALIGNANT NEOPLASMS	39	29	10	186.2	246.7	108.9
ACCIDENTS	22	12	10	105.1	102.1	108.9
CEREBROVASCULAR DISEASE	15	7	8	71.6	59.5	87.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	8	5	3	38.2	42.5	32.7
SEPTICEMIA	6	5	1	28.6	42.5	10.9
HYPERTENSION/HYPERTENSIVE RENAL DZ	6	1	5	28.6	8.5	54.4
ALZHEIMERS DISEASE	5	4	1	23.9	34.0	10.9
DIABETES MELLITUS	4	1	3	19.1	8.5	32.7
INFLUENZA AND PNEUMONIA	4	3	1	19.1	25.5	10.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	4	3	1	19.1	25.5	10.9
SUICIDE	4	4	0	19.1	34.0	-
HOMICIDE	4	2	2	19.1	17.0	21.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	9.6	8.5	10.9
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1	5.6	5.3	6.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	2	0	9.6	17.0	-
TUBERCULOSIS	1	1	0	4.8	8.5	-
VIRAL HEPATITIS	1	1	0	4.8	8.5	-
HIV DISEASE	1	1	0	4.8	8.5	-
PARKINSONS DISEASE	1	1	0	4.8	8.5	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	4.8	8.5	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	4.8	8.5	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	4.8	-	10.9
LEGAL INTERVENTION	1	0	1	4.8	-	10.9
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	4.8	8.5	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	2	2	19.1	17.0	21.8
ALL OTHER CAUSES	11	5	6	52.5	42.5	65.3

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>231</u>	<u>151</u>	<u>80</u>	<u>121</u>	<u>82</u>	<u>39</u>	<u>110</u>	<u>69</u>	<u>41</u>
UNDER 1	6	4	2	3	1	2	3	3	0
(NEONATAL)	3	2	1	1	0	1	2	2	0
(POSTNEONATAL)	3	2	1	2	1	1	1	1	0
1-4	1	0	1	1	0	1	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	8	3	5	6	2	4	2	1	1
25-34	4	1	3	4	1	3	0	0	0
35-44	11	6	5	7	5	2	4	1	3
45-54	25	15	10	21	14	7	4	1	3
55-64	28	19	9	17	11	6	11	8	3
65-74	39	28	11	20	17	3	19	11	8
75-84	48	31	17	22	15	7	26	16	10
85 AND OVER	60	44	16	19	16	3	41	28	13
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...20,940

WHITE...11,755

NONWHITE...9,185



# SELECTED DEATH STATISTICS, RESIDENTS OF LEE COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>724</u>	<u>577</u>	<u>147</u>	<u>9.6</u>	<u>10.3</u>	<u>7.4</u>
HEART DISEASES	220	181	39	290.4	324.4	195.4
MALIGNANT NEOPLASMS	157	124	33	207.2	222.2	165.4
CEREBROVASCULAR DISEASE	67	51	16	88.4	91.4	80.2
ACCIDENTS	47	39	8	62.0	69.9	40.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	32	28	4	42.2	50.2	20.0
DIABETES MELLITUS	18	14	4	23.8	25.1	20.0
INFLUENZA AND PNEUMONIA	14	13	1	18.5	23.3	5.0
ALZHEIMERS DISEASE	13	11	2	17.2	19.7	10.0
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	13	8	5	17.2	14.3	25.0
SUICIDE	12	10	2	15.8	17.9	10.0
CHRONIC LIVER DISEASE AND CIRRHOSIS	9	7	2	11.9	12.5	10.0
HOMICIDE	9	7	2	11.9	12.5	10.0
SEPTICEMIA	8	6	2	10.6	10.8	10.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	7	4	3	9.2	7.2	15.0
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	4	1	6.6	7.2	5.0
AORTIC ANEURYSM AND DISSECTION	4	3	1	5.3	5.4	5.0
HIV DISEASE	3	2	1	4.0	3.6	5.0
PARKINSONS DISEASE	3	2	1	4.0	3.6	5.0
CONDITIONS ORIG IN PERINATAL PERIOD	3	2	1	2.4	2.4	2.6
VIRAL HEPATITIS	2	2	0	2.6	3.6	-
PEPTIC ULCER	2	2	0	2.6	3.6	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	2.6	1.8	5.0
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	1.3	1.8	-
ANEMIAS	1	0	1	1.3	-	5.0
ATHEROSCLEROSIS	1	0	1	1.3	-	5.0
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	1.3	1.8	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	10	7	3	13.2	12.5	15.0
<u>ALL OTHER CAUSES</u>	<u>60</u>	<u>47</u>	<u>13</u>	<u>79.2</u>	<u>84.2</u>	<u>65.1</u>

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	NON- WHITE	NON- WHITE	TOTAL	NON- WHITE	NON- WHITE	TOTAL	NON- WHITE	NON- WHITE
<u>TOTAL</u>	<u>724</u>	<u>577</u>	<u>147</u>	<u>340</u>	<u>262</u>	<u>78</u>	<u>384</u>	<u>315</u>	<u>69</u>
UNDER 1	7	4	3	3	1	2	4	3	1
(Neonatal)	5	3	2	3	1	2	2	2	0
(Postneonatal)	2	1	1	0	0	0	2	1	1
1-4	1	1	0	1	1	0	0	0	0
5-9	1	1	0	0	0	0	1	1	0
10-14	2	2	0	2	2	0	0	0	0
15-24	9	6	3	8	6	2	1	0	1
25-34	15	12	3	9	7	2	6	5	1
35-44	35	22	13	24	16	8	11	6	5
45-54	54	39	15	33	25	8	21	14	7
55-64	86	54	32	52	33	19	34	21	13
65-74	135	100	35	69	48	21	66	52	14
75-84	199	174	25	91	82	9	108	92	16
85 AND OVER	180	162	18	48	41	7	132	121	11
UNKNOWN	0	0	0	0	0	0	0	0	0
2000 POPULATION:	TOTAL...75,755			WHITE...55,800			NONWHITE...19,955		

# SELECTED DEATH STATISTICS, RESIDENTS OF LEFLORE COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>410</u>	<u>164</u>	<u>246</u>	<u>10.8</u>	<u>14.4</u>	<u>9.3</u>
HEART DISEASES	163	64	99	429.5	562.2	372.7
MALIGNANT NEOPLASMS	75	41	34	197.6	360.2	128.0
CEREBROVASCULAR DISEASE	38	14	24	100.1	123.0	90.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	25	10	15	65.9	87.8	56.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	11	3	8	29.0	26.4	30.1
ACCIDENTS	11	4	7	29.0	35.1	26.4
DIABETES MELLITUS	10	3	7	26.4	26.4	26.4
HOMICIDE	8	0	8	21.1	-	30.1
SEPTICEMIA	6	1	5	15.8	8.8	18.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	3	2	13.2	26.4	7.5
CONDITIONS ORIG IN PERINATAL PERIOD	5	0	5	8.6	-	11.2
INFLUENZA AND PNEUMONIA	4	3	1	10.5	26.4	3.8
VIRAL HEPATITIS	2	2	0	5.3	17.6	-
ALZHEIMERS DISEASE	2	2	0	5.3	17.6	-
AORTIC ANEURYSM AND DISSECTION	2	1	1	5.3	8.8	3.8
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	5.3	8.8	3.8
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	2.6	8.8	-
MENINGITIS	1	0	1	2.6	-	3.8
PARKINSONS DISEASE	1	1	0	2.6	8.8	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	2.6	-	3.8
ATHEROSCLEROSIS	1	0	1	2.6	-	3.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	2.6	-	3.8
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	2.6	-	3.8
SUICIDE	1	1	0	2.6	8.8	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	1	3	10.5	8.8	11.3
ALL OTHER CAUSES	29	8	21	76.4	70.3	79.0

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>410</u>	<u>164</u>	<u>246</u>	<u>188</u>	<u>66</u>	<u>122</u>	<u>222</u>	<u>98</u>	<u>124</u>
UNDER 1	11	1	10	8	1	7	3	0	3
(Neonatal)	7	0	7	5	0	5	2	0	2
(Postneonatal)	4	1	3	3	1	2	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	9	1	8	7	0	7	2	1	1
25-34	7	2	5	5	1	4	2	1	1
35-44	25	7	18	13	6	7	12	1	11
45-54	30	8	22	19	6	13	11	2	9
55-64	38	14	24	24	9	15	14	5	9
65-74	71	29	42	32	16	16	39	13	26
75-84	115	48	67	50	15	35	65	33	32
85 AND OVER	102	54	48	28	12	16	74	42	32
UNKNOWN	1	0	1	1	0	1	0	0	0

2000 POPULATION: TOTAL...37,947

WHITE...11,384

NONWHITE...26,563

# SELECTED DEATH STATISTICS, RESIDENTS OF LINCOLN COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>401</u>	<u>305</u>	<u>96</u>	<u>12.1</u>	<u>13.2</u>	<u>9.4</u>
HEART DISEASES	100	77	23	301.5	334.6	226.5
MALIGNANT NEOPLASMS	82	57	25	247.2	247.7	246.2
CEREBROVASCULAR DISEASE	35	27	8	105.5	117.3	78.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	27	24	3	81.4	104.3	29.5
ACCIDENTS	27	22	5	81.4	95.6	49.2
INFLUENZA AND PNEUMONIA	25	19	6	75.4	82.6	59.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	21	11	10	63.3	47.8	98.5
DIABETES MELLITUS	14	10	4	42.2	43.4	39.4
ALZHEIMERS DISEASE	9	7	2	27.1	30.4	19.7
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	7	0	21.1	30.4	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	3	0	9.0	13.0	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	3	0	9.0	13.0	-
SUICIDE	3	3	0	9.0	13.0	-
SEPTICEMIA	2	2	0	6.0	8.7	-
PARKINSONS DISEASE	2	2	0	6.0	8.7	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	6.0	8.7	-
HOMICIDE	2	0	2	6.0	-	19.7
ATHEROSCLEROSIS	1	1	0	3.0	4.3	-
AORTIC ANEURYSM AND DISSECTION	1	0	1	3.0	-	9.8
PEPTIC ULCER	1	1	0	3.0	4.3	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	3.0	-	9.8
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	1	2	9.0	4.3	19.7
ALL OTHER CAUSES	30	26	4	90.4	113.0	39.4

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>401</u>	<u>305</u>	<u>96</u>	<u>212</u>	<u>161</u>	<u>51</u>	<u>189</u>	<u>144</u>	<u>45</u>
UNDER 1	1	1	0	1	1	0	0	0	0
(Neonatal)	1	1	0	1	1	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	2	2	0	1	1	0	1	1	0
5-9	1	1	0	1	1	0	0	0	0
10-14	2	2	0	2	2	0	0	0	0
15-24	6	3	3	3	3	0	3	0	3
25-34	6	4	2	4	3	1	2	1	1
35-44	15	8	7	12	7	5	3	1	2
45-54	32	17	15	22	12	10	10	5	5
55-64	39	25	14	26	17	9	13	8	5
65-74	71	55	16	46	39	7	25	16	9
75-84	117	90	27	52	41	11	65	49	16
85 AND OVER	109	97	12	42	34	8	67	63	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...33,166

WHITE...23,010

NONWHITE...10,156

# SELECTED DEATH STATISTICS, RESIDENTS OF LOWNDES COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>534</u>	<u>339</u>	<u>195</u>	<u>8.7</u>	<u>9.7</u>	<u>7.3</u>
HEART DISEASES	172	108	64	279.3	310.6	238.7
MALIGNANT NEOPLASMS	115	79	36	186.7	227.2	134.3
ACCIDENTS	29	17	12	47.1	48.9	44.8
CEREBROVASCULAR DISEASE	27	18	9	43.8	51.8	33.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	18	16	2	29.2	46.0	7.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	15	4	11	24.4	11.5	41.0
SEPTICEMIA	14	12	2	22.7	34.5	7.5
INFLUENZA AND PNEUMONIA	12	8	4	19.5	23.0	14.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	12	5	7	19.5	14.4	26.1
DIABETES MELLITUS	9	5	4	14.6	14.4	14.9
CONDITIONS ORIG IN PERINATAL PERIOD	8	0	8	8.6	-	17.5
SUICIDE	7	7	0	11.4	20.1	-
ALZHEIMERS DISEASE	5	5	0	8.1	14.4	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	5	3	2	8.1	8.6	7.5
HIV DISEASE	4	0	4	6.5	-	14.9
PARKINSONS DISEASE	4	4	0	6.5	11.5	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	3	1	6.5	8.6	3.7
HOMICIDE	4	2	2	6.5	5.8	7.5
CHRONIC LIVER DISEASE AND CIRRHOSIS IN SITU, BENIGN & UNSPECIFIED	3	1	2	4.9	2.9	7.5
NEOPLASMS	2	1	1	3.2	2.9	3.7
AORTIC ANEURYSM AND DISSECTION	2	0	2	3.2	-	7.5
COMPLICATIONS MEDICAL/SURGICAL CARE	2	2	0	3.2	5.8	-
VIRAL HEPATITIS	1	1	0	1.6	2.9	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	33	19	14	53.6	54.6	52.2
ALL OTHER CAUSES	27	19	8	43.8	54.6	29.8

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>534</u>	<u>339</u>	<u>195</u>	<u>277</u>	<u>182</u>	<u>95</u>	<u>257</u>	<u>157</u>	<u>100</u>
UNDER 1	13	3	10	11	3	8	2	0	2
(NEONATAL)	12	2	10	10	2	8	2	0	2
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	2	1	1	0	0	0	2	1	1
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	0	0	0	1	0	1
15-24	10	5	5	6	4	2	4	1	3
25-34	13	6	7	9	6	3	4	0	4
35-44	29	12	17	19	10	9	10	2	8
45-54	40	23	17	29	16	13	11	7	4
55-64	56	35	21	41	25	16	15	10	5
65-74	110	69	41	65	42	23	45	27	18
75-84	127	88	39	56	41	15	71	47	24
85 AND OVER	133	97	36	41	35	6	92	62	30
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...61,586

WHITE...34,775

NONWHITE...26,811

# SELECTED DEATH STATISTICS, RESIDENTS OF MADISON COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>846</u>	<u>526</u>	<u>320</u>	<u>11.3</u>	<u>11.7</u>	<u>10.8</u>
MALIGNANT NEOPLASMS	267	180	87	357.6	399.8	293.4
HEART DISEASES	214	129	85	286.6	286.5	286.6
CEREBROVASCULAR DISEASE	59	32	27	79.0	71.1	91.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	28	22	6	37.5	48.9	20.2
ALZHEIMERS DISEASE	26	21	5	34.8	46.6	16.9
ACCIDENTS	25	11	14	33.5	24.4	47.2
HIV DISEASE	22	6	16	29.5	13.3	54.0
INFLUENZA AND PNEUMONIA	20	17	3	26.8	37.8	10.1
DIABETES MELLITUS	19	6	13	25.4	13.3	43.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	15	11	4	20.1	24.4	13.5
SEPTICEMIA	12	5	7	16.1	11.1	23.6
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	12	8	4	16.1	17.8	13.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	10	7	3	13.4	15.5	10.1
HOMICIDE	7	2	5	9.4	4.4	16.9
SUICIDE	6	6	0	8.0	13.3	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	5	3	2	6.7	6.7	6.7
PARKINSONS DISEASE	4	2	2	5.4	4.4	6.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	4	2	2	5.4	4.4	6.7
CONDITIONS ORIG IN PERINATAL PERIOD	4	0	4	3.2	-	6.7
ANEMIAS	3	2	1	4.0	4.4	3.4
VIRAL HEPATITIS	2	2	0	2.7	4.4	-
AORTIC ANEURYSM AND DISSECTION	2	1	1	2.7	2.2	3.4
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	1.3	2.2	-
PEPTIC ULCER	1	0	1	1.3	-	3.4
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	1.3	2.2	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	1	3	5.4	2.2	10.1
<u>ALL OTHER CAUSES</u>	<u>73</u>	<u>48</u>	<u>25</u>	<u>97.8</u>	<u>106.6</u>	<u>84.3</u>

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>846</u>	<u>526</u>	<u>320</u>	<u>372</u>	<u>220</u>	<u>152</u>	<u>474</u>	<u>306</u>	<u>168</u>
UNDER 1	11	2	9	10	2	8	1	0	1
(Neonatal)	7	2	5	6	2	4	1	0	1
(Postneonatal)	4	0	4	4	0	4	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	16	5	11	11	2	9	5	3	2
25-34	14	4	10	8	3	5	6	1	5
35-44	34	16	18	18	10	8	16	6	10
45-54	79	41	38	46	23	23	33	18	15
55-64	100	41	59	49	22	27	51	19	32
65-74	125	80	45	60	39	21	65	41	24
75-84	232	161	71	98	70	28	134	91	43
85 AND OVER	233	175	58	70	48	22	163	127	36
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...74,674

WHITE...45,021

NONWHITE...29,653

# SELECTED DEATH STATISTICS, RESIDENTS OF MARION COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL OF ALL CAUSES</b>	<b>312</b>	<b>241</b>	<b>71</b>	<b>12.2</b>	<b>14.1</b>	<b>8.4</b>
HEART DISEASES	96	78	18	375.1	455.1	212.8
MALIGNANT NEOPLASMS	59	47	12	230.5	274.2	141.9
CEREBROVASCULAR DISEASE	32	19	13	125.0	110.9	153.7
ACCIDENTS	18	14	4	70.3	81.7	47.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	15	13	2	58.6	75.8	23.6
INFLUENZA AND PNEUMONIA	12	11	1	46.9	64.2	11.8
SEPTICEMIA	7	4	3	27.3	23.3	35.5
DIABETES MELLITUS	6	5	1	23.4	29.2	11.8
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	4	2	23.4	23.3	23.6
ALZHEIMERS DISEASE	3	3	0	11.7	17.5	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	2	1	11.7	11.7	11.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	11.7	17.5	-
HOMICIDE	3	2	1	11.7	11.7	11.8
MENINGITIS	2	1	1	7.8	5.8	11.8
PARKINSONS DISEASE	2	2	0	7.8	11.7	-
AORTIC ANEURYSM AND DISSECTION	2	2	0	7.8	11.7	-
CONDITIONS ORIG IN PERINATAL PERIOD	2	2	0	5.9	9.8	-
COMPLICATIONS MEDICAL/SURGICAL CARE	2	1	1	7.8	5.8	11.8
VIRAL HEPATITIS	1	0	1	3.9	-	11.8
ATHEROSCLEROSIS	1	1	0	3.9	5.8	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	3.9	5.8	-
PEPTIC ULCER	1	0	1	3.9	-	11.8
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	3.9	5.8	-
SUICIDE	1	1	0	3.9	5.8	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	2	3	19.5	11.7	35.5
ALL OTHER CAUSES	28	22	6	109.4	128.4	70.9

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL</b>	<b>312</b>	<b>241</b>	<b>71</b>	<b>157</b>	<b>122</b>	<b>35</b>	<b>155</b>	<b>119</b>	<b>36</b>
UNDER 1	3	3	0	2	2	0	1	1	0
(Neonatal)	2	2	0	1	1	0	1	1	0
(Postneonatal)	1	1	0	1	1	0	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	3	0	3	0	0	0	3	0	3
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	1	0	1	2	1	1
25-34	4	3	1	3	3	0	1	0	1
35-44	19	12	7	13	9	4	6	3	3
45-54	18	13	5	13	10	3	5	3	2
55-64	38	24	14	26	17	9	12	7	5
65-74	74	61	13	44	36	8	30	25	5
75-84	72	64	8	31	27	4	41	37	4
85 AND OVER	77	60	17	24	18	6	53	42	11
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...25,595      WHITE...17,138      NONWHITE...8,457

# SELECTED DEATH STATISTICS, RESIDENTS OF MARSHALL COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL OF ALL CAUSES</b>	<b>343</b>	<b>188</b>	<b>155</b>	<b>9.8</b>	<b>11.1</b>	<b>8.6</b>
HEART DISEASES	79	39	40	225.8	230.4	221.4
MALIGNANT NEOPLASMS	76	39	37	217.2	230.4	204.8
ACCIDENTS	32	19	13	91.4	112.3	72.0
CEREBROVASCULAR DISEASE	22	10	12	62.9	59.1	66.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	15	15	0	42.9	88.6	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	9	3	6	25.7	17.7	33.2
SEPTICEMIA	8	5	3	22.9	29.5	16.6
CONDITIONS ORIG IN PERINATAL PERIOD	8	5	3	15.5	21.3	10.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	7	4	3	20.0	23.6	16.6
INFLUENZA AND PNEUMONIA	7	5	2	20.0	29.5	11.1
DIABETES MELLITUS	6	4	2	17.1	23.6	11.1
HOMICIDE	6	1	5	17.1	5.9	27.7
AORTIC ANEURYSM AND DISSECTION	5	3	2	14.3	17.7	11.1
ALZHEIMERS DISEASE	4	3	1	11.4	17.7	5.5
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	4	2	2	11.4	11.8	11.1
VIRAL HEPATITIS	3	2	1	8.6	11.8	5.5
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	1	1	5.7	5.9	5.5
ATHEROSCLEROSIS	2	2	0	5.7	11.8	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	5.7	11.8	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	5.7	11.8	-
SUICIDE	2	2	0	5.7	11.8	-
HIV DISEASE	1	0	1	2.8	-	5.5
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	2.8	5.9	-
MENINGITIS	1	0	1	2.8	-	5.5
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	2.8	-	5.5
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	1	4	14.3	5.9	22.1
<b>ALL OTHER CAUSES</b>	<b>33</b>	<b>18</b>	<b>15</b>	<b>94.3</b>	<b>106.4</b>	<b>83.0</b>

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL</b>	<b>343</b>	<b>188</b>	<b>155</b>	<b>183</b>	<b>100</b>	<b>83</b>	<b>160</b>	<b>88</b>	<b>72</b>
UNDER 1	15	7	8	9	3	6	6	4	2
(Neonatal)	10	5	5	6	1	5	4	4	0
(Postneonatal)	5	2	3	3	2	1	2	0	2
1-4	1	0	1	1	0	1	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	1	1	0	0	0	0	1	1	0
15-24	7	2	5	7	2	5	0	0	0
25-34	7	3	4	5	2	3	2	1	1
35-44	21	7	14	12	4	8	9	3	6
45-54	36	24	12	24	16	8	12	8	4
55-64	42	25	17	27	15	12	15	10	5
65-74	74	42	32	43	26	17	31	16	15
75-84	78	47	31	35	22	13	43	25	18
85 AND OVER	60	30	30	20	10	10	40	20	20
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION:   TOTAL...34,993                   WHITE...16,925                   NONWHITE...18,068

# SELECTED DEATH STATISTICS, RESIDENTS OF MONROE COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>384</u>	<u>279</u>	<u>105</u>	<u>10.1</u>	<u>10.7</u>	<u>8.7</u>
HEART DISEASES	123	93	30	323.6	357.8	249.5
MALIGNANT NEOPLASMS	87	61	26	228.9	234.7	216.2
ACCIDENTS	30	19	11	78.9	73.1	91.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	25	20	5	65.8	77.0	41.6
CEREBROVASCULAR DISEASE	19	14	5	50.0	53.9	41.6
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	17	9	8	44.7	34.6	66.5
DIABETES MELLITUS	10	7	3	26.3	26.9	25.0
INFLUENZA AND PNEUMONIA	7	6	1	18.4	23.1	8.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	6	3	3	15.8	11.5	25.0
SEPTICEMIA	4	3	1	10.5	11.5	8.3
ALZHEIMERS DISEASE	3	3	0	7.9	11.5	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	7.9	11.5	-
HOMICIDE	3	2	1	7.9	7.7	8.3
AORTIC ANEURYSM AND DISSECTION	2	2	0	5.3	7.7	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	5.3	3.8	8.3
HIV DISEASE	1	1	0	2.6	3.8	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	2.6	-	8.3
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	2.6	3.8	-
DISEASES OF APPENDIX	1	1	0	2.6	3.8	-
SUICIDE	1	1	0	2.6	3.8	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	3	1	10.5	11.5	8.3
<u>ALL OTHER CAUSES</u>	<u>34</u>	<u>26</u>	<u>8</u>	<u>89.4</u>	<u>100.0</u>	<u>66.5</u>

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>384</u>	<u>279</u>	<u>105</u>	<u>172</u>	<u>130</u>	<u>42</u>	<u>212</u>	<u>149</u>	<u>63</u>
UNDER 1	2	1	1	0	0	0	2	1	1
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	2	1	1	0	0	0	2	1	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	10	9	1	8	8	0	2	1	1
25-34	10	4	6	6	3	3	4	1	3
35-44	16	12	4	11	8	3	5	4	1
45-54	23	16	7	8	4	4	15	12	3
55-64	55	32	23	29	18	11	26	14	12
65-74	80	55	25	44	38	6	36	17	19
75-84	84	65	19	39	31	8	45	34	11
85 AND OVER	103	85	18	26	20	6	77	65	12
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...38,014

WHITE...25,991

NONWHITE...12,023



# SELECTED DEATH STATISTICS, RESIDENTS OF MONTGOMERY COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>115</u>	<u>66</u>	<u>49</u>	<u>9.4</u>	<u>10.0</u>	<u>8.8</u>
HEART DISEASES	32	21	11	262.5	317.6	197.3
MALIGNANT NEOPLASMS	31	15	16	254.3	226.8	286.9
CEREBROVASCULAR DISEASE	8	5	3	65.6	75.6	53.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	6	3	3	49.2	45.4	53.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	3	1	32.8	45.4	17.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	1	3	32.8	15.1	53.8
INFLUENZA AND PNEUMONIA	3	2	1	24.6	30.2	17.9
ACCIDENTS	3	0	3	24.6	-	53.8
SEPTICEMIA	2	2	0	16.4	30.2	-
HIV DISEASE	2	1	1	16.4	15.1	17.9
DIABETES MELLITUS	2	2	0	16.4	30.2	-
AORTIC ANEURYSM AND DISSECTION	2	1	1	16.4	15.1	17.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	1	1	16.4	15.1	17.9
SUICIDE	2	2	0	16.4	30.2	-
ANEMIAS	1	0	1	8.2	-	17.9
ALZHEIMERS DISEASE	1	1	0	8.2	15.1	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	0	1	8.2	-	17.9
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	8.2	-	17.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	8.2	15.1	-
ALL OTHER CAUSES	7	5	2	57.4	75.6	35.9

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>115</u>	<u>66</u>	<u>49</u>	<u>50</u>	<u>26</u>	<u>24</u>	<u>65</u>	<u>40</u>	<u>25</u>
UNDER 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	0	1	0	0	0	1	0	1
25-34	4	1	3	2	1	1	2	0	2
35-44	2	0	2	1	0	1	1	0	1
45-54	11	5	6	9	4	5	2	1	1
55-64	12	7	5	7	5	2	5	2	3
65-74	17	13	4	8	6	2	9	7	2
75-84	35	18	17	15	7	8	20	11	9
85 AND OVER	33	22	11	8	3	5	25	19	6
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION:   TOTAL...12,189                   WHITE...6,613                   NONWHITE...5,576

# SELECTED DEATH STATISTICS, RESIDENTS OF NESHOPA COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>345</u>	<u>236</u>	<u>109</u>	<u>12.0</u>	<u>12.6</u>	<u>11.0</u>
HEART DISEASES	123	88	35	428.8	468.4	353.7
MALIGNANT NEOPLASMS	61	40	21	212.7	212.9	212.2
CEREBROVASCULAR DISEASE	25	19	6	87.2	101.1	60.6
ACCIDENTS	22	15	7	76.7	79.8	70.7
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	17	11	6	59.3	58.5	60.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	15	14	1	52.3	74.5	10.1
DIABETES MELLITUS	9	2	7	31.4	10.6	70.7
INFLUENZA AND PNEUMONIA	9	7	2	31.4	37.2	20.2
ALZHEIMERS DISEASE	7	2	5	24.4	10.6	50.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	7	4	3	24.4	21.3	30.3
SEPTICEMIA	6	4	2	20.9	21.3	20.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	4	0	13.9	21.3	-
HOMICIDE	3	2	1	10.4	10.6	10.1
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	1	1	7.0	5.3	10.1
AORTIC ANEURYSM AND DISSECTION	2	2	0	7.0	10.6	-
SUICIDE	2	2	0	7.0	10.6	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	3.5	5.3	-
FEMALE PELVIC INFLAMMATORY DISEASE	1	0	1	3.5	-	10.1
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	3.5	5.3	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	3.5	5.3	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	6	4	2	20.9	21.3	20.2
ALL OTHER CAUSES	21	12	9	73.2	63.9	90.9

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>345</u>	<u>236</u>	<u>109</u>	<u>170</u>	<u>119</u>	<u>51</u>	<u>175</u>	<u>117</u>	<u>58</u>
UNDER 1	4	1	3	2	1	1	2	0	2
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	3	0	3	1	0	1	2	0	2
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	1	4	5	1	4	0	0	0
25-34	5	5	0	2	2	0	3	3	0
35-44	11	8	3	5	5	0	6	3	3
45-54	29	7	22	19	5	14	10	2	8
55-64	35	23	12	21	15	6	14	8	6
65-74	87	56	31	46	29	17	41	27	14
75-84	73	57	16	42	37	5	31	20	11
85 AND OVER	96	78	18	28	24	4	68	54	14
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...28,684

WHITE...18,788

NONWHITE...9,896

# SELECTED DEATH STATISTICS, RESIDENTS OF NEWTON COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>243</u>	<u>163</u>	<u>80</u>	<u>11.1</u>	<u>11.5</u>	<u>10.5</u>
HEART DISEASES	82	55	27	375.5	387.4	353.4
MALIGNANT NEOPLASMS	48	36	12	219.8	253.6	157.0
CEREBROVASCULAR DISEASE	20	16	4	91.6	112.7	52.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	20	15	5	91.6	105.6	65.4
ACCIDENTS	8	4	4	36.6	28.2	52.3
INFLUENZA AND PNEUMONIA	7	5	2	32.0	35.2	26.2
DIABETES MELLITUS	5	1	4	22.9	7.0	52.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	3	2	22.9	21.1	26.2
HOMICIDE	4	2	2	18.3	14.1	26.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	1	2	13.7	7.0	26.2
AORTIC ANEURYSM AND DISSECTION	3	3	0	13.7	21.1	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	1	2	13.7	7.0	26.2
CONDITIONS ORIG IN PERINATAL PERIOD	3	2	1	9.5	10.9	7.5
SEPTICEMIA	2	1	1	9.2	7.0	13.1
PARKINSONS DISEASE	2	2	0	9.2	14.1	-
ALZHEIMERS DISEASE	2	2	0	9.2	14.1	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	0	2	9.2	-	26.2
SUICIDE	2	2	0	9.2	14.1	-
HIV DISEASE	1	0	1	4.6	-	13.1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	4.6	7.0	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	4.6	7.0	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	4.6	-	13.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	4.6	-	13.1
ALL OTHER CAUSES	17	10	7	77.8	70.4	91.6

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>243</u>	<u>163</u>	<u>80</u>	<u>125</u>	<u>91</u>	<u>34</u>	<u>118</u>	<u>72</u>	<u>46</u>
UNDER 1	6	2	4	4	1	3	2	1	1
(NEONATAL)	3	2	1	2	1	1	1	1	0
(POSTNEONATAL)	3	0	3	2	0	2	1	0	1
1-4	2	0	2	0	0	0	2	0	2
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	2	1	1	0	0	0
25-34	10	4	6	8	4	4	2	0	2
35-44	8	4	4	6	3	3	2	1	1
45-54	18	7	11	9	4	5	9	3	6
55-64	28	17	11	11	9	2	17	8	9
65-74	36	28	8	23	18	5	13	10	3
75-84	71	54	17	42	35	7	29	19	10
85 AND OVER	62	46	16	20	16	4	42	30	12
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...21,838      WHITE...14,197      NONWHITE...7,641

# SELECTED DEATH STATISTICS, RESIDENTS OF NOXUBEE COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>115</u>	<u>43</u>	<u>72</u>	<u>9.2</u>	<u>11.6</u>	<u>8.1</u>
HEART DISEASES	43	19	24	342.7	513.5	271.2
MALIGNANT NEOPLASMS	18	6	12	143.4	162.2	135.6
ACCIDENTS	14	2	12	111.6	54.0	135.6
INFLUENZA AND PNEUMONIA	6	3	3	47.8	81.1	33.9
CEREBROVASCULAR DISEASE	5	2	3	39.8	54.0	33.9
DIABETES MELLITUS	4	0	4	31.9	-	45.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	3	0	23.9	81.1	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	1	1	15.9	27.0	11.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	0	2	15.9	-	22.6
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	9.1	-	11.6
SEPTICEMIA	1	0	1	8.0	-	11.3
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	0	1	8.0	-	11.3
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	8.0	27.0	-
DISEASES OF APPENDIX	1	0	1	8.0	-	11.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	8.0	-	11.3
SUICIDE	1	1	0	8.0	27.0	-
HOMICIDE	1	0	1	8.0	-	11.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	8.0	27.0	-
ALL OTHER CAUSES	8	4	4	63.8	108.1	45.2

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>115</u>	<u>43</u>	<u>72</u>	<u>53</u>	<u>14</u>	<u>39</u>	<u>62</u>	<u>29</u>	<u>33</u>
UNDER 1	2	0	2	2	0	2	0	0	0
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	4	0	4	4	0	4	0	0	0
25-34	4	1	3	2	1	1	2	0	2
35-44	7	2	5	6	1	5	1	1	0
45-54	12	2	10	8	1	7	4	1	3
55-64	7	0	7	4	0	4	3	0	3
65-74	21	9	12	14	5	9	7	4	3
75-84	25	11	14	8	4	4	17	7	10
85 AND OVER	32	18	14	4	2	2	28	16	12
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION:   TOTAL...12,548                   WHITE...3,700                   NONWHITE...8,848

# SELECTED DEATH STATISTICS, RESIDENTS OF OKTIBBEHA COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>249</u>	<u>144</u>	<u>105</u>	<u>5.8</u>	<u>5.7</u>	<u>5.9</u>
HEART DISEASES	80	38	42	186.5	151.0	236.8
MALIGNANT NEOPLASMS	48	29	19	111.9	115.2	107.1
ACCIDENTS	20	14	6	46.6	55.6	33.8
CEREBROVASCULAR DISEASE	15	11	4	35.0	43.7	22.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	11	6	5	25.6	23.8	28.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	9	6	3	21.0	23.8	16.9
INFLUENZA AND PNEUMONIA	8	6	2	18.6	23.8	11.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	5	2	16.3	19.9	11.3
ALZHEIMERS DISEASE	5	3	2	11.6	11.9	11.3
HOMICIDE	4	1	3	9.3	4.0	16.9
DIABETES MELLITUS	3	2	1	7.0	7.9	5.6
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	1	2	7.0	4.0	11.3
SUICIDE	3	2	1	7.0	7.9	5.6
SEPTICEMIA	2	1	1	4.7	4.0	5.6
AORTIC ANEURYSM AND DISSECTION	1	1	0	2.3	4.0	-
ACUTE BRONCHITIS AND BRONCHIOLITIS	1	1	0	2.3	4.0	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	2.3	4.0	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	1.8	4.2	-
LEGAL INTERVENTION	1	0	1	2.3	-	5.6
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	2.3	-	5.6
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
<u>ALL OTHER CAUSES</u>	<u>25</u>	<u>15</u>	<u>10</u>	<u>58.3</u>	<u>59.6</u>	<u>56.4</u>

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>249</u>	<u>144</u>	<u>105</u>	<u>108</u>	<u>62</u>	<u>46</u>	<u>141</u>	<u>82</u>	<u>59</u>
UNDER 1	3	2	1	1	1	0	2	1	1
(Neonatal)	3	2	1	1	1	0	2	1	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	2	0	2	1	0	1	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	1	0	1	1	1	0
25-34	4	0	4	2	0	2	2	0	2
35-44	12	3	9	7	1	6	5	2	3
45-54	23	12	11	13	6	7	10	6	4
55-64	29	15	14	19	9	10	10	6	4
65-74	37	21	16	15	12	3	22	9	13
75-84	63	43	20	28	18	10	35	25	10
85 AND OVER	74	47	27	21	15	6	53	32	21
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...42,902

WHITE...25,167

NONWHITE...17,735

# SELECTED DEATH STATISTICS, RESIDENTS OF PANOLA COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>348</u>	<u>217</u>	<u>131</u>	<u>10.2</u>	<u>12.5</u>	<u>7.7</u>
HEART DISEASES	105	67	38	306.4	387.2	223.9
MALIGNANT NEOPLASMS	78	54	24	227.6	312.1	141.4
CEREBROVASCULAR DISEASE	27	14	13	78.8	80.9	76.6
ACCIDENTS	26	16	10	75.8	92.5	58.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	16	15	1	46.7	86.7	5.9
INFLUENZA AND PNEUMONIA	12	5	7	35.0	28.9	41.2
DIABETES MELLITUS	8	6	2	23.3	34.7	11.8
SEPTICEMIA	6	1	5	17.5	5.8	29.5
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	5	3	2	14.6	17.3	11.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	3	1	11.7	17.3	5.9
ALZHEIMERS DISEASE	3	2	1	8.8	11.6	5.9
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	1	2	8.8	5.8	11.8
HIV DISEASE	2	1	1	5.8	5.8	5.9
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	2	0	5.8	11.6	-
ATHEROSCLEROSIS	2	2	0	5.8	11.6	-
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	3.2	-	5.3
SUICIDE	2	2	0	5.8	11.6	-
HOMICIDE	2	2	0	5.8	11.6	-
VIRAL HEPATITIS	1	1	0	2.9	5.8	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	2.9	5.8	-
PEPTIC ULCER	1	1	0	2.9	5.8	-
HYPERPLASIA OF PROSTATE	1	0	1	2.9	-	5.9
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	2.9	-	5.9
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	9	4	5	26.2	23.1	29.5
ALL OTHER CAUSES	29	14	15	84.6	80.9	88.4

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>348</u>	<u>217</u>	<u>131</u>	<u>182</u>	<u>115</u>	<u>67</u>	<u>166</u>	<u>102</u>	<u>64</u>
UNDER 1	5	1	4	3	1	2	2	0	2
(NEONATAL)	1	0	1	0	0	0	1	0	1
(POSTNEONATAL)	4	1	3	3	1	2	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	2	0	2	1	0	1	1	0	1
10-14	1	1	0	1	1	0	0	0	0
15-24	6	2	4	4	2	2	2	0	2
25-34	8	4	4	5	1	4	3	3	0
35-44	23	12	11	15	6	9	8	6	2
45-54	39	25	14	17	11	6	22	14	8
55-64	42	22	20	30	17	13	12	5	7
65-74	70	54	16	37	28	9	33	26	7
75-84	91	63	28	50	38	12	41	25	16
85 AND OVER	61	33	28	19	10	9	42	23	19
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...34,274

WHITE...17,302

NONWHITE...16,972

# SELECTED DEATH STATISTICS, RESIDENTS OF PEARL RIVER COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>465</u>	<u>421</u>	<u>44</u>	<u>9.6</u>	<u>10.1</u>	<u>6.3</u>
HEART DISEASES	143	132	11	294.1	317.3	156.6
MALIGNANT NEOPLASMS	111	98	13	228.3	235.6	185.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	30	28	2	61.7	67.3	28.5
CEREBROVASCULAR DISEASE	28	23	5	57.6	55.3	71.2
ACCIDENTS	24	23	1	49.4	55.3	14.2
DIABETES MELLITUS	17	14	3	35.0	33.6	42.7
INFLUENZA AND PNEUMONIA	15	15	0	30.8	36.1	-
ALZHEIMERS DISEASE	9	9	0	18.5	21.6	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	6	1	14.4	14.4	14.2
AORTIC ANEURYSM AND DISSECTION	4	4	0	8.2	9.6	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	4	0	8.2	9.6	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	3	0	6.2	7.2	-
SEPTICEMIA	2	2	0	4.1	4.8	-
VIRAL HEPATITIS	2	2	0	4.1	4.8	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	1	1	4.1	2.4	14.2
SUICIDE	2	2	0	4.1	4.8	-
HOMICIDE	2	1	1	4.1	2.4	14.2
MENINGOCOCCAL INFECTION	1	1	0	2.0	2.4	-
HIV DISEASE	1	0	1	2.0	-	14.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	2.0	2.4	-
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	2.0	2.4	-
MATERNAL CAUSES	1	1	0	155.0	188.3	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	2.0	2.4	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	16	14	2	32.9	33.6	28.5
ALL OTHER CAUSES	38	35	3	78.2	84.1	42.7

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>465</u>	<u>421</u>	<u>44</u>	<u>221</u>	<u>203</u>	<u>18</u>	<u>244</u>	<u>218</u>	<u>26</u>
UNDER 1	2	1	1	2	1	1	0	0	0
(Neonatal)	1	0	1	1	0	1	0	0	0
(Postneonatal)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	8	7	1	6	5	1	2	2	0
25-34	9	7	2	6	5	1	3	2	1
35-44	25	23	2	14	14	0	11	9	2
45-54	30	26	4	21	19	2	9	7	2
55-64	52	51	1	27	26	1	25	25	0
65-74	110	101	9	62	58	4	48	43	5
75-84	120	109	11	57	53	4	63	56	7
85 AND OVER	108	96	12	26	22	4	82	74	8
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...48,621

WHITE...41,596

NONWHITE...7,025

# SELECTED DEATH STATISTICS, RESIDENTS OF PERRY COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>121</u>	<u>93</u>	<u>28</u>	<u>10.0</u>	<u>10.0</u>	<u>9.7</u>
HEART DISEASES	37	32	5	304.8	346.1	172.8
MALIGNANT NEOPLASMS	27	19	8	222.4	205.5	276.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	6	2	65.9	64.9	69.1
ACCIDENTS	6	5	1	49.4	54.1	34.6
DIABETES MELLITUS	5	4	1	41.2	43.3	34.6
CEREBROVASCULAR DISEASE	4	1	3	33.0	10.8	103.7
INFLUENZA AND PNEUMONIA	4	4	0	33.0	43.3	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	2	2	33.0	21.6	69.1
SEPTICEMIA	2	2	0	16.5	21.6	-
PARKINSONS DISEASE	2	2	0	16.5	21.6	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	8.2	10.8	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	8.2	-	34.6
AORTIC ANEURYSM AND DISSECTION	1	1	0	8.2	10.8	-
PEPTIC ULCER	1	1	0	8.2	10.8	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	6.0	-	25.0
SUICIDE	1	1	0	8.2	10.8	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	8.2	10.8	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	8.2	10.8	-
<u>ALL OTHER CAUSES</u>	<u>14</u>	<u>10</u>	<u>4</u>	<u>115.3</u>	<u>108.2</u>	<u>138.3</u>

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>121</u>	<u>93</u>	<u>28</u>	<u>59</u>	<u>47</u>	<u>12</u>	<u>62</u>	<u>46</u>	<u>16</u>
UNDER 1	1	0	1	0	0	0	1	0	1
(Neonatal)	1	0	1	0	0	0	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	2	0	1	1	0	1	1	0
25-34	1	1	0	0	0	0	1	1	0
35-44	3	3	0	3	3	0	0	0	0
45-54	9	5	4	5	2	3	4	3	1
55-64	21	14	7	8	3	5	13	11	2
65-74	24	21	3	17	15	2	7	6	1
75-84	34	26	8	17	15	2	17	11	6
85 AND OVER	25	20	5	7	7	0	18	13	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...12,138

WHITE...9,245

NONWHITE...2,893



# SELECTED DEATH STATISTICS, RESIDENTS OF PIKE COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>437</u>	<u>244</u>	<u>193</u>	<u>11.2</u>	<u>12.2</u>	<u>10.2</u>
HEART DISEASES	152	95	57	390.3	476.1	300.2
MALIGNANT NEOPLASMS	93	50	43	238.8	250.6	226.5
CEREBROVASCULAR DISEASE	22	10	12	56.5	50.1	63.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	22	16	6	56.5	80.2	31.6
ACCIDENTS	22	12	10	56.5	60.1	52.7
DIABETES MELLITUS	17	6	11	43.6	30.1	57.9
SEPTICEMIA	13	5	8	33.4	25.0	42.1
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	11	7	4	28.2	35.1	21.1
AORTIC ANEURYSM AND DISSECTION	8	5	3	20.5	25.0	15.8
CONDITIONS ORIG IN PERINATAL PERIOD	6	0	6	9.5	-	16.0
INFLUENZA AND PNEUMONIA	5	2	3	12.8	10.0	15.8
HIV DISEASE	4	0	4	10.3	-	21.1
ANEMIAS	4	3	1	10.3	15.0	5.3
ALZHEIMERS DISEASE	3	3	0	7.7	15.0	-
HOMICIDE	3	0	3	7.7	-	15.8
VIRAL HEPATITIS	2	0	2	5.1	-	10.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	2	0	5.1	10.0	-
CHOLELITHIASIS/GALLBLADDER DISORDER	2	2	0	5.1	10.0	-
SUICIDE	2	2	0	5.1	10.0	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	2.6	5.0	-
PARKINSONS DISEASE	1	1	0	2.6	5.0	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	2.6	5.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	2.6	-	5.3
MATERNAL CAUSES	1	0	1	158.2	-	267.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	39	21	18	100.2	105.2	94.8

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>437</u>	<u>244</u>	<u>193</u>	<u>214</u>	<u>117</u>	<u>97</u>	<u>223</u>	<u>127</u>	<u>96</u>
UNDER 1	7	1	6	4	0	4	3	1	2
(NEONATAL)	6	1	5	3	0	3	3	1	2
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	1	0	1	0	0	0	1	0	1
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	1	3	3	1	2	1	0	1
25-34	7	3	4	5	3	2	2	0	2
35-44	20	6	14	9	3	6	11	3	8
45-54	29	9	20	19	6	13	10	3	7
55-64	41	18	23	27	13	14	14	5	9
65-74	100	57	43	52	33	19	48	24	24
75-84	110	67	43	56	32	24	54	35	19
85 AND OVER	117	82	35	38	26	12	79	56	23
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...38,940

WHITE...19,955

NONWHITE...18,985

# SELECTED DEATH STATISTICS, RESIDENTS OF PONTOTOC COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>244</u>	<u>224</u>	<u>20</u>	<u>9.1</u>	<u>9.9</u>	<u>4.8</u>
HEART DISEASES	76	68	8	284.4	301.4	191.9
MALIGNANT NEOPLASMS	46	41	5	172.1	181.8	119.9
ACCIDENTS	21	20	1	78.6	88.7	24.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	20	19	1	74.8	84.2	24.0
INFLUENZA AND PNEUMONIA	17	17	0	63.6	75.4	-
CEREBROVASCULAR DISEASE	10	10	0	37.4	44.3	-
DIABETES MELLITUS	7	5	2	26.2	22.2	48.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	3	1	15.0	13.3	24.0
SUICIDE	4	4	0	15.0	17.7	-
ALZHEIMERS DISEASE	3	3	0	11.2	13.3	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	3	0	11.2	13.3	-
PARKINSONS DISEASE	2	2	0	7.5	8.9	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	7.5	8.9	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	3.7	4.4	-
ATHEROSCLEROSIS	1	1	0	3.7	4.4	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	3.7	4.4	-
HOMICIDE	1	1	0	3.7	4.4	-
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	3.7	-	24.0
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	4	0	15.0	17.7	-
<u>ALL OTHER CAUSES</u>	<u>18</u>	<u>17</u>	<u>1</u>	<u>67.4</u>	<u>75.4</u>	<u>24.0</u>

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>244</u>	<u>224</u>	<u>20</u>	<u>120</u>	<u>110</u>	<u>10</u>	<u>124</u>	<u>114</u>	<u>10</u>
UNDER 1	2	2	0	1	1	0	1	1	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	2	2	0	1	1	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	3	2	1	2	1	1	1	1	0
15-24	3	3	0	2	2	0	1	1	0
25-34	2	2	0	1	1	0	1	1	0
35-44	11	9	2	6	4	2	5	5	0
45-54	16	14	2	11	9	2	5	5	0
55-64	24	24	0	16	16	0	8	8	0
65-74	45	41	4	26	25	1	19	16	3
75-84	60	55	5	35	32	3	25	23	2
85 AND OVER	78	72	6	20	19	1	58	53	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...26,726

WHITE...22,557

NONWHITE...4,169

# SELECTED DEATH STATISTICS, RESIDENTS OF PRENTISS COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>236</u>	<u>221</u>	<u>15</u>	<u>9.2</u>	<u>10.1</u>	<u>4.1</u>
HEART DISEASES	56	52	4	219.1	237.0	110.6
MALIGNANT NEOPLASMS	44	41	3	172.2	186.9	83.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	21	20	1	82.2	91.2	27.6
ACCIDENTS	19	17	2	74.3	77.5	55.3
CEREBROVASCULAR DISEASE	17	15	2	66.5	68.4	55.3
INFLUENZA AND PNEUMONIA	9	9	0	35.2	41.0	-
ALZHEIMERS DISEASE	7	7	0	27.4	31.9	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	5	1	23.5	22.8	27.6
SUICIDE	6	6	0	23.5	27.3	-
DIABETES MELLITUS	5	4	1	19.6	18.2	27.6
CHRONIC LIVER DISEASE AND CIRRHOSIS	5	5	0	19.6	22.8	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	3	0	11.7	13.7	-
CHOLELITHIASIS/GALLBLADDER DISORDER	2	2	0	7.8	9.1	-
CONDITIONS ORIG IN PERINATAL PERIOD	2	2	0	6.6	8.3	-
SEPTICEMIA	1	1	0	3.9	4.6	-
ANEMIAS	1	1	0	3.9	4.6	-
PARKINSONS DISEASE	1	1	0	3.9	4.6	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	3.9	4.6	-
HOMICIDE	1	1	0	3.9	4.6	-
LEGAL INTERVENTION	1	1	0	3.9	4.6	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	7	7	0	27.4	31.9	-
ALL OTHER CAUSES	21	20	1	82.2	91.2	27.6

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>236</u>	<u>221</u>	<u>15</u>	<u>132</u>	<u>124</u>	<u>8</u>	<u>104</u>	<u>97</u>	<u>7</u>
UNDER 1	4	4	0	2	2	0	2	2	0
(Neonatal)	2	2	0	1	1	0	1	1	0
(Postneonatal)	2	2	0	1	1	0	1	1	0
1-4	0	0	0	0	0	0	0	0	0
5-9	2	2	0	1	1	0	1	1	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	3	0	1	1	0	2	2	0
25-34	9	7	2	6	5	1	3	2	1
35-44	8	7	1	8	7	1	0	0	0
45-54	25	24	1	14	14	0	11	10	1
55-64	28	25	3	18	17	1	10	8	2
65-74	51	50	1	35	34	1	16	16	0
75-84	53	51	2	30	29	1	23	22	1
85 AND OVER	53	48	5	17	14	3	36	34	2
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...25,556

WHITE...21,940

NONWHITE...3,616

# SELECTED DEATH STATISTICS, RESIDENTS OF QUITMAN COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>111</u>	<u>46</u>	<u>65</u>	<u>11.0</u>	<u>14.9</u>	<u>9.2</u>
MALIGNANT NEOPLASMS	31	15	16	306.4	486.5	227.5
HEART DISEASES	26	8	18	257.0	259.5	255.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	5	2	69.2	162.2	28.4
DIABETES MELLITUS	6	1	5	59.3	32.4	71.1
ACCIDENTS	6	2	4	59.3	64.9	56.9
CEREBROVASCULAR DISEASE	4	2	2	39.5	64.9	28.4
INFLUENZA AND PNEUMONIA	4	3	1	39.5	97.3	14.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	1	2	29.6	32.4	28.4
SEPTICEMIA	2	1	1	19.8	32.4	14.2
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	19.8	64.9	-
CONDITIONS ORIG IN PERINATAL PERIOD IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	1	1	11.5	41.7	6.7
	1	1	0	9.9	32.4	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	9.9	-	14.2
SUICIDE	1	0	1	9.9	-	14.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	9.9	-	14.2
<u>ALL OTHER CAUSES</u>	<u>14</u>	<u>4</u>	<u>10</u>	<u>138.4</u>	<u>129.7</u>	<u>142.2</u>

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>111</u>	<u>46</u>	<u>65</u>	<u>49</u>	<u>22</u>	<u>27</u>	<u>62</u>	<u>24</u>	<u>38</u>
UNDER 1	3	1	2	2	1	1	1	0	1
(Neonatal)	2	1	1	1	1	0	1	0	1
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	2	0	2	1	0	1	1	0	1
35-44	3	0	3	2	0	2	1	0	1
45-54	7	4	3	5	3	2	2	1	1
55-64	22	8	14	15	6	9	7	2	5
65-74	16	10	6	6	4	2	10	6	4
75-84	30	17	13	11	6	5	19	11	8
85 AND OVER	27	5	22	6	1	5	21	4	17
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...10,117      WHITE...3,083      NONWHITE...7,034

# SELECTED DEATH STATISTICS, RESIDENTS OF RANKIN COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>TOTAL OF ALL CAUSES</b>	<b>827</b>	<b>669</b>	<b>158</b>	<b>7.2</b>	<b>7.2</b>	<b>7.2</b>
HEART DISEASES	287	240	47	248.8	256.8	214.8
MALIGNANT NEOPLASMS	172	141	31	149.1	150.9	141.7
ACCIDENTS	47	40	7	40.8	42.8	32.0
CEREBROVASCULAR DISEASE	33	26	7	28.6	27.8	32.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	32	32	0	27.7	34.2	-
INFLUENZA AND PNEUMONIA	19	12	7	16.5	12.8	32.0
DIABETES MELLITUS	17	13	4	14.7	13.9	18.3
SUICIDE	17	14	3	14.7	15.0	13.7
SEPTICEMIA	16	8	8	13.9	8.6	36.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	12	9	3	10.4	9.6	13.7
HIV DISEASE	11	3	8	9.5	3.2	36.6
CONDITIONS ORIG IN PERINATAL PERIOD	10	3	7	5.9	2.2	20.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	8	6	2	6.9	6.4	9.1
HOMICIDE	8	6	2	6.9	6.4	9.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	7	7	0	6.1	7.5	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	2	3	4.3	2.1	13.7
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	4	3	1	3.5	3.2	4.6
ALZHEIMERS DISEASE	3	3	0	2.6	3.2	-
VIRAL HEPATITIS	2	2	0	1.7	2.1	-
PEPTIC ULCER	2	1	1	1.7	1.1	4.6
CHOLELITHIASIS/GALLBLADDER DISORDER	2	1	1	1.7	1.1	4.6
COMPLICATIONS MEDICAL/SURGICAL CARE	2	1	1	1.7	1.1	4.6
TUBERCULOSIS	1	1	0	0.9	1.1	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	0.9	1.1	-
ANEMIAS	1	1	0	0.9	1.1	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	0.9	1.1	-
PARKINSONS DISEASE	1	1	0	0.9	1.1	-
ATHEROSCLEROSIS	1	1	0	0.9	1.1	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	0.9	1.1	-
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	0.9	1.1	-
MATERNAL CAUSES	1	0	1	59.3	-	291.5
LEGAL INTERVENTION	1	1	0	0.9	1.1	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	10	9	1	8.7	9.6	4.6
ALL OTHER CAUSES	91	78	13	78.9	83.5	59.4

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE	TOTAL	WHITE	NON-WHITE
<b>TOTAL</b>	<b>827</b>	<b>669</b>	<b>158</b>	<b>428</b>	<b>337</b>	<b>91</b>	<b>399</b>	<b>332</b>	<b>67</b>
UNDER 1	17	9	8	9	7	2	8	2	6
(Neonatal)	11	4	7	4	2	2	7	2	5
(Postneonatal)	6	5	1	5	5	0	1	0	1
1-4	5	4	1	4	3	1	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	20	13	7	16	11	5	4	2	2
25-34	28	24	4	17	14	3	11	10	1
35-44	45	30	15	28	18	10	17	12	5
45-54	79	62	17	45	36	9	34	26	8
55-64	111	90	21	69	55	14	42	35	7
65-74	159	135	24	102	86	16	57	49	8
75-84	199	171	28	85	66	19	114	105	9
85 AND OVER	163	130	33	53	41	12	110	89	21
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...115,327      WHITE...93,450      NONWHITE...21,877

# SELECTED DEATH STATISTICS, RESIDENTS OF SCOTT COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>321</u>	<u>204</u>	<u>117</u>	<u>11.3</u>	<u>12.5</u>	<u>9.6</u>
HEART DISEASES	123	85	38	432.7	522.8	312.4
MALIGNANT NEOPLASMS	67	43	24	235.7	264.5	197.3
ACCIDENTS	28	14	14	98.5	86.1	115.1
CEREBROVASCULAR DISEASE	11	10	1	38.7	61.5	8.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	11	7	4	38.7	43.0	32.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	9	7	2	31.7	43.0	16.4
INFLUENZA AND PNEUMONIA	7	6	1	24.6	36.9	8.2
SEPTICEMIA	6	1	5	21.1	6.2	41.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	6	5	1	21.1	30.8	8.2
ATHEROSCLEROSIS	6	5	1	21.1	30.8	8.2
HOMICIDE	6	0	6	21.1	-	49.3
DIABETES MELLITUS	5	1	4	17.6	6.2	32.9
CONDITIONS ORIG IN PERINATAL PERIOD	5	3	2	11.4	11.7	11.0
SUICIDE	4	4	0	14.1	24.6	-
HIV DISEASE	3	1	2	10.6	6.2	16.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	1	1	7.0	6.2	8.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	7.0	6.2	8.2
SYPHILIS	1	0	1	3.5	-	8.2
AORTIC ANEURYSM AND DISSECTION	1	1	0	3.5	6.2	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	3.5	-	8.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	3	1	14.1	18.4	8.2
ALL OTHER CAUSES	13	6	7	45.7	36.9	57.5

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>321</u>	<u>204</u>	<u>117</u>	<u>148</u>	<u>96</u>	<u>52</u>	<u>173</u>	<u>108</u>	<u>65</u>
UNDER 1	11	5	6	6	4	2	5	1	4
(NEONATAL)	6	3	3	5	3	2	1	0	1
(POSTNEONATAL)	5	2	3	1	1	0	4	1	3
1-4	4	2	2	2	1	1	2	1	1
5-9	0	0	0	0	0	0	0	0	0
10-14	2	1	1	1	0	1	1	1	0
15-24	9	4	5	7	4	3	2	0	2
25-34	5	1	4	3	0	3	2	1	1
35-44	23	11	12	12	5	7	11	6	5
45-54	29	14	15	16	9	7	13	5	8
55-64	37	20	17	23	13	10	14	7	7
65-74	63	39	24	28	20	8	35	19	16
75-84	61	50	11	26	23	3	35	27	8
85 AND OVER	77	57	20	24	17	7	53	40	13
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...28,423

WHITE...16,258

NONWHITE...12,165

# SELECTED DEATH STATISTICS, RESIDENTS OF SHARKEY COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>65</u>	<u>27</u>	<u>38</u>	<u>9.9</u>	<u>14.0</u>	<u>8.2</u>
HEART DISEASES	16	4	12	243.2	207.0	258.2
MALIGNANT NEOPLASMS	9	5	4	136.8	258.8	86.0
DIABETES MELLITUS	5	2	3	76.0	103.5	64.5
SEPTICEMIA	4	1	3	60.8	51.8	64.5
INFLUENZA AND PNEUMONIA	4	4	0	60.8	207.0	-
ACCIDENTS	4	3	1	60.8	155.3	21.5
ALZHEIMERS DISEASE	3	1	2	45.6	51.8	43.0
PARKINSONS DISEASE	2	1	1	30.4	51.8	21.5
CEREBROVASCULAR DISEASE	2	0	2	30.4	-	43.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	2	0	30.4	103.5	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	1	1	30.4	51.8	21.5
HIV DISEASE	1	0	1	15.2	-	21.5
HYPERTENSION/HYPERTENSIVE RENAL DZ COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	15.2	51.8	-
1	1	0	1	15.2	-	21.5
---	---	---	---	---	---	---
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
<u>ALL OTHER CAUSES</u>	<u>9</u>	<u>2</u>	<u>7</u>	<u>136.8</u>	<u>103.5</u>	<u>150.6</u>

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>65</u>	<u>27</u>	<u>38</u>	<u>26</u>	<u>12</u>	<u>14</u>	<u>39</u>	<u>15</u>	<u>24</u>
UNDER 1	0	0	0	0	0	0	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	1	0	1	1	0	1	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	0	0	0	0	0	0	0	0	0
25-34	3	2	1	2	1	1	1	1	0
35-44	1	0	1	0	0	0	1	0	1
45-54	7	2	5	4	2	2	3	0	3
55-64	8	3	5	3	1	2	5	2	3
65-74	11	8	3	5	5	0	6	3	3
75-84	18	7	11	6	3	3	12	4	8
85 AND OVER	16	5	11	5	0	5	11	5	6
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...6,580      WHITE...1,932      NONWHITE...4,648

# SELECTED DEATH STATISTICS, RESIDENTS OF SIMPSON COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>320</u>	<u>230</u>	<u>90</u>	<u>11.6</u>	<u>12.9</u>	<u>9.1</u>
HEART DISEASES	99	69	30	358.2	387.7	304.8
MALIGNANT NEOPLASMS	52	41	11	188.1	230.4	111.8
CEREBROVASCULAR DISEASE	29	24	5	104.9	134.9	50.8
ATHEROSCLEROSIS	21	14	7	76.0	78.7	71.1
ACCIDENTS	18	13	5	65.1	73.0	50.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	13	10	3	47.0	56.2	30.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	9	5	4	32.6	28.1	40.6
SUICIDE	9	9	0	32.6	50.6	-
INFLUENZA AND PNEUMONIA	7	7	0	25.3	39.3	-
HIV DISEASE	5	1	4	18.1	5.6	40.6
CONDITIONS ORIG IN PERINATAL PERIOD	5	0	5	12.9	-	31.2
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	4	4	0	14.5	22.5	-
SEPTICEMIA	3	2	1	10.8	11.2	10.2
ANEMIAS	3	1	2	10.8	5.6	20.3
DIABETES MELLITUS	3	2	1	10.8	11.2	10.2
AORTIC ANEURYSM AND DISSECTION	3	2	1	10.8	11.2	10.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	7.2	11.2	-
HOMICIDE	2	1	1	7.2	5.6	10.2
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	3.6	-	10.2
ALZHEIMERS DISEASE	1	1	0	3.6	5.6	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	3.6	-	10.2
MATERNAL CAUSES	1	0	1	258.4	-	625.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	3.6	-	10.2
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	28	22	6	101.3	123.6	61.0

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>320</u>	<u>230</u>	<u>90</u>	<u>169</u>	<u>118</u>	<u>51</u>	<u>151</u>	<u>112</u>	<u>39</u>
UNDER 1	5	0	5	3	0	3	2	0	2
(Neonatal)	5	0	5	3	0	3	2	0	2
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	2	1	1	1	0	1	1	1	0
5-9	2	2	0	1	1	0	1	1	0
10-14	1	0	1	1	0	1	0	0	0
15-24	8	3	5	5	2	3	3	1	2
25-34	7	5	2	5	5	0	2	0	2
35-44	17	12	5	14	11	3	3	1	2
45-54	20	8	12	12	5	7	8	3	5
55-64	34	27	7	23	18	5	11	9	2
65-74	69	50	19	41	29	12	28	21	7
75-84	83	62	21	41	29	12	42	33	9
85 AND OVER	72	60	12	22	18	4	50	42	8
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...27,639

WHITE...17,796

NONWHITE...9,843



# SELECTED DEATH STATISTICS, RESIDENTS OF SMITH COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>175</u>	<u>138</u>	<u>37</u>	<u>10.8</u>	<u>11.2</u>	<u>9.6</u>
HEART DISEASES	53	44	9	327.5	357.2	232.8
MALIGNANT NEOPLASMS	45	33	12	278.1	267.9	310.4
CEREBROVASCULAR DISEASE	12	10	2	74.2	81.2	51.7
ACCIDENTS	11	8	3	68.0	65.0	77.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	7	7	0	43.2	56.8	-
DIABETES MELLITUS	5	2	3	30.9	16.2	77.6
ALZHEIMERS DISEASE	5	4	1	30.9	32.5	25.9
ATHEROSCLEROSIS	4	4	0	24.7	32.5	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	3	1	24.7	24.4	25.9
SEPTICEMIA	3	3	0	18.5	24.4	-
CONDITIONS ORIG IN PERINATAL PERIOD	3	0	3	14.1	-	50.0
INFLUENZA AND PNEUMONIA	2	1	1	12.4	8.1	25.9
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	12.4	16.2	-
SUICIDE	2	2	0	12.4	16.2	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	6.2	8.1	-
ANEMIAS	1	0	1	6.2	-	25.9
PARKINSONS DISEASE	1	1	0	6.2	8.1	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	6.2	8.1	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	6.2	8.1	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	12	11	1	74.2	89.3	25.9

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>175</u>	<u>138</u>	<u>37</u>	<u>83</u>	<u>61</u>	<u>22</u>	<u>92</u>	<u>77</u>	<u>15</u>
UNDER 1	3	0	3	2	0	2	1	0	1
(Neonatal)	3	0	3	2	0	2	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	2	2	0	1	1	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	4	3	1	3	2	1	1	1	0
25-34	3	3	0	2	2	0	1	1	0
35-44	8	4	4	5	3	2	3	1	2
45-54	11	10	1	4	3	1	7	7	0
55-64	13	9	4	7	5	2	6	4	2
65-74	39	30	9	23	16	7	16	14	2
75-84	45	40	5	16	15	1	29	25	4
85 AND OVER	47	37	10	20	14	6	27	23	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...16,182

WHITE...12,316

NONWHITE...3,866

# SELECTED DEATH STATISTICS, RESIDENTS OF STONE COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>151</u>	<u>122</u>	<u>29</u>	<u>11.1</u>	<u>11.3</u>	<u>10.3</u>
HEART DISEASES	50	43	7	367.0	397.5	249.6
MALIGNANT NEOPLASMS	31	28	3	227.6	258.8	107.0
SEPTICEMIA	8	7	1	58.7	64.7	35.7
CEREBROVASCULAR DISEASE	8	5	3	58.7	46.2	107.0
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	7	1	58.7	64.7	35.7
ACCIDENTS	7	4	3	51.4	37.0	107.0
SUICIDE	5	5	0	36.7	46.2	-
DIABETES MELLITUS	3	1	2	22.0	9.2	71.3
COMPLICATIONS MEDICAL/SURGICAL CARE	3	3	0	22.0	27.7	-
INFLUENZA AND PNEUMONIA	2	1	1	14.7	9.2	35.7
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	14.7	18.5	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	2	0	14.7	18.5	-
HOMICIDE	2	0	2	14.7	-	71.3
HIV DISEASE	1	1	0	7.3	9.2	-
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	7.3	9.2	-
ANEMIAS	1	1	0	7.3	9.2	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	7.3	9.2	-
PARKINSONS DISEASE	1	0	1	7.3	-	35.7
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	7.3	9.2	-
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	7.3	9.2	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	7.3	9.2	-
<u>ALL OTHER CAUSES</u>	<u>12</u>	<u>7</u>	<u>5</u>	<u>88.1</u>	<u>64.7</u>	<u>178.3</u>

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>151</u>	<u>122</u>	<u>29</u>	<u>79</u>	<u>63</u>	<u>16</u>	<u>72</u>	<u>59</u>	<u>13</u>
UNDER 1	1	1	0	1	1	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	7	5	2	4	4	0	3	1	2
25-34	4	0	4	2	0	2	2	0	2
35-44	11	9	2	8	6	2	3	3	0
45-54	10	5	5	7	3	4	3	2	1
55-64	15	13	2	9	8	1	6	5	1
65-74	29	25	4	15	12	3	14	13	1
75-84	40	36	4	24	21	3	16	15	1
85 AND OVER	33	28	5	8	8	0	25	20	5
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...13,622      WHITE...10,818      NONWHITE...2,804

# SELECTED DEATH STATISTICS, RESIDENTS OF SUNFLOWER COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>317</u>	<u>116</u>	<u>201</u>	<u>9.2</u>	<u>11.7</u>	<u>8.2</u>
HEART DISEASES	106	39	67	308.4	392.9	274.1
MALIGNANT NEOPLASMS	72	24	48	209.5	241.8	196.4
CEREBROVASCULAR DISEASE	29	11	18	84.4	110.8	73.6
ACCIDENTS	12	4	8	34.9	40.3	32.7
INFLUENZA AND PNEUMONIA	11	6	5	32.0	60.4	20.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	10	6	4	29.1	60.4	16.4
DIABETES MELLITUS	7	0	7	20.4	-	28.6
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	3	3	17.4	30.2	12.3
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	2	3	14.5	20.1	12.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	4	1	3	11.6	10.1	12.3
SUICIDE	4	3	1	11.6	30.2	4.1
SEPTICEMIA	3	1	2	8.7	10.1	8.2
HIV DISEASE	3	1	2	8.7	10.1	8.2
ALZHEIMERS DISEASE	3	2	1	8.7	20.1	4.1
CONDITIONS ORIG IN PERINATAL PERIOD	3	1	2	6.1	11.5	5.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	0	3	8.7	-	12.3
HOMICIDE	3	0	3	8.7	-	12.3
VIRAL HEPATITIS	2	1	1	5.8	10.1	4.1
PEPTIC ULCER	2	2	0	5.8	20.1	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	2.9	-	4.1
HYPERPLASIA OF PROSTATE	1	0	1	2.9	-	4.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	0	3	8.7	-	12.3
ALL OTHER CAUSES	24	9	15	69.8	90.7	61.4

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>317</u>	<u>116</u>	<u>201</u>	<u>153</u>	<u>53</u>	<u>100</u>	<u>164</u>	<u>63</u>	<u>101</u>
UNDER 1	4	1	3	3	0	3	1	1	0
(NEONATAL)	3	1	2	2	0	2	1	1	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	0	0	0	1	0	1
10-14	0	0	0	0	0	0	0	0	0
15-24	8	1	7	3	0	3	5	1	4
25-34	6	0	6	4	0	4	2	0	2
35-44	22	8	14	16	7	9	6	1	5
45-54	35	11	24	16	8	8	19	3	16
55-64	37	11	26	21	8	13	16	3	13
65-74	39	18	21	17	10	7	22	8	14
75-84	80	29	51	43	15	28	37	14	23
85 AND OVER	85	37	48	30	5	25	55	32	23
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...34,369

WHITE...9,927

NONWHITE...24,442

# SELECTED DEATH STATISTICS, RESIDENTS OF TALLAHATCHIE COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>162</u>	<u>77</u>	<u>85</u>	<u>10.9</u>	<u>13.0</u>	<u>9.4</u>
HEART DISEASES	48	27	21	322.1	457.3	233.4
MALIGNANT NEOPLASMS	38	21	17	255.0	355.7	188.9
ACCIDENTS	15	4	11	100.6	67.8	122.2
CEREBROVASCULAR DISEASE	8	6	2	53.7	101.6	22.2
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	5	3	53.7	84.7	33.3
DIABETES MELLITUS	7	1	6	47.0	16.9	66.7
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	3	1	26.8	50.8	11.1
HOMICIDE	3	0	3	20.1	-	33.3
SEPTICEMIA	2	1	1	13.4	16.9	11.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	0	2	13.4	-	22.2
INFLUENZA AND PNEUMONIA	2	1	1	13.4	16.9	11.1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	13.4	33.9	-
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	9.6	-	13.2
VIRAL HEPATITIS	1	0	1	6.7	-	11.1
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	6.7	16.9	-
ATHEROSCLEROSIS	1	0	1	6.7	-	11.1
AORTIC ANEURYSM AND DISSECTION	1	1	0	6.7	16.9	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	6.7	-	11.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	6.7	-	11.1
ALL OTHER CAUSES	15	4	11	100.6	67.8	122.2

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>162</u>	<u>77</u>	<u>85</u>	<u>89</u>	<u>40</u>	<u>49</u>	<u>73</u>	<u>37</u>	<u>36</u>
UNDER 1	2	0	2	1	0	1	1	0	1
(Neonatal)	2	0	2	1	0	1	1	0	1
(Postneonatal)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	2	0	2	1	0	1	1	0	1
15-24	4	1	3	3	0	3	1	1	0
25-34	6	2	4	4	2	2	2	0	2
35-44	9	1	8	5	1	4	4	0	4
45-54	15	4	11	8	2	6	7	2	5
55-64	18	7	11	13	4	9	5	3	2
65-74	29	15	14	19	11	8	10	4	6
75-84	39	25	14	21	14	7	18	11	7
85 AND OVER	38	22	16	14	6	8	24	16	8
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION:   TOTAL...14,903                   WHITE...5,904                   NONWHITE...8,999

# SELECTED DEATH STATISTICS, RESIDENTS OF TATE COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>261</u>	<u>177</u>	<u>84</u>	<u>10.3</u>	<u>10.3</u>	<u>10.3</u>
HEART DISEASES	78	57	21	307.4	331.2	257.4
MALIGNANT NEOPLASMS	60	45	15	236.5	261.5	183.8
ACCIDENTS	22	9	13	86.7	52.3	159.3
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	18	14	4	71.0	81.3	49.0
CEREBROVASCULAR DISEASE	14	9	5	55.2	52.3	61.3
DIABETES MELLITUS	8	2	6	31.5	11.6	73.5
HOMICIDE	7	4	3	27.6	23.2	36.8
INFLUENZA AND PNEUMONIA	6	3	3	23.6	17.4	36.8
ALZHEIMERS DISEASE	5	5	0	19.7	29.0	-
SUICIDE	5	5	0	19.7	29.0	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	4	1	3	15.8	5.8	36.8
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	2	1	11.8	11.6	12.2
SEPTICEMIA	2	2	0	7.9	11.6	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	7.9	11.6	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	0	2	7.9	-	24.5
VIRAL HEPATITIS	1	0	1	3.9	-	12.2
HIV DISEASE	1	0	1	3.9	-	12.2
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	1	1	0	3.9	5.8	-
ANEMIAS	1	0	1	3.9	-	12.2
PARKINSONS DISEASE	1	1	0	3.9	5.8	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	3.9	-	12.2
AORTIC ANEURYSM AND DISSECTION	1	1	0	3.9	5.8	-
HERNIA	1	1	0	3.9	5.8	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	2.7	3.9	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	3.9	-	12.2
ALL OTHER CAUSES	15	12	3	59.1	69.7	36.8

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>261</u>	<u>177</u>	<u>84</u>	<u>149</u>	<u>98</u>	<u>51</u>	<u>112</u>	<u>79</u>	<u>33</u>
UNDER 1	4	2	2	3	1	2	1	1	0
(NEONATAL)	1	1	0	1	1	0	0	0	0
(POSTNEONATAL)	3	1	2	2	0	2	1	1	0
1-4	5	1	4	2	0	2	3	1	2
5-9	3	0	3	3	0	3	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	8	5	3	7	4	3	1	1	0
25-34	4	2	2	3	1	2	1	1	0
35-44	12	5	7	7	4	3	5	1	4
45-54	22	17	5	13	10	3	9	7	2
55-64	34	24	10	22	15	7	12	9	3
65-74	59	38	21	42	25	17	17	13	4
75-84	62	45	17	36	29	7	26	16	10
85 AND OVER	48	38	10	11	9	2	37	29	8
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...25,370

WHITE...17,211

NONWHITE...8,159

# SELECTED DEATH STATISTICS, RESIDENTS OF TIPPAAH COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>279</u>	<u>246</u>	<u>33</u>	<u>13.4</u>	<u>14.4</u>	<u>8.7</u>
HEART DISEASES	109	92	17	523.4	539.7	449.7
MALIGNANT NEOPLASMS	48	43	5	230.5	252.2	132.3
CEREBROVASCULAR DISEASE	24	21	3	115.2	123.2	79.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	16	16	0	76.8	93.9	-
ACCIDENTS	15	14	1	72.0	82.1	26.4
AORTIC ANEURYSM AND DISSECTION	6	6	0	28.8	35.2	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	4	2	28.8	23.5	52.9
SEPTICEMIA	4	4	0	19.2	23.5	-
DIABETES MELLITUS	4	2	2	19.2	11.7	52.9
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	4	3	1	19.2	17.6	26.4
ALZHEIMERS DISEASE	3	3	0	14.4	17.6	-
INFLUENZA AND PNEUMONIA	3	2	1	14.4	11.7	26.4
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	14.4	17.6	-
PARKINSONS DISEASE	2	2	0	9.6	11.7	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	2	0	9.6	11.7	-
PEPTIC ULCER	2	2	0	9.6	11.7	-
HERNIA	2	2	0	9.6	11.7	-
HOMICIDE	2	2	0	9.6	11.7	-
HYPERPLASIA OF PROSTATE	1	1	0	4.8	5.9	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	4.8	5.9	-
SUICIDE	1	1	0	4.8	5.9	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	4.8	5.9	-
ALL OTHER CAUSES	20	19	1	96.0	111.5	26.4

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>279</u>	<u>246</u>	<u>33</u>	<u>152</u>	<u>137</u>	<u>15</u>	<u>127</u>	<u>109</u>	<u>18</u>
UNDER 1	1	1	0	1	1	0	0	0	0
(NEONATAL)	0	0	0	0	0	0	0	0	0
(POSTNEONATAL)	1	1	0	1	1	0	0	0	0
1-4	2	1	1	2	1	1	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	2	1	1	1	0	1	1	1	0
15-24	4	4	0	4	4	0	0	0	0
25-34	5	5	0	4	4	0	1	1	0
35-44	7	6	1	3	2	1	4	4	0
45-54	13	12	1	6	6	0	7	6	1
55-64	32	29	3	23	21	2	9	8	1
65-74	55	47	8	35	32	3	20	15	5
75-84	64	59	5	33	31	2	31	28	3
85 AND OVER	93	80	13	39	34	5	54	46	8
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...20,826

WHITE...17,046

NONWHITE...3,780

# SELECTED DEATH STATISTICS, RESIDENTS OF TISHOMINGO COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>287</u>	<u>280</u>	<u>7</u>	<u>15.0</u>	<u>15.4</u>	<u>7.2</u>
HEART DISEASES	101	100	1	527.0	549.7	103.0
MALIGNANT NEOPLASMS	59	56	3	307.9	307.8	309.0
ACCIDENTS	25	25	0	130.5	137.4	-
CEREBROVASCULAR DISEASE	20	20	0	104.4	109.9	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	12	11	1	62.6	60.5	103.0
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	7	0	36.5	38.5	-
ALZHEIMERS DISEASE	5	5	0	26.1	27.5	-
ATHEROSCLEROSIS	5	5	0	26.1	27.5	-
DIABETES MELLITUS	4	4	0	20.9	22.0	-
SUICIDE	4	4	0	20.9	22.0	-
SEPTICEMIA	3	3	0	15.6	16.5	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	15.6	16.5	-
HOMICIDE	3	3	0	15.6	16.5	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	2	0	10.4	11.0	-
HIV DISEASE	1	1	0	5.2	5.5	-
PARKINSONS DISEASE	1	1	0	5.2	5.5	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	1	0	5.2	5.5	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	5.2	5.5	-
INFLUENZA AND PNEUMONIA	1	1	0	5.2	5.5	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	1	0	5.2	5.5	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	1	0	4.7	4.9	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	5.2	5.5	-
ALL OTHER CAUSES	26	24	2	135.7	131.9	206.0

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>287</u>	<u>280</u>	<u>7</u>	<u>134</u>	<u>129</u>	<u>5</u>	<u>153</u>	<u>151</u>	<u>2</u>
UNDER 1	4	4	0	0	0	0	4	4	0
(NEONATAL)	3	3	0	0	0	0	3	3	0
(POSTNEONATAL)	1	1	0	0	0	0	1	1	0
1-4	2	2	0	2	2	0	0	0	0
5-9	1	1	0	1	1	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	7	7	0	5	5	0	2	2	0
25-34	4	4	0	3	3	0	1	1	0
35-44	13	13	0	10	10	0	3	3	0
45-54	18	17	1	11	10	1	7	7	0
55-64	31	30	1	22	21	1	9	9	0
65-74	52	50	2	31	29	2	21	21	0
75-84	64	63	1	28	28	0	36	35	1
85 AND OVER	91	89	2	21	20	1	70	69	1
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...19,163

WHITE...18,192

NONWHITE...971

# SELECTED DEATH STATISTICS, RESIDENTS OF TUNICA COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>102</u>	<u>35</u>	<u>67</u>	<u>11.0</u>	<u>13.8</u>	<u>10.0</u>
HEART DISEASES	35	14	21	379.3	551.0	314.1
MALIGNANT NEOPLASMS	16	5	11	173.4	196.8	164.5
CEREBROVASCULAR DISEASE	9	3	6	97.5	118.1	89.7
ACCIDENTS	5	1	4	54.2	39.4	59.8
HOMICIDE	5	2	3	54.2	78.7	44.9
DIABETES MELLITUS	3	0	3	32.5	-	44.9
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	3	0	3	32.5	-	44.9
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	1	1	21.7	39.4	15.0
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	0	2	21.7	-	29.9
SUICIDE	2	2	0	21.7	78.7	-
ANEMIAS	1	1	0	10.8	39.4	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	0	1	10.8	-	15.0
PARKINSONS DISEASE	1	1	0	10.8	39.4	-
ALZHEIMERS DISEASE	1	1	0	10.8	39.4	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	10.8	-	15.0
INFLUENZA AND PNEUMONIA	1	0	1	10.8	-	15.0
HERNIA	1	0	1	10.8	-	15.0
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	5.4	-	6.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	3	0	3	32.5	-	44.9
ALL OTHER CAUSES	9	4	5	97.5	157.4	74.8

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>102</u>	<u>35</u>	<u>67</u>	<u>49</u>	<u>21</u>	<u>28</u>	<u>53</u>	<u>14</u>	<u>39</u>
UNDER 1	4	0	4	3	0	3	1	0	1
(NEONATAL)	2	0	2	2	0	2	0	0	0
(POSTNEONATAL)	2	0	2	1	0	1	1	0	1
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	1	1	0	1	0	1
25-34	6	1	5	4	1	3	2	0	2
35-44	5	2	3	2	2	0	3	0	3
45-54	11	5	6	6	3	3	5	2	3
55-64	14	4	10	6	4	2	8	0	8
65-74	18	8	10	9	3	6	9	5	4
75-84	20	4	16	11	3	8	9	1	8
85 AND OVER	22	10	12	7	4	3	15	6	9
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...9,227      WHITE...2,541      NONWHITE...6,686



# SELECTED DEATH STATISTICS, RESIDENTS OF UNION COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>270</u>	<u>243</u>	<u>27</u>	<u>10.6</u>	<u>11.5</u>	<u>6.4</u>
HEART DISEASES	103	96	7	406.1	453.8	166.4
MALIGNANT NEOPLASMS	45	41	4	177.4	193.8	95.1
CEREBROVASCULAR DISEASE	23	21	2	90.7	99.3	47.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	21	20	1	82.8	94.5	23.8
INFLUENZA AND PNEUMONIA	13	11	2	51.2	52.0	47.6
ALZHEIMERS DISEASE	6	6	0	23.6	28.4	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	6	3	3	23.6	14.2	71.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	5	1	23.6	23.6	23.8
ACCIDENTS	6	5	1	23.6	23.6	23.8
SEPTICEMIA	4	3	1	15.8	14.2	23.8
DIABETES MELLITUS	4	3	1	15.8	14.2	23.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	3	3	0	11.8	14.2	-
SUICIDE	3	3	0	11.8	14.2	-
AORTIC ANEURYSM AND DISSECTION	2	2	0	7.9	9.4	-
MENINGITIS	1	1	0	3.9	4.7	-
PARKINSONS DISEASE	1	1	0	3.9	4.7	-
HERNIA	1	1	0	3.9	4.7	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	3.9	4.7	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	4	3	1	15.8	14.2	23.8
ALL OTHER CAUSES	17	14	3	67.0	66.2	71.3

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>270</u>	<u>243</u>	<u>27</u>	<u>125</u>	<u>116</u>	<u>9</u>	<u>145</u>	<u>127</u>	<u>18</u>
UNDER 1	3	2	1	2	2	0	1	0	1
(Neonatal)	1	1	0	1	1	0	0	0	0
(Postneonatal)	2	1	1	1	1	0	1	0	1
1-4	1	1	0	1	1	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	1	1	0	0	0	0	1	1	0
15-24	0	0	0	0	0	0	0	0	0
25-34	3	2	1	1	1	0	2	1	1
35-44	7	6	1	4	3	1	3	3	0
45-54	19	18	1	11	10	1	8	8	0
55-64	38	36	2	21	20	1	17	16	1
65-74	38	32	6	26	22	4	12	10	2
75-84	80	74	6	33	32	1	47	42	5
85 AND OVER	80	71	9	26	25	1	54	46	8
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...25,362

WHITE...21,156

NONWHITE...4,206

# SELECTED DEATH STATISTICS, RESIDENTS OF WALTHALL COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>167</u>	<u>111</u>	<u>56</u>	<u>11.0</u>	<u>13.4</u>	<u>8.1</u>
HEART DISEASES	50	41	9	329.9	495.3	130.8
MALIGNANT NEOPLASMS	33	23	10	217.7	277.9	145.4
CEREBROVASCULAR DISEASE	13	9	4	85.8	108.7	58.1
ACCIDENTS	10	7	3	66.0	84.6	43.6
DIABETES MELLITUS	9	5	4	59.4	60.4	58.1
SEPTICEMIA	7	3	4	46.2	36.2	58.1
INFLUENZA AND PNEUMONIA	6	1	5	39.6	12.1	72.7
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	0	3	19.8	-	43.6
SUICIDE	3	2	1	19.8	24.2	14.5
HOMICIDE	3	2	1	19.8	24.2	14.5
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	2	1	1	13.2	12.1	14.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	2	2	0	13.2	24.2	-
TUBERCULOSIS	1	1	0	6.6	12.1	-
VIRAL HEPATITIS	1	1	0	6.6	12.1	-
HIV DISEASE	1	0	1	6.6	-	14.5
PARKINSONS DISEASE	1	1	0	6.6	12.1	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	1	0	1	6.6	-	14.5
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	6.6	12.1	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	4.7	-	9.0
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	1	0	6.6	12.1	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	0	0	0	-	-	-
ALL OTHER CAUSES	18	10	8	118.8	120.8	116.3

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>167</u>	<u>111</u>	<u>56</u>	<u>82</u>	<u>50</u>	<u>32</u>	<u>85</u>	<u>61</u>	<u>24</u>
UNDER 1	3	1	2	2	0	2	1	1	0
(NEONATAL)	2	1	1	1	0	1	1	1	0
(POSTNEONATAL)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	2	1	1	1	0	1
25-34	6	3	3	5	3	2	1	0	1
35-44	7	4	3	3	1	2	4	3	1
45-54	8	5	3	6	3	3	2	2	0
55-64	20	11	9	12	5	7	8	6	2
65-74	26	16	10	13	9	4	13	7	6
75-84	50	35	15	28	20	8	22	15	7
85 AND OVER	44	35	9	11	8	3	33	27	6
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION:    TOTAL...15,156                    WHITE...8,277                    NONWHITE...6,879

# SELECTED DEATH STATISTICS, RESIDENTS OF WARREN COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL OF ALL CAUSES</b>	<b>539</b>	<b>313</b>	<b>226</b>	<b>10.8</b>	<b>11.5</b>	<b>10.1</b>
HEART DISEASES	180	115	65	362.6	421.4	290.8
MALIGNANT NEOPLASMS	120	62	58	241.7	227.2	259.4
CEREBROVASCULAR DISEASE	37	22	15	74.5	80.6	67.1
ACCIDENTS	26	12	14	52.4	44.0	62.6
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	21	17	4	42.3	62.3	17.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	14	7	7	28.2	25.6	31.3
INFLUENZA AND PNEUMONIA	12	8	4	24.2	29.3	17.9
DIABETES MELLITUS	11	5	6	22.2	18.3	26.8
HOMICIDE	9	2	7	18.1	7.3	31.3
CHRONIC LIVER DISEASE AND CIRRHOSIS	8	3	5	16.1	11.0	22.4
SEPTICEMIA	6	2	4	12.1	7.3	17.9
SUICIDE	6	5	1	12.1	18.3	4.5
ALZHEIMERS DISEASE	4	4	0	8.0	14.6	-
ATHEROSCLEROSIS	4	2	2	8.0	7.3	8.9
AORTIC ANEURYSM AND DISSECTION	4	2	2	8.0	7.3	8.9
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	4	3	1	8.0	11.0	4.5
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	0	3	6.0	-	13.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	1	2	6.0	3.7	8.9
HIV DISEASE	2	0	2	4.0	-	8.9
PARKINSONS DISEASE	2	2	0	4.0	7.3	-
CHOLELITHIASIS/GALLBLADDER DISORDER	2	2	0	4.0	7.3	-
TUBERCULOSIS	1	0	1	2.0	-	4.5
VIRAL HEPATITIS	1	0	1	2.0	-	4.5
PEPTIC ULCER	1	1	0	2.0	3.7	-
HERNIA	1	0	1	2.0	-	4.5
HYPERPLASIA OF PROSTATE	1	1	0	2.0	3.7	-
MATERNAL CAUSES	1	1	0	135.1	308.6	-
CONDITIONS ORIG IN PERINATAL PERIOD	1	0	1	1.4	-	2.4
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	2.0	3.7	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	1	1	4.0	3.7	4.5
ALL OTHER CAUSES	51	32	19	102.7	117.3	85.0

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL</b>	<b>539</b>	<b>313</b>	<b>226</b>	<b>259</b>	<b>138</b>	<b>121</b>	<b>280</b>	<b>175</b>	<b>105</b>
UNDER 1	6	2	4	5	2	3	1	0	1
(Neonatal)	3	2	1	2	2	0	1	0	1
(Postneonatal)	3	0	3	3	0	3	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	2	1	1	0	0	0	2	1	1
10-14	0	0	0	0	0	0	0	0	0
15-24	5	2	3	2	1	1	3	1	2
25-34	17	10	7	10	4	6	7	6	1
35-44	25	7	18	15	4	11	10	3	7
45-54	52	24	28	29	12	17	23	12	11
55-64	67	35	32	39	20	19	28	15	13
65-74	105	60	45	59	32	27	46	28	18
75-84	142	98	44	59	37	22	83	61	22
85 AND OVER	118	74	44	41	26	15	77	48	29
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...49,644      WHITE...27,288      NONWHITE...22,356

# SELECTED DEATH STATISTICS, RESIDENTS OF WASHINGTON COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL OF ALL CAUSES</b>	<b>652</b>	<b>283</b>	<b>369</b>	<b>10.4</b>	<b>13.2</b>	<b>8.9</b>
HEART DISEASES	211	94	117	335.0	439.4	281.4
MALIGNANT NEOPLASMS	132	69	63	209.6	322.5	151.5
CEREBROVASCULAR DISEASE	50	19	31	79.4	88.8	74.5
ACCIDENTS	44	18	26	69.9	84.1	62.5
INFLUENZA AND PNEUMONIA	23	12	11	36.5	56.1	26.4
DIABETES MELLITUS	20	3	17	31.8	14.0	40.9
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	18	6	12	28.6	28.0	28.8
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	15	12	3	23.8	56.1	7.2
ALZHEIMERS DISEASE	10	7	3	15.9	32.7	7.2
HOMICIDE	10	1	9	15.9	4.7	21.6
HYPERTENSION/HYPERTENSIVE RENAL DZ	9	2	7	14.3	9.3	16.8
CHRONIC LIVER DISEASE AND CIRRHOSIS	8	3	5	12.7	14.0	12.0
CONDITIONS ORIG IN PERINATAL PERIOD	8	0	8	7.5	-	9.8
SEPTICEMIA	6	2	4	9.5	9.3	9.6
HIV DISEASE	6	0	6	9.5	-	14.4
IN SITU, BENIGN & UNSPECIFIED NEOPLASMS	3	1	2	4.8	4.7	4.8
MALNUTRITION/NUTRITIONAL DEFICIENCY	3	0	3	4.8	-	7.2
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	3	2	1	4.8	9.3	2.4
SUICIDE	3	3	0	4.8	14.0	-
PARKINSONS DISEASE	2	2	0	3.2	9.3	-
AORTIC ANEURYSM AND DISSECTION	2	1	1	3.2	4.7	2.4
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	3.2	4.7	2.4
PEPTIC ULCER	2	2	0	3.2	9.3	-
HERNIA	2	1	1	3.2	4.7	2.4
ANEMIAS	1	1	0	1.6	4.7	-
CHOLELITHIASIS/GALLBLADDER DISORDER	1	1	0	1.6	4.7	-
HYPERPLASIA OF PROSTATE	1	0	1	1.6	-	2.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	5	1	4	7.9	4.7	9.6
ALL OTHER CAUSES	52	19	33	82.6	88.8	79.4

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<b>TOTAL</b>	<b>652</b>	<b>283</b>	<b>369</b>	<b>332</b>	<b>141</b>	<b>191</b>	<b>320</b>	<b>142</b>	<b>178</b>
UNDER 1	10	1	9	5	0	5	5	1	4
(Neonatal)	9	1	8	5	0	5	4	1	3
(Postneonatal)	1	0	1	0	0	0	1	0	1
1-4	3	0	3	3	0	3	0	0	0
5-9	2	0	2	2	0	2	0	0	0
10-14	2	0	2	2	0	2	0	0	0
15-24	11	3	8	8	2	6	3	1	2
25-34	12	4	8	7	2	5	5	2	3
35-44	39	12	27	25	10	15	14	2	12
45-54	70	21	49	41	12	29	29	9	20
55-64	92	27	65	53	16	37	39	11	28
65-74	111	57	54	57	31	26	54	26	28
75-84	159	87	72	77	42	35	82	45	37
85 AND OVER	141	71	70	52	26	26	89	45	44
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...62,977      WHITE...21,393      NONWHITE...41,584

# SELECTED DEATH STATISTICS, RESIDENTS OF WAYNE COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>210</u>	<u>132</u>	<u>78</u>	<u>9.9</u>	<u>10.2</u>	<u>9.5</u>
HEART DISEASES	67	42	25	315.8	323.0	304.4
MALIGNANT NEOPLASMS	39	26	13	183.8	199.9	158.3
CEREBROVASCULAR DISEASE	14	10	4	66.0	76.9	48.7
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	8	7	1	37.7	53.8	12.2
ACCIDENTS	8	2	6	37.7	15.4	73.1
HYPERTENSION/HYPERTENSIVE RENAL DZ	5	2	3	23.6	15.4	36.5
NEPHRITIS,NEPHROTIC SYND,NEPHROSIS	5	4	1	23.6	30.8	12.2
DIABETES MELLITUS	4	2	2	18.8	15.4	24.4
ALZHEIMERS DISEASE	4	3	1	18.8	23.1	12.2
INFLUENZA AND PNEUMONIA	4	4	0	18.8	30.8	-
SEPTICEMIA	3	3	0	14.1	23.1	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	2	1	1	9.4	7.7	12.2
ATHEROSCLEROSIS	2	1	1	9.4	7.7	12.2
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	2	0	9.4	15.4	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	2	2	0	9.4	15.4	-
CONDITIONS ORIG IN PERINATAL PERIOD	2	1	1	6.4	5.9	6.9
SUICIDE	2	2	0	9.4	15.4	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	4.7	7.7	-
HERNIA	1	1	0	4.7	7.7	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	4.7	-	12.2
HOMICIDE	1	0	1	4.7	-	12.2
COMPLICATIONS MEDICAL/SURGICAL CARE	1	1	0	4.7	7.7	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	4.7	-	12.2
ALL OTHER CAUSES	31	15	16	146.1	115.3	194.8

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>210</u>	<u>132</u>	<u>78</u>	<u>100</u>	<u>61</u>	<u>39</u>	<u>110</u>	<u>71</u>	<u>39</u>
UNDER 1	3	1	2	0	0	0	3	1	2
(NEONATAL)	2	1	1	0	0	0	2	1	1
(POSTNEONATAL)	1	0	1	0	0	0	1	0	1
1-4	1	0	1	0	0	0	1	0	1
5-9	0	0	0	0	0	0	0	0	0
10-14	1	0	1	1	0	1	0	0	0
15-24	2	1	1	1	0	1	1	1	0
25-34	2	1	1	1	1	0	1	0	1
35-44	8	4	4	5	3	2	3	1	2
45-54	25	12	13	14	8	6	11	4	7
55-64	25	17	8	14	11	3	11	6	5
65-74	33	22	11	17	11	6	16	11	5
75-84	60	43	17	34	22	12	26	21	5
85 AND OVER	50	31	19	13	5	8	37	26	11
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...21,216      WHITE...13,004      NONWHITE...8,212

# SELECTED DEATH STATISTICS, RESIDENTS OF WEBSTER COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>140</u>	<u>112</u>	<u>28</u>	<u>13.6</u>	<u>14.0</u>	<u>12.1</u>
HEART DISEASES	51	41	10	495.4	513.6	432.7
MALIGNANT NEOPLASMS	33	25	8	320.6	313.2	346.2
CEREBROVASCULAR DISEASE	10	10	0	97.1	125.3	-
SEPTICEMIA	4	4	0	38.8	50.1	-
DIABETES MELLITUS	4	3	1	38.8	37.6	43.3
ALZHEIMERS DISEASE	4	4	0	38.8	50.1	-
ACCIDENTS	4	2	2	38.8	25.0	86.5
SUICIDE	4	4	0	38.8	50.1	-
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	3	3	0	29.1	37.6	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	3	3	0	29.1	37.6	-
INFLUENZA AND PNEUMONIA	2	2	0	19.4	25.0	-
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	2	2	0	19.4	25.0	-
COMPLICATIONS MEDICAL/SURGICAL CARE	2	1	1	19.4	12.5	43.3
ANEMIAS	1	1	0	9.7	12.5	-
PEPTIC ULCER	1	0	1	9.7	-	43.3
HERNIA	1	1	0	9.7	12.5	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	9.7	-	43.3
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	9.7	-	43.3
ALL OTHER CAUSES	9	6	3	87.4	75.2	129.8

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>140</u>	<u>112</u>	<u>28</u>	<u>75</u>	<u>58</u>	<u>17</u>	<u>65</u>	<u>54</u>	<u>11</u>
UNDER 1	1	0	1	1	0	1	0	0	0
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	1	0	1	1	0	1	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	1	1	0	1	1	0	0	0	0
25-34	4	3	1	4	3	1	0	0	0
35-44	4	2	2	3	2	1	1	0	1
45-54	8	4	4	6	3	3	2	1	1
55-64	14	12	2	7	7	0	7	5	2
65-74	15	13	2	12	11	1	3	2	1
75-84	49	42	7	24	19	5	25	23	2
85 AND OVER	44	35	9	17	12	5	27	23	4
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...10,294

WHITE...7,983

NONWHITE...2,311

# SELECTED DEATH STATISTICS, RESIDENTS OF WILKINSON COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>141</u>	<u>46</u>	<u>95</u>	<u>13.7</u>	<u>14.3</u>	<u>13.4</u>
HEART DISEASES	47	11	36	455.8	341.7	507.5
MALIGNANT NEOPLASMS	25	8	17	242.4	248.5	239.7
CEREBROVASCULAR DISEASE	11	6	5	106.7	186.4	70.5
ACCIDENTS	8	2	6	77.6	62.1	84.6
INFLUENZA AND PNEUMONIA	7	3	4	67.9	93.2	56.4
DIABETES MELLITUS	5	1	4	48.5	31.1	56.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	5	3	2	48.5	93.2	28.2
HYPERTENSION/HYPERTENSIVE RENAL DZ	3	1	2	29.1	31.1	28.2
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	3	2	1	29.1	62.1	14.1
HOMICIDE	3	1	2	29.1	31.1	28.2
ALZHEIMERS DISEASE	2	2	0	19.4	62.1	-
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	19.4	31.1	14.1
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	9.7	-	14.1
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	9.7	-	14.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	9.7	-	14.1
<u>ALL OTHER CAUSES</u>	<u>17</u>	<u>5</u>	<u>12</u>	<u>164.8</u>	<u>155.3</u>	<u>169.2</u>

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>141</u>	<u>46</u>	<u>95</u>	<u>61</u>	<u>17</u>	<u>44</u>	<u>80</u>	<u>29</u>	<u>51</u>
UNDER 1	2	0	2	0	0	0	2	0	2
(Neonatal)	0	0	0	0	0	0	0	0	0
(Postneonatal)	2	0	2	0	0	0	2	0	2
1-4	0	0	0	0	0	0	0	0	0
5-9	1	0	1	1	0	1	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	2	1	1	1	1	0	1	0	1
25-34	4	2	2	2	1	1	2	1	1
35-44	8	0	8	4	0	4	4	0	4
45-54	9	2	7	4	1	3	5	1	4
55-64	13	2	11	9	1	8	4	1	3
65-74	32	8	24	13	2	11	19	6	13
75-84	33	15	18	13	4	9	20	11	9
85 AND OVER	37	16	21	14	7	7	23	9	14
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...10,312

WHITE...3,219

NONWHITE...7,093

# SELECTED DEATH STATISTICS, RESIDENTS OF WINSTON COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>213</u>	<u>115</u>	<u>98</u>	<u>10.6</u>	<u>10.3</u>	<u>10.9</u>
HEART DISEASES	69	36	33	342.3	323.1	365.9
MALIGNANT NEOPLASMS	48	32	16	238.1	287.2	177.4
CEREBROVASCULAR DISEASE	16	10	6	79.4	89.8	66.5
ACCIDENTS	12	6	6	59.5	53.8	66.5
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	11	7	4	54.6	62.8	44.4
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	7	0	7	34.7	-	77.6
ALZHEIMERS DISEASE	6	4	2	29.8	35.9	22.2
SUICIDE	5	4	1	24.8	35.9	11.1
DIABETES MELLITUS	4	1	3	19.8	9.0	33.3
INFLUENZA AND PNEUMONIA	3	2	1	14.9	18.0	11.1
HOMICIDE	3	1	2	14.9	9.0	22.2
SEPTICEMIA	2	1	1	9.9	9.0	11.1
PNEUMONITIS DUE TO SOLIDS & LIQUIDS	2	1	1	9.9	9.0	11.1
CONDITIONS ORIG IN PERINATAL PERIOD	2	0	2	7.4	-	13.8
HIV DISEASE	1	0	1	5.0	-	11.1
PARKINSONS DISEASE	1	1	0	5.0	9.0	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	1	0	1	5.0	-	11.1
ATHEROSCLEROSIS	1	0	1	5.0	-	11.1
AORTIC ANEURYSM AND DISSECTION	1	1	0	5.0	9.0	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	5.0	9.0	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	1	0	1	5.0	-	11.1
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	0	1	5.0	-	11.1
ALL OTHER CAUSES	15	7	8	74.4	62.8	88.7

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>213</u>	<u>115</u>	<u>98</u>	<u>106</u>	<u>57</u>	<u>49</u>	<u>107</u>	<u>58</u>	<u>49</u>
UNDER 1	3	0	3	2	0	2	1	0	1
(NEONATAL)	3	0	3	2	0	2	1	0	1
(POSTNEONATAL)	0	0	0	0	0	0	0	0	0
1-4	0	0	0	0	0	0	0	0	0
5-9	2	0	2	2	0	2	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	3	1	2	0	0	0
25-34	3	1	2	2	1	1	1	0	1
35-44	7	1	6	7	1	6	0	0	0
45-54	19	10	9	14	9	5	5	1	4
55-64	22	14	8	14	9	5	8	5	3
65-74	43	21	22	22	13	9	21	8	13
75-84	53	26	27	22	12	10	31	14	17
85 AND OVER	58	41	17	18	11	7	40	30	10
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...20,160

WHITE...11,141

NONWHITE...9,019



# SELECTED DEATH STATISTICS, RESIDENTS OF YALOBUSHA COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>133</u>	<u>99</u>	<u>34</u>	<u>10.2</u>	<u>12.5</u>	<u>6.6</u>
HEART DISEASES	44	31	13	337.1	392.8	251.9
MALIGNANT NEOPLASMS	27	21	6	206.9	266.1	116.3
ACCIDENTS	10	8	2	76.6	101.4	38.8
CEREBROVASCULAR DISEASE	7	6	1	53.6	76.0	19.4
SEPTICEMIA	5	4	1	38.3	50.7	19.4
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	5	5	0	38.3	63.4	-
INFLUENZA AND PNEUMONIA	4	2	2	30.6	25.3	38.8
DIABETES MELLITUS	3	2	1	23.0	25.3	19.4
AORTIC ANEURYSM AND DISSECTION	3	2	1	23.0	25.3	19.4
HOMICIDE	3	1	2	23.0	12.7	38.8
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	2	0	15.3	25.3	-
CONGENITAL MALFORMATIONS AND CHROMOSOMAL ABNORMALITIES	2	1	1	15.3	12.7	19.4
TUBERCULOSIS	1	0	1	7.7	-	19.4
VIRAL HEPATITIS	1	1	0	7.7	12.7	-
MALNUTRITION/NUTRITIONAL DEFICIENCY	1	1	0	7.7	12.7	-
PARKINSONS DISEASE	1	1	0	7.7	12.7	-
ALZHEIMERS DISEASE	1	1	0	7.7	12.7	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	1	0	7.7	12.7	-
SUICIDE	1	1	0	7.7	12.7	-
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	2	2	0	15.3	25.3	-
ALL OTHER CAUSES	9	6	3	69.0	76.0	58.1

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIGIN IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>133</u>	<u>99</u>	<u>34</u>	<u>68</u>	<u>54</u>	<u>14</u>	<u>65</u>	<u>45</u>	<u>20</u>
UNDER 1	2	2	0	1	1	0	1	1	0
(Neonatal)	1	1	0	0	0	0	1	1	0
(Postneonatal)	1	1	0	1	1	0	0	0	0
1-4	1	1	0	0	0	0	1	1	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	3	1	2	2	1	1	1	0	1
25-34	2	2	0	1	1	0	1	1	0
35-44	4	3	1	4	3	1	0	0	0
45-54	7	4	3	5	3	2	2	1	1
55-64	16	15	1	12	12	0	4	3	1
65-74	23	15	8	11	6	5	12	9	3
75-84	38	30	8	18	17	1	20	13	7
85 AND OVER	37	26	11	14	10	4	23	16	7
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...13,051

WHITE...7,891

NONWHITE...5,160

# SELECTED DEATH STATISTICS, RESIDENTS OF YAZOO COUNTY, 2001

LEADING CAUSES OF DEATH LISTED IN DESCENDING ORDER	NUMBER			MORTALITY RATE*		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL OF ALL CAUSES</u>	<u>284</u>	<u>151</u>	<u>133</u>	<u>10.1</u>	<u>12.0</u>	<u>8.6</u>
HEART DISEASES	78	43	35	277.1	341.5	225.0
MALIGNANT NEOPLASMS	62	31	31	220.2	246.2	199.3
CEREBROVASCULAR DISEASE	29	17	12	103.0	135.0	77.1
EMPHYSEMA AND OTHER CHRONIC LOWER RESPIRATORY DISEASES	15	12	3	53.3	95.3	19.3
ACCIDENTS	14	10	4	49.7	79.4	25.7
INFLUENZA AND PNEUMONIA	11	7	4	39.1	55.6	25.7
DIABETES MELLITUS	8	1	7	28.4	7.9	45.0
SEPTICEMIA	7	4	3	24.9	31.8	19.3
NEPHRITIS, NEPHROTIC SYND, NEPHROSIS	6	2	4	21.3	15.9	25.7
CONDITIONS ORIG IN PERINATAL PERIOD	4	2	2	9.7	14.1	7.4
HIV DISEASE	3	0	3	10.6	-	19.3
ALZHEIMERS DISEASE	2	2	0	7.1	15.9	-
HYPERTENSION/HYPERTENSIVE RENAL DZ	2	0	2	7.1	-	12.8
SUICIDE	2	2	0	7.1	15.9	-
HOMICIDE	2	0	2	7.1	-	12.8
TUBERCULOSIS	1	0	1	3.6	-	6.4
PARKINSONS DISEASE	1	1	0	3.6	7.9	-
AORTIC ANEURYSM AND DISSECTION	1	1	0	3.6	7.9	-
PNEUMOCONIOSES & CHEMICAL EFFECTS	1	1	0	3.6	7.9	-
CHRONIC LIVER DISEASE AND CIRRHOSIS	1	0	1	3.6	-	6.4
COMPLICATIONS MEDICAL/SURGICAL CARE	1	0	1	3.6	-	6.4
--- NOT INCLUDED IN RANKING ---						
SYMPTOMS, SIGNS, ILL-DEFINED	1	1	0	3.6	7.9	-
<u>ALL OTHER CAUSES</u>	<u>32</u>	<u>14</u>	<u>18</u>	<u>113.7</u>	<u>111.2</u>	<u>115.7</u>

\* TOTAL DEATHS PER 1,000 POPULATION. DEATHS FROM SPECIFIC CAUSES ARE PER 100,000 POPULATION, EXCEPT DEATHS FROM MATERNAL CAUSES ARE PER 100,000 LIVE BIRTHS AND DEATHS FROM CONDITIONS ORIG IN PERINATAL PERIOD ARE PER 1,000 LIVE BIRTHS. POPULATION FIGURES ARE FROM THE 2000 CENSUS.

AGE	TOTAL			MALE			FEMALE		
	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE	TOTAL	WHITE	NON- WHITE
<u>TOTAL</u>	<u>284</u>	<u>151</u>	<u>133</u>	<u>145</u>	<u>78</u>	<u>67</u>	<u>139</u>	<u>73</u>	<u>66</u>
UNDER 1	4	2	2	2	2	0	2	0	2
(Neonatal)	3	1	2	1	1	0	2	0	2
(Postneonatal)	1	1	0	1	1	0	0	0	0
1-4	2	2	0	0	0	0	2	2	0
5-9	0	0	0	0	0	0	0	0	0
10-14	0	0	0	0	0	0	0	0	0
15-24	5	2	3	2	1	1	3	1	2
25-34	9	3	6	8	3	5	1	0	1
35-44	12	6	6	8	5	3	4	1	3
45-54	18	7	11	12	5	7	6	2	4
55-64	31	18	13	20	12	8	11	6	5
65-74	56	34	22	28	19	9	28	15	13
75-84	79	40	39	42	22	20	37	18	19
85 AND OVER	68	37	31	23	9	14	45	28	17
UNKNOWN	0	0	0	0	0	0	0	0	0

2000 POPULATION: TOTAL...28,149

WHITE...12,593

NONWHITE...15,556