

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: ADAMS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	32,591	2,349	1,190	1,159	414
WHITE	14,308	795	397	398	154
NONWHITE	18,283	1,554	793	761	260

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	79	1	28	50	24	0	6	18	55	1	22	32
TEENAGE IMMATURE BIRTHS	16	0	6	10	5	0	2	3	11	0	4	7
TEENAGE PREMATURE BIRTHS	11	0	5	6	4	0	1	3	7	0	4	3
TEENAGE ILLEGITIMATE BIRTHS	72	1	27	44	17	0	5	12	55	1	22	32
TEENS WHO HAD PREVIOUS LIVE BIRTHS	19	0	5	14	4	0	1	3	15	0	4	11
TEENS WHO HAD PREVIOUS PREGNANCIES	22	0	7	15	5	0	1	4	17	0	6	11
TEENS WITH INADEQUATE* PRENATAL CARE	11	1	5	5	1	0	0	1	10	1	5	4
TEENAGE FERTILITY RATE		33.6	0.8	67.3 (15-19)	30.2	0.0	60.3 (15-19)	35.4	1.3	71.0 (15-19)		
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	12.6	0.0	0.0	20.0	0.0	0.0	0.0	0.0	18.2	0.0	0.0	31.2
TEENAGE INDUCED TERMINATIONS#	11	0	2	9	1	0	0	1	10	0	2	8
TEENAGE INDUCED TERMINATION RATIO	139.2	0.0	71.4	180.0	41.7	0.0	0.0	55.6	181.8	0.0	90.9	250.0
TEENAGE PREGNANCIES#	91	1	30	60	25	0	6	19	66	1	24	41
TEENAGE PREGNANCY RATE	38.7	0.8	77.6 (15-19)	31.4	0.0	62.8 (15-19)	42.5	1.3	85.4 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: ALCORN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	35,230	2,127	1,126	1,001	446
WHITE	30,843	1,778	938	840	394
NONWHITE	4,387	349	188	161	52

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	74	3	26	45	62	1	21	40	12	2	5	5
TEENAGE IMMATURE BIRTHS	11	1	3	7	9	1	3	5	2	0	0	2
TEENAGE PREMATURE BIRTHS	14	2	3	9	12	1	3	8	2	1	0	1
TEENAGE ILLEGITIMATE BIRTHS	49	3	20	26	37	1	15	21	12	2	5	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	3	8	9	0	2	7	2	0	1	1
TEENS WHO HAD PREVIOUS PREGNANCIES	16	0	5	11	12	0	3	9	4	0	2	2
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE		34.8	2.7	70.9 (15-19)	34.9	1.1	72.6 (15-19)		34.4	10.6	62.1 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	13.5	0.0	38.5	0.0	16.1	0.0	47.6	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	75	3	27	45	63	1	22	40	12	2	5	5
TEENAGE PREGNANCY RATE	35.3	2.7	71.9 (15-19)		35.4	1.1	73.8 (15-19)		34.4	10.6	62.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	13.5	0.0	0.0	22.2	16.1	0.0	0.0	25.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: AMITE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,418	933	459	474	173
WHITE	7,693	429	221	208	82
NONWHITE	5,725	504	238	266	91

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	23	0	7	16	6	0	1	5	17	0	6	11
TEENAGE IMMATURE BIRTHS	3	0	3	0	0	0	0	0	3	0	3	0
TEENAGE PREMATURE BIRTHS	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE ILLEGITIMATE BIRTHS	21	0	7	14	5	0	1	4	16	0	6	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	0	6	1	0	0	1	5	0	0	5
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	0	7	2	0	0	2	5	0	0	5
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	24.6	0.0	48.5 (15-19)	14.0	0.0	28.8 (15-19)	33.7	0.0	63.9 (15-19)			
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	43.5	0.0	0.0	62.5	0.0	0.0	0.0	0.0	58.8	0.0	0.0	90.9
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	2	0	1	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	87.0	0.0	142.8	62.5	333.3	0.0	1000.0	200.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	26	0	8	18	8	0	2	6	18	0	6	12
TEENAGE PREGNANCY RATE	27.9	0.0	54.8 (15-19)	18.6	0.0	38.5 (15-19)	35.7	0.0	67.7 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: ATTALA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,653	1,345	680	665	291
WHITE	11,551	620	317	303	148
NONWHITE	8,102	725	363	362	143

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	40	2	15	23	11	0	5	6	29	2	10	17
TEENAGE IMMATURE BIRTHS	9	1	4	4	5	0	3	2	4	1	1	2
TEENAGE PREMATURE BIRTHS	4	0	2	2	2	0	1	1	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	35	2	13	20	8	0	3	5	27	2	10	15
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	0	4	1	0	0	1	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	0	7	2	0	0	2	5	0	0	5
TEENS WITH INADEQUATE* PRENATAL CARE	8	0	3	5	1	0	1	0	7	0	2	5
TEENAGE FERTILITY RATE	29.7	2.9	57.1 (15-19)	17.7	0.0	36.3 (15-19)	40.0	5.5	74.6 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	1	2	1	0	1	0	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	75.0	0.0	66.7	87.0	90.9	0.0	200.0	0.0	69.0	0.0	0.0	117.6
TEENAGE PREGNANCIES#	43	2	16	25	12	0	6	6	31	2	10	19
TEENAGE PREGNANCY RATE	32.0	2.9	61.6 (15-19)	19.4	0.0	39.6 (15-19)	42.8	5.5	80.1 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: BENTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	7,844	521	290	231	96
WHITE	5,013	276	142	134	63
NONWHITE	2,831	245	148	97	33

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	13	0	5	8	11	0	5	6	2	0	0	2
TEENAGE IMMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE PREMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	10	0	3	7	8	0	3	5	2	0	0	2
TEENS WHO HAD PREVIOUS LIVE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	1	0	0	1	1	0	0	1	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE		25.0	0.0	56.3 (15-19)	39.8	0.0	82.1 (15-19)		8.2	0.0	20.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	13	0	5	8	11	0	5	6	2	0	0	2
TEENAGE PREGNANCY RATE	25.0	0.0	56.3 (15-19)		39.8	0.0	82.1 (15-19)		8.2	0.0	20.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: BOLIVAR

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	38,928	3,207	1,487	1,720	608
WHITE	12,960	714	298	416	160
NONWHITE	25,968	2,493	1,189	1,304	448

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	136	3	37	96	19	0	4	15	117	3	33	81
TEENAGE IMMATURE BIRTHS	15	0	5	10	1	0	0	1	14	0	5	9
TEENAGE PREMATURE BIRTHS	22	0	7	15	3	0	0	3	19	0	7	12
TEENAGE ILLEGITIMATE BIRTHS	129	3	37	89	13	0	4	9	116	3	33	80
TEENS WHO HAD PREVIOUS LIVE BIRTHS	32	0	4	28	4	0	1	3	28	0	3	25
TEENS WHO HAD PREVIOUS PREGNANCIES	43	0	6	37	7	0	2	5	36	0	4	32
TEENS WITH INADEQUATE* PRENATAL CARE	11	0	5	6	0	0	0	0	11	0	5	6
TEENAGE FERTILITY RATE	42.4	2.0	77.3 (15-19)		26.6	0.0	45.7 (15-19)		46.9	2.5	87.4 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	6	1	2	3	1	0	0	1	5	1	2	2
TEENAGE INDUCED TERMINATION RATIO	44.1	333.3	54.0	31.2	52.6	0.0	0.0	66.7	42.7	333.3	60.6	24.7
TEENAGE PREGNANCIES#	142	4	39	99	20	0	4	16	122	4	35	83
TEENAGE PREGNANCY RATE	44.3	2.7	80.2 (15-19)		28.0	0.0	48.1 (15-19)		48.9	3.4	90.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	3	0	2	1	0	0	0	0	3	0	2	1
INFANT MORTALITY RATE, TEEN MOMS	22.1	0.0	54.1	10.4	0.0	0.0	0.0	0.0	25.6	0.0	60.6	12.3

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: CALHOUN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	14,864	967	492	475	197
WHITE	10,403	574	294	280	128
NONWHITE	4,461	393	198	195	69

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	41	0	15	26	23	0	12	11	18	0	3	15
TEENAGE IMMATURE BIRTHS	9	0	2	7	4	0	2	2	5	0	0	5
TEENAGE PREMATURE BIRTHS	10	0	3	7	4	0	2	2	6	0	1	5
TEENAGE ILLEGITIMATE BIRTHS	35	0	12	23	17	0	9	8	18	0	3	15
TEENS WHO HAD PREVIOUS LIVE BIRTHS	14	0	3	11	6	0	2	4	8	0	1	7
TEENS WHO HAD PREVIOUS PREGNANCIES	17	0	4	13	8	0	3	5	9	0	1	8
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	2	0	1	1	0	0	0	0
TEENAGE FERTILITY RATE	42.4	0.0	86.3	(15-19)	40.1	0.0	82.1	(15-19)	45.8	0.0	92.3	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	41	0	15	26	23	0	12	11	18	0	3	15
TEENAGE PREGNANCY RATE	42.4	0.0	86.3	(15-19)	40.1	0.0	82.1	(15-19)	45.8	0.0	92.3	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: CARROLL

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,517	667	330	337	108
WHITE	6,841	349	175	174	59
NONWHITE	3,676	318	155	163	49

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	9	0	3	6	4	0	1	3	5	0	2	3
TEENAGE IMMATURE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE PREMATURE BIRTHS	3	0	0	3	2	0	0	2	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	7	0	3	4	3	0	1	2	4	0	2	2
TEENS WHO HAD PREVIOUS LIVE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	1	0	0	1	0	0	0	0	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	2	0	0	2	0	0	0	0
TEENAGE FERTILITY RATE		13.5	0.0	26.7 (15-19)	11.5	0.0	23.0 (15-19)	15.7	0.0	30.7 (15-19)		
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	111.1	0.0	0.0	166.7	0.0	0.0	0.0	0.0	200.0	0.0	0.0	333.3
TEENAGE INDUCED TERMINATIONS#	4	1	2	1	0	0	0	0	4	1	2	1
TEENAGE INDUCED TERMINATION RATIO	444.4	-	666.7	166.7	0.0	0.0	0.0	0.0	800.0	-	1000.0	333.3
TEENAGE PREGNANCIES#	14	1	5	8	4	0	1	3	10	1	4	5
TEENAGE PREGNANCY RATE	21.0	3.0	38.6 (15-19)	11.5	0.0	23.0 (15-19)	31.4	6.4	55.2 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: CHICKASAW

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,318	1,393	708	685	280
WHITE	11,140	640	343	297	135
NONWHITE	8,178	753	365	388	145

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	65	2	24	39	28	0	9	19	37	2	15	20
TEENAGE IMMATURE BIRTHS	10	1	3	6	4	0	0	4	6	1	3	2
TEENAGE PREMATURE BIRTHS	18	1	10	7	6	0	2	4	12	1	8	3
TEENAGE ILLEGITIMATE BIRTHS	46	2	20	24	10	0	5	5	36	2	15	19
TEENS WHO HAD PREVIOUS LIVE BIRTHS	14	0	4	10	5	0	0	5	9	0	4	5
TEENS WHO HAD PREVIOUS PREGNANCIES	20	0	5	15	10	0	1	9	10	0	4	6
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	2	1	2	0	1	1	1	0	1	0
TEENAGE FERTILITY RATE	46.7	2.8	92.0 (15-19)	43.8	43.8	0.0	94.3 (15-19)	49.1	49.1	5.5	90.2 (15-19)	49.1
TEENAGE FETAL DEATHS**	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	30.8	0.0	41.7	25.6	35.7	0.0	111.1	0.0	27.0	0.0	0.0	50.0
TEENAGE INDUCED TERMINATIONS#	3	2	1	0	0	0	0	0	3	2	1	0
TEENAGE INDUCED TERMINATION RATIO	46.2	1000.0	41.7	0.0	0.0	0.0	0.0	0.0	81.1	1000.0	66.7	0.0
TEENAGE PREGNANCIES#	70	4	26	40	29	0	10	19	41	4	16	21
TEENAGE PREGNANCY RATE	50.2	5.6	96.4 (15-19)	45.3	45.3	0.0	97.6 (15-19)	54.4	54.4	11.0	95.4 (15-19)	54.4
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	15.4	0.0	0.0	25.6	35.7	0.0	0.0	52.6	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: CHOCTAW

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,601	745	363	382	82
WHITE	6,596	459	227	232	54
NONWHITE	3,005	286	136	150	28

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	13	1	3	9	5	0	1	4	8	1	2	5
TEENAGE IMMATURE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE PREMATURE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE ILLEGITIMATE BIRTHS	13	1	3	9	5	0	1	4	8	1	2	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	2	1	0	1	0	0	0	0	2	1	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	2	1	0	1	0	0	0	0	2	1	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE		17.4	2.8	31.4 (15-19)	10.9	0.0	21.6 (15-19)		28.0	7.4	46.7 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	2	1	2	0	2	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	230.8	0.0	666.7	111.1	400.0	0.0	2000.0	0.0	125.0	0.0	0.0	200.0
TEENAGE PREGNANCIES#	16	1	5	10	7	0	3	4	9	1	2	6
TEENAGE PREGNANCY RATE	21.5	2.8	39.3 (15-19)		15.2	0.0	30.2 (15-19)		31.5	7.4	53.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: CLAIBORNE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	11,546	1,115	401	714	154
WHITE	1,759	75	31	44	15
NONWHITE	9,787	1,040	370	670	139

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	29	0	8	21	2	0	0	2	27	0	8	19
TEENAGE IMMATURE BIRTHS	7	0	2	5	1	0	0	1	6	0	2	4
TEENAGE PREMATURE BIRTHS	7	0	3	4	1	0	0	1	6	0	3	3
TEENAGE ILLEGITIMATE BIRTHS	29	0	8	21	2	0	0	2	27	0	8	19
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	1	6	2	0	0	2	5	0	1	4
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	1	8	2	0	0	2	7	0	1	6
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	2	4	0	0	0	0	6	0	2	4
TEENAGE FERTILITY RATE		26.0	0.0	40.6 (15-19)	26.7	0.0	45.4 (15-19)	26.0	0.0	40.3 (15-19)		
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	1	0	2	0	0	0	0	3	1	0	2
TEENAGE INDUCED TERMINATION RATIO	103.4	-	0.0	95.2	0.0	0.0	0.0	0.0	111.1	-	0.0	105.3
TEENAGE PREGNANCIES#	32	1	8	23	2	0	0	2	30	1	8	21
TEENAGE PREGNANCY RATE	28.7	2.5	43.4 (15-19)	26.7	0.0	45.4 (15-19)	28.8	2.7	43.3 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: CLARKE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	17,634	1,219	631	588	232
WHITE	11,573	716	376	340	127
NONWHITE	6,061	503	255	248	105

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	43	1	11	31	21	0	6	15	22	1	5	16
TEENAGE IMMATURE BIRTHS	3	0	0	3	2	0	0	2	1	0	0	1
TEENAGE PREMATURE BIRTHS	10	1	1	8	4	0	0	4	6	1	1	4
TEENAGE ILLEGITIMATE BIRTHS	34	1	10	23	12	0	5	7	22	1	5	16
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	1	6	3	0	0	3	4	0	1	3
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	1	6	3	0	0	3	4	0	1	3
TEENS WITH INADEQUATE* PRENATAL CARE	2	1	1	0	0	0	0	0	2	1	1	0
TEENAGE FERTILITY RATE		35.3	1.6	71.4 (15-19)	29.3	0.0	61.8 (15-19)		43.7	3.9	84.7 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	7	0	5	2	5	0	4	1	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	162.8	0.0	454.5	64.5	238.1	0.0	666.7	66.7	90.9	0.0	200.0	62.5
TEENAGE PREGNANCIES#	50	1	16	33	26	0	10	16	24	1	6	17
TEENAGE PREGNANCY RATE	41.0	1.6	83.3 (15-19)		36.3	0.0	76.5 (15-19)		47.7	3.9	92.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: CLAY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,650	1,633	839	794	296
WHITE	9,183	494	242	252	109
NONWHITE	12,467	1,139	597	542	187

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	60	1	22	37	17	0	6	11	43	1	16	26
TEENAGE IMMATURE BIRTHS	10	0	2	8	1	0	0	1	9	0	2	7
TEENAGE PREMATURE BIRTHS	10	1	2	7	0	0	0	0	10	1	2	7
TEENAGE ILLEGITIMATE BIRTHS	55	1	21	33	12	0	5	7	43	1	16	26
TEENS WHO HAD PREVIOUS LIVE BIRTHS	11	0	2	9	2	0	1	1	9	0	1	8
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	2	10	2	0	1	1	10	0	1	9
TEENS WITH INADEQUATE* PRENATAL CARE	6	0	2	4	2	0	1	1	4	0	1	3
TEENAGE FERTILITY RATE		36.7	1.2	74.3 (15-19)	34.4	0.0	67.5 (15-19)	37.8	1.7	77.5 (15-19)		
TEENAGE FETAL DEATHS**	3	0	1	2	1	0	0	1	2	0	1	1
TEENAGE FETAL DEATH RATIO	50.0	0.0	45.4	54.0	58.8	0.0	0.0	90.9	46.5	0.0	62.5	38.5
TEENAGE INDUCED TERMINATIONS#	6	0	2	4	3	0	1	2	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	100.0	0.0	90.9	108.1	176.5	0.0	166.7	181.8	69.8	0.0	62.5	76.9
TEENAGE PREGNANCIES#	69	1	25	43	21	0	7	14	48	1	18	29
TEENAGE PREGNANCY RATE	42.2	1.2	85.6 (15-19)	42.5	42.5	0.0	83.3 (15-19)	42.1	1.7	86.7 (15-19)		
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	16.7	0.0	0.0	27.0	0.0	0.0	0.0	0.0	23.3	0.0	0.0	38.5

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: COAHOMA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	29,202	2,571	1,285	1,286	506
WHITE	7,743	476	225	251	74
NONWHITE	21,459	2,095	1,060	1,035	432

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	113	6	45	62	10	0	4	6	103	6	41	56
TEENAGE IMMATURE BIRTHS	15	4	4	7	1	0	0	1	14	4	4	6
TEENAGE PREMATURE BIRTHS	32	4	17	11	2	0	1	1	30	4	16	10
TEENAGE ILLEGITIMATE BIRTHS	108	6	44	58	7	0	4	3	101	6	40	55
TEENS WHO HAD PREVIOUS LIVE BIRTHS	30	1	3	26	2	0	0	2	28	1	3	24
TEENS WHO HAD PREVIOUS PREGNANCIES	33	1	3	29	2	0	0	2	31	1	3	27
TEENS WITH INADEQUATE* PRENATAL CARE	4	2	1	1	0	0	0	0	4	2	1	1
TEENAGE FERTILITY RATE	44.0	4.7	83.2 (15-19)		21.0	0.0	39.8 (15-19)		49.2	5.7	93.7 (15-19)	
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	17.7	0.0	22.2	16.1	0.0	0.0	0.0	0.0	19.4	0.0	24.4	17.8
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	17.7	0.0	0.0	32.2	100.0	0.0	0.0	166.7	9.7	0.0	0.0	17.8
TEENAGE PREGNANCIES#	117	6	46	65	11	0	4	7	106	6	42	58
TEENAGE PREGNANCY RATE	45.5	4.7	86.3 (15-19)		23.1	0.0	43.8 (15-19)		50.6	5.7	96.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	1	0	0	0	0	0	0	1	1	0	0
INFANT MORTALITY RATE, TEEN MOMS	8.9	166.7	0.0	0.0	0.0	0.0	0.0	0.0	9.7	166.7	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: COPIAH

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	29,151	2,291	994	1,297	443
WHITE	14,251	861	360	501	156
NONWHITE	14,900	1,430	634	796	287

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	80	1	25	54	16	0	3	13	64	1	22	41
TEENAGE IMMATURE BIRTHS	14	0	4	10	1	0	1	0	13	0	3	10
TEENAGE PREMATURE BIRTHS	20	0	7	13	1	0	1	0	19	0	6	13
TEENAGE ILLEGITIMATE BIRTHS	72	1	24	47	9	0	2	7	63	1	22	40
TEENS WHO HAD PREVIOUS LIVE BIRTHS	18	0	1	17	2	0	0	2	16	0	1	15
TEENS WHO HAD PREVIOUS PREGNANCIES	23	0	3	20	3	0	1	2	20	0	2	18
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	1	6	0	0	0	0	7	0	1	6
TEENAGE FERTILITY RATE		34.9	1.0	60.9 (15-19)	18.6	0.0	31.9 (15-19)	44.8	1.6	79.1 (15-19)		
TEENAGE FETAL DEATHS**	3	0	0	3	1	0	0	1	2	0	0	2
TEENAGE FETAL DEATH RATIO	37.5	0.0	0.0	55.6	62.5	0.0	0.0	76.9	31.2	0.0	0.0	48.8
TEENAGE INDUCED TERMINATIONS#	22	1	7	14	4	0	1	3	18	1	6	11
TEENAGE INDUCED TERMINATION RATIO	275.0	1000.0	280.0	259.2	250.0	0.0	333.3	230.8	281.2	1000.0	272.7	268.3
TEENAGE PREGNANCIES#	105	2	32	71	21	0	4	17	84	2	28	54
TEENAGE PREGNANCY RATE	45.8	2.0	79.4 (15-19)	24.4	0.0	41.9 (15-19)	58.7	3.2	103.0 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: COVINGTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	20,225	1,547	787	760	282
WHITE	12,780	835	439	396	157
NONWHITE	7,445	712	348	364	125

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	51	1	14	36	23	0	5	18	28	1	9	18
TEENAGE IMMATURE BIRTHS	6	1	0	5	1	0	0	1	5	1	0	4
TEENAGE PREMATURE BIRTHS	7	0	2	5	3	0	0	3	4	0	2	2
TEENAGE ILLEGITIMATE BIRTHS	41	1	12	28	14	0	3	11	27	1	9	17
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	0	9	3	0	0	3	6	0	0	6
TEENS WHO HAD PREVIOUS PREGNANCIES	14	0	1	13	6	0	0	6	8	0	1	7
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	2	2	0	0	0	0	4	0	2	2
TEENAGE FERTILITY RATE	33.0	1.3	65.8 (15-19)	27.5	0.0	58.1 (15-19)	39.3	2.9	74.2 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	9	0	4	5	4	0	3	1	5	0	1	4
TEENAGE INDUCED TERMINATION RATIO	176.5	0.0	285.7	138.9	173.9	0.0	600.0	55.6	178.6	0.0	111.1	222.2
TEENAGE PREGNANCIES#	60	1	18	41	27	0	8	19	33	1	10	22
TEENAGE PREGNANCY RATE	38.8	1.3	77.6 (15-19)	32.3	0.0	68.2 (15-19)	46.3	2.9	87.9 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	19.6	0.0	0.0	27.8	0.0	0.0	0.0	0.0	35.7	0.0	0.0	55.6

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: DESOTO

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	130,587	9,394	4,917	4,477	1,978
WHITE	107,391	7,368	3,829	3,539	1,634
NONWHITE	23,196	2,026	1,088	938	344

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	212	0	55	157	166	0	37	129	46	0	18	28
TEENAGE IMMATURE BIRTHS	20	0	5	15	11	0	2	9	9	0	3	6
TEENAGE PREMATURE BIRTHS	23	0	7	16	15	0	3	12	8	0	4	4
TEENAGE ILLEGITIMATE BIRTHS	166	0	51	115	120	0	33	87	46	0	18	28
TEENS WHO HAD PREVIOUS LIVE BIRTHS	44	0	7	37	34	0	7	27	10	0	0	10
TEENS WHO HAD PREVIOUS PREGNANCIES	49	0	7	42	39	0	7	32	10	0	0	10
TEENS WITH INADEQUATE* PRENATAL CARE	16	0	7	9	14	0	5	9	2	0	2	0
TEENAGE FERTILITY RATE	22.6	0.0	47.4	(15-19)	22.5	0.0	46.9	(15-19)	22.7	0.0	49.0	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	4.7	0.0	0.0	6.4	6.0	0.0	0.0	7.8	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	213	0	55	158	167	0	37	130	46	0	18	28
TEENAGE PREGNANCY RATE	22.7	0.0	47.6	(15-19)	22.7	0.0	47.2	(15-19)	22.7	0.0	49.0	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	4.7	0.0	0.0	6.4	6.0	0.0	0.0	7.8	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: FORREST

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	74,469	5,397	2,375	3,022	1,150
WHITE	47,109	2,886	1,215	1,671	647
NONWHITE	27,360	2,511	1,160	1,351	503

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	158	4	49	105	71	0	23	48	87	4	26	57
TEENAGE IMMATURE BIRTHS	22	0	3	19	8	0	1	7	14	0	2	12
TEENAGE PREMATURE BIRTHS	29	0	8	21	9	0	0	9	20	0	8	12
TEENAGE ILLEGITIMATE BIRTHS	130	4	46	80	48	0	20	28	82	4	26	52
TEENS WHO HAD PREVIOUS LIVE BIRTHS	38	0	4	34	14	0	0	14	24	0	4	20
TEENS WHO HAD PREVIOUS PREGNANCIES	45	0	7	38	20	0	3	17	25	0	4	21
TEENS WITH INADEQUATE* PRENATAL CARE	13	0	4	9	5	0	1	4	8	0	3	5
TEENAGE FERTILITY RATE	29.3	1.7	51.0	(15-19)	24.6	0.0	42.5	(15-19)	34.6	3.4	61.4	(15-19)
TEENAGE FETAL DEATHS**	2	0	0	2	2	0	0	2	0	0	0	0
TEENAGE FETAL DEATH RATIO	12.6	0.0	0.0	19.0	28.2	0.0	0.0	41.7	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	42	2	4	36	16	2	0	14	26	0	4	22
TEENAGE INDUCED TERMINATION RATIO	265.8	500.0	81.6	342.8	225.4	-	0.0	291.7	298.8	0.0	153.8	386.0
TEENAGE PREGNANCIES#	202	6	53	143	89	2	23	64	113	4	30	79
TEENAGE PREGNANCY RATE	37.4	2.5	64.8	(15-19)	30.8	1.6	52.1	(15-19)	45.0	3.4	80.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	6	0	2	4	4	0	1	3	2	0	1	1
INFANT MORTALITY RATE, TEEN MOMS	38.0	0.0	40.8	38.1	56.3	0.0	43.5	62.5	23.0	0.0	38.5	17.5

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: FRANKLIN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	8,411	594	279	315	93
WHITE	5,278	297	150	147	50
NONWHITE	3,133	297	129	168	43

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	13	0	4	9	5	0	2	3	8	0	2	6
TEENAGE IMMATURE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE PREMATURE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	12	0	4	8	4	0	2	2	8	0	2	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	2	0	0	2	0	0	0	0	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	2	0	0	2	0	0	0	0	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE		21.9	0.0	41.3 (15-19)	16.8	0.0	34.0 (15-19)	26.9	0.0	47.6 (15-19)		
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	153.8	0.0	0.0	222.2	0.0	0.0	0.0	0.0	250.0	0.0	0.0	333.3
TEENAGE PREGNANCIES#	15	0	4	11	5	0	2	3	10	0	2	8
TEENAGE PREGNANCY RATE	25.2	0.0	47.6 (15-19)	16.8	0.0	34.0 (15-19)	33.7	0.0	59.5 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: GEORGE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	20,838	1,446	777	669	330
WHITE	18,670	1,271	685	586	303
NONWHITE	2,168	175	92	83	27

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	52	1	18	33	42	0	14	28	10	1	4	5
TEENAGE IMMATURE BIRTHS	6	0	1	5	3	0	1	2	3	0	0	3
TEENAGE PREMATURE BIRTHS	8	0	1	7	6	0	1	5	2	0	0	2
TEENAGE ILLEGITIMATE BIRTHS	36	1	14	21	27	0	10	17	9	1	4	4
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	1	8	8	0	1	7	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	1	9	9	0	1	8	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	1	3	2	0	0	2	2	0	1	1
TEENAGE FERTILITY RATE	36.0	1.3	76.2 (15-19)		33.0	0.0	71.7 (15-19)		57.1	10.9	108.4 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	38.5	0.0	0.0	60.6	23.8	0.0	0.0	35.7	100.0	0.0	0.0	200.0
TEENAGE PREGNANCIES#	54	1	18	35	43	0	14	29	11	1	4	6
TEENAGE PREGNANCY RATE	37.3	1.3	79.2 (15-19)		33.8	0.0	73.4 (15-19)		62.8	10.9	120.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: GREENE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,166	791	418	373	152
WHITE	9,650	608	325	283	112
NONWHITE	3,516	183	93	90	40

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	19	0	6	13	9	0	3	6	10	0	3	7
TEENAGE IMMATURE BIRTHS	4	0	1	3	0	0	0	0	4	0	1	3
TEENAGE PREMATURE BIRTHS	6	0	1	5	2	0	0	2	4	0	1	3
TEENAGE ILLEGITIMATE BIRTHS	17	0	5	12	7	0	2	5	10	0	3	7
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	2	5	3	0	1	2	4	0	1	3
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	2	5	3	0	1	2	4	0	1	3
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	24.0	0.0	50.9 (15-19)	14.8	0.0	31.8 (15-19)	54.6	0.0	111.1 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	52.6	0.0	0.0	76.9	111.1	0.0	0.0	166.7	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	20	0	6	14	10	0	3	7	10	0	3	7
TEENAGE PREGNANCY RATE	25.3	0.0	53.6 (15-19)	16.4	0.0	35.3 (15-19)	54.6	0.0	111.1 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: GRENADA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	22,736	1,746	923	823	278
WHITE	13,102	848	443	405	135
NONWHITE	9,634	898	480	418	143

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	57	1	21	35	21	0	8	13	36	1	13	22
TEENAGE IMMATURE BIRTHS	6	0	2	4	1	0	0	1	5	0	2	3
TEENAGE PREMATURE BIRTHS	10	0	4	6	2	0	2	0	8	0	2	6
TEENAGE ILLEGITIMATE BIRTHS	48	1	19	28	12	0	6	6	36	1	13	22
TEENS WHO HAD PREVIOUS LIVE BIRTHS	10	0	1	9	2	0	0	2	8	0	1	7
TEENS WHO HAD PREVIOUS PREGNANCIES	15	0	2	13	4	0	0	4	11	0	2	9
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	2	0	1	1	1	0	0	1
TEENAGE FERTILITY RATE		32.6	1.1	68.0 (15-19)	24.8	0.0	51.8 (15-19)		40.1	2.1	83.7 (15-19)	
TEENAGE FETAL DEATHS**	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE FETAL DEATH RATIO	35.1	0.0	0.0	57.1	47.6	0.0	0.0	76.9	27.8	0.0	0.0	45.4
TEENAGE INDUCED TERMINATIONS#	6	1	3	2	4	1	2	1	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	105.3	1000.0	142.8	57.1	190.5	-	250.0	76.9	55.6	0.0	76.9	45.4
TEENAGE PREGNANCIES#	65	2	24	39	26	1	10	15	39	1	14	24
TEENAGE PREGNANCY RATE	37.2	2.2	76.5 (15-19)		30.7	2.2	61.7 (15-19)		43.4	2.1	90.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	1	0	0	1	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	35.1	0.0	47.6	28.6	47.6	0.0	0.0	76.9	27.8	0.0	76.9	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: HANCOCK

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	45,933	3,069	1,549	1,520	546
WHITE	41,608	2,707	1,362	1,345	504
NONWHITE	4,325	362	187	175	42

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	82	1	19	62	77	1	17	59	5	0	2	3
TEENAGE IMMATURE BIRTHS	6	0	1	5	6	0	1	5	0	0	0	0
TEENAGE PREMATURE BIRTHS	14	0	3	11	12	0	2	10	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	70	1	19	50	65	1	17	47	5	0	2	3
TEENS WHO HAD PREVIOUS LIVE BIRTHS	21	0	0	21	20	0	0	20	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	25	0	2	23	24	0	2	22	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FERTILITY RATE		26.7	0.6	53.3 (15-19)	28.4	0.7	56.5 (15-19)	13.8	0.0	28.6 (15-19)		
TEENAGE FETAL DEATHS**	2	0	2	0	2	0	2	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	24.4	0.0	105.3	0.0	26.0	0.0	117.6	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	84	1	21	62	79	1	19	59	5	0	2	3
TEENAGE PREGNANCY RATE	27.4	0.6	54.6 (15-19)	29.2	0.7	58.0 (15-19)	13.8	0.0	28.6 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	12.2	0.0	0.0	16.1	0.0	0.0	0.0	0.0	200.0	0.0	0.0	333.3

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: HARRISON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	192,393	13,149	6,750	6,399	3,007
WHITE	139,650	8,595	4,336	4,259	2,041
NONWHITE	52,743	4,554	2,414	2,140	966

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	397	11	93	293	231	2	50	179	166	9	43	114
TEENAGE IMMATURE BIRTHS	49	0	11	38	24	0	7	17	25	0	4	21
TEENAGE PREMATURE BIRTHS	70	3	18	49	31	1	7	23	39	2	11	26
TEENAGE ILLEGITIMATE BIRTHS	337	11	86	240	177	2	43	132	160	9	43	108
TEENS WHO HAD PREVIOUS LIVE BIRTHS	77	0	9	68	40	0	4	36	37	0	5	32
TEENS WHO HAD PREVIOUS PREGNANCIES	104	0	12	92	56	0	5	51	48	0	7	41
TEENS WITH INADEQUATE* PRENATAL CARE	32	2	6	24	13	1	2	10	19	1	4	14
TEENAGE FERTILITY RATE	30.2	1.6	60.3	(15-19)	26.9	0.5	53.8	(15-19)	36.4	3.7	73.4	(15-19)
TEENAGE FETAL DEATHS**	7	0	3	4	4	0	2	2	3	0	1	2
TEENAGE FETAL DEATH RATIO	17.6	0.0	32.2	13.6	17.3	0.0	40.0	11.2	18.1	0.0	23.2	17.5
TEENAGE INDUCED TERMINATIONS#	36	1	7	28	18	1	4	13	17	0	3	14
TEENAGE INDUCED TERMINATION RATIO	90.7	90.9	75.3	95.6	77.9	500.0	80.0	72.6	102.4	0.0	69.8	122.8
TEENAGE PREGNANCIES#	440	12	103	325	253	3	56	194	186	9	47	130
TEENAGE PREGNANCY RATE	33.5	1.8	66.9	(15-19)	29.4	0.7	58.7	(15-19)	40.8	3.7	82.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	5	0	1	4	3	0	0	3	2	0	1	1
INFANT MORTALITY RATE, TEEN MOMS	12.6	0.0	10.8	13.7	13.0	0.0	0.0	16.8	12.0	0.0	23.3	8.8

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: HINDS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	249,987	18,913	9,274	9,639	3,925
WHITE	85,769	4,708	2,106	2,602	988
NONWHITE	164,218	14,205	7,168	7,037	2,937

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	653	22	211	420	76	1	19	56	577	21	192	364
TEENAGE IMMATURE BIRTHS	95	1	27	67	12	0	5	7	83	1	22	60
TEENAGE PREMATURE BIRTHS	139	6	45	88	16	0	6	10	123	6	39	78
TEENAGE ILLEGITIMATE BIRTHS	626	22	204	400	57	1	14	42	569	21	190	358
TEENS WHO HAD PREVIOUS LIVE BIRTHS	150	0	29	121	11	0	2	9	139	0	27	112
TEENS WHO HAD PREVIOUS PREGNANCIES	197	1	36	160	17	0	4	13	180	1	32	147
TEENS WITH INADEQUATE* PRENATAL CARE	85	4	37	44	8	0	2	6	77	4	35	38
TEENAGE FERTILITY RATE	34.5	2.4	65.5 (15-19)	16.1	0.5	28.8 (15-19)	40.6	2.9	79.0 (15-19)			
TEENAGE FETAL DEATHS**	14	1	7	6	2	0	2	0	12	1	5	6
TEENAGE FETAL DEATH RATIO	21.4	45.4	33.2	14.3	26.3	0.0	105.3	0.0	20.8	47.6	26.0	16.5
TEENAGE INDUCED TERMINATIONS#	199	14	42	143	22	0	5	17	176	14	37	125
TEENAGE INDUCED TERMINATION RATIO	304.7	636.4	199.0	340.5	289.5	0.0	263.2	303.6	305.0	666.7	192.7	343.4
TEENAGE PREGNANCIES#	866	37	260	569	100	1	26	73	765	36	234	495
TEENAGE PREGNANCY RATE	45.8	4.0	86.0 (15-19)	21.2	0.5	38.0 (15-19)	53.8	5.0	103.6 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	5	0	0	5	0	0	0	0	5	0	0	5
INFANT MORTALITY RATE, TEEN MOMS	7.7	0.0	0.0	11.9	0.0	0.0	0.0	0.0	8.7	0.0	0.0	13.7

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: HOLMES

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,148	1,850	888	962	390
WHITE	4,042	253	79	174	48
NONWHITE	17,106	1,597	809	788	342

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	71	4	25	42	2	0	2	0	69	4	23	42
TEENAGE IMMATURE BIRTHS	10	1	4	5	0	0	0	0	10	1	4	5
TEENAGE PREMATURE BIRTHS	8	0	3	5	0	0	0	0	8	0	3	5
TEENAGE ILLEGITIMATE BIRTHS	71	4	25	42	2	0	2	0	69	4	23	42
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	2	14	0	0	0	0	16	0	2	14
TEENS WHO HAD PREVIOUS PREGNANCIES	16	0	2	14	0	0	0	0	16	0	2	14
TEENS WITH INADEQUATE* PRENATAL CARE	21	1	7	13	0	0	0	0	21	1	7	13
TEENAGE FERTILITY RATE	38.4	4.5	69.6	(15-19)	7.9	0.0	11.5	(15-19)	43.2	4.9	82.5	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	14.1	0.0	40.0	0.0	0.0	0.0	0.0	0.0	14.5	0.0	43.5	0.0
TEENAGE INDUCED TERMINATIONS#	19	5	4	10	1	0	0	1	18	5	4	9
TEENAGE INDUCED TERMINATION RATIO	267.6	1250.0	160.0	238.1	500.0	0.0	0.0	-	260.9	1250.0	173.9	214.3
TEENAGE PREGNANCIES#	91	9	30	52	3	0	2	1	88	9	28	51
TEENAGE PREGNANCY RATE	49.2	10.1	85.2	(15-19)	11.8	0.0	17.2	(15-19)	55.1	11.1	100.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: HUMPHREYS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,628	889	451	438	185
WHITE	2,778	141	72	69	25
NONWHITE	7,850	748	379	369	160

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	40	1	15	24	2	0	2	0	38	1	13	24
TEENAGE IMMATURE BIRTHS	5	0	1	4	0	0	0	0	5	0	1	4
TEENAGE PREMATURE BIRTHS	9	1	3	5	0	0	0	0	9	1	3	5
TEENAGE ILLEGITIMATE BIRTHS	40	1	15	24	2	0	2	0	38	1	13	24
TEENS WHO HAD PREVIOUS LIVE BIRTHS	14	0	4	10	0	0	0	0	14	0	4	10
TEENS WHO HAD PREVIOUS PREGNANCIES	17	0	5	12	0	0	0	0	17	0	5	12
TEENS WITH INADEQUATE* PRENATAL CARE	5	0	1	4	0	0	0	0	5	0	1	4
TEENAGE FERTILITY RATE	45.0	2.2	89.0 (15-19)	14.2	0.0	29.0 (15-19)	50.8	2.6	100.3 (15-19)			
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	25.0	0.0	66.7	0.0	0.0	0.0	0.0	0.0	26.3	0.0	76.9	0.0
TEENAGE INDUCED TERMINATIONS#	4	1	1	2	0	0	0	0	4	1	1	2
TEENAGE INDUCED TERMINATION RATIO	100.0	1000.0	66.7	83.3	0.0	0.0	0.0	0.0	105.3	1000.0	76.9	83.3
TEENAGE PREGNANCIES#	45	2	17	26	2	0	2	0	43	2	15	26
TEENAGE PREGNANCY RATE	50.6	4.4	98.2 (15-19)	14.2	0.0	29.0 (15-19)	57.5	5.3	111.1 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	3	0	1	2	0	0	0	0	3	0	1	2
INFANT MORTALITY RATE, TEEN MOMS	75.0	0.0	66.7	83.3	0.0	0.0	0.0	0.0	78.9	0.0	76.9	83.3

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: ISSAQUENA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	1,978	173	83	90	14
WHITE	724	38	20	18	5
NONWHITE	1,254	135	63	72	9

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE IMMATURE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE PREMATURE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	3	0	1	2	0	0	0	0	3	0	1	2
TEENS WHO HAD PREVIOUS LIVE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	0	0	0	0	0	0	0	0	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE		17.3	0.0	33.3 (15-19)		0.0	0.0	0.0 (15-19)		22.2	0.0	41.7 (15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE PREGNANCY RATE		17.3	0.0	33.3 (15-19)		0.0	0.0	0.0 (15-19)		22.2	0.0	41.7 (15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: ITAWAMBA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	23,310	1,759	844	915	288
WHITE	21,615	1,574	782	792	257
NONWHITE	1,695	185	62	123	31

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	52	1	17	34	43	1	13	29	9	0	4	5
TEENAGE IMMATURE BIRTHS	5	0	4	1	3	0	2	1	2	0	2	0
TEENAGE PREMATURE BIRTHS	12	1	2	9	10	1	1	8	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	32	1	15	16	24	1	11	12	8	0	4	4
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	1	8	7	0	0	7	2	0	1	1
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	1	10	9	0	0	9	2	0	1	1
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	0	3	3	0	0	3	0	0	0	0
TEENAGE FERTILITY RATE	29.6	1.2	55.7 (15-19)	27.3	27.3	1.3	53.0 (15-19)	48.6	48.6	0.0	73.2 (15-19)	0
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	0	2	2	0	0	2	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	38.5	0.0	0.0	58.8	46.5	0.0	0.0	69.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	54	1	17	36	45	1	13	31	9	0	4	5
TEENAGE PREGNANCY RATE	30.7	1.2	57.9 (15-19)	28.6	28.6	1.3	55.6 (15-19)	48.6	48.6	0.0	73.2 (15-19)	0
INFANT DEATHS TO TEENAGE MOTHERS	3	0	3	0	2	0	2	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	57.7	0.0	176.5	0.0	46.5	0.0	153.8	0.0	111.1	0.0	250.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: JACKSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	135,436	9,686	5,061	4,625	1,895
WHITE	101,326	6,775	3,541	3,234	1,362
NONWHITE	34,110	2,911	1,520	1,391	533

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	257	2	87	168	159	1	53	105	98	1	34	63
TEENAGE IMMATURE BIRTHS	34	1	15	18	16	0	6	10	18	1	9	8
TEENAGE PREMATURE BIRTHS	34	0	12	22	27	0	10	17	7	0	2	5
TEENAGE ILLEGITIMATE BIRTHS	211	2	82	127	118	1	49	68	93	1	33	59
TEENS WHO HAD PREVIOUS LIVE BIRTHS	58	0	6	52	35	0	3	32	23	0	3	20
TEENS WHO HAD PREVIOUS PREGNANCIES	68	0	9	59	44	0	5	39	24	0	4	20
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	2	5	5	0	2	3	2	0	0	2
TEENAGE FERTILITY RATE	26.5	0.4	55.1 (15-19)		23.5	0.3	48.8 (15-19)		33.7	0.6	69.7 (15-19)	
TEENAGE FETAL DEATHS**	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE FETAL DEATH RATIO	11.7	0.0	23.0	6.0	0.0	0.0	0.0	0.0	30.6	0.0	58.8	15.9
TEENAGE INDUCED TERMINATIONS#	33	2	9	22	18	0	6	12	15	2	3	10
TEENAGE INDUCED TERMINATION RATIO	128.4	1000.0	103.4	131.0	113.2	0.0	113.2	114.3	153.1	2000.0	88.2	158.7
TEENAGE PREGNANCIES#	293	4	98	191	177	1	59	117	116	3	39	74
TEENAGE PREGNANCY RATE	30.2	0.8	62.5 (15-19)		26.1	0.3	54.4 (15-19)		39.8	2.0	81.2 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	1	0	1	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	3.9	0.0	11.5	0.0	6.3	0.0	18.9	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: JASPER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	18,005	1,340	690	650	246
WHITE	8,420	452	236	216	92
NONWHITE	9,585	888	454	434	154

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	34	2	6	26	9	0	1	8	25	2	5	18
TEENAGE IMMATURE BIRTHS	5	0	0	5	1	0	0	1	4	0	0	4
TEENAGE PREMATURE BIRTHS	6	0	2	4	2	0	0	2	4	0	2	2
TEENAGE ILLEGITIMATE BIRTHS	30	2	5	23	5	0	0	5	25	2	5	18
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	0	9	4	0	0	4	5	0	0	5
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	0	11	4	0	0	4	7	0	0	7
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE	25.4	2.9	49.2 (15-19)	19.9	19.9	0.0	41.7 (15-19)	28.2	28.2	4.4	53.0 (15-19)	19.9
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	29.4	0.0	0.0	38.5	0.0	0.0	0.0	0.0	40.0	0.0	0.0	55.6
TEENAGE PREGNANCIES#	35	2	6	27	9	0	1	8	26	2	5	19
TEENAGE PREGNANCY RATE	26.1	2.9	50.8 (15-19)	19.9	19.9	0.0	41.7 (15-19)	29.3	29.3	4.4	55.3 (15-19)	19.9
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	29.4	0.0	0.0	38.5	0.0	0.0	0.0	0.0	40.0	0.0	0.0	55.6

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: JEFFERSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,456	735	345	390	137
WHITE	1,280	54	19	35	10
NONWHITE	8,176	681	326	355	127

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	23	0	7	16	0	0	0	0	23	0	7	16
TEENAGE IMMATURE BIRTHS	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE PREMATURE BIRTHS	4	0	2	2	0	0	0	0	4	0	2	2
TEENAGE ILLEGITIMATE BIRTHS	23	0	7	16	0	0	0	0	23	0	7	16
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	0	6	0	0	0	0	6	0	0	6
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	0	6	0	0	0	0	6	0	0	6
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	0	3	0	0	0	0	3	0	0	3
TEENAGE FERTILITY RATE	31.3	0.0	59.0	(15-19)	0.0	0.0	0.0	(15-19)	33.8	0.0	64.8	(15-19)
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	87.0	0.0	142.8	62.5	0.0	0.0	0.0	0.0	87.0	0.0	142.8	62.5
TEENAGE INDUCED TERMINATIONS#	7	1	3	3	0	0	0	0	7	1	3	3
TEENAGE INDUCED TERMINATION RATIO	304.3	-	428.6	187.5	0.0	0.0	0.0	0.0	304.3	-	428.6	187.5
TEENAGE PREGNANCIES#	32	1	11	20	0	0	0	0	32	1	11	20
TEENAGE PREGNANCY RATE	43.5	2.9	79.5	(15-19)	0.0	0.0	0.0	(15-19)	47.0	3.1	87.3	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: JEFF DAVIS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,087	980	497	483	150
WHITE	5,431	275	136	139	51
NONWHITE	7,656	705	361	344	99

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	36	1	6	29	12	0	2	10	24	1	4	19
TEENAGE IMMATURE BIRTHS	4	0	0	4	2	0	0	2	2	0	0	2
TEENAGE PREMATURE BIRTHS	9	1	3	5	3	0	2	1	6	1	1	4
TEENAGE ILLEGITIMATE BIRTHS	30	1	6	23	6	0	2	4	24	1	4	19
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	0	6	4	0	0	4	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	0	6	4	0	0	4	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	2	1	1	0	1	0	2	0	1	1
TEENAGE FERTILITY RATE	36.7	2.0	72.5 (15-19)	43.6	0.0	86.3 (15-19)	34.0	2.8	66.9 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	36	1	6	29	12	0	2	10	24	1	4	19
TEENAGE PREGNANCY RATE	36.7	2.0	72.5 (15-19)	43.6	0.0	86.3 (15-19)	34.0	2.8	66.9 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: JONES

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	65,662	4,412	2,177	2,235	1,044
WHITE	46,987	2,746	1,319	1,427	685
NONWHITE	18,675	1,666	858	808	359

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	180	6	73	101	103	3	39	61	77	3	34	40
TEENAGE IMMATURE BIRTHS	27	3	8	16	11	2	2	7	16	1	6	9
TEENAGE PREMATURE BIRTHS	27	1	9	17	14	1	5	8	13	0	4	9
TEENAGE ILLEGITIMATE BIRTHS	145	6	60	79	70	3	27	40	75	3	33	39
TEENS WHO HAD PREVIOUS LIVE BIRTHS	38	0	11	27	18	0	5	13	20	0	6	14
TEENS WHO HAD PREVIOUS PREGNANCIES	47	0	13	34	25	0	6	19	22	0	7	15
TEENS WITH INADEQUATE* PRENATAL CARE	7	1	5	1	3	1	1	1	4	0	4	0
TEENAGE FERTILITY RATE	40.8	2.8	77.8 (15-19)		37.5	2.3	70.1 (15-19)		46.2	3.5	91.6 (15-19)	
TEENAGE FETAL DEATHS**	2	0	2	0	1	0	1	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	11.1	0.0	27.4	0.0	9.7	0.0	25.6	0.0	13.0	0.0	29.4	0.0
TEENAGE INDUCED TERMINATIONS#	13	0	4	9	5	0	0	5	8	0	4	4
TEENAGE INDUCED TERMINATION RATIO	72.2	0.0	54.8	89.1	48.5	0.0	0.0	82.0	103.9	0.0	117.6	100.0
TEENAGE PREGNANCIES#	195	6	79	110	109	3	40	66	86	3	39	44
TEENAGE PREGNANCY RATE	44.2	2.8	84.6 (15-19)		39.7	2.3	74.3 (15-19)		51.6	3.5	102.7 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	3	1	0	2	0	0	0	0	3	1	0	2
INFANT MORTALITY RATE, TEEN MOMS	16.7	166.7	0.0	19.8	0.0	0.0	0.0	0.0	39.0	333.3	0.0	50.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: KEMPER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,338	718	330	388	127
WHITE	3,969	210	86	124	41
NONWHITE	6,369	508	244	264	86

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	16	0	4	12	5	0	1	4	11	0	3	8
TEENAGE IMMATURE BIRTHS	2	0	1	1	2	0	1	1	0	0	0	0
TEENAGE PREMATURE BIRTHS	3	0	0	3	1	0	0	1	2	0	0	2
TEENAGE ILLEGITIMATE BIRTHS	14	0	4	10	3	0	1	2	11	0	3	8
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	0	3	0	0	0	0	3	0	0	3
TEENS WHO HAD PREVIOUS PREGNANCIES	3	0	0	3	0	0	0	0	3	0	0	3
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE		22.3	0.0	41.2 (15-19)	23.8	0.0	40.3 (15-19)	21.6	0.0	41.7 (15-19)		
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	1	1	2	1	0	0	1	3	1	1	1
TEENAGE INDUCED TERMINATION RATIO	250.0	-	250.0	166.7	200.0	0.0	0.0	250.0	272.7	-	333.3	125.0
TEENAGE PREGNANCIES#	20	1	5	14	6	0	1	5	14	1	4	9
TEENAGE PREGNANCY RATE	27.8	3.0	49.0 (15-19)	28.6	0.0	48.4 (15-19)	27.6	4.1	49.2 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	62.5	0.0	0.0	83.3	200.0	0.0	0.0	250.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: LAFAYETTE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	40,745	3,153	989	2,164	487
WHITE	29,557	2,245	614	1,631	318
NONWHITE	11,188	908	375	533	169

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	46	1	16	29	24	1	10	13	22	0	6	16
TEENAGE IMMATURE BIRTHS	7	0	2	5	3	0	1	2	4	0	1	3
TEENAGE PREMATURE BIRTHS	8	0	5	3	6	0	5	1	2	0	0	2
TEENAGE ILLEGITIMATE BIRTHS	41	1	14	26	19	1	8	10	22	0	6	16
TEENS WHO HAD PREVIOUS LIVE BIRTHS	14	0	6	8	5	0	3	2	9	0	3	6
TEENS WHO HAD PREVIOUS PREGNANCIES	16	0	6	10	7	0	3	4	9	0	3	6
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE FERTILITY RATE	14.6	1.0	20.8 (15-19)	10.7	10.7	1.6	14.1 (15-19)	24.2	24.2	0.0	41.3 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	9	0	2	7	5	0	1	4	3	0	1	2
TEENAGE INDUCED TERMINATION RATIO	195.6	0.0	125.0	241.4	208.3	0.0	100.0	307.7	136.4	0.0	166.7	125.0
TEENAGE PREGNANCIES#	55	1	18	36	29	1	11	17	25	0	7	18
TEENAGE PREGNANCY RATE	17.4	1.0	25.0 (15-19)	12.9	12.9	1.6	17.2 (15-19)	27.5	27.5	0.0	46.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: LAMAR

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	43,262	3,031	1,573	1,458	665
WHITE	36,643	2,444	1,263	1,181	539
NONWHITE	6,619	587	310	277	126

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	68	0	13	55	52	0	9	43	16	0	4	12
TEENAGE IMMATURE BIRTHS	3	0	2	1	1	0	0	1	2	0	2	0
TEENAGE PREMATURE BIRTHS	6	0	1	5	4	0	0	4	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	39	0	11	28	26	0	7	19	13	0	4	9
TEENS WHO HAD PREVIOUS LIVE BIRTHS	18	0	1	17	15	0	0	15	3	0	1	2
TEENS WHO HAD PREVIOUS PREGNANCIES	21	0	1	20	17	0	0	17	4	0	1	3
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	1	3	3	0	0	3	1	0	1	0
TEENAGE FERTILITY RATE	22.4	0.0	46.6	(15-19)	21.3	0.0	44.0	(15-19)	27.2	0.0	57.8	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	13	1	0	12	9	1	0	8	4	0	0	4
TEENAGE INDUCED TERMINATION RATIO	191.2	-	0.0	218.2	173.1	-	0.0	186.0	250.0	0.0	0.0	333.3
TEENAGE PREGNANCIES#	81	1	13	67	61	1	9	51	20	0	4	16
TEENAGE PREGNANCY RATE	26.7	0.6	54.9	(15-19)	25.0	0.8	50.8	(15-19)	34.1	0.0	72.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	14.7	0.0	0.0	18.2	19.2	0.0	0.0	23.3	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: LAUDERDALE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	77,449	5,441	2,732	2,709	1,190
WHITE	45,238	2,596	1,269	1,327	623
NONWHITE	32,211	2,845	1,463	1,382	567

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	179	4	55	120	52	1	13	38	127	3	42	82
TEENAGE IMMATURE BIRTHS	27	0	7	20	4	0	0	4	23	0	7	16
TEENAGE PREMATURE BIRTHS	35	2	10	23	5	0	1	4	30	2	9	19
TEENAGE ILLEGITIMATE BIRTHS	158	4	51	103	35	1	9	25	123	3	42	78
TEENS WHO HAD PREVIOUS LIVE BIRTHS	32	0	3	29	7	0	0	7	25	0	3	22
TEENS WHO HAD PREVIOUS PREGNANCIES	43	0	7	36	11	0	1	10	32	0	6	26
TEENS WITH INADEQUATE* PRENATAL CARE	11	1	3	7	3	0	1	2	8	1	2	5
TEENAGE FERTILITY RATE	32.9	1.5	64.6	(15-19)	20.0	0.8	38.4	(15-19)	44.6	2.0	89.7	(15-19)
TEENAGE FETAL DEATHS**	2	0	1	1	2	0	1	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	11.2	0.0	18.2	8.3	38.5	0.0	76.9	26.3	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	25	2	13	10	9	0	3	6	16	2	10	4
TEENAGE INDUCED TERMINATION RATIO	139.7	500.0	236.4	83.3	173.1	0.0	230.8	157.9	126.0	666.7	238.1	48.8
TEENAGE PREGNANCIES#	206	6	69	131	63	1	17	45	143	5	52	86
TEENAGE PREGNANCY RATE	37.9	2.2	73.8	(15-19)	24.3	0.8	46.7	(15-19)	50.3	3.4	99.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	2	0	0	0	0	0	2	0	2	0
INFANT MORTALITY RATE, TEEN MOMS	11.2	0.0	36.4	0.0	0.0	0.0	0.0	0.0	15.7	0.0	47.6	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: LAWRENCE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,445	976	522	454	171
WHITE	9,019	576	297	279	101
NONWHITE	4,426	400	225	175	70

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	20	0	6	14	9	0	0	9	11	0	6	5
TEENAGE IMMATURE BIRTHS	5	0	3	2	1	0	0	1	4	0	3	1
TEENAGE PREMATURE BIRTHS	5	0	2	3	1	0	0	1	4	0	2	2
TEENAGE ILLEGITIMATE BIRTHS	13	0	6	7	2	0	0	2	11	0	6	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	0	4	3	0	0	3	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	5	0	0	5	3	0	0	3	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	20.5	0.0	44.0 (15-19)	15.6	15.6	0.0	32.2 (15-19)	27.5	27.5	0.0	62.8 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	1	3	3	0	1	2	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	200.0	0.0	166.7	214.3	333.3	0.0	-	222.2	90.9	0.0	0.0	200.0
TEENAGE PREGNANCIES#	24	0	7	17	12	0	1	11	12	0	6	6
TEENAGE PREGNANCY RATE	24.6	0.0	52.9 (15-19)	20.8	20.8	0.0	43.0 (15-19)	30.0	30.0	0.0	68.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: LEAKE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	22,306	1,637	865	772	377
WHITE	12,474	733	391	342	195
NONWHITE	9,832	904	474	430	182

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	67	2	15	50	32	1	7	24	35	1	8	26
TEENAGE IMMATURE BIRTHS	6	0	1	5	2	0	0	2	4	0	1	3
TEENAGE PREMATURE BIRTHS	11	1	0	10	6	1	0	5	5	0	0	5
TEENAGE ILLEGITIMATE BIRTHS	58	2	13	43	24	1	6	17	34	1	7	26
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	0	3	14	9	0	1	8	8	0	2	6
TEENS WHO HAD PREVIOUS PREGNANCIES	18	0	3	15	10	0	1	9	8	0	2	6
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	2	5	4	0	0	4	3	0	2	1
TEENAGE FERTILITY RATE		40.9	2.3	84.2 (15-19)	43.6	2.6	90.6 (15-19)	38.7	2.1	79.1 (15-19)		
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	29.8	0.0	66.7	20.0	0.0	0.0	0.0	0.0	57.1	0.0	125.0	38.5
TEENAGE INDUCED TERMINATIONS#	9	0	0	9	2	0	0	2	7	0	0	7
TEENAGE INDUCED TERMINATION RATIO	134.3	0.0	0.0	180.0	62.5	0.0	0.0	83.3	200.0	0.0	0.0	269.2
TEENAGE PREGNANCIES#	78	2	16	60	34	1	7	26	44	1	9	34
TEENAGE PREGNANCY RATE	47.6	2.3	98.4 (15-19)	46.4	2.6	96.5 (15-19)	48.7	2.1	100.0 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: LEE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	78,102	5,469	2,857	2,612	1,237
WHITE	56,947	3,519	1,830	1,689	841
NONWHITE	21,155	1,950	1,027	923	396

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	193	1	59	133	102	0	30	72	91	1	29	61
TEENAGE IMMATURE BIRTHS	30	0	12	18	16	0	6	10	14	0	6	8
TEENAGE PREMATURE BIRTHS	48	1	14	33	17	0	6	11	31	1	8	22
TEENAGE ILLEGITIMATE BIRTHS	158	1	52	105	69	0	23	46	89	1	29	59
TEENS WHO HAD PREVIOUS LIVE BIRTHS	48	0	7	41	20	0	4	16	28	0	3	25
TEENS WHO HAD PREVIOUS PREGNANCIES	59	0	12	47	26	0	6	20	33	0	6	27
TEENS WITH INADEQUATE* PRENATAL CARE	7	0	3	4	4	0	3	1	3	0	0	3
TEENAGE FERTILITY RATE	35.3	0.4	73.5 (15-19)		29.0	0.0	60.4 (15-19)		46.7	1.0	97.5 (15-19)	
TEENAGE FETAL DEATHS**	3	0	0	3	1	0	0	1	2	0	0	2
TEENAGE FETAL DEATH RATIO	15.5	0.0	0.0	22.6	9.8	0.0	0.0	13.9	22.0	0.0	0.0	32.8
TEENAGE INDUCED TERMINATIONS#	6	1	2	3	3	0	0	3	3	1	2	0
TEENAGE INDUCED TERMINATION RATIO	31.1	1000.0	33.9	22.6	29.4	0.0	0.0	41.7	33.0	1000.0	69.0	0.0
TEENAGE PREGNANCIES#	202	2	61	139	106	0	30	76	96	2	31	63
TEENAGE PREGNANCY RATE	36.9	0.7	76.6 (15-19)		30.1	0.0	62.8 (15-19)		49.2	1.9	101.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	4	0	1	3	2	0	1	1	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	20.7	0.0	16.9	22.6	19.6	0.0	33.3	13.9	22.0	0.0	0.0	32.8

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: LEFLORE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	36,146	2,906	1,416	1,490	544
WHITE	10,687	582	274	308	116
NONWHITE	25,459	2,324	1,142	1,182	428

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	97	3	37	57	9	0	1	8	88	3	36	49
TEENAGE IMMATURE BIRTHS	15	0	4	11	2	0	0	2	13	0	4	9
TEENAGE PREMATURE BIRTHS	27	1	11	15	3	0	1	2	24	1	10	13
TEENAGE ILLEGITIMATE BIRTHS	94	3	37	54	6	0	1	5	88	3	36	49
TEENS WHO HAD PREVIOUS LIVE BIRTHS	24	0	3	21	2	0	1	1	22	0	2	20
TEENS WHO HAD PREVIOUS PREGNANCIES	27	0	4	23	2	0	1	1	25	0	3	22
TEENS WITH INADEQUATE* PRENATAL CARE	9	0	3	6	1	0	0	1	8	0	3	5
TEENAGE FERTILITY RATE	33.4	2.1	63.1 (15-19)	15.5	0.0	29.2 (15-19)	37.9	2.6	71.9 (15-19)			
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	10.3	0.0	0.0	17.5	0.0	0.0	0.0	0.0	11.4	0.0	0.0	20.4
TEENAGE INDUCED TERMINATIONS#	9	0	0	9	2	0	0	2	7	0	0	7
TEENAGE INDUCED TERMINATION RATIO	92.8	0.0	0.0	157.9	222.2	0.0	0.0	250.0	79.5	0.0	0.0	142.8
TEENAGE PREGNANCIES#	107	3	37	67	11	0	1	10	96	3	36	57
TEENAGE PREGNANCY RATE	36.8	2.1	69.8 (15-19)	18.9	0.0	35.7 (15-19)	41.3	2.6	78.7 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	0	0	0	0	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	20.6	0.0	0.0	35.1	0.0	0.0	0.0	0.0	22.7	0.0	0.0	40.8

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: LINCOLN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	33,701	2,308	1,248	1,060	455
WHITE	23,440	1,446	770	676	291
NONWHITE	10,261	862	478	384	164

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	46	1	16	29	23	0	9	14	23	1	7	15
TEENAGE IMMATURE BIRTHS	6	0	5	1	3	0	3	0	3	0	2	1
TEENAGE PREMATURE BIRTHS	7	0	3	4	2	0	2	0	5	0	1	4
TEENAGE ILLEGITIMATE BIRTHS	36	1	14	21	14	0	7	7	22	1	7	14
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	3	6	2	0	1	1	7	0	2	5
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	3	9	5	0	1	4	7	0	2	5
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	3	1	1	0	1	0	3	0	2	1
TEENAGE FERTILITY RATE		19.9	0.8	42.4 (15-19)	15.9	0.0	34.0 (15-19)		26.7	2.1	57.3 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	21.7	0.0	0.0	34.5	0.0	0.0	0.0	0.0	43.5	0.0	0.0	66.7
TEENAGE INDUCED TERMINATIONS#	6	0	3	3	4	0	1	3	2	0	2	0
TEENAGE INDUCED TERMINATION RATIO	130.4	0.0	187.5	103.4	173.9	0.0	111.1	214.3	87.0	0.0	285.7	0.0
TEENAGE PREGNANCIES#	53	1	19	33	27	0	10	17	26	1	9	16
TEENAGE PREGNANCY RATE	23.0	0.8	49.0 (15-19)		18.7	0.0	39.9 (15-19)		30.2	2.1	65.1 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: LOWNDES

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	60,487	4,559	2,278	2,281	910
WHITE	33,624	2,066	985	1,081	453
NONWHITE	26,863	2,493	1,293	1,200	457

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	140	2	48	90	45	0	16	29	95	2	32	61
TEENAGE IMMATURE BIRTHS	18	0	7	11	6	0	1	5	12	0	6	6
TEENAGE PREMATURE BIRTHS	38	0	17	21	7	0	4	3	31	0	13	18
TEENAGE ILLEGITIMATE BIRTHS	122	2	43	77	29	0	11	18	93	2	32	59
TEENS WHO HAD PREVIOUS LIVE BIRTHS	33	0	5	28	12	0	2	10	21	0	3	18
TEENS WHO HAD PREVIOUS PREGNANCIES	40	0	6	34	14	0	3	11	26	0	3	23
TEENS WITH INADEQUATE* PRENATAL CARE	6	1	0	5	1	0	0	1	5	1	0	4
TEENAGE FERTILITY RATE	30.7	0.9	60.5 (15-19)		21.8	0.0	41.6 (15-19)		38.1	1.5	77.5 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	40	3	14	23	16	1	7	8	23	2	7	14
TEENAGE INDUCED TERMINATION RATIO	285.7	1500.0	291.7	255.6	355.6	-	437.5	275.9	242.1	1000.0	218.8	229.5
TEENAGE PREGNANCIES#	180	5	62	113	61	1	23	37	118	4	39	75
TEENAGE PREGNANCY RATE	39.5	2.2	76.7 (15-19)		29.5	1.0	55.5 (15-19)		47.3	3.1	95.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	0	2	0	0	0	0	2	0	0	2
INFANT MORTALITY RATE, TEEN MOMS	14.3	0.0	0.0	22.2	0.0	0.0	0.0	0.0	21.1	0.0	0.0	32.8

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: MADISON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	81,973	6,257	3,130	3,127	1,260
WHITE	49,265	3,235	1,653	1,582	682
NONWHITE	32,708	3,022	1,477	1,545	578

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	141	6	39	96	38	0	13	25	103	6	26	71
TEENAGE IMMATURE BIRTHS	17	2	1	14	6	0	0	6	11	2	1	8
TEENAGE PREMATURE BIRTHS	32	3	6	23	5	0	0	5	27	3	6	18
TEENAGE ILLEGITIMATE BIRTHS	132	6	36	90	30	0	10	20	102	6	26	70
TEENS WHO HAD PREVIOUS LIVE BIRTHS	34	0	5	29	9	0	1	8	25	0	4	21
TEENS WHO HAD PREVIOUS PREGNANCIES	42	0	6	36	9	0	1	8	33	0	5	28
TEENS WITH INADEQUATE* PRENATAL CARE	28	2	5	21	1	0	0	1	27	2	5	20
TEENAGE FERTILITY RATE	22.5	1.9	43.2	(15-19)	11.7	0.0	24.0	(15-19)	34.1	4.1	62.8	(15-19)
TEENAGE FETAL DEATHS**	4	0	1	3	0	0	0	0	4	0	1	3
TEENAGE FETAL DEATH RATIO	28.4	0.0	25.6	31.2	0.0	0.0	0.0	0.0	38.8	0.0	38.5	42.2
TEENAGE INDUCED TERMINATIONS#	51	5	14	32	10	0	2	8	41	5	12	24
TEENAGE INDUCED TERMINATION RATIO	361.7	833.3	359.0	333.3	263.2	0.0	153.8	320.0	398.0	833.3	461.5	338.0
TEENAGE PREGNANCIES#	196	11	54	131	48	0	15	33	148	11	39	98
TEENAGE PREGNANCY RATE	31.3	3.5	59.2	(15-19)	14.8	0.0	30.3	(15-19)	49.0	7.4	88.7	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: MARION

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	25,440	1,818	924	894	422
WHITE	16,959	1,021	514	507	253
NONWHITE	8,481	797	410	387	169

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	71	2	22	47	36	0	11	25	35	2	11	22
TEENAGE IMMATURE BIRTHS	6	0	3	3	5	0	2	3	1	0	1	0
TEENAGE PREMATURE BIRTHS	10	0	4	6	6	0	3	3	4	0	1	3
TEENAGE ILLEGITIMATE BIRTHS	59	2	19	38	24	0	8	16	35	2	11	22
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	3	13	9	0	2	7	7	0	1	6
TEENS WHO HAD PREVIOUS PREGNANCIES	18	0	4	14	10	0	2	8	8	0	2	6
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FERTILITY RATE	39.0	2.2	77.2 (15-19)	35.3	0.0	71.0 (15-19)	43.9	4.9	85.3 (15-19)			
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	14.1	0.0	45.4	0.0	0.0	0.0	0.0	0.0	28.6	0.0	90.9	0.0
TEENAGE INDUCED TERMINATIONS#	5	0	1	4	4	0	1	3	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	70.4	0.0	45.4	85.1	111.1	0.0	90.9	120.0	28.6	0.0	0.0	45.4
TEENAGE PREGNANCIES#	77	2	24	51	40	0	12	28	37	2	12	23
TEENAGE PREGNANCY RATE	42.4	2.2	83.9 (15-19)	39.2	0.0	78.9 (15-19)	46.4	4.9	90.4 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	14.1	0.0	0.0	21.3	0.0	0.0	0.0	0.0	28.6	0.0	0.0	45.5

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: MARSHALL

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	35,498	2,554	1,242	1,312	487
WHITE	17,430	975	504	471	247
NONWHITE	18,068	1,579	738	841	240

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	83	1	30	52	38	0	10	28	45	1	20	24
TEENAGE IMMATURE BIRTHS	13	1	4	8	4	0	1	3	9	1	3	5
TEENAGE PREMATURE BIRTHS	14	0	4	10	8	0	1	7	6	0	3	3
TEENAGE ILLEGITIMATE BIRTHS	71	1	29	41	26	0	9	17	45	1	20	24
TEENS WHO HAD PREVIOUS LIVE BIRTHS	21	0	4	17	9	0	1	8	12	0	3	9
TEENS WHO HAD PREVIOUS PREGNANCIES	26	0	5	21	12	0	2	10	14	0	3	11
TEENS WITH INADEQUATE* PRENATAL CARE	13	1	6	6	3	0	1	2	10	1	5	4
TEENAGE FERTILITY RATE		32.5	0.8	62.5 (15-19)	39.0	0.0	80.7 (15-19)	28.5	1.4	52.3 (15-19)		
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	12.0	0.0	0.0	19.2	0.0	0.0	0.0	0.0	22.2	0.0	0.0	41.7
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	84	1	30	53	38	0	10	28	46	1	20	25
TEENAGE PREGNANCY RATE	32.9	0.8	63.3 (15-19)	39.0	0.0	80.7 (15-19)	29.1	1.4	53.5 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: MONROE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	37,947	2,745	1,424	1,321	526
WHITE	25,975	1,692	866	826	320
NONWHITE	11,972	1,053	558	495	206

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	84	3	23	58	46	0	15	31	38	3	8	27
TEENAGE IMMATURE BIRTHS	13	0	6	7	7	0	5	2	6	0	1	5
TEENAGE PREMATURE BIRTHS	16	1	7	8	9	0	5	4	7	1	2	4
TEENAGE ILLEGITIMATE BIRTHS	71	3	22	46	34	0	14	20	37	3	8	26
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	1	14	6	0	1	5	9	0	0	9
TEENS WHO HAD PREVIOUS PREGNANCIES	19	0	2	17	10	0	2	8	9	0	0	9
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	1	2	2	0	1	1	1	0	0	1
TEENAGE FERTILITY RATE		30.6	2.1	61.3 (15-19)	27.2	0.0	55.7 (15-19)		36.1	5.4	70.7 (15-19)	
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	11.9	0.0	43.5	0.0	0.0	0.0	0.0	0.0	26.3	0.0	125.0	0.0
TEENAGE INDUCED TERMINATIONS#	9	0	2	7	7	0	1	6	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	107.1	0.0	87.0	120.7	152.2	0.0	66.7	193.5	52.6	0.0	125.0	37.0
TEENAGE PREGNANCIES#	94	3	26	65	53	0	16	37	41	3	10	28
TEENAGE PREGNANCY RATE	34.2	2.1	68.9 (15-19)		31.3	0.0	64.2 (15-19)		38.9	5.4	76.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: MONTGOMERY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	11,721	872	463	409	174
WHITE	6,280	340	179	161	71
NONWHITE	5,441	532	284	248	103

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	34	3	16	15	10	1	4	5	24	2	12	10
TEENAGE IMMATURE BIRTHS	6	0	3	3	2	0	0	2	4	0	3	1
TEENAGE PREMATURE BIRTHS	5	0	3	2	2	0	0	2	3	0	3	0
TEENAGE ILLEGITIMATE BIRTHS	30	3	15	12	6	1	3	2	24	2	12	10
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	1	2	1	0	0	1	2	0	1	1
TEENS WHO HAD PREVIOUS PREGNANCIES	4	0	1	3	1	0	0	1	3	0	1	2
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE FERTILITY RATE		39.0	6.5	75.8 (15-19)	29.4	5.6	55.9 (15-19)	45.1	7.0	88.7 (15-19)		
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	29.4	0.0	62.5	0.0	0.0	0.0	0.0	0.0	41.7	0.0	83.3	0.0
TEENAGE INDUCED TERMINATIONS#	3	0	0	3	1	0	0	1	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	88.2	0.0	0.0	200.0	100.0	0.0	0.0	200.0	83.3	0.0	0.0	200.0
TEENAGE PREGNANCIES#	38	3	17	18	11	1	4	6	27	2	13	12
TEENAGE PREGNANCY RATE	43.6	6.5	85.6 (15-19)	32.4	5.6	62.1 (15-19)	50.8	7.0	100.8 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: NESHOPA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	29,511	2,201	1,143	1,058	523
WHITE	18,878	1,134	559	575	240
NONWHITE	10,633	1,067	584	483	283

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	105	4	34	67	39	0	10	29	66	4	24	38
TEENAGE IMMATURE BIRTHS	10	2	3	5	4	0	1	3	6	2	2	2
TEENAGE PREMATURE BIRTHS	16	1	7	8	3	0	1	2	13	1	6	6
TEENAGE ILLEGITIMATE BIRTHS	83	4	26	53	24	0	6	18	59	4	20	35
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	0	4	13	6	0	1	5	11	0	3	8
TEENS WHO HAD PREVIOUS PREGNANCIES	24	0	6	18	9	0	2	7	15	0	4	11
TEENS WITH INADEQUATE* PRENATAL CARE	12	1	3	8	3	0	0	3	9	1	3	5
TEENAGE FERTILITY RATE	47.7	3.5	95.5 (15-19)		34.4	0.0	67.8 (15-19)		61.8	6.8	128.4 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	9.5	0.0	0.0	14.9	0.0	0.0	0.0	0.0	15.2	0.0	0.0	26.3
TEENAGE INDUCED TERMINATIONS#	8	0	1	7	5	0	1	4	3	0	0	3
TEENAGE INDUCED TERMINATION RATIO	76.2	0.0	29.4	104.5	128.2	0.0	100.0	137.9	45.4	0.0	0.0	78.9
TEENAGE PREGNANCIES#	114	4	35	75	44	0	11	33	70	4	24	42
TEENAGE PREGNANCY RATE	51.8	3.5	104.0 (15-19)		38.8	0.0	76.5 (15-19)		65.6	6.8	136.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: NEWTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	22,165	1,640	800	840	347
WHITE	14,424	905	433	472	201
NONWHITE	7,741	735	367	368	146

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	38	2	12	24	16	0	4	12	22	2	8	12
TEENAGE IMMATURE BIRTHS	6	1	2	3	3	0	0	3	3	1	2	0
TEENAGE PREMATURE BIRTHS	4	0	2	2	2	0	1	1	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	29	2	10	17	8	0	3	5	21	2	7	12
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	1	4	1	0	0	1	4	0	1	3
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	2	6	4	0	1	3	4	0	1	3
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE FERTILITY RATE		23.2	2.5	42.8 (15-19)	17.7	0.0	33.9 (15-19)	29.9	5.4	54.3 (15-19)		
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	5	0	2	3	3	0	2	1	2	0	0	2
TEENAGE INDUCED TERMINATION RATIO	131.6	0.0	166.7	125.0	187.5	0.0	500.0	83.3	90.9	0.0	0.0	166.7
TEENAGE PREGNANCIES#	43	2	14	27	19	0	6	13	24	2	8	14
TEENAGE PREGNANCY RATE	26.2	2.5	48.8 (15-19)	21.0	0.0	40.2 (15-19)	32.6	5.4	59.8 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	1	1	0	0	0	0	0	0	1	1	0	0
INFANT MORTALITY RATE, TEEN MOMS	26.3	500.0	0.0	0.0	0.0	0.0	0.0	0.0	45.5	500.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: NOXUBEE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,283	967	506	461	197
WHITE	3,626	184	96	88	38
NONWHITE	8,657	783	410	373	159

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	32	2	8	22	1	0	0	1	31	2	8	21
TEENAGE IMMATURE BIRTHS	6	1	0	5	0	0	0	0	6	1	0	5
TEENAGE PREMATURE BIRTHS	8	0	0	8	1	0	0	1	7	0	0	7
TEENAGE ILLEGITIMATE BIRTHS	32	2	8	22	1	0	0	1	31	2	8	21
TEENS WHO HAD PREVIOUS LIVE BIRTHS	5	0	1	4	0	0	0	0	5	0	1	4
TEENS WHO HAD PREVIOUS PREGNANCIES	6	0	1	5	0	0	0	0	6	0	1	5
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	33.1	4.0	65.1 (15-19)		5.4	0.0	11.4 (15-19)		39.6	4.9	77.7 (15-19)	
TEENAGE FETAL DEATHS**	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	31.2	0.0	0.0	45.4	0.0	0.0	0.0	0.0	32.2	0.0	0.0	47.6
TEENAGE INDUCED TERMINATIONS#	5	0	5	0	0	0	0	0	5	0	5	0
TEENAGE INDUCED TERMINATION RATIO	156.2	0.0	625.0	0.0	0.0	0.0	0.0	0.0	161.3	0.0	625.0	0.0
TEENAGE PREGNANCIES#	38	2	13	23	1	0	0	1	37	2	13	22
TEENAGE PREGNANCY RATE	39.3	4.0	78.1 (15-19)		5.4	0.0	11.4 (15-19)		47.2	4.9	93.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	1	0	1	0	0	0	0	2	1	0	1
INFANT MORTALITY RATE, TEEN MOMS	62.5	500.0	0.0	45.5	0.0	0.0	0.0	0.0	64.5	500.0	0.0	47.6

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: OKTIBBEHA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	41,309	2,921	1,022	1,899	594
WHITE	24,467	1,401	417	984	272
NONWHITE	16,842	1,520	605	915	322

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	59	2	15	42	13	0	5	8	46	2	10	34
TEENAGE IMMATURE BIRTHS	5	0	1	4	0	0	0	0	5	0	1	4
TEENAGE PREMATURE BIRTHS	7	0	0	7	1	0	0	1	6	0	0	6
TEENAGE ILLEGITIMATE BIRTHS	53	2	14	37	7	0	4	3	46	2	10	34
TEENS WHO HAD PREVIOUS LIVE BIRTHS	16	0	1	15	3	0	0	3	13	0	1	12
TEENS WHO HAD PREVIOUS PREGNANCIES	16	0	1	15	3	0	0	3	13	0	1	12
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE FERTILITY RATE	20.2	2.0	30.0	(15-19)	9.3	0.0	13.2	(15-19)	30.3	3.3	48.1	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	23	1	4	18	14	0	1	13	9	1	3	5
TEENAGE INDUCED TERMINATION RATIO	389.8	500.0	266.7	428.6	1076.9	0.0	200.0	1625.0	195.6	500.0	300.0	147.0
TEENAGE PREGNANCIES#	82	3	19	60	27	0	6	21	55	3	13	39
TEENAGE PREGNANCY RATE	28.1	2.9	41.6	(15-19)	19.3	0.0	27.4	(15-19)	36.2	5.0	56.8	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: PANOLA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	35,373	2,678	1,300	1,378	578
WHITE	18,156	1,047	499	548	228
NONWHITE	17,217	1,631	801	830	350

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	113	4	42	67	30	1	8	21	83	3	34	46
TEENAGE IMMATURE BIRTHS	14	0	6	8	2	0	1	1	12	0	5	7
TEENAGE PREMATURE BIRTHS	16	1	4	11	1	0	0	1	15	1	4	10
TEENAGE ILLEGITIMATE BIRTHS	105	4	40	61	23	1	6	16	82	3	34	45
TEENS WHO HAD PREVIOUS LIVE BIRTHS	27	0	7	20	4	0	1	3	23	0	6	17
TEENS WHO HAD PREVIOUS PREGNANCIES	33	0	7	26	5	0	1	4	28	0	6	22
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	3	1	0	0	0	0	4	0	3	1
TEENAGE FERTILITY RATE	42.2	3.1	79.1 (15-19)		28.6	2.0	52.9 (15-19)		50.9	3.7	96.4 (15-19)	
TEENAGE FETAL DEATHS**	3	0	2	1	0	0	0	0	3	0	2	1
TEENAGE FETAL DEATH RATIO	26.5	0.0	47.6	14.9	0.0	0.0	0.0	0.0	36.1	0.0	58.8	21.7
TEENAGE INDUCED TERMINATIONS#	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	8.8	0.0	23.8	0.0	33.3	0.0	125.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	117	4	45	68	31	1	9	21	86	3	36	47
TEENAGE PREGNANCY RATE	43.7	3.1	82.0 (15-19)		29.6	2.0	54.7 (15-19)		52.7	3.7	100.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: PEARL RIVER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	51,835	3,747	1,821	1,926	662
WHITE	44,450	3,065	1,468	1,597	566
NONWHITE	7,385	682	353	329	96

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	111	3	32	76	90	3	28	59	21	0	4	17
TEENAGE IMMATURE BIRTHS	11	1	3	7	9	1	3	5	2	0	0	2
TEENAGE PREMATURE BIRTHS	20	1	6	13	17	1	5	11	3	0	1	2
TEENAGE ILLEGITIMATE BIRTHS	79	3	25	51	58	3	21	34	21	0	4	17
TEENS WHO HAD PREVIOUS LIVE BIRTHS	20	0	3	17	14	0	2	12	6	0	1	5
TEENS WHO HAD PREVIOUS PREGNANCIES	25	0	4	21	19	0	3	16	6	0	1	5
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	2	1	2	0	2	0	1	0	0	1
TEENAGE FERTILITY RATE	29.6	1.6	56.1 (15-19)		29.4	2.0	54.5 (15-19)		30.8	0.0	63.8 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	18.0	0.0	31.2	13.2	11.1	0.0	35.7	0.0	47.6	0.0	0.0	58.8
TEENAGE PREGNANCIES#	113	3	33	77	91	3	29	59	22	0	4	18
TEENAGE PREGNANCY RATE	30.2	1.6	57.1 (15-19)		29.7	2.0	55.1 (15-19)		32.2	0.0	66.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	1	0	0	1	1	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	9.0	333.3	0.0	0.0	11.1	333.3	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: PERRY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	12,236	876	481	395	144
WHITE	9,322	576	319	257	112
NONWHITE	2,914	300	162	138	32

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	21	0	6	15	17	0	6	11	4	0	0	4
TEENAGE IMMATURE BIRTHS	3	0	1	2	2	0	1	1	1	0	0	1
TEENAGE PREMATURE BIRTHS	6	0	3	3	6	0	3	3	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	12	0	5	7	10	0	5	5	2	0	0	2
TEENS WHO HAD PREVIOUS LIVE BIRTHS	2	0	0	2	2	0	0	2	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	2	0	0	2	2	0	0	2	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	24.0	0.0	53.2 (15-19)		29.5	0.0	66.1 (15-19)		13.3	0.0	29.0 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	8	1	3	4	5	0	3	2	3	1	0	2
TEENAGE INDUCED TERMINATION RATIO	381.0	-	500.0	266.7	294.1	0.0	500.0	181.8	750.0	-	0.0	500.0
TEENAGE PREGNANCIES#	29	1	9	19	22	0	9	13	7	1	0	6
TEENAGE PREGNANCY RATE	33.1	2.1	70.9 (15-19)		38.2	0.0	85.6 (15-19)		23.3	6.2	43.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: PIKE

RACE	TOTAL	FEMALES	FEMALES	FEMALES	TOTAL
	POPULATION	AGES	AGES	AGES	LIVE
	ALL AGES	10-19	10-14	15-19	BIRTHS
TOTAL	39,260	2,867	1,486	1,381	643
WHITE	19,642	1,146	573	573	251
NONWHITE	19,618	1,721	913	808	392

	ALL RACES				WHITE				NONWHITE			
	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES	ALL	AGES	AGES	AGES
	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19	TEENS	10-14	15-17	18-19
TEENAGE BIRTHS	98	4	28	66	38	1	9	28	60	3	19	38
TEENAGE IMMATURE BIRTHS	16	1	3	12	3	0	0	3	13	1	3	9
TEENAGE PREMATURE BIRTHS	14	0	3	11	3	0	1	2	11	0	2	9
TEENAGE ILLEGITIMATE BIRTHS	81	4	24	53	24	1	5	18	57	3	19	35
TEENS WHO HAD PREVIOUS LIVE BIRTHS	24	0	2	22	6	0	1	5	18	0	1	17
TEENS WHO HAD PREVIOUS PREGNANCIES	26	0	3	23	8	0	2	6	18	0	1	17
TEENS WITH INADEQUATE* PRENATAL CARE	3	1	0	2	0	0	0	0	3	1	0	2
TEENAGE FERTILITY RATE	34.2	2.7	68.1	(15-19)	33.2	1.7	64.6	(15-19)	34.9	3.3	70.5	(15-19)
TEENAGE FETAL DEATHS**	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE FETAL DEATH RATIO	10.2	0.0	35.7	0.0	0.0	0.0	0.0	0.0	16.7	0.0	52.6	0.0
TEENAGE INDUCED TERMINATIONS#	13	1	3	9	2	0	1	1	11	1	2	8
TEENAGE INDUCED TERMINATION RATIO	132.6	250.0	107.1	136.4	52.6	0.0	111.1	35.7	183.3	333.3	105.3	210.5
TEENAGE PREGNANCIES#	112	5	32	75	40	1	10	29	72	4	22	46
TEENAGE PREGNANCY RATE	39.1	3.4	77.5	(15-19)	34.9	1.7	68.1	(15-19)	41.8	4.4	84.2	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: PONTOTOC

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	28,099	1,961	1,007	954	457
WHITE	23,772	1,602	827	775	408
NONWHITE	4,327	359	180	179	49

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	70	1	22	47	64	1	22	41	6	0	0	6
TEENAGE IMMATURE BIRTHS	11	0	1	10	10	0	1	9	1	0	0	1
TEENAGE PREMATURE BIRTHS	15	0	4	11	15	0	4	11	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	46	1	17	28	40	1	17	22	6	0	0	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	0	4	13	16	0	4	12	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	19	0	5	14	17	0	5	12	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	2	1	3	0	2	1	0	0	0	0
TEENAGE FERTILITY RATE		35.7	1.0	72.3 (15-19)	40.0	1.2	81.3 (15-19)	16.7	0.0	33.5 (15-19)		
TEENAGE FETAL DEATHS**	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	14.3	0.0	0.0	21.3	15.6	0.0	0.0	24.4	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	4	0	2	2	4	0	2	2	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	57.1	0.0	90.9	42.6	62.5	0.0	90.9	48.8	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	75	1	24	50	69	1	24	44	6	0	0	6
TEENAGE PREGNANCY RATE	38.2	1.0	77.6 (15-19)	43.1	1.2	87.7 (15-19)	16.7	0.0	33.5 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	14.3	0.0	0.0	21.3	15.6	0.0	0.0	24.4	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: PRENTISS

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	25,745	1,841	839	1,002	329
WHITE	22,018	1,509	695	814	271
NONWHITE	3,727	332	144	188	58

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	46	3	18	25	35	2	14	19	11	1	4	6
TEENAGE IMMATURE BIRTHS	7	1	3	3	3	0	2	1	4	1	1	2
TEENAGE PREMATURE BIRTHS	7	1	3	3	5	1	3	1	2	0	0	2
TEENAGE ILLEGITIMATE BIRTHS	32	3	16	13	22	2	12	8	10	1	4	5
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	1	3	3	0	1	2	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	5	0	2	3	4	0	2	2	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	2	1	1	0	0	0	0	0	2	1	1	0
TEENAGE FERTILITY RATE	25.0	3.6	42.9 (15-19)	23.2	23.2	2.9	40.5 (15-19)	33.1	33.1	6.9	53.2 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	1	0	0	1	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	43.5	0.0	55.6	40.0	28.6	0.0	0.0	52.6	90.9	0.0	250.0	0.0
TEENAGE PREGNANCIES#	48	3	19	26	36	2	14	20	12	1	5	6
TEENAGE PREGNANCY RATE	26.1	3.6	44.9 (15-19)	23.8	23.8	2.9	41.8 (15-19)	36.1	36.1	6.9	58.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: QUITMAN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	9,715	814	416	398	136
WHITE	2,918	161	79	82	24
NONWHITE	6,797	653	337	316	112

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	20	1	8	11	5	1	2	2	15	0	6	9
TEENAGE IMMATURE BIRTHS	4	0	0	4	2	0	0	2	2	0	0	2
TEENAGE PREMATURE BIRTHS	5	0	1	4	1	0	0	1	4	0	1	3
TEENAGE ILLEGITIMATE BIRTHS	17	1	7	9	4	1	1	2	13	0	6	7
TEENS WHO HAD PREVIOUS LIVE BIRTHS	3	0	0	3	1	0	0	1	2	0	0	2
TEENS WHO HAD PREVIOUS PREGNANCIES	4	0	0	4	2	0	0	2	2	0	0	2
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE	24.6	2.4	47.7 (15-19)	31.0	12.6	48.8 (15-19)	23.0	0.0	47.5 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE INDUCED TERMINATION RATIO	50.0	0.0	0.0	90.9	0.0	0.0	0.0	0.0	66.7	0.0	0.0	111.1
TEENAGE PREGNANCIES#	21	1	8	12	5	1	2	2	16	0	6	10
TEENAGE PREGNANCY RATE	25.8	2.4	50.2 (15-19)	31.0	12.6	48.8 (15-19)	24.5	0.0	50.6 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: RANKIN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	128,380	8,380	4,193	4,187	1,878
WHITE	102,784	6,442	3,237	3,205	1,528
NONWHITE	25,596	1,938	956	982	350

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	215	2	73	140	168	1	56	111	47	1	17	29
TEENAGE IMMATURE BIRTHS	27	1	12	14	17	1	6	10	10	0	6	4
TEENAGE PREMATURE BIRTHS	29	1	8	20	20	1	5	14	9	0	3	6
TEENAGE ILLEGITIMATE BIRTHS	172	2	60	110	126	1	43	82	46	1	17	28
TEENS WHO HAD PREVIOUS LIVE BIRTHS	46	0	12	34	34	0	5	29	12	0	7	5
TEENS WHO HAD PREVIOUS PREGNANCIES	54	0	13	41	40	0	6	34	14	0	7	7
TEENS WITH INADEQUATE* PRENATAL CARE	17	0	5	12	10	0	2	8	7	0	3	4
TEENAGE FERTILITY RATE	25.6	0.5	50.9	(15-19)	26.1	0.3	52.1	(15-19)	24.2	1.0	46.8	(15-19)
TEENAGE FETAL DEATHS**	2	0	2	0	0	0	0	0	2	0	2	0
TEENAGE FETAL DEATH RATIO	9.3	0.0	27.4	0.0	0.0	0.0	0.0	0.0	42.6	0.0	117.6	0.0
TEENAGE INDUCED TERMINATIONS#	44	2	12	30	22	1	7	14	22	1	5	16
TEENAGE INDUCED TERMINATION RATIO	204.6	1000.0	164.4	214.3	131.0	1000.0	125.0	126.1	468.1	1000.0	294.1	551.7
TEENAGE PREGNANCIES#	261	4	87	170	190	2	63	125	71	2	24	45
TEENAGE PREGNANCY RATE	31.1	1.0	61.4	(15-19)	29.5	0.6	58.6	(15-19)	36.6	2.1	70.3	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	2	0	1	1	2	0	1	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	9.3	0.0	13.7	7.1	11.9	0.0	17.9	9.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: SCOTT

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	28,656	2,107	1,080	1,027	489
WHITE	17,178	1,052	521	531	304
NONWHITE	11,478	1,055	559	496	185

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	94	2	31	61	54	0	16	38	40	2	15	23
TEENAGE IMMATURE BIRTHS	13	0	6	7	6	0	2	4	7	0	4	3
TEENAGE PREMATURE BIRTHS	11	1	4	6	5	0	1	4	6	1	3	2
TEENAGE ILLEGITIMATE BIRTHS	79	2	29	48	40	0	14	26	39	2	15	22
TEENS WHO HAD PREVIOUS LIVE BIRTHS	19	0	2	17	11	0	1	10	8	0	1	7
TEENS WHO HAD PREVIOUS PREGNANCIES	23	0	4	19	11	0	1	10	12	0	3	9
TEENS WITH INADEQUATE* PRENATAL CARE	15	0	3	12	8	0	0	8	7	0	3	4
TEENAGE FERTILITY RATE		44.6	1.8	89.6 (15-19)	51.3	0.0	101.7 (15-19)		37.9	3.6	76.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	15	1	2	12	5	0	1	4	10	1	1	8
TEENAGE INDUCED TERMINATION RATIO	159.6	500.0	64.5	196.7	92.6	0.0	62.5	105.3	250.0	500.0	66.7	347.8
TEENAGE PREGNANCIES#	109	3	33	73	59	0	17	42	50	3	16	31
TEENAGE PREGNANCY RATE	51.7	2.8	103.2 (15-19)		56.1	0.0	111.1 (15-19)		47.4	5.4	94.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	10.6	0.0	32.3	0.0	0.0	0.0	0.0	0.0	25.0	0.0	66.7	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: SHARKEY

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	6,083	515	274	241	103
WHITE	1,803	105	58	47	24
NONWHITE	4,280	410	216	194	79

	----- ALL RACES -----				----- WHITE -----				----- NONWHITE -----			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	16	0	8	8	3	0	1	2	13	0	7	6
TEENAGE IMMATURE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE PREMATURE BIRTHS	3	0	1	2	0	0	0	0	3	0	1	2
TEENAGE ILLEGITIMATE BIRTHS	15	0	8	7	2	0	1	1	13	0	7	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	2	0	1	1	1	0	0	1	1	0	1	0
TEENS WHO HAD PREVIOUS PREGNANCIES	3	0	2	1	1	0	0	1	2	0	2	0
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	31.1	0.0	66.4	(15-19)	28.6	0.0	63.8	(15-19)	31.7	0.0	67.0	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE INDUCED TERMINATION RATIO	125.0	0.0	125.0	125.0	0.0	0.0	0.0	0.0	153.8	0.0	142.8	166.7
TEENAGE PREGNANCIES#	18	0	9	9	3	0	1	2	15	0	8	7
TEENAGE PREGNANCY RATE	35.0	0.0	74.7	(15-19)	28.6	0.0	63.8	(15-19)	36.6	0.0	77.3	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: SIMPSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	27,784	1,985	1,061	924	423
WHITE	17,909	1,066	563	503	254
NONWHITE	9,875	919	498	421	169

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	72	0	29	43	38	0	13	25	34	0	16	18
TEENAGE IMMATURE BIRTHS	8	0	3	5	4	0	2	2	4	0	1	3
TEENAGE PREMATURE BIRTHS	10	0	3	7	4	0	1	3	6	0	2	4
TEENAGE ILLEGITIMATE BIRTHS	54	0	26	28	21	0	11	10	33	0	15	18
TEENS WHO HAD PREVIOUS LIVE BIRTHS	15	0	2	13	6	0	0	6	9	0	2	7
TEENS WHO HAD PREVIOUS PREGNANCIES	19	0	3	16	7	0	1	6	12	0	2	10
TEENS WITH INADEQUATE* PRENATAL CARE	9	0	2	7	1	0	0	1	8	0	2	6
TEENAGE FERTILITY RATE	36.3	0.0	77.9 (15-19)		35.6	0.0	75.5 (15-19)		37.0	0.0	80.8 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	8	1	3	4	3	0	1	2	5	1	2	2
TEENAGE INDUCED TERMINATION RATIO	111.1	-	103.4	93.0	78.9	0.0	76.9	80.0	147.0	-	125.0	111.1
TEENAGE PREGNANCIES#	80	1	32	47	41	0	14	27	39	1	18	20
TEENAGE PREGNANCY RATE	40.3	0.9	85.5 (15-19)		38.5	0.0	81.5 (15-19)		42.4	2.0	90.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: SMITH

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	15,857	1,117	584	533	197
WHITE	12,114	762	396	366	138
NONWHITE	3,743	355	188	167	59

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	30	2	10	18	18	2	4	12	12	0	6	6
TEENAGE IMMATURE BIRTHS	6	1	4	1	4	1	2	1	2	0	2	0
TEENAGE PREMATURE BIRTHS	6	1	1	4	5	1	1	3	1	0	0	1
TEENAGE ILLEGITIMATE BIRTHS	25	2	8	15	13	2	2	9	12	0	6	6
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	1	6	3	0	0	3	4	0	1	3
TEENS WHO HAD PREVIOUS PREGNANCIES	9	0	1	8	5	0	0	5	4	0	1	3
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	2	2	3	0	2	1	1	0	0	1
TEENAGE FERTILITY RATE		26.8	3.4	52.5 (15-19)	23.6	5.0	43.7 (15-19)	33.8	0.0	71.8 (15-19)		
TEENAGE FETAL DEATHS**	2	0	1	1	1	0	1	0	1	0	0	1
TEENAGE FETAL DEATH RATIO	66.7	0.0	100.0	55.6	55.6	0.0	250.0	0.0	83.3	0.0	0.0	166.7
TEENAGE INDUCED TERMINATIONS#	5	0	3	2	3	0	1	2	2	0	2	0
TEENAGE INDUCED TERMINATION RATIO	166.7	0.0	300.0	111.1	166.7	0.0	250.0	166.7	166.7	0.0	333.3	0.0
TEENAGE PREGNANCIES#	37	2	14	21	22	2	6	14	15	0	8	7
TEENAGE PREGNANCY RATE	33.1	3.4	65.7 (15-19)	28.9	28.9	5.0	54.6 (15-19)	42.2	42.2	0.0	89.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: STONE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	14,445	1,125	503	622	206
WHITE	11,375	841	362	479	155
NONWHITE	3,070	284	141	143	51

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	26	1	7	18	20	0	4	16	6	1	3	2
TEENAGE IMMATURE BIRTHS	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE PREMATURE BIRTHS	6	1	2	3	4	0	1	3	2	1	1	0
TEENAGE ILLEGITIMATE BIRTHS	19	1	7	11	13	0	4	9	6	1	3	2
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	3	1	2	0	2	0	2	0	1	1
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	3	4	5	0	2	3	2	0	1	1
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	23.1	2.0	40.2 (15-19)	23.8	23.8	0.0	41.8 (15-19)	21.1	21.1	7.1	35.0 (15-19)	21.1
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	26	1	7	18	20	0	4	16	6	1	3	2
TEENAGE PREGNANCY RATE	23.1	2.0	40.2 (15-19)	23.8	23.8	0.0	41.8 (15-19)	21.1	21.1	7.1	35.0 (15-19)	21.1
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: SUNFLOWER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	33,392	2,429	1,242	1,187	460
WHITE	9,169	476	231	245	71
NONWHITE	24,223	1,953	1,011	942	389

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	108	3	37	68	7	0	3	4	101	3	34	64
TEENAGE IMMATURE BIRTHS	20	1	12	7	1	0	1	0	19	1	11	7
TEENAGE PREMATURE BIRTHS	24	3	10	11	0	0	0	0	24	3	10	11
TEENAGE ILLEGITIMATE BIRTHS	107	3	37	67	6	0	3	3	101	3	34	64
TEENS WHO HAD PREVIOUS LIVE BIRTHS	29	0	5	24	2	0	2	0	27	0	3	24
TEENS WHO HAD PREVIOUS PREGNANCIES	36	0	7	29	4	0	2	2	32	0	5	27
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	2	2	0	0	0	0	4	0	2	2
TEENAGE FERTILITY RATE	44.5	2.4	88.4 (15-19)	14.7	14.7	0.0	28.6 (15-19)	51.7	51.7	3.0	104.0 (15-19)	14.7
TEENAGE FETAL DEATHS**	2	0	1	1	2	0	1	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	18.5	0.0	27.0	14.7	285.7	0.0	333.3	250.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	5	1	0	4	0	0	0	0	5	1	0	4
TEENAGE INDUCED TERMINATION RATIO	46.3	333.3	0.0	58.8	0.0	0.0	0.0	0.0	49.5	333.3	0.0	62.5
TEENAGE PREGNANCIES#	115	4	38	73	9	0	4	5	106	4	34	68
TEENAGE PREGNANCY RATE	47.3	3.2	93.5 (15-19)	18.9	18.9	0.0	36.7 (15-19)	54.3	54.3	4.0	108.3 (15-19)	18.9
INFANT DEATHS TO TEENAGE MOTHERS	2	1	1	0	1	0	1	0	1	1	0	0
INFANT MORTALITY RATE, TEEN MOMS	18.5	333.3	27.0	0.0	142.9	0.0	333.3	0.0	9.9	333.3	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: TALLAHATCHIE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	14,255	1,250	671	579	179
WHITE	5,571	345	175	170	51
NONWHITE	8,684	905	496	409	128

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	45	1	18	26	9	0	3	6	36	1	15	20
TEENAGE IMMATURE BIRTHS	5	0	2	3	0	0	0	0	5	0	2	3
TEENAGE PREMATURE BIRTHS	7	0	2	5	2	0	1	1	5	0	1	4
TEENAGE ILLEGITIMATE BIRTHS	42	1	17	24	6	0	2	4	36	1	15	20
TEENS WHO HAD PREVIOUS LIVE BIRTHS	8	0	1	7	2	0	0	2	6	0	1	5
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	2	9	2	0	0	2	9	0	2	7
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	0	4	0	0	0	0	4	0	0	4
TEENAGE FERTILITY RATE	36.0	1.5	76.0 (15-19)		26.1	0.0	52.9 (15-19)		39.8	2.0	85.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	1	0	0	0	0	0	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	22.2	0.0	55.6	0.0	0.0	0.0	0.0	0.0	27.8	0.0	66.7	0.0
TEENAGE PREGNANCIES#	46	1	19	26	9	0	3	6	37	1	16	20
TEENAGE PREGNANCY RATE	36.8	1.5	77.7 (15-19)		26.1	0.0	52.9 (15-19)		40.9	2.0	88.0 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	3	0	1	2	0	0	0	0	3	0	1	2
INFANT MORTALITY RATE, TEEN MOMS	66.7	0.0	55.6	76.9	0.0	0.0	0.0	0.0	83.3	0.0	66.7	100.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: TATE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	26,133	2,084	953	1,131	392
WHITE	17,860	1,268	613	655	254
NONWHITE	8,273	816	340	476	138

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	76	2	24	50	38	0	11	27	38	2	13	23
TEENAGE IMMATURE BIRTHS	15	1	4	10	5	0	2	3	10	1	2	7
TEENAGE PREMATURE BIRTHS	13	1	3	9	6	0	2	4	7	1	1	5
TEENAGE ILLEGITIMATE BIRTHS	64	2	23	39	26	0	10	16	38	2	13	23
TEENS WHO HAD PREVIOUS LIVE BIRTHS	17	0	2	15	8	0	1	7	9	0	1	8
TEENS WHO HAD PREVIOUS PREGNANCIES	17	0	2	15	8	0	1	7	9	0	1	8
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	2	1	2	0	1	1	1	0	1	0
TEENAGE FERTILITY RATE		36.5	2.1	65.4 (15-19)	30.0	0.0	58.0 (15-19)	46.6	5.9	75.6 (15-19)		
TEENAGE FETAL DEATHS**	5	0	1	4	1	0	0	1	4	0	1	3
TEENAGE FETAL DEATH RATIO	65.8	0.0	41.7	80.0	26.3	0.0	0.0	37.0	105.3	0.0	76.9	130.4
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	13.2	0.0	0.0	20.0	26.3	0.0	0.0	37.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	82	2	25	55	40	0	11	29	42	2	14	26
TEENAGE PREGNANCY RATE	39.3	2.1	70.7 (15-19)	31.5	0.0	61.1 (15-19)	51.5	5.9	84.0 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: TIPPAH

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	20,979	1,445	685	760	334
WHITE	17,190	1,127	524	603	267
NONWHITE	3,789	318	161	157	67

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	56	3	19	34	49	1	16	32	7	2	3	2
TEENAGE IMMATURE BIRTHS	8	0	2	6	8	0	2	6	0	0	0	0
TEENAGE PREMATURE BIRTHS	7	0	3	4	7	0	3	4	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	38	3	15	20	31	1	12	18	7	2	3	2
TEENS WHO HAD PREVIOUS LIVE BIRTHS	10	0	0	10	9	0	0	9	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	0	12	11	0	0	11	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	4	0	3	1	3	0	3	0	1	0	0	1
TEENAGE FERTILITY RATE	38.8	4.4	69.7 (15-19)		43.5	1.9	79.6 (15-19)		22.0	12.4	31.8 (15-19)	
TEENAGE FETAL DEATHS**	2	0	1	1	2	0	1	1	0	0	0	0
TEENAGE FETAL DEATH RATIO	35.7	0.0	52.6	29.4	40.8	0.0	62.5	31.2	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	58	3	20	35	51	1	17	33	7	2	3	2
TEENAGE PREGNANCY RATE	40.1	4.4	72.4 (15-19)		45.2	1.9	82.9 (15-19)		22.0	12.4	31.8 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: TISHOMINGO

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,051	1,175	630	545	226
WHITE	18,263	1,138	611	527	219
NONWHITE	788	37	19	18	7

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	33	0	7	26	32	0	7	25	1	0	0	1
TEENAGE IMMATURE BIRTHS	3	0	1	2	3	0	1	2	0	0	0	0
TEENAGE PREMATURE BIRTHS	8	0	3	5	8	0	3	5	0	0	0	0
TEENAGE ILLEGITIMATE BIRTHS	23	0	6	17	22	0	6	16	1	0	0	1
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	1	5	6	0	1	5	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	10	0	1	9	10	0	1	9	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	28.1	0.0	60.6 (15-19)		28.1	0.0	60.7 (15-19)		27.0	0.0	55.6 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	33	0	7	26	32	0	7	25	1	0	0	1
TEENAGE PREGNANCY RATE	28.1	0.0	60.6 (15-19)		28.1	0.0	60.7 (15-19)		27.0	0.0	55.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: TUNICA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,066	808	404	404	189
WHITE	2,690	97	46	51	26
NONWHITE	7,376	711	358	353	163

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	35	3	12	20	2	0	0	2	33	3	12	18
TEENAGE IMMATURE BIRTHS	8	1	5	2	0	0	0	0	8	1	5	2
TEENAGE PREMATURE BIRTHS	5	1	1	3	0	0	0	0	5	1	1	3
TEENAGE ILLEGITIMATE BIRTHS	33	3	12	18	1	0	0	1	32	3	12	17
TEENS WHO HAD PREVIOUS LIVE BIRTHS	7	0	1	6	0	0	0	0	7	0	1	6
TEENS WHO HAD PREVIOUS PREGNANCIES	7	0	1	6	0	0	0	0	7	0	1	6
TEENS WITH INADEQUATE* PRENATAL CARE	5	1	3	1	0	0	0	0	5	1	3	1
TEENAGE FERTILITY RATE	43.3	7.4	79.2 (15-19)		20.6	0.0	39.2 (15-19)		46.4	8.4	85.0 (15-19)	
TEENAGE FETAL DEATHS**	2	0	0	2	0	0	0	0	2	0	0	2
TEENAGE FETAL DEATH RATIO	57.1	0.0	0.0	100.0	0.0	0.0	0.0	0.0	60.6	0.0	0.0	111.1
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	37	3	12	22	2	0	0	2	35	3	12	20
TEENAGE PREGNANCY RATE	45.8	7.4	84.2 (15-19)		20.6	0.0	39.2 (15-19)		49.2	8.4	90.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	0	0	0	0	1	0	0	1
INFANT MORTALITY RATE, TEEN MOMS	28.6	0.0	0.0	50.0	0.0	0.0	0.0	0.0	30.3	0.0	0.0	55.6

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: UNION

RACE	TOTAL POPULATION	FEMALES AGES	FEMALES AGES	FEMALES AGES	TOTAL LIVE BIRTHS
	ALL AGES	10-19	10-14	15-19	
TOTAL	26,449	1,718	909	809	344
WHITE	22,227	1,387	727	660	282
NONWHITE	4,222	331	182	149	62

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	54	0	12	42	38	0	5	33	16	0	7	9
TEENAGE IMMATURE BIRTHS	10	0	2	8	9	0	1	8	1	0	1	0
TEENAGE PREMATURE BIRTHS	7	0	2	5	5	0	1	4	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	33	0	11	22	19	0	4	15	14	0	7	7
TEENS WHO HAD PREVIOUS LIVE BIRTHS	10	0	0	10	6	0	0	6	4	0	0	4
TEENS WHO HAD PREVIOUS PREGNANCIES	12	0	0	12	8	0	0	8	4	0	0	4
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE FERTILITY RATE	31.4	0.0	66.7 (15-19)	27.4	0.0	57.6 (15-19)	48.3	0.0	107.4 (15-19)			
TEENAGE FETAL DEATHS**	1	0	1	0	1	0	1	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	18.5	0.0	83.3	0.0	26.3	0.0	200.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	55	0	13	42	39	0	6	33	16	0	7	9
TEENAGE PREGNANCY RATE	32.0	0.0	68.0 (15-19)	28.1	0.0	59.1 (15-19)	48.3	0.0	107.4 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	1	0	1	0	0	0	0	0	1	0	1	0
INFANT MORTALITY RATE, TEEN MOMS	18.5	0.0	83.3	0.0	0.0	0.0	0.0	0.0	62.5	0.0	142.9	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: WALTHALL

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	15,193	1,099	556	543	216
WHITE	8,309	450	217	233	94
NONWHITE	6,884	649	339	310	122

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	33	1	14	18	6	0	4	2	27	1	10	16
TEENAGE IMMATURE BIRTHS	3	0	2	1	1	0	1	0	2	0	1	1
TEENAGE PREMATURE BIRTHS	8	0	5	3	0	0	0	0	8	0	5	3
TEENAGE ILLEGITIMATE BIRTHS	29	1	12	16	3	0	2	1	26	1	10	15
TEENS WHO HAD PREVIOUS LIVE BIRTHS	6	0	0	6	1	0	0	1	5	0	0	5
TEENS WHO HAD PREVIOUS PREGNANCIES	8	0	1	7	2	0	1	1	6	0	0	6
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE		30.0	1.8	58.9 (15-19)	13.3	0.0	25.8 (15-19)		41.6	3.0	83.9 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	1	0	0	1	1	0	0	1	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	30.3	0.0	0.0	55.6	166.7	0.0	0.0	500.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	34	1	14	19	7	0	4	3	27	1	10	16
TEENAGE PREGNANCY RATE	30.9	1.8	60.8 (15-19)		15.6	0.0	30.0 (15-19)		41.6	3.0	83.9 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: WARREN

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	49,113	3,678	1,966	1,712	755
WHITE	26,149	1,678	865	813	326
NONWHITE	22,964	2,000	1,101	899	429

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	120	3	35	82	37	0	8	29	83	3	27	53
TEENAGE IMMATURE BIRTHS	18	0	7	11	6	0	3	3	12	0	4	8
TEENAGE PREMATURE BIRTHS	21	1	7	13	8	0	2	6	13	1	5	7
TEENAGE ILLEGITIMATE BIRTHS	110	3	32	75	28	0	5	23	82	3	27	52
TEENS WHO HAD PREVIOUS LIVE BIRTHS	29	0	9	20	8	0	2	6	21	0	7	14
TEENS WHO HAD PREVIOUS PREGNANCIES	37	0	10	27	11	0	2	9	26	0	8	18
TEENS WITH INADEQUATE* PRENATAL CARE	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FERTILITY RATE	32.6	1.5	68.3	(15-19)	22.0	0.0	45.5	(15-19)	41.5	2.7	89.0	(15-19)
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	19	3	2	14	6	0	0	6	13	3	2	8
TEENAGE INDUCED TERMINATION RATIO	158.3	1000.0	57.1	170.7	162.2	0.0	0.0	206.9	156.6	1000.0	74.1	150.9
TEENAGE PREGNANCIES#	139	6	37	96	43	0	8	35	96	6	29	61
TEENAGE PREGNANCY RATE	37.8	3.0	77.7	(15-19)	25.6	0.0	52.9	(15-19)	48.0	5.4	100.1	(15-19)
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: WASHINGTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	59,567	4,678	2,412	2,266	913
WHITE	19,184	1,058	529	529	231
NONWHITE	40,383	3,620	1,883	1,737	682

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	199	12	66	121	32	2	7	23	167	10	59	98
TEENAGE IMMATURE BIRTHS	38	1	16	21	3	0	1	2	35	1	15	19
TEENAGE PREMATURE BIRTHS	45	4	13	28	2	0	0	2	43	4	13	26
TEENAGE ILLEGITIMATE BIRTHS	182	12	63	107	18	2	6	10	164	10	57	97
TEENS WHO HAD PREVIOUS LIVE BIRTHS	60	1	9	50	4	0	1	3	56	1	8	47
TEENS WHO HAD PREVIOUS PREGNANCIES	70	1	11	58	9	0	3	6	61	1	8	52
TEENS WITH INADEQUATE* PRENATAL CARE	28	2	10	16	2	1	0	1	26	1	10	15
TEENAGE FERTILITY RATE	42.5	5.0	82.5 (15-19)		30.2	3.8	56.7 (15-19)		46.1	5.3	90.4 (15-19)	
TEENAGE FETAL DEATHS**	8	0	3	5	1	0	1	0	7	0	2	5
TEENAGE FETAL DEATH RATIO	40.2	0.0	45.4	41.3	31.2	0.0	142.8	0.0	41.9	0.0	33.9	51.0
TEENAGE INDUCED TERMINATIONS#	13	1	3	9	3	0	2	1	10	1	1	8
TEENAGE INDUCED TERMINATION RATIO	65.3	83.3	45.4	74.4	93.8	0.0	285.7	43.5	59.9	100.0	16.9	81.6
TEENAGE PREGNANCIES#	220	13	72	135	36	2	10	24	184	11	62	111
TEENAGE PREGNANCY RATE	47.0	5.4	91.4 (15-19)		34.0	3.8	64.3 (15-19)		50.8	5.8	99.6 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	2	0	2	0	0	0	0	0	2	0	2	0
INFANT MORTALITY RATE, TEEN MOMS	10.1	0.0	30.3	0.0	0.0	0.0	0.0	0.0	12.0	0.0	33.9	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: WAYNE

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	21,227	1,548	795	753	273
WHITE	13,144	826	410	416	150
NONWHITE	8,083	722	385	337	123

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	51	1	12	38	23	0	4	19	28	1	8	19
TEENAGE IMMATURE BIRTHS	4	0	0	4	1	0	0	1	3	0	0	3
TEENAGE PREMATURE BIRTHS	8	1	3	4	2	0	1	1	6	1	2	3
TEENAGE ILLEGITIMATE BIRTHS	37	1	10	26	11	0	2	9	26	1	8	17
TEENS WHO HAD PREVIOUS LIVE BIRTHS	18	0	3	15	6	0	0	6	12	0	3	9
TEENS WHO HAD PREVIOUS PREGNANCIES	20	0	4	16	7	0	1	6	13	0	3	10
TEENS WITH INADEQUATE* PRENATAL CARE	8	1	2	5	1	0	0	1	7	1	2	4
TEENAGE FERTILITY RATE	32.9	1.2	66.4 (15-19)	27.8	0.0	55.3 (15-19)	38.8	2.6	80.1 (15-19)			
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	5	0	2	3	0	0	0	0	5	0	2	3
TEENAGE INDUCED TERMINATION RATIO	98.0	0.0	166.7	78.9	0.0	0.0	0.0	0.0	178.6	0.0	250.0	157.9
TEENAGE PREGNANCIES#	56	1	14	41	23	0	4	19	33	1	10	22
TEENAGE PREGNANCY RATE	36.2	1.2	73.0 (15-19)	27.8	0.0	55.3 (15-19)	45.7	2.6	95.0 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: WEBSTER

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,116	680	350	330	145
WHITE	8,048	486	259	227	96
NONWHITE	2,068	194	91	103	49

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	29	1	16	12	17	0	8	9	12	1	8	3
TEENAGE IMMATURE BIRTHS	6	1	2	3	3	0	1	2	3	1	1	1
TEENAGE PREMATURE BIRTHS	3	0	2	1	1	0	1	0	2	0	1	1
TEENAGE ILLEGITIMATE BIRTHS	22	1	14	7	10	0	6	4	12	1	8	3
TEENS WHO HAD PREVIOUS LIVE BIRTHS	4	0	0	4	3	0	0	3	1	0	0	1
TEENS WHO HAD PREVIOUS PREGNANCIES	4	0	0	4	3	0	0	3	1	0	0	1
TEENS WITH INADEQUATE* PRENATAL CARE	3	0	2	1	1	0	1	0	2	0	1	1
TEENAGE FERTILITY RATE	42.6	2.8	84.8 (15-19)	35.0	35.0	0.0	74.9 (15-19)	61.8	61.8	11.0	106.8 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	3	1	1	1	2	1	0	1	1	0	1	0
TEENAGE INDUCED TERMINATION RATIO	103.4	1000.0	62.5	83.3	117.6	-	0.0	111.1	83.3	0.0	125.0	0.0
TEENAGE PREGNANCIES#	32	2	17	13	19	1	8	10	13	1	9	3
TEENAGE PREGNANCY RATE	47.0	5.7	90.9 (15-19)	39.1	39.1	3.9	79.3 (15-19)	67.0	67.0	11.0	116.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: WILKINSON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	10,182	698	354	344	131
WHITE	3,129	142	62	80	28
NONWHITE	7,053	556	292	264	103

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	25	2	8	15	1	0	0	1	24	2	8	14
TEENAGE IMMATURE BIRTHS	5	1	2	2	0	0	0	0	5	1	2	2
TEENAGE PREMATURE BIRTHS	6	1	3	2	0	0	0	0	6	1	3	2
TEENAGE ILLEGITIMATE BIRTHS	24	2	8	14	1	0	0	1	23	2	8	13
TEENS WHO HAD PREVIOUS LIVE BIRTHS	0	0	0	0	0	0	0	0	0	0	0	0
TEENS WHO HAD PREVIOUS PREGNANCIES	0	0	0	0	0	0	0	0	0	0	0	0
TEENS WITH INADEQUATE* PRENATAL CARE	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FERTILITY RATE	35.8	5.6	66.9 (15-19)		7.0	0.0	12.5 (15-19)		43.2	6.8	83.3 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	25	2	8	15	1	0	0	1	24	2	8	14
TEENAGE PREGNANCY RATE	35.8	5.6	66.9 (15-19)		7.0	0.0	12.5 (15-19)		43.2	6.8	83.3 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: WINSTON

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	19,797	1,354	689	665	278
WHITE	10,866	579	311	268	113
NONWHITE	8,931	775	378	397	165

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	54	2	22	30	13	0	3	10	41	2	19	20
TEENAGE IMMATURE BIRTHS	6	0	4	2	1	0	0	1	5	0	4	1
TEENAGE PREMATURE BIRTHS	4	1	2	1	2	0	1	1	2	1	1	0
TEENAGE ILLEGITIMATE BIRTHS	46	2	20	24	5	0	1	4	41	2	19	20
TEENS WHO HAD PREVIOUS LIVE BIRTHS	18	0	2	16	5	0	0	5	13	0	2	11
TEENS WHO HAD PREVIOUS PREGNANCIES	18	0	2	16	5	0	0	5	13	0	2	11
TEENS WITH INADEQUATE* PRENATAL CARE	10	1	3	6	2	0	0	2	8	1	3	4
TEENAGE FERTILITY RATE	39.9	2.9	78.2 (15-19)	22.4	0.0	48.5 (15-19)	52.9	5.3	98.2 (15-19)			
TEENAGE FETAL DEATHS**	2	0	0	2	1	0	0	1	1	0	0	1
TEENAGE FETAL DEATH RATIO	37.0	0.0	0.0	66.7	76.9	0.0	0.0	100.0	24.4	0.0	0.0	50.0
TEENAGE INDUCED TERMINATIONS#	5	0	3	2	0	0	0	0	5	0	3	2
TEENAGE INDUCED TERMINATION RATIO	92.6	0.0	136.4	66.7	0.0	0.0	0.0	0.0	122.0	0.0	157.9	100.0
TEENAGE PREGNANCIES#	61	2	25	34	14	0	3	11	47	2	22	23
TEENAGE PREGNANCY RATE	45.0	2.9	88.7 (15-19)	24.2	0.0	52.2 (15-19)	60.6	5.3	113.4 (15-19)			
INFANT DEATHS TO TEENAGE MOTHERS	1	0	0	1	1	0	0	1	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	18.5	0.0	0.0	33.3	76.9	0.0	0.0	100.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: YALOBUSHA

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	13,337	880	472	408	200
WHITE	8,083	403	205	198	119
NONWHITE	5,254	477	267	210	81

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	44	1	11	32	24	0	7	17	20	1	4	15
TEENAGE IMMATURE BIRTHS	7	0	1	6	2	0	1	1	5	0	0	5
TEENAGE PREMATURE BIRTHS	5	0	3	2	2	0	2	0	3	0	1	2
TEENAGE ILLEGITIMATE BIRTHS	36	1	10	25	18	0	6	12	18	1	4	13
TEENS WHO HAD PREVIOUS LIVE BIRTHS	9	0	1	8	4	0	0	4	5	0	1	4
TEENS WHO HAD PREVIOUS PREGNANCIES	11	0	1	10	5	0	0	5	6	0	1	5
TEENS WITH INADEQUATE* PRENATAL CARE	1	0	0	1	0	0	0	0	1	0	0	1
TEENAGE FERTILITY RATE		50.0	2.1	105.4 (15-19)	59.6	0.0	121.2 (15-19)		41.9	3.7	90.5 (15-19)	
TEENAGE FETAL DEATHS**	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE FETAL DEATH RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE INDUCED TERMINATIONS#	0	0	0	0	0	0	0	0	0	0	0	0
TEENAGE INDUCED TERMINATION RATIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
TEENAGE PREGNANCIES#	44	1	11	32	24	0	7	17	20	1	4	15
TEENAGE PREGNANCY RATE	50.0	2.1	105.4 (15-19)		59.6	0.0	121.2 (15-19)		41.9	3.7	90.5 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

TEENAGE VITAL STATISTICS DATA
BY COUNTY OF RESIDENCE AND RACE OF MOTHER
MISSISSIPPI, 2004

COUNTY: YAZOO

RACE	TOTAL POPULATION ALL AGES	FEMALES AGES 10-19	FEMALES AGES 10-14	FEMALES AGES 15-19	TOTAL LIVE BIRTHS
TOTAL	28,211	2,080	1,089	991	420
WHITE	12,621	659	307	352	128
NONWHITE	15,590	1,421	782	639	292

	ALL RACES				WHITE				NONWHITE			
	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19	ALL TEENS	AGES 10-14	AGES 15-17	AGES 18-19
TEENAGE BIRTHS	95	1	30	64	19	0	5	14	76	1	25	50
TEENAGE IMMATURE BIRTHS	10	0	2	8	1	0	0	1	9	0	2	7
TEENAGE PREMATURE BIRTHS	17	0	4	13	3	0	1	2	14	0	3	11
TEENAGE ILLEGITIMATE BIRTHS	88	1	30	57	15	0	5	10	73	1	25	47
TEENS WHO HAD PREVIOUS LIVE BIRTHS	24	0	6	18	5	0	0	5	19	0	6	13
TEENS WHO HAD PREVIOUS PREGNANCIES	28	0	7	21	6	0	1	5	22	0	6	16
TEENS WITH INADEQUATE* PRENATAL CARE	11	0	2	9	3	0	0	3	8	0	2	6
TEENAGE FERTILITY RATE	45.7	0.9	94.8 (15-19)		28.8	0.0	54.0 (15-19)		53.5	1.3	117.4 (15-19)	
TEENAGE FETAL DEATHS**	2	0	1	1	0	0	0	0	2	0	1	1
TEENAGE FETAL DEATH RATIO	21.0	0.0	33.3	15.6	0.0	0.0	0.0	0.0	26.3	0.0	40.0	20.0
TEENAGE INDUCED TERMINATIONS#	14	3	6	5	4	0	4	0	10	3	2	5
TEENAGE INDUCED TERMINATION RATIO	147.4	3000.0	200.0	78.1	210.5	0.0	800.0	0.0	131.6	3000.0	80.0	100.0
TEENAGE PREGNANCIES#	111	4	37	70	23	0	9	14	88	4	28	56
TEENAGE PREGNANCY RATE	53.4	3.7	108.0 (15-19)		34.9	0.0	65.3 (15-19)		61.9	5.1	131.4 (15-19)	
INFANT DEATHS TO TEENAGE MOTHERS	0	0	0	0	0	0	0	0	0	0	0	0
INFANT MORTALITY RATE, TEEN MOMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

* ACCORDING TO THE KESSNER INDEX.

** SPONTANEOUS FETAL DEATHS OF 20 WEEKS OR MORE GESTATION OR WEIGHT OF 350 GRAMS OR MORE.

FIGURES BY RACE MAY NOT ADD TO TOTAL BECAUSE TOTAL FIGURES INCLUDE SOME FOR WHICH RACE OF MOTHER WAS UNKNOWN.

RATE/RATIO NOT CALCULATED BECAUSE THERE WERE NO LIVE BIRTHS TO MOTHERS IN THIS AGE/RACE GROUP.

DEFINITIONS:

IMMATURE=BIRTHWEIGHT LESS THAN 2,500 GRAMS.

PREMATURE=GESTATION LESS THAN 37 WEEKS.

FERTILITY RATE=LIVE BIRTHS TO MOTHERS IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

FETAL DEATH RATIO=FETAL DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

INDUCED TERM. RATIO=INDUCED TERMINATIONS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.

PREGNANCIES=LIVE BIRTHS PLUS FETAL DEATHS PLUS INDUCED TERMINATIONS.

PREGNANCY RATE=PREGNANCIES OF WOMEN IN SPECIFIC AGE GROUP PER 1,000 FEMALES IN SPECIFIC AGE GROUP.

INFANT DEATH=DEATH OF A LIVE-BORN INFANT BEFORE REACHING 1 YEAR OF AGE.

INFANT MORTALITY RATE=INFANT DEATHS TO WOMEN IN SPECIFIC AGE GROUP PER 1,000 LIVE BIRTHS TO WOMEN IN SPECIFIC AGE GROUP.