


General Health Fair or Poor




General Health Fair or Poor

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	13.5	22.2	21.2	17.9	16.7	25.1	25.4	24.6	21.9	20.7
Nonwhite	26.1	19.3	22.5	31.0	21.9	28.1	32.6	25.8	17.5	25.5
Total	17.8	21.7	22.3	23.1	19.0	26.3	28.1	25.0	21.0	22.5

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006

No Health Care Coverage




No Health Care Coverage

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	8.5	17.3	19.0	12.4	11.9	13.8	19.8	17.1	21.4	16.3
Nonwhite	19.9	21.4	38.6	22.8	27.6	12.6	37.7	28.5	35.4	28.6
Total	12.5	18.0	31.2	16.4	19.0	13.3	27.1	20.2	24.2	20.8

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006

Physical Health Not Good For More Than 7 Days In Past Month




Physical Health Not Good For More than 7 Days in Past Month

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	10.4	19.8	10.2	16.4	13.1	17.7	17.5	17.6	15.4	15.8
Nonwhite	11.2	14.4	11.3	20.9	11.2	16.5	22.8	15.2	14.2	14.4
Total	10.7	18.8	11.1	18.3	12.2	17.3	19.5	16.9	15.1	15.3

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006

Mental Health Not Good For More than 7 Days In Past Month




Mental Health Not Good For More than 7 Days in Past Month

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	14.9	18.8	16.2	20.3	15.9	14.5	16.0	17.1	20.0	17.2
Nonwhite	13.9	12.3	10.7	23.0	19.5	12.9	19.5	28.0	25.5	18.9
Total	14.6	17.5	13.0	21.3	17.5	13.9	17.2	20.1	21.0	17.8

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006

Unable to See a Doctor in Past 12 Months Because of Cost




Unable to See a Doctor in Past 12 Months Because of Cost

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	14.6	17.6	9.4	20.0	11.9	13.1	15.0	16.4	16.7	14.9
Nonwhite	21.1	22.0	29.3	20.9	23.7	19.3	30.5	29.9	22.0	25.9
Total	16.8	18.4	21.9	20.2	17.3	15.4	21.5	20.1	17.7	18.9

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006

No Exercise in Past 30 Days




No Exercise in Past 30 Days

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	27.0	28.9	20.8	35.1	32.5	29.4	27.8	32.8	28.7	29.2
Nonwhite	27.2	27.6	34.9	40.2	48.3	41.3	43.3	32.0	27.0	34.3
Total	27.1	28.6	29.8	37.3	30.6	33.7	34.1	32.6	28.3	31.0

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006


Overweight or Obese



At Risk Because of Being Overweight or Obese

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	62.6	60.3	65.4	63.3	59.7	67.8	63.0	66.3	64.8	62.2
Nonwhite	70.7	70.5	71.3	63.6	70.0	66.4	64.5	60.6	59.9	67.5
Total	65.5	62.3	69.0	63.4	64.5	67.3	64.2	64.7	63.7	64.2


Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006



At Risk Because of Obesity

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	30.9	24.7	31.8	33.8	23.6	26.3	25.5	30.1	30.6	27.0
Nonwhite	39.5	38.4	39.9	36.1	34.7	29.5	35.3	37.4	27.8	35.6
Total	33.6	27.3	36.9	34.7	28.8	27.5	30.9	32.2	29.9	30.2

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006




Current Smoker

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	24.0	26.0	21.4	27.8	21.8	23.2	25.7	27.3	29.5	25.1
Nonwhite	21.3	35.4	32.0	18.4	21.3	29.4	23.0	38.4	22.7	24.9
Total	23.0	27.8	27.8	24.1	21.6	25.4	24.1	30.3	28.1	25.0

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006


Ever Had Asthma



Ever Had Asthma

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	9.1	11.1	15.2	10.0	11.0	8.3	11.6	12.9	12.9	11.3
Nonwhite	9.6	16.5	11.7	10.1	11.1	11.0	5.1	16.5	13.4	11.9
Total	9.3	12.2	12.9	10.0	11.0	9.3	8.6	13.9	13.0	11.5

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006




Presently Have Asthma

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	5.6	7.2	6.8	5.1	7.8	5.8	5.5	8.2	8.5	7.1
Nonwhite	3.6	6.8	7.9	5.8	6.4	7.8	3.5	7.4	8.5	6.6
Total	4.9	7.1	7.5	5.4	7.2	6.6	4.5	8.0	8.5	6.9

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006

Ever Diagnosed With Diabetes




Ever Diagnosed With Diabetes

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	12.2	9.4	12.2	7.1	8.7	12.4	7.1	11.2	12.2	10.0
Nonwhite	14.1	11.3	15.3	12.4	10.5	15.3	14.1	12.6	12.5	12.2
Total	12.9	9.9	14.4	9.2	9.5	13.5	10.0	11.6	12.2	10.8

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006

Ever Diagnosed With A Heart Attack




Ever Diagnosed With A Heart Attack

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	3.2	5.5	8.2	4.6	5.4	7.8	3.6	4.6	8.2	5.6
Nonwhite	2.7	7.9	6.4	3.9	3.0	2.2	2.9	2.3	5.9	3.9
Total	3.0	6.0	7.0	4.3	4.2	5.8	3.2	3.9	7.9	5.0

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006

Ever Diagnosed With Coronary Heart Disease




Ever Diagnosed With Coronary Heart Disease

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	4.8	4.8	5.0	4.7	5.3	6.3	6.2	8.9	7.6	6.0
Nonwhite	2.4	2.4	4.4	0.5	1.4	1.6	2.3	3.9	7.7	2.9
Total	4.0	4.3	4.6	3.0	3.5	4.7	4.5	7.5	7.6	4.9

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006

Ever Diagnosed With a Stroke




Ever Diagnosed With A Stroke

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	2.3	3.7	5.9	4.6	5.4	7.8	3.6	4.6	8.2	5.6
Nonwhite	4.7	8.3	6.4	3.9	3.0	2.2	2.9	2.3	5.9	3.9
Total	3.1	4.6	6.2	4.3	4.2	5.8	3.2	3.9	7.9	5.0

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006

Ever Had a PSA Test (Age 40+)




Ever Had a PSA Test (Males 40+)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	61.2	60.7	40.0	52.7	60.2	62.8	57.1	60.1	66.3	59.8
Nonwhite	50.0	42.7	58.2	70.8	63.5	70.0	72.1	36.4	82.8	63.2
Total	57.9	57.6	48.9	58.1	61.0	65.1	62.9	55.6	68.6	60.7

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006

PSA Test in Past 2 Years (Age 40+)




PSA Test in Past 2 Years (Males 40+)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	53.8	51.7	36.3	40.8	49.3	58.6	51.3	52.5	56.0	51.2
Nonwhite	30.5	36.7	49.9	58.6	44.4	66.0	59.7	33.1	72.8	50.6
Total	47.0	49.1	42.9	46.1	47.2	60.9	54.6	48.9	58.0	50.8

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006

Never Had Colonoscopy or Sigmoidoscopy (Age 50+)




Never Had Sigmoidoscopy or Colonoscopy (Age 50+)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	41.8	48.5	54.1	45.2	41.0	49.6	41.8	47.4	42.7	45.2
Nonwhite	60.5	70.9	56.5	65.1	49.9	64.9	60.2	56.6	52.6	58.4
Total	47.1	52.0	55.2	51.2	44.3	53.8	49.1	49.7	44.6	49.1

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006

No Blood Stool Test in Past Two Years (Age 50+)




No Blood Stool Test in Past Two Years (Age 50+)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	73.2	75.3	82.7	73.0	73.4	78.8	77.5	81.7	76.5	77.0
Nonwhite	84.9	83.1	88.5	72.2	79.3	88.2	86.9	78.5	61.6	81.0
Total	76.6	76.6	85.9	72.5	76.2	81.0	80.9	81.4	75.0	78.2

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006

Report Fall in Past 3 Months (Age 45+)




Report Fall in Past 3 Months (Age 45+)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	15.2	19.3	11.6	17.6	14.0	22.1	20.0	22.0	19.1	18.1
Nonwhite	21.7	22.2	11.4	10.6	11.2	19.7	15.5	27.9	15.0	16.4
Total	17.1	19.6	11.4	15.1	12.9	21.5	18.2	23.5	18.3	17.6

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006

Ever Had a Pap Test




Ever Had a Pap Test

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	95.7	96.7	99.4	98.6	97.1	93.3	95.1	97.9	93.1	95.3
Nonwhite	94.9	98.6	97.5	94.5	90.3	90.1	89.0	94.4	87.3	93.1
Total	95.4	97.1	98.1	96.9	93.6	91.9	92.2	96.8	92.0	94.5

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006

Pap Test in Past Three Years




Pap Test in Past Three Years

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	86.3	82.8	77.3	79.6	84.2	85.4	81.1	83.5	78.8	81.4
Nonwhite	84.3	90.9	83.9	87.3	83.4	78.8	72.7	90.3	79.9	83.7
Total	85.6	84.6	81.0	82.9	83.9	82.5	77.1	85.5	78.9	82.2

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006

Ever Had Mammogram and CBE (Age 40+)




Ever Had Mammogram and CBE (Women 40+)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	81.1	84.7	87.7	81.5	86.9	76.4	84.8	85.5	84.6	83.6
Nonwhite	71.0	70.9	72.3	72.4	78.6	70.5	71.8	80.6	69.9	73.7
Total	78.0	81.9	78.0	78.1	83.6	74.0	79.7	84.2	81.9	80.3

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006

Mammogram and CBE in Past Two Years (Age 50+)




Mammogram and CBE in Past Two Years (Women 50+)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	55.9	55.6	61.7	55.6	66.9	60.9	64.1	50.1	61.7	59.0
Nonwhite	55.3	63.4	52.6	44.3	62.0	55.9	45.6	75.2	62.1	56.8
Total	55.8	56.7	57.3	51.6	65.0	58.9	56.9	55.8	61.6	58.2

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006

No Flu Shot in Past 12 Months




No Flu Shot in Past 12 Months

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	32.7	38.3	37.2	33.9	40.4	40.2	36.4	34.5	35.0	36.5
Nonwhite	29.4	21.8	23.8	25.8	20.9	28.0	24.6	27.6	32.0	25.1
Total	31.6	35.1	29.0	30.8	31.4	35.8	30.8	32.6	34.4	32.3

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006

Ever Had Pneumonia Vaccination




Ever Had Pneumonia Vaccine

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	19.1	25.3	29.1	31.1	28.1	26.5	35.7	24.0	26.8	26.8
Nonwhite	13.6	20.2	19.7	17.4	17.9	30.9	20.7	18.7	23.8	20.2
Total	17.2	24.3	23.2	25.8	23.4	28.6	28.7	22.5	26.2	24.4

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006

Activities Limited by Health Problems




Activities Limited by Health Problems

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	20.2	28.3	20.3	29.9	21.2	28.6	32.5	29.8	29.3	26.0
Nonwhite	18.9	19.1	18.9	23.9	17.2	14.4	21.8	23.1	19.8	19.5
Total	19.8	26.6	19.5	27.6	19.3	23.5	27.4	27.9	27.4	23.6

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006

Special Equipment Needed For Health Problems




Special Equipment Needed for Health Problems

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	4.7	9.0	6.9	6.6	7.7	8.7	11.8	9.1	8.3	8.1
Nonwhite	8.5	7.6	6.1	8.9	7.4	10.1	14.8	5.8	8.7	8.9
Total	6.0	8.7	6.4	7.5	7.6	9.3	12.9	8.3	8.4	8.4

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006


More Than One Year Since Last Visit to a Dentist



	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	36.6	40.6	36.7	51.9	30.8	39.2	37.3	40.7	36.8	37.9
Nonwhite	44.1	38.8	51.2	54.0	40.2	36.5	48.2	46.1	37.8	44.2
Total	39.2	40.1	45.7	52.6	35.0	38.3	43.0	42.2	36.9	40.2

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006

More Than One Year Since Dental Cleaning




More Than One Year Since Teeth Cleaned by a Dentist

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	33.4	32.5	34.8	37.6	28.2	28.8	32.3	39.0	37.3	37.8
Nonwhite	46.4	42.4	51.7	51.8	42.2	42.0	45.1	37.1	40.7	48.7
Total	37.9	34.4	45.3	43.1	34.5	33.6	38.9	38.6	38.1	41.8

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006

Have Had One or More Permanent Teeth Removed




Have Had One or More Permanent Teeth Removed

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	50.3	54.3	50.1	55.0	49.8	60.2	62.8	56.1	58.3	54.9
Nonwhite	55.9	65.8	76.5	63.1	58.6	69.2	73.6	65.7	54.9	62.8
Total	52.3	56.7	66.2	58.2	53.9	63.6	66.4	58.8	57.5	57.8

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006

At Risk Because of Binge Drinking




At Risk Because of Binge Drinking

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	7.8	10.8	9.6	11.9	10.0	7.4	8.5	10.7	10.6	9.6
Nonwhite	6.8	4.0	6.7	7.6	9.2	4.0	3.7	8.5	12.2	8.1
Total	7.5	10.8	7.8	10.2	9.6	6.1	6.3	10.1	10.9	9.0

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006

At Risk Because of Heavy Drinking




At Risk Because of Heavy Drinking

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	2.7	3.1	1.9	3.6	3.6	3.5	3.7	4.4	5.0	3.8
Nonwhite	3.7	10.0	4.2	0.6	5.4	2.4	1.9	2.4	5.2	4.0
Total	3.0	4.4	3.3	2.4	4.4	3.1	2.9	3.8	5.0	3.9

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006

Drove Vehicle After Drinking Too Much in Past 30 Days




Drove Vehicle After Drinking Too Much in Past 30 Days¹

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	8.1	7.8	3.8	4.2	1.1	1.2	0.0	5.9	4.0	3.8
Nonwhite	2.8	7.4	0.0	8.8	10.3	7.0	1.8	0.0	2.4	5.5
Total	6.6	7.7	1.5	5.7	4.6	2.8	0.7	3.8	3.6	4.4

¹ Denominator is those who drink

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006

Always or Nearly Always Wear Seat Belts




Always or Nearly Always Wear Seat Belts

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	88.1	84.7	86.6	86.1	91.6	88.9	84.6	86.9	91.0	87.8
Nonwhite	86.5	80.0	82.2	81.1	81.9	76.3	81.1	77.0	87.7	81.3
Total	87.6	83.8	83.7	84.2	87.1	84.3	83.3	84.2	90.4	85.4

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006

Rarely or Never Get Emotional Support Needed




Rarely or Never Get Emotional Support Needed

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	6.8	6.0	7.6	3.5	4.1	6.2	5.6	4.9	8.4	5.9
Nonwhite	8.0	11.5	9.6	5.4	11.5	8.8	10.7	14.3	8.6	10.5
Total	7.2	7.1	9.1	4.3	7.5	7.2	7.7	7.5	8.5	7.6

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006

Dissatisfied or Very Dissatisfied With Life




Dissatisfied or Very Dissatisfied With Life

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	7.0	5.8	3.1	2.9	2.2	4.2	2.9	4.7	6.8	4.7
Nonwhite	7.5	11.0	4.3	6.7	6.8	4.5	14.7	13.7	6.1	7.2
Total	5.8	6.8	3.8	4.5	4.3	4.3	7.9	7.2	6.6	5.6

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006

Ever Diagnosed With Anxiety Disorder




Ever Diagnosed With Anxiety Disorder

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	17.1	16.6	11.5	11.0	12.4	14.3	20.0	17.1	16.8	15.0
Nonwhite	8.9	8.7	6.0	13.5	8.5	8.6	12.3	13.4	11.0	9.7
Total	14.2	15.0	8.1	12.0	10.6	12.2	16.4	16.1	15.7	13.0

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006

Ever Diagnosed With Depressive Disorder




Ever Diagnosed With Depressive Disorder

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	15.0	17.8	12.7	25.7	17.5	17.4	19.5	21.0	20.4	18.6
Nonwhite	11.0	14.8	8.8	13.4	13.7	12.5	14.1	15.6	11.2	12.2
Total	19.7	17.2	10.2	20.9	15.7	15.5	16.9	19.5	18.5	16.2

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006

Never Tested For HIV (Age 18-64)




Never Tested for HIV (Age 18-64)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	66.4	68.8	65.4	66.2	64.7	61.0	73.0	63.2	57.4	65.0
Nonwhite	61.1	50.3	57.1	56.7	45.2	42.8	64.2	50.9	50.9	50.5
Total	64.5	64.8	60.1	62.4	55.1	53.8	69.5	59.6	56.2	59.4

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006

Participated in High Risk Behavior (Age 18-64)



Participated in High Risk Behavior (Age 18-64)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	8.8	6.5	0.8	4.2	2.9	2.9	4.1	7.9	7.4	5.7
Nonwhite	12.6	17.9	6.5	8.3	14.5	4.7	9.1	11.3	9.8	12.7
Total	10.2	8.9	4.6	5.9	8.4	3.6	6.3	8.9	7.9	8.3

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2006