


## General Health Fair or Poor




## General Health Fair or Poor

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	24.0	25.0	19.2	20.3	16.9	20.9	24.4	22.8	22.2	21.7
Black	28.2	23.0	28.0	25.6	22.6	30.1	29.5	27.0	27.8	26.1
Total	25.3	24.6	24.3	22.0	20.0	24.6	26.8	26.8	24.0	23.4

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2012

## No Health Care Coverage Age 18 - 64




### No Health Care Coverage

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	24.6	21.2	23.7	15.3	18.0	28.0	25.4	26.1	25.4	22.8
Black	28.2	26.0	49.6	28.4	32.9	40.6	37.2	32.6	27.5	33.8
Total	26.8	22.0	40.2	20.5	25.8	33.8	31.2	31.2	25.9	27.3

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2012

## Physical Health Not Good For More Than 7 Days In Past Month




### Physical Health Not Good For More than 7 Days in Past Month

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	21.4	25.4	19.7	18.5	21.0	18.7	26.0	18.0	22.1	21.4
Black	17.0	19.2	29.5	18.5	17.6	21.1	27.9	23.8	31.6	21.9
Total	19.4	24.1	25.3	18.6	19.0	19.4	26.8	19.7	23.4	21.4

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2012

## Mental Health Not Good For More than 7 Days In Past Month




### Mental Health Not Good For More than 7 Days in Past Month

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	18.1	21.5	18.2	17.0	21.9	21.7	23.4	18.6	24.8	21.1
Black	18.4	14.4	23.6	19.4	18.5	22.6	28.2	21.0	28.0	21.0
Total	18.1	20.1	21.2	17.8	20.3	21.8	25.3	20.1	26.2	21.3

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2012


## Unable to See a Doctor in Past 12 Months Because of Cost



### Unable to See a Doctor in Past 12 Months Because of Cost

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	18.4	18.5	15.9	12.3	14.2	21.7	15.2	19.1	22.3	18.1
Black	28.3	28.8	32.6	27.2	24.5	25.0	37.6	29.6	22.9	27.7
Total	22.8	20.5	25.9	17.8	18.9	22.8	25.4	23.5	22.9	21.7

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2012




**No Exercise in Past 30 Days**

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	35.4	32.3	25.7	27.8	23.2	32.2	31.6	30.2	24.7	28.6
Black	37.4	42.1	36.4	28.8	33.7	31.7	35.5	40.9	25.0	34.5
Total	35.7	34.6	33.0	28.6	28.2	31.5	33.3	33.2	25.6	30.8

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2012

## Overweight or Obese




## At Risk Because of Being Overweight or Obese

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	65.5	68.8	27.1	65.9	63.4	63.6	67.8	63.2	66.8	65.8
Black	76.1	78.9	48.0	74.5	70.6	74.2	77.6	75.1	75.5	74.3
Total	69.1	71.2	40.4	69.8	66.5	68.0	72.5	66.3	68.4	68.9

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2012

## Obese




### At Risk Because of Being Obese

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	31.1	26.7	43.3	33.8	26.7	24.2	40.0	31.0	26.7	30.1
Black	52.9	39.1	27.5	37.4	39.1	33.9	48.8	43.6	39.1	42.9
Total	38.5	29.0	33.7	34.6	29.0	27.9	44.2	35.0	29.0	34.6

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2012






**Current Smoker**

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	27.2	27.1	22.6	20.8	22.3	30.0	23.8	24.2	25.1	24.9
Black	24.0	22.3	24.6	18.8	21.9	25.6	24.1	20.2	20.4	22.4
Total	25.6	26.1	24.4	19.4	22.1	28.4	23.7	22.8	24.5	24.0

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2012




**Ever Had Asthma**

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	12.8	11.8	7.0	16.9	11.1	10.2	5.8	11.9	10.4	11.3
Black	12.5	15.4	11.0	8.7	11.4	11.4	13.2	17.0	13.6	12.3
Total	12.7	12.5	9.9	14.6	10.9	10.5	9.2	13.4	11.0	11.7

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2012

## Presently Have Asthma




## Presently Have Asthma

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	9.9	7.5	6.1	9.3	7.8	7.4	4.6	7.6	7.3	7.7
Black	10.2	11.7	7.8	7.3	9.4	9.1	11.4	7.5	8.8	9.2
Total	9.8	8.3	7.0	8.3	8.4	8.0	7.7	7.4	7.6	8.1

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2012

## Ever Diagnosed With Diabetes




## Ever Diagnosed With Diabetes

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	13.3	14.2	9.2	11.9	9.2	12.0	15.0	9.0	9.8	11.3
Black	12.1	18.2	18.5	11.2	15.1	12.7	17.5	10.4	14.2	14.6
Total	13.1	15.0	15.3	11.3	12.4	12.2	16.2	9.3	10.7	12.5

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2012

## Ever Diagnosed With A Heart Attack




## Ever Diagnosed With A Heart Attack

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	6.3	4.5	7.3	7.2	4.4	7.0	7.0	6.4	6.7	6.0
Black	2.4	3.4	3.8	3.5	4.9	4.6	5.2	5.4	5.2	4.3
Total	4.7	4.3	5.4	5.6	4.6	5.9	6.1	6.1	6.7	5.4

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2012

## Ever Diagnosed With Coronary Heart Disease




### Ever Diagnosed With Coronary Heart Disease

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	6.1	6.0	5.8	4.7	4.6	7.0	6.5	6.0	5.9	5.7
Black	5.4	5.9	3.3	4.3	3.0	2.7	6.0	2.7	5.0	3.9
Total	5.8	6.0	4.2	4.4	3.7	5.2	6.3	4.9	5.9	5.1

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2012

## Ever Diagnosed With a Stroke




## Ever Diagnosed With A Stroke

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	5.0	4.4	5.3	4.5	4.6	4.5	4.7	3.6	3.9	4.4
Black	3.7	3.0	3.6	3.3	4.1	6.3	4.4	4.0	5.5	4.2
Total	4.3	4.6	4.1	3.9	4.4	5.1	4.6	3.7	4.2	4.3

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2012

## Ever Diagnosed With Depression




## Ever Diagnosed With Depression

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	18.7	19.4	14.9	14.3	21.9	19.5	21.8	24.9	24.8	21.0
Black	9.9	23.0	10.1	7.9	13.4	12.2	20.2	13.7	22.2	14.0
Total	15.1	20.0	11.7	11.8	17.9	16.9	21.0	21.7	24.2	18.4

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2012






**Ever Diagnosed With Kidney Disease**

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	2.8	3.5	2.9	2.0	2.7	2.8	2.7	3.9	2.8	2.9
Black	3.5	2.0	3.6	2.8	2.7	4.6	1.7	0.9	3.3	2.8
Total	3.0	3.2	3.2	2.2	2.6	3.4	2.2	2.9	2.9	2.9

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2012




**Ever Diagnosed With Skin Cancer**

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	8.0	8.2	13.0	7.9	9.2	9.1	6.4	13.0	7.4	8.9
Black	0.0	0.0	0.3	0.1	0.8	0.1	0.8	1.1	6.5	0.4
Total	4.8	6.4	4.8	4.9	4.9	5.4	3.8	9.2	6.0	5.7

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2012


### Ever Diagnosed With Other Cancer



### Ever Diagnosed With Other Cancer

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	9.6	7.8	8.0	8.1	6.9	8.2	7.0	8.9	7.2	7.9
Black	5.3	2.5	4.0	4.1	3.3	6.9	4.4	5.0	4.9	4.3
Total	7.7	6.6	5.3	6.4	5.1	7.7	5.8	7.6	6.6	6.4


Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2012



**Ever Diagnosed With Arthritis**

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	29.2	31.1	36.3	33.5	35.8	34.0	36.4	31.6	33.9	33.2
Black	27.3	23.5	28.4	23.8	23.1	32.1	32.1	29.3	35.9	27.3
Total	28.0	29.5	31.5	29.3	29.1	32.9	34.2	30.3	34.3	30.8

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2012




**Ever Diagnosed With Vision Impairment**

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	17.3	22.9	21.8	16.1	15.0	21.2	23.1	21.4	22.1	19.9
Black	25.5	26.4	27.7	27.2	22.0	22.9	23.7	27.6	25.7	24.8
Total	20.5	23.6	26.0	20.1	18.6	21.6	23.4	24.0	22.7	21.8

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2012


## Ever Diagnosed With Chronic Obstructive Pulmonary Disease



### Ever Diagnosed With Chronic Obstructive Pulmonary Disease

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	7.6	10.6	4.8	6.1	7.0	7.1	7.2	9.4	6.3	7.6
Black	3.9	9.6	6.3	3.6	5.1	3.7	2.4	3.3	10.7	5.3
Total	6.2	10.3	5.6	5.0	5.9	5.9	5.0	7.4	7.1	6.7

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2012




**Ever Had Pap Test (Females 18+)**

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	92.4	90.8	99.2	88.1	96.6	95.9	91.5	94.2	92.4	93.1
Black	96.4	97.9	93.7	95.7	91.7	87.9	88.7	91.9	96.7	93.2
Total	93.9	92.7	95.4	89.7	93.8	90.8	90.1	93.5	92.7	92.8

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2012

### Pap Test in Past 3 Years (Females 18+)




### Pap Test in Past 3 Years (Females 18+)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	73.1	74.8	90.1	71.6	81.3	75.7	68.2	79.0	73.8	76.0
Black	85.1	84.4	81.8	82.4	82.2	77.3	76.1	80.3	82.2	81.7
Total	77.7	77.4	84.7	75.6	81.7	75.0	72.3	79.8	76.0	78.3

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2012



## Ever Had Mammogram and CBE (Women 40+)




### Ever Had Mammogram and CBE (Women 40+)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	83.2	85.5	84.5	81.3	89.0	79.8	84.9	80.0	81.3	83.5
Black	77.6	85.9	63.1	75.9	78.8	75.7	75.1	77.5	66.6	75.2
Total	81.1	85.7	72.1	79.7	84.5	78.6	80.6	79.2	78.1	80.7

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2012

## Mammogram and CBE in Past Two Years (Women 50+)




## Mammogram and CBE in Past Two Years (Women 50+)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	55.4	55.3	50.9	57.3	67.4	59.4	52.9	52.8	59.4	58.2
Black	56.9	71.8	56.7	45.5	62.7	58.6	56.6	53.2	65.4	59.0
Total	55.1	58.5	54.0	53.1	65.4	59.0	54.2	52.8	59.6	58.2

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2012

## Flu Shot in Past 12 Months




## Flu Shot in Past 12 Months

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	39.6	37.4	43.6	43.6	44.1	39.6	42.9	32.4	36.1	39.2
Black	15.2	28.3	26.3	23.0	26.9	20.7	27.9	26.5	35.2	25.5
Total	30.0	35.6	32.9	36.5	35.2	31.8	35.9	30.5	36.0	34.0

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2012

## Ever Had Pneumonia Vaccination




## Ever Had Pneumonia Vaccine

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	34.8	33.4	34.4	29.7	34.7	32.6	37.1	30.2	32.6	33.1
Black	14.5	23.3	22.7	22.2	20.9	27.3	24.0	18.9	32.0	22.2
Total	27.2	30.8	26.3	27.8	27.9	30.2	30.9	27.1	32.1	29.0

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2012

### Ever Had PSA Test (Males 40+)




### Ever Had PSA Test (Males 40+)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	62.3	46.2	52.9	49.9	52.3	56.3	45.8	49.2	48.0	60.4
Black	66.6	54.3	55.6	48.7	62.2	54.5	64.4	47.8	47.3	55.4
Total	63.6	48.5	54.9	50.6	56.8	55.9	52.3	48.2	49.2	58.2

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2012

## Activities Limited by Health Problems




## Activities Limited by Health Problems

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	25.2	23.3	24.7	26.6	22.5	26.0	29.6	28.0	29.3	26.0
Black	21.8	21.4	22.4	19.2	19.7	25.2	27.1	26.3	31.3	22.9
Total	23.6	22.8	23.1	23.4	20.8	25.6	28.4	27.2	29.8	24.6

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2012

## Special Equipment Needed For Health Problems




### Special Equipment Needed for Health Problems

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	8.9	9.0	6.2	9.5	9.3	7.0	13.9	10.2	9.6	9.3
Black	8.1	8.1	12.0	8.5	11.3	12.0	18.1	13.0	18.0	11.8
Total	8.5	8.8	10.2	8.8	10.1	9.0	15.8	10.8	11.5	10.2

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2012

## Never Had Sigmoidoscopy or Colonoscopy (Age 50+)




## Never Had Sigmoidoscopy or Colonoscopy (Age 50+)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	37.4	34.5	38.2	38.7	32.9	41.6	29.7	34.3	35.7	35.5
Black	52.9	46.1	60.2	56.3	44.2	52.2	46.4	51.8	29.7	48.8
Total	42.0	36.8	51.0	44.5	37.8	45.4	35.7	38.8	34.6	39.7

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2012



## More Than One Year Since Last Visit to a Dentist




### More Than One Year Since Last Visit to a Dentist

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	38.9	44.2	41.6	36.7	34.8	42.0	45.3	42.1	43.3	40.8
Black	38.8	55.2	53.8	52.2	45.4	63.4	59.7	60.3	47.4	51.0
Total	39.3	46.3	50.4	42.3	40.2	50.4	52.0	48.2	43.3	44.6

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2012

## Have Had One or More Permanent Teeth Removed




## Have Had One or More Permanent Teeth Removed

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	58.5	58.3	54.5	51.5	46.8	59.3	62.9	54.0	53.7	54.5
Black	66.6	57.7	66.8	55.7	63.7	67.8	78.1	72.4	65.0	65.5
Total	61.0	57.8	62.0	52.9	54.7	62.4	69.8	59.8	55.7	58.3

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2012

## Always or Nearly Always Wear Seat Belts




## Always or Nearly Always Wear Seat Belts

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	89.7	86.9	85.9	88.0	95.9	91.7	92.0	92.3	94.2	91.5
Black	85.1	89.1	87.3	84.6	89.8	92.5	95.9	92.5	94.5	89.8
Total	88.0	87.5	86.2	86.8	93.0	92.0	93.6	92.5	94.2	90.9

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2012

### At Risk Because of Binge Drinking




### At Risk Because of Binge Drinking

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	20.4	20.4	7.0	12.3	13.8	10.5	8.7	7.7	14.1	12.4
Black	9.9	9.9	14.9	12.3	11.2	11.7	7.1	20.2	9.3	11.7
Total	15.9	15.9	11.6	12.4	12.2	11.0	8.1	11.4	13.7	12.1

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2012

## At Risk Because of Heavy Drinking




## At Risk Because of Heavy Drinking

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	7.5	3.1	2.1	5.0	7.1	3.4	2.8	2.8	6.9	5.1
Black	3.7	6.2	6.2	1.3	2.7	3.1	1.7	7.4	2.2	3.7
Total	5.9	3.7	4.6	3.9	4.8	3.2	2.3	4.1	6.4	4.6

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2012

## Never Tested For HIV (Age 18-64)




### Never Tested for HIV ( Age 18-64)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	68.7	74.1	72.1	76.8	68.8	73.8	71.8	68.7	65.7	70.3
Black	49.5	49.8	44.2	49.5	41.8	44.3	49.0	40.4	34.4	44.2
Total	61.4	69.1	53.5	66.3	55.4	62.1	61.2	59.2	58.7	60.3

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2012

### Participated in High Risk Behavior (Age 18-64)



### Participated in High Risk Behavior (Age 18-64)

	District I	District II	District III	District IV	District V	District VI	District VII	District VIII	District IX	State Total
White	7.6	2.0	3.9	2.4	2.7	4.5	7.6	4.0	3.1	3.7
Black	7.5	12.3	3.5	10.4	10.5	12.4	8.4	14.4	2.6	9.2
Total	7.3	4.4	3.5	5.7	6.6	7.7	7.9	7.3	3.3	5.8

Source: Mississippi Behavioral Risk Factor Surveillance Survey, 2012