## Mississippi Behavioral Risk Factor Surveillance System Trend Report, 2000-2009

<u>Note</u>: Unless otherwise indicated the denominator is the total sample population except that all respondents answering "unknown" or who refused to answer a question are excluded from the denominator. Gray areas indicates question not used.

Indicator	Rates	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Health status											
Report that general health is fair or poor	Actual	20.2	23.0	25.2	23.1	23.0	23.7	27.5	21.4	21.2	21.3
report that goneral notation is run or poor	Age Adjusted	20.3	23.1	24.8	23.2	23.1	23.7	22.4	21.1	20.6	20.7
Report that physical health was not good	Actual	12.6	15.8		15.3	16.9	15.9	15.6	15.1	16.3	15.2
for more than 7 days during past 30 days	Age Adjusted	13.0	16.1		15.6	17.2	16.1	15.7	15.0	16.0	14.9
Report that mental health was not	Actual	14.1	13.7		15.9	16.5	16.6	18.1	16.6	17.2	16.6
good for more than 7 days during past 30 days	Age Adjusted	13.3	13.8		15.9	16.3	16.6	18.0	16.6	17.3	16.8
Report poor physical/mental health prevented	Actual	7.9	9.5		10.1	10.8	11.1	11.0	10.3	11.1	11.2
usual activities for more than 7 days in past 30 days (Denominator: Total Sample)	Age Adjusted	8.0	9.6		10.2	10.9	11.2	11.0	10.3	11.1	11.1
Report poor physical/mental health prevented	Actual	17.0	20.3		19.1	20.4	20.9	21.1	19.6	21.8	22.2
usual activities for more than 7 days in past 30 days (Denominator: Excludes those with zero days of poor physical/mental health)	Age Adjusted	18.1	20.9		19.6	21.0	21.5	21.6	19.8	21.8	22.2
Cigarette smoking											
Report they are current cigarette smokers	Actual	23.5	25.4	27.4	25.6	24.6	23.7	25.1	24.0	22.7	23.4
report they are current ergarette smokers	Age Adjusted	23.6	25.4	27.2	25.7	24.6	23.7	25.1	23.5	22.8	23.3
High school education or less	Actual	32.2	31.2	36.3	34.7	31.4	28.8	35.5	36.2	34.4	38.7
Then select education of less	Age Adjusted	37.1	35.8	41.2	38.9	32.5	32.2	41.7	39.9	37.8	43.1
Blacks	Actual	18.3	20.3	24.7	22.2	20.7	19.5	24.8	22.5	20.9	24.4
Diucko	Age Adjusted	18.8	19.8	24.3	22.1	20.1	20.0	24.7	22.3	22.3	23.5

Indicator	Rates	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
	Actual	20.5	20.9	20.0	20.7	19.3	20.8	21.1	21.3	22.2	22.1
Report that they are former cigarette smokers	Age Adjusted	20.8	21.2	20.2	20.7	19.4	19.1	20.6	21.1	21.5	21.4
Daily smokers who report that they have quit	Actual	46.7	51.5	53.9	51.7	48.9	51.7	55.1	51.4	50.1	59.6
smoking for 1 day or more in the past 12 months	Age Adjusted	47.0	49.9	52.0	50.2	48.0	52.0	54.1	49.6	49.7	59.8
Quit ratio (Ever smokers who are former	Actual	46.5	45.1	42.2	44.6	44.0	46.7	45.7	47.0	49.4	48.6
smokers)	Age Adjusted	46.1	44.3	42.0	43.2	43.0	44.7	43.9	44.6	46.8	45.8
Alcohol use during the past month											_
Report acute (binge) drinking	Actual		11.7	12.4	11.4	10.5	9.9	9.3	11.2	10.8	10.1
resport acute (omge) drinking	Age Adjusted		11.5	12.3	11.3	10.3	9.9	9.4	11.3	11.0	10.4
Report chronic drinking	Actual		4.5	4.6	4.7	4.1	3.7	4.0	3.5	3.7	3.1
report emoine drinking	Age Adjusted		4.4	4.6	4.7	4.1	3.7	4.0	3.6	3.8	3.0
Physical activity/exercise											
Report no physical activity in the past 30 days	Actual	33.4		30.4	31.4	32.5	31.4	31.9	31.9	32.6	32.4
resport no physical activity in the past 30 days	Age Adjusted	33.6		30.4	31.4	32.5	31.3	31.4	31.4	32.4	32.1
65+ year olds (No age adjustment)	Actual	42.1		40.8	43.4	40.5	39.0	38.9	38.9	37.7	39.2
Income less than \$20,000	Actual	45.3		44.6	48.5	43.6	42.1	44.9	44.9	44.4	43.2
income less than \$20,000	Age Adjusted	46.1		44.4	48.5	43.7	42.3	45.1	45.1	44.0	43.0
Report that they meet do not moderate physical	Actual	61.7		71.0		70.7		71.2	71.2		72.5
activity recommendations	Age Adjusted	62.4		70.1		70.7		71.1	71.1		72.5
Report that they do not meet vigorous physical	Actual	81.4		79.7		79.1		80.3	80.3		80.3
activity recommendations	Age Adjusted	81.7		80.0		79.3		80.2	80.2		79.8

Indicator	Rates	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Report that they do not meet recommendations	Actual		61.7		59.7		60.0		60.4	60.4	62.5
for physical activity	Age Adjusted		62.4		60.0		60.2		60.3	60.3	62.2
Income less that \$20,000	Actual		70.5		70.2		68.5		67.7	67.7	70.8
meome less that \$20,000	Age Adjusted		71.8		68.9		68.1		66.9	66.9	70.8
Report using physical activity/exercise to lose	Actual				46.3						
weight or maintain weight (Denominator: Total Sample)	Age Adjusted				46.4						
Report using physical activity/exercise to lose	Actual				62.5						
or maintain weight. (Denominator: Those trying to lose or maintain weight)	Age Adjusted				62.2						
Body weight and weight control	Body weight and weight control										
Respondents who are overweight ( <i>BMI</i> ≥25.0)	Actual	61.8	61.1	63.1	62.3	65.5	67.3	66.7	68.2	67.5	70.3
respondents who are overweight (BMT 225.0)	Age Adjusted	62.1	61.5	63.6	62.9	66.1	67.8	67.0	68.5	67.0	70.1
Respondents who are obese ( <i>BMI</i> ≥30)	Actual	25.0	25.4	26.8	27.0	29.5	30.9	31.5	32.6	33.4	35.4
	Age Adjusted	25.3	25.7	27.0	27.3	29.9	31.2	31.7	32.8	33.3	35.4
Report they are dieting to lose or maintain	Actual	55.6			51.5						
weight (Denominator: Total Sample)	Age Adjusted	55.8			51.9						
Report they are dieting to lose or maintain	Actual	74.1			69.9						
weight (Denominator: Those trying to lose or maintain weight)	Age Adjusted	74.3			70.0						
Report using physical activity/exercise to lose	Actual	40.7			46.3						
or maintain weight. (Denominator: Total sample)	Age Adjusted	40.6			46.4						
Report using physical activity/exercise to lose	Actual	54.6			62.5						
or maintain weight. (Denominator: Those trying to lose or maintain weight)	Age Adjusted	54.2			62.2						

Indicator	Rates	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Those at risk of developing type 2 diabetes	Actual	26.1	24.3	24.5	23.8	24.6	25.8	27.1	27.8	28.8	26.4
because of weight or lack of exercise	Age Adjusted	26.8	24.7	24.4	23.8	24.5	25.4	26.4	26.7	27.1	25.4
Diet/Nutrition											_
Report that they eat fruits/vegetables 5 or more	Actual	18.5		19.1	17.8		16.5		18.0		16.8
times per day	Age Adjusted	18.5		19.1	17.7		16.5		18.0		16.9
Cholesterol awareness						•		•			
Report that they have ever had a blood	Actual		73.8		74.1		73.5		76.5		78.1
cholesterol test	Age Adjusted		74.2		74.4		73.9		76.3		77.0
Those tested who have had blood cholesterol	Actual		51.8		52.1		50.4		55.1		56.6
checked within the past year	Age Adjusted		52.0		52.3		50.7		55.1		55.6
Report blood cholesterol checked within the	Actual		62.4		61.7		60.7		64.3		66.0
past 2 years	Age Adjusted		62.7		62.0		61.2		64.4		65.0
Report blood cholesterol checked within the	Actual		69.2		68.0		67.5		70.6		72.1
past 5 years	Age Adjusted		68.6		68.6		68.1		70.8		71.2
Report being told by a health professional that	Actual		22.8		24.5		27.6		29.5		31.4
they have high blood cholesterol	Age Adjusted		23.0		24.6		27.4		28.8		30.3
Diabetes											
Report being told by a doctor	Actual	7.6	9.3	8.6	11.0	9.6	9.7	10.9	11.0	11.3	11.6
that they have diabetes	Age Adjusted	7.7	9.3	8.0	11.0	9.6	9.7	10.7	10.9	10.9	11.0
Those with diabetes who have had two or more	Actual	80.7		80.4		81.2		79.0		79.0	
visits to a health professional for diabetes in the past year	Age Adjusted	79.6		81.0		75.0		69.6		72.9	

Indicator	Rates	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Those with diabetes who have had at least four	Actual	51.0		51.0		54.2		51.3		54.5	
visits to a health professional for their diabetes in past year	Age Adjusted	49.8		42.9		49.9		46.4		52.8	
Those with diabetes who have had two or more	Actual	38.6		55.4		48.4		50.8		48.0	
foot exams by a health professional in past year	Age Adjusted	38.4		46.4		43.4		50.6		40.1	
Those with diabetes who have had at least four	Actual	19.7		28.0		27.4		30.5		29.5	
foot exams by a health professional in past year	Age Adjusted	21.4		25.4		20.3		32.6		23.2	
Those with diabetes who have had	Actual	56.5		66.5		58.5		64.3		62.7	
a dilated eye exam within the past year	Age Adjusted	47.6		62.8		54.6		62.3		55.2	
Those with diabetes who have had	Actual	66.3		80.3		74.0		78.6		74.5	
a dilated eye exam within the past 2 years	Age Adjusted	55.7		80.9		68.9		75.5		68.2	
Mammography screening (Age Adjustment No	ot Applicable)										
Report that they have ever had a CBE and mammogram (Women 40+)	Actual	77.7	78.1	77.9	78.0	79.3	79.1	81.6		80.2	
Income less than \$10,000	Actual	62.8	69.9	60.6	61.4	68.8	64.3	71.7		68.3	
Less than a high school education	Actual	61.6	66.4	66.7	70.8	70.5	68.3	72.7		69.2	
Women 70+ years of age	Actual	80.9	72.6	74.4	75.1	72.7	77.5	79.2		79.3	
Black women	Actual	67.8	71.2	69.4	69.6	74.2	72.9	75.0		74.4	
Report having a CBE and mammogram in past 2 years (Women 50+)	Actual	61.6	60.9	62.3	58.4	59.6	60.9	59.3		59.7	
Income less than \$10,000	Actual	45.7	52.6	44.1	39.6	41.6	41.7	46.1		45.0	
Less than a high school education	Actual	42.8	47.9	50.7	43.5	45.4	49.8	45.9		46.9	
Women 70+ years of age	Actual	57.7	53.5	53.7	50.0	46.6	53.2	52.5		53.1	
Black women	Actual	54.9	55.1	56.5	50.6	53.6	61.4	56.8		57.7	

Indicator	Rates	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Report having a screening mammogram within the past year (Women 50-59)	Actual	58.5	60.9	55.8	58.7	56.9	53.4	52.1		55.6	
Report having a screening mammogram within the past 2 years (Women 50-59)	Actual	73.1	75.2	72.8	72.0	70.8	70.6	69.7		69.4	
Report having screening mammogram within the past year (Women 60-69)	Actual	49.0	55.5	60.7	54.6	57.9	60.7	57.2		60.1	
Report having a screening mammogram within the past 2 years (Women 60-69)	Actual	67.1	69.8	73.7	70.5	74.1	74.0	71.5		72.2	
	Actual	95.5	96.5	90.1	94.8	95.0	95.9	95.0		94.6	
Report that they have ever had a pap smear test (Women 18+ years of age who have never had a hysterectomy)	Age Adjusted	95.2	96.7	90.7	94.8	95.4	96.1	95.4		94.2	
Income less than \$10,000	Actual	86.9	92.9	84.1	88.6	90.9	91.9	95.5		89.4	
meome less than \$10,000	Age Adjusted	88.1	95.0	84.7	91.6	92.2	92.9	95.9		88.1	
Less than a high school education	Actual	86.8	94.9	86.7	90.1	93.3	90.8	91.2		89.3	
Dess than a high sensor education	Age Adjusted	87.3	96.3	88.2	91.0	94.4	93.3	93.9		90.9	
Women aged 70+ years of age (Age Adjustment not Applicable)	Actual	85.6	91.9	82.1	87.2	87.0	91.2	92.5		87.9	
Report that they have had a pap smear test	Actual	87.0	86.3	82.7	84.4	82.5	82.7	82.4		81.1	
in the past 3 years (Women 18+ years of age who have never had a hysterectomy)	Age Adjusted	84.3	84.2	80.3	82.4	80.7	80.7	80.5		79.2	
Income less than \$10,000	Actual	68.1	79.1	72.5	68.4	68.5	74.2	75.7		69.6	
meome less than \$10,000	Age Adjusted	68.6	76.8	72.4	73.0	70.7	74.9	74.6		70.8	
Less than a high school education	Actual	71.6	70.0	69.5	73.1	69.8	68.3	72.2		65.5	
Less than a high school education	Age Adjusted	69.5	72.2	74.0	75.5	70.5	71.3	74.9		68.2	

Indicator	Rates	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Women aged 70+ years of age (Age Adjustment Not Applicable)	Actual	75.5	64.4	46.1	52.9	50.0	50.8	54.5		52.8	
Women age 18 to 64	Actual	89.5	89.3	86.4	85.1	86.3	85.7	85.5		81.0	
Wollich age 18 to 04	Age Adjusted	87.2	88.5	85.2	85.6	85.9	85.1	85.0		83.1	

Colorectal cancer screening: Persons aged 50+	years of age (Ag	ge Adjus	stment I	Not App	licable)						
Report ever having had a sigmoidoscopy/proctoscopy exam	Actual		40.8	42.9	45.1	46.8		50.4		56.4	
Within the past year	Actual		13.4	13.4	13.1	13.4		14.5		16.8	
Within the past 2 years	Actual		21.6	21.9	22.7	23.2		24.2		27.2	
Within the past 5 years	Actual		31.9	33.4	35.6	36.5		40.0		36.2	
Hypertension awareness											
Report being told by a health professional that	Actual		31.4		33.4		33.3		33.7		37.4
they have high blood pressure	Age Adjusted		31.7		33.6		33.5		33.3		36.1
Report having blood pressure taken by a health	Actual										
professional in the past year	Age Adjusted										
Report having pressure taken by a health	Actual										
professional in the past 2 years	Age Adjusted										
Report having blood pressure taken by a health	Actual										
rofessional in the past 5 years	Age Adjusted										

Indicator	Rates	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
Immunization											
Report having had a flu vaccination	Actual		29.2	30.6	33.1	33.6	29.0	32.7	37.4	35.9	37.6
within the past 12 months	Age Adjusted		29.0	30.7	32.8	33.6	28.7	32.7	37.0	35.3	37.0
Persons 65+ years of age (Age adjustment not applicable)	Actual		61.8	63.0	69.0	66.9	61.7	65.8	69.8	67.7	67.1
Report ever having had a pneumonia	Actual		21.2	19.9	24.6	24.3	25.6	26.5	26.0	24.3	27.4
vaccination	Age Adjusted		20.6	19.8	24.0	24.0	24.9	25.7	25.0	26.3	26.1
Persons aged 65+ years of age (Age adjustment not applicable)	Actual		55.7	58.9	61.8	64.5	65.7	68.7	65.3	66.5	67.9
Health care access											
Report that they have no kind of health care	Actual	19.3	18.7	22.8	19.1	20.2	18.5	21.0	19.3	19.4	20.0
coverage	Age Adjusted	19.0	18.6	22.5	19.0	20.1	18.5	20.6	19.3	20.1	20.2
Report being unable to see doctor in past 12	Actual	16.2			18.5	20.0	18.5	19.0	18.5	19.2	19.6
months because of cost	Age Adjusted	16.2			18.6	20.1	18.7	19.0	18.5	20.1	19.7