2016 Trends Report for Mississippi Behavioral Risk Factor Surveillance System Survey October 27, 2017



Mississippi Behavioral Risk Factor Surveillance System Trend Report 2011 - 2020

Note: Unless otherwise indicated, the denominator is the total sample population except that all respondents answering "Unknown" or who refused to answer a question is excluded from the denominator. Gray areas indicate that the question was not used.

| Indicator | Rates | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 |
|---|---------|------|------|------|------|------|------|------|------|------|------|
| Health Status | • | • | · | | | | • | | | | |
| D (4) 11 14 ' C' | Crude | 24.0 | 23.4 | 24.4 | 22.3 | 23.4 | 23.3 | | | | |
| Report that general health is fair or poor | Age Adj | 23.4 | 22.1 | 22.9 | 21.0 | 22.4 | 21.9 | | | | |
| Report that physical health was not good | Crude | 17.7 | 21.4 | 18.5 | 19.7 | 17.0 | 20.3 | | | | |
| for more than 7 days in past 30 days | Age Adj | 17.5 | 17.3 | 17.8 | 19.0 | 16.5 | 16.5 | | | | |
| Report that mental health was not good | Crude | 17.6 | 21.3 | 16.7 | 19.8 | 18.0 | 20.0 | | | | |
| for more than 7 days in past 30 days | Age Adj | 17.9 | 18.6 | 17.5 | 20.5 | 18.9 | 17.2 | | | | |
| Report poor physical/mental health prevented usual | | | | | | | | | | | |
| activities for more than 7 days in past 30 days | Crude | 32.4 | 30.8 | 32.4 | 28.5 | 29.5 | 27.6 | | | | |
| (Denominator: Total Sample) | Age Adj | 30.1 | 29.9 | 31.6 | 28.2 | 29.3 | 27.2 | | | | |
| Report poor physical/mental health prevented usual | | | | | | | | | | | |
| activities for more than 7 days in past 30 days | Crude | 59.6 | 59.3 | 61.4 | 54.5 | 53.6 | 59.6 | | | | |
| (Denominator: Excludes those with zero days of poor | | | | | | | | | | | |
| physical/mental health) | Age Adj | 59.3 | 58.6 | 61.2 | 52.6 | 53.1 | 56.0 | | | | |
| Cigarette Smoking | | | | - | - | • | | | • | T | |
| Report that they are current cigarette smokers | Crude | 26.0 | 24.0 | 24.9 | 23.0 | 22.6 | 22.8 | | | | |
| report that they are earrent eightene smokers | Age Adj | 26.4 | 24.4 | 26.8 | 24.0 | 24.6 | 23.4 | | | | |
| High school education or less | Crude | 37.8 | 38.6 | 38.9 | 35.4 | 34.2 | 36.2 | | | | |
| riigh selicol education of less | Age Adj | 39.8 | 43.0 | 45.6 | 38.7 | 40.1 | 39.9 | | | | |
| Blacks | Crude | 23.0 | 22.4 | 23.8 | 20.4 | 22.4 | 20.1 | | | | |
| | Age Adj | 22.1 | 21.9 | 24.6 | 20.1 | 23.4 | 20.5 | | | | |
| Report they are former cigarette smokers | Crude | 21.3 | 20.8 | 21.5 | 21.9 | 21.2 | 23.6 | | | | |
| . , | Age Adj | 20.8 | 19.8 | 19.8 | 20.6 | 19.6 | 22.5 | | | | |
| Daily smokers who report they have quit smoking | Crude | 61.3 | 62.3 | 65.9 | 63.8 | | 62.8 | | | | |
| for one day or more in the past 12 months | Age Adj | 60.8 | 61.0 | 65.8 | 62.4 | 67.7 | 63.1 | | | | |
| Quit ratio: Ever smokers who are former | Crude | 45.0 | 46.5 | 46.4 | 48.8 | 48.4 | 50.8 | | | | |
| smokers | Age Adj | 42.9 | 43.2 | 40.6 | 44.5 | 42.8 | 47.3 | | | | |

| Indicator | Rates | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 |
|---|---------|------|------|------|------|------|------|------|------|------|------|
| Alcohol use during the past month | • | ' | • | ' | | | ' | | • | | |
| Danast aguta (hinga) deinking | Crude | 14.3 | 12.1 | 12.4 | 12.8 | 11.9 | 12.4 | | | | |
| Report acute (binge) drinking | Age Adj | 14.9 | 12.9 | 13.5 | 13.7 | 12.8 | 12.7 | | | | |
| Report chronic drinking | Crude | 4.7 | 4.6 | 4.2 | 4.3 | 4.6 | 4.7 | | | | |
| | Age Adj | 4.8 | 4.8 | 4.4 | 4.4 | 4.8 | 4.0 | | | | |
| Physical activity/exercise | | | | | | | | | | | |
| Report no physical activity in the past 30 days | Crude | 36.0 | 30.8 | 38.2 | 31.6 | 36.8 | 30.2 | | | | |
| | Age Adj | 36.1 | 30.6 | 36.5 | 31.3 | 35.8 | 29.4 | | | | |
| Income less than \$20,000 | Crude | 43.8 | 43.9 | 52.9 | 55.5 | 56.2 | 56.5 | | | | |
| income less than \$20,000 | Age Adj | 44.3 | 46.3 | 45.4 | 45.3 | 43.1 | 43.1 | | | | |
| 65+ year olds (No age adjustment) | Crude | 40.9 | 38.3 | 45.4 | 38.3 | 42.9 | 60.7 | | | | |
| Body weight (BMI) | | | | | | | | | | | |
| Respondents with healthy weight $(18 \le BMI < 25)$ | Crude | 29.0 | 29.2 | 29.1 | 27.6 | 28.2 | 26.8 | | | | |
| Respondents with healthy weight (10 3DM1 \25) | Age Adj | 28.8 | 29.3 | 27.7 | 27.6 | 26.0 | 26.3 | | | | |
| Respondents who are overweight (BMI ≥25) | Crude | 68.9 | 68.9 | 69.3 | 70.7 | 70.1 | 71.2 | | | | |
| | Age Adj | 69.1 | 69.1 | 70.6 | 70.8 | 72.5 | 71.9 | | | | |
| White Males | Crude | 73.5 | 72.5 | 74.9 | 73.7 | 74.4 | 75.3 | | | | |
| White Males | Age Adj | 73.3 | 72.6 | 74.7 | 73.8 | 77.0 | 76.0 | | | | |
| White Females | Crude | 59.0 | 59.4 | 58.2 | 63.5 | 58.8 | 60.6 | | | | |
| White Temales | Age Adj | 58.4 | 58.1 | 58.8 | 62.9 | 56.4 | 60.7 | | | | |
| Black Males | Crude | 67.5 | 69.8 | 69.0 | 73.1 | 74.3 | 74.1 | | | | |
| Black Males | Age Adj | 69.8 | 71.2 | 72.8 | 73.9 | 76.6 | 75.5 | | | | |
| Black Females | Crude | 79.2 | 78.6 | 78.7 | 79.3 | 78.2 | 81.3 | | | | |
| Black I Charles | Age Adj | 79.7 | 79.3 | 78.8 | 79.2 | 76.5 | 81.7 | | | | |
| Respondents who are obese (BMI ≥30) | Crude | 35.0 | 34.6 | 35.2 | 35.5 | 35.7 | 37.4 | | | | |
| Respondents who are obese (Biri 250) | Age Adj | 35.3 | 35.0 | 36.7 | 36.2 | 38.0 | 38.2 | | | | |
| White Males | Crude | 32.0 | 30.4 | 33.1 | 33.9 | 33.2 | 33.6 | | | | |
| White Males | Age Adj | 32.2 | 30.2 | 34.3 | 35.4 | 36.1 | 34.8 | | | | |
| White Females | Crude | 29.4 | 29.9 | 29.3 | 30.3 | 28.7 | 30.9 | | | | |
| Willie Telliaics | Age Adj | 30.0 | 30.1 | 31.7 | 30.6 | 30.3 | 31.6 | | | | |
| Black Males | Crude | 32.6 | 36.0 | 35.9 | 33.8 | 35.5 | 39.4 | | | | |
| Diack Males | Age Adj | 34.2 | 37.0 | 38.6 | 34.6 | 36.4 | 40.5 | | | | |
| Black Females | Crude | 51.8 | 49.2 | 48.3 | 51.8 | 51.0 | 53.6 | | | | |
| Drack remaies | Age Adj | 51.8 | 49.5 | 47.9 | 51.0 | 53.6 | 54.2 | | | | |

| Indicator | Rates | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 |
|--|---------|------|------|------|------|------|------|------|------|------|------|
| Those at risk of developing type 2 diabetes | Crude | 25.9 | 25.3 | 26.3 | 25.1 | 26.5 | 24.5 | | | | |
| because of weight or lack of exercise | Age Adj | 26.1 | 24.8 | 27.1 | 24.8 | 27.8 | 24.3 | | | | |
| Cholesterol awareness | | | | | | | | | | | |
| D (d) (d 1 1 1 1 1 1 1 1 4 1 4 4 | Crude | 74.7 | | 77.9 | | 78.5 | | | | | |
| Report that they have ever had a blood cholesterol test | Age Adj | 73.8 | | 77.1 | | 77.1 | | | | | |
| Those tested who have had blood cholesterol checked | Crude | 53.6 | | 59.2 | | 61.4 | | | | | |
| within the past year | Age Adj | 52.8 | | 58.0 | | 59.4 | | | | | |
| Papart blood abalactoral abacked within the past 2 years | Crude | 62.3 | | 66.8 | | 68.7 | | | | | |
| Report blood cholesterol checked within the past 2 years | Age Adj | 61.6 | | 66.5 | | 67.4 | | | | | |
| Papert blood abalactoral abacked within the past 5 years | Crude | 67.9 | | 70.9 | | 72.7 | | | | | |
| Report blood cholesterol checked within the past 5 years | Age Adj | 67.6 | | 70.8 | | 71.8 | | | | | |
| Report being told by a health professional that they have | Crude | 30.3 | | 31.7 | | 29.4 | | | | | |
| high blood cholesterol | Age Adj | 29.3 | | 30.7 | | 27.8 | | | | | |
| Diabetes | | | | | | | | | | | |
| Report being told by a doctor that they have diabetes | Crude | 12.3 | 12.5 | 12.9 | 13.0 | 14.7 | 13.7 | | | | |
| | Age Adj | 11.6 | 11.8 | 12.3 | 12.1 | 14.5 | 12.5 | | | | |
| Those with diabetes who have had two or more visits to | Crude | | 79.6 | | 74.0 | | 74.2 | | | | |
| health professional for diabetes in the past year | Age Adj | | 70.8 | | 70.1 | | 69.9 | | | | |
| Those with diabetes who have had at least four visits to a health professional for their diabetes in past year | Crude | | 46.2 | | 40.9 | | 43.7 | | | | |
| neutin professionar for their diabetes in past year | Age Adj | | 38.6 | | 37.9 | | 36.3 | | | | |
| Those with diabetes who have had two or more foot exams by a professional in the past year | Crude | | 49.9 | | 44.6 | | 47.1 | | | | |
| exams by a professional in the past year | Age Adj | | 44.0 | | 39.4 | | 36.9 | | | | |
| Those with diabetes who have had at least four foot exams by a health professional in past year | Crude | | 23.2 | | 20.4 | | 25.0 | | | | |
| | Age Adj | | 22.6 | | 15.8 | | 18.6 | | | | |
| Those with diabetes who have had a dilated eye exam in | Crude | | 59.2 | | 61.6 | | 58.8 | | | | |
| the past year | Age Adj | | 55.8 | | 57.2 | | 55.1 | | | | |
| Those with diabetes who have had a dilated eye exam in | Crude | | 75.7 | | 74.1 | | 73.9 | | | | |
| the past 2 years | Age Adj | | 73.4 | | 69.7 | | 72.6 | | | | |

| Indicator | Rates | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 |
|--|---------|------|------|------|------|------|------|------|------|------|------|
| Breast Cancer Screening (Age Adjustment Not Applicable | ?) | | | | | | | | | | |
| Report that they have ever had a mammogram (Women | | | | | | | | | | | |
| 40+) | Crude | | 89.3 | | 90.0 | | 90.6 | | | | |
| Income less than \$10,000 | Crude | | 80.4 | | 82.5 | | 84.4 | | | | |
| Less than a high school education | Crude | | 84.0 | | 86.9 | | 91.5 | | | | |
| Women 70+ years of age | Crude | | 94.3 | | 94.1 | | 94.9 | | | | |
| Black women | Crude | | 87.6 | | 86.9 | | 91.2 | | | | |
| Report having a mammogram in past 2 years (Women 40+) | Crude | | 66.1 | | 63.9 | | 67.5 | | | | |
| Income less than \$10,000 | Crude | | 50.6 | | 52.3 | | 55.8 | | | | |
| Less than a high school education | Crude | | 54.7 | | 51.0 | | 55.5 | | | | |
| Women 70+ years of age | Crude | | 63.0 | | 66.0 | | 59.5 | | | | |
| Black women | Crude | | 44.2 | | 47.0 | | 48.2 | | | | |
| Report having a screening mammogram within the past year (Women 50-59) | Crude | | 53.5 | | 51.2 | | 48.6 | | | | |
| Report having a screening mammogram in the past year (Women 60-69) | Crude | | 58.7 | | 55.5 | | 63.0 | | | | |
| Report having screening mammogram in the past 2 years (Women 50-59) | Crude | | 72.0 | | 64.5 | | 64.9 | | | | |
| Report having screening mammogram in the past 2 years (Women 60-69) | Crude | | 72.3 | | 68.9 | | 73.8 | | | | |
| Cervical Cancer Screening | | | | | | | | | | | |
| Report that they have ever had a pap smear test (Women | Crude | | 92.8 | | 89.6 | | 90.9 | | | | |
| 18+ years of age who have never had a hysterectomy) | Age Adj | | 94.2 | | 89.9 | | 92.2 | | | | |
| Income less than \$10,000 | Crude | | 87.9 | | 89.6 | | 88.0 | | | | |
| 111come 1635 than \$10,000 | Age Adj | | 87.7 | | 86.0 | | 88.6 | | | | |
| Less than a high school education | Crude | | 95.3 | | 87.6 | | 88.3 | | | | |
| | Age Adj | | 90.6 | | 86.2 | | 89.1 | | | | |
| Women aged 70+ years of age (Age adjustment not applicable) | Crude | | 91.0 | | 86.2 | | 89.4 | | | | |

| Indicator | Rates | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 |
|---|--------------|------|------|------|------|------|------|------|------|------|------|
| Report that they have had a pap smear test in the past 3 | | | | | | | | | | | |
| years (Women 18+ years of age who have never had a | Crude | | 76.7 | | 77.4 | | 84.5 | | | | |
| hysterectomy | Age Adj | | 76.6 | | 76.0 | | 82.9 | | | | |
| Income loss than \$10,000 | Crude | | 64.9 | | 77.1 | | 80.0 | | | | |
| Income less than \$10,000 | Age Adj | | 59.1 | | 69.6 | | 76.3 | | | | |
| Less than a high school education | Crude | | 65.3 | | 70.5 | | 74.6 | | | | |
| Less than a high school education | Age Adj | | 63.5 | | 65.9 | | 75.8 | | | | |
| Women aged 70+ years of age | | | | | | | | | | | |
| (Age adjustment not applicable) | Crude | | 52.1 | | 45.6 | | 49.3 | | | | |
| Women 18-64 | Crude | | 79.5 | | 80.6 | | 87.8 | | | | |
| Women 18-04 | Age Adj | | 79.8 | | 80.7 | | 82.9 | | | | |
| Colorectal Cancer Screening (Age 50+: Age adjustment i | ot applicabl | (e) | | | | | | | • | | |
| Report ever having had a colonosopy/sigmoidoscopy | | | | | | | | | | | |
| exam | Crude | | 60.3 | | 62.9 | | 63.8 | | | | |
| Within the past year | Crude | | 15.5 | | 15.9 | | 14.4 | | | | |
| Within the past 2 years | Crude | | 25.1 | | 24.8 | | 24.0 | | | | |
| Within the past 5 years | Crude | | 45.8 | | 46.6 | | 44.6 | | | | |
| Hypertension awareness | | | | | | | | | | | |
| Report being told by a health professional that they have | Crude | 39.2 | | 40.2 | | 42.4 | | | | | |
| high blood pressure | Age Adj | 38.4 | | 38.3 | | 40.3 | | | | | |
| Immunization | • | | | | | | | | • | • | |
| Report having had a flu vaccination | Crude | 35.6 | 34.0 | 37.3 | 37.1 | 40.4 | 37.2 | | | | |
| within the past 12 months | Age Adj | 34.6 | 32.7 | 34.7 | 35.2 | 37.6 | 35.5 | | | | |
| Persons 65+ years of age | Crude | 65.4 | 62.4 | 63.0 | 66.7 | 63.3 | 61.7 | | | | |
| (Age adjustment not applicable) | Crude | 03.4 | 02.4 | 05.0 | 00.7 | 05.5 | 01.7 | | | | |
| Demonstration had a managed in the first | Crude | 28.2 | 29.0 | 30.1 | 28.7 | 29.1 | 30.8 | | | | |
| Report ever having had a pneumonia vaccination | Age Adj | 26.2 | 27.0 | 25.7 | 25.9 | 24.6 | 27.8 | | | | |
| Persons 65+ years of age (Age adjustment not applicable) | Crude | 69.0 | 65.8 | 66.2 | 67.2 | 65.3 | 65.6 | | | | |

| Indicator | Rates | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 | 2017 | 2018 | 2019 | 2020 | | | |
|---|---------|------|------|------|------|------|------|------|------|------|------|--|--|--|
| Health care access | | | | | | | | | | | | | | |
| Report that they have no kind of health care coverage | Crude | 30.7 | 27.3 | 28.1 | 23.0 | 21.6 | 20.1 | | | | | | | |
| (Age 18-64) | Age Adj | 31.2 | 27.6 | 28.4 | 23.5 | 22.1 | 17.5 | | | | | | | |
| Report being unable to see doctor in past 12 months | Crude | 23.4 | 21.7 | 21.7 | 19.5 | 18.8 | 19.1 | | | | | | | |
| because of cost | Age Adj | 23.9 | 25.7 | 23.0 | 20.5 | 19.8 | 20.1 | | | | | | | |
| Chronic Diseases | | | | | | | | | | | | | | |
| Ever Diagnosed With Depression | Crude | 18.9 | 18.4 | 19.2 | 19.9 | 18.2 | 19.0 | | | | | | | |
| Ever Diagnosed With Depression | Age Adj | 18.9 | 18.5 | 20.3 | 20.1 | 19.2 | 18.9 | | | | | | | |
| Ever Diagnosed With Heart Attack | Crude | 5.4 | 5.4 | 5.1 | 4.9 | 5.6 | 5.7 | | | | | | | |
| Ever Diagnosed with Heart Attack | Age Adj | 5.1 | 5.0 | 4.3 | 4.4 | 5.0 | 5.0 | | | | | | | |
| Ever Diagnosed With Coronary Artery Disease | Crude | 4.6 | 5.1 | 4.9 | 4.7 | 4.9 | 5.9 | | | | | | | |
| Evel Diagnosed with Colonary Artery Disease | Age Adj | 4.3 | 4.7 | 4.1 | 4.3 | 4.6 | 5.2 | | | | | | | |
| Ever Diagnosed With Stroke | Crude | 4.0 | 4.3 | 4.5 | 4.5 | 4.5 | 5.0 | | | | | | | |
| Ever Diagnosed with Stroke | Age Adj | 3.8 | 4.0 | 3.8 | 4.2 | 3.4 | 4.5 | | | | | | | |
| Ever Diagnosed With Asthma | Crude | 12.4 | 11.7 | 12.6 | 12.6 | 12.2 | 12.7 | | | | | | | |
| Evel Diagnosed with Asthina | Age Adj | 12.4 | 11.5 | 12.6 | 12.8 | 12.9 | 12.7 | | | | | | | |
| Ever Diagnosed With Arthritis | Crude | 29.1 | 30.8 | 30.0 | 29.2 | 28.6 | 31.3 | | | | | | | |
| Evel Diagnosed with Arthritis | Age Adj | 27.9 | 28.8 | 27.4 | 27.1 | 26.0 | 29.0 | | | | | | | |