MISSISSIPPI STATE DEPARTMI BUREAU OF PUBLIC WAT CCR CERTIFICATIO CAZENDAR YEAR 20 Public Water Supply Na Public Water Supply Na List PWS ID #s for all Community Water Syst The Federal Safe Drinking Water Act (SDWA) requires each Commun Consumer Confidence Report (CCR) to its customers each year. Depe system, this CCR must be mailed or delivered to the customers, published customers upon request. Make sure you follow the proper procedures we email a copy of the CCR and Certification to MSDH. Please check all Customers were informed of availability of CCR by: (Attach contents)	tems included in this CCR ity public water system to develop and distribute a nding on the population served by the public water in a newspaper of local circulation, or provided to the when distributing the CCR. You must mail, fax or boxes that apply.
☐ Advertisement in local paper (attach copy of ☐ On water bills (attach copy of bill) ☐ Email message (MUST Email the message ☐ Other	of advertisement) to the address below)
Date(s) customers were informed:/,/	1 , / /
CCR was distributed by U.S. Postal Service or other direct methods used	ct delivery. Must specify other direct delivery
Date Mailed/Distributed: / /	
CCR was distributed by Email (MUST Email MSDH a copy) As a URL (Provide URL As an attachment As text within the body of the email message	
CCR was published in local newspaper. (Attach copy of publis	hed CCR or proof of publication)
Name of Newspaper: The Choctaw PLAINDEALER	
Date Published: 05 /06 / 2015	
CCR was posted in public places. (Attach list of locations)	Date Posted: 05 / 07 / 2015
CCR was posted on a publicly accessible internet site at the following	lowing address (<u>DIRECT URL REQUIRED</u>):
CERTIFICATION I hereby certify that the 2014 Consumer Confidence Report (CCR public water system in the form and manner identified above and the SDWA. I further certify that the information included in this the water quality monitoring data provided to the public water Department of Health, Bureau of Public Water Supply. Name/Title/President, Mayor, Owner, etc.)	L.L.K. 18 17318 900 correct and is consistent with
Deliver or send via U.S. Postal Service: Bureau of Public Water Supply P.O. Box 1700 Jackson, MS 39215	May be faxed to: (601)576-7800 May be emailed to: water.reports@msdh.ms.gov

PROPERTY.

2014 Annual Drinking Water Quality Report Panhandle Water Association PWS#:100006 & 100016 April 2015

2015 MAY -1 PM 2: 06

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to providing you with information because informed customers are our best allies. Our water source is from wells drawing from the Meridian Upper Wilcox Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Panhandle Water Association have received moderate rankings in terms of susceptibility to contamination.

If you have any questions about this report or concerning your water utility, please contact Richard Vowell at 662.285.7243. We want our valued customers to be informed about their water utility. If you want to learn more, please join us at any of our regularly scheduled meetings. They are held on the last Thursday of the month at 6:00 PM at the Panhandle Fire House.

We routinely monitor for constituents in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that were detected during the period of January 1st to December 31st, 2014. In cases where monitoring wasn't required in 2014, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) – The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary to control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) — The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000

PWS#:10	00006			TEST RES	ULIS			
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL/MRDL	Unit Measure -ment	MCLG	MCL	Likely Source of Contamination
Inorganic	Contam	inants						
10. Barium	N	2014	.0315	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
16. Fluoride	N	2014	⁴ .5	No Range	ppm	4	4	Erosion of natural deposits; water additive which promotes strong teeth discharge from fertilizer and aluminum factories
19. Nitrate (as Nitrogen)	N	2014	.47	No Range	ppm	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion o natural deposits

Disinfection	n By-F	Products	3					
82. TTHM [Total trihalomethanes]	N	2014	5.37	No Range	ppb	0	80	By-product of drinking water chlorination.
Chlorine	N	2014	.6	.4– .9	mg/l	0	MRDL = 4	Water additive used to control microbes

PWS#: 100	0016			TEST R	ESU.	LTS					
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detect # of Sample Exceeding MCL/ACL/MF	es	Unit Measure -ment	MC	CLG	MC	Ĺ	Likely Source of Contamination
Inorganic (Contam	inants									
10. Barium	N	2014	.0309	No Range		ppm		2		2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2014	1.8	No Range		ppb		100		100	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	2012/14	0.2	0		ppm		1.3	AL:	=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
17. Lead	N	2012/14	1	0		ppb		0	AL.	=15	Corrosion of household plumbing systems, erosion of natural deposits
19. Nitrate (as Nitrogen)	N	2014	.52	No Range		ppm		10		10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits
Disinfection	n By-Pi	roducts									
81. HAA5	N	2014	1	No Range	ppb		0		60		Product of drinking water nection.
82. TTHM [Total trihalomethanes]	N	2014	2.5	No Range	ppb		0		80		product of drinking water rination.
Chlorine	N	2014	.5	.4 – .6	mg/l		0	MRE)L = 4		er additive used to control robes

^{*} Most recent sample. No sample required for 2014.

As you can see by the table, our system had no violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our water system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline 1.800.426.4791.

The Pan Handle Water Association works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

- FOR SUPPLY

PROOF OF PUBLICATION

THE STATE OF MISSISSIPPI COUNTY OF CHOCTAW

Before the undersigned authority of said county and state personally appeared –Joseph McCain - County of Choctaw, State of Mississippi, Choctaw Plaindealer, duly sworn, both depose and say that the publication of this notice hereto affixed has been made in said newspaper for <u>l</u> consecutive week(s), to-wit:

		No. 18 on the day of May	
Vol.	128,	No, on the, day of	, 2015
Vol.	128,	No, on the, day of	, 2015
Vol.	128,	No, on the, day of	, 2015
Vol.	128,	No, on the, day of	ູ 2015
		nd subscribed to this theday ofday and ersigned Notary Public of said County and	

NOTARY FUBLIC
ID No. 107792
My Commission Expires
January 28, 2018

Printer's fee \$3.00

their protects motechin in sharps at man of payant rand a praid of the protection protection in sharps at time of a symptotic protection and protection and

in the label you will find many learns and advantables you might on be benible with. To help you before uncertained lines farms you in product this distribution destribution.

Action Learns we conservation of a contractant which, if empressed, origins reserved on other sequences which a self-or press your label.

Maximum Continuent Level Goal (MCLG) - The "Continuent Continuent of a continuent continuent to make the ClGs along the among of sales).

Scormer February Confedence tower part (perchap). The level of a enables were contributed below which their Mich Score or soft-team. ACOLORS to not releast the interest of the least of deschapers to control microster constitutionary.

	distance of				т	EST RES	SULT	5	1000			Ney In \$10 000 000
	S#1100 minaint	OD6 Viotacon YAN	Colected	Detecte	Rang	o (A Detecto de of Samples Exception L/ACLAUTOL			CLO	ncr	1 Naty 50	ince of Contenteration
	rganic C	oning	inants						clear	I 0	1 piechan	e of drawing washes;
	una Tgante	TH .	2014	03(0	161	jenga	9911				parture	e horn metal (Minarae)
		36.50	3534	1.5	No.	Renge	ppm	1	- 4	1	Erongo.	of national deposits, water
6. F	Workfr	*	2014	1.				1		\	discharg	o facional
33	1409,00	1000	2014	47	No	Renge	ppm		11		I from the	nom lantzan usa: leathing prio tanka, savage; arcsion of
	(drafe (## gen)	H	1,01				. L	_1		_ـــــــــــــــــــــــــــــــــــــ	ANIM	(epos/4
			J								at librar	polici of drinking water
	Disinfee	iton By	2014	B31	16	Range	pro		•		CHY	n plant
11	Tolpi Irkulomethan	01			88 88 36 36	•	mph	+	В	MADE	e d Wali	i additive undel lo scorpei has
١Ī	Chionn	N.	20)1	8 20	<u> </u>			430	1550	455) (YA		J
	PWS#:	C I voè	med 1. I	gua ected D	Anche Pudi	TEST R	ects 52	TS	la MC	ا مر	MCT	Lasy Books of Contemodal
	Constrain	100	CHI CHA	nte	enger	Penge of Dele # of Berry Encested MOL/ACUS	ecti ps half produ	Unit Manual Manual	la MC	10 -11	1453	
		100	in in jun	nte	Level enched	Penge of Dela	ecti ps half produ	Uni	L L]]	•	Decharge of drilling waster, pacharge input materials inherent control of states decoded
	Inurga Inurga	nic Con	tom co	ected D nte	enger	Penge of Dele # of Berry Encested MOL/ACUS	ective in the second	354 4440 5740 1740	L L	* 1	7 100	Decharge of Grang wester, pacharge inpruments inhowing emision of national opposed. Decharge from sood and puls male. 2000th of cabusal 69 points
	Inurga Inurga In aunim	nic Con	20)	ected D	SSM MICRA	Parce of Daly a of Some Excessor MCNASUA No Range Jio Range	Post I	Sort Acessy Indian	L L]]	•	Decharge of Grang wester, pacharge inpruments inhowing emision of national opposed. Decharge from sood and puls male. 2000th of cabusal 69 points
	Inurga Inurga	nie Con	20)	ected D	100 100 100 100	Parce of Daly a of Some Excessor MCNASUA No Range Jio Range	ective in the second	porti porti	L L	* 1	190 AL-13	Dechlage of Grang waster, eschage from males planning of carbon of process of process of carbon of process of
	Inurga Inurga In aunim	nie Con	201 201 201 201	ected P	904 120 12	Renge of Dally if of Barry Rocestor MOUASUA No Range Se Range	Post I	354 4440 5740 1740	L L	199	Anis	Dechage of disting variety, participating in mail spheres, photon of national dephases, photon of national dephases, person of national dephases of nonember of nonember of physical dephases, person of national dephases of nonember of nonember of nonember of national dephases of na
	Intergal in Sanda in Cores in Cores	nie Con	20) 20) 20)	nia	904 120 12	Parce of Dail g of Some for S	Post I	porti porti	L L	* 1	190 AL-13	Opphage of dating vesting, southing paying a processing the major paying the paying paying of natural deposits and an arrangement of natural deposits and an arrangement of natural deposits of natural deposits and an arrangement of natural deposits and arrangement of natural deposits and arrangement of noveless and arrangement of natural deposits. Application of new paying, employing a paying an arrangement of natural deposits.
	Inerga to anoth	nie Con	20) 20) 20)	nte	9001 332	Penge of Dale a of Sense five and Sense five and Sense particle plo Range D G G G G G G G G G G G G	Post I	5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	L L	199	Anis	Dechage of disting variety, participating in mail spheres, photon of national dephases, photon of national dephases, person of national dephases of nonember of nonember of physical dephases, person of national dephases of nonember of nonember of nonember of national dephases of na
	Smargal 10 decent 13 Covers 14 Coper 17 1000 19 News	use Connie Conni	### Control 10 10 10 10 10 10 10 1	mond D	port	Forge of Daling g of Section From the Control Actual Section Job Range D L C L C L C L C L C L C L C	ecti ar Man Man Man Man Man Man Man Man Man Man	5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	L L	199	A-13 A-13 A-13	Opphage of dating vesting, southing paying a processing the major paying the paying paying of natural deposits and an arrangement of natural deposits and an arrangement of natural deposits of natural deposits and an arrangement of natural deposits and arrangement of natural deposits and arrangement of noveless and arrangement of natural deposits. Application of new paying, employing a paying an arrangement of natural deposits.
	Inergal In alcohol In alcohol II Coper II (000 II Nome Mescali)	inic Con	Control Cont	mind D	991 12 12 13 14 14 15 15 16 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18	Person of Davis Person of Davi	ecti ar dan 2000 2000 Parit	5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	L L	199	7 190 A-13 A-13 A-11 A-11	with the profile of t
	Inergal To Banke To Banke To Coren To C	ection J	Control Cont	nte : 1	991 12 12 13 14 14 15 15 16 16 17 18 18 18 18 18 18 18 18 18 18 18 18 18	Forge of Daling g of Section From the Control Actual Section Job Range D L C L C L C L C L C L C L C	ecti ar dan 2000 2000 Parit	5 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	L L	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	A (-1) (-1) (-1) (-1) (-1) (-1) (-1) (-1)	multiple of delargy males; southwise intermediately assessed in section of states dependent. See a section of states dependent southwise the section of section section of section of section purpose present section purpose present section purpose present section section of section section of section section of section section of section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section section

Expected to extend all leads that all excellents are some sometimes from the publishing by gaining the Experimental provided and provided and publishing the publishing the publishing the publishing that the publishing that the publishing the publishing that the publishing the publishing that the publishing the publishing the publishing that the publishing the publishing that the publishing the publishing that the publishing the publishing the publishing that the publishing the publishing the publishing that the publishing the publishin

۰.

٠.