

2016 Annual Drinking Water Quality Report
 Wallerville Water Association, Inc.
 PWS#: 0730009
 April 2017

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from wells drawing from the Eutaw Formation Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identified potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The wells for the Wallerville Water Association, Inc. have received a moderate susceptibility ranking to contamination.

If you have any questions about this report or concerning your water utility, please contact Kevin McBrayer at 662.316.2120. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the first Monday of each month at 7:00 PM at 1534 CR 107, New Albany, MS 38652.

We routinely monitor for contaminants in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that we detected during the period of January 1st to December 31st, 2016. In cases where monitoring wasn't required in 2016, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Maximum Contaminant Level (MCL) - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal (MCLG) - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

Maximum Residual Disinfectant Level (MRDL) - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary to control microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG) - The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

Parts per million (ppm) or Milligrams per liter (mg/l) - one part per million corresponds to one minute in two years or a single penny in \$10,000.

Parts per billion (ppb) or Micrograms per liter - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

| TEST RESULTS | | | | | | | | |
|-------------------------------|---------------|----------------|----------------|--|------------------|------|-----|--------------------------------|
| Contaminant | Violation Y/N | Date Collected | Level Detected | Range of Detects or # of Samples Exceeding MCL/ACL | Unit Measurement | MCLG | MCL | Likely Source of Contamination |
| Inorganic Contaminants | | | | | | | | |

| | | | | | | | | |
|---------------------------------|---|----------|-------|----------|------|-----|----------|---|
| 10. Barium | N | 2016 | .1574 | No Range | ppm | 2 | 2 | Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits |
| 13. Chromium | N | 2016 | .9 | No Range | ppb | 100 | 100 | Discharge from steel and pulp mills, erosion of natural deposits |
| 14. Copper | N | 2012/14* | .3 | 0 | ppm | 1.3 | AL=1.3 | Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives |
| 16. Fluoride | N | 2016 | .107 | No Range | ppm | 4 | 4 | Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories |
| Disinfection By-Products | | | | | | | | |
| Chlorine | N | 2016 | 1 | No Range | mg/l | 0 | MDRL = 4 | Water additive used to control microbes |

* Most recent sample. No sample required for 2016.

As you can see by the table, our system had no contaminant violations. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some constituents have been detected however the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific constituents on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. We did complete the monitoring requirements for bacteriological sampling that showed no coliform present. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our water system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1-800-426-4791.

The Wallerville Water Association, Inc. works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future.

Note: This Consumer Confidence Report will not be mailed to each customer. You may call or write the office for a paper copy.

ASK AMY

Dear Amy: I am a married father of a 3-year-old, and a 5-month-old baby. My husband and I are both professionals, and I am currently on parental leave. My husband's is the "old" job, and I am the "new" job. I am happy taking care of my little ones, but I am still getting used to my new schedule. I am often staying up late and getting progressively more tired. I have always been a night owl, and I am starting to feel the effects of my new schedule. I am wondering if you have any tips for staying up late and getting progressively more tired. I am also wondering if you have any tips for staying up late and getting progressively more tired.



Amy Dickinson

I am happy taking care of my little ones, but I am still getting used to my new schedule. I am often staying up late and getting progressively more tired. I have always been a night owl, and I am starting to feel the effects of my new schedule. I am wondering if you have any tips for staying up late and getting progressively more tired. I am also wondering if you have any tips for staying up late and getting progressively more tired.

I have always been a night owl, and I am starting to feel the effects of my new schedule. I am wondering if you have any tips for staying up late and getting progressively more tired. I am also wondering if you have any tips for staying up late and getting progressively more tired.

I am wondering if you have any tips for staying up late and getting progressively more tired. I am also wondering if you have any tips for staying up late and getting progressively more tired.

I am also wondering if you have any tips for staying up late and getting progressively more tired. I am also wondering if you have any tips for staying up late and getting progressively more tired.

I am also wondering if you have any tips for staying up late and getting progressively more tired. I am also wondering if you have any tips for staying up late and getting progressively more tired.

I am also wondering if you have any tips for staying up late and getting progressively more tired. I am also wondering if you have any tips for staying up late and getting progressively more tired.

I am also wondering if you have any tips for staying up late and getting progressively more tired. I am also wondering if you have any tips for staying up late and getting progressively more tired.

I am also wondering if you have any tips for staying up late and getting progressively more tired. I am also wondering if you have any tips for staying up late and getting progressively more tired.

I am also wondering if you have any tips for staying up late and getting progressively more tired. I am also wondering if you have any tips for staying up late and getting progressively more tired.

I am also wondering if you have any tips for staying up late and getting progressively more tired. I am also wondering if you have any tips for staying up late and getting progressively more tired.

I am also wondering if you have any tips for staying up late and getting progressively more tired. I am also wondering if you have any tips for staying up late and getting progressively more tired.

I am also wondering if you have any tips for staying up late and getting progressively more tired. I am also wondering if you have any tips for staying up late and getting progressively more tired.

I am also wondering if you have any tips for staying up late and getting progressively more tired. I am also wondering if you have any tips for staying up late and getting progressively more tired.

I am also wondering if you have any tips for staying up late and getting progressively more tired. I am also wondering if you have any tips for staying up late and getting progressively more tired.

I am also wondering if you have any tips for staying up late and getting progressively more tired. I am also wondering if you have any tips for staying up late and getting progressively more tired.

Highway patrol taking applications for new cadet class

The Mississippi Highway Patrol is now accepting applications for Cadet Class 2017. Applications will be accepted through May 31, 2017, and can be picked up at the MHP headquarters in Jackson. The MHP is now nearly 100 years old and is proud to have a large number of active members. The MHP is a public safety agency.

Cadette applications are also available at various public safety agencies in the state. The MHP is a public safety agency.

EASTERN LIGHTS

The United Methodist Church will be in its 100th year of existence in 2017. The church is a public safety agency.

Most of the church members are in their 60s and 70s. The church is a public safety agency.

PLAYHOUSE

Not only did I look at Easter this past weekend, I was in the playhouse. The playhouse is a public safety agency.

side of his neck, she would help him adjust the man's hair. The playhouse is a public safety agency.

Camille Anding

and I was the student. Camille Anding is a public safety agency.

As I sat and I sat around the pool, the four grand laughed and flew. Camille Anding is a public safety agency.

SOLUTIONS

| | | | | | | | | |
|---|---|---|---|---|---|---|---|---|
| 9 | 1 | 2 | 3 | 4 | 7 | 5 | 8 | 6 |
| 8 | 6 | 3 | 1 | 5 | 2 | 9 | 7 | 4 |
| 4 | 7 | 5 | 6 | 8 | 9 | 2 | 1 | 3 |
| 3 | 8 | 6 | 5 | 1 | 4 | 7 | 9 | 2 |
| 1 | 2 | 4 | 7 | 9 | 3 | 8 | 6 | 5 |
| 7 | 5 | 9 | 6 | 2 | 0 | 4 | 3 | 1 |
| 6 | 3 | 8 | 4 | 7 | 5 | 1 | 2 | 9 |
| 2 | 4 | 1 | 9 | 3 | 8 | 6 | 5 | 7 |
| 5 | 9 | 7 | 2 | 6 | 1 | 3 | 4 | 8 |

| | | |
|---------|---------|-------|
| SCAT | DATA | MOB |
| OATH | DECEIT | ERR |
| FREEZE | FRAME | ACE |
| TOU | OTOES | EFLAT |
| EMPEROR | SOD | |
| FRUMAGE | FRAIS | |
| NATO | LOAF | USE |
| EARS | EDDAS | GNAT |
| LIT | ODIE | GSWT |
| FREAKY | FRIDAY | |
| WES | CUNNING | |
| PURE | JUICE | FSE |
| AGO | FRENCH | FRIS |
| ILL | EASTLY | ODDS |
| RYE | MUTE | YOYO |

2016 Annual Drinking Water Quality Report

Madisonville Water Association Inc. PWSID: 0732005. April 2017. This report provides information on the quality of drinking water in Madisonville, Tennessee. The water is safe to drink and meets all federal and state drinking water standards.

| Parameter | Unit | Value | Standard |
|---------------------------------------|------|-------|----------|
| Total Hardness | mg/L | 150 | 150 |
| Total Dissolved Solids | mg/L | 100 | 100 |
| Total Chlorine | mg/L | 1.5 | 1.5 |
| Total Chlorine Demand | mg/L | 1.0 | 1.0 |
| Total Chlorine Residual | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 90 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 180 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 300 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 450 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 600 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 750 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 900 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 1050 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 1200 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 1350 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 1500 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 1650 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 1800 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 1950 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 2100 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 2250 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 2400 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 2550 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 2700 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 2850 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 3000 min) | mg/L | 0.5 | 0.5 |

| Parameter | Unit | Value | Standard |
|---------------------------------------|------|-------|----------|
| Total Hardness | mg/L | 150 | 150 |
| Total Dissolved Solids | mg/L | 100 | 100 |
| Total Chlorine | mg/L | 1.5 | 1.5 |
| Total Chlorine Demand | mg/L | 1.0 | 1.0 |
| Total Chlorine Residual | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 90 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 180 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 300 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 450 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 600 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 750 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 900 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 1050 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 1200 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 1350 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 1500 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 1650 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 1800 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 1950 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 2100 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 2250 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 2400 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 2550 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 2700 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 2850 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 3000 min) | mg/L | 0.5 | 0.5 |

| Parameter | Unit | Value | Standard |
|---------------------------------------|------|-------|----------|
| Total Hardness | mg/L | 150 | 150 |
| Total Dissolved Solids | mg/L | 100 | 100 |
| Total Chlorine | mg/L | 1.5 | 1.5 |
| Total Chlorine Demand | mg/L | 1.0 | 1.0 |
| Total Chlorine Residual | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 90 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 180 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 300 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 450 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 600 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 750 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 900 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 1050 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 1200 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 1350 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 1500 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 1650 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 1800 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 1950 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 2100 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 2250 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 2400 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 2550 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 2700 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 2850 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 3000 min) | mg/L | 0.5 | 0.5 |

| Parameter | Unit | Value | Standard |
|---------------------------------------|------|-------|----------|
| Total Hardness | mg/L | 150 | 150 |
| Total Dissolved Solids | mg/L | 100 | 100 |
| Total Chlorine | mg/L | 1.5 | 1.5 |
| Total Chlorine Demand | mg/L | 1.0 | 1.0 |
| Total Chlorine Residual | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 90 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 180 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 300 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 450 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 600 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 750 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 900 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 1050 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 1200 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 1350 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 1500 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 1650 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 1800 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 1950 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 2100 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 2250 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 2400 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 2550 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 2700 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 2850 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 3000 min) | mg/L | 0.5 | 0.5 |


| Parameter | Unit | Value | Standard |
|---------------------------------------|------|-------|----------|
| Total Hardness | mg/L | 150 | 150 |
| Total Dissolved Solids | mg/L | 100 | 100 |
| Total Chlorine | mg/L | 1.5 | 1.5 |
| Total Chlorine Demand | mg/L | 1.0 | 1.0 |
| Total Chlorine Residual | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 90 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 180 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 300 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 450 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 600 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 750 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 900 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 1050 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 1200 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 1350 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 1500 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 1650 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 1800 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 1950 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 2100 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 2250 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 2400 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 2550 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 2700 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 2850 min) | mg/L | 0.5 | 0.5 |
| Total Chlorine Residual (at 3000 min) | mg/L | 0.5 | 0.5 |

Jennie stephens smith library new albany mississippi

Web Images Video News More Anytime

Wallerville...

Jennie Stephens Smith Library near New Albany, MS



Ad related to: Jennie stephens smith library new albany mississippi

John Smith: Found - Current Phone, Address and Age www.whitepages.com/Find-People Search by Name & Location. Find Jennie Stephens, Anywhere.

[Handwritten signature]

1 Jennie Stephens Smith Library on King St Library 219 King St, New Albany, MS - (662) 534-1991

[Handwritten signature]

Add or update your business

Union County Library System, Mississippi . unioncountylibrary.org Union County Library System, ... and Jennie Stephens Smith Library in New Albany, Mississippi. ... Jennie Stephens Smith Library

- Bookshelf: Union County Library System, Union County Library System,...
- Books / Audio / Digital: Union County Library System, including Nance McNeely...
- Hours / Directions: Union County Library System, including Nance McNeely...
- Calendar of Events: Union County Library System, including Nance McNeely...

Search

Jennie Stephens Smith Library - New Albany, Mississippi ... www.facebook.com/pages/Jennie-Stephens-Smith... Jennie Stephens Smith Library, New Albany, Mississippi. 25 likes · 87 were here. Local Business

Jennie Stephens Smith Library New Albany, MS 38652 - YP.com www.yellowpages.com/new-albany-ms/min/jennia ... coupons and more for Jennie Stephens Smith Library at 219 King St, New Albany, MS. Search for other Libraries in New Albany on YP ... Jennie Stephens Smith Library.

Union County Library System unioncountylibrary.org/hours.asp Union County Library System, ... and Jennie Stephens Smith Library in New Albany, ... Union County Library - New Albany, MS Jennie Stephens Smith Library.

Jennie Stephens Smith Library in New Albany, MS 38652-3937 ... listings.findthecompany.com/12687218/Jennie-Stephens... Jennie Stephens Smith Library is a library located in New Albany, Mississippi. ... Jennie Stephens Smith Library New Albany ...

Jennie Stephens Smith Library -- Union County, MS librarytechnology.org/libraries/library.pl?id=20573 Jennie Stephens Smith Library ... MS. Type: Public. 219 King Street, New Albany Mississippi United States ... Library details: Jennie Stephens Smith Library is a ...

Jennie Stephens Smith Library - New Albany, MS - dandb.com www.dandb.com/businessdirectory/jenniestephens... Jennie Stephens Smith Library was founded in 2005. Jennie Stephens Smith ...

Jennie Stephens Smith Library in New Albany, MS - (662) 534-1991 www.buzzfile.com/business/Union-County-Library-662-534-1991 Jennie Stephens Smith Library is the only company located at 219 King St, New Albany, MS 38652. Map View larger map. ... is located in New Albany, Mississippi.

COPY



WALLERVILLE WATER ASSOCIATION
 c/o BNA BANK
 P.O. DRAWER 811
 NEW ALBANY, MS 38052
 662-534-4147

RETURN SERVICE REQUESTED

FIRST-CLASS MAIL
 U.S. POSTAGE
 PAID
 NEW ALBANY MS
 PERMIT NO. 23

| TYPE OF SERVICE | METER READING | | USED | CHARGES |
|-----------------|---------------|----------|------|---------|
| | PRESENT | PREVIOUS | | |
| Water | 480400 | 480400 | 0 | 15.75 |

THIS BILL IS NOW DUE AND PAYABLE:

| CUSTOMER | | PAST DUE AT THIS DATE |
|------------------------|---------|-------------------------|
| ROUTE | ACCOUNT | |
| 1 | 751 | 06/05/17 |
| TOTAL DUE UPON RECEIPT | | PAST DUE AMOUNT TO DATE |
| 15.75 | | 20.48 |

Cutoff Notice on Back- No Further Notice will Be Mailed

1579 CR 278 BS
 *****WILL BE PAID BY DRAFT 05/05/17

Service From 4/1/2017 TO 5/1/2017

| METER READ | | | ACCOUNT 751 | | 5/11/17 |
|------------|-----|-------|------------------------|----------------------------|-----------------|
| MONTH | DAY | CLASS | TOTAL DUE UPON RECEIPT | LATE CHARGE AFTER DUE DATE | PAST DUE AMOUNT |
| 5 | 1 | 1 | 15.75 | 4.73 | 20.48 |

NOTICE:
 2016 Consumer Confidence Report Available Upon Request

ROBERT W. HALL
 3482 Keith Bridge Rd #118
 Cumming GA 30041



WALLERVILLE WATER ASSOCIATION
 c/o BNA BANK
 P.O. DRAWER 811
 NEW ALBANY, MS 38052
 662-534-4147

RETURN SERVICE REQUESTED

FIRST-CLASS MAIL
 U.S. POSTAGE
 PAID
 NEW ALBANY MS
 PERMIT NO. 23

| TYPE OF SERVICE | METER READING | | USED | CHARGES |
|-----------------|---------------|----------|------|---------|
| | PRESENT | PREVIOUS | | |
| Water | 713900 | 713900 | 0 | |

THIS BILL IS NOW DUE AND PAYABLE:

| CUSTOMER | | PAST DUE AT THIS DATE |
|------------------------|---------|-------------------------|
| ROUTE | ACCOUNT | |
| 1 | 992 | 06/05/17 |
| TOTAL DUE UPON RECEIPT | | PAST DUE AMOUNT TO DATE |
| 0.00 | | |

Cutoff Notice on Back- No Further Notice will Be Mailed

1005 CR 254
 BANK DRAFT NOW AVAILABLE>>>>CONTACT 534-4147

Service From 4/1/2017 TO 5/1/2017

| METER READ | | | ACCOUNT 992 | | 5/11/17 |
|------------|-----|-------|------------------------|----------------------------|-----------------|
| MONTH | DAY | CLASS | TOTAL DUE UPON RECEIPT | LATE CHARGE AFTER DUE DATE | PAST DUE AMOUNT |
| 5 | 1 | 1 | 0.00 | | |

NOTICE:
 2016 Consumer Confidence Report Available Upon Request

MAIL THIS STUB WITH YOUR PAYMENT
 WALLERVILLE WATER ASSOCIATION

JIM WHITLOCK
 5037 Southern Trace Dr
 Gainesville GA 30504