

2019 JUN 27 PM 3: 34

# 2018 CERTIFICATION

## Consumer Confidence Report (CCR)

Northeast Amite County Water Assoc.  
Public Water System Name

0030024

List PWS ID #s for all Community Water Systems included in this CCR

The Federal Safe Drinking Water Act (SDWA) requires each Community Public Water System (PWS) to develop and distribute a Consumer Confidence Report (CCR) to its customers each year. Depending on the population served by the PWS, this CCR must be mailed or delivered to the customers, published in a newspaper of local circulation, or provided to the customers upon request. Make sure you follow the proper procedures when distributing the CCR. **You must email, fax (but not preferred) or mail, a copy of the CCR and Certification to the MSDH.** Please check all boxes that apply.

Customers were informed of availability of CCR by: *(Attach copy of publication, water bill or other)*

- Advertisement in local paper *(Attach copy of advertisement)*
- On water bills *(Attach copy of bill)*
- Email message *(Email the message to the address below)*
- Other \_\_\_\_\_

Date(s) customers were informed:  / / 2019 /  / / 2019 /  / / 2019

CCR was distributed by U.S. Postal Service or other direct delivery. Must specify other direct delivery methods used \_\_\_\_\_

Date Mailed/Distributed:  / /

CCR was distributed by Email *(Email MSDH a copy)*

Date Emailed:  / / 2019

- As a URL \_\_\_\_\_ *(Provide Direct URL)*
- As an attachment
- As text within the body of the email message

CCR was published in local newspaper. *(Attach copy of published CCR or proof of publication)*

Name of Newspaper: Enterprise Journal

Date Published: 6 / 19 / 19

CCR was posted in public places. *(Attach list of locations)*

Date Posted:  / / 2019

CCR was posted on a publicly accessible internet site at the following address: \_\_\_\_\_

*(Provide Direct URL)*

### CERTIFICATION

I hereby certify that the CCR has been distributed to the customers of this public water system in the form and manner identified above and that I used distribution methods allowed by the SDWA. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the PWS officials by the Mississippi State Department of Health, Bureau of Public Water Supply

Sam Marsalis

6-27-19

Name/Title (Board President, Mayor, Owner, Admin. Contact, etc.)

Date

### Submission options (Select one method ONLY)

Mail: (U.S. Postal Service)  
MSDH, Bureau of Public Water Supply  
P.O. Box 1700  
Jackson, MS 39215

Email: [water.reports@msdh.ms.gov](mailto:water.reports@msdh.ms.gov)

Fax: (601) 576 - 7800

**\*\*Not a preferred method due to poor clarity\*\***

**CCR Deadline to MSDH & Customers by July 1, 2019!**

2019 MAY 28 AM 8:14

2018 Annual Drinking Water Quality Report  
 Northeast Amite County Water Association  
 PWS#: 0030024  
 May 2019

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from a well drawing from the Miocene Series Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The well for the Northeast Amite County Water Association has received a moderate susceptibility ranking to contamination.

If you have any questions about this report or concerning your water utility, please contact David Gunther at 601.684.7399. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the third Tuesday of each month at 7:00 PM at Mars Hill Community Center.

We routinely monitor for contaminants in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that we detected during the period of January 1<sup>st</sup> to December 31<sup>st</sup>, 2018. In cases where monitoring wasn't required in 2018, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. It's important to remember that the presence of these contaminants does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

*Action Level* - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

*Maximum Contaminant Level (MCL)* - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

*Maximum Contaminant Level Goal (MCLG)* - The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

*Maximum Residual Disinfectant Level (MRDL)* - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary to control microbial contaminants.

*Maximum Residual Disinfectant Level Goal (MRDLG)* - The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

*Parts per million (ppm) or Milligrams per liter (mg/l)* - one part per million corresponds to one minute in two years or a single penny in \$10,000.

*Parts per billion (ppb) or Micrograms per liter* - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

TEST RESULTS								
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source of Contamination
<b>Inorganic Contaminants</b>								
10. Barium	N	2018	.036	No Range	ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits

14. Copper	N	2015/17*	0	0	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
17. Lead	N	2015/17*	0	0	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
19. Nitrate (as Nitrogen)	N	2018	.27	No Range	ppm	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits
<b>Disinfection By-Products</b>								
81. HAA5	N	2017*	1	No Range	ppb	0	60	By-Product of drinking water disinfection.
82. TTHM [Total trihalomethanes]	N	2017*	1.09	No Range	ppb	0	80	By-product of drinking water chlorination.
Chlorine	N	2018	1.3	1.1 – 1.5	mg/l	0	MDRL = 4	Water additive used to control microbes

\* Most recent sample. No sample required for 2018.

As you can see by the table, our system had no violations. We have learned through our monitoring and testing that some contaminants have been detected, however, the EPA has determined that your water IS SAFE at these levels.

We are required to monitor your drinking water for specific contaminants on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. We did complete the monitoring requirements for bacteriological sampling that showed no coliform present. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our water system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.576.7582 if you wish to have your water tested.

#### Significant Deficiencies

##### Monitoring and Reporting of Compliance Data Violations:

During a sanitary survey conducted on 3/13/2015, the Mississippi State Department of Health cited the following significant deficiency(s):

Well Near source of fecal contamination (ex: septic system, sewer lines)

Corrective Actions: This system is under a Bilateral Compliance Agreement to be back into compliance by 6/30/2021.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1.800.426.4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1.800.426.4791.

The Northeast Amite County Water Association works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future. A copy of this report will not be mailed to each customer.

**BRIEFS**

University of South-  
alpi has released  
s and dean's lists  
spring semester.  
ident's list in-  
me students who  
rfect 4.0 grade-  
ge. Dean's list  
e those with at  
A but less than a

orees include:  
Sydney Lynn  
y Ann Howell,  
well, Carkeydra  
ckson, Celestina  
gail Nicole For-  
jit Kaur, presi-  
Jaylan Trevon  
Thomas Corey  
itah Israel Gard-  
Lee Hightower,  
helle Nunnery.

Jexis LeAnn, Hai-  
on Elise Cairn,  
lake Dunaway,  
Gonsalves, Leah  
faddox, Hunter  
ma Leigh Rimes,  
ayes Thompson,  
list: Junitario  
Budon, Erica  
arah Elizabeth  
n Austin Klein,  
nn Monk, Mattie  
t, Megan Elise  
in Jamiesha Tu-  
ysha LaBrittany  
ison Paige White,  
Wroten, Rollin  
g, dean's list.  
Iszhahney  
president's list;  
awn Barron,  
firanda Lantrip,  
es Riddle, Mykala  
cole Williams,

itni Donelle God-  
Sanchez, Kristin  
president's list;

**OLL: EVA GORDON UPPER ELEMENTARY**

**UPPER ELEMENTARY**  
1st roll for the  
weeks of the  
chool year  
following stu-

**IDENT'S SCHOLARS:**  
anya Jones, Layla  
Delainey Maria

**L'S SCHOLARS:** Brae-  
Alexander, Shee-  
l Brown, Angel  
Carmel, Megan  
Conerly-Martin,  
nquel Johnson,  
arrell Mcknight-  
Ashton Alphonse  
Karlina Deaysia  
Kylah Andrea  
Haley Elizabeth  
Payton Luciana  
Theresa Marie  
Shaniya Monn

**HONOR ROLL:** Jakerrah  
ram, Jada Mon'ye  
ionl Janess Bond,  
Arlena Bridges,  
Creneisha Brown,  
James Bryant,  
nnae Burris, Ke'-  
non Davis, K'nyiah  
eye, Harley Im-  
Gross, Kaylynn  
rt, Andrew Lee  
II, Erica Lashunti  
m Quardrea Mar-  
erleek Matthew  
s'kirria Bren'shay  
mitchell Owen No-  
ijah Roquarius

Daniel Nolan Fortenberry,  
Whitni Louise Godbold,  
James Phillip Strawn, Nicole  
Rockquael Williams, dean's  
list.

**LIBERTY:** Marissa Blalock,  
Tiehina Cheyenne Seeden,  
president's list; Kristin Sum-  
mer Henderson, dean's list.

**GLOSTER:** Jaslyn Cham-  
payne Roberts, president's  
list; Victoria Yvette Johnson,  
dean's list.

**SMITHDALE:** Karli Cruise,  
Gabrielle Marice Martin,  
president's list; Lauren Eliz-  
abeth Nimon, dean's list.

**CENTREVILLE:** Josie DeLee,  
president's list.

**JAYESS:** Carley Cole Porten-  
berry, Sydney Caitlyn Greer,  
Cheyenne Rae Powell, Lacey  
Wallace, president's list; Lex-  
is Brown, Peyton Grace  
Lawrence, dean's list.

**TYLERDOWN:** Hannah Craft,  
Rachel Lauren Ryals, Crystal  
Shields, Makalah Christine  
Ward, president's list;  
Stephanie Lynn White And-  
drews, William Brandon  
Bergeron, Janna Bridgman,  
Lakin Raye Brown, Alexis  
Victoria Ginn, Victoria Jenk-  
inson, Austin Jacob Keller,  
Melissa Dianne Nelson, Mal-  
ly Joann Tagert, Gujin Yoo,  
dean's list.

**BOGUE CHITTO:** Christy  
LeAnne Boyce, Bryson Bris-  
ter, Bentley Elizabeth Sills,  
Mary Claire White, presi-  
dent's list; Terri Alzhane  
Ferguson, Marlon Kyong-  
Mi Puller, Logan Holmes,  
Courtney Robinson, dean's  
list.

**BROOKHAVEN:** Michael Sher-  
rod Byans, Kristin Jenkins,  
Kennedy Keith Moore, Re-  
agan Michelle Myers, Ethan  
Ellis Nations, Madison Marie

spoon, Brookelynn Lyshnye  
Williams, Makayla Ellen  
Shanaine Williams.

**SIXTH GRADE  
SUPERINTENDENT'S SCHOOL:**  
Zariah Nic Caldwell,  
Kelbe Jajuan Spris, Mary  
Lyncey Du-nam, Lance  
Jemell Reynolds.

**PRINCIPAL'S SCHOLARS:** Key-  
pashia La'shai Barnes,  
Shiniece Augustine Bell,  
Jhaidon Terrell Bowers,  
Malasia Anya Brown, Aud-  
rina Renee Brumfield,  
Braylin Javarrius Bryant,  
Michael Jermaine Christian  
Jr., Sha'kendra Olivia  
Collins, Nkya Camille Felder,  
Na'Deja Monique Green,  
Aubree Mc'kole Hines,  
Ja'nyia Trilexus Huff, Jovon  
Marquez Leavy, De'asin  
Julienne Medious, Alayyah  
Bellse Miller, Jade Lee Ran-  
dolph, Danielle Nicole Red,  
Anthony Bendicion Rivera,  
Amber Nicole Robchaux,  
Darryl Flanders Robinson  
Jr., Charlestriona Titeonna  
Ty'shay Nichelle Singleton,  
Anaya Chantary Smith, Bri-  
anna Danielle Smith,  
T'eriecka Breunna Neshai  
Smith, Deanna Aahyah  
West, Victoria Brinay  
Williams, Carmelo Lee Syn-  
tel Young.

**HONOR ROLL:** Andriunne  
Monique Alford, Landon  
Brice Allen, Tyler Donte  
Allen, Demiquis Dewayne

Warren, Lauri Leigh White,  
Courtney Elizabeth Wyant,  
president's list; Charles  
Nickolas Burns, Abigail  
Leigh Douglas, Jessalyn Ann  
Ebbers, Taylor Thomas Free-  
ny, Jessie Gilmore III, Khloe  
King, Javon Quindaris Mot-  
ley, Charles David Nash,  
Imani Charnae Quinn,  
Sawyer Peyton Riels, Pnui  
Alexander Smith, Steven  
Dorsey Smith, Jennifer  
Marie Wright, dean's list.

**ROXIE:** Halley Dennon Mc-  
daniel, president's list; Kar-  
darius Byes Felton, Devin  
Lee Spear, dean's list.

**WOODVILLE:** Carmen Amelia  
Cavin, president's list.  
**KENTWOOD, IA:** Nicholas  
Dykes, dean's list.

**Area students make Washburn honor lists**

Three area students were recently named to honor lists at Washburn University in Topeka, Kan.

Jourdon Cummings of Meadville is one of more than 600 students named to the spring 2019 president's list.

To qualify for the honor, a student must complete at least 12 hours of graded credits and earn a semester grade-point average of 4.0.

Dean's List honorees, who held a GPA of 3.4 to 3.99, include Brittnee Blakeney of Brookhaven and Megan Hutcherson of Monticello.

**Mixon graduates from So. Arkansas.**

Alyiah Mixon graduated Cum Laude with a Bachelor of Science degree from Southern Arkansas University at the Spring Commencement ceremonies held.

Mixon, from McComb, majored in athletic training from the College of Educa-

**Ivey recognized at honors convocation**

Reanna Ivey of Summit was recently recognized at Mississippi College's annual honors convocation.

Hosted by First Baptist Church Clinton, students, parents and faculty were in attendance to honor the selected students during the university's chapel service.

**Enterprise-Journal** **Subscribe.**  
Call 684-2713.

**2018 Annual Drinking Water Quality Report**  
Northeast Amite County Water Association  
PWS# 0030024  
May 2019

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from a well drawing from the Miocene Series Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The well for the Northeast Amite County Water Association has received a moderate susceptibility ranking to contamination.

If you have any questions about this report or concerning your water utility, please contact David Gunthor at 601.684.7399. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the third Tuesday of each month at 7:00 PM at Mrs Hill Community Center.

We routinely monitor for contaminants in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that we detected during the period of January 1<sup>st</sup> to December 31<sup>st</sup>, 2018. In cases where monitoring wasn't required in 2018, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity, microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. It's important to remember that the presence of these contaminants does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

**Action Level** - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

**Maximum Contaminant Level (MCL)** - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

**Maximum Contaminant Level Goal (MCLG)** - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

**Maximum Residual Disinfectant Level (MRDL)** - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary to control microbial contaminants.

**Maximum Residual Disinfectant Level Goal (MRDLG)** - The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

**Parts per million (ppm) or Milligrams per liter (mg/l)** - one part per million corresponds to one minute in two years or a single penny in \$10,000.

**Parts per billion (ppb) or Micrograms per liter** - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

TEST RESULTS								
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/L	Unit Measure-mental	MCLG	MCL	Likely Source of Contamination
<b>Inorganic Contaminants</b>								
10. Barium	N	2018	0.58	No Range	ppm		2	Discharge of drilling wastes, discharge from metal refineries, erosion of natural deposits
14. Copper	N	2018/17*	0	0	ppm	1.3	AL=1.3	Corrosion of household plumbing
17. Lead	N	2018/17*	0	0	ppb	0	AL=15	systems; erosion of natural deposits; leaching from wood preservatives
19. Nitrate (as Nitrogen)	N	2018	.27	No Range	ppm	10	10	Runoff from fertilizer use, leaching from septic tanks, sewage; erosion of natural deposits
<b>Disinfection By-Products</b>								
81. HAAS	N	2017*	1	No Range	ppb	0	60	By-Product of drinking water disinfection
82. THM4 (Total trihalomethanes)	N	2017*	1.03	No Range	ppb	0	80	By product of drinking water chlorination

**DRINKING WATER:**  
 Gonsalves, Leah Maddox, Hunter Anna Leigh Rimes, Hayes Thompson, F's list; Juanita 'an Badon, Erica Sarah Elizabeth John Austin Klein, Brian Monk, Muttie Gott, Megan Elise xlo Jamiesha Thaxia LaBrittany idson Paige Wolfe, Wrotten, Rollin ung, denn's list.  
**LLA:**  
 Iszhahney's, president's list; Dawn Barron, Miranda Lantrig, mes Riddle, Mykala Nicole Williams, t.  
 Britni Donelle Godla Sanchez, Kristle president's list;

**DRINKING WATER:**  
 Shields, Makalah Christine Wand, president's list; Stephanie Lynn White Andrews; William Brandon Bergeron, Janna Bridgman, Lakin Raye Brown, Alexis Victoria Ginn, Victoria Jenkinson, Austin Jacob Keller, Melissa Dianne Nelson, Mally Joann Tagert, Gajin Yoo, dean's list.  
**BOGUE CHITTO:** Christy LeAnne Boyte, Bryson Bristol, Bentley Elizabeth Sills, Mary Claire White, president's list; Terri Abjzhane Ferguson, MaRion Kyong-Mi Fuller, Logan Holmes, Courtney Robinson, dean's list.  
**BROOKHAVEN:** Michael Sherrod Evans, Kristin Jenkins, Kennedy Keith Moore, Keagan Michelle Myers, Ethan Ellis Nattons, Madison Marie

**ROLL: EVA GORDON UPPER ELEMENTARY**

**UPPER ELEMENTARY**  
 tor roll for the weeks of the school year he following stu-

**ADE**  
**STUDENT'S SCHOLARS:**  
 Anya Jones, Layla ey, Delainey Maria

**AL'S SCHOLARS:** Bracae Alexander, Shee-ell Brown, Angel Carmel, Megan Concerly-Martin, Raquel Johnson, Sha'rell Mcknight-Ashton Alphonse n, Karlena Deaysia Kylaah Andrews Huley Elizabeth Payton Luciana Theresa Marie Shaniya Monu

**ROLL:** Jakerrah abram, Jada Mon'ey Jiom Janess Bond, Arlena Bridges, Treneisha Brown, James Bryant, anae Burris, Ke'vone Davis, K'nyiah Frye, Harley Im-Gross, Kaylynn urt, Andrew Lee III, Erica Lashunll yo Quardrea Mar-derick Matthew Ja'kirria Bren'shay Mitchell Owen No-lilah Roquerrus Derrick Dwayne Aliyah Joy Tate, se Deneece Trotter, inn Wells.

**STUDENT'S SCHOLARS:**  
 adale Hampton III, a Shantell Hood, Patrick Leggett, ank Wells.  
**pol's scholars:** Ryan Ashley, Trinity sker, Adira Shaac Jaylen Frank la'Mya Lloydrianna Jenkins, Janay nes, Doderick Delvon Alexis Jude Murphy.  
**ROLL:** Justin Cornell Jartavious Jayshun Kaleb Derell Cain, nn Cherish Joseph, Vernell Weather-

poon, Brookelynn Lysnhay Williams, Makayla Ellen Shialaine Williams.

**SIXTH GRADE SUPERINTENDENT'S SCHE:**  
 Zariah Nic Caldwell, Kelbe Jajuan Norris, Mary Lovacey Durrum, Lance Jemell Reynolds.

**PRINCIPAL'S SCHOLARS:** Key-shasha La'shal Barnes, Shilnee Augustine Bell, Jhaidon Terrell Bowers, Malaysia Anya Brown, Audrina Renae Brumfield, Braylin Javarrius Bryant, Michael Jermaine Christian Jr., Sha'kendra Olivia Collins, Nkya Camille Felder, Na'Deja Monique Green, Aubree Mc'kole Hines, Ja'nyia Trileux Huff, Jovon Marquez Lenny, Jovon Julianne Medious, Ahyayh Eelise Miller, Jade Lee Randolph, Danielle Nicole Red, Anthony Bendiclon Rivera, Amber Nicole Robichaux, Darryl Flanders Robinson Jr., Randall Mark Rushing Jr., Charlextrona Titeonna Ty'shay Nichelle Singleton, Anya Chiantary Smith, Brianna Danielle Smith, Teriecka Breunna Neshul Smith, Deanna Aliyah West, Victoria Briany Williams, Carmelo Lee Syntel Young.

**HONOR ROLL:** Andrelunne Monique Alford, Laudon Brice Allen, Tyler Donte Allen, Demiquis Dewayne Anders, Janiah Kreshay Brown, Christopher Howard Carral Jr., Maritza Mechele Cook, Zaveion Emmanuel Eubanks, Ray'kevon Le'traul Givens, Trinity Tawall Grady, Tylan Rondale Holmes, Nakyah Shunkal Hughes, Mykallia Gabrielkalis Isaac, Kelsey La'mya Island, Na'tareious Ja'quan Long, Ty'dareious Ty'kevon Long, Tyrese Devon Mark, Erri-anisha Lashae Marshall, Trenton Maurice McDaniel, Jalia Monique Pittman, William Douglas Rayborn, Darron Derec Hike Robinson, Fredrick Devon Tobias, Ke'Nyia Tukayla Walker, Kel-varion Weathersby, Andre Dewayne Williams Jr., Madison Kyshay Williams.

We're pleased to present to you this year's Annual Quality Water Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source is from a well drawing from the Miocene Series Aquifer.

The source water assessment has been completed for our public water system to determine the overall susceptibility of its drinking water supply to identify potential sources of contamination. A report containing detailed information on how the susceptibility determinations were made has been furnished to our public water system and is available for viewing upon request. The well for the Northeast Amite County Water Association has received a moderate susceptibility ranking to contamination.

If you have any questions about this report or concerning your water utility, please contact David Gunthor at 601.684.7399. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the third Tuesday of each month at 7:00 PM at Mars Hill Community Center.

We routinely monitor for contaminants in your drinking water according to Federal and State laws. This table below lists all of the drinking water contaminants that we detected during the period of January 1<sup>st</sup> to December 31<sup>st</sup>, 2018. In cases where monitoring wasn't required in 2018, the table reflects the most recent results. As water travels over the surface of land or underground, it dissolves naturally occurring minerals and, in some cases, radioactive materials and can pick up substances or contaminants from the presence of animals or from human activity; microbial contaminants, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife; inorganic contaminants, such as salts and metals, which can be naturally occurring or result from urban storm-water runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming; pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm-water runoff, and residential uses; organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations and septic systems; radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities. In order to ensure that tap water is safe to drink, EPA prescribes regulations that limit the amount of certain contaminants in water provided by public water systems. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. It's important to remember that the presence of these contaminants does not necessarily indicate that the water poses a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

**Action Level** - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

**Maximum Contaminant Level (MCL)** - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

**Maximum Contaminant Level Goal (MCLG)** - The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

**Maximum Residual Disinfectant Level (MRDL)** - The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary to control microbial contaminants.

**Maximum Residual Disinfectant Level Goal (MRDLG)** - The level of a drinking water disinfectant below which there is no known or expected risk of health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

**Parts per million (ppm) or Milligrams per liter (mg/l)** - one part per million corresponds to one minute in two years or a single penny in \$10,000.

**Parts per billion (ppb) or Micrograms per liter** - one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.

TEST RESULTS									
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	AL	Likely Source of Contamination
<b>Inorganic Contaminants</b>									
10. Barium	N	2018	.038	No Range	ppm	10	2	2	Discharge of drilling wastes; leachate from metal refineries; erosion of natural deposits
14. Copper	N	2018/17*	0	0	ppm	1.3	AL=1.3		Erosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
17. Lead	N	2018/17*	0	0	ppb	0	AL=15		Erosion of household plumbing systems; erosion of natural deposits
19. Nitrate (as Nitrogen)	N	2018	.27	No Range	ppm	10	10		Runoff from fertilizer use; leaching from septic tanks; sewage; erosion of natural deposits
<b>Disinfection By-Products</b>									
51. THAAS	N	2017*	1	No Range	ppb	0	60		By-Product of drinking water disinfection
52. THM (Total Trihalomethanes)	N	2017*	1.09	No Range	ppb	0	80		By-product of drinking water chlorination
Chlorine	N	2018	1.3	1.1 - 1.5	mg/l	0	-	MRDL = 4	Water additive used to control microbes

\* Most recent sample. No sample required for 2018.  
 As you can see by the table, our system had no violations. We have learned through our monitoring and testing that some contaminants have been detected; however, the EPA has determined that your water IS SAFE at those levels.

We are required to monitor your drinking water for specific contaminants on a monthly basis. Results of regular monitoring are an indicator of whether or not our drinking water meets health standards. We did complete the monitoring requirements for bacteriological sampling that showed no coliform present. In an effort to ensure systems complete all monitoring requirements, MSDH now notifies systems of any missing samples prior to the end of the compliance period.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Our water system is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>. The Mississippi State Department of Health Public Health Laboratory offers lead testing. Please contact 601.578.7582 if you wish to have your water tested.

**Significant Deficiencies Monitoring and Reporting of Compliance Data Violations:**  
 During a sanitary survey conducted on 6/13/2015, the Mississippi State Department of Health cited the following significant deficiency(ies):  
**Well Near source of fecal contamination (ex: septic system, sewer lines)**  
**Corrective Action:** This system is under a Bilateral Compliance Agreement to be back into compliance by 6/30/2021.

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1.800.426.4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline 1.800.426.4791.

The Northeast Amite County Water Association works around the clock to provide top quality water to every tap. We ask that all our customers help us protect our water sources, which are the heart of our community, our way of life and our children's future. A copy of this report will not be mailed to each customer.

**sportation meeting slated**

tation Community hand along with free food, door prizes, fun, games and a raffle for a New Orleans Pelicans basketball game.  
 tion and Rose sportation will hold ity Transportation ss Day 10 a.m. to 2 rday at the Martin Jng Center in Me-Elected officials, tion providers toniers will be on

**TAKE ACTION.**  
 REPORT LEITER  
 200 ILLEGAL DUMPS.  
 PERC COUNTY, 684-1800.

STATE OF MISSISSIPPI,  
COUNTY OF PIKE

PERSONALLY CAME before me, the undersigned, a notary public in and for PIKE County, Mississippi, the CLERK of the McCOMB ENTERPRISE-JOURNAL, a newspaper published in the City of McComb, Pike County, in said state who being duly sworn, deposes and says that the McCOMB ENTERPRISE-JOURNAL is a newspaper as defined and prescribed in Senate Bill No. 203 enacted at the regular session of the Mississippi Legislature of 1948, amending Section 1458, of the Mississippi Code of 1942, and that the publication of a notice, of which the annexed is a copy in the

matter of NE Ap-te yftr

has been made in said paper 1 times consecutively, to wit:  
On the 19th day of June, 20 19  
On the \_\_\_\_\_ day of \_\_\_\_\_, 20 \_\_\_\_\_  
On the \_\_\_\_\_ day of \_\_\_\_\_, 20 \_\_\_\_\_

SWORN TO and subscribed before me, this \_\_\_\_\_ day of \_\_\_\_\_, 20 \_\_\_\_\_

Kim Golden  
Notary Public  
Clerk

My Commission Expires: June 19, 2021

McComb, Miss., \_\_\_\_\_, 20 \_\_\_\_\_  
To McComb Enterprise-Journal



TO PUBLISHING \_\_\_\_\_  
case of \_\_\_\_\_  
\_\_\_\_\_ words space \_\_\_\_\_  
\_\_\_\_\_ times and making proof, S \_\_\_\_\_

RECEIVED OF \_\_\_\_\_  
payment in full of the above account.

\_\_\_\_\_ 20 \_\_\_\_\_

**NORTHEAST AMITE WATER**  
 P.O. BOX 1471  
 MCCOMB, MS 39649-1471  
 (601) 684-7399

PRESORTED  
 FIRST-CLASS MAIL  
 U.S. POSTAGE  
 PAID  
 SUMMIT, MS 39666  
 PERMIT NO. 19

TYPE OF SERVICE	METER READING PRESENT	METER READING PREVIOUS	USED	CHARGES
Water	269900	269000	900	19.00
Late Charge				1.90
Past Due				89.14

*6/20/19*

CUSTOMER ACCOUNT	ROUTE	PAST DUE AFTER THIS DATE
1279	1	6/20/19
TOTAL DUE UPON RECEIPT		PAST DUE AMOUNT
110.04		111.94

MAIL THIS STUB WITH YOUR PAYMENT

1939 F BRUMFIELD RD

Service From 4/23/2019 TO 5/21/2019 ACCOUNT 1279 5/29/2019

JESSICA BATES  
 1939F Brumfield Rd SW  
 Summit MS 39666-7417

METER READ MONTH	CLASS	TOTAL GUE UPON RECEIPT	LATE CHARGE AFTER DUE DATE	PAST DUE AMOUNT
5	21	110.04	1.90	111.94

Service for all accounts having a past due balance will be subject to disconnection. Must bring full card if paying at Pike National Bank. For billing questions or new service call 601-684-7399, CCR Report will be published in the Enterprise Journal on June 19, 2019.