

2019 JUL 29 AM 11:31

2018 CERTIFICATION

Consumer Confidence Report (CCR)

POPLAR SPRINGS WATER DISTRICT

Public Water System Name
MS0640012

List PWS ID #s for all Community Water Systems included in this CCR

The Federal Safe Drinking Water Act (SDWA) requires each Community Public Water System (PWS) to develop and distribute a Consumer Confidence Report (CCR) to its customers each year. Depending on the population served by the PWS, this CCR must be mailed or delivered to the customers, published in a newspaper of local circulation, or provided to the customers upon request. Make sure you follow the proper procedures when distributing the CCR. **You must email, fax (but not preferred) or mail, a copy of the CCR and Certification to the MSDH.** Please check all boxes that apply.

Customers were informed of availability of CCR by: *(Attach copy of publication, water bill or other)*

- Advertisement in local paper *(Attach copy of advertisement)*
- On water bills *(Attach copy of bill)*
- Email message *(Email the message to the address below)*
- Other _____

Date(s) customers were informed: 6/6/2019 / /

CCR was distributed by U.S. Postal Service or other direct delivery. Must specify other direct delivery methods used

Date Mailed/Distributed: / /

CCR was distributed by Email *(Email MSDH a copy)* Date Emailed: / / 2019

- As a URL _____ *(Provide Direct URL)*
- As an attachment
- As text within the body of the email message

CCR was published in local newspaper. *(Attach copy of published CCR or proof of publication)*

Name of Newspaper: Simpson Co. Newspaper
Date Published: 6/6/2019

CCR was posted in public places. *(Attach list of locations)* Date Posted: / / 2019

CCR was posted on a publicly accessible internet site at the following address: _____ *(Provide Direct URL)*

CERTIFICATION

I hereby certify that the CCR has been distributed to the customers of this public water system in the form and manner identified above and that I used distribution methods allowed by the SDWA. I further certify that the information included in this CCR is true and correct and is consistent with the water quality monitoring data provided to the PWS officials by the Mississippi State Department of Health, Bureau of Public Water Supply

Bill Wiley
Name/Title (Board President, Mayor, Owner, Admin. Contact, etc.)

July 29, 2019
Date

Submission options (Select one method ONLY)

Mail: (U.S. Postal Service)
MSDH, Bureau of Public Water Supply
P.O. Box 1700
Jackson, MS 39215

Email: water.reports@msdh.ms.gov
Fax: (601) 576 - 7800
Not a preferred method due to poor clarity

CCR Deadline to MSDH & Customers by July 1, 2019!

*Annual Drinking Water Quality Report
 Poplar Springs Water District
 PWS ID # 0640012
 May, 2019*

We're pleased to present to you this year's Annual Water Quality Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source consists of two wells that draw from the Catahoula Aquifer.

A source water assessment has been completed for the water supply to determine the overall susceptibility of its drinking water to identify potential sources of contamination.. The water supply for Poplar Springs Water District received one lower and one medium susceptibility ranking to contamination.

We're pleased to report that our drinking water meets all federal and state requirements.

If you have any questions about this report or concerning your water utility, please contact Perry Overby at 601-260-4340. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the second Monday at Poplar Springs Baptist Church at 6:00 pm.

Poplar Springs Water District routinely monitors for constituents in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2018. As water travels over the land or underground, it can pick up substances or contaminants such as microbes, inorganic and organic chemicals, and radioactive substances. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily pose a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT) - A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

Maximum Contaminant Level - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal - The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

TEST RESULTS

Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source of Contamination
Inorganic Contaminants								
10. Barium	N	2016*	0.1036	No Range	Ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
13. Chromium	N	2016*	0.80	No Range	Ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits
14. Copper	N	1/1/15 to 12/31/17	0.3	None	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
17. Lead	N	1/1/15 to 12/31/17	1	None	ppb	0	AL=15	Corrosion of household plumbing systems, erosion of natural deposits
Disinfectants & Disinfectant By-Products								
Chlorine (as Cl ₂)	N	1/1/18 to 12/31/18	2.30	1.40 to 3.40	ppm	4	4	Water additive used to control microbes

* Most recent sample results available

Additional Information for Lead

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Poplar Springs Water District is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact 601.576.7582 if you wish to have your water tested..

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man made. These substances can be microbes, inorganic or organic chemicals and radioactive substances. All drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline at 1-800-426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

This report being published in the paper will not be mailed. Please call our office if you have questions.

Money-love, 'the root of all evil'

"For the love of money is the root of all evil: which while some coveted after, they have erred from the faith, and pierced themselves through with many sorrows" (I Timothy 6:10).



THE NARROW WAY
Thomas Ray Floyd

We take our text this week with a two-fold purpose: 1) to warn you of the danger of money-love; and 2) to show the way the English word "all" is used in the text. The second of these will be extremely important when we begin very soon to open some passages to which the papists and the arminians appeal to try to prove their "general atonement" theories.

First, let us all be warned of the danger of money-love. An inordinate desire for money and material things has already ruined multitudes for eternity, and many are now making shipwreck of their souls by this awful sin, and by other sins rooted in it. Those of you who read Mr John Bunyan's "Pilgrim's Progress" will remember that one of the false professors of which Mr Bunyan warned was "Mr Money-Love." His companions were "Mr Hold-the-World," and "Mr Save All." Of course, money and other material things are not sinful in themselves, and a lawful desire for these things for the maintenance and comfort of our families, and for the furtherance of the gospel, is not only al-

lowed, but indeed commanded by the scriptures. The Holy Ghost saith in I Timothy 5:8, "if any provide not for his own, and specially for those of his own house, he hath denied the faith, and is worse than an infidel." Again, the Holy Ghost declares in II Thessalonians 3:10, "if any would not work, neither should he eat." And Proverbs 13:22 says, "a good man leaveth an inheritance to his children's children." On the other hand we are told to be content with our basic necessities (I Timothy 6:8), and the inspired penman prays in Proverbs 30:7-9 to be spared from extreme poverty, and from extravagant wealth. So the warning of our text this week is against a sinful desire for money and material things. The awful truth is that you may damn yourself by either money love or laziness.

Secondly, let us note the sense of our text. This is the aim of the faithful preacher- to give the sense of the scriptures (for a short description of exegesis, interpretation, and application of scripture, see Nehemiah 8:8). It is clear from the context of I Timothy 6:10, from the

rest of the Bible, and sanctified common sense, that the word "all" is used here in a limited, or qualified sense. The sense is that money-love is the root of all KINDS of evil. There are many sins committed for other reasons than the love of money. Generally, sexual sins are not committed for the love of money (except for perhaps prostitution). Many sins are committed for revenge, and for just plain meanness.

But the love of money is indeed the root of all kinds of evil. Preachers compromise the truth for the love of money. Busi-

nessmen deceive their customers for love of money. Masters deprive their servants of their just due for the love of money. Servants pilfer their master's goods for the love of money. Women disobey Titus 2:4-5 and leave their homes, their husbands, and their children and go into the public workplace for the love of money. Men send their wives to work for a second income for the love of money. Men break the Sabbath for the love of money. People flock to the gambling joints for the love of money. Women sell their bodies for the

love of money. Politicians burden the people with unjust taxation for the love of money. Nations go to war with one another for the love of money- indeed, most wars are caused by the love of money. We could go on and on with a never-ending list of evils that are rooted in money-love.

So, the plain sense of our text this week is that the love of money is the root of "all kinds of evil." In fact, the translators of the New King James Version translated it that way, and put "kinds" in italics, following the example of the original translators

who italicized the words they added to maintain an equivalent translation and to make the text readable in English and to give the proper sense. You need to understand that words such as "all" and "whosoever" are always used in the scriptures in a limited or in a qualified sense. That is plain to see in I Timothy 6:10, and it is true in many other scriptures. Next week we shall open a text that papists and arminians use to try to prove their "general atonement" theory. May the Holy Spirit guide us into all truth.

Annual Drinking Water Quality Report Poplar Springs Water District PWS ID # 0640012 May, 2019

We're pleased to present to you this year's Annual Water Quality Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water source consists of two wells that draw from the Catahoula Aquifer.

A source water assessment has been completed for the water supply to determine the overall susceptibility of its drinking water to identify potential sources of contamination. The water supply for Poplar Springs Water District received one lower and one medium susceptibility ranking to contamination.

We're pleased to report that our drinking water meets all federal and state requirements.

If you have any questions about this report or concerning your water utility, please contact Perry Overby at 601-260-4340. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings. They are held on the second Monday at Poplar Springs Baptist Church at 6:00 pm.

Poplar Springs Water District routinely monitors for constituents in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1st to December 31st, 2018. As water travels over the land or underground, it can pick up substances or contaminants such as microbes, inorganic and organic chemicals, and radioactive substances. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some constituents. It's important to remember that the presence of these constituents does not necessarily pose a health risk.

In this table you will find many terms and abbreviations you might not be familiar with. To help you better understand these terms we've provided the following definitions:

Action Level - the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT) - A treatment technique is a required process intended to reduce the level of a contaminant in drinking water.

Maximum Contaminant Level - The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

Maximum Contaminant Level Goal - The "Goal"(MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

TEST RESULTS									
Contaminant	Violation Y/N	Date Collected	Level Detected	Range of Detects or # of Samples Exceeding MCL/ACL	Unit Measurement	MCLG	MCL	Likely Source of Contamination	
Inorganic Contaminants									
10. Barium	N	2016*	0.1036	No Range	Ppm	2	2	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits	
13. Chromium	N	2016*	0.80	No Range	Ppb	100	100	Discharge from steel and pulp mills; erosion of natural deposits	
14. Copper	N	1/1/15 to 12/31/17	0.3	None	ppm	1.3	AL=1.3	Corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives	
17. Lead	N	1/1/15 to 12/31/17	1	None	ppb	0	AL=13	Corrosion of household plumbing systems, erosion of natural deposits	
Disinfectants & Disinfectant By-Products									
Chlorine (as Cl ₂)	N	1/1/18 to 12/31/18	2.30	1.40 to 3.40	ppm	4	4	Water additive used to control microbes	

* Most recent sample results available

Additional Information for Lead
If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Poplar Springs Water District is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <http://www.epa.gov/safewater/lead>. The Mississippi State Department of Health Public Health Laboratory offers lead testing for \$10 per sample. Please contact

All sources of drinking water are subject to potential contamination by substances that are naturally occurring or man-

The presence of contaminants does not necessarily indicate that the water poses a health risk. More information at:

JOB ANNOUNCEMENT

The Five County Child Development Program, Inc, an equal opportunity employer, federally funded program, has the following job opening:
Payroll/Senior Accountant:

Prefer applicants with at least a Bachelor's Degree in accounting, finance, business administration or related field with three (3) years of experience in accounting, payroll and bookkeeping or its equivalent in training and/or experience; good written and verbal communication skills; proven ability to manage complex computerized payroll systems; experience in preparing payroll tax related reports; knowledgeable of current wage and hour laws and payroll and tax regulations; able to keep confidential information; ability to coordinate with others; willingness to obtain additional training when needed or required by supervisor.

Salary range for Payroll/Senior Accountant is commensurate with qualifications and job responsibilities.

Applications will be taken at the Five County Child Development Program, Inc.'s Internal Control Building, 1118 3rd Street, Prentiss, Mississippi, beginning on Monday, June 3, 2019 through Friday, June 14, 2019, or until such time that the position is filled. Applications will be taken Monday through Friday from 8:30 A.M. until 3:30 P.M. For additional information you may call 601-792-5191.